

WL 83-17

CROP OIL CONCENTRATE



ACTIVE INGREDIENTS: (BY WEIGHT)

Paraffin Base Petroleum Oil	83%
Polyol Fatty Acid Esters, Polyethoxylated Derivatives Thereof	17%
TOTAL	100%

All ingredients are exempt from tolerance requirements under 40 CFR 180.

WARNING



KEEP OUT OF REACH OF CHILDREN

Causes serious eye irritation and mild skin irritation. May be Harmful if swallowed or if inhaled. Wear protective clothing, protective gloves, and eye and/or face protection. Do not eat, drink, or smoke when using this product. Wash hands, face, and other affected areas thoroughly after handling. If eye or skin irritation occurs, seek medical attention.

NOTE: Read and follow all label directions and cautions on all products used.

GENERAL INFORMATION

WL 83-17 is a nonionic blend of surfactants and highly refined phytyl paraffin oil. It is designed for use with a broad range of pesticides where an oil concentrate adjuvant is recommended. WL 83-17 increases contact activity and penetration of the spray while also providing uniform coverage on leaf surfaces. Always follow herbicide label recommendations.

RECOMMENDED RATES

Ground, Aerial, Low volume, CDA: Use 4-8 pints per 100 gallons water or .50-1.00% v/v concentration. With Atrazine and Aatrex, use 1 quart to the acre with desirable amount of water.

Manufactured for: WestLink Ag
100 W. Overland Road, Suite 201
Meridian, ID 83642

MIXING

To prepare for pesticide application fill spray tank one-half full with water and begin agitation. Add pesticide or fertilizer as recommended and then add WL 83-17 while continuing agitation. Continue to agitate until tank is full and agitate before and during each application.

NOTE: The effect of any adjuvant on a chemical's performance is not predictable under all conditions of weather, plant vigor, application methods and even water types. The user should consult his local agricultural extension agent or make his own tests to determine the optimum level of WL 83-17 for special pesticide spray and crop.

HANDLING AND STORAGE

For optimum storage stability, store at temperatures between 40°F (5°C) and 90°F (32°C). Avoid contact with eyes and skin. Do not store near oxidizing agents.

CONTAINER DISPOSAL

Triple rinse. Then offer container for recycling or reconditioning, or puncture and dispose of in a sanitary landfill. If incineration is allowed, stay out of smoke. Disposal of contents and/or container must be in compliance with local, state, and federal laws and regulations.

STATEMENT OF PRACTICAL TREATMENT

If Inhaled:	Remove to fresh air, treat symptomatically. Seek medical attention if irritation persists.
If Swallowed:	DO NOT INDUCE VOMITING. DO NOT GIVE LIQUIDS. Seek immediate medical attention.
If on Skin:	Wash with soap and water. Seek medical attention if irritation persists.
If in Eyes:	Immediately flush with water for 15 to 20 minutes. Seek medical attention if irritation persists.

WARRANTY

WestLink Ag warrants that this product, when used as directed and in accordance with sound agricultural practices, is reasonably fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. WestLink Ag will not be liable for indirect or consequential damages. WestLink Ag makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized officer of WestLink Ag. In no event shall WestLink Ag liability for any breach of warranty exceed the purchase price of the product to which a claim is made.

NET CONTENTS: 2.5 GALLONS