Simplot

Water Guard WG 2500

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 1.0

SECTION 1: Identification

Identification

Product form : Mixture

Product name : Water Guard WG 2500

Product code : M77083

EPA Reg. No. 88930-1-8917 Other means of identification

EPA Est. No. 89146-CA-1

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Algaecide/Bactericide

Supplier 1.3.

JR Simplot Company

P.O. Box 70013 Boise, ID 83707

T 1-208-336-2110

Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Acute toxicity (oral), Category 4 H302 Harmful if swallowed. Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) H302 - Harmful if swallowed. H315 - Causes skin irritation.

H318 - Causes serious eye damage.

P264 - Wash hands, forearms and face thoroughly after handling. Precautionary statements (GHS US)

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center/doctor/... if you feel unwell

P302+P352 - If on skin: Wash with plenty of water/...

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center/doctor/...

P321 - Specific treatment (see supplemental first aid instruction on this label)

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical attention

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container to ...in accordance with local/regional/national regulations

2.3. Other hazards which do not result in classification

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

01/07/2022 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

| Name | Product identifier | % | GHS-US classification |
|----------------------------------|--------------------------|---|---|
| Proprietary* | (CAS-No.) Not Applicable | | Not classified |
| copper(II) sulfate, pentahydrate | (CAS-No.) 7758-99-8 | | Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: First-aid measures after skin contact

Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention, Call a POISON First-aid measures after ingestion

CENTER/doctor if you feel unwell.

Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and : Based on available data, the classification criteria are not met. Harmful if swallowed.

symptoms

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media 5.1.

: Foam. Dry powder. Carbon dioxide. Water spray. Sand. Suitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Non-flammable.

Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

For non-emergency personnel 6.1.1.

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

: Equip cleanup crew with proper protection. Protective equipment

: Ventilate area. **Emergency procedures**

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

01/07/2022 EN (English) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Water Guard WG 2500

No additional information available

copper(II) sulfate, pentahydrate (7758-99-8)

No additional information available

Proprietary* (Not Applicable)

No additional information available

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue

01/07/2022 EN (English) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odour : No data available on odour

Odour threshold : No data available pH : No data available

pH solution : 2.6

Melting point : No data available Freezing point : No data available

Boiling point : 220F

Flash point : No data available Relative evaporation rate (butylacetate=1) : No data available

Flammability (solid, gas) : Not considered flammable

Non flammable.

Vapour pressure : 0.1mm 68° F
Relative vapour density at 20 °C : No data available
Relative density : No data available
Solubility : Complete.

Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic : No data available Explosive limits Explosive properties : No data available Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions and use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases. Strong reducing agents. Strong acids.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

| ATE US (oral) | 1500 mg/kg bodyweight |
|--|---|
| copper(II) sulfate, pentahydrate (7758-99-8) | |
| LD50 oral rat | 300 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 482 mg/kg bodyweight; Rat) |
| LD50 dermal rabbit | > 2000 mg/kg (Rabbit; Literature study; OECD 402: Acute Dermal Toxicity) |
| Skin corrosion/irritation | : Causes skin irritation. |

01/07/2022 EN (English) 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met. Harmful if swallowed.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

12.1. Toxicity

| copper(II) sulfate, pentahydrate (7758 | 8-99-8) |
|--|---|
| LC50 fish 1 | 1.5 mg/l (24 h; Lepomis macrochirus; Toxicity test) |
| EC50 Daphnia 1 | 0.109 – 0.798 mg/l (48 h; Daphnia magna; Anhydrous form) |
| LC50 fish 2 | 0.17 mg/l (24 h; Salmo gairdneri (Oncorhynchus mykiss); Anhydrous form) |
| TLM fish 1 | 3.8 ppm 24 h; Salmo gairdneri (Oncorhynchus mykiss) |
| Threshold limit algae 1 | 0.01 - 0.28,72 h; Selenastrum capricornutum; Anhydrous form |
| Threshold limit algae 2 | 0.368 mg/l (72 h; Pseudokirchneriella subcapitata; Anhydrous form) |

12.2. Persistence and degradability

| Water Guard WG 2500 | | |
|--|--|--|
| Persistence and degradability | Not established. | |
| copper(II) sulfate, pentahydrate (7758-99-8) | | |
| Persistence and degradability | Biodegradability: not applicable. No (test)data on mobility of the substance available. Not established. | |
| Biochemical oxygen demand (BOD) | Not applicable | |
| Chemical oxygen demand (COD) | Not applicable | |
| ThOD | Not applicable | |
| BOD (% of ThOD) | Not applicable | |
| Proprietary* (Not Applicable) | | |
| Persistence and degradability | Not established. | |

12.3. Bioaccumulative potential

| Water Guard WG 2500 | |
|--|--------------------------------|
| Bioaccumulative potential | Not established. |
| copper(II) sulfate, pentahydrate (7758-99-8) | |
| Bioaccumulative potential | Bioaccumable. Not established. |
| Proprietary* (Not Applicable) | |
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

| copper(II) sulfate, pentahydrate (7758-99-8) | |
|--|-----------------|
| Ecology - soil | Toxic to flora. |

01/07/2022 EN (English) 5/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

Other information : Avoid unintentional release to the environment.

SECTION 13: Disposal considerations

Disposal methods

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

: Avoid unintentional release to the environment. Ecology - waste materials

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (contains cupric sulfate), 8, III

: UN3264 UN-No.(DOT)

Proper Shipping Name (DOT) : Corrosive liquid, acidic, inorganic, n.o.s.

contains cupric sulfate

: 8 - Class 8 - Corrosive material 49 CFR 173.136 Class (DOT)

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

: G - Identifies PSN requiring a technical name

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Transport/Additional information : 40 - Stow "clear of living quarters"

Emergency Response Guide (ERG) Number

Other information : No supplementary information available.

01/07/2022 EN (English) 6/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Not applicable

Air transport

Not applicable

01/07/2022 EN (English) 7/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

01/07/2022 EN (English) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Water Guard WG 2500

01/07/2022 EN (English) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EPA Labeling Requirements

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if swallowed, inhaled or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize this hazard, do not treat more than ½ of the water body to avoid depletion of oxygen due to decaying vegetation. Wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters, to determine if a permit is required.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a safe place away from PETS AND KEEP OUT OF THE REACH OF CHILDREN. Store between 40° and 120°F, away from excessive heat. Water Guard™ WG 2500 will freeze. Always keep container closed. Store Water Guard™ WG 2500 in its original container only. Bulk Water Guard™ WG 2500 shall be stored and handled in stainless steel, fiberglass, polypropylenes, PVCs or plastic equipment. Keep away from galvanized pipe and any nylon storage or handling equipment.

Pesticide Disposal: Excess Water Guard™ WG 2500 must be disposed of through use. Do not contaminate lakes, rivers, or streams as this may cause fish kills. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, representative at the nearest EPA Regional Office for guidance. In the event of a spill, neutralize with limestone spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste or baking soda before disposal. May deteriorate concrete.

CONTAINER HANDLING:

For Nonrefillable Containers ≤5 gallons: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available. If recycling is not available, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For Nonrefillable Containers >5 gallons: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available. If recycling is not vailable, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For Refillable Containers: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of

01/07/2022 EN (English) 10/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Water Guard WG 2500 | |
|---|---|
| | the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full of water. Agitate vigorously or recirculate water with the pump for 2minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. |
| All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic | |

Substances Control Act (TSCA) inventory except for:

| copper(II) sulfate, pentahydrate | CAS-No. 7758-99-8 | % |
|----------------------------------|------------------------|---|
| Proprietary* | CAS-No. Not Applicable | % |

15.2. International regulations

CANADA

copper(II) sulfate, pentahydrate (7758-99-8)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Proprietary* (Not Applicable)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : None.

Full text of H-statements:

| H301 | Toxic if swallowed. |
|------|----------------------------|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H320 | Causes eye irritation |

SDS US (GHS HazCom 2012)

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.

01/07/2022 EN (English) 11/11