

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Product name : Water Guard WG 5000
 Product code : M77778
 Other means of identification : EPA Reg. No. 70299-18-8917

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Fungicide / Bactericide

1.3. Supplier

JR Simplot Company
 P.O. Box 70013
 Boise, ID 83707
 T 1-208-336-2110

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Oxidising Liquids, Category 2	H272 May intensify fire; oxidiser.
Organic Peroxides, Type F	H242 Heating may cause a fire.
Corrosive to metals, Category 1	H290 May be corrosive to metals.
Acute toxicity (oral), Category 4	H302 Harmful if swallowed.
Acute toxicity (dermal), Category 4	H312 Harmful in contact with skin.
Skin corrosion/irritation, Category 1A	H314 Causes severe skin burns and eye damage.
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335 May cause respiratory irritation.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) :

- H242 - Heating may cause a fire.
- H272 - May intensify fire; oxidiser.
- H290 - May be corrosive to metals.
- H302+H312 - Harmful if swallowed or in contact with skin
- H314 - Causes severe skin burns and eye damage.
- H335 - May cause respiratory irritation.

Precautionary statements (GHS US) :

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 - Keep/Store away from clothing and other combustible materials.
- P221 - Take any precaution to avoid mixing with combustibles...
- P234 - Keep only in original container.
- P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 - Wash hands, forearms and face thoroughly after handling.
- P270 - Do not eat, drink or smoke when using this product.
- P271 - Use only outdoors or in a well-ventilated area.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 - If swallowed: Call a poison center/doctor/... if you feel unwell
- P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
- P302+P352 - If on skin: Wash with plenty of water/...

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a poison center/doctor/...
P312 - Call a poison center/doctor/... if you feel unwell
P321 - Specific treatment (see supplemental first aid instruction on this label)
P330 - Rinse mouth.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.
P390 - Absorb spillage to prevent material damage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P406 - Store in corrosive resistant container with a resistant inner liner.
P410 - Protect from sunlight.
P411+P235 - Store at temperatures not exceeding 55°C (131°F). Keep cool.
P420 - Store away from other materials.
P501 - Dispose of contents/container to ...in accordance with local/regional/national regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
acetic acid	(CAS-No.) 64-19-7		Flam. Liq. 3, H226 Skin Corr. 1A, H314
hydrogen peroxide	(CAS-No.) 7722-84-1		Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314
peracetic acid	(CAS-No.) 79-21-0		Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Aquatic Acute 1, H400

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Wash with plenty of water/.... Wash contaminated clothing before reuse. Take off immediately all contaminated clothing. Rinse skin with water/shower.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed. Harmful in contact with skin.
Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: May cause respiratory irritation.

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- | | |
|-------------------------------------|---|
| Symptoms/effects after skin contact | : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. |
| Symptoms/effects after ingestion | : Swallowing a small quantity of this material will result in serious health hazard. |

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

- | | |
|------------------|---|
| Fire hazard | : May intensify fire; oxidiser. Heating may cause a fire. |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |

5.3. Special protective equipment and precautions for fire-fighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Fight fire remotely due to the risk of explosion. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|--|
| General measures | : No open flames. No smoking. Remove ignition sources. |
|------------------|--|

6.1.1. For non-emergency personnel

- | | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Absorb spillage to prevent material damage. |
|-------------------------|--|

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|--|
| Additional hazards when processed | : Hazardous waste due to potential risk of explosion. May be corrosive to metals. |
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Take any precaution to avoid mixing with combustibles... Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|----------------------------|--|
| Technical measures | : Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations. |
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Keep in fireproof place. Keep cool. Store at temperatures not exceeding ...°C/...°F. Keep container tightly closed. |
| Incompatible products | : Strong bases. Strong acids. |
| Incompatible materials | : Sources of ignition. Direct sunlight. Heat sources. combustible materials. |
| Special rules on packaging | : Keep only in original container. |

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packaging materials : Store in corrosive resistant container with a resistant inner liner.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Water Guard WG 5000	
No additional information available	
hydrogen peroxide (7722-84-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	1 ppm
ACGIH STEL (ppm)	1 ppm
peracetic acid (79-21-0)	
No additional information available	
acetic acid (64-19-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH STEL (ppm)	10 ppm

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or face shield

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Colour	: Colourless
Odour	: Pungent
Odour threshold	: No data available
pH	: 1.56
Melting point	: No data available
Freezing point	: -30 °C
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: Non-flammable Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.11 g/cm ³ (9.29 lbs/gal) at 24°C
Solubility	: Complete.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: > 55 °C
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: Heating may cause a fire.
Oxidising properties	: May intensify fire; oxidiser.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

May intensify fire; oxidiser. Heating may cause a fire.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Overheating. Open flame.

10.5. Incompatible materials

Strong acids. Strong bases. metals. May be corrosive to metals.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Harmful in contact with skin.
Acute toxicity (inhalation)	: Not classified

Water Guard WG 5000	
LD50 oral rat	652 mg/kg
LD50 dermal rat	1957 mg/kg
LC50 inhalation rat (mg/l)	147.5 mg/l/4h
ATE US (oral)	652 mg/kg bodyweight
ATE US (dermal)	1957 mg/kg bodyweight
ATE US (vapours)	147.5 mg/l/4h
ATE US (dust,mist)	147.5 mg/l/4h
hydrogen peroxide (7722-84-1)	
LD50 oral rat	1518 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)

Skin corrosion/irritation	: Causes severe skin burns. pH: 1.56
---------------------------	---

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 1.56
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met. Harmful if swallowed. Harmful in contact with skin.
Symptoms/effects : Causes severe skin burns and eye damage.
Symptoms/effects after inhalation : May cause respiratory irritation.
Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin.
Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : PHYSICAL AND CHEMICAL HAZARDS
Corrosive. Strong oxidizing agent. Do not use in concentrated form. Mix only with water in accordance with label instructions. Never bring concentrate in contact with other pesticides, cleaners or oxidative agents.

acetic acid (64-19-7)	
LC50 fish 1	88 mg/l (96 h; Pimephales promelas; Pure substance)
EC50 Daphnia 1	6000 mg/l (24 h; Daphnia magna; Pure substance)
EC50 other aquatic organisms 1	> 5000 mg/l (5 h; Activated sludge; Pure substance)
LC50 fish 2	75 mg/l (96 h; Lepomis macrochirus; Pure substance)
EC50 Daphnia 2	32 mg/l (48 h; Artemia salina; Pure substance)
TLM fish 1	47 mg/l (96 h; Lepomis macrochirus; Pure substance)
TLM fish 2	100 ppm (96 h; Carassius auratus; Pure substance)
Threshold limit other aquatic organisms 1	12 - 1350, Protozoa; Pure substance
Threshold limit algae 1	4000 mg/l (Scenedesmus quadricauda; Pure substance)
Threshold limit algae 2	90 mg/l (Microcystis aeruginosa; Pure substance)

12.2. Persistence and degradability

Water Guard WG 5000	
Persistence and degradability	Not established.
hydrogen peroxide (7722-84-1)	
Persistence and degradability	Biodegradability: not applicable. No (test) data on mobility of the components available. Photolysis in the air.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
peracetic acid (79-21-0)	
Persistence and degradability	Hydrolysis in water. No (test) data on mobility of the components available.

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

acetic acid (64-19-7)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test) data on mobility of the components available. Not established.
Biochemical oxygen demand (BOD)	0.6 – 0.74 g O ₂ /g substance
Chemical oxygen demand (COD)	1.03 g O ₂ /g substance
ThOD	1.07 g O ₂ /g substance
BOD (% of ThOD)	0.56 – 0.69 % ThOD

12.3. Bioaccumulative potential

Water Guard WG 5000	
Bioaccumulative potential	Not established.
hydrogen peroxide (7722-84-1)	
Partition coefficient n-octanol/water (Log Pow)	-1.36
Bioaccumulative potential	Bioaccumulation: not applicable.
peracetic acid (79-21-0)	
Bioaccumulative potential	Not bioaccumulative.
acetic acid (64-19-7)	
Partition coefficient n-octanol/water (Log Pow)	-0.31 – -0.17
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.

12.4. Mobility in soil

acetic acid (64-19-7)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects

Other information : Avoid unintentional release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Additional information : STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Store in original container in a cool, well-ventilated area away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, will decrease product effectiveness. In case of spill, flood area with large quantities of water. PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed or according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. EMPTY CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Repeat this procedure two more times. Offer for recycling if available. Hazardous waste due to potential risk of explosion.
- Ecology - waste materials : Avoid unintentional release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

- Transport document description : UN3109 Organic peroxide type F, liquid (Contains Peroxyacetic Acid), 5.2, II
- UN-No.(DOT) : UN3109

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (DOT)	: Organic peroxide type F, liquid Contains Peroxyacetic Acid
Class (DOT)	: 5.2 - Class 5.2 - Organic Peroxide 49 CFR 173.128
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 5.2 - Organic peroxide 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx)	: 225
DOT Packaging Bulk (49 CFR 173.xxx)	: 225
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IP5 - IBCs must have a device to allow venting. The inlet to the venting device must be located in the vapor space of the IBC under maximum filling conditions.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 152
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 10 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 25 L
DOT Vessel Stowage Location	: D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
Transport/Additional information	: 12 - Keep as cool as reasonably practicable, 25 - Protected from sources of heat, 52 - Stow "separated from" acids, 53 - Stow "separated from" alkaline compounds
Emergency Response Guide (ERG) Number	: 145
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Transport document description (IMDG)	: UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID, 5.2
UN-No. (IMDG)	: 3109
Proper Shipping Name (IMDG)	: ORGANIC PEROXIDE TYPE F, LIQUID
Class (IMDG)	: 5.2 - Organic peroxides
Limited quantities (IMDG)	: 125 ml

Air transport

Transport document description (IATA)	: UN 3109 Organic peroxide type f, liquid, 5.2
UN-No. (IATA)	: 3109
Proper Shipping Name (IATA)	: Organic peroxide type f, liquid
Class (IATA)	: 5.2 - Organic Peroxides

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Water Guard WG 5000	
Not listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA Labeling Requirements	<p>This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.</p> <p>DANGER- PELIGRO STRONG OXIDIZING AGENT KEEP OUT OF REACH OF CHILDREN</p> <p>Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)</p> <p>PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield, and rubber gloves when handling. Do not enter an enclosed area without proper respiratory protection. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.</p> <p>STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Store in original container in a cool, well-ventilated area away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, will decrease product effectiveness. In case of spill, flood area with large quantities of water. PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed or according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. EMPTY CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Repeat this procedure two more times. Offer for recycling if available.</p> <p>PHYSICAL AND CHEMICAL HAZARDS Corrosive. Strong oxidizing agent. Do not use in concentrated form. Mix only with water in accordance with label instructions. Never bring concentrate in contact with other pesticides, cleaners or oxidative agents.</p>

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

peracetic acid	CAS-No. 79-21-0	%
hydrogen peroxide (7722-84-1)		
CERCLA RQ	1000 lb	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb	

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

peracetic acid (79-21-0)	
CERCLA RQ	500 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
acetic acid (64-19-7)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

hydrogen peroxide (7722-84-1)	
Listed on the Canadian DSL (Domestic Substances List)	
acetic acid (64-19-7)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
hydrogen peroxide(7722-84-1)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List
peracetic acid(79-21-0)	U.S. - New Jersey - Right to Know Hazardous Substance List
acetic acid(64-19-7)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date	: 01/12/2022
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H-statements:

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

SDS US (GHS HazCom 2012)

Water Guard WG 5000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.