

Weed-a-Way

IT IS BOTH A CONTACT & PRE-EMERGENCE HERBICIDE

PRE-EMERGENT: *When used as directed, this product will stop the following weeds from emerging:*

Foxtail, Brome Grass, Cheat Grass, Carolina Goatgrass, Goosegrass, Common Groundsel, Henbit, Horseweed/Marestail, Johnsongrass, Common Lambsquarters, Mustard Morningglory, Barnyardgrass, Annual Bluegrass, Carpetweed, Common Chickweed, Mouseear Chickweed, Crabgrass (large, smooth), Woolly Cupgrass, Itchgrass, Knotweed, Panicum Lovegrass, Pigweed, Common Purslane, Pusley, Shepherdspurse, Sprangletop, Canada Thistle, Witchgrass, Woodsorrel,

Active Ingredients

Lemon grass oil	15%
Clove oil	5%
Soybean oil	80%
Total	100%

DIRECTIONS FOR USE:

Use only in according to label instructions: Read the entire label before using this product. Shake well before using **Weed-a-Way**. It is a non-selective weed control in and around crops and non-crop areas. **Apply Weed-a-Way directly to weeds.** Best result when weeds are 1/2" to 2" in height, cover weeds thoroughly. **Avoid contact to crops.** Spraying with hooded spray equipment is recommended to prevent the spray from contacting the crop, **DAMAGE TO THE CROP WILL OCCUR.**

GENERAL INFORMATION: **Weed-a-Way** is a non-selective, broad spectrum, and foliar herbicide. This product will only control actively growing emerged green vegetation. THERE IS PRE-EMERGENCE CONTROL OF GASSES AND BROADLEAF WEEDS FOR UP TO 21 DAYS. It controls both annual and perennial grasses and broadleaf weeds. For best control spray

when weeds are small 1/2" to 1" in size. The degree of control is less when plants are mature. The product does NOT translocate. Weed-A Way will affect only those areas or the plant that coated with the spray solution.

Dilution Rates: 7 ounces /gallon of water for weeds under 2 inches 15 ounces /gallon of water for weeds 3 to 6 inches high. 1 to 1 is best for weeds larger than 6 inches high.

NOTE: COMPLETE COVERAGE IS ESSENTIAL FOR CONTROL. FOLIAGE DAMAGE WILL BE NOTICEABLE HOURS AFTER APPLICATION. IT WILL TAKE 2 TO 3 WEEKS TO TOTALLY KNOCK DOWN THE WEEDS. COOL WEATHER WILL SLOW DOWN THE ACTIVITY OF THE PRODUCT. Repeat treatments will be necessary for new weeds emerging from seeds or from re-growth of treated vegetation. Use of an adjuvant (spreader and or penetrate) will enhance product performance and is highly recommended for best results for weed control.

NOTE: IN HEAVY INFESTED SEED AREAS MAY REQUIRE 2 TO 3 SPRAYINGS TO GET 100% CONTROL. SPRAY WEEDS WHEN THEY ARE IN THE 2 TO 4 LEAFSTAGE FOR BEST RESULTS.

NOTE: DO NOT APPLY WEED-A-WAY USING A BACK PACK SPRAYER. ACTIVE NEEDS TO BE CONSTANTLY AGITATED. COVER GROWING WEEDS TILL RUNOFF. THE CONTACT NEEDS TO HIT ALL WEED LEAF SURFACES. YOU CAN ADD AN ADJUVANT OF YOUR CHOICE IF YOU HAVE WAXEY FOLIAGE.

Suppression Only. Alfalfa, Alligator Weed, Anise (fennel) Jerusalem Artichoke, Bahiagrass, Bentgrass, Bermudagrass, Knotgrass, Field Bindweed, Kentucky Bluegrass, Texas Blueweed, Brackenfern, Smooth Bromegrass, Woollyleaf Bursage, Reed Canarygrass, Cattail, Clover (red, white), Cogongrass, Dallisgrass Dandelion, Curly Dock, Hemp Dogbane, Fescue, Tall Fescue, Guineagrass, Horsenettle, Hoseradish, Ice Plant, Johnsongrass, Kikuyugrass.

Partial Control. Knapweed, Lantana, Lespedeza, Milkweed, Wirestem Muhly, Common Mullein, Napier Grass, Silverleaf Nightshade, Nutsedge (purple, yellow), Orchardgrass, Para Grass, Poison Hemlock, Quackgrass, Giant Reed, Perennial Ryegrass, Smartweed, Starthistle, Artichoke Thistle, Canada Thistle, Timothy, Velvetgrass, Western Wheatgrass.

STORAGE AND DISPOSAL OF CONTAINERS

STORE IN A DRY COOL AND LOCKED STORAGE AREA. DO NOT REUSE EMPTY CONTAINERS. WASH OUT BEFORE DISPOSING QUARTS

Phone: (805) 550-7776 • (877) 964-2887
Office: (805) 474-8562 • Fax: (805) 474-8531
2367 Brant St., Arroyo Grande, CA 93420
OrganicAGProducts.com



Rev 4 OCT 2017



BEFORE



11-24-2011 12:25



AFTER



11-25-2011 09:47



PERSONAL PROTECTION | FIRST AID MEASURES:

Eye Contact Aid: Flush immediately with cold clean water for at least 15 minutes, contact physician immediately.
Skin Contact Aid: Thoroughly wash the affected area with soap and warm water. Flush with large quantities of water. If irritation

persists call a physician.
Inhalation Aid: Remove individual to fresh air, contact physician if necessary.
Ingestion Aid: Administer water or milk to dilute. Contact a physician or local poison control center.

CAUTION: "WEAR EYE PROTECTION AND GLOVES WHEN SPRAYING WEED-A-WAY. KEEP OUT OF REACH OF CHILDREN OR ANIMALS."

SHAKE WELL BEFORE USING!

Organic AG Products

THIS PRODUCT HAS NOT BEEN REGISTERED WITH THE ENVIRONMENTAL PROTECTION AGENCY. A Z ENTERPRISES REPRESENTS THAT THE PRODUCT QUALIFIES FOR THE 25b EXEMPTION FROM REGISTRATION UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT.

Net Weight 1 Gallon (128 fl oz.) • 3.78 L - 8 lbs, 3.64

4 per Case (32 lbs - 14.55Kilos)