SAFETY DATA SHEET



1. Identification

Product identifier WIL-SOL PRO-SPECIAL 20-10-20

Other means of identification None

Recommended use Ag Product - Plant Nutrition

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

United States

Telephone Branded Products Information (800) 500-1698

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300 Chemtrec - International +1 703-741-5970

2. Hazard(s) identification

Physical hazards Oxidizing solids Category 3

Health hazardsNot classified.Environmental hazardsNot classified.OSHA defined hazardsNot classified.

Label elements



Signal word Warning

Hazard statement May intensify fire; oxidizer.

Precautionary statement

Prevention Keep away from heat. Take any precaution to avoid mixing with combustibles. Wear protective

gloves, eye protection, and face protection.

Response In case of fire: Use appropriate media as described in Section 5 for extinction.

Storage Store away from incompatible materials.

Disposal Dispose of contents and container in accordance with government regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Potassium Nitrate		7757-79-1	40 - < 50
Ammonium Phosphate Dibasic		7783-28-0	10 - < 20
Monoammonium Sulfate		7783-20-2	10 - < 20
Ammonium Nitrate		6484-52-2	5 - < 10
Magnesium Nitrate		13446-18-9	5 - < 10

Material name: WIL-SOL PRO-SPECIAL 20-10-20

SDS US

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	5 - < 10
Other components below r	reportable levels		3 - 45

Other components below reportable levels

Percentage ranges of composition to protect confidentiality or due to batch variation.

4. First-aid measures

Inhalation If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a

physician if symptoms develop or persist.

Skin contact IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before

removing clothes. Wash off with soap and water. Get medical attention if irritation develops and

persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important Irritation of eyes. Upper respiratory tract irritation.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically.

treatment needed

General information

Take off all contaminated clothing immediately. Contact with combustible material may cause fire.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods
General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Cool containers exposed to flames with water until well after the fire is out.

May intensify fire; oxidizer. Contact with combustible material may cause fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills:

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Wear appropriate protective equipment and clothing during clean-up.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed.

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

V-1--

8. Exposure controls/personal protection

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	туре	value	FOIIII	
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.	_

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Use tight fitting goggles if dust is generated. Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier. Frequent change is advisable.

Wear suitable protective clothing. Other

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Granular. **Appearance** Solid. Physical state

Powder. Granular. **Form** Color Not available. Not available. Odor Not available. Odor threshold Not available. Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature** Not available. **Viscosity**

10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Heat. Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust Conditions to avoid

surfaces with compressed air).

Combustible material. Reducing agents. Incompatible materials

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation of dusts may cause respiratory irritation. Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Dust in the eyes will cause irritation. Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics Irritation of eyes. Upper respiratory tract irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Ammonium Nitrate (CAS 64	484-52-2)	
<u>Acute</u>		
Dermal		
LD50	Rat	> 5000 mg/kg, 24 Hours
Oral		
LD50	Rat	2950 mg/kg
Ammonium Phosphate Dibasic (CAS 7783-28-0)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 5000 mg/kg, 24 Hours
Inhalation		
LC50	Rat	> 5 mg/l, 4 Hours
Oral		
LD50	Rat	> 2000 mg/kg

Components Species Test Results

Magnesium Nitrate (CAS 13446-18-9)

Acute Dermal

LD50 Rat > 5000 mg/kg, 24 Hours

Oral

LD50 Rat > 5000 mg/kg

Monoammonium Sulfate (CAS 7783-20-2)

Acute Dermal

LD50 Mouse > 2000 mg/kg

Rat > 2000 mg/kg

Oral

LD50 Mouse > 2000 mg/kg

Rat 4250 mg/kg

Potassium Nitrate (CAS 7757-79-1)

Acute Dermal

LD50 Rat > 5000 mg/kg, 24 Hours

Inhalation

LC50 Rat > 20 mg/l, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

Urea (CAS 57-13-6)

<u>Acute</u>

Oral

LD50 Mouse 13000 mg/kg
Rat 15000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Dust in the eyes will cause irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ

Not classified.

toxicity - repeated

exposure

Aspiration hazard Not available.

^{*} Estimates for product may be based on additional component data not shown.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available. No data available.

Mobility in soil Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents and container in accordance with government regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied.

14. Transport information

DOT

UN number UN1477

UN proper shipping name

Transport hazard class(es)

Nitrates, inorganic, n.o.s. (Ammonium Nitrate, Potassium Nitrate) (DAP 20-52-0)

Class 5.1 Subsidiary risk Label(s) 5.1 Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB8, IP3, T1, TP33 Special provisions

Packaging exceptions 152 Packaging non bulk 213 Packaging bulk 240

IATA

UN1477 **UN number**

UN proper shipping name

Transport hazard class(es)

Class 5.1 Subsidiary risk Ш Packing group **Environmental hazards** Yes **ERG Code** 5L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Nitrates, inorganic, n.o.s. (Ammonium Nitrate, Potassium Nitrate)

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN1477 **UN number**

UN proper shipping name Transport hazard class(es) NITRATES, INORGANIC, N.O.S. (Ammonium Nitrate, Potassium Nitrate), MARINE POLLUTANT

Class 5.1 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant Yes EmS F-A, S-Q

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not applicable.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Material name: WIL-SOL PRO-SPECIAL 20-10-20

SDS US

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
NITRATE COMPOUNDS (WATER DISSOCIABLE REPORTABLE ONLY WHEN IN AQUEOUS SOLUTION)	7757-79-1	40 - < 50
AMMONIA (INCLUDES ANHYDROUS AMMONIA AQUEOUS AMMONIA FROM WATER DISSOCIAL AMMONIUM SALTS AND OTHER SOURCES; 109 TOTAL AQUEOUS AMMONIA IS REPORTABLE UNDER THIS LISTING)	BLE	10 - < 20
AMMONIA (INCLUDES ANHYDROUS AMMONIA AQUEOUS AMMONIA FROM WATER DISSOCIAL AMMONIUM SALTS AND OTHER SOURCES; 109 TOTAL AQUEOUS AMMONIA IS REPORTABLE UNDER THIS LISTING)	BLE	10 - < 20
NITRATE COMPOUNDS (WATER DISSOCIABLE REPORTABLE ONLY WHEN IN AQUEOUS SOLUTION)	13446-18-9	5 - < 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

-L

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Magnesium Nitrate (CAS 13446-18-9)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 02-23-2016

 Revision date
 09-26-2017

Version # 02

NFPA ratings Health: 1

Flammability: 0 Instability: 0 Special hazards: OX

NFPA ratings



Disclaimer This information was developed from information on the constituent materials. No warranty is

expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy

himself that he has all current data relevant to his particular use.

Material name: WIL-SOL PRO-SPECIAL 20-10-20

SDS US