

Report Date 18-Oct-19

Page 1 of 5

#### 1. Identification

Product Name: WILD CARD XTRA

Synonyms: None

Product Use : Broadleaf Herbicide

Manufacturer/Supplier : Helena Agri-Enterprises, LLC

Address : 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

Transportation Emergency Number : CHEMTREC:800-424-9300

## 2. Hazard Identification





Signal Word : Danger

Skin Irritation : Causes mild skin irritation

Eye Irritation : Causes eye irritation

Acute Toxicity Oral : LD50 760 mg/kg (female rat)
Acute Toxicity Dermal : LD50 >5,050 mg/kg (rabbit)

Hazard Categories: Oral/Dermal/Inhalation/Reproductive Tox-4/5/5/2; Eye/Skin Irr-2B/3;

STOT-RE-2; Carcinogenicity-2

Hazard Statement: Harmful if swallowed

May be harmful in contact with skin

May be harmful if inhaled Causes eye irritation Causes mild skin irritation

Suspected of damaging fertility or the unborn child

May cause damage to organs (liver, kidneys) through prolonged or

repeated exposure

Suspected of causing cancer

## 3. Composition / Information on Ingredients

Component	CAS Number	Weight %
Octanoic acid of ester of bromoxynil	1689-99-2	31.7-33.37
(3,5-dibromo-4-Hydroxybenzonitrile)		
Isooctyl ester of 2-methyl-chlorophenoxyacetic acid (MCPA)	29450-45-1	34.0-36.44



Report 18-Oct-19 Date

Page 2 of 5

Inert ingredients Proprietary 30.19-34.3

#### 4. First Aid Measures

Eye : Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for further treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15

to 20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice. Ingestion: Call a poison control center or doctor immediately for treatment advice. Rinse

mouth with water. Do not induce vomiting. Do not give anything by mouth if

**Attention and Special Treatment** Needed

Indication of Immediate Medical : In the event of an adverse response, treatment should be directed toward control

of the symptoms.

### 5. Fire Fighting Measures

Extinguishing Media : Use dry chemical, carbon dioxide or alcohol extinguishing agents. Water is not

recommended.

Specific Hazards Arising from the : May emit toxic and corrosive fumes under fire conditions.

Chemical

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Dike area

to prevent runoff of contaminated liquids.

#### 6. Accidental Release Measures

Personal Precautions : Keep unprotected and unnecessary personnel out of spill area. Wear appropriate

personal protective equipment.

Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

Emergency Procedures: Prevent material from entering public sewer systems or any waterways. Do not

Methods and Materials for :

Dike spill using an absorbent or impervious material, such as clay, sand or earth. **Containment and Cleanup** Collect and contain contaminated absorbent and dike material for disposal. Pump

any free liquids into appropriate containers for disposal. Spills may be reportable

to the National Response Center (NRC) or other agencies.

## 7. Handling and Storage



Report 18-Oct-19 Date

Page 3 of 5

Precautions for Safe Handling : Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Users

should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash

thoroughly and change into clean clothing.

Store at temperatures above 3 Degrees F. If allowed to freeze, remix before Conditions for Safe Storage :

using. Do not contaminate water, food, or feed by storage or disposal.

## 8. Exposure Controls / Personal Protection

TLV/PEL: No TLV or PEL for either Bromoxynil or MCPA 2-ethylhexyl ester. Contains

naphthalene as an inert ingredient; OSHA PEL 10 ppm, ACGIH TLV 10 ppm.

Appropriate Engineering Controls : Use local exhaust ventilation at the point of generation.

Personal Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

## 9. Physical and Chemical Properties

Odor/Appearance: Clear amber liquid with phenoxy odor.

Flash Point, oF : >200 Degrees F. Boiling Point, oF : Not determined

Melting Point(Freezing point), oC : Not determined Vapor Pressure, mm Hg @ 20 oC : Not applicable

Vapor Density : Not applicable Solubility in Water : Soluble

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 oC : 1.110-1.120

Evaporation Rate(Butyl Acetate = : Not determined

Octanol/Water Partition : No information found

Coefficient

**pH** : 3.3-3.8 (1%)

Flammable Limits (approximate : Not determined

volume % in air)

Auto-ignition Temperature : Not determined

**Decomposition temperature**: No information found

#### 10. Stability and Reactivity

Reactivity: No information found

Chemical Stability : Stable



Report 18-Oct-19 Date

4 of 5 Page

Hazardous Decomposition : May produce hydrogen bromine, hydrogen chloride, oxides of nitrogen, oxides of

Products carbon and oxides of sulfur.

Hazardous Polymerization : Will not occur

**Conditions to Avoid**: Avoid fire conditions, sparks, and static electricity.

Incompatible Materials : Avoid contact with strong oxidizers, acids and mineral acids.

## 11. Toxicological Information

Acute Toxicity (Oral LD50): 760 mg/kg (female rat). Harmful if swallowed.

Acute Toxicity (Dermal LD50) : >5,050 mg/kg (rabbit). May be harmful in contact with skin.

Acute Toxicity Inhalation LC50 : >2.34 mg/L/4 hour (rat), no mortality at highest dose tested). May be harmful if

Likely Routes of Exposure : Ingestion, eyes, skin

Skin Irritation: Causes mild skin irritation. Slightly irritating (rabbit); PDII=0.4.

Eye Irritation : Causes eye irritation. Mildly irritating; maximum average irritation score=11.0

Skin Sensitization: Not a contact sensitizer in Guinea pigs.

Carcinogenic : Bromoxynil: Class C carcinogen per USEPA due to increased incidence of liver

tumors observed in mice

Chronic Effects: Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Repeated): May cause damage to organs (liver,

kidneys) through prolonged or repeated exposure.

Other Hazards : CA Proposition 65 WARNING! This product can expose you to chemicals

including Bromoxynil Octanoate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information

go to www.P65Warnings.ca.gov.

### 12. Ecological Information

Ecotoxicity: Marine Pollutant per 49 CFR 172.101, Appendix B.

Persistence and Degradability : No information found Bioaccumulative Potential : No information found

> Mobility in Soil : No information found Other Adverse Effects : No information found

## 13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

### 14. Transport Information



Report 18-Oct-19 Date

Page 5 of 5

UN Proper Shipping Name : Not regulated by DOT in non-bulk containers. If shipped in bulk by ground,

classified as a Marine Pollutant.

Transport Hazard Class: None UN Identification Number : None

Packaging Group : None

Environmental Hazards : Marine Pollutant per 49 CFR 172.101, Appendix B (bromoxynil).

Transport in Bulk: If shipped in bulk packages, ship as: UN3082, Environmentally Hazardous

Substance, Liquid, n.o.s., (Bromoxynil), 9, PG III, Marine Pollutant "ERG # 171"

Special Precautions for : If shipped by air (IATA) or water (IMDG), ship as: UN3082, Environmentally Transportation Hazardous Substance, Liquid, n.o.s., (Bromoxynil), 9, PG III, Marine Pollutant

Freight Classification: Pesticides, NOI, Herbicides, Other than Poison (NMFC Item 155050, Sub 11,

Class 70)

## 15. Regulatory Information

National Fire Protection : Association Rating

> 2 Health:

Fire: 1 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

> Immediate( Acute) Health: Y Delayed (Chronic) Health: Y Sudden Release of N Pressure:

Fire: N Reactive: N

FIFRA Information : This Chemical is a pesticide product registered by the Environmental Protection Agency and is

subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the

pesticide label:

EPA Registration Number : 5905-550 FIFRA Signal Word : Caution

FIFRA Label Statement : Keep out of reach of children.

FIFRA Label Statement : Harmful if swallowed.

FIFRA Label Statement : Causes moderate eye irritation. FIFRA Label Statement : Avoid contact with eyes or dothing. FIFRA Label Statement : Avoid breathing spray mist. FIFRA Label Statement: No additional label statements. FIFRA Label Statement: No additional label statements.

#### 16. Other Information

Data of Preparation/Revision : 18-October-2019