



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

1/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name WOLVERINE® HERBICIDE

Product code (UVP) 79290268

SDS Number 102000018340

EPA Registration No. 264-1075

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer CropScience
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number 1-866-99BAYER (1-866-992-2937)

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Serious eye damage, Aspiration hazard, Skin sensitisation : Category 1

Skin irritation, Reproductive toxicity : Category 2

Acute toxicity (Oral, Inhalation): Category 4



Signal word: Danger

Hazard statements

Causes serious eye damage.

May be fatal if swallowed and enters airways.

May cause an allergic skin reaction.

Causes skin irritation.



WOLVERINE® HERBICIDE

Version 3.0 / USA
10200018340

2/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

Suspected of damaging fertility or the unborn child.
Harmful if inhaled.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.
Contaminated work clothing should not be allowed out of the workplace.
Avoid breathing mist and spray.
Wash thoroughly after handling.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor/physician.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IF ON SKIN: Wash with plenty of water/soap.
If skin irritation or rash occurs: Get medical advice/attention.
Specific treatment (see supplemental first aid instructions on this label).
Take off contaminated clothing and wash before reuse.
IF exposed or concerned: Get medical advice/ attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Bromoxynil octanoate	1689-99-2	4.95
Bromoxynil heptanoate	56634-95-8	4.79
Fenoxaprop-P-ethyl	71283-80-2	4.47
Pyrasulfotole	365400-11-9	1.94
Naphthalene	91-20-3	4.30
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	30.90
N,N-Dimethyl decanamide	14433-76-2	22.20
Tridecyl alcohol ethoxylate	24938-91-8	17.50
Dodecyl benzene sulphonate, calcium salt	26264-06-2	2.00
2-Ethylhexan-1-ol	104-76-7	1.30



WOLVERINE® HERBICIDE

Version 3.0 / USA
10200018340

3/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	None known.

Special hazards arising from the substance or mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information

Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

4/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

Flash point	104.4 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations. Decontaminate tools and equipment following cleanup.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

5/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bromoxynil octanoate	1689-99-2	0.21 mg/m ³ (TWA)		OES BCS*
Fenoxaprop-P-ethyl	71283-80-2	2.6 mg/m ³ (TWA)		OES BCS*
Pyrasulfotole	365400-11-9	0.3 mg/m ³ (TWA)		OES BCS*
Naphthalene	91-20-3	10 ppm (TWA)		OES BCS*
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	15 ppm (STEL)	02 2012	ACGIH
Naphthalene	91-20-3	10 ppm (TWA)	02 2013	ACGIH NIC
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	2010	NIOSH
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	1989	OSHA Z1A
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA)	1989	OSHA Z1A
Naphthalene	91-20-3	75 mg/m ³ /15 ppm (STEL)	06 2008	TN OEL
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	10ppb (AN ESL)	07 2011	TX ESL
Naphthalene	91-20-3	38ppb (ST ESL)	02 2013	TX ESL
Naphthalene	91-20-3	50ug/m ³ (AN ESL)	07 2011	TX ESL
Naphthalene	91-20-3	200ug/m ³ (ST ESL)	02 2013	TX ESL
Naphthalene	91-20-3	75 mg/m ³ /15 ppm	08 2010	US CA OEL



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

6/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

		(STEL)		
Naphthalene	91-20-3	50 mg/m ³ /10 ppm (TWA PEL)	08 2010	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	2560ug/m ³ (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	460ppb (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	256ug/m ³ (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	46ppb (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,600 mg/m ³ /400 ppm (TWA PEL)	08 2010	US CA OEL
Tridecyl alcohol ethoxylate	24938-91-8	60ug/m ³ (AN ESL)	07 2011	TX ESL
Tridecyl alcohol ethoxylate	24938-91-8	600ug/m ³ (ST ESL)	07 2011	TX ESL
Dodecyl benzene sulphonate, calcium salt (Particulate.)	26264-06-2	5ug/m ³ (AN ESL)	02 2013	TX ESL
Dodecyl benzene sulphonate, calcium salt (Vapor.)	26264-06-2	100ug/m ³ (AN ESL)	02 2013	TX ESL
Dodecyl benzene sulphonate, calcium salt (Vapor.)	26264-06-2	1000ug/m ³ (ST ESL)	02 2013	TX ESL
Dodecyl benzene sulphonate, calcium salt (Particulate.)	26264-06-2	50ug/m ³ (ST ESL)	02 2013	TX ESL
2-Ethylhexan-1-ol	104-76-7	400ug/m ³ (ST ESL)	02 2013	TX ESL
2-Ethylhexan-1-ol	104-76-7	75ppb (ST ESL)	02 2013	TX ESL
2-Ethylhexan-1-ol	104-76-7	160ug/m ³ (AN ESL)	07 2011	TX ESL
2-Ethylhexan-1-ol	104-76-7	30ppb (AN ESL)	07 2011	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

7/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Chemical resistant goggles must be worn.
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	beige to brown
Physical State	liquid, clear
Odor	aromatic
Odour Threshold	no data available
pH	6.3 - 6.5 at 10 %
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.03 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	emulsifiable
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n-octanol/water	no data available
Viscosity	12 - 22 mPa.s
Flash point	104.4 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable



WOLVERINE® HERBICIDE

Version 3.0 / USA
10200018340

8/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Eye contact, Skin Absorption, Inhalation
Immediate Effects	
Eye	Corrosive - causes irreversible eye damage.
Skin	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Harmful if absorbed through skin.
Ingestion	Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity	LD50 (female rat) 1,105 mg/kg
Acute inhalation toxicity	LC50 (rat) > 2.02 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. highest concentration tested LC50 (rat) > 8.08 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (rat) > 2,000 mg/kg
Skin irritation	Moderate skin irritation. (rabbit)
Eye irritation	Severe eye irritation. (rabbit)
Sensitisation	Sensitising (guinea pig)

Assessment repeated dose toxicity

Bromoxynil caused specific target organ toxicity in experimental animal studies in the following organ(s):



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

9/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

liver. The observed effects do not appear to be relevant for humans.
Fenoxaprop-P-ethyl did not cause specific target organ toxicity in rats. Fenoxaprop-P-ethyl caused specific target organ toxicity in experimental animal studies in mice in the following organ(s): kidneys.
Pyrasulfotole did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Bromoxynil was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Fenoxaprop-P-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Bromoxynil caused at high dose levels an increased incidence of tumours in mice in the following organ(s): liver. The mechanism of tumour formation is not considered to be relevant to man.
Fenoxaprop-P-ethyl demonstrated no carcinogenic potential in a lifetime feeding study in rats.
Fenoxaprop-P-ethyl caused an increased incidence of liver tumours in mice at high doses. Fenoxaprop-P-ethyl causes tumours through peroxisome proliferation. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.
Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

Naphthalene	91-20-3	Group A4
-------------	---------	----------

NTP

Naphthalene	91-20-3	
-------------	---------	--

IARC

Naphthalene	91-20-3	Overall evaluation: 2B
-------------	---------	------------------------

OSHA

None.

Assessment toxicity to reproduction

Bromoxynil did not cause reproductive toxicity in a two-generation study in rats.
Fenoxaprop-P-ethyl did not cause reproductive toxicity in a two-generation study in rats.
Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bromoxynil caused a delayed foetal growth, an increased incidence of non-specific malformations.
Bromoxynil caused developmental toxicity only at dose levels toxic to the dams.
Fenoxaprop-P-ethyl did not cause developmental toxicity in rats and rabbits.
Pyrasulfotole did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).



WOLVERINE® HERBICIDE

Version 3.0 / USA
10200018340

10/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.39 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.
	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient bromoxynil octanoate.
	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient bromoxynil heptanoate.
Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) > 1,058 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.
	EC50 (Water flea (Daphnia magna)) 0.046 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bromoxynil octanoate.
	EC50 (Water flea (Daphnia magna)) 0.031 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bromoxynil heptanoate.
Toxicity to aquatic plants	EC50 (Pseudokirchneriella subcapitata) 0.54 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient fenoxaprop-P-ethyl.
	EC50 (Navicula pelliculosa) 0.043 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient bromoxynil octanoate.
	EC50 (Selenastrum capricornutum) 0.083 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient bromoxynil heptanoate.
Biodegradability	Bromoxynil: ; not rapidly biodegradable Fenoxaprop-P-ethyl: ; not rapidly biodegradable Pyrasulfotole: ; not rapidly biodegradable
Koc	Bromoxynil: Koc: 108 - 239 Fenoxaprop-P-ethyl: Koc: 11354 Pyrasulfotole: Koc: 20 - 213
Bioaccumulation	Bromoxynil: Bioconcentration factor (BCF) 230; Does not



WOLVERINE® HERBICIDE

Version 3.0 / USA
10200018340

11/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

	bioaccumulate. Fenoxaprop-P-ethyl: Bioconcentration factor (BCF) 338; Does not bioaccumulate. Pyrasulfotole: ; Does not bioaccumulate.
Mobility in soil	Bromoxynil: Moderately mobile in soils Fenoxaprop-P-ethyl: Immobile in soil Pyrasulfotole: Moderately mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Do not contaminate water, food, or feed by disposal. Dispose in accordance with all local, state/provincial and federal regulations. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number	3082
Class	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (FENOXAPROP-P-ETHYL, NAPHTHALENE)
RQ	Reportable Quantity is reached with 2,325 lb of product.

IMDG



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

12/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

UN number **3082**
Class 9
Packaging group III
Marine pollutant YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(FENOXAPROP-P-ETHYL SOLUTION)

IATA

UN number **3082**
Class 9
Packaging group III
Environm. Hazardous Mark YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(FENOXAPROP-P-ETHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than
poison; HAVING A DENSITY OF GREATER THAN 20 LBS.
PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1075

US Federal Regulations

TSCA list

Bromoxynil octanoate 1689-99-2
Naphthalene 91-20-3
Solvent Naphtha (petroleum), heavy
aromatic 64742-94-5
N,N-Dimethyl decanamide 14433-76-2
Tridecyl alcohol ethoxylate 24938-91-8
Dodecyl benzene sulphonate, calcium salt 26264-06-2
2-Ethylhexan-1-ol 104-76-7

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Bromoxynil octanoate 1689-99-2 1.0%
Naphthalene 91-20-3 0.1%

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Naphthalene 91-20-3



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

13/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Bromoxynil octanoate 1689-99-2 Developmental toxin.

US State Right-To-Know Ingredients

Bromoxynil octanoate	1689-99-2	NJ
Naphthalene	91-20-3	CA, CT, MN, NJ
Dodecyl benzene sulphonate, calcium salt	26264-06-2	CA, CT, IL, NJ, RI
2-Ethylhexan-1-ol	104-76-7	CT

Canadian Regulations

Canadian Domestic Substance List

Naphthalene	91-20-3
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
Tridecyl alcohol ethoxylate	24938-91-8
Dodecyl benzene sulphonate, calcium salt	26264-06-2
2-Ethylhexan-1-ol	104-76-7

Environmental

CERCLA

Naphthalene	91-20-3	100 lbs
Dodecyl benzene sulphonate, calcium salt	26264-06-2	

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Bromoxynil octanoate	1689-99-2
Naphthalene	91-20-3
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
N,N-Dimethyl decanamide	14433-76-2
Dodecyl benzene sulphonate, calcium salt	26264-06-2
2-Ethylhexan-1-ol	104-76-7

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



WOLVERINE® HERBICIDE

Version 3.0 / USA
102000018340

14/14
Revision Date: 09/15/2014
Print Date: 03/16/2015

Signal word: Danger!

Hazard statements: Corrosive - causes irreversible eye damage.
Harmful if swallowed or absorbed through skin.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Do not get in eyes, on skin, or on clothing.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 3 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 3 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 09/15/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.