

Conforms: GHS (rev 4) (2011)

(This Safety Data Sheet conforms to the requirements of the Hazard Communication Standard (HCS)
(29 CFR 1910.1200(g)), revised in 2012.) - United States

Date of issue/ Date of revision : 08/23/2019
Date of previous issue : 08/22/2018
Version : 2.0



SAFETY DATA SHEET

YaraLiva UCAN-17

Section 1. Identification

Product identifier : YaraLiva UCAN-17
Product type : liquid
Product code : PYN22U

Uses

Area of application : Professional applications
Material uses : Fertilizers.

Supplier

Supplier's details : Yara North America, Inc.

Address

Street : 100 North Tampa Street, Suite 3200
Postal code : 33602
City : TAMPA
Country : United States

Telephone number : +1 813 222 5700
Fax no. : +1 813 875 5735
e-mail address of person : yna-hesq@yara.com
responsible for this SDS
Emergency telephone number : US: Chemtrec 24-hours Emergency Response: 1-800-424-
(with hours of operation) 9300
Canada: 24 Hour Emergency Service, Canutec 613-996-6666

National advisory body/Poison Center

Name : The National Poisons Emergency number
Telephone number : 1 800 222 1222

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard
Communication Standard (29 CFR 1910.1200).

Classification of the : ACUTE TOXICITY (oral) - Category 4
substance or mixture. SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms**Signal word**

: Danger

Hazard statements

: H302 Harmful if swallowed.
H318 Causes serious eye damage.

Precautionary statements**Prevention**

: P280 Wear protective gloves and eye protection.
P270 Do not eat, drink or smoke when using this product.

Response

: P264-a Wash hands thoroughly after handling.
P305 IF IN EYES:
P351 Rinse cautiously with water for several minutes.
P338 Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P301 IF SWALLOWED:
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P330 Rinse mouth.

Hazards not otherwise classified

: DO NOT allow any pump handling the product to run dry or over-heat e.g. due to blockage or closed valve in the associated lines, resulting in pumping against a dead-end. Under such conditions if over-heating occurs this may cause vaporization and possible decomposition of the product. This can create pressure build-up in the pump and, if unchecked, lead to an explosion. Ensure that the pump is used correctly according to the manufacturers instructions at all times when pumping the product.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	CAS number	%
Calcium nitrate	10124-37-5	>= 25- <30
Ammonium nitrate	6484-52-2	>= 15- <20

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- | | | |
|---------------------|---|---|
| Eye contact | : | Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Check for and remove any contact lenses. Get medical attention immediately. |
| Inhalation | : | Avoid inhalation of vapor, spray or mist. If inhaled, remove to fresh air. Get medical attention immediately. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. |
| Skin contact | : | Wash with soap and water. Get medical attention if irritation develops. |
| Ingestion | : | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Get medical attention if you feel unwell. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

- | | | |
|---------------------|---|--|
| Eye contact | : | Causes serious eye damage. |
| Inhalation | : | Vapor may be irritating to eyes and respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | Harmful if swallowed. May cause burns to mouth, throat and stomach. |

Over-exposure signs/symptoms

- | | | |
|---------------------|---|---|
| Eye contact | : | Adverse symptoms may include the following:
pain
watering
redness |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | Adverse symptoms may include the following:
stomach pains
May cause burns to mouth, throat and stomach. |

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None identified.
- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
nitrogen oxides
metal oxide/oxides
ammonia
Avoid breathing dusts, vapors or fumes from burning materials.
In case of inhalation of decomposition products in a fire, symptoms may be delayed.
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Remark** : Non-flammable.
- Remark** : Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. DO NOT allow any pump handling the product to run dry or over-heat e.g. due to blockage or closed valve in the associated lines, resulting in pumping against a dead-end. Under such conditions if over-heating occurs this may cause vaporization and possible decomposition of the product. This

- can create pressure build-up in the pump and, if unchecked, lead to an explosion. Ensure that the pump is used correctly according to the manufacturers instructions at all times when pumping the product.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage. The tank/container should be placed within a bunker able to take the whole tank/container volume.
- Specific recommendations to end users** : Store in a segregated and approved area. Do not store above the following temperature: 60° C

Section 8. Exposure controls/personal protection

Control parameters




Occupational exposure limits

Ingredient name	Exposure limits
Ammonium nitrate	None.
Calcium nitrate	None.

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly

Eye/face protection	<p>after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.</p> <p>: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If inhalation hazards exist, a full-face respirator may be required instead.</p> <p>Recommended: Wear tightly-sealed safety glasses.</p>
<u>Skin protection</u>	
Hand protection	<p>: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</p>
Body protection	<p>: Personal protective equipment for the body should be selected based on the task being performed and the risks involved.</p>
Other skin protection	<p>: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</p>
Respiratory protection	<p>: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.</p>
Personal protective equipment (Pictograms)	<p>:   </p>

Section 9. Physical and chemical properties

Appearance

Physical state	: liquid
Color	: Clear.,
Odor	: None.
Odor threshold	: Not determined.
pH	: 6 - 6.5
Melting/freezing point	: Not determined.
Boiling/condensation point	: Not determined.
Sublimation temperature	: Not determined.
Flash point	: Not determined.
Fire point	: Not determined.
Evaporation rate	: Not determined.
Flammability (solid, gas)	: Non-flammable.
Lower and upper explosive (flammable) limits	: Lower: Not determined. Upper: Not determined.

Vapor pressure	:	Not determined.
Relative density	:	Not determined.
Solubility	:	Not determined.
Partition coefficient: n-octanol/water	:	Not determined.
Auto-ignition temperature	:	Not determined.
Decomposition temperature	:	Not determined.
Viscosity	:	Dynamic: Not determined. Kinematic: Not determined.
Explosive properties	:	Non-explosive.
Oxidizing properties	:	None

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride.
Conditions to avoid	:	Avoid contamination by any source including metals, dust and organic materials.
Incompatible materials	:	alkalis combustible materials reducing materials Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride. organic materials Acids
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	OECD 401 LD50 Oral	Rat	2,950 mg/kg	Not applicable.	IUCLID
	OECD 402 LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	IUCLID
Calcium nitrate					

Date of issue : 08/23/2019

Page:8/19

	OECD 423 LD50 Oral	Rat - Female	500 mg/kg	Not applicable.	CSR
	OECD 402 LD50 Dermal	Rat	> 2,000 mg/kg	Not applicable.	CSR
	OECD 402 LD50 Dermal	Rat	2,000 - 5,000 mg/kg	Not applicable.	IUCLID

Conclusion/Summary : Harmful if swallowed.

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	OECD 405 Eyes	Rabbit	Irritant		IUCLID
Calcium nitrate					
	OECD 405 Eyes	Rabbit	Severe irritant	24 - 72 h	CSR

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Eyes : Causes serious eye damage.

Respiratory : No known significant effects or critical hazards.

Sensitization

Product/ingredient name	Method	Species	Result	References
Ammonium nitrate				
	OECD 429 Skin	Mouse	Not sensitizing	

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Mutagenicity

Product/ingredient name	Method	Test detail	Result	References
Ammonium nitrate				
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone	Negative	IUCLID

		Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test In vitro		
	OECD 471	Bacteria In vitro	Negative	IUCLID

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Classification

Product/ingredient name	OSHA	IARC	NTP
Calcium nitrate	Not applicable.	2A	Not applicable.

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days	IUCLID

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye damage.
- Inhalation** : Vapor may be irritating to eyes and respiratory system.
Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Harmful if swallowed. May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : Adverse symptoms may include the following:
stomach pains
May cause burns to mouth, throat and stomach.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	OECD 422 Chronic NOAEL Oral	Rat	256 mg/kg	28 days	IUCLID
	OECD 412 Sub-acute NOEC Inhalation	Rat	> 185 mg/kg	2 weeks 5 hours per day	IUCLID
Calcium nitrate					
	OECD 407 Sub-acute NOAEL Oral	Rat	> 1,000 mg/kg	28 days	CSR

- Carcinogenicity** : No known significant effects or critical hazards.

- Mutagenicity** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Effects on or via lactation** : No known significant effects or critical hazards.
- Other effects** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : Adverse symptoms may include the following:
stomach pains
May cause burns to mouth, throat and stomach.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	1,564.7 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	Acute LC50 Fresh water	Fish	447 mg/l	48 h	IUCLID
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h	IUCLID
	Acute EC50 Salt water	Algae	1,700 mg/l	10 d	IUCLID
	OECD 209 Chronic NOEC Marine water	Activated sludge	180 mg/l	180 min	IUCLID
	OECD 209 Acute EC50 Marine water	Activated sludge	> 1,000 mg/l	180 min	IUCLID
Calcium nitrate					

	OECD 203 Acute LC50 Fresh water	Fish	1,378 mg/l	96 h	CSR
	Acute LC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50 Salt water	Algae	> 1,700 mg/l	10 d	CSR
	OECD 209 Chronic NOEC Activated sludge	Activated sludge	180 mg/l	180 min	CSR

Conclusion/Summary : No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

Bioaccumulative potential

Conclusion/Summary : No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Mobility : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulation: UN Class

14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.

Additional information
Environmental hazards : No.

Regulation: IMDG

14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.

Additional information
Marine pollutant : No.

Regulation: IATA

14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.

Additional information
Marine pollutant : No.

Regulation: DOT Classification

14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.

Additional information

Marine pollutant : Not available.

Regulation: TDG Class

14.1 UN number : Not regulated.

14.2 UN proper shipping name : Not applicable.

14.3 Transport hazard class(es) : Not applicable.

14.4 Packing group : Not applicable.

14.5 Environmental hazards : No.

Additional information

Not applicable.

Environmental hazards : No.

14.6 Special precautions for user : Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.

IMSBC : Not applicable.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

United States

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112(b) : Not listed

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602 : Not listed

Class II Substances

DEA List I Chemicals : Not listed

(Precursor Chemicals)

DEA List II Chemicals : Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : ACUTE TOXICITY - oral - Category 4
SERIOUS EYE DAMAGE - Category 1

Composition/information on ingredients

Name	%	Classification
Ammonium nitrate	>= 15 - < 20	Fire hazard - Immediate (acute) health hazard EYE IRRITATION - Category 2A OXIDIZING SOLIDS - Category 3
Calcium nitrate	>= 25 - < 30	Fire hazard - Immediate (acute) health hazard - Delayed (chronic) health hazard ACUTE TOXICITY - oral - Category 4 OXIDIZING SOLIDS - Category 3 SERIOUS EYE DAMAGE - Category 1

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Ammonium nitrate	6484-52-2	>= 15 - < 20
Calcium nitrate	10124-37-5	>= 25 - < 30

Supplier notification

Product name	CAS number	%
Calcium nitrate	10124-37-5	>= 25 - < 30
Ammonium nitrate	6484-52-2	>= 15 - < 20

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : None of the components are listed.
New York : None of the components are listed.
New Jersey : The following components are listed:
 Ammonium nitrate
 Calcium nitrate
Pennsylvania : The following components are listed:
 Ammonium nitrate

California Prop. 65

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Inventory list

Philippines inventory (PICCS): All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Korea inventory: All components are listed or exempted.

Japan inventory: All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted.

EC INVENTORY (EINECS/ELINCS): All components are listed or exempted.

Canada: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	3
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.


The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Chronic toxicity:

- : No data available.

* : Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA

02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 4	Calculation method
SERIOUS EYE DAMAGE - Category 1	Calculation method

History

Date of printing : 11/04/2019
 Date of issue/Date of revision : 08/23/2019
 Date of previous issue : 08/22/2018
 Revision comments : The following sections contain new and updated information: 11, 12.

Version : 2.0
 Prepared by : Yara Chemical Compliance (YCC).
 Key to abbreviations : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 UN = United Nations
 Key data sources : EU REACH IUCLID5 CSR.
 National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances.
 Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither

the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.