Conforms: GHS (rev 7) (2017)

(This Safety Data Sheet conforms to the requirements of the Hazard Communication Standard (HCS) (29 CFR 1910.1200(g)), revised in 2012.) - United States

Date of issue/ Date of revision : 01/09/2023
Date of previous issue : 02/06/2020
Version : 2.0



### SAFETY DATA SHEET

YaraRega FLEX

### Section 1. Identification

GHS product identifier : YaraRega FLEX Product type : Solid (granulates)

Product code : PKEXNG

Uses

Area of application : Professional applications

Material uses : Fertilizers.

<u>Supplier</u>

Supplier's details : Yara North America, Inc.

<u>Address</u>

Street: 100 North Tampa Street, Suite 3200

Postal code : 33602 City : TAMPA Country : United States

Telephone number : +1 813 222 5700 Fax no. : +1 813 875 5735 e-mail address of person : yna-hesq@yara.com

responsible for this SDS

Emergency telephone number : US: Chemtrec 24-hours Emergency

(with hours of operation) 9

US: Chemtrec 24-hours Emergency Response: 1-800-424-

9300

Canada: 24 Hour Emergency Service, CHEMTREC 1-800-

424-9300

#### National advisory body/Poison Center

Name : The National Poisons Emergency number

**Telephone number** : 1 800 222 1222

#### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Date of issue : 01/09/2023 Page:1/18

Classification of the : EYE IRRITATION - Category 2A

substance or mixture. TOXIC TO REPRODUCTION - Category 1B

**GHS label elements** 

Hazard pictograms





Signal word : Danger

**Hazard statements**: H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

**Precautionary statements** 

**Prevention**: P202 Do not handle until all safety precautions

have been read and understood.

P280 Wear protective gloves/clothing and

eye/face protection.

**Response** : P308 IF exposed or concerned:

P313 Get medical attention.

P305 IF IN EYES:

P351 Rinse cautiously with water for several

minutes.

P338 Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 If eye irritation persists: P313 Get medical attention.

Hazards not otherwise

classified

: None known.

**Additional information**: Product forms slippery surface when combined with water.

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	CAS number	%
Ammonium nitrate	6484-52-2	>= 45 - <= 50
Nitric acid potassium salt	7757-79-1	>= 1 - <= 1.5
Boron sodium oxide (B4Na2O7)	12179-04-3	>= 0.3 - < 1
Sulfuric acid, zinc salt (1:1)	7446-19-7	>= 0.2 - < 0.25

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Date of issue : 01/09/2023 Page:2/18

YaraRega FLEX

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Remark : This product contains Boron (see section 7 and 11).

#### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact** : Rinse with plenty of running water. Check for and remove any

contact lenses. If irritation persists, get medical attention.

Inhalation : If inhaled, remove to fresh air. In case of inhalation of

decomposition products in a fire, symptoms may be delayed. Get medical attention if you feel unwell. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact**: Wash with soap and water. Get medical attention if irritation

develops.

Ingestion : Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

**Skin contact** : No known significant effects or critical hazards.

**Ingestion**: Irritating to mouth, throat and stomach.

#### Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### **Extinguishing media**

**Suitable extinguishing media**: Use flooding quantities of water for extinction.

Unsuitable extinguishing : Do NOT use chemical extinguisher or foam or attempt to

Date of issue: 01/09/2023 Page:3/18

#### media

Specific hazards arising from the chemical

smother the fire with steam or sand.

The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia.

# Hazardous thermal decomposition products

: Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, phosphorus oxides, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

# Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

# Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Remark : Non-flammable. Remark : Non-explosive.

#### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

#### For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### **Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill

Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

#### Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste

Date of issue: 01/09/2023 Page:4/18

disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Not for human or animal consumption.

#### Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not handle until all safety precautions have been read and understood. As a precaution, keep exposure as low as possible for pregnant women, children and workers in reproductive age. Avoid dust generation. Do not breathe dust. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

# Specific recommendations to end users

Do not generate and inhale liquid fertilizer aerosols.

In addition to overalls, gloves and eye protection, use of efficient respiratory protection (P2/P3 respirators with a tight face seal) during discharge of fertilizer bags and maintenance of equipment is recommended to minimize inhalation exposure and to ensure safe-use during this activity (see section 8).

Risk assessments show safe use during normal spreading of fertilizers containing below 5% of boron by tractor (liquid or granular) and backpack (liquid).

### Section 8. Exposure controls/personal protection

Date of issue : 01/09/2023 Page:5/18

YaraRega FLEX

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Ammonium nitrate	None.
Nitric acid potassium salt	None.
Boron sodium oxide	OSHA PEL 1989 (1989-03-01).
(B4Na2O7)	TWA 10 mg/m3
	NIOSH REL (1994-06-01).
	TWA 1 mg/m3
	ACGIH TLV (2005-01-01).
	TWA 2 mg/m3 Form: Inhalable fraction
	STEL 6 mg/m3 Form: Inhalable fraction
Sulfuric acid, zinc salt (1:1)	None.

# Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

#### Hygiene measures

: A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

#### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Recommended: Tightly-fitting goggles, Europe:, CEN: EN166.

#### Skin protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

#### **Body protection**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

#### Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue : 01/09/2023 Page:6/18

**Respiratory protection**: Use respiratory protection with more than 94% efficiency (P2,

P3 or N95) and a tight face seal, when risk of exposure to

dust.

Personal protective equipment

(Pictograms)







# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance** 

Physical state : Solid [granulates]

Color : Blue., Odor : Odorless.

Odor threshold : Not determined.

**pH** : 4.5 - 6.5 [Conc. (% w/w): 100 g/l]

Melting point/freezing point : 145 - 185 °C (293 - 365 °F)

Boiling point, initial boiling point, and boiling range

Not applicable.

Flash point : Not applicable.

Evaporation rate : Not determined.
Flammability : Non-flammable.

Lower and upper explosion limit/flammability limit

Lower: Not applicable.

Upper: Not applicable.

Vapor pressure: Not determined.Relative vapor density: Not applicable.

**Relative density** : Not determined. **Bulk density** : 950 - 1,250 kg/m3

**Solubility in water** : > 75 g/l

Partition coefficient: n-

octanol/water

: Not applicable.

Auto-ignition temperature : Not applicable.

Decomposition temperature : Not determined.

Viscosity : Dynamic: Not relevant/applicable due to nature of the product.

Kinematic: Not applicable.

**Explosive properties** : Non-explosive. **Oxidizing properties** : Non-oxidizer.

UN Manual of Tests and Criteria, Section 39.

**Particle characteristics** 

Date of issue: 01/09/2023 Page:7/18

Median particle size : 2.7 - 3.6 mm

### Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this

product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid : Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : alkalis, combustible materials, reducing materials, organic

materials, Acids

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

### Section 11. Toxicological information

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient	Method	Species	Result	Exposure				
name								
Ammonium nitrate	Ammonium nitrate							
	OECD 401	Rat	2,950 mg/kg	Not applicable.				
	LD50 Oral							
	OECD 402	Rat	> 5,000 mg/kg	Not applicable.				
	LD50 Dermal							
Nitric acid potassium sa	alt	•						
LD50 Oral Rat 2,000 mg/kg Not applicable.								
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.				
Boron sodium oxide (B4Na2O7)								
	LD50 Oral	Rat	2,000 mg/kg	Not applicable.				
	LD50 Dermal	Rabbit	> 5,000 mg/kg	Not applicable.				
Sulfuric acid, zinc salt (1:1)								
	OECD 401	Rat	926 mg/kg	Not applicable.				
	LD50 Oral							

**Conclusion/Summary**: No known significant effects or critical hazards.

#### Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate				
	OECD 405 Eyes	Rabbit	Irritant	

Date of issue : 01/09/2023 Page:8/18

Nitric acid potassium salt				
	OECD 404 Skin	Rabbit	Non-irritating.	
Sulfuric acid, zinc salt (1:1)				
	Eyes	Rabbit	Severe irritant	

#### **Conclusion/Summary**

**Skin** : No known significant effects or critical hazards.

**Eyes** : Causes serious eye irritation.

**Respiratory** : No known significant effects or critical hazards.

#### **Sensitization**

Product/ingredient name	Method	Species	Result
Ammonium nitrate			
	OECD 429 Skin	Mouse	Not sensitizing

**Conclusion/Summary** 

Skin: No known significant effects or critical hazards.Respiratory: No known significant effects or critical hazards.

#### **Mutagenicity**

Product/ingredient name	Method	Test detail	Result
Ammonium nitrate			
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test In vitro	Negative
	OECD 471	Bacteria In vitro	Negative

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Carcinogenicity

#### Classification

Product/ingredient name	OSHA	IARC	NTP
Nitric acid potassium salt	Not applicable.	2A	Not applicable.

**Conclusion/Summary**: No known significant effects or critical hazards.

Date of issue : 01/09/2023 Page:9/18

#### Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate				
	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days

**Conclusion/Summary** : May damage fertility or the unborn child.

#### Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

#### Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

#### **Aspiration hazard**

No known significant effects or critical hazards.

Information on the likely

routes of exposure

Not available.

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

**Skin contact**: No known significant effects or critical hazards.

**Ingestion** : Irritating to mouth, throat and stomach.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure
Ammonium nitrate				
	OECD 422 Chronic NOAEL	Rat	256 mg/kg	28 days
Date of issue : 01/09/2023				Page:10/18

	Oral				l
Ī	OECD 412	Rat	> 185 mg/m <sup>3</sup>	2 weeks 5	1
	Sub-acute NOE	C		hours per day	
	Inhalation				

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity**: No known significant effects or critical hazards.

**Reproductive toxicity** : May damage fertility or the unborn child.

**Effects on or via lactation** : No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
YaraRega FLEX	5,292.8 mg/kg	N/A	N/A	N/A	N/A
Ammonium nitrate	2,950 mg/kg	N/A	N/A	N/A	N/A
Nitric acid potassium salt	2,500 mg/kg	N/A	N/A	N/A	N/A
Boron sodium oxide (B4Na2O7)	2,500 mg/kg	N/A	N/A	N/A	N/A
Sulfuric acid, zinc salt (1:1)	926 mg/kg	N/A	N/A	N/A	N/A

## Section 12. Ecological information

#### **Toxicity**

Product/ingredien t name	Method	Species	Result	Exposure
Ammonium nitrate				
	Acute LC50 Fresh water	Fish	447 mg/l	48 h
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h
	Acute EC50 Salt water	Algae	1,700 mg/l	10 d

Date of issue : 01/09/2023 Page:11/18

Nitric acid potassium	n salt			
•	OECD 203	Fish	> 100 mg/l	96 h
	Acute LC50			
	Fresh water			
	Acute EC50	Daphnia	490 mg/l	48 h
	Fresh water	·		
	Acute EC50	Algae	> 1,700 mg/l	240 h
	Marine water			
Boron sodium oxide	(B4Na2O7)			
	Acute LC50	Fish	> 100 mg/l	96 h
	Fresh water			
	Acute EC50	Daphnia	> 100 mg/l	48 h
	Fresh water	·		
	Acute EC50	Algae	> 100 mg/l	72 h
	Fresh water			
Sulfuric acid, zinc sa	ılt (1:1)			
	Acute LC50	Fish	0.1 - 1 mg/l	96 h
	Fresh water			
	Acute EC50	Daphnia	0.1 - 1 mg/l	48 h
	Fresh water			

**Conclusion/Summary** : No known significant effects or critical hazards.

Persistence and degradability

**Conclusion/Summary**: No known significant effects or critical hazards.

**Bioaccumulative potential** 

**Conclusion/Summary** : No known significant effects or critical hazards.

**Mobility in soil** 

Soil/water partition coefficient (KOC)

Not available.

**Mobility** : Not available.

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### **Product**

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken

Date of issue : 01/09/2023 Page:12/18

when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **Section 14. Transport information**

Regulation: UN Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information Environmental hazards	: No.

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.
<del></del>	

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information  Marine pollutant	: No.

Regulation: DOT Classification		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	

Date of issue : 01/09/2023 Page:13/18

#### **Additional information**

**Marine pollutant** : Not available.

Regulation: TDG Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information Not applicable.	

14.6 Special precautions for

**Environmental hazards** 

user

Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

Remark A NPK fertilizer not liable to self-sustaining exothermic

: No.

decomposition according to the S.1 trough test as defined in the recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, part III, section 38.

**IMSBC** 

**Bulk cargo shipping name** AMMONIUM NITRATE BASED FERTILIZER (non-

hazardous)

Not applicable. Class

Group

Marpol V Non-HME

Transport in bulk according to

**IMO** instruments

Not applicable.

### **Section 15. Regulatory information**

**United States** 

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not

determined

Not listed

Not listed

United States - EPA Clean water act (CWA) section **307 - Priority pollutants:** Sulfuric acid, zinc salt (1:1);

Clean Air Act Section 112(b)

**Hazardous Air Pollutants** 

(HAPs)

Clean Air Act Section 602 **Class I Substances** 

Clean Air Act Section 602 Not listed

Date of issue: 01/09/2023 Page:14/18 **Class II Substances** 

DEA List I Chemicals : Not listed (Precursor Chemicals)

DEA List II Chemicals

(Essential Chemicals)

#### **SARA 302/304**

#### **Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : EYE IRRITATION - Category 2A

: Not listed

TOXIC TO REPRODUCTION - Category 1B

#### **Composition/information on ingredients**

Name	%	Classification
Ammonium nitrate	>= 45 - <= 50	EYE IRRITATION - Category 2A
		OXIDIZING SOLIDS - Category 3
Nitric acid potassium salt	>= 1 - <= 1.5	OXIDIZING SOLIDS - Category 3
Boron sodium oxide	>= 0.3 - < 1	TOXIC TO REPRODUCTION - Category 1B
(B4Na2O7)		EYE IRRITATION - Category 2A
Sulfuric acid, zinc salt	>= 0.2 - < 0.25	SERIOUS EYE DAMAGE - Category 1
(1:1)		ACUTE TOXICITY - oral - Category 4

#### **SARA 313**

#### Form R - Reporting requirements

Product name	CAS number	%
Ammonium nitrate	6484-52-2	>= 45 - < 50
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 2.5 - < 3
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2
Nitric acid potassium salt	7757-79-1	>= 1 - < 2

#### **Supplier notification**

Product name	CAS number	%
Ammonium nitrate	6484-52-2	>= 45 - < 50
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 2.5 - < 3
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2

Date of issue : 01/09/2023 Page:15/18

#### Nitric acid potassium salt

7757-79-1

>= 1 - < 2

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts : The following components are listed:

Ammonium nitrate

Sulfuric acid ammonium salt (1:2)

Nitric acid potassium salt

**New York** : The following components are listed:

Ammonium nitrate

Sulfuric acid ammonium salt (1:2)

**New Jersey**: The following components are listed:

Ammonium nitrate Nitric acid potassium salt

Talc

**Pennsylvania** : The following components are listed:

Ammonium nitrate

Sulfuric acid ammonium salt (1:2)

Nitric acid potassium salt

#### California Prop. 65

▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

#### **Inventory list**

Philippines inventory (PICCS): All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

**Korea inventory:** All components are listed or exempted.

**China inventory (IECSC):** All components are listed or exempted. **Australia inventory (AlIC):** All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

**United States inventory (TSCA 8b):** All components are active or exempted. **EC INVENTORY (EINECS/ELINCS):** All components are listed or exempted.

Canada: All components are listed or exempted.
Thailand: All components are listed or exempted.
Viet Nam: All components are listed or exempted.

### Section 16. Other information

#### **Hazardous Material Information System (U.S.A.)**

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.


Date of issue : 01/09/2023 Page:16/18

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### **Chronic toxicity:**

- -: No data available.
- \*: Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

#### **National Fire Protection Association (U.S.A.)**



#### Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2A	Calculation method
TOXIC TO REPRODUCTION - Category 1B	Calculation method

#### **History**

Date of printing : 01/16/2023 Date of issue/Date of revision : 01/09/2023 Date of previous issue : 02/06/2020

**Revision comments**: The following sections contain updated information: 2, 3, 9,

11, 12, 14, 15 and 16.

Version : 2.0

**Prepared by** : Product Stewardship and Compliance (PSC).

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group UN = United Nations

**Key data sources** : EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec

HAR 2P9, Canada.

Date of issue : 01/09/2023 Page:17/18

YaraRega FLEX

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 01/09/2023 Page:18/18