




**YaraVita™**

**Agripotash™**



**2½ gallons/  
9.4 litres**

**Net weight  
32lb 7oz/  
14.7 kg**

**NOTICE**

Before using this product, read the entire label

# Agripotash™

## 0-5-32

**A formulated product for the treatment of potassium deficiency by foliar application**

Guaranteed analysis:  
**Available Phosphate (P<sub>2</sub>O<sub>5</sub>).....5%**  
**Soluble Potash (K<sub>2</sub>O)..... 32%**  
**Molybdenum (Mo).....0.03%**  
Derived from Potassium Carbonate, Potassium Polyphosphate,  
Sodium molybdate  
Chlorine (Cl) not more than 0.5%

Nutrient content per gallon: 10oz P<sub>2</sub>O<sub>5</sub>, 4lb 3oz K<sub>2</sub>O, 0.07oz Mo F1673

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

This product is recommended for use in conjunction with a complete fertilization program based on soil or tissue analysis.

Contents made in Great Britain  
Guaranteed & Manufactured by Yara UK Ltd., Manor Place, Wellington Road,  
The Industrial Estate, Pocklington, York YO42 1DN, U.K.  
Manufactured for Yara North America, Inc. 100 North Tampa Street, Suite 3200,  
Tampa, FL 33602 Customer Service: 800-234-9376

**Warning**

Contains potassium carbonate  
H319: Causes serious eye irritation.  
H315: Causes skin irritation.  
H335: May cause respiratory irritation.  
P280: Wear protective gloves and eye protection.  
P261: Avoid breathing dust.  
P271: Use only outdoors or in well-ventilated area.  
P305+ P351+ P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313: If eye irritation persists, get medical attention/advice.  
P302+ P352: IF ON SKIN: Wash with plenty of soap and water.  
P304+ P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER or physician if you feel unwell.



# YaraVita™ Agripotash™

## WARNING

This fertilizer is to be used only on crops which respond to molybdenum (Mo). Crops high in molybdenum (Mo) are toxic to grazing animals (ruminants).

## APPLICATION RATES AND TIMINGS

**Apples, Pears:** 2 quarts/acre at bud burst and also post-harvest before leaf fall. Water rate: 50 gallons/acre.

**Apricots, Cherries, Nectarines, Peaches:** 3 applications of 1½ to 2 quarts/acre from stone hardening, with repeat applications at 10 to 14 day intervals. Water rate: 50 to 100 gallons/acre.

**Canola:** 2 quarts/acre at the 4 to 6 leaf stage. Repeat as required for moderate to severe deficiency at 7 to 14 day intervals. Water rate: 20 gallons/acre.

**Cereals:** 2 quarts/acre at first node detectable (Zadok's G.S. 31). Water rate: 20 gallons/acre.

**Cole Crops, Broccoli, Brussel Sprouts, Cabbage, Calabrese, Cauliflower:** 2 quarts/acre at the 4 to 6 leaf stage. Repeat as required for moderate to severe deficiency at 7 to 14 day intervals. Water rate: 20 gallons/acre.

**Cotton:** 2 quarts/acre at squaring and at flowering. Water rate: 20 gallons/acre.

**Courgette, Cucumber, Squash, Water Melons, Zucchini (Field Growth):** Apply 1 to 2 quarts/acre at 10 day intervals from setting of first fruit/first fruit development. Water rate: 50 gallons/acre.

**Corn:** 2 quarts/acre at the 4 to 8 leaf stage. Water rate: 20 gallons/acre.

**Melons (Field Growth):** 2 quarts/acre applied from first fruit development. Repeat at 10 day intervals. Water rate: 50 gallons/acre.

**Nuts (Deciduous):** 2 quarts/acre at bud break in spring. Water rate: 50 gallons/acre.

**Onions:** 2 quarts/acre when sufficient leaf area to intercept spray. Water rate: 20 to 50 gallons/acre.

**Potatoes:** Two applications of 2 quarts/acre during tuber bulking (as soon as first formed tubers are half an inch in diameter). Allow 10 to 14 days between applications. Water rate: 20 gallons/acre.

**Raspberry, Strawberries (Field Growth):** 2 quarts/acre at green bud. Water rate: 50 gallons/acre.

**Soybeans:** 1 quart/acre when the crop is 4 to 6 inches tall. Water rate: 20 gallons/acre.

**Strawberries (Field Growth):** 2 quarts/acre at green bud. Water rate: 50 gallons/acre.

**Sugar Cane:** 2 quarts/acre when cane is between 12 and 50 inches tall. Repeat applications may be necessary at 10 to 14 day intervals. Water rate: 3 to 20 gallons/acre.

**Sweet Potatoes:** 2 quarts/acre one week after 100% emergence or transplanting. Also, apply at the same rate following recommendation from analysis. Water rate: 20 gallons/acre.

**Tobacco:** Three applications of 1 ½ to 2 quarts/acre two to three weeks after transplanting (3 to 4 leaf stage) with 10 days between applications. Water rate: 40 gallons/acre

**Tomatoes (Field Growth):** 1½ quarts/acre applied at first truss, fruit set and repeated at 10 day intervals. Water rate: 50 gallons/acre.

**Vines (Wine Grapes Only):** 1½ to 2 quarts/acre at fruit set, pea-sized berries and first color softening/one month before harvest. Water rate: 50 gallons/acre.

*Extended recommendations available at*  
**[www.yara.us/agriculture/products/yaravita](http://www.yara.us/agriculture/products/yaravita)**

---

**NOTICE:** This product may contain a chemical (or chemicals) known to the State of California to cause cancer and birth defects or other reproductive harm.

## DIRECTIONS FOR USE ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

## TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit [www.tankmix.com](http://www.tankmix.com) for important information. Alternatively, contact Yara for specific advice.

## PRECAUTIONS

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use.

## STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from frost and other climatic extremes. (temperatures exceeding 100°F) Dispose of contents and container in accordance with all local, regional, national and international regulations.

## CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.



**YaraVita™**

# Agripotash™

## 0-5-32

A formulated product for the treatment of potassium deficiency by foliar application

Guaranteed analysis:

|   |              |
|---|--------------|
| <b>Available Phosphate (P<sub>2</sub>O<sub>5</sub>)</b> ..... | <b>5%</b>    |
| <b>Soluble Potash (K<sub>2</sub>O)</b> .....                  | <b>32%</b>   |
| <b>Molybdenum (Mo)</b> .....                                  | <b>0.03%</b> |

Derived from Potassium Carbonate, Potassium Polyphosphate, Sodium molybdate  
Chlorine (Cl) not more than 0.5%

F1673

Nutrient content per gallon: 10oz P<sub>2</sub>O<sub>5</sub>, 4lb 3oz K<sub>2</sub>O, 0.07oz Mo

**250 gallons/  
946 litres**

**Net weight  
3244lb/  
1471.5 kg**

**BATCH:**

### NOTICE

Before using this product, read the entire label

### WARNING

Keep out of reach of children  
Product is alkaline Injurious to eyes and skin  
In case of contact with eyes and/or skin,  
immediately flush with plenty of water and seek  
medical attention

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfc.org/metals.htm>

This product is recommended for use in conjunction with a complete fertilization program based on soil or tissue analysis.

Contents made in Great Britain  
Guaranteed & Manufactured by Yara UK Ltd.,  
Manor Place, Wellington Road, The Industrial Estate,  
Pocklington, York YO42 1DN, U.K.  
Manufactured for Yara North America, Inc. 100 North Tampa  
Street, Suite 3200, Tampa, FL 33602  
Customer Service: 800-234-9376

# YaraVita™ Agripotash™

## Warning

Contains potassium carbonate

H319: Causes serious eye irritation.

H315: Causes skin irritation.

H335: May cause respiratory irritation.

P280: Wear protective gloves and eye protection.

P261: Avoid breathing dust.

P271: Use only outdoors or in well-ventilated area.

P305, P351, P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists, get medical attention/ advice.

P302, P352: IF ON SKIN: Wash with plenty of soap and water.

P304, P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or physician if you feel unwell.

