Date of issue/ Date of revision : 03/25/2021

Date of previous issue : 06/21/2019

Version : 4.0



SAFETY DATA SHEET

YaraVita Agripotash

Section 1. Identification

Product identifier : YaraVita Agripotash

Product type : Liquid Product code : PYP06M

Uses

Area of application : Professional applications

Material uses : Fertilizers.

Supplier

Supplier's details : Yara Canada Inc.

<u>Address</u>

Street: 1874 Scarth Street

Number:Ste 1800Postal code:S4P 4B3City:ReginaCountry:Canada

Telephone number : +1 306 525 7600
Fax no. : +1 306 525 2942
e-mail address of person : yna-hesq@yara.com

responsible for this SDS

Emergency telephone number

(with hours of operation)

US: Chemtrec 24-hours Emergency Response: 1-800-424-

9300

Canada: 24 Hour Emergency service, CHEMTREC 1-800-

424-9300

Section 1. National advisory body/Poison Center

Name : Poisons and Drug Information Service

Telephone number : +1 403 944 1414, (800) 332 1414 (Alberta only)

Section 2. Hazards identification

Classification of the : CORROSIVE TO METALS - Category 1 substance or mixture. : SKIN CORROSION - Category 1

SERIOUS EYE DAMAGE - Category 1

TOXIC TO REPRODUCTION (Fertility) - Category 1
TOXIC TO REPRODUCTION (Unborn child) - Category 1
SPECIFIC TARGET ORGAN TOXICITY (SINGLE
EXPOSURE) (Respiratory tract irritation) - Category 3

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (respiratory tract) - Category 2

GHS label elements

Hazard pictograms







Signal word : Danger

Hazard statements: H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H360 May damage fertility or the unborn child.
H325 May agus respiretory irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through

prolonged or repeated exposure.

(respiratory tract)

Precautionary statements

Prevention: P280 Wear protective gloves and eye/face

protection.

P202 Do not handle until all safety precautions

have been read and understood.

P260 Do not breathe gas or vapour.

Response : P314-a Get medical attention if you feel unwell.

P305 IF IN EYES:

P351 Rinse cautiously with water for several

minutes.

P338 Remove contact lenses, if present and easy

to do. Continue rinsing.

P303 IF ON SKIN (or hair):

P361 Take off immediately all contaminated

clothing.

P353 Rinse skin with water.

Storage: P234 Keep only in original packaging.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	CAS number	% (w/w)
Carbonic acid, potassium salt (1:2)	584-08-7	37.4662
Diphosphoric acid, potassium salt (1:4)	7320-34-5	12.0514
Glycine, N,N'-1,2-ethanediylbis[N-	64-02-8	1.1318
(carboxymethyl)-, sodium salt (1:4)		
Boric acid	10043-35-3	0.9646
Sodium hydroxide (Na(OH))	1310-73-2	0.0244

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Date of issue: 03/25/2021 Page:2/16

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Remark: This product contains Boron (see section 7 and 11).

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Check for and remove any contact lenses. Get medical attention immediately. Chemical

burns must be treated promptly by a physician.

Inhalation : Avoid inhalation of vapor, spray or mist. If inhaled, remove to

fresh air. Get medical attention immediately. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If

breathing is difficult, give oxygen.

Skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention immediately. Chemical burns must be

treated promptly by a physician.

Ingestion: Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of

water to drink. Get medical attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : May cause respiratory irritation. Vapor may be irritating to

eyes and respiratory system.

Skin contact : Causes severe burns.

Ingestion : May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : Adverse symptoms may include the following: respiratory tract

irritation, coughing

Skin contact : Adverse symptoms may include the following: pain or irritation,

blistering may occur

Ingestion: May cause burns to mouth, throat and stomach.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly

with water before removing it, or wear gloves.

Date of issue : 03/25/2021 Page:3/16

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

: None identified.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

 Avoid breathing dusts, vapors or fumes from burning materials. In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Remark

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

: Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area.
Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses,

Date of issue : 03/25/2021 Page:4/16

basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not handle until all safety precautions have been read and understood. As a precaution, keep exposure as low as possible for pregnant women, children and workers in reproductive age. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. Spillages should be cleaned up promptly to avoid damage to surrounding materials.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Specific recommendations to end users

Do not generate and inhale liquid fertilizer aerosols.

In addition to overalls, gloves and eye protection, use of efficient respiratory protection (P2/P3 respirators with a tight face seal) during discharge of fertilizer bags and maintenance

Date of issue : 03/25/2021 Page:5/16

YaraVita Agripotash

of equipment is recommended to minimize inhalation exposure and to ensure safe-use during this activity (see section 8).

Risk assessments show safe use during normal spreading of fertilizers containing below 5% of boron by tractor (liquid or granular) and backpack (liquid).

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits				
Boric acid	CA British Columbia Provincial (2005-04-01)				
	TWA 2 mg/m3 Form: INHALABL				
	STEL 6 mg/m3 Form: INHALABL				
	CA Ontario Provincial (2015-06-29)				
	TWA 2 mg/m3 Form: Inhalable fraction				
	STEL 6 mg/m3 Form: Inhalable fraction				
	CA Saskatchewan Provincial (2007-08-10)				
	STEL 6 mg/m3 Form: Inhalable fraction				
	TWA 2 mg/m3 Form: Inhalable fraction				
Sodium hydroxide (Na(OH))	CA Alberta Provincial (2009-07-01)				
	CEIL 2 mg/m3				
	CA British Columbia Provincial (2004-08-01)				
	CEIL 2 mg/m3				
	CA Ontario Provincial (2015-06-29)				
	CEIL 2 mg/m3				
	CA Quebec Provincial (2000-01-12)				
	STEL 2 mg/m3				
	CA Saskatchewan Provincial (2007-08-10)				
	CEIL 2 mg/m3				

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to

Date of issue : 03/25/2021 Page:6/16

avoid exposure to liquid splashes, mists, gases or dusts. **Recommended**: Tightly-fitting goggles,

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the

exact composition of the glove material.

> 8 hours (breakthrough time): Protective gloves should be

worn under normal conditions of use.

Body protection : Personal protective equipment for the body should be selected

based on the task being performed and the risks involved.

Other skin protection : Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protection : Use respiratory protection with more than 94% efficiency (P2,

P3 or N95) and a tight face seal, when risk of exposure to

dust.

Personal protective equipment

(Pictograms)







Section 9. Physical and chemical properties

Appearance

Physical state : Liquid

Color : Transparent,
Odor : Odorless.

Odor threshold : Not relevant/applicable due to nature of the product.

pH : 13.5 @ 20 °C (68 °F)

Melting/freezing point : < -5 °C

Boiling/condensation point : 100 °C

(212 °F)

Sublimation temperature: Not determined.Flash point: Not determined.Evaporation rate: Not determined.Flammability (solid, gas): Non-flammable.

Lower and upper explosive

(flammable) limits

Upper: Not determined.Not determined.Not applicable.

Vapor pressure: Not determinedBulk density: Not applicable.

Density : 1.555 g/cm3

Date of issue : 03/25/2021 Page:7/16

Lower: Not determined.

Relative density : Not applicable.

Solubility : Not applicable.

Solubility in water : Not relevant/applicable due to nature of the product.

Miscible in water.

Not determined.

Miscibility with water Partition coefficient: n-

octanol/water

Auto-ignition temperature : Not determined.

Decomposition temperature

Viscosity

Not determined.

Dynamic: < 100 mPa.s

Kinematic: Not determined

Explosive properties: Non-explosive.

Oxidizing properties : None

Section 10. Stability and reactivity

Reactivity: May be corrosive to metals. Expert judgment

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid : Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : Reactive or incompatible with the following materials: acids,

metals

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredie	Method	Species	Result	Exposure	References
nt name					
Carbonic acid, pota	ssium salt (1:2)				
	LD50 Oral	Rat	> 2,000 mg/kg	Not	IUCLID 5
				applicable.	
Diphosphoric acid, potassium salt (1:4)					
	LD50 Dermal	Rabbit	> 4,640 mg/kg	Not	NTIS**
				applicable.	OTS0571153
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)					
	OECD 401	Rat	1,780 mg/kg	Not	IUCLID
Date of issue: 03/2	25/2021				Page:8/16

	LD50 Oral			applicable.	
Boric acid					
	LD50 Oral	Rat	3,450 mg/kg	Not applicable.	IUCLID 5
	LD50 Dermal	Rabbit	> 5,000 mg/kg	Not applicable.	IUCLID

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient	Method	Species	Result	Exposure	References
name					
Glycine, N,N'-1,2-etha	nediylbis[N-(carbo	exymethyl)-, so	dium salt (1:4)		
	OECD 405 Eyes	Rabbit	Damage		ECHA
Sodium hydroxide (Na	(OH))				
	Skin	Rabbit	Severe irritant		

Conclusion/Summary

Skin : Corrosive to the skin.

Eyes : Causes serious eye damage.

Respiratory: May cause respiratory irritation.

Sensitization

Conclusion/Summary

Skin: No known significant effects or critical hazards.Respiratory: No known significant effects or critical hazards.

Mutagenicity

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
Boric acid					
	Oral	Rat	Fertility effects- Positive NOEL	3 weeks Repeated dose;	IUCLID 5

Conclusion/Summary : May damage fertility. May damage the unborn child.

Specific target organ toxicity (single exposure)

Date of issue : 03/25/2021 Page:9/16

Product/ingredient name	Category	Route of exposure	Target organs
Carbonic acid, potassium salt (1:2)	Category 3	Not applicable	Not determined

Specific target organ toxicity (repeated exposure)

Product/ingredient	Category	Route of exposure	Target organs
name			
Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	Category 2	Not determined	Not determined

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure:

Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : May cause respiratory irritation. Vapor may be irritating to

eyes and respiratory system.

Skin contact : Causes severe burns.

Ingestion : May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : Adverse symptoms may include the following: respiratory tract

irritation, coughing

Skin contact: Adverse symptoms may include the following: pain or irritation,

blistering may occur

Ingestion : May cause burns to mouth, throat and stomach.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure	References
Glycine, N,N'-1,2-ethaned	diylbis[N-(carboxy	methyl)-, sodiu	ım salt (1:4)		
	OECD 413 Sub-chronic	Rat	3 mg/m³ Continuous	65 days 6 hours per	ECHA
	NOAEL Inhalation			day	

Carcinogenicity: No known significant effects or critical hazards.

Date of issue : 03/25/2021 Page:10/16

Mutagenicity: No known significant effects or critical hazards.

Fertility effects : May damage fertility.

Developmental effects : May damage the unborn child.

Effects on or via lactation : No known significant effects or critical hazards.

Other effects : May cause damage to organs through prolonged or repeated

exposure.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : Adverse symptoms may include the following: respiratory tract

irritation, coughing

Skin contact : Adverse symptoms may include the following: pain or irritation,

blistering may occur

Ingestion : May cause burns to mouth, throat and stomach.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	138,318.2 mg/kg
Inhalation (dusts and mists)	66.91 mg/l

Section 12. Ecological information

Toxicity

Product/ingred ient name	Method	Species	Result	Exposure	References
Carbonic acid, po	taccium calt (1:2)				
Carbonic acid, po	· · · · · ·				
	Acute LC50	Fish	68 mg/l	96 h	IUCLID
	Fresh water				
	Acute EC50	Daphnia	200 mg/l	48 h	IUCLID
Diphosphoric acid	l, potassium salt ((1:4)			
	Acute LC50	Fish	> 100 mg/l	96 h	IUCLID
	Fresh water				
	Acute EC50	Daphnia	> 100 mg/l	48 h	IUCLID
	Fresh water				
	Acute EC50	Algae	> 100 mg/l	72 h	IUCLID
	Fresh water		_		
Glycine, N,N'-1,2-	ethanediylbis[N-(carboxymethyl)-,	sodium salt (1:4)		
	Acute LC50	Fish	> 1,000 mg/l	96 h	
	Fresh water				
Boric acid					
	Acute LC50	Fish	> 100 mg/l	4 d	IUCLID
	Fresh water				
	Acute EC50	Daphnia	> 100 mg/l	2 d	IUCLID
	Fresh water	-			
Sodium hydroxide	(Na(OH))		•	•	
	Acute LC50	Fish	35 - 196 mg/l	96 h	IUCLID 5
	Acute EC50	Water flea	40.38 mg/l	48 h	Ecotoxicol.En

Date of issue : 03/25/2021 Page:11/16

Fresh water		viron.Saf.
		44(2):196-206

Conclusion/Summary: No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary: No known significant effects or critical hazards.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Glycine, N,N'-1,2-	5.01	1.80	low
ethanediylbis[N-			
(carboxymethyl)-, sodium			
salt (1:4)			
Boric acid	0.175-1.09	Not applicable.	low

Conclusion/Summary : No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC)

Mobility

Not available.

Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

Section 14. Transport information

Regulation: UN Class	
14.1 UN number	3266

drains and sewers.

Date of issue : 03/25/2021 Page:12/16

14.2 UN proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (tetrapotassium pyrophosphate, potassium carbonate,)
14.3 Transport hazard class(es)	8
14.4 Packing group	
14.5 Environmental hazards	No.
Additional information Environmental hazards	: No.

Regulation: IMDG	
14.1 UN number	3266
14.2 UN proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (tetrapotassium pyrophosphate, potassium carbonate,)
14.3 Transport hazard class(es)	8
14.4 Packing group	
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.
IMDG Code Segregation group	: SG18
	: F-A, S-B

Regulation: IATA	
14.1 UN number	3266
14.2 UN proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
	(tetrapotassium pyrophosphate, potassium carbonate,)
14.3 Transport hazard class(es)	8
	8
14.4 Packing group	II
14.5 Environmental hazards	No.
Additional information	

Date of issue: 03/25/2021 Page:13/16

Marine pollutant : No.

Regulation: DOT Classification	
14.1 UN number	UN3266
14.2 UN proper shipping name	Corrosive liquid, basic, inorganic, n.o.s. (tetrapotassium
	pyrophosphate, potassium carbonate,)
14.3 Transport hazard class(es)	8 CORROSIVE 8
14.4 Packing group	II
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: Not available.

Regulation: TDG Class	
14.1 UN number	3266
14.2 UN proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
	(tetrapotassium pyrophosphate, potassium carbonate,)
14.3 Transport hazard class(es)	8
	8
14.4 Packing group	II
14.5 Environmental hazards	No.
A. J. 15C 1 Co. Co C	

Additional information

Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.40-2.42 (Class 8)

Environmental hazards: No.

14.6 Special precautions for

user

Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

IMSBC : Not applicable.

Transport in bulk according to

IMO instruments

Not available.

Section 15. Regulatory information

Date of issue: 03/25/2021 Page:14/16

Canadian lists

Canadian NPRI : The following components are listed: Diphosphoric acid,

potassium salt (1:4)

CEPA Toxic substances : None of the components are listed.

Inventory list

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Korea inventory: All components are listed or exempted. **Japan inventory:** All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted. Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

United States inventory (TSCA 8b): All components are active or exempted. **EC INVENTORY (EINECS/ELINCS):** All components are listed or exempted.

Canada: All components are listed or exempted. **Viet Nam:** All components are listed or exempted.

Section 16. Other information

Key to abbreviations

ADN = European Provisions concerning the International Carriage of

Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

bw = Body weight

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous

Goods by Rail

SUSMP - Standard Uniform Schedule of Medicine and Poisons

SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Classification	Justification
CORROSIVE TO METALS - Category 1	Expert judgment
SKIN CORROSION - Category 1	On basis of test data
SERIOUS EYE DAMAGE - Category 1	On basis of test data
TOXIC TO REPRODUCTION (Fertility) -	Calculation method
Category 1	
TOXIC TO REPRODUCTION (Unborn child)	Calculation method
- Category 1	
SPECIFIC TARGET ORGAN TOXICITY	Calculation method
(SINGLE EXPOSURE) (Respiratory tract	
irritation) - Category 3	
SPECIFIC TARGET ORGAN TOXICITY	Calculation method

Date of issue: 03/25/2021 Page:15/16

(REPEATED EXPOSURE) (respiratory	
tract) - Category 2	

Key data sources : EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec

HAR 2P9, Canada.

History

Date of printing : 09/06/2021 Date of issue/Date of revision : 03/25/2021 Date of previous issue : 06/21/2019

Revision comments : Section 1. National advisory body/Poison Center

Section 2. Classification

Version : 4.0

Prepared by : Yara Chemical Compliance (YCC).

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 03/25/2021 Page:16/16