Conforms: GHS (rev 6) (2015)

(This Safety Data Sheet conforms to the requirements of the Hazard Communication Standard (HCS) (29 CFR 1910.1200(g)), revised in 2012.) - United States

Date of issue/ Date of revision: 08/07/2020Date of previous issue: 08/22/2019Version: 7.0



SAFETY DATA SHEET

YaraVita Zintrac

Section 1. Identification

GHS product identifier : YaraVita Zintrac
Product type : Liquid (Suspension)

Product code : PYP48M

<u>Uses</u>

Area of application : Professional applications

Material uses : Fertilizers.

<u>Supplier</u>

Supplier's details : Yara North America, Inc.

<u>Address</u>

Street: 100 North Tampa Street, Suite 3200

Postal code : 33602 City : TAMPA Country : United States

Telephone number : +1 813 222 5700 Fax no. : +1 813 875 5735 e-mail address of person : yna-hesq@yara.com

responsible for this SDS

Emergency telephone number : US: Chemtrec 24-hours Emergency Response: 1-800-424-

(with hours of operation) 93

Canada: 24 Hour Emergency Service, Canutec 613-996-6666

National advisory body/Poison Center

Name : The National Poisons Emergency number

Telephone number : 1 800 222 1222

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the : SKIN SENSITIZATION - Category 1

substance or mixture. SPECIFIC TARGET ORGAN TOXICITY (REPEATED

EXPOSURE) (kidneys) - Category 2 AQUATIC HAZARD (ACUTE) - Category 1

AQUATIC HAZARD (LONG-TERM) - Category 1

GHS label elements

Hazard pictograms





Signal word : Warning

Hazard statements : H373 May cause damage to organs through

prolonged or repeated exposure.

(kidneys)

H410 Very toxic to aquatic life with long lasting

effects.

Precautionary statements

Prevention: P260 Do not breathe gas or vapour.

P273 Avoid release to the environment.

Response : P314-a Get medical attention if you feel unwell.

P391 Collect spillage. P302 IF ON SKIN:

P352 Wash with plenty of soap and water.

P333 If skin irritation or rash occurs:

P313-a Get medical attention.

Hazards not otherwise

classified

None.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	CAS number	%
Zinc oxide (ZnO)	1314-13-2	>= 50- <65
1,2-Ethanediol	107-21-1	>= 5- <7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue: 08/07/2020 Page:2/19

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Rinse with plenty of running water. Check for and remove any

contact lenses. Get medical attention following exposure or if

feeling unwell.

Inhalation : Avoid inhalation of vapor, spray or mist. If inhaled, remove to

fresh air. Get medical attention following exposure or if feeling

unwell.

Skin contact: Wash with soap and water. Continue to rinse for at least 10

minutes. Get medical attention if irritation develops. Get medical attention following exposure or if feeling unwell.

Ingestion : Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Get medical attention following exposure or if

feeling unwell.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Date of issue: 08/07/2020 Page:3/19

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

None identified.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products Decomposition products may include the following materials: nitrogen oxides, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Remark Remark

Non-flammable. Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Collect spillage.

Date of issue: 08/07/2020 Page:4/19

Methods and materials for containment and cleaning up

Stop leak if without risk. Move containers from spill area. Dilute Small spill

with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

licensed waste disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area.

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste

disposal.

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

Precautions for safe handling Put on appropriate personal protective equipment (see

> Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

for additional information on hygiene measures.

Protective measures Put on appropriate personal protective equipment (see

> Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product

residue and can be hazardous. Do not reuse container.

Advice on general Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. occupational hygiene

> Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

for additional information on hygiene measures.

Date of issue: 08/07/2020 Page:5/19

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Zinc oxide (ZnO)	ACGIH TLV (2003-01-01)
	TWA 2 mg/m3 Form: Respirable fraction
	STEL 10 mg/m3 Form: Respirable fraction
	OSHA PEL 1989 (1989-03-01)
	TWA 5 mg/m3 Form: Fume
	STEL 10 mg/m3 Form: Fume
	TWA 10 mg/m3 Form: Total dust
	TWA 5 mg/m3 Form: Respirable fraction
	OSHA PEL (1993-06-30)
	TWA 15 mg/m3 Form: Total dust
	TWA 5 mg/m3 Form: Respirable fraction
	TWA 5 mg/m3 Form: Fume
	NIOSH REL (1994-06-01)
	TWA 5 mg/m3 Form: Dust and fumes
	STEL 10 mg/m3 Form: Fume
	CEIL 15 mg/m3 Form: Dust
1,2-Ethanediol	ACGIH TLV (2017-03-01)
	STEL 10 mg/m3 Form: Inhalable fraction. Aerosol only.
	STEL 50 ppm Form: Vapor fraction
	TWA 25 ppm Form: Vapor fraction
	OSHA PEL 1989 (1989-03-01)
	CEIL 125 mg/m3 50 ppm

Appropriate engineering controls

Environmental exposure

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
 Emissions from ventilation or work process equipment should

Date of issue : 08/07/2020 Page:6/19

controls

be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a

Other skin protection

Respiratory protection

measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

In case of inadequate ventilation wear respiratory protection.

Personal protective equipment

(Pictograms)







Section 9. Physical and chemical properties

Appearance

Physical state : Liquid [Suspension]

Color : White., Odorless.

Odor threshold : Not relevant/applicable due to nature of the product.

pH : 9 [Conc.: 100 g/l] @ 20 °C (68 °F)

Date of issue: 08/07/2020 Page:7/19

Melting/freezing point -7 °C (19 °F)

Boiling/condensation point 100 °C

(212 °F)

Sublimation temperature

Flash point Not determined. Not determined. **Evaporation rate** Flammability (solid, gas) Non-flammable.

Lower and upper explosive

(flammable) limits Vapor pressure **Bulk density**

Lower: Not determined. **Upper:** Not determined.

Not determined.

Not determined. Not applicable.

Density 1.734 g/cm3

Relative density Not applicable.

Solubility Not applicable.

Solubility in water Not relevant/applicable due to nature of the product.

Miscibility with water Partition coefficient: n-

octanol/water **Auto-ignition temperature** Miscible in water. Not determined.

Not determined.

Decomposition temperature

Viscosity

Not determined.

Dynamic: 1,500 - 2,500 mPa.s

Kinematic: Not determined

Explosive properties

Non-explosive.

Oxidizing properties None

Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous

reactions will not occur.

Date of issue: 08/07/2020 Page:8/19 **Conditions to avoid** : Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : Urea reacts with calcium hypochlorite or sodium hypochlorite

to form the explosive nitrogen trichloride.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredie nt name	Method	Species	Result	Exposure	References
1,2-Ethanediol					
	LD50 Oral	Rat	7,712 mg/kg	Not applicable.	ECHA
Zinc oxide (ZnO)					
	LD50 Oral	Rat	> 5,000 mg/kg	Not applicable.	IUCLID 5
	LC50 Inhalation Dusts and mists	Rat	> 5.7 mg/l	4 h	IUCLID 5

Conclusion/Summary: No known significant effects or critical hazards.

Irritation/Corrosion

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Eyes : No known significant effects or critical hazards.

Respiratory: No known significant effects or critical hazards.

Sensitization

Conclusion/Summary

Skin : May cause an allergic skin reaction.

Respiratory: No known significant effects or critical hazards.

Mutagenicity

Date of issue : 08/07/2020 Page:9/19

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary: No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
1,2-Ethanediol	Category 2	oral	Not determined

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely : Not available.

routes of exposure:

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Date of issue : 08/07/2020 Page:10/19

Potential delayed effects : Not available.

Potential chronic health effects

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Effects on or via lactation : No known significant effects or critical hazards.

Other effects : May cause damage to organs through prolonged or repeated

exposure.

Over-exposure signs/symptoms

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	8,672.1 mg/kg

Section 12. Ecological information

Toxicity

Product/ingred ient name	Method	Species	Result	Exposure	References
1,2-Ethanediol				1	
	Acute LC50	Fish	> 72,860 mg/l	96 h	ECHA
	Fresh water				
Zinc oxide (ZnO)					
	Acute NOEC	Fish.	0.026 - 0.075	720 h	IUCLID 5
	Fresh water		mg/l		
	Acute LC50	Crustaceans	0.14 mg/l	24 h	IUCLID 5
	Fresh water				
	Acute EC50	Water flea	1 - 10 mg/l	48 h	IUCLID 5
	Fresh water				
	OECD 201	Algae	0.136 mg/l	72 h	IUCLID
	Acute IC50				
	Fresh water				

Date of issue: 08/07/2020 Page:11/19

Conclusion/Summary Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Conclusion/Summary No known significant effects or critical hazards.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-Ethanediol	-1.36	Not applicable.	low

Conclusion/Summary No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC)

Not available.

Not available.

Mobility Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal considerations

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulation: UN Class

Date of issue: 08/07/2020 Page:12/19

14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
14.3 Transport hazard class(es)	
14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information Environmental hazards	: Yes.

Regulation: IMDG	
14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
14.3 Transport hazard class(es)	
14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information	
Marine pollutant	: Yes.
Emergency schedules (EmS)	: F-A, S-F

Regulation: IATA	
14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
14.3 Transport hazard class(es)	9

Date of issue : 08/07/2020 Page:13/19

14.4 Packing group	III
14.5 Environmental hazards	Yes.
Additional information	
Marine pollutant	Yes.

Regulation: DOT Classification	
14.1 UN number	Not Applicable.
14.2 UN proper shipping name	
14.3 Transport hazard class(es)	
14.4 Packing group	
14.5 Environmental hazards	

Additional information

Not a DOT controlled material (United States)., This product is not regulated by HMR.

Regulation: TDG Class	
14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes.

Additional information

Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark)

Environmental hazards : Yes.

14.6 Special precautions for user

Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

IMSBC Not applicable.

Date of issue: 08/07/2020 Page:14/19 Transport in bulk according to :

IMO instruments

Not available.

Section 15. Regulatory information

United States

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not

determined

United States - EPA Clean water act (CWA) section

307 - Priority pollutants: Zinc oxide (ZnO);

United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Sodium hydroxide (Na(OH)); Ammonia; Potassium hydroxide;

Clean Air Act Section 112(b)

Hazardous Air Pollutants

(HAPs)

Clean Air Act Section 602

Class I Substances

Clean Air Act Section 602

Class II Substances

DEA List I Chemicals

(Precursor Chemicals)

DEA List II Chemicals (Essential Chemicals)

Listed

Not listed

Not listed

Not listed

Not listed

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302/304
Ammonia	>= 0 - < 0.001	Yes.	SARA 302 TPQ: 500 lb(s) SARA 304 RQ: 100 lb(s)
			· /

SARA 304 RQ : 50000000 lbs

SARA 311/312

Classification : SPECIFIC TARGET ORGAN TOXICITY (REPEATED

EXPOSURE) - kidneys - Category 2

Composition/information on ingredients

Name	%	Classification	
Date of issue : 08/07/2020			Page:15/19

1,2-Ethanediol	>= 5 - < 7	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - oral - Category 2 ACUTE TOXICITY - oral - Category 4
----------------	------------	---

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
1,2-Ethanediol	107-21-1	>= 5 - < 7
Zinc oxide (ZnO)	1314-13-2	>= 50 - < 65

Supplier notification

Product name	CAS number	%
Zinc oxide (ZnO)	1314-13-2	>= 50 - < 65
1,2-Ethanediol	107-21-1	>= 5 - < 7

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts: The following components are listed:

1,2-Ethanediol Zinc oxide (ZnO)

New York : The following components are listed:

1,2-Ethanediol

New Jersey : The following components are listed:

Zinc oxide (ZnO) 1,2-Ethanediol

Pennsylvania : The following components are listed:

1,2-Ethanediol Zinc oxide (ZnO)

California Prop. 65

⚠ WARNING: Cancer and Reproductive Harm - <u>www.P65Warnings.ca.gov.</u>

Inventory list

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted.

Canada: All components are listed or exempted.

Date of issue: 08/07/2020 Page:16/19

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0


Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Chronic toxicity:

- -: No data available.
- *: Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION - Category 1	Calculation method

Date of issue: 08/07/2020 Page:17/19

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (kidneys) - Category 2	Calculation method
AQUATIC HAZARD (ACUTE) - Category 1	Calculation method
AQUATIC HAZARD (LONG-TERM) -	Calculation method
Category 1	

History

Date of printing : 08/17/2020 Date of issue/Date of revision : 08/07/2020 Date of previous issue : 08/22/2019

Revision comments : Section 14. Transport information

Version : 7.0

Prepared by: Yara Chemical Compliance (YCC). **Key to abbreviations**: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

SGG = Segregation Group

UN = United Nations

Key data sources : EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec

HAR 2P9, Canada.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue: 08/07/2020 Page:18/19

Date of issue : 08/07/2020 Page:19/19