

Supplemental Label For Use in Oregon and Washington Only

Zen-O-Spore BioFungicide

EPA Reg. No. 75747-2

For Control of Various Disease on Berries, Stone Fruit, and Strawberries

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application. Read and follow all instructions including directions, restrictions and precautions on the container label before applying. Use of this product according to this supplemental label is subject to all use precautions and limitations set forth on the container label affixed to the product.

Crops	Disease	Lb/Acre	Notes
Berries, including: Blackberry Blueberry Bushberry Caneberry Cranberry Currants Elderberry Gooseberry Huckleberry Loganberry Raspberry	Botrytis Blight	2 - 4	Apply during early bloom and repeat on a 7 to 10 day interval or as needed.
Stone Fruits, including: Apricot Cherry, sweet and tart Nectarine Peach Plum Plumcot Prune (fresh)	Brown Rot Blossom Blight (Monilinia spp.) Jacket Rot, Green Fruit Rot (Botrytis cinerea, Monilinia spp., Sclerotinia sclerotiorum)	2 - 4	Apply at early and late bloom. For extended bloom periods, apply on a 7 – 10 day interval.
Strawberries	Gray Mold (Botrytis cinerea)	2 - 4	Begin application at or before flowering. Repeat on 7 to 10 day intervals or as needed up until harvest.

Manufactured by:

Botry-Zen (2010) Limited
156 Frederick Street, P.O. Box 1777
Dunedin 9054
New Zealand

Expires December 31, 2013

