

# Safety Data Sheet Zidua

Revision date : 2019/07/01 Version: 7.0 Page: 1/12 (30525751/SDS\_CPA\_US/EN)

## 1. Identification

Product identifier used on the label

## Zidua

## Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide Recommended use\*: herbicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

## Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

### **Emergency telephone number**

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

## Other means of identification

Substance number:	275308
EPA Registration number:	7969-338
Synonyms:	pyroxasulfone

## 2. Hazards Identification

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## **Classification of the product**

STOT RE	2	Specific target organ toxicity — repeated
STOT RE	1 (oral)	exposure Specific target organ toxicity — repeated
Aquatic Acute	1	exposure Hazardous to the aquatic environment - acute
	-	

1

## Zidua

Revision date : 2019/07/01 Version: 7.0 Page: 2/12 (30525751/SDS\_CPA\_US/EN)

Aquatic Chronic

Hazardous to the aquatic environment - chronic

## Label elements

Pictogram:



Signal Word: Danger

5		
Hazard Statement:		
H372	Cause damage to organs (Kidney, Liver) through prolonged or repeated exposure (oral).	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary Statemen	its (Prevention):	
P273	Avoid release to the environment.	
P260	Do not breathe dust/gas/mist/vapours.	
P270	Do not eat, drink or smoke when using this product.	
P264	Wash with plenty of water and soap thoroughly after handling.	
Precautionary Statemen	its (Response):	
P314	Get medical advice/attention if you feel unwell.	
P391	Collect spillage.	
Precautionary Statements (Disposal):		
P501	Dispose of contents/container to hazardous or special waste collection point.	

## Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 10 - 12 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 11 - 13 % Inhalation - dust

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

## 3. Composition / Information on Ingredients

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
447399-55-5	85.0 %	Isoxazole, 3-[[[5-(difluoromethoxy)-1-methyl-3-
		(trifluoromethyl)-1H-pyrazol-4-yl]methyl]sulfonyl]-4,5-
		dihydro-5,5-dimethyl-
61790-53-2	1.0 - 5.0%	Diatomaceous Earth

## Zidua

Revision date : 2019/07/01 Version: 7.0

## 4. First-Aid Measures

## **Description of first aid measures**

## **General advice:**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

## If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

### If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

## If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

## Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

## Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media: water spray, foam, dry powder

Unsuitable extinguishing media for safety reasons: water jet, carbon dioxide

## Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, nitrogen oxides The substances/groups of substances mentioned can be released in case of fire.

## Advice for fire-fighters

Protective equipment for fire-fighting: Wear self-contained breathing apparatus and chemical-protective clothing.

Treatment:

## Safety Data Sheet Zidua

Revision date : 2019/07/01 Version: 7.0

Page: 4/12 (30525751/SDS CPA US/EN)

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

## 6. Accidental release measures

#### Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

## Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Ensure adequate ventilation.

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

## Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

## 7. Handling and Storage

## Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

The relevant fire protection measures should be noted. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such

## Safety Data Sheet Zidua

Revision date : 2019/07/01 Version: 7.0

as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

## Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

## Components with occupational exposure limits

Diatomaceous Earth OSI	The equ 100 high	A value 6 mg/m3 ; TWA value 0.8 mg/m3 ; e exposure limit is calculated from the ation, 80mg/m3)/(%SiO2), using a value of % SiO2. Lower percentages of SiO2 will yield her exposure limits. A value 20 millions of particles per cubic foot ir ;
------------------------	---------------------------	--

## Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

## Personal protective equipment

## RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

## Zidua

Revision date : 2019/07/01 Version: 7.0 Page: 6/12 (30525751/SDS\_CPA\_US/EN)

## Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

## **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

## General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form:	solid, granules
Odour: Odour threshold:	characteristic
Colour:	Not determined due to potential health hazard by inhalation. light brown
pH value:	approx. 8 - 10
pri value.	( 1 %(m), 20 °C)
Melting point:	approx. 130.7 °C
Boiling point:	The substance / product
Domig point	decomposes therefore not
	determined.
Flash point:	not applicable
Flammability:	not determined
Lower explosion limit:	As a result of our experience with this
·	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with
	the intended use.
Upper explosion limit:	As a result of our experience with this
	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with
	the intended use.
Bulk density:	approx. 1.60 g/cm3
	The data given are those of the active
	ingredient.
Vapour density: Partitioning coefficient n-	not applicable The statements are based on the
octanol/water (log Pow):	properties of the individual
	components.
Information on: Isovazole 3	-[[[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-
yl]methyl]sulfonyl]-4,5-dihyd	
Partitioning coefficient n-	2.39
octanol/water (log Pow):	(25 °C)
Self-ignition	approx. 240 °C
temperature:	

## Zidua

Revision date : 2019/07/01	Page: 7/12
Version: 7.0	(30525751/SDS_CPA_US/EN)
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic:	not applicable, the product is a solid
Solubility in water:	dispersible
Evaporation rate:	not applicable

## 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: Not an oxidizer.

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

The product is chemically stable. Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

## **Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents

## Hazardous decomposition products

Decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

## **11. Toxicological information**

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

## Zidua

Revision date : 2019/07/01 Version: 7.0

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

<u>Oral</u> Type of value: LD50 Species: rat Value: > 2,000 mg/kg

Inhalation Type of value: LC50 Species: rat Value: > 5.8 mg/l Exposure time: 4 h

<u>Dermal</u> Type of value: LD50 Species: rat Value: > 2,000 mg/kg

Assessment other acute effects

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause moderate but temporary irritation to the eyes.

Sensitization Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test Species: guinea pig Result: Non-sensitizing.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Isoxazole, 3-[[[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4yl]methyl]sulfonyl]-4,5-dihydro-5,5-dimethyl-Assessment of repeated dose toxicity: Repeated oral exposure to small quantities may affect certain organs.

Information on: crystalline silica

Assessment of repeated dose toxicity: The substance may cause increase in lung mass and lung tissue changes after repeated inhalation.

This product may contain greater than 0.1% crystalline silica. Repeated exposure to high concentrations results in silicosis, a lung disease characterized by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-specific chest illnesses.

## Zidua

Revision date : 2019/07/01 Version: 7.0 Page: 9/12 (30525751/SDS CPA US/EN)

OSHA (Occupational Safety and Health Administration) has classified this substance as harmful to the lung, kidney and immune system following repeated inhalation exposure.

## Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Information on: Isoxazole, 3-[[[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl]methyl]sulfonyl]-4,5-dihydro-5,5-dimethyl-

Assessment of mutagenicity: Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

-----

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Isoxazole, 3-[[[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4yl]methyl]sulfonyl]-4,5-dihydro-5,5-dimethyl-

Assessment of carcinogenicity: When given in high doses, the substance was carcinogenic in animal studies. Based on its mechanism of action, a carcinogenic potential is not expected after exposure to low doses.

-----

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Information on: Isoxazole, 3-[[[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)-1H-pyrazol-4yl]methyl]sulfonyl]-4,5-dihydro-5,5-dimethyl-

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

#### **Teratogenicity**

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information Misuse can be harmful to health.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

## **12. Ecological Information**

Toxicity

## Zidua

Revision date : 2019/07/01 Version: 7.0

Aquatic toxicity Assessment of aquatic toxicity: Acutely toxic for fish. Acutely toxic for aquatic invertebrates. Very toxic (acute effect) to aquatic plants.

<u>Toxicity to fish</u> LC50 (96 h) > 1,000 mg/l, Cyprinus carpio

<u>Aquatic invertebrates</u> EC50 (48 h) > 1,000 mg/l, Daphnia magna

Aquatic plants EC50 (72 h) 0.00263 mg/l, Selenastrum capricornutum

No observed effect concentration (72 h) 0.0006 mg/l, Selenastrum capricornutum

## **Additional information**

Other ecotoxicological advice: Do not discharge product into the environment without control.

## 13. Disposal considerations

## Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

## RCRA:

The waste codes are manufacturer's recommendations based on the designated use of the product. Other use and special waste disposal treatment on customer's location may require different wastecode assigments. This product is not regulated by RCRA.

## **14. Transport Information**

## Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea	transport
IMD	G

Hazard class:	9
Packing group:	
ID number:	١U
Hazard label:	9,
Marine pollutant:	YE
Proper shipping name:	E١

III UN 3077 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

## Zidua

Revision date : 2019/07/01 Version: 7.0 Page: 11/12 (30525751/SDS\_CPA\_US/EN)

(contains PYROXASULFONE)

<b>Air transport</b> IATA/ICAO	
Hazard class: Packing group: ID number:	9 III UN 3077
Hazard label: Proper shipping name:	9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PYROXASULFONE)

## **Further information**

The following provisions may apply for product in packages containing a net quantity of 5 kg or less ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

## **15. Regulatory Information**

## Federal Regulations

Registration statu	s:	
Chemical	TSCA, US	blocked / not listed
Crop Protection	TSCA, US	released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### State regulations

State RTK	CAS Number	Chemical name
PA	61790-53-2	Diatomaceous Earth
MA	61790-53-2	Diatomaceous Earth
NJ	61790-53-2	Diatomaceous Earth

### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including SILICA, CRYSTALLINE (AIRBORNE PARTICLES OF RESPIRABLE SIZE), which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

### **NFPA Hazard codes:**

Health: 1 Fire: 2 Reactivity: 0 Special:

### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace

## Safety Data Sheet Zidua

Revision date : 2019/07/01 Version: 7.0

Page: 12/12 (30525751/SDS CPA US/EN)

labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling.

## **16. Other Information**

## SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2019/07/01

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET