

# **Special Local Need**

## **ZIRAM FUNGICIDE**

#### FOR USE ONLY IN THE STATE OF NEW JERSEY

This label is valid until December 31, 2022 or until otherwise amended, withdrawn, cancelled or suspended.

EPA Reg. No. 70506-173

EPA SLN No. NJ-200001

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This FIFRA Section 24 (c) Special Local Need (SLN) label and the federal label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label. Read the entire Directions for Use before using this product.

### **BLUEBERRIES**

Lbs. Ziram per Acre	Diseases	Directions
3-4	Mummyberry Shoot Blight Phomopsis (Twig Blight, Cane & Stem Canker) Anthracnose (Ripe Rot) Alternaria Fruit Rot Botrytis - aids in control*  * use the higher rate (4 lbs/A)	Apply in sufficient water for thorough coverage. Begin applications at bud break (green tip) or when conditions for disease development exist. Repeat as needed, especially if excessive rainfall occurs.  Under severe disease pressure use the higher rate.  Do not apply more than 12 lbs (9.12 lbs ai) per acre per crop cycle.  Do not apply within 30 days of harvest.  Do not apply within 25 ft of aquatic habitats such as lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, and commercial fish ponds.

Rev. 2021/02/03