CERUS LE DELIVER MORE. OFFER FRANKLIN.



Franklin Electric

MOUR PARTISER FOR WALLS STATE OF STATE



Deliver water for any sized job with our proven portfolio of submersible and surface pumps.



Unrivaled performance powered by our legendary submersible motors, including the MagForce™ High Efficiency Motor.



An innovative line of starter and drive panels designed specifically for easeof-use in water pumping applications.



X-DRIVE

Designed for variable torque applications up to 600 hp*, the Cerus® X-Drive is Franklin Electric's all-inclusive drive solution for a variety of markets. The X-Drive controller is loaded with application-specific firmware with enhanced settings that control and protect motors for the most demanding applications in pump, HVAC and industrial markets. Available in multiple packaged configurations, including submersible and centrifugal, these panels are built to last, with every detail and component centered around your requirements.

Pair this product with our legendary motors and pumps to maximize the performance of your application. All of this is backed by the best support team in the industry, making sure our business isn't what slows yours down.

DELIVER MORE. OFFER FRANKLIN.

*Models are available for up to 700 hp for 575V applications only.



THE RIGHT DRIVE FOR THE JOB

FULL-FEATURED FOR YOUR APPLICATION

- Streamlined setup process with application-specific firmware that pre-programs settings for quick and easy startups and reliable protection for any project
- Pre-PID control provides constant pressure and enhanced modes with external or cascade control options
- Built-in DC choke for applications 50 hp and above for harmonics mitigation
- Seamless integration into SCADA and automation systems using Modbus RTU and BACnet communications
- Designed with a UL type 4X removable display that can be mounted remotely without additional covers or environmental protection
- Built-in Programmable Logic Controller (PLC) for advanced industrial applications
- Compact form-factor offers a reduced footprint and industry-leading power density (horsepower per cubic inch), which translates to a smaller panel
- UL-Listed phase conversion versatility allows for single-phase or three-phase input

VARYING SPEED, CONSTANT SAVINGS

- By running your motor to meet the demands of your application, the X-Drive can reduce energy costs by up to 50%
- Variable motor speed allows for soft start, protecting the life of your equipment and offering long-term savings

| MARKETS & APPLICATIONS | | |
|--------------------------|--|--|
| Agriculture | Irrigation Livestock | |
| Municipal | Sewer BypassLift Stations | |
| Mining & Construction | Dewatering Slurry & Tailings Removal Wastewater Reuse Dust & Fire Suppression Evaporation Equipment Process Water | |
| Commercial | Pressure Boosting | |
| Industrial | Constant TorqueRotating EquipmentConveyor BeltsRock CrushersCompressors | |
| HVAC | Ciculating PumpsCooling TowersSupply FansExhaust FansAir Handlers | |
| Oil & Gas | Water, Oil & Mud Transfer Drilling Mud Recirculation Fuel Storage Tank Booster Downhole Pumps (Surface Controls) | |

| X-DRIVE PERFORMANCE RANGE | | |
|---------------------------|----------|-----------|
| НР | Voltage | Max. Amps |
| 1 hp - 100 hp | 200-208V | 322 A |
| 1 hp - 125 hp | 230V | 322 A |
| 1 hp - 600 hp | 480V | 770 A |
| 1 hp - 700 hp | 575V | 675 A |

EASY INSTALLATION

Discover an incredibly intuitive start-up experience with application-specific parameters pre-set to industry standards for submersible pumps, centrifugal pumps, cooling tower panels and circulating pumps.

