



## G6-80 HSW QR EC


- K-Factor = 8.0 (115)
- **SIN RA4762**
- See Bulletin 047

| Part Number                                                       | Short Code | Temperature |      | Finish          | List Price |
|-------------------------------------------------------------------|------------|-------------|------|-----------------|------------|
| MODEL G6-80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA4762      |            |             |      |                 |            |
| 2116173498                                                        | G61B       | 165°F       | 74°C | W/O             | \$ 157.44  |
| MODEL G6-80 HORIZONTAL K8.0 (115) BSPT THREADS 3/4" (20MM) RA4762 |            |             |      |                 |            |
| 2116173495                                                        | G61BM      | 165°F       | 74°C | W/O             | \$ 157.44  |
| MODEL G6 PLAIN COVERPLATES                                        |            |             |      |                 |            |
| 6887211311                                                        | CG60B      | 135°F       | 57°C | Finished Bronze | \$ 60.41   |
| 6887211321                                                        | CG60C      | 135°F       | 57°C | Chrome          | \$ 43.31   |
| 6887211372                                                        | CG60W      | 135°F       | 57°C | White           | \$ 43.31   |
| 6887211390                                                        | CG60SP     | 135°F       | 57°C | Specialty       | \$ 62.99   |

|            |     |                                    |           |
|------------|-----|------------------------------------|-----------|
| 6880101010 | WG6 | Requires Model G6 Sprinkler Wrench | \$ 369.03 |
|------------|-----|------------------------------------|-----------|

### Notes:


Sprinkler and cover plates packaged and sold separately



## JL112 & J112 UPRIGHT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7326**
- **J112 (Bulb) = SIN RA7326**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7826**
- See Bulletin 178
- 286 degree available upon request

| Part Number                                               | Short Code | Temperature |       | Finish          | List Price |
|-----------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL JL112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) R7326 |            |             |       |                 |            |
| L192114198                                                | JL112U1B   | 165°F       | 74°C  | Brass           | \$ 90.64   |
| L192214198                                                | JL112U1C   | 165°F       | 74°C  | Chrome          | \$ 94.13   |
| L192874198                                                | JL112U1W   | 165°F       | 74°C  | White           | \$ 94.13   |
| L194114198                                                | JL112U2B   | 212°F       | 100°C | Brass           | \$ 90.64   |
| L194214198                                                | JL112U2C   | 212°F       | 100°C | Chrome          | \$ 94.13   |
| L194874198                                                | JL112U2W   | 212°F       | 100°C | White           | \$ 94.13   |
| MODEL J112 UPRIGHT K11.2 (160) THREADS 3/4" (20MM) RA7326 |            |             |       |                 |            |
| L292114198                                                | J112U1B    | 155°F       | 68°C  | Brass           | \$ 91.84   |
| L292214198                                                | J112U1C    | 155°F       | 68°C  | Chrome          | \$ 95.27   |
| L292874198                                                | J112U1W    | 155°F       | 68°C  | White           | \$ 95.27   |
| L292104198                                                | J112U1SS   | 155°F       | 68°C  | Stainless Steel | \$ 823.64  |
| L294114198                                                | J112U2B    | 200°F       | 93°C  | Brass           | \$ 91.84   |
| L294214198                                                | J112U2C    | 200°F       | 93°C  | Chrome          | \$ 95.27   |
| L294874198                                                | J112U2W    | 200°F       | 93°C  | Poly White      | \$ 95.27   |
| L294104198                                                | J112U2SS   | 200°F       | 93°C  | Stainless Steel | \$ 823.64  |



## JL112 & J112 PENDENT & RECESSED PENDENT

- K-Factor = 11.2 (160)
- **JL112 (Link) = SIN R7216**
- **J112 (Bulb) = SIN RA7216**
- See Bulletin 172
- **J112 (Stainless Steel) = SIN R7816**
- See Bulletin 178
- 286 degree available upon request

| Part Number                                               | Short Code | Temperature |       | Finish          | List Price |
|-----------------------------------------------------------|------------|-------------|-------|-----------------|------------|
| MODEL JL112 PENDENT K11.2 (160) THREADS 3/4" (20MM) R7216 |            |             |       |                 |            |
| L172114198                                                | JL112P1B   | 165°F       | 74°C  | Brass           | \$ 90.64   |
| L172214198                                                | JL112P1C   | 165°F       | 74°C  | Chrome          | \$ 94.13   |
| L172874198                                                | JL112P1W   | 165°F       | 74°C  | Poly White      | \$ 94.13   |
| L174114198                                                | JL112P2B   | 212°F       | 100°C | Brass           | \$ 90.64   |
| L174214198                                                | JL112P2C   | 212°F       | 100°C | Chrome          | \$ 94.13   |
| L174874198                                                | JL112P2W   | 212°F       | 100°C | Poly White      | \$ 94.13   |
| MODEL J112 PENDENT K11.2 (160) THREADS 3/4" RA7216        |            |             |       |                 |            |
| L272114198                                                | J112P1B    | 155°F       | 68°C  | Brass           | \$ 91.84   |
| L272214198                                                | J112P1C    | 155°F       | 68°C  | Chrome          | \$ 95.27   |
| L272874198                                                | J112P1W    | 155°F       | 68°C  | Poly White      | \$ 95.27   |
| L272104198                                                | J112P1SS   | 155°F       | 68°C  | Stainless Steel | \$ 823.64  |
| L274114198                                                | J112P2B    | 200°F       | 93°C  | Brass           | \$ 91.84   |
| L274214198                                                | J112P2C    | 200°F       | 93°C  | Chrome          | \$ 95.27   |
| L274874198                                                | J112P2W    | 200°F       | 93°C  | White           | \$ 95.27   |
| L274104198                                                | J112P2SS   | 200°F       | 93°C  | Stainless Steel | \$ 823.64  |

| Part Number                                    | Short Code | Temperature | Finish          | List Price |
|------------------------------------------------|------------|-------------|-----------------|------------|
| MODEL F1 RECESSED ESCUTCHEON & COLLAR ASSEMBLY |            |             |                 |            |
| 6801030000                                     | GF1LB      | 3/4" (20mm) | Brass           | \$ 22.89   |
| 6801000000                                     | GF1LC      | 3/4" (20mm) | Chrome          | \$ 12.35   |
| 6801040000                                     | GF1LW      | 3/4" (20mm) | White           | \$ 12.35   |
| 6800970010                                     | GF1LSS     | 3/4" (20mm) | Stainless Steel | \$ 72.74   |
| MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY |            |             |                 |            |
| 6800880004                                     | GF2LB      | 3/4" (20mm) | Brass           | \$ 22.89   |
| 6800880001                                     | GF2LC      | 3/4" (20mm) | Chrome          | \$ 12.35   |
| 6800880005                                     | GF2LW      | 3/4" (20mm) | White           | \$ 12.35   |
| MODEL FP PUSH-ON/THREAD-OFF ESCUTCHEON         |            |             |                 |            |
| 6801402100                                     | FPLC       | 3/4" (20mm) | Chrome          | \$ 23.82   |
| 6801407200                                     | FPLW       | 3/4" (20mm) | White           | \$ 23.82   |
| 6801401000                                     | FPLSS      | 3/4" (20mm) | Stainless Steel | \$ 109.11  |

6880090000 WJ1  
6880170032 WRJ

Upright & Pendent Requires Model J1 Sprinkler Wrench \$ 148.48  
Rec Pendent Requires Model J112 Sprinkler Wrench \$ 369.03



## F1FR56 QREC

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028



## F1FR80 QREC PENDENT

- K-Factor = 8.0 (115)
- **SIN R4842**
- See Bulletin 148

| Part Number                                                     | Short Code | Temperature                       |      | Finish     | List Price |
|-----------------------------------------------------------------|------------|-----------------------------------|------|------------|------------|
| MODEL F1FR56 QREC PENDANT K 5.6 (80) THREADS 1/2" (15MM) RA2845 |            |                                   |      |            |            |
| BB131130R9                                                      | F1FR56EC0B | 135°F                             | 57°C | Brass      | \$ 69.59   |
| BB132130R9                                                      | F1FR56EC0C | 135°F                             | 57°C | Chrome     | \$ 76.29   |
| BB138730R9                                                      | F1FR56EC0W | 135°F                             | 57°C | Poly White | \$ 79.79   |
| BB151130R9                                                      | F1FR56EC1B | 155°F                             | 68°C | Brass      | \$ 69.59   |
| BB152130R9                                                      | F1FR56EC1C | 155°F                             | 68°C | Chrome     | \$ 76.29   |
| BB158730R9                                                      | F1FR56EC1W | 155°F                             | 68°C | White      | \$ 79.79   |
| MODEL F1FR80 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) RA4842 |            |                                   |      |            |            |
| BJ131139S8                                                      | F1FREC0LBN | 135°F                             | 57°C | Brass      | \$ 73.82   |
| BJ132139S8                                                      | F1FREC0LCN | 135°F                             | 57°C | Chrome     | \$ 80.43   |
| BJ138739S8                                                      | F1FREC0LWN | 135°F                             | 57°C | White      | \$ 86.82   |
| BJ151139S8                                                      | F1FREC1LBN | 155°F                             | 68°C | Brass      | \$ 73.82   |
| BJ152139S8                                                      | F1FREC1LCN | 155°F                             | 68°C | Chrome     | \$ 80.43   |
| BJ158739S8                                                      | F1FREC1LWN | 155°F                             | 68°C | White      | \$ 86.82   |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                 |            |                                   |      |            |            |
| 6800830000                                                      | GF2B       | 1/2" (15mm)                       |      | Brass      | \$ 22.89   |
| 6800800000                                                      | GF2C       | 1/2" (15mm)                       |      | Chrome     | \$ 12.35   |
| 6800840000                                                      | GF2W       | 1/2" (15mm)                       |      | White      | \$ 12.35   |
| 6800880004                                                      | GF2LB      | 3/4" (20mm)                       |      | Brass      | \$ 22.89   |
| 6800880001                                                      | GF2LC      | 3/4" (20mm)                       |      | Chrome     | \$ 12.35   |
| 6800880005                                                      | GF2LW      | 3/4" (20mm)                       |      | White      | \$ 12.35   |
| 6800890004                                                      | GF2MB      | 10mm                              |      | Bronze     | \$ 22.89   |
| 6800890001                                                      | GF2MC      | 10mm                              |      | Chrome     | \$ 13.21   |
| 6800890005                                                      | GF2MW      | 10mm                              |      | White      | \$ 11.83   |
| 6880050100                                                      | WW2        | Wrench, W2, Pendent, Upright, HSW |      |            | \$ 122.53  |
| 6880100120                                                      | WW4        | Wrench, W4, Recessed, Concealed   |      |            | \$ 370.47  |



## F1FR56-300 QREC

- K-Factor = 5.6 (80)
- **SIN RA3045**
- See Bulletin 030
- **300 PSI**



## F1FR80-300 QREC

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

| Part Number                                                        | Short Code  | Temperature                       |      | Finish     | List Price |
|--------------------------------------------------------------------|-------------|-----------------------------------|------|------------|------------|
| MODEL F1FR56-300 QREC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA3045 |             |                                   |      |            |            |
| BH131132R9                                                         | F1FR56EC0B3 | 135°F                             | 57°C | Brass      | \$ 74.07   |
| BH132132R9                                                         | F1FR56EC0C3 | 135°F                             | 57°C | Chrome     | \$ 79.93   |
| BH138732R9                                                         | F1FR56EC0W3 | 135°F                             | 57°C | Poly White | \$ 84.30   |
| BH151132R9                                                         | F1FR56EC1B3 | 155°F                             | 68°C | Brass      | \$ 73.38   |
| BH152132R9                                                         | F1FR56EC1C3 | 155°F                             | 68°C | Chrome     | \$ 79.93   |
| BH158732R9                                                         | F1FR56EC1W3 | 155°F                             | 68°C | Poly White | \$ 83.51   |
| MODEL F1FR80-300 QREC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5942 |             |                                   |      |            |            |
| BH131139S8                                                         |             | 135°F                             | 57°C | Brass      | \$ 76.62   |
|                                                                    |             | °F                                | °C   |            | \$ Call    |
| BH138739S8                                                         | F1FREC0LW3N | 135°F                             | 57°C | Poly White | \$ 90.16   |
| BH151139S8                                                         | F1FREC1LB3N | 155°F                             | 68°C | Brass      | \$ 76.62   |
| BH152139S8                                                         |             | 155°F                             | 68°C | Chrome     | \$ 83.51   |
| BH158739S8                                                         | F1FREC1LW3N | 155°F                             | 68°C | Poly White | \$ 90.16   |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                    |             |                                   |      |            |            |
| 6800630001                                                         | GF1B        | 1/2" (15mm)                       |      | Brass      | \$ 22.89   |
| 6800600001                                                         | GF1C        | 1/2" (15mm)                       |      | Chrome     | \$ 12.35   |
| 6800640001                                                         | GF1W        | 1/2" (15mm)                       |      | White      | \$ 12.35   |
| 6801030000                                                         | GF1LB       | 3/4" (20mm)                       |      | Brass      | \$ 22.89   |
| 6801000000                                                         | GF1LC       | 3/4" (20mm)                       |      | Chrome     | \$ 12.35   |
| 6801040000                                                         | GF1LW       | 3/4" (20mm)                       |      | White      | \$ 12.35   |
| 6880050100                                                         | WW2         | Wrench, W2, Pendent, Upright, HSW |      |            | \$ 122.53  |
| 6880100120                                                         | WW4         | Wrench, W4, Recessed, Concealed   |      |            | \$ 370.47  |



## F1FR80-300 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0  
(115)
- **SIN RA5962**
- See Bulletin 159
- 300 PSI



## F1FR80-300 QREC RECESSED HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0  
(115)
- **SIN R5962**
- See Bulletin 159
- 300 PSI

| Part Number                                                          | Short Code  | Temperature |      | Finish     | List Price |
|----------------------------------------------------------------------|-------------|-------------|------|------------|------------|
| MODEL F1FR80-300 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA5962 |             |             |      |            |            |
|                                                                      |             | °F          | °C   |            | \$ Call    |
|                                                                      |             | °F          | °C   |            | \$ Call    |
|                                                                      |             | °F          | °C   |            | \$ Call    |
| BH151135S8                                                           | F1FREC91B3N | 155°F       | 68°C | Brass      | \$ 71.17   |
| BH152135S8                                                           | F1FREC91C3N | 155°F       | 68°C | Chrome     | \$ 75.55   |
| BH158735S8                                                           | F1FREC91W3N | 155°F       | 68°C | White      | \$ 80.30   |
| BH171135S8                                                           |             | 175°F       | 79°C | Brass      | \$ 71.17   |
| BH172135S8                                                           | F1FREC95C3N | 175°F       | 79°C | Chrome     | \$ 75.55   |
| BH178735S8                                                           |             | 175°F       | 79°C | Poly White | \$ 80.30   |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                      |             |             |      |            |            |
| 6800880004                                                           | GF2LB       | 3/4" (20mm) |      | Brass      | \$ 22.89   |
| 6800880001                                                           | GF2LC       | 3/4" (20mm) |      | Chrome     | \$ 12.35   |
| 6800880005                                                           | GF2LW       | 3/4" (20mm) |      | White      | \$ 12.35   |

|            |     |                                   |           |
|------------|-----|-----------------------------------|-----------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | \$ 122.53 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | \$ 370.47 |



## F1FR56 QREC HORIZONTAL SIDEWALL (EC-8 DEFLECTOR)

- K-Factor = 5.6 (80)
- **SIN RA2865**
- See Bulletin 028



## F1FR80 QREC HORIZONTAL SIDEWALL (EC-9 DEFLECTOR)

- K-Factor = 8.0 (115)
- **SIN R4862**
- See Bulletin 148

| Part Number                                                      | Short Code  | Temperature |      | Finish     | List Price |
|------------------------------------------------------------------|-------------|-------------|------|------------|------------|
| MODEL F1FR56 QREC SIDEWALL K5.6 (80) THREADS 1/2" (15MM) RA2865  |             |             |      |            |            |
| BD131130R9                                                       | F1FR56EC80B | 135°F       | 57°C | Brass      | \$ 63.20   |
| BD132130R9                                                       | F1FR56EC80C | 135°F       | 57°C | Chrome     | \$ 67.16   |
| BD138730R9                                                       | F1FR56EC80W | 135°F       | 57°C | Poly White | \$ 72.05   |
| BD151130R9                                                       | F1FR56EC81B | 155°F       | 68°C | Brass      | \$ 63.20   |
| BD152130R9                                                       | F1FR56EC81C | 155°F       | 68°C | Chrome     | \$ 67.16   |
| BD158730R9                                                       | F1FR56EC81W | 155°F       | 68°C | White      | \$ 72.05   |
| BD171130R9                                                       | F1FR56EC85B | 175°F       | 79°C | Brass      | \$ 63.20   |
| BD172130R9                                                       | F1FR56EC85C | 175°F       | 79°C | Chrome     | \$ 67.16   |
| BD178730R9                                                       | F1FR56EC85W | 175°F       | 79°C | Poly White | \$ 72.05   |
| MODEL F1FR80 QREC SIDEWALL K8.0 (115) THREADS 3/4" (20MM) RA4862 |             |             |      |            |            |
|                                                                  |             | °F          | °C   |            | \$ Call    |
| BK132135S8                                                       | F1FRECE90CN | 135°F       | 57°C | Chrome     | \$ 72.05   |
| BK138735S8                                                       |             | 135°F       | 57°C | Poly White | \$ 76.60   |
| BK151135S8                                                       | F1FRECE91BN | 155°F       | 68°C | Brass      | \$ 67.82   |
| BK152135S8                                                       | F1FRECE91CN | 155°F       | 68°C | Chrome     | \$ 72.05   |
| BK158735S8                                                       | F1FRECE91WN | 155°F       | 68°C | Poly White | \$ 76.60   |
| BK171135S8                                                       | F1FRECE95BN | 175°F       | 79°C | Brass      | \$ 67.82   |
| BK172135S8                                                       | F1FRECE95CN | 175°F       | 79°C | Chrome     | \$ 72.05   |
| BK178735S8                                                       | F1FRECE95WN | 175°F       | 79°C | White      | \$ 76.60   |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                  |             |             |      |            |            |
| 6800830000                                                       | GF2B        | 1/2" (15mm) |      | Brass      | \$ 22.89   |
| 6800800000                                                       | GF2C        | 1/2" (15mm) |      | Chrome     | \$ 12.35   |
| 6800840000                                                       | GF2W        | 1/2" (15mm) |      | White      | \$ 12.35   |
| 6800880004                                                       | GF2LB       | 3/4" (20mm) |      | Brass      | \$ 22.89   |
| 6800880001                                                       | GF2LC       | 3/4" (20mm) |      | Chrome     | \$ 12.35   |
| 6800880005                                                       | GF2LW       | 3/4" (20mm) |      | White      | \$ 12.35   |
| 6800890004                                                       | GF2MB       | 10mm        |      | Bronze     | \$ 22.89   |
| 6800890001                                                       | GF2MC       | 10mm        |      | Chrome     | \$ 13.21   |
| 6800890005                                                       | GF2MW       | 10mm        |      | White      | \$ 11.83   |

|            |     |                                   |           |
|------------|-----|-----------------------------------|-----------|
| 6880050100 | WW2 | Wrench, W2, Pendent, Upright, HSW | \$ 122.53 |
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed   | \$ 370.47 |



## F1FR56 QREC CCP

- K-Factor = 5.6 (80)
- **SIN RA2845**
- See Bulletin 028

## F1FR80 QREC CCP

- K-Factor = 8.0 (115)
- **SIN RA4842**
- See Bulletin 148

## F1FR56-300 QREC CCP

- K-Factor = 5.6 (80)
- SIN RA3045
- See Bulletin 030
- **300 PSI**

## F1FR80-300 QREC CCP

- K-Factor = 8.0 (115)
- **SIN R5942**
- See Bulletin 159
- **300 PSI**

| Part Number                                                     | Short Code | Temperature                         |      | Finish     | List Price |
|-----------------------------------------------------------------|------------|-------------------------------------|------|------------|------------|
| MODEL F1FR56 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA2845      |            |                                     |      |            |            |
| BM131730R9                                                      | F1FR56CE0  | 135°F                               | 57°C | W/O        | \$ 59.74   |
| BM151730R9                                                      | F1FR56CE1  | 155°F                               | 68°C | W/O        | \$ 59.74   |
| MODEL F1FR80 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA4842     |            |                                     |      |            |            |
| BM131739S8                                                      | F1FRCEL0N  | 135°F                               | 57°C | W/O        | \$ 58.72   |
| BM151739S8                                                      | F1FRCEL1N  | 155°F                               | 68°C | W/O        | \$ 58.72   |
| MODEL F1FR56-300 QREC CCP K5.6 (80) THREADS 1/2" (15MM) RA3045  |            |                                     |      |            |            |
| BH131730R9                                                      | F1FR56CE03 | 135°F                               | 57°C | W/O        | \$ 62.04   |
| BH151730R9                                                      | F1FR56CE13 | 155°F                               | 68°C | W/O        | \$ 62.04   |
| MODEL F1FR80-300 QREC CCP K8.0 (115) THREADS 3/4" (20MM) RA5942 |            |                                     |      |            |            |
|                                                                 |            | °F                                  | °C   |            | \$ Call    |
| BH151739S8                                                      | F1FRCE1L3N | 155°F                               | 68°C | W/O        | \$ 62.04   |
| REQUIRED MODEL CCP COVERPLATES 1/2" ADJUSTMENT                  |            |                                     |      |            |            |
| 6887161321                                                      | CCP0C76    | 135°F                               | 57°C | Chrome     | \$ 100.69  |
| 6887161318                                                      | CCP0W76    | 135°F                               | 57°C | Flat White | \$ 39.24   |
| REQUIRED MODEL CCP COVERPLATES 5/16" ADJUSTMENT                 |            |                                     |      |            |            |
| 6887171321                                                      | CCP05C76   | 135°F                               | 57°C | Chrome     | \$ 100.69  |
| 6887171318                                                      | CCP05W76   | 135°F                               | 57°C | White      | \$ 39.24   |
| 6887171390                                                      | CCP05SP76  | 135°F                               | 57°C | Specialty  | \$ 65.90   |
| 6880100000                                                      | WRC        | Requires Model RC1 Sprinkler Wrench |      |            | \$ 370.47  |

### Notes:

Sprinkler and cup are factory assembled and a plastic protective cap is included.

Sprinkler and cover plates sold and packaged separately



## DH56

- K-Factor = 5.6 (80)
- **SIN RA1564**
- See Bulletin 015



## DH56 CONCEALED

## DH56 CONCEALED

- SIN RA1564
- See Bulletin 015

| Part Number                                                | Short Code | Temperature |      | Finish | List Price |
|------------------------------------------------------------|------------|-------------|------|--------|------------|
| MODEL DH56 HORIZONTAL K5.6 (80) THREADS 1/2" (15MM) RA1564 |            |             |      |        |            |
| BU15113299                                                 | DH561B     | 155°F       | 68°C | Brass  | \$ 74.70   |
| BU15213299                                                 | DH561C     | 155°F       | 68°C | Chrome | \$ 81.93   |
| BU15873299                                                 | DH561W     | 155°F       | 68°C | White  | \$ 81.93   |
| BU20113299                                                 | DH562B     | 200°F       | 93°C | Brass  | \$ 74.70   |
| BU20213299                                                 | DH562C     | 200°F       | 93°C | Chrome | \$ 81.93   |
| BU20873299                                                 | DH562W     | 200°F       | 93°C | White  | \$ 81.93   |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY            |            |             |      |        |            |
| 6800830000                                                 | GF2B       | 1/2" (15mm) |      | Brass  | \$ 22.89   |
| 6800800000                                                 | GF2C       | 1/2" (15mm) |      | Chrome | \$ 12.35   |
| 6800840000                                                 | GF2W       | 1/2" (15mm) |      | White  | \$ 12.35   |

|                                                                  |        |       |      |            |          |
|------------------------------------------------------------------|--------|-------|------|------------|----------|
| <b>MODEL DH56 CONCEALED K5.6 (80) THREADS 1/2" (15MM) RA1564</b> |        |       |      |            |          |
| BT15173299                                                       | DH56C1 | 155°F | 68°C | W/O        | \$ 79.51 |
| BT20173299                                                       | DH56C2 | 200°F | 93°C | W/O        | \$ 79.51 |
| <b>REQUIRED SWC COVERPLATE</b>                                   |        |       |      |            |          |
| 6887131318                                                       | CHWNS  | 135°F | 57°C | White      | \$ 40.94 |
| 6887131618                                                       | CHWNS1 | 165°F | 74°C | Flat White | \$ 40.94 |

|            |     |                                 |           |
|------------|-----|---------------------------------|-----------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | \$ 370.47 |
|------------|-----|---------------------------------|-----------|

### Notes:

Sprinkler and cover plates sold and packaged separately



## DH80

- K-Factor = 8.0 (115)
- **SIN RA0362**
- See Bulletin 003



## DH80 CONCEALED

- K Factor 8.0
- SIN RA0362
- See Bulletin 003

| Part Number                                                 | Short Code | Temperature                     |      | Finish | List Price |
|-------------------------------------------------------------|------------|---------------------------------|------|--------|------------|
| MODEL DH80 HORIZONTAL K8.0 (115) THREADS 3/4" (20MM) RA0362 |            |                                 |      |        |            |
| BU15113998                                                  | DH1B       | 155°F                           | 68°C | Brass  | \$ 80.38   |
| BU15213998                                                  | DH1C       | 155°F                           | 68°C | Chrome | \$ 86.86   |
| BU15873998                                                  | DH1W       | 155°F                           | 68°C | White  | \$ 86.86   |
| FP PUSH-ON/THREAD-OFF ESCUTCHEON (FOR RECESSED)             |            |                                 |      |        |            |
| 6801402100                                                  | FPLC       | 3/4" (20mm)                     |      | Chrome | \$ 23.82   |
| 6801407200                                                  | FPLW       | 3/4" (20mm)                     |      | White  | \$ 23.82   |
| MODEL F2 RECESSED ESCUTCHEON & COLLAR ASSEMBLY              |            |                                 |      |        |            |
| 6800880004                                                  | GF2LB      | 3/4" (20mm)                     |      | Brass  | \$ 22.89   |
| 6800880001                                                  | GF2LC      | 3/4" (20mm)                     |      | Chrome | \$ 12.35   |
| 6800880005                                                  | GF2LW      | 3/4" (20mm)                     |      | White  | \$ 12.35   |
|                                                             |            |                                 |      |        |            |
| MODEL DH80 CONCEALED K8.0 (115) THREADS 3/4" (20MM) RA0362  |            |                                 |      |        |            |
| BT15173998                                                  | DHC1       | 155°F                           | 68°C | W/O    | \$ 85.28   |
| MODEL SWC-NS COVERPLATE                                     |            |                                 |      |        |            |
| 6887131318                                                  | CHWNS      | 135°F                           | 57°C | White  | \$ 40.94   |
| 6880100120                                                  | WW4        | Wrench, W4, Recessed, Concealed |      |        | \$ 370.47  |

### Notes:

Sprinkler and coverplates sold and packaged separately



## G4XLO QREC ECLH/ECOH

- K-Factor = 11.2 (160)
- **SIN R7146**
- See Bulletin 171

# NEW



## KFR-CCS Combustible Concealed Space

- K-Factor = 5.6 (80)
- **SIN RA4454**
- See Bulletin 044

| Part Number                                            | Short Code | Temperature |      | Finish          | List Price |
|--------------------------------------------------------|------------|-------------|------|-----------------|------------|
| MODEL G4XLO QREC K11.2 (160) THREADS 3/4" (20MM) R7146 |            |             |      |                 |            |
| 1716174198                                             | G4XLO      | 165°F       | 74°C | W/O             | \$ 89.97   |
| MODEL G5 COVER PLATES                                  |            |             |      |                 |            |
| 6887271321                                             | CG50C      | 135°F       | 57°C | Chrome          | \$ 47.52   |
| 6887271372                                             | CG50W      | 135°F       | 57°C | White           | \$ 43.31   |
| 6887271311                                             | CG50B      | 135°F       | 57°C | Finished Bronze | \$ 59.54   |
| 6887271374                                             | CG50OW     | 135°F       | 57°C | Off-White       | \$ 58.91   |
| 6887271390                                             | CG50SP     | 135°F       | 57°C | Specialty       | \$ 59.06   |
| 6887271316                                             | CG50FB     | 135°F       | 57°C | Black Painted   | \$ 58.98   |
| 6887271305                                             | CG50BB     | 135°F       | 57°C | Bright Brass    | \$ 72.07   |
| 6887271323                                             | CG50CD     | 135°F       | 57°C | Satin Chrome    | \$ 72.07   |
| 6887271310                                             | CG50SS     | 135°F       | 57°C | Stainless Steel | \$ 72.07   |
| 6887271321                                             | CG50C      | 135°F       | 57°C | Chrome          | \$ 47.52   |
| 6887271372                                             | CG50W      | 135°F       | 57°C | White           | \$ 43.31   |
| 6887271390                                             | CG50SP     | 135°F       | 57°C | Specialty       | \$ 59.06   |

6880170000      WG4      Wrench, W4, Recessed, Concealed      \$ 369.03

| Part Number                                        | Short Code | Temperature |       | Finish | List Price |
|----------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL KFR-CCS K5.6 (80) THREADS 1/2" (15MM) RA4454 |            |             |       |        |            |
| MN211132R9                                         | KFRCCS     | 212°F       | 100°C | Brass  | \$ 82.62   |

6880050100      WW2      Wrench, W2, Pendent, Upright, HSW      \$ 122.53



## SWC QREC

- "SWC Concealer"
- K-Factor = 8.0 (115)
- **SIN R5962**
- See Bulletin 163

| Part Number                                                   | Short Code | Temperature |      | Finish    | List Price |
|---------------------------------------------------------------|------------|-------------|------|-----------|------------|
| MODEL SWC QREC CONCEALED K8.0 (115) THREADS 3/4" (20MM) R5962 |            |             |      |           |            |
| BM13173498                                                    | CEC9       | 135°F       | 57°C | W/O       | \$ 70.87   |
| BM15173498                                                    | CEC91      | 155°F       | 68°C | W/O       | \$ 70.87   |
| MODEL SWC-NS COVERPLATES                                      |            |             |      |           |            |
| 6887131318                                                    | CHWNS      | 135°F       | 57°C | White     | \$ 40.94   |
| 6887131390                                                    | CHSPNS     | 135°F       | 57°C | Specialty | \$ 61.39   |

|            |     |                                 |           |
|------------|-----|---------------------------------|-----------|
| 6880100120 | WW4 | Wrench, W4, Recessed, Concealed | \$ 370.47 |
|------------|-----|---------------------------------|-----------|

### Notes:

Covers can not be plated - only painted.  
Sprinkler and coverplates sold and packaged separately



## F156 EC

- K-Factor = 5.6 (80)
- **SIN RA2745**
- See Bulletin 027



## F1 LO EC PENDENT

- K-Factor = 8.0 (115)
- **SIN R1742**
- See Bulletin 117

| Part Number                                                 | Short Code | Temperature                        |      | Finish     | List Price |
|-------------------------------------------------------------|------------|------------------------------------|------|------------|------------|
| MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2745  |            |                                    |      |            |            |
| AB131130R9                                                  | F56ECP0B   | 135°F                              | 57°C | Brass      | \$ 59.98   |
| AB138730R9                                                  | F56ECP0W   | 135°F                              | 57°C | White      | \$ 64.70   |
| AB151130R9                                                  | F56ECP1B   | 155°F                              | 68°C | Brass      | \$ 59.98   |
| AB152130R9                                                  | F56ECP1C   | 155°F                              | 68°C | Chrome     | \$ 59.98   |
| AB158730R9                                                  | F56ECP1W   | 155°F                              | 68°C | Poly White | \$ 64.70   |
| MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R1742 |            |                                    |      |            |            |
| AJ13113998                                                  | FECP0LB    | 135°F                              | 57°C | Brass      | \$ 65.44   |
| AJ13213998                                                  | FECP0LC    | 135°F                              | 57°C | Chrome     | \$ 65.44   |
| AJ13873998                                                  | FECP0LW    | 135°F                              | 57°C | Poly White | \$ 70.32   |
| AJ15113998                                                  | FECP1LB    | 155°F                              | 68°C | Brass      | \$ 65.44   |
| AJ15213998                                                  | FECP1LC    | 155°F                              | 68°C | Chrome     | \$ 65.44   |
| AJ15873998                                                  | FECP1LW    | 155°F                              | 68°C | White      | \$ 70.32   |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY             |            |                                    |      |            |            |
| 6800630001                                                  | GF1B       | 1/2" (15mm)                        |      | Brass      | \$ 22.89   |
| 6800600001                                                  | GF1C       | 1/2" (15mm)                        |      | Chrome     | \$ 12.35   |
| 6800640001                                                  | GF1W       | 1/2" (15mm)                        |      | White      | \$ 12.35   |
| 6801030000                                                  | GF1LB      | 3/4" (20mm)                        |      | Brass      | \$ 22.89   |
| 6801000000                                                  | GF1LC      | 3/4" (20mm)                        |      | Chrome     | \$ 12.35   |
| 6801040000                                                  | GF1LW      | 3/4" (20mm)                        |      | White      | \$ 12.35   |
| 6800930000                                                  | GF1MB      | 10mm                               |      | Bronze     | \$ 22.87   |
| 6800900000                                                  | GF1MC      | 10mm                               |      | Chrome     | \$ 12.18   |
| 6800940003                                                  | GF1MW      | 10mm                               |      | Poly White | \$ 12.18   |
| MODEL F2 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY             |            |                                    |      |            |            |
| 6800830000                                                  | GF2B       | 1/2" (15mm)                        |      | Brass      | \$ 22.89   |
| 6800800000                                                  | GF2C       | 1/2" (15mm)                        |      | Chrome     | \$ 12.35   |
| 6800840000                                                  | GF2W       | 1/2" (15mm)                        |      | White      | \$ 12.35   |
| 6800880004                                                  | GF2LB      | 3/4" (20mm)                        |      | Brass      | \$ 22.89   |
| 6800880001                                                  | GF2LC      | 3/4" (20mm)                        |      | Chrome     | \$ 12.35   |
| 6800880005                                                  | GF2LW      | 3/4" (20mm)                        |      | White      | \$ 12.35   |
| 6880050100                                                  | WW2        | Requires Model W2 Sprinkler Wrench |      |            | \$ 122.53  |
| 6880060000                                                  | WGFR       | For Recessed Use Model GFR2 Wrench |      |            | \$ 370.47  |



## F156-300 SREC

- K-Factor = 5.6 (80)
- **SIN RA2945**
- See Bulletin 029
- 300 PSI



## F1-300 EC PENDENT

- K-Factor = 8.0  
(115)
- **SIN R5842**
- See Bulletin 158
- 300 PSI

| Part Number                                                         | Short Code | Temperature                        |      | Finish | List Price |
|---------------------------------------------------------------------|------------|------------------------------------|------|--------|------------|
| MODEL F156 EC PENDENT K5.6 (80) THREADS 1/2" (15MM) RA2945 300 PSI  |            |                                    |      |        |            |
| AH13113299                                                          | FEC3P0B3   | 135°F                              | 57°C | Brass  | \$ 58.56   |
| AH13213299                                                          | FEC3P0C3   | 135°F                              | 57°C | Chrome | \$ 64.21   |
| AH13873299                                                          | FEC3P0W3   | 135°F                              | 57°C | White  | \$ 69.03   |
| AH15113299                                                          | FEC3P1B3   | 155°F                              | 68°C | Brass  | \$ 58.56   |
| AH15213299                                                          | FEC3P1C3   | 155°F                              | 68°C | Chrome | \$ 64.21   |
| AH15873299                                                          | FEC3P1W3   | 155°F                              | 68°C | White  | \$ 69.03   |
| MODEL F1 LO EC PENDENT K8.0 (115) THREADS 3/4" (20MM) R5842 300 PSI |            |                                    |      |        |            |
| AH13113998                                                          | FEC3P0LB3  | 135°F                              | 57°C | Brass  | \$ 64.21   |
| AH13213998                                                          | FEC3P0LC3  | 135°F                              | 57°C | Chrome | \$ 69.78   |
| AH13873998                                                          | FEC3P0LW3  | 135°F                              | 57°C | White  | \$ 74.71   |
| AH15113998                                                          | FEC3P1LB3  | 155°F                              | 68°C | Brass  | \$ 64.21   |
| AH15213998                                                          | FEC3P1LC3  | 155°F                              | 68°C | Chrome | \$ 69.78   |
| AH15873998                                                          | FEC3P1LW3  | 155°F                              | 68°C | White  | \$ 74.71   |
| MODEL F1 RECESSED ESCUTCHEONS & COLLAR ASSEMBLY                     |            |                                    |      |        |            |
| 6800630001                                                          | GF1B       | 1/2" (15mm)                        |      | Brass  | \$ 22.89   |
| 6800600001                                                          | GF1C       | 1/2" (15mm)                        |      | Chrome | \$ 12.35   |
| 6800640001                                                          | GF1W       | 1/2" (15mm)                        |      | White  | \$ 12.35   |
| 6801030000                                                          | GF1LB      | 3/4" (20mm)                        |      | Brass  | \$ 22.89   |
| 6801000000                                                          | GF1LC      | 3/4" (20mm)                        |      | Chrome | \$ 12.35   |
| 6801040000                                                          | GF1LW      | 3/4" (20mm)                        |      | White  | \$ 12.35   |
| 6880050100                                                          | WW2        | Requires Model W2 Sprinkler Wrench |      |        | \$ 122.53  |
| 6880060000                                                          | WGFR       | For Recessed Use Model GFR2 Wrench |      |        | \$ 370.47  |



## GFR VELO-ECOH

- K-Factor = 14 (200)
- **SIN R6553**
- See Bulletin 165



## GFR VELO ECOH

- K-Factor = 14 (200)
- **SIN R6043**
- See Bulletin 160

| Part Number                                                     | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GFR VELO-ECOH UPRIGHT K14 (200) THREADS 3/4" (20MM) R6553 |            |             |       |        |            |
| 0116114598                                                      | GFRUV1B    | 165°F       | 74°C  | Brass  | \$ 137.71  |
| 0116214598                                                      | GFRUV1C    | 165°F       | 74°C  | Chrome | \$ 143.17  |
| 0121114598                                                      | GFRUV2B    | 212°F       | 100°C | Brass  | \$ 137.71  |
| 0121214598                                                      | GFRUV2C    | 212°F       | 100°C | Chrome | \$ 143.17  |

6880070000 WH Requires Model H Sprinkler Wrench \$ 148.48

| Part Number                                                     | Short Code | Temperature |       | Finish | List Price |
|-----------------------------------------------------------------|------------|-------------|-------|--------|------------|
| MODEL GFR VELO-ECOH PENDENT K14 (200) THREADS 3/4" (20MM) R6043 |            |             |       |        |            |
| FB16114598                                                      | GFRPV1B    | 165°F       | 74°C  | Brass  | \$ 103.40  |
| FB16214598                                                      | GFRPV1C    | 165°F       | 74°C  | Chrome | \$ 107.56  |
| FB16874598                                                      | GFRPV1W    | 165°F       | 74°C  | White  | \$ 112.17  |
| FB21114598                                                      | GFRPV2B    | 212°F       | 100°C | Brass  | \$ 103.40  |
| FB21214598                                                      | GFRPV2C    | 212°F       | 100°C | Chrome | \$ 107.56  |
| FB21874598                                                      | GFRPV2W    | 212°F       | 100°C | White  | \$ 112.17  |

6880070000 WH Requires Model H Sprinkler Wrench \$ 148.48

6880070100 WXLO Requires Model XLO Sprinkler Wrench for Recessing \$ 194.59

\*Recessing available.



## MBEC-14

- K-Factor = 14 (200)
- **SIN R6932**
- See Bulletin 169

| Part Number                                                   | Short Code | Temperature                       |       | Finish | List Price |
|---------------------------------------------------------------|------------|-----------------------------------|-------|--------|------------|
| MODEL MB-EC 14 HORIZONTAL K14 (200) THREADS 3/4" (20MM) R6932 |            |                                   |       |        |            |
| 4816114597                                                    | MB1B       | 165°F                             | 74°C  | Brass  | \$ 110.37  |
| 4816214597                                                    | MB1C       | 165°F                             | 74°C  | Chrome | \$ 126.63  |
| 4816874597                                                    | MB1W       | 165°F                             | 74°C  | White  | \$ 126.63  |
| 4821114597                                                    | MB2B       | 212°F                             | 100°C | Brass  | \$ 110.37  |
| 4821214597                                                    | MB2C       | 212°F                             | 100°C | Chrome | \$ 126.63  |
| 4821874597                                                    | MB2W       | 212°F                             | 100°C | White  | \$ 126.63  |
| 6880070000                                                    | WH         | Requires Model H Sprinkler Wrench |       |        | \$ 148.48  |