

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

**Coupling - Eccentric Reducer (continued)**


**Socket x Socket**

829-700FE	14X10	1	0	083
829-702FE	14X12	1	0	083
829-756FE <sup>4</sup>	16X6	1	0	083
829-758FE <sup>3</sup>	16X8	1	0	083
829-760FE <sup>2</sup>	16X10	1	0	083
829-762FE <sup>2</sup>	16X12	1	0	083
829-764FE	16X14	1	0	083
829-786FE <sup>5</sup>	18X6	1	0	083
829-788FE <sup>4</sup>	18X8	1	0	083
829-790FE <sup>3</sup>	18X10	1	0	083
829-792FE <sup>3</sup>	18X12	1	0	083
829-794FE <sup>2</sup>	18X14	1	0	083
829-796FE	18X16	1	0	083

**Eccentric Reducer Coupling Footnotes**

**Multi-Step Configurations**

The number after the part number denotes steps listed below.



Example: 829-582 FE<sup>2</sup> (<sup>2</sup>= 2 Step)

**Coupling**

**Fipt x Fipt**



830-002	1/4	25	450	080
830-003	3/8	25	150	080
830-005	1/2	25	150	080
830-007	3/4	25	300	080
830-010	1	15	90	080
830-012	1-1/4	10	120	080
830-015	1-1/2	10	80	080
830-020	2	10	0	080
830-025	2-1/2	5	0	080
830-030	3	5	0	080
830-040	4	5	0	080
830-060F	6	1	8	083
830-080F	8	1	6	083
830-100F	10	1	2	083

**Coupling - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**



830-005SR	1/2	25	150	086
830-007SR	3/4	25	150	086

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

**Coupling - Special Reinforced (continued)**

**SR Fipt x SR Fipt - Stainless Steel Collar**

830-010SR	1	25	200	086
830-012SR	1-1/4	10	120	086
830-015SR	1-1/2	10	80	086
830-020SR	2	10	0	086

**Coupling - Reducer**



**Fipt x Fipt**

830-072 <sup>1</sup>	1/2X1/4	50	300	080
830-073 <sup>1</sup>	1/2X3/8	25	150	080
830-101	3/4X1/2	50	200	080
830-211 <sup>1</sup>	1-1/2X1	10	40	080

<sup>1</sup> Sized with Bushing

**Coupling - Special Reinforced Reducer**



**SR Fipt x SR Fipt - Stainless Steel Collar**

830-101SR	3/4X1/2	50	200	086
830-130SR	1X1/2	50	0	086
830-131SR	1X3/4	25	200	086
830-168SR	1-1/4X1	25	0	086
830-210SR	1-1/2X3/4	25	0	086
830-211SR	1-1/2X1	10	80	086
830-212SR	1-1/2X1-1/4	10	80	086
830-249SR	2X1	25	0	086
830-251SR	2X1-1/2	10	0	086

**Grooved Coupling Adapter**



**Groove x Socket**

833-012	1-1/4	10	60	080
833-015	1-1/2	10	80	080
833-020	2	10	80	080
833-025	2-1/2	5	0	080
833-030	3	5	0	080
833-040	4	5	0	080
833-050F	5	1	7	084
833-060	6	5	0	080
833-080F	8	1	4	084
833-100F	10	1	0	084
833-120F	12	1	0	084

**Adapters**

**Female Adapter**



**Socket x Fipt**

835-002	1/4	25	450	080
---------	-----	----	-----	-----



**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
<b>Female Adapter (continued)</b>				
<b>Socket x Fipt</b>				
835-003	3/8	25	400	080
835-098	3/4X1/4	25	150	080
835-005	1/2	25	150	080
835-007	3/4	25	150	080
835-010	1	15	90	080
835-012	1-1/4	10	120	080
835-015	1-1/2	10	80	080
835-020	2	10	0	080
835-025	2-1/2	5	0	080
835-030	3	5	0	080
835-040	4	5	0	080
835-060	6	6	0	080
835-060F	6	1	8	083
835-080	8	3	0	080
835-080F	8	1	6	083
835-100F	10	1	2	083
835-120F	12	1	0	083

**Female Adapter - Brass Transition**

**Socket x Fipt With Brass Thread Insert**

835-005BR	1/2	25	150	086
835-007BR	3/4	15	90	086
835-010BR	1	15	90	086
835-012BR	1-1/4	15	60	086
835-015BR	1-1/2	10	40	086
835-020BR	2	8	32	086

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Adapter - Brass Transition Reducing**

**Socket x Fipt With Brass Thread Insert**

835-101BR	3/4X1/2	50	0	086
835-131BR	1X3/4	50	0	086

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Adapter - Special Reinforced**

**Socket x SR Fipt - Stainless Steel Collar**

835-002SR	1/4	25	450	086
835-003SR	3/8	25	300	086
835-005SR	1/2	25	150	086
835-007SR	3/4	25	300	086
835-010SR	1	25	200	086
835-012SR	1-1/4	10	60	086
835-015SR	1-1/2	10	80	086

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

**Female Adapter - Special Reinforced (continued)**  
**Socket x SR Fipt - Stainless Steel Collar**

835-020SR	2	10	0	086
835-025SR	2-1/2	5	0	086
835-030SR	3	15	0	086
835-040SR	4	5	0	086
835-060SR	6	6	0	086

**Female Adapter - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar**

835-074SR	1/2X3/4	50	400	086
835-098SR	3/4X1/4	25	150	086
835-101SR	3/4X1/2	50	400	086
835-102SR	3/4X1	50	0	086
835-130SR	1X1/2	50	0	086
835-131SR	1X3/4	25	200	086

**Female Adapter - Stainless Steel Transition**

**Socket x Fipt With 316 Stainless Steel Thread Insert**

NSF® Certified Lead Free

878-072SS	1/2X1/4	25	150	086
835-005SS	1/2	25	150	086
835-007SS	3/4	15	90	086
835-010SS	1	15	90	086
835-012SS	1-1/4	25	0	086
835-015SS	1-1/2	10	40	086
835-020SS	2	8	32	086

**Female Adapter - Encapsulated Special Reinforced**

**Socket x ESR Fipt**

835-002ESR	1/4	25	450	086
835-003ESR	3/8	25	300	086
835-005ESR	1/2	25	300	086
835-007ESR	3/4	25	300	086
835-010ESR	1	25	200	086
835-012ESR	1-1/4	10	80	086
835-015ESR	1-1/2	10	80	086
835-020ESR	2	10	0	086

**Male Adapter**

**Mipt x Socket**

836-053	3/8X1/2	50	900	080
836-005	1/2	25	150	080
836-007	3/4	25	300	080
836-102	3/4X1	50	0	080
836-131	1X3/4	50	400	080
836-010	1	20	120	080

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

**Male Adapter (continued)**

**Mipt x Socket**

836-012	1-1/4	10	120	080
836-015	1-1/2	10	120	080
836-213 <sup>1</sup>	1-1/2X2	25	0	080
836-251 <sup>1</sup>	2X1-1/2	10	0	080
836-020	2	10	80	080
836-025	2-1/2	10	0	080
836-030	3	5	0	080
836-040	4	4	0	080
836-050F	5	1	8	083
836-060	6	5	0	080
836-080F	8	1	2	083
836-100F	10	1	2	083
836-120F	12	1	0	083

<sup>1</sup> Sized With Bushing or Coupling

**Male Adapter - Internal Reinforced**

**R Mipt x Socket - Stainless Steel Sleeve**



NSF® Certified Lead Free

836-005R	1/2	25	150	086
836-007R	3/4	25	300	086
836-010R	1	10	60	086

**Male Adapter - PVC Lined Brass Transition**

**Brass Mipt x Socket**



NSF® Certified Lead Free

836-005BR	1/2	40	160	086
836-007BR	3/4	40	160	086
836-010BR	1	10	60	086
836-012BR	1-1/4	10	40	086
836-015BR	1-1/2	10	40	086
836-020BR	2	8	32	086

**Male Spigot Adapter**

**Spigot x Mipt**



861-005	1/2	50	300	080
861-007	3/4	25	300	080
861-010	1	50	0	080
861-131	1X3/4	50	200	080
861-012	1-1/4	25	0	080
861-015	1-1/2	25	0	080
861-020	2	25	0	080

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

**Female Spigot Adapter - Brass Transition**

**Spigot x Fipt With Brass Thread Insert**



878-005BR	1/2	25	150	086
878-007BR	3/4	15	90	086
878-010BR	1	15	90	086

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Spigot Adapter - Special Reinforced**

**Spigot x SR Fipt - Stainless Steel Collar**



878-005SR	1/2	50	600	086
878-007SR	3/4	25	300	086
878-010SR	1	50	0	086
878-012SR	1-1/4	25	0	086
878-015SR	1-1/2	25	0	086
878-020SR	2	15	0	086
878-030SR	3	5	0	086
878-040SR	4	5	0	086

**Female Spigot Adapter - Special Reinforced Reducing**

**Spigot x SR Fipt - Stainless Steel Collar**



878-072SR	1/2X1/4	25	450	086
878-098SR	3/4X1/4	50	400	086
878-128SR	1X1/4	50	400	086

**Female Spigot Adapter - Encapsulated Special Reinforced, Spigot**

**Spigot x ESR Fipt**



878-005ESR	1/2	50	600	086
878-007ESR	3/4	25	300	086
878-010ESR	1	50	0	086
878-012ESR	1-1/4	25	0	086
878-015ESR	1-1/2	25	0	086
878-020ESR	2	15	0	086

**Female Spigot Adapter - Stainless Steel Transition**

**Spigot x Fipt With 316 Stainless Steel Thread Insert**



878-005SS	1/2	25	150	086
878-007SS	3/4	15	90	086
878-010SS	1	15	90	086