



Cimarron® Comfort Height®

Round-front chair height toilet bowl
K-4347

Features

- Round-front bowl offers an ideal solution for smaller baths and powder rooms.
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 2-1/8" (54 mm) fully-glazed trapway.
- Seat not included.
- Combines with the K-4167 or K-4166 tank to create a complete K-3888 or K-3887 Cimarron toilet.
- Coordinates with other products in the Cimarron collection.

Installation

- Standard 12" (305 mm) rough-in.

Recommended Products/Accessories

K-4166 Toilet tank, 1.28 gpf
K-4167 Toilet tank, 1.6 gpf
K-23726 Drain treatment



ADA

CSA B651

OBC

Codes/Standards








ASME A112.19.2/CSA B45.1
DOE - Energy Policy Act 1992
ADA
CSA B651
OBC

KOHLER® Toilets and Seats Limited Warranty

See website for detailed warranty information.

Available Colors/Finishes

Color tiles intended for reference only.

| Color | Code | Description |
|---|------|--------------|
|  | 0 | White |
|  | 96 | Biscuit |
|  | 47 | Almond |
|  | NY | Dune |
|  | 95 | Ice™ Grey |
|  | G9 | Sandbar |
|  | 7 | Black Black™ |



Cimarron® Comfort Height®

Round-front chair height toilet bowl
K-4347

No image available.

This product is a component and not intended to be a standalone installation.

Technical Information

All product dimensions are nominal.

| | |
|-----------------------|------------------------------------|
| Toilet type: | Two-piece, Floor-mount |
| Waste Outlet: | Floor |
| Bowl shape: | Round-front |
| Trap passageway: | 2-1/8" (54 mm) |
| Water surface size: | 11-1/2" x 9-1/4" (292 mm x 235 mm) |
| Rim to water surface: | 5-1/4" (133 mm) |
| Rough-in: | 12" (305 mm) |
| Seat-mounting holes: | 5-1/4" (133 mm) |

Notes

Install this product according to the installation instructions.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

Accessibility standards may require controls to be located on the open side of the toilet.