



# Avid® | K-97360-4

Deck-mount bath faucet with handshower

## Features

- A single handle controls both on/off activation and temperature setting
- Stationary spout
- 8.0 gpm (30.3 lpm) maximum bath faucet flow rate at 45 psi (3.1 bar)
- 1.75 gpm (6.6 lpm) maximum handshower flow rate at 45 psi (3.1 bar)
- Coordinates with other products in the Avid collection
- Flexible supply lines for simplified installation.



## Sustainability



## Available Colors/Finishes

*Color tiles intended for reference only.*

- |     |                               |
|-----|-------------------------------|
| CP  | Polished Chrome               |
| BN  | Vibrant Brushed Nickel        |
| BL  | Matte Black                   |
| 2MB | Vibrant Brushed Moderne Brass |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-03-2026 02:53 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards



ASME A112.18.1/CSA B125.1  
DOE - Energy Policy Act 1992  
EPA WaterSense®  
California Energy Commission (CEC)

## Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty

## Technical Information

*All product dimensions are nominal.*

### Handle

Handle Style/Type: Lever

### Spout

Spout Reach: 7-13/16" (198 mm)

### Flow Rate

Faucet Flow Rate: 8 gpm (30.3 l/min)

Handshower Rated Maximum Flow: 1.75 gpm (6.6 l/min)

## Material

- Premium metal construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing

## Recommended Products/Accessories

K-97500 Double robe hook

K-97498 Towel arm

K-97499 Robe hook

K-97494 18" towel bar

K-97495 24" towel bar

K-97496 24" double towel bar

K-97502 Vertical toilet paper holder

K-97503 Covered toilet paper holder




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-03-2026 02:53 - US-CA



## Installation

- Deck-mount

## Installation Notes

*Install this product according to the installation instructions.*



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-03-2026 02:53 - US-CA

THE BOLD LOOK  
OF **KOHLER**.