




**AGF Manufacturing Inc.**  
**FIRE SPRINKLER**  
**PRODUCTS**  
**PRODUCT CATALOG**



CAT-AGF\_2020 - 3/20

*Reliability, Versatility, Code Compatibility*



All orders **MUST** be received by AGF Manufacturing, Inc. in a written format transmitted via fax: 610-240-4906, or e-mailed to **[orders@testandrain.com](mailto:orders@testandrain.com)**.

## **Terms and Conditions:**

All orders **MUST** be received by AGF Manufacturing, Inc. in a written format transmitted via fax: 610-240-4906, or e-mailed to **[orders@testandrain.com](mailto:orders@testandrain.com)**. No order will be processed unless prices listed meet current published prices. Freight allowance for domestic shipment is \$5,000.00 utilizing AGF shipping vendors. Stipulations of alternate shipping vendors may result in additional surcharges. Minimum order quantities must meet those listed on published Product Information. No returns will be accepted without an AGF Manufacturing, Inc. Return Goods Authorization (RGA) number.

**AGF Manufacturing, Inc. DOES NOT accept customer issued debit memos.**

# Table of Contents

## COLLECT<sub>AN</sub>DRAIN<sup>®</sup> Auxiliary Drains

Model 5100ALBV .....	4
Model 5150ALBV .....	4
Model 5100 .....	6
Model 5200 .....	6
Model 5300 .....	5
Model 5300ALBV .....	5
Model 5400 .....	7

## TEST<sub>AN</sub>DRAIN<sup>®</sup> Floor Control Valves

Model 1000 .....	8
Model 2500 .....	9
Model 1011 .....	11-13
Model 2511 .....	13-16
Locking Plate Kit .....	9, 28

## DRAIN<sub>AN</sub>TEST<sup>™</sup> Main Drain and Test Valve

Model 1500 .....	17
Locking Plate Kit .....	9, 28

## REMOTE<sub>TEST</sub><sup>®</sup> Remote Operated TEST<sub>AN</sub>DRAIN<sup>®</sup> Valve

Model 1200 .....	18
Locking Plate Kit .....	9, 28

## Accessories

Valve Repair Kits .....	20
Model 1011/2511 PRV Trim Kits .....	16
Model 7600 3-Way Globe Valve .....	19

## Pressure Relief Valves

Model 7000 .....	19
Model 7200 .....	19

## Pressure Gauges

Model 7500 .....	19
Model 7550 SMARTGAUGE <sup>™</sup> .....	19

## INSPECTOR<sub>TEST</sub><sup>™</sup>

Model 3011A .....	17
Model 3011BV .....	17
Model 3011SG .....	17
Model 3011ASG .....	17

## RISER<sub>PACK</sub><sup>™</sup>

### Residential

Model 8000 for 13D Systems .....	21-22
Model 8011 for 13D Systems Requiring Pressure Relief .....	22-23
Model 8000 for 13R Systems .....	24-25
Model 8011 for 13R Systems Requiring Pressure Relief .....	25-26

### Commercial

Model 8000 for Commercial NFPA 13 Systems .....	27-28
Model 8011 for Commercial NFPA 13 Systems Requiring Pressure Relief .....	29-30
Model 8611 Corner Mount .....	31

## CORR<sub>IN</sub>SITE<sup>™</sup>

Model 7700 In-Line Corrosion Monitor .....	32
Model 7800 Mechanical Tee Corrosion Monitor .....	33

## PURGE<sub>VENT</sub><sup>™</sup>

Model 7910MAV Manual Air Venting Valve .....	34
Model 7900AAV Automatic Air Venting Valve .....	34
Model 7950ILV Inline Air Venting Valve .....	34
Model 7920AI Audible Water Indicator .....	35
Model 7925VI Visual Water Indicator .....	35

# COLLECT<sub>AN</sub>DRAIN<sup>®</sup>

## Water Detectors

**COLLECT<sub>AN</sub>DRAIN<sup>®</sup>** Water Detector Alarms sense the presence of collected condensation in dry fire sprinkler system auxiliary drains and small volume trapped pipe sections. They notify maintenance personnel of excess water by using visual and audible alarms and can be directly wired to the fire panel or BMS for remote notification.

### M5100ALBV

The **COLLECT<sub>AN</sub>DRAIN<sup>®</sup>** Model 5100ALBV is designed to detect the smallest presence of water in the auxiliary drain or small volume trapped pipe section to help avoid freeze-ups in cold temperatures. It includes a high quality ball valve with chrome-plated ball and features audible and visual alerts that sound and flash when water is detected. It can be powered by a 9V battery, 12-24 VDC, or optional 110V plug-in. For remote notification it can be wired to the fire panel or BMS.




5100ALBV

### M5150ALBV


The **COLLECT<sub>AN</sub>DRAIN<sup>®</sup>** Model 5150ALBV is designed with a reversible tee that detect one or two ounces of water in the auxiliary drain or small volume trapped pipe section; depending on which way it is installed. It includes a high quality ball valve with chrome-plated ball and reversible tee and features audible and visual alerts that sound and flash when water is detected. It can be powered by a 9V battery, 12-24 VDC, or optional 110V plug-in. For remote notification it can be wired to the fire panel or BMS.



5150ALBV



Locking Kit with Handle  
(Lock not included)



110V Plug-In

	Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
 <p><b>M5100ALBV</b></p>	5100ALBV	Water Detector Alarm with Ball Valve	Special	1	1	EACH
	872	Optional Locking Kit	Special	N/A	1	EACH
 <p><b>M5150ALBV</b></p>	5150ALBV	Water Detector Alarm with Ball Valve and Reversible Water Collection Tee	Special	N/A	1	EACH
	872	Optional Locking Kit	Special	N/A	1	EACH

# COLLECT<sub>AND</sub>DRAIN<sup>®</sup>

## Auxiliary Drains


**COLLECT<sub>AND</sub>DRAIN<sup>®</sup>** Auxiliary Drains (low-point drains, drum drips, condensation collection assemblies) are required for each section of trapped pipe in dry fire sprinkler systems. Auxiliary drains collect moisture from the system while minimizing the potential for excessive loss of air pressure.

### M5300A & M5300B

The **COLLECT<sub>AND</sub>DRAIN<sup>®</sup>** Model 5300A and 5300B are auxiliary drains designed to meet NFPA 13 and 25 guidelines addressing proper drainage while offering easy identification and a consistent appearance. The Model 5300A features galvanized piping components and the Model 5300B features black steel piping components.

### M5300ALBV & M5300ALBV-B

Models 5300ALBV and 5300ALBV-B feature a Model 5100ALBV Water Detector.



	Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>M5300A</b> 	5300A	Galvanized Auxiliary Drain	Stock	2	2	EACH
	872	Optional Locking Kit	Special	N/A	1	EACH
<b>M5300B</b> 	5300B	Black Steel Auxiliary Drain	Stock	2	2	EACH
	872	Optional Locking Kit	Special	N/A	1	EACH
<b>M5300ALBV</b> 	5300ALBV	Galvanized Auxiliary Drain with Water Detector Alarm	Stock	2	2	EACH
	872	Optional Locking Kit	Special	N/A	1	EACH
<b>M5300ALBV-B</b> 	5300ALBV-B	Black Steel Auxiliary Drain with Water Detector Alarm	Stock	2	2	EACH
	872	Optional Locking Kit	Special	N/A	1	EACH

# COLLECT<sub>AN</sub>DRAIN<sup>®</sup>

## Auxiliary Drains with Anti-Trip Plate

**COLLECT<sub>AN</sub>DRAIN<sup>®</sup>** Auxiliary Drains (low-point drains, drum drips, condensation collection assemblies) are required for each section of trapped pipe in dry fire sprinkler systems. Auxiliary drains collect moisture from the system while minimizing the potential for excessive loss of air pressure.

### M5200A & M5200B

The **COLLECT<sub>AN</sub>DRAIN<sup>®</sup>** Model 5200A and 5200B auxiliary drains feature an Anti-Trip Plate (ATP) designed to prevent the simultaneous opening of the upper valve and the lower valve. This ensures proper drainage and prevents accidental/malicious tripping of the dry fire sprinkler system. The Model 5200A features galvanized piping components and Model 5200B features black steel piping components.

### M5100A & M5100B

Models 5100A and 5100B feature a Model 5100ALBV Water Detector.



	Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>M5100A</b> 	5100A	Galvanized Auxiliary Drain with Anti-Trip Plate and Water Detector Alarm	Special	N/A	1	EACH
	871	Optional Locking Kit	Special	N/A	1	EACH
<b>M5100B</b> 	5100B	Black Steel Auxiliary Drain with Anti-Trip Plate and Water Detector Alarm	Special	N/A	1	EACH
	871	Optional Locking Kit	Special	N/A	1	EACH
<b>M5200A</b> 	5200A	Galvanized Auxiliary Drain with Anti-Trip Plate	Special	N/A	1	EACH
	871	Optional Locking Kit	Special	N/A	1	EACH
<b>M5200B</b> 	5200B	Black Steel Auxiliary Drain with Anti-Trip Plate	Special	N/A	1	EACH
	871	Optional Locking Kit	Special	N/A	1	EACH

# COLLECT<sub>AN</sub>DRAIN<sup>®</sup>



## Auxiliary Drains with Temperature Controlled Cabinet


**COLLECT<sub>AN</sub>DRAIN<sup>®</sup>** Auxiliary Drains (low-point drains, drum drips, condensation collection assemblies) are required for each section of trapped pipe in dry fire sprinkler systems. Auxiliary drains collect moisture from the system while minimizing the potential for excessive loss of air pressure.

### M5400A & M5400B

The **COLLECT<sub>AN</sub>DRAIN<sup>®</sup>** Model 5400A and 5400B auxiliary drains feature a temperature-controlled cabinet to deter system failures due to freezing condensation. The heated and insulated cabinet contains an auxiliary drain with a float switch to monitor water levels. For remote notification it can be wired to the fire panel or BMS.

The Model 5400A features galvanized piping components and the Model 5400B features black steel piping components.



	Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	5400A	Galvanized Auxiliary Drain in Cabinet	Special	N/A	1	EACH
	5400B	Black Steel Auxiliary Drain in Cabinet	Special	N/A	1	EACH
	5400H	Cabinet with Hot Operation Trouble Monitor	Special	N/A	1	EACH
	5400D	Cabinet with System Trouble Remote Dialer	Special	N/A	1	EACH
	5580A	All-Weather Cover	Special	N/A	1	EACH

# Model 1000 TEST<sub>AN</sub>DRAIN<sup>®</sup>

## Sectional Floor Control Test and Drain Valve

TEST<sub>AN</sub>DRAIN<sup>®</sup> valves provide both the test function and the express drain function for wet fire sprinkler systems. The Model 1000 TEST<sub>AN</sub>DRAIN<sup>®</sup> valve is a compact, single-handle ball valve (300 PSI rated) that includes tamper-resistant test orifice and sight glasses. The Model 1000 complies with the requirements of NFPA 13, 13D, and 13R.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>¾" M1000</b> 	100	¾" M1000 x ⅜" Orifice	Special	10	1	EACH
	101	¾" M1000 x 7/16" Orifice	Special	10	1	EACH
	<b>102</b>	<b>¾" M1000 x ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	103	¾" M1000 x 17/32" Orifice	Special	10	1	EACH
	104	¾" M1000 x 5/8" ELO Orifice	Special	10	1	EACH
<b>1" M1000</b> 	110	1" M1000 x ⅜" Orifice	Stock	10	1	EACH
	111	1" M1000 x 7/16" Orifice	Stock	10	1	EACH
	<b>112</b>	<b>1" M1000 x ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>10</b>	<b>EACH</b>
	113	1" M1000 x 17/32" Orifice	Stock	10	1	EACH
	114	1" M1000 x 5/8" ELO Orifice	Stock	10	1	EACH
<b>1¼" M1000</b> 	120	1¼" M1000 x ⅜" Orifice	Stock	10	1	EACH
	121	1¼" M1000 x 7/16" Orifice	Stock	10	1	EACH
	<b>122</b>	<b>1¼" M1000 x ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>10</b>	<b>EACH</b>
	123	1¼" M1000 x 17/32" Orifice	Stock	10	1	EACH
	124	1¼" M1000 x 5/8" ELO Orifice	Stock	10	1	EACH
	125	1¼" M1000 x ¾" ESFR Orifice	Stock	10	1	EACH
<b>1½" M1000</b> 	130	1½" M1000 x ⅜" Orifice	Special	6	1	EACH
	131	1½" M1000 x 7/16" Orifice	Special	6	1	EACH
	<b>132</b>	<b>1½" M1000 x ½" Orifice</b>	<b>Stock</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	133	1½" M1000 x 17/32" Orifice	Special	6	1	EACH
	134	1½" M1000 x 5/8" ELO Orifice	Special	6	1	EACH
	135	1½" M1000 x ¾" ESFR Orifice	Special	6	1	EACH
	136	1½" M1000 x K25 Orifice	Special	6	1	EACH
<b>2" M1000</b> 	140	2" M1000 x ⅜" Orifice	Stock	6	1	EACH
	141	2" M1000 x 7/16" Orifice	Stock	6	1	EACH
	<b>142</b>	<b>2" M1000 x ½" Orifice</b>	<b>Stock</b>	<b>6</b>	<b>6</b>	<b>EACH</b>
	143	2" M1000 x 17/32" Orifice	Stock	6	1	EACH
	144	2" M1000 x 5/8" ELO Orifice	Stock	6	1	EACH
	145	2" M1000 x ¾" ESFR Orifice	Stock	6	1	EACH
	146	2" M1000 x K25 Orifice	Stock	6	1	EACH

Note: M1000 TEST<sub>AN</sub>DRAIN<sup>®</sup> Valves are available with British Standard Pipe Threads (BSPT). Please call for pricing and availability.

## Model 2500 TEST<sub>AN</sub>DRAIN<sup>®</sup>

### Sectional Floor Control Test and Drain Valve

The Model 2500 TEST<sub>AN</sub>DRAIN<sup>®</sup> valve is a multi-directional, compact, single-handle ball valve (300 PSI rated) that includes tamper-resistant test orifice and sight glasses. The Model 2500 features an alternate handle location from the Model 1000 for difficult install situation and complies with the requirements of NFPA 13, 13D, and 13R. The 2" Model 2500 valves feature a groove x groove connection.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1" M2500</b> 	404-0	1" M2500 x 3/8" Orifice	Special	10	1	EACH
	404-1	1" M2500 x 7/16" Orifice	Special	10	1	EACH
	<b>404-2</b>	<b>1" M2500 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	404-3	1" M2500 17/32" Orifice	Special	10	1	EACH
	404-4	1" M2500 5/8" ELO Orifice	Special	10	1	EACH
<b>1 1/4" M2500</b> 	405-0	1 1/4" M2500 x 3/8" Orifice	Special	10	1	EACH
	405-1	1 1/4" M2500 x 7/16" Orifice	Special	10	1	EACH
	<b>405-2</b>	<b>1 1/4" M2500 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	405-3	1 1/4" M2500 17/32" Orifice	Special	10	1	EACH
	405-4	1 1/4" M2500 5/8" ELO Orifice	Special	10	1	EACH
	405-5	1 1/4" M2500 3/4" ESFR Orifice	Special	10	1	EACH
<b>2" M2500</b> Groove x Groove 	408-0	2" M2500 x 3/8" Orifice (GRV)	Special	6	1	EACH
	408-1	2" M2500 x 7/16" Orifice (GRV)	Special	6	1	EACH
	<b>408-2</b>	<b>2" M2500 1/2" Orifice (GRV)</b>	<b>Stock</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	408-3	2" M2500 17/32" Orifice (GRV)	Special	6	1	EACH
	408-4	2" M2500 5/8" ELO Orifice (GRV)	Special	6	1	EACH
	408-5	2" M2500 3/4" ESFR Orifice (GRV)	Special	6	1	EACH
	408-6	2" M2500 K25 Orifice (GRV)	Special	6	1	EACH

## Locking Plate Kits

AGF Locking Plate Kits provide protection and vandal resistance for TEST<sub>AN</sub>DRAIN<sup>®</sup> Models 1000, 2500. Please indicate valve size when ordering.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	870	Locking Plate Kit (Specify Valve Size When Ordering)	Special	1	1	EACH



## TESTanDRAIN® with Pressure Relief Valves

### Sectional Floor Control Test and Drain Valve for Systems Requiring Pressure Relief

Building on the success of the original **TESTanDRAIN®** valve, AGF revolutionized the industry again with the introduction of the Model 1011A, a **TESTanDRAIN®** valve with a pressure relief valve. Prior to the 2010 edition of NFPA 13, pressure relief valves were only required downstream of pressure reducing valves and in grid systems. Changes in the 2010 and subsequent editions of code now state that all wet pipe systems shall be provided with a listed relief valve not less than ½" in size. The Model 1011A and Model 2511A are the best way to meet these new requirements.

# Model 1011 TEST<sub>AND</sub>DRAIN<sup>®</sup>

## Sectional Floor Control Test and Drain Valve for Systems Requiring Pressure Relief

M1011A valves are packaged with a trim kit. The trim kit includes a M7000 PRV (175 PSI) and drain trim. Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

Note: It is important to note that the pressure rating of the relief valve indicates an operating range of pressure for both opening and closing of the valve. Standard relief valves are required to OPEN in a range of pressure between 90% and 105% of their rating. The valves are required to CLOSE at a pressure above 80% of that rating. The relief valve should be installed where it is easily accessible for maintenance. Care should be taken that the relief valve CANNOT be isolated from the system when the system is operational. A relief valve should NEVER have a shutoff valve or a plug downstream of its outlet.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>¾" M1011</b> No PRV Trim 	200	¾" M1011 x ¾" Orifice	Special	10	1	EACH
	201	¾" M1011 x 7/16" Orifice	Special	10	1	EACH
	<b>202</b>	<b>¾" M1011 x ½" Orifice</b>	<b>Special</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	203	¾" M1011 x 17/32" Orifice	Special	10	1	EACH
	204	¾" M1011 x 5/8" ELO Orifice	Special	10	1	EACH
<b>¾" M1011A</b> 	200A	¾" M1011A x ¾" Orifice	Special	10	1	EACH
	201A	¾" M1011A x 7/16" Orifice	Special	10	1	EACH
	<b>202A</b>	<b>¾" M1011A x ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	203A	¾" M1011A x 17/32" Orifice	Special	10	1	EACH
	204A	¾" M1011A x 5/8" ELO Orifice	Special	10	1	EACH
<b>¾" M1011T</b> 	200T	¾" M1011T x ¾" Orifice	Special	5	1	EACH
	201T	¾" M1011T x 7/16" Orifice	Special	5	1	EACH
	<b>202T</b>	<b>¾" M1011T x ½" Orifice</b>	<b>Special</b>	<b>5</b>	<b>1</b>	<b>EACH</b>
	203T	¾" M1011T x 17/32" Orifice	Special	5	1	EACH
	204T	¾" M1011T x 5/8" ELO Orifice	Special	5	1	EACH
<b>1" M1011</b> No PRV Trim 	210	1" M1011 x ¾" Orifice	Special	10	1	EACH
	211	1" M1011 x 7/16" Orifice	Special	10	1	EACH
	<b>212</b>	<b>1" M1011 x ½" Orifice</b>	<b>Special</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	213	1" M1011 x 17/32" Orifice	Special	10	1	EACH
	214	1" M1011 x 5/8" ELO Orifice	Special	10	1	EACH
<b>1" M1011A</b> 	210A	1" M1011A x ¾" Orifice	Stock	10	1	EACH
	211A	1" M1011A x 7/16" Orifice	Stock	10	1	EACH
	<b>212A</b>	<b>1" M1011A x ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>10</b>	<b>EACH</b>
	213A	1" M1011A x 17/32" Orifice	Stock	10	1	EACH
	214A	1" M1011A x 5/8" ELO Orifice	Stock	10	1	EACH
<b>1" M1011T</b> 	210T	1" M1011T x ¾" Orifice	Special	5	1	EACH
	211T	1" M1011T x 7/16" Orifice	Special	5	1	EACH
	<b>212T</b>	<b>1" M1011T x ½" Orifice</b>	<b>Stock</b>	<b>5</b>	<b>1</b>	<b>EACH</b>
	213T	1" M1011T x 17/32" Orifice	Special	5	1	EACH
	214T	1" M1011T x 5/8" ELO Orifice	Special	5	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1¼" M1011</b> No PRV Trim 	220	1¼" M1011 x ⅜" Orifice	Special	10	1	EACH
	221	1¼" M1011 x 7/16" Orifice	Special	10	1	EACH
	<b>222</b>	<b>1¼" M1011 x ½" Orifice</b>	<b>Special</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	223	1¼" M1011 x 17/32" Orifice	Special	10	1	EACH
	224	1¼" M1011 x 5/8" ELO Orifice	Special	10	1	EACH
	225	1¼" M1011 x ¾" ESFR Orifice	Special	10	1	EACH
<b>1¼" M1011A</b> 	220A	1¼" M1011A x ⅜" Orifice	Stock	10	1	EACH
	221A	1¼" M1011A x 7/16" Orifice	Stock	10	1	EACH
	<b>222A</b>	<b>1¼" M1011A x ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>10</b>	<b>EACH</b>
	223A	1¼" M1011A x 17/32" Orifice	Stock	10	1	EACH
	224A	1¼" M1011A x 5/8" ELO Orifice	Stock	10	1	EACH
	225A	1¼" M1011A x ¾" ESFR Orifice	Stock	10	1	EACH
<b>1¼" M1011T</b> 	220T	1¼" M1011T x ⅜" Orifice	Special	5	1	EACH
	221T	1¼" M1011T x 7/16" Orifice	Special	5	1	EACH
	<b>222T</b>	<b>1¼" M1011T x ½" Orifice</b>	<b>Special</b>	<b>5</b>	<b>1</b>	<b>EACH</b>
	223T	1¼" M1011T x 17/32" Orifice	Special	5	1	EACH
	224T	1¼" M1011T x 5/8" ELO Orifice	Special	5	1	EACH
	225T	1¼" M1011T x ¾" ESFR Orifice	Special	5	1	EACH
<b>1½" M1011</b> No PRV Trim 	230	1½" M1011 x ⅜" Orifice	Special	6	1	EACH
	231	1½" M1011 x 7/16" Orifice	Special	6	1	EACH
	<b>232</b>	<b>1½" M1011 x ½" Orifice</b>	<b>Special</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	233	1½" M1011 x 17/32" Orifice	Special	6	1	EACH
	234	1½" M1011 x 5/8" ELO Orifice	Special	6	1	EACH
	235	1½" M1011 x ¾" ESFR Orifice	Special	6	1	EACH
	236	1½" M1011 x K25 Orifice	Special	6	1	EACH
<b>1½" M1011A</b> 	230A	1½" M1011A x ⅜" Orifice	Special	6	1	EACH
	231A	1½" M1011A x 7/16" Orifice	Special	6	1	EACH
	<b>232A</b>	<b>1½" M1011A x ½" Orifice</b>	<b>Stock</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	233A	1½" M1011A x 17/32" Orifice	Special	6	1	EACH
	234A	1½" M1011A x 5/8" ELO Orifice	Special	6	1	EACH
	235A	1½" M1011A x ¾" ESFR Orifice	Special	6	1	EACH
	236A	1½" M1011A x K25 Orifice	Special	6	1	EACH
<b>1½" M1011T</b> 	230T	1½" M1011T x ⅜" Orifice	Special	6	1	EACH
	231T	1½" M1011T x 7/16" Orifice	Special	6	1	EACH
	<b>232T</b>	<b>1½" M1011T x ½" Orifice</b>	<b>Special</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	233T	1½" M1011T x 17/32" Orifice	Special	6	1	EACH
	234T	1½" M1011T x 5/8" ELO Orifice	Special	6	1	EACH
	235T	1½" M1011T x ¾" ESFR Orifice	Special	6	1	EACH
	236T	1½" M1011T x K25 Orifice	Special	6	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>2" M1011</b> No PRV Trim 	240	2" M1011 x 3/8" Orifice	Special	6	1	EACH
	241	2" M1011 x 7/16" Orifice	Special	6	1	EACH
	<b>242</b>	<b>2" M1011 x 1/2" Orifice</b>	<b>Special</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	243	2" M1011 x 17/32" Orifice	Special	6	1	EACH
	244	2" M1011 x 5/8" ELO Orifice	Special	6	1	EACH
	245	2" M1011 x 3/4" ESFR Orifice	Special	6	1	EACH
	246	2" M1011 x K25 Orifice	Special	6	1	EACH
<b>2" M1011A</b> 	240A	2" M1011A x 3/8" Orifice	Stock	6	1	EACH
	241A	2" M1011A x 7/16" Orifice	Stock	6	1	EACH
	<b>242A</b>	<b>2" M1011A x 1/2" Orifice</b>	<b>Stock</b>	<b>6</b>	<b>6</b>	<b>EACH</b>
	243A	2" M1011A x 17/32" Orifice	Stock	6	1	EACH
	244A	2" M1011A x 5/8" ELO Orifice	Stock	6	1	EACH
	245A	2" M1011A x 3/4" ESFR Orifice	Stock	6	1	EACH
	246A	2" M1011A x K25 Orifice	Stock	6	1	EACH
<b>2" M1011T</b> 	240T	2" M1011T x 3/8" Orifice	Special	6	1	EACH
	241T	2" M1011T x 7/16" Orifice	Special	6	1	EACH
	<b>242T</b>	<b>2" M1011T x 1/2" Orifice</b>	<b>Special</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	243T	2" M1011T x 17/32" Orifice	Special	6	1	EACH
	244T	2" M1011T x 5/8" ELO Orifice	Special	6	1	EACH
	245T	2" M1011T x 3/4" ESFR Orifice	Special	6	1	EACH
	246T	2" M1011T x K25 Orifice	Special	6	1	EACH

Note: M1011 TEST<sub>AND</sub>DRAIN<sup>®</sup> Valves are available with British Standard Pipe Threads (BSPT). Please call for pricing and availability.

## Model 2511 TEST<sub>AND</sub>DRAIN<sup>®</sup>

### Sectional Floor Control Test and Drain Valve for Systems Requiring Pressure Relief

The Model 2511A TEST<sub>AND</sub>DRAIN<sup>®</sup> is a multi-directional, compact, single-handle ball valve (300 PSI rated) that includes tamper-resistant test orifice and sight glasses. The Model 2511A features an alternate handle location from the Model 1011A for difficult install situation and complies with the requirements of NFPA 13, 13D, and 13R. The 2" Model 2511A valves feature a groove x groove connection. M2511A valves are packaged with a trim kit. The trim kit includes a M7000 PRV (175 PSI) and drain trim. Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1" M2511</b> No PRV Trim 	406-0	1" M2511 x 3/8" Orifice	Special	10	1	EACH
	406-1	1" M2511 x 7/16" Orifice	Special	10	1	EACH
	<b>406-2</b>	<b>1" M2511 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	406-3	1" M2511 17/32" Orifice	Special	10	1	EACH
	406-4	1" M2511 5/8" ELO Orifice	Special	10	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1" M2511</b> No PRV Trim Groove x Groove 	406G-0	1" M2511 x 3/8" Orifice	Special	10	1	EACH
	406G-1	1" M2511 x 7/16" Orifice	Special	10	1	EACH
	<b>406G-2</b>	<b>1" M2511 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	406G-3	1" M2511 17/32" Orifice	Special	10	1	EACH
	406G-4	1" M2511 5/8" ELO Orifice	Special	10	1	EACH
<b>1" M2511A</b> 	406A-0	1" M2511A x 3/8" Orifice	Special	10	1	EACH
	406A-1	1" M2511A x 7/16" Orifice	Special	10	1	EACH
	<b>406A-2</b>	<b>1" M2511A 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	406A-3	1" M2511A 17/32" Orifice	Special	10	1	EACH
	406A-4	1" M2511A 5/8" ELO Orifice	Special	10	1	EACH
<b>1" M2511A</b> Groove x Groove 	406GA-0	1" M2511A x 3/8" Orifice	Special	10	1	EACH
	406GA-1	1" M2511A x 7/16" Orifice	Special	10	1	EACH
	<b>406GA-2</b>	<b>1" M2511A 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	406GA-3	1" M2511A 17/32" Orifice	Special	10	1	EACH
	406GA-4	1" M2511A 5/8" ELO Orifice	Special	10	1	EACH
<b>1" M2511T</b> 	406T-0	1" M2511T x 3/8" Orifice	Special	5	1	EACH
	406T-1	1" M2511T x 7/16" Orifice	Special	5	1	EACH
	<b>406T-2</b>	<b>1" M2511T 1/2" Orifice</b>	<b>Stock</b>	<b>5</b>	<b>1</b>	<b>EACH</b>
	406T-3	1" M2511T 17/32" Orifice	Special	5	1	EACH
	406T-4	1" M2511T 5/8" ELO Orifice	Special	5	1	EACH
<b>1" M2511T</b> Groove x Groove 	406GT-0	1" M2511T x 3/8" Orifice	Special	5	1	EACH
	406GT-1	1" M2511T x 7/16" Orifice	Special	5	1	EACH
	<b>406GT-2</b>	<b>1" M2511T 1/2" Orifice</b>	<b>Stock</b>	<b>5</b>	<b>1</b>	<b>EACH</b>
	406GT-3	1" M2511T 17/32" Orifice	Special	5	1	EACH
	406GT-4	1" M2511T 5/8" ELO Orifice	Special	5	1	EACH
<b>1 1/4" M2511</b> No PRV Trim 	407-0	1 1/4" M2511 x 3/8" Orifice	Special	10	1	EACH
	407-1	1 1/4" M2511 x 7/16" Orifice	Special	10	1	EACH
	<b>407-2</b>	<b>1 1/4" M2511 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	407-3	1 1/4" M2511 17/32" Orifice	Special	10	1	EACH
	407-4	1 1/4" M2511 5/8" ELO Orifice	Special	10	1	EACH
	407-5	1 1/4" M2511 x 3/4" ESFR Orifice	Special	10	1	EACH
<b>1 1/4" M2511</b> No PRV Trim Groove x Groove 	407G-0	1 1/4" M2511 x 3/8" Orifice	Special	10	1	EACH
	407G-1	1 1/4" M2511 x 7/16" Orifice	Special	10	1	EACH
	<b>407G-2</b>	<b>1 1/4" M2511 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	407G-3	1 1/4" M2511 17/32" Orifice	Special	10	1	EACH
	407G-4	1 1/4" M2511 5/8" ELO Orifice	Special	10	1	EACH
	407G-5	1 1/4" M2511 x 3/4" ESFR Orifice	Special	10	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1¼" M2511A</b> 	407A-0	1¼" M2511A x ¾" Orifice	Special	10	1	EACH
	407A-1	1¼" M2511A x 7/16" Orifice	Special	10	1	EACH
	<b>407A-2</b>	<b>1¼" M2511A ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	407A-3	1¼" M2511A 17/32" Orifice	Special	10	1	EACH
	407A-4	1¼" M2511A 5/8" ELO Orifice	Special	10	1	EACH
	407A-5	1¼" M2511A x ¾" ESFR Orifice	Special	10	1	EACH
<b>1¼" M2511A Groove x Groove</b> 	407GA-0	1¼" M2511A x ¾" Orifice	Special	10	1	EACH
	407GA-1	1¼" M2511A x 7/16" Orifice	Special	10	1	EACH
	<b>407GA-2</b>	<b>1¼" M2511A ½" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>1</b>	<b>EACH</b>
	407GA-3	1¼" M2511A 17/32" Orifice	Special	10	1	EACH
	407GA-4	1¼" M2511A 5/8" ELO Orifice	Special	10	1	EACH
	407GA-5	1¼" M2511A x ¾" ESFR Orifice	Special	10	1	EACH
<b>1¼" M2511T</b> 	407T-0	1¼" M2511T x ¾" Orifice	Special	5	1	EACH
	407T-1	1¼" M2511T x 7/16" Orifice	Special	5	1	EACH
	<b>407T-2</b>	<b>1¼" M2511T ½" Orifice</b>	<b>Stock</b>	<b>5</b>	<b>1</b>	<b>EACH</b>
	407T-3	1¼" M2511T 17/32" Orifice	Special	5	1	EACH
	407T-4	1¼" M2511T 5/8" ELO Orifice	Special	5	1	EACH
	407T-5	1¼" M2511T x ¾" ESFR Orifice	Special	5	1	EACH
<b>1¼" M2511T Groove x Groove</b> 	407GT-0	1¼" M2511T x ¾" Orifice	Special	5	1	EACH
	407GT-1	1¼" M2511T x 7/16" Orifice	Special	5	1	EACH
	<b>407GT-2</b>	<b>1¼" M2511T ½" Orifice</b>	<b>Stock</b>	<b>5</b>	<b>1</b>	<b>EACH</b>
	407GT-3	1¼" M2511T 17/32" Orifice	Special	5	1	EACH
	407GT-4	1¼" M2511T 5/8" ELO Orifice	Special	5	1	EACH
	407GT-5	1¼" M2511T x ¾" ESFR Orifice	Special	5	1	EACH
<b>2" M2511 No PRV Trim Groove x Groove</b> 	409-0	2" M2511 x ¾" Orifice (GRV)	Special	6	1	EACH
	409-1	2" M2511 x 7/16" Orifice (GRV)	Special	6	1	EACH
	<b>409-2</b>	<b>2" M2511 ½" Orifice (GRV)</b>	<b>Stock</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	409-3	2" M2511 17/32" Orifice (GRV)	Special	6	1	EACH
	409-4	2" M2511 5/8" ELO Orifice (GRV)	Special	6	1	EACH
	409-5	2" M2511 ¾" ESFR Orifice (GRV)	Special	6	1	EACH
	409-6	2" M2511 K25 Orifice (GRV)	Special	6	1	EACH
<b>2" M2511A Groove x Groove</b> 	409A-0	2" M2511A x ¾" Orifice (GRV)	Special	6	1	EACH
	409A-1	2" M2511A x 7/16" Orifice (GRV)	Special	6	1	EACH
	<b>409A-2</b>	<b>2" M2511A ½" Orifice (GRV)</b>	<b>Stock</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	409A-3	2" M2511A 17/32" Orifice (GRV)	Special	6	1	EACH
	409A-4	2" M2511A 5/8" ELO Orifice (GRV)	Special	6	1	EACH
	409A-5	2" M2511A ¾" ESFR Orifice (GRV)	Special	6	1	EACH
	409A-6	2" M2511A K25 Orifice (GRV)	Special	6	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	409T-0	2" M2511T x 3/8" Orifice (GRV)	Special	6	1	EACH
	409T-1	2" M2511T x 7/16" Orifice (GRV)	Special	6	1	EACH
	<b>409T-2</b>	<b>2" M2511T 1/2" Orifice (GRV)</b>	<b>Special</b>	<b>6</b>	<b>1</b>	<b>EACH</b>
	409T-3	2" M2511T 17/32" Orifice (GRV)	Special	6	1	EACH
	409T-4	2" M2511T 5/8" ELO Orifice (GRV)	Special	6	1	EACH
	409T-5	2" M2511T 3/4" ESFR Orifice (GRV)	Special	6	1	EACH
	409T-6	2" M2511T K25 Orifice (GRV)	Special	6	1	EACH

## Model 1011/2511 Kits

### Pressure Relief Valve (PRV) Trim Kits

Pressure relief valve and trim kits for Model 1011 and 2511 **TESTanDRAIN®** and Model 1500 **DRAINanTEST™** include M7000 Pressure Relief Valve (175 PSI), Bypass Tubing, Barbed Elbows (2), and Hose Clamps (2). M1011T/M2511T Kits also include M7500 Pressure Gauge, M7600 3-Way Globe Valve, tee, plug, and nipples (2). Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

Note: It is important to note that the pressure rating of the relief valve indicates an operating range of pressure for both opening and closing of the valve. Standard relief valves are required to OPEN in a range of pressure between 90% and 105% of their rating. The valves are required to CLOSE at a pressure above 80% of that rating. The relief valve should be installed where it is easily accessible for maintenance. Care should be taken that the relief valve CANNOT be isolated from the system when the system is operational. A relief valve should NEVER have a shutoff valve or a plug downstream of its outlet.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit	
	<b>M1011 Kit</b>	260	PRV Trim Kit for M1011 3/4" Valve	Parts Kit	1	1	EACH
		260	PRV Trim Kit for M1011/M2511 1" Valve	Parts Kit	1	1	EACH
		261	PRV Trim Kit for M1011/M2511 1 1/4" Valve	Parts Kit	1	1	EACH
		262	PRV Trim Kit for M1011 1 1/2" Valve	Parts Kit	1	1	EACH
		262	PRV Trim Kit for M1011/M2511 2" Valve	Parts Kit	1	1	EACH
	<b>M1011T Kit</b>	263	PRV Tee Trim Kit for M1011T 3/4" Valve	Parts Kit	1	1	EACH
		263	PRV Tee Trim Kit for M1011T/M2511 1" Valve	Parts Kit	1	1	EACH
		264	PRV Tee Trim Kit for M1011T/M2511 1 1/4" Valve	Parts Kit	1	1	EACH
		265	PRV Tee Trim Kit for M1011T 1 1/2" Valve	Parts Kit	1	1	EACH
		265	PRV Tee Trim Kit for M1011T/M2511 2" Valve	Parts Kit	1	1	EACH

## Model 3011 INSPECTOR'sTEST™

### Connecting for Single Story and Other Applications

M3011A and M3011ASG valves are packaged with a trim kit. Kit includes a M7000 PRV (175 PSI) and drain trim. Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).


	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
 <b>M3011A</b>	300A	M3011A x 3/8" Orifice	Stock	10	1	EACH
	301A	M3011A x 7/16" Orifice	Stock	10	1	EACH
	<b>302A</b>	<b>M3011A x 1/2" Orifice</b>	<b>Stock</b>	<b>10</b>	<b>10</b>	<b>EACH</b>
	303A	M3011A x 17/32" Orifice	Stock	10	1	EACH
	304A	M3011A x 5/8" ELO Orifice	Stock	10	1	EACH
 <b>M3011BV</b>	300BV	M3011BV x 3/8" Orifice	Stock	10	1	EACH
	301BV	M3011BV x 7/16" Orifice	Stock	10	1	EACH
	302BV	M3011BV x 1/2" Orifice	Stock	10	1	EACH
	303BV	M3011BV x 17/32" Orifice	Stock	10	1	EACH
	304BV	M3011BV x 5/8" ELO Orifice	Stock	10	1	EACH
 <b>M3011SG</b>	300SG	M3011SG x 3/8" Orifice	Special	10	1	EACH
	301SG	M3011SG x 7/16" Orifice	Special	10	1	EACH
	302SG	M3011SG x 1/2" Orifice	Special	10	1	EACH
	303SG	M3011SG x 17/32" Orifice	Special	10	1	EACH
	304SG	M3011SG x 5/8" ELO Orifice	Special	10	1	EACH
 <b>M3011ASG</b>	300ASG	M3011ASG x 3/8" Orifice	Special	10	1	EACH
	301ASG	M3011ASG x 7/16" Orifice	Special	10	1	EACH
	302ASG	M3011ASG x 1/2" Orifice	Special	10	1	EACH
	303ASG	M3011ASG x 17/32" Orifice	Special	10	1	EACH
	304ASG	M3011ASG x 5/8" ELO Orifice	Special	10	1	EACH
<b>M3011 Accessories</b>	305	M3011 1" Sight Glass	Stock	1	1	EACH
	306	Model 3011 1" Kit	Assembly	1	1	EACH

## Model 1500 DRAINanTEST™ with British Standard Pipe Thread (BSPT)


### Alarm Main Drain and Test Valve Iron Body without Sight Glasses

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
 <b>2" BSPT M1500</b>	290	2" BSPT M1500 x 3/8" Orifice	Special	6	1	EACH
	291	2" BSPT M1500 x 7/16" Orifice	Special	6	1	EACH
	<b>292</b>	<b>2" BSPT M1500 x 1/2" Orifice</b>	<b>Special</b>	<b>6</b>	<b>6</b>	<b>EACH</b>
	293	2" BSPT M1500 x 17/32" Orifice	Special	6	1	EACH
	294	2" BSPT M1500 x 5/8" ELO Orifice	Special	6	1	EACH
	295	2" BSPT M1500 x 3/4" ESRF Orifice	Special	6	1	EACH
	296	2" BSPT M1500 x K25 Orifice	Special	6	1	EACH

OLD WAY  
Figure 1



NEW WAY  
Figure 2



## Model 1200 REMOTE TEST®

### Remote Operated TESTANDRAIN® Valve

Energizing the solenoid incorporated into the **TESTANDRAIN®** valve allows system water to flow through a test orifice. After the preset time delay, the water flow alarm is activated confirming system integrity. **REMOTE TEST®** is designed to be integrated into an existing panel or wired to an independent panel, allowing ONE person to activate each specific system or a group of systems from ONE central location. An optional Bypass Drain Loop Kit is also available.



**Figure 1:** Performing the fire sprinkler inspector's test typically requires coordination between two people, with one going floor to floor, possibly carrying a ladder and toolbox, to manually test each system.

**Figure 2:** AGF's Model 1200 **REMOTE TEST® TESTANDRAIN®** saves you time and money by allowing the fire sprinkler inspector's test to be performed by a single operator at a single location through a local switch, an auxiliary panel, an addressable FAC panel, or a LAN system. The test can be performed on multiple floors, or even in multiple buildings in minutes – promoting regular inspections and preserving system integrity.

	AGF Item ID	Item Description	Item Class
	270-350	1" M1200 x 1/2" Orifice w/1" Solenoid Valve 24V	Special
	270-351	1" M1200 x 1/2" Orifice w/1" Solenoid Valve 110V	Special
	Note: Other orifice sizes are also available (3/8", 7/16", 17/32", 5/8" ELO)		
	272-350	1 1/4" M1200 x 1/2" Orifice w/1" Solenoid Valve 24V	Special
	272-351	1 1/4" M1200 x 1/2" Orifice w/1" Solenoid Valve 110V	Special
	Note: Other orifice sizes are also available (3/8", 7/16", 17/32", 5/8" ELO, 3/4" ESFR)		
	Special Order	1 1/2" M1200 x 1/2" Orifice w/1" Solenoid Valve 24V	Special
	Special Order	1 1/2" M1200 x 1/2" Orifice w/1" Solenoid Valve 110V	Special
	Note: Other orifice sizes are also available (3/8", 7/16", 17/32", 5/8" ELO, 3/4" ESFR)		
	274-350	2" M1200 x 1/2" Orifice w/1" Solenoid Valve 24V	Special
	274-351	2" M1200 x 1/2" Orifice w/1" Solenoid Valve 110V	Special
	Note: Other orifice sizes are also available (3/8", 7/16", 17/32", 5/8" ELO, 3/4" ESFR, K25)		
	365	Model 1200 1" Bypass Kit	Special
	365	Model 1200 1 1/4" Bypass Kit	Special
	365	Model 1200 1 1/2" Bypass Kit	Special
	365	Model 1200 2" Bypass Kit	Special

On-Site or Off-Site Activation



## Model 7000/7200 Pressure Relief Valve

Note: It is important to note that the pressure rating of the relief valve indicates an operating range of pressure for both opening and closing of the valve. Standard relief valves are required to OPEN in a range of pressure between 90% and 105% of their rating. The valves are required to CLOSE at a pressure above 80% of that rating. The relief valve should be installed where it is easily accessible for maintenance. Care should be taken that the relief valve CANNOT be isolated from the system when the system is operational. A relief valve should NEVER have a shutoff valve or a plug downstream of its outlet.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	<b>600</b>	<b>M7000 ½" Relief Valve 175PSI</b>	<b>Stock</b>	<b>50</b>	<b>50</b>	<b>EACH</b>
	601	M7000 ½" Relief Valve 165PSI	Stock	50	1	EACH
	602	M7000 ½" Relief Valve 185PSI	Stock	50	1	EACH
	603	M7000 ½" Relief Valve 195PSI	Stock	50	1	EACH
	605	M7000 ½" Relief Valve 205PSI	Stock	50	1	EACH
	606	M7000 ½" Relief Valve 225PSI	Stock	50	1	EACH
	607	M7000 ½" Relief Valve 250PSI	Stock	50	1	EACH
	604	Special Relief Valve	Stock	25	1	EACH
	610	M7200 ¾" Relief Valve	Stock	50	1	EACH

## Pressure Gauge and Accessories

### Model 7500 Model · 7600 Gauge Valve

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	650	M7500 4" Pressure Gauge	Stock	60	1	EACH
	660	M7600 ¼" 3-Way Globe Valve	Stock	100	1	EACH

## SMARTGAUGE™

### Pressure Gauge with Drag Needle for Peak Pressure Monitoring

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	656	M7550 SMARTGAUGE	Stock	20	1	EACH
	655	M7550 SMARTGAUGE with Custom Case	Stock	20	1	EACH

# Valve Repair Kits

Repair kits are available for all Models 1000, 1011, 2500, 2511 **TESTANDRAIN®**; 1200 **REMOTE TEST®**; and 1500 **DRAINANTEST™** valves. Repair kits include: Replacement Adapter Gasket (1), Replacement Ball (1), Replacement Valve Seats (2), Replacement Stem Packing (1), and Replacement Stem Washer (1). For more information, visit [www.testandrain.com](http://www.testandrain.com) and click on the "SUPPORT" button.



	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>Repair Kit for 3/4" and 1" Models 1000, 1011, 1200</b>	9700A	Repair Kit for 3/4" and 1" Valves; 3/8" Orifice	Assembly	1	1	EACH
	9701A	Repair Kit for 3/4" and 1" Valves; 7/16" Orifice	Assembly	1	1	EACH
	9702A	Repair Kit for 3/4" and 1" Valves; 1/2" Orifice	Assembly	1	1	EACH
	9703A	Repair Kit for 3/4" and 1" Valves; 17/32" Orifice	Assembly	1	1	EACH
	9704A	Repair Kit for 3/4" and 1" Valves; 5/8" ELO Orifice	Assembly	1	1	EACH
<b>Repair Kit for 1 1/4" Models 1000, 1011, 1200</b>	9710A	Repair Kit for 1 1/4" Valves; 3/8" Orifice	Assembly	1	1	EACH
	9711A	Repair Kit for 1 1/4" Valves; 7/16" Orifice	Assembly	1	1	EACH
	9712A	Repair Kit for 1 1/4" Valves; 1/2" Orifice	Assembly	1	1	EACH
	9713A	Repair Kit for 1 1/4" Valves; 17/32" Orifice	Assembly	1	1	EACH
	9714A	Repair Kit for 1 1/4" Valves; 5/8" ELO Orifice	Assembly	1	1	EACH
	9715A	Repair Kit for 1 1/4" Valves; 3/4" ESFR Orifice	Assembly	1	1	EACH
<b>Repair Kit for 1 1/2" and 2" Models 1000, 1011, 1200</b>	9730A	Repair Kit for 1 1/2" and 2" Valves; 3/8" Orifice	Assembly	1	1	EACH
	9731A	Repair Kit for 1 1/2" and 2" Valves; 7/16" Orifice	Assembly	1	1	EACH
	9732A	Repair Kit for 1 1/2" and 2" Valves; 1/2" Orifice	Assembly	1	1	EACH
	9733A	Repair Kit for 1 1/2" and 2" Valves; 17/32" Orifice	Assembly	1	1	EACH
	9734A	Repair Kit for 1 1/2" and 2" Valves; 5/8" ELO Orifice	Assembly	1	1	EACH
	9735A	Repair Kit for 1 1/2" and 2" Valves; 3/4" ESFR Orifice	Assembly	1	1	EACH
	9736A	Repair Kit for 1 1/2" and 2" Valves; K25 Orifice	Assembly	1	1	EACH
<b>Repair Kit for 1" Models 2500, 2511</b>	9741A	Repair Kit for 1" Valves; 3/8" Orifice	Assembly	1	1	EACH
	9742A	Repair Kit for 1" Valves; 7/16" Orifice	Assembly	1	1	EACH
	9743A	Repair Kit for 1" Valves; 1/2" Orifice	Assembly	1	1	EACH
	9744A	Repair Kit for 1" Valves; 17/32" Orifice	Assembly	1	1	EACH
	9745A	Repair Kit for 1" Valves; 5/8" ELO Orifice	Assembly	1	1	EACH
<b>Repair Kit for 1 1/4" Models 2500, 2511</b>	9750A	Repair Kit for 1 1/4" Valves; 3/8" Orifice	Assembly	1	1	EACH
	9751A	Repair Kit for 1 1/4" Valves; 7/16" Orifice	Assembly	1	1	EACH
	9752A	Repair Kit for 1 1/4" Valves; 1/2" Orifice	Assembly	1	1	EACH
	9753A	Repair Kit for 1 1/4" Valves; 17/32" Orifice	Assembly	1	1	EACH
	9754A	Repair Kit for 1 1/4" Valves; 5/8" ELO Orifice	Assembly	1	1	EACH
	9755A	Repair Kit for 1 1/4" Valves; 3/4" ESFR Orifice	Assembly	1	1	EACH
<b>Repair Kit for 2" Models 2500, 2511, 1500</b>	9760A	Repair Kit for 2" Valves; 3/8" Orifice	Assembly	1	1	EACH
	9761A	Repair Kit for 2" Valves; 7/16" Orifice	Assembly	1	1	EACH
	9762A	Repair Kit for 2" Valves; 1/2" Orifice	Assembly	1	1	EACH
	9763A	Repair Kit for 2" Valves; 17/32" Orifice	Assembly	1	1	EACH
	9764A	Repair Kit for 2" Valves; 5/8" ELO Orifice	Assembly	1	1	EACH
	9765A	Repair Kit for 2" Valves; 3/4" ESFR Orifice	Assembly	1	1	EACH
	9766A	Repair Kit for 2" Valves; K25 Orifice	Assembly	1	1	EACH



# NFPA 13D Standard

## One and Two Family Dwellings and Manufactured Homes

- 1.1.1** This standard shall cover the design, installation, and maintenance of automatic sprinkler systems for protection against the fire hazards in one and two family dwellings and manufactured homes.
- 1.2.1** The purpose of this standard shall be to provide a sprinkler system that aids in the detection and control of residential fires and thus provides improved protection against injury and life loss.

—NFPA 13D Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes (13D-6, 2013)



## Model 8000D RESIDENTIAL RISERPACK™

### Preassembled Riser for NFPA 13D Systems

Includes: Bronze Riser Body, Water Flow Alarm Switch w/ Retard, 3½" Pressure Gauge, and Drain Valve w/ Test Orifice. Sight Glass option available. Non-Retard Flow Switch is available by special order.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1" M8000 Thread</b> 	8100D	1" M8000 x 3.0k-A Orifice	Assembly	1	1	EACH
	8101D	1" M8000 x 3.7k-B Orifice	Assembly	1	1	EACH
	8102D	1" M8000 x 4.3k-C Orifice	Assembly	1	1	EACH
	8103D	1" M8000 x 5.5k-D Orifice	Assembly	1	1	EACH
<b>1¼" M8000 Thread</b> 	8110D	1¼" M8000 x 3/8" Orifice	Assembly	1	1	EACH
	8111D	1¼" M8000 x 7/16" Orifice	Assembly	1	1	EACH
	8112D	1¼" M8000 x 1/2" Orifice	Assembly	1	1	EACH
	8113D	1¼" M8000 x 17/32" Orifice	Assembly	1	1	EACH
	8114D	1¼" M8000 x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8000 Thread</b> 	8120D	1½" M8000 (THD) x 3/8" Orifice	Assembly	1	1	EACH
	8121D	1½" M8000 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	8122D	1½" M8000 (THD) x 1/2" Orifice	Assembly	1	1	EACH
	8123D	1½" M8000 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8124D	1½" M8000 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8000 Thread x Groove</b> 	8125D	1½" M8000 (THD x GRV) x 3/8" Orifice	Assembly	1	1	EACH
	8126D	1½" M8000 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8127D	1½" M8000 (THD x GRV) x 1/2" Orifice	Assembly	1	1	EACH
	8128D	1½" M8000 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8129D	1½" M8000 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1½" M8000 Groove</b> 	8130D	1½" M8000 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8131D	1½" M8000 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8132D	1½" M8000 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8133D	1½" M8000 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8134D	1½" M8000 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000 Thread</b> 	8140D	2" M8000 (THD) x ¾" Orifice	Assembly	1	1	EACH
	8141D	2" M8000 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	8142D	2" M8000 (THD) x ½" Orifice	Assembly	1	1	EACH
	8143D	2" M8000 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8144D	2" M8000 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000 Thread x Groove</b> 	8145D	2" M8000 (THD x GRV) x ¾" Orifice	Assembly	1	1	EACH
	8146D	2" M8000 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8147D	2" M8000 (THD x GRV) x ½" Orifice	Assembly	1	1	EACH
	8148D	2" M8000 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8149D	2" M8000 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000 Groove</b> 	8150D	2" M8000 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8151D	2" M8000 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8152D	2" M8000 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8153D	2" M8000 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8154D	2" M8000 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH

## **Model 8011D RESIDENTIAL RISERPACK™**

### **Preassembled Riser for NFPA 13D Systems Requiring Pressure Relief**

Includes: Bronze Riser Body, Water Flow Alarm Switch w/ Retard, 3/2" Pressure Gauge, Drain Valve w/ Test Orifice, and Pressure Relief Valve w/ Drain Trim. Sight Glass option available. Non-Retard Flow Switch is available by special order.

M8011 valves are packaged with Trim Kit. Kit includes a M7000 PRV (175 PSI) and drain trim. Other Pressure Relief Valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

Note: It is important to note that the pressure rating of the relief valve indicates an operating range of pressure for both opening and closing of the valve. Standard relief valves are required to OPEN in a range of pressure between 90% and 105% of their rating. The valves are required to CLOSE at a pressure above 80% of that rating. The relief valve should be installed where it is easily accessible for maintenance. Care should be taken that the relief valve CANNOT be isolated from the system when the system is operational. A relief valve should NEVER have a shutoff valve or a plug downstream of its outlet.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1" M8011 Thread</b> 	8200D	1" M8011 x 3.0k-B Orifice	Assembly	1	1	EACH
	8201D	1" M8011 x 3.7k-E Orifice	Assembly	1	1	EACH
	8202D	1" M8011 x 4.3k-F Orifice	Assembly	1	1	EACH
	8203D	1" M8011 x 5.5k-F Orifice	Assembly	1	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1¼" M8011</b>  Thread	8210D	1¼" M8011 x ¾" Orifice	Assembly	1	1	EACH
	8211D	1¼" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	8212D	1¼" M8011 x ½" Orifice	Assembly	1	1	EACH
	8213D	1¼" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8214D	1¼" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8011</b>  Thread	8220D	1½" M8011 (THD) x ¾" Orifice	Assembly	1	1	EACH
	8221D	1½" M8011 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	8222D	1½" M8011 (THD) x ½" Orifice	Assembly	1	1	EACH
	8223D	1½" M8011 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8224D	1½" M8011 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8011</b>  Thread x Groove	8225D	1½" M8011 (THD x GRV) x ¾" Orifice	Assembly	1	1	EACH
	8226D	1½" M8011 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8227D	1½" M8011 (THD x GRV) x ½" Orifice	Assembly	1	1	EACH
	8228D	1½" M8011 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8229D	1½" M8011 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8011</b>  Groove	8230D	1½" M8011 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8231D	1½" M8011 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8232D	1½" M8011 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8233D	1½" M8011 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8234D	1½" M8011 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011</b>  Thread	8240D	2" M8011 (THD) x ¾" Orifice	Assembly	1	1	EACH
	8241D	2" M8011 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	8242D	2" M8011 (THD) x ½" Orifice	Assembly	1	1	EACH
	8243D	2" M8011 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8244D	2" M8011 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011</b>  Thread x Groove	8245D	2" M8011 (THD x GRV) x ¾" Orifice	Assembly	1	1	EACH
	8246D	2" M8011 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8247D	2" M8011 (THD x GRV) x ½" Orifice	Assembly	1	1	EACH
	8248D	2" M8011 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8249D	2" M8011 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011</b>  Groove	8250D	2" M8011 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8251D	2" M8011 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8252D	2" M8011 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8253D	2" M8011 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8254D	2" M8011 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH

## **NFPA 13R Standard** Low-Rise Residential Occupancies

- 1.1** This standard shall cover the design and installation of automatic sprinkler systems for protection against the fire hazards in residential occupancies up to and including four stories in height in buildings not exceeding 60 ft. (18 m) in height above grade plane.
- 1.2.1** The purpose of this standard shall be to provide a sprinkler system that aids in the detection and control of residential fires and thus provides improved protection against injury and life loss and property damage.
- 3.3.9** Residential occupancies. Occupancies that include the following, as defined in NFPA 101: (1) apartment buildings, (2) lodging and rooming houses, (3) board and care facilities, and (4) hotels, motels, and dormitories.

—NFPA 13R Standard for the Installation of Sprinkler Systems in Low-Rise Residential Occupancies (13R-6, 2013)

## **Model 8000R RESIDENTIAL RISERPACK™** Preassembled Riser for NFPA 13R Systems

Includes: Bronze Riser Body, Water Flow Alarm Switch w/ Retard, 3½" Pressure Gauge with ¼" 3-Way Globe Valve, and Drain Valve w/ Test Orifice. Sight Glass option available. Non-Retard Flow Switch is available by special order.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1¼" M8000 Thread</b> 	8110R	1¼" M8000 x ⅜" Orifice	Assembly	1	1	EACH
	8111R	1¼" M8000 x 7/16" Orifice	Assembly	1	1	EACH
	8112R	1¼" M8000 x ½" Orifice	Assembly	1	1	EACH
	8113R	1¼" M8000 x 17/32" Orifice	Assembly	1	1	EACH
	8114R	1¼" M8000 x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8000 Thread</b> 	8120R	1½" M8000 (THD) x ⅜" Orifice	Assembly	1	1	EACH
	8121R	1½" M8000 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	8122R	1½" M8000 (THD) x ½" Orifice	Assembly	1	1	EACH
	8123R	1½" M8000 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8124R	1½" M8000 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8000 Thread x Groove</b> 	8125R	1½" M8000 (THD x GRV) x ⅜" Orifice	Assembly	1	1	EACH
	8126R	1½" M8000 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8127R	1½" M8000 (THD x GRV) x ½" Orifice	Assembly	1	1	EACH
	8128R	1½" M8000 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8129R	1½" M8000 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1½" M8000</b> Groove 	8130R	1½" M8000 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8131R	1½" M8000 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8132R	1½" M8000 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8133R	1½" M8000 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8134R	1½" M8000 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000</b> Thread 	8140R	2" M8000 (THD) x ¾" Orifice	Assembly	1	1	EACH
	8141R	2" M8000 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	8142R	2" M8000 (THD) x ½" Orifice	Assembly	1	1	EACH
	8143R	2" M8000 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8144R	2" M8000 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000</b> Thread x Groove 	8145R	2" M8000 (THD x GRV) x ¾" Orifice	Assembly	1	1	EACH
	8146R	2" M8000 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8147R	2" M8000 (THD x GRV) x ½" Orifice	Assembly	1	1	EACH
	8148R	2" M8000 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8149R	2" M8000 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000</b> Groove 	8150R	2" M8000 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8151R	2" M8000 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	8152R	2" M8000 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8153R	2" M8000 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8154R	2" M8000 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH



## Model 8011R RESIDENTIAL RISERPACK™

### Preassembled Riser for NFPA 13R Systems Requiring Pressure Relief

Includes: Bronze Riser Body, Water Flow Alarm Switch w/ Retard, 3½" Pressure Gauge with ¼" 3-Way Globe Valve, Drain Valve w/ Test Orifice, and Pressure Relief Valve w/ Drain Trim. Sight Glass option available. Non-Retard Flow Switch is available by special order.

M8011 valves are packaged with Trim Kit. Kit includes a M7000 PRV (175 PSI) and drain trim. Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

Note: It is important to note that the pressure rating of the relief valve indicates an operating range of pressure for both opening and closing of the valve. Standard relief valves are required to OPEN in a range of pressure between 90% and 105% of their rating. The valves are required to CLOSE at a pressure above 80% of that rating. The relief valve should be installed where it is easily accessible for maintenance. Care should be taken that the relief valve CANNOT be isolated from the system when the system is operational. A relief valve should NEVER have a shutoff valve or a plug downstream of its outlet.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1¼" M8011</b> Thread 	8210R	1¼" M8011 x ¾" Orifice	Assembly	1	1	EACH
	8211R	1¼" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	8212R	1¼" M8011 x ½" Orifice	Assembly	1	1	EACH
	8213R	1¼" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8214R	1¼" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1½" M8011 Thread</b> 	8220R	1½" M8011 (THD) x ⅜" Orifice	Assembly	1	1	EACH
	8221R	1½" M8011 (THD) x ⅞" Orifice	Assembly	1	1	EACH
	8222R	1½" M8011 (THD) x ½" Orifice	Assembly	1	1	EACH
	8223R	1½" M8011 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8224R	1½" M8011 (THD) x ⅝" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8011 Thread x Groove</b> 	8225R	1½" M8011 (THD x GRV) x ⅜" Orifice	Assembly	1	1	EACH
	8226R	1½" M8011 (THD x GRV) x ⅞" Orifice	Assembly	1	1	EACH
	8227R	1½" M8011 (THD x GRV) x ½" Orifice	Assembly	1	1	EACH
	8228R	1½" M8011 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8229R	1½" M8011 (THD x GRV) x ⅝" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8011 Groove</b> 	8230R	1½" M8011 (GRV) x ⅜" Orifice	Assembly	1	1	EACH
	8231R	1½" M8011 (GRV) x ⅞" Orifice	Assembly	1	1	EACH
	8232R	1½" M8011 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8233R	1½" M8011 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8234R	1½" M8011 (GRV) x ⅝" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011 Thread</b> 	8240R	2" M8011 (THD) x ⅜" Orifice	Assembly	1	1	EACH
	8241R	2" M8011 (THD) x ⅞" Orifice	Assembly	1	1	EACH
	8242R	2" M8011 (THD) x ½" Orifice	Assembly	1	1	EACH
	8243R	2" M8011 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8244R	2" M8011 (THD) x ⅝" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011 Thread x Groove</b> 	8245R	2" M8011 (THD x GRV) x ⅜" Orifice	Assembly	1	1	EACH
	8246R	2" M8011 (THD x GRV) x ⅞" Orifice	Assembly	1	1	EACH
	8247R	2" M8011 (THD x GRV) x ½" Orifice	Assembly	1	1	EACH
	8248R	2" M8011 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8249R	2" M8011 (THD x GRV) x ⅝" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011 Groove</b> 	8250R	2" M8011 (GRV) x ⅜" Orifice	Assembly	1	1	EACH
	8251R	2" M8011 (GRV) x ⅞" Orifice	Assembly	1	1	EACH
	8252R	2" M8011 (GRV) x ½" Orifice	Assembly	1	1	EACH
	8253R	2" M8011 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8254R	2" M8011 (GRV) x ⅝" ELO Orifice	Assembly	1	1	EACH



# Model 8000 COMMERCIAL RISERPACK™

## Preassembled Bronze Riser for NFPA 13 Systems

Includes: Bronze Riser Body, Water Flow Alarm Switch w/ Retard, 3½" Pressure Gauge with ¼" 3-Way Globe Valve, and TESTANDRAIN® Valve w/ Test Orifice.


	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1¼" M8000 Thread</b> 	8310A	1¼" M8000 x ¾" Orifice	Assembly	1	1	EACH
	8311A	1¼" M8000 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8312A</b>	<b>1¼" M8000 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8313A	1¼" M8000 x 17/32" Orifice	Assembly	1	1	EACH
	8314A	1¼" M8000 x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8000 Thread</b> 	8320A	1½" M8000 (THD) x ¾" Orifice	Assembly	1	1	EACH
	8321A	1½" M8000 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8322A</b>	<b>1½" M8000 (THD) x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8323A	1½" M8000 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8324A	1½" M8000 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8000 Thread x Groove</b> 	8325A	1½" M8000 (THD x GRV) x ¾" Orifice	Assembly	1	1	EACH
	8326A	1½" M8000 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8327A</b>	<b>1½" M8000 (THD x GRV) x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8328A	1½" M8000 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8329A	1½" M8000 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1½" M8000 Groove</b> 	8330A	1½" M8000 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8331A	1½" M8000 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8332A</b>	<b>1½" M8000 (GRV) x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8333A	1½" M8000 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8334A	1½" M8000 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000 Thread</b> 	8340A	2" M8000 (THD) x ¾" Orifice	Assembly	1	1	EACH
	8341A	2" M8000 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8342A</b>	<b>2" M8000 (THD) x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8343A	2" M8000 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8344A	2" M8000 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000 Thread x Groove</b> 	8345A	2" M8000 (THD x GRV) x ¾" Orifice	Assembly	1	1	EACH
	8346A	2" M8000 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8347A</b>	<b>2" M8000 (THD x GRV) x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8348A	2" M8000 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8349A	2" M8000 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8000 Groove</b> 	8350A	2" M8000 (GRV) x ¾" Orifice	Assembly	1	1	EACH
	8351A	2" M8000 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8352A</b>	<b>2" M8000 (GRV) x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8353A	2" M8000 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8354A	2" M8000 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH



## Model 8000 COMMERCIAL RISERPACK™

### Preassembled Schedule 40 Steel Riser for NFPA 13 Systems

Includes: Schedule 40 Steel Riser Body w/ Grooved Connections, Water Flow Alarm Switch w/ Retard, 3½" Pressure Gauge with ¼" 3-Way Globe Valve, and **TEST<sub>AN</sub>DRAIN**® Valve w/ Test Orifice.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	8360A	2½" M8000 x ¾" Orifice	Assembly	1	1	EACH
	8361A	2½" M8000 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8362A</b>	<b>2½" M8000 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8363A	2½" M8000 x 17/32" Orifice	Assembly	1	1	EACH
	8364A	2½" M8000 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8365A	2½" M8000 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8370A	3" M8000 x ¾" Orifice	Assembly	1	1	EACH
	8371A	3" M8000 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8372A</b>	<b>3" M8000 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8373A	3" M8000 x 17/32" Orifice	Assembly	1	1	EACH
	8374A	3" M8000 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8375A	3" M8000 x ¾" ESFR Orifice	Assembly	1	1	EACH
 <p>Utilizes M2500 Groove x Groove TEST<sub>AN</sub>DRAIN®</p>	8380A	4" M8000 x ¾" Orifice	Assembly	1	1	EACH
	8381A	4" M8000 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8382A</b>	<b>4" M8000 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8383A	4" M8000 x 17/32" Orifice	Assembly	1	1	EACH
	8384A	4" M8000 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8385A	4" M8000 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8386A	4" M8000 x K25 Orifice	Assembly	1	1	EACH
 <p>Utilizes M2500 Groove x Groove TEST<sub>AN</sub>DRAIN®</p>	8390A	6" M8000 x ¾" Orifice	Assembly	1	1	EACH
	8391A	6" M8000 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8392A</b>	<b>6" M8000 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8393A	6" M8000 x 17/32" Orifice	Assembly	1	1	EACH
	8394A	6" M8000 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8395A	6" M8000 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8396A	6" M8000 x K25 Orifice	Assembly	1	1	EACH

## Locking Plate Kits

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	870	Locking Plate Kit (Specify Valve Size When Ordering)	Special	1	1	EACH



# Model 8011 COMMERCIAL RISERPACK™

## Preassembled Bronze Riser for NFPA 13 Systems Requiring Pressure Relief

Includes: Bronze Riser Body, Water Flow Alarm Switch w/ Retard, 3/2" Pressure Gauge with 1/4" 3-Way Globe Valve, and TESTANDRAIN® Valve w/ Test Orifice.

M8011 valves are packaged with Trim Kit. Kit includes a M7000 PRV (175 PSI) and drain trim. Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>1 1/4" M8011 Thread</b> 	8410A	1 1/4" M8011 (THD) x 3/8" Orifice	Assembly	1	1	EACH
	8411A	1 1/4" M8011 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8412A</b>	<b>1 1/4" M8011 (THD) x 1/2" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8413A	1 1/4" M8011 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8414A	1 1/4" M8011 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1 1/2" M8011 Thread</b> 	8420A	1 1/2" M8011 (THD) x 3/8" Orifice	Assembly	1	1	EACH
	8421A	1 1/2" M8011 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8422A</b>	<b>1 1/2" M8011 (THD) x 1/2" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8423A	1 1/2" M8011 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8424A	1 1/2" M8011 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1 1/2" M8011 Thread x Groove</b> 	8425A	1 1/2" M8011 (THD x GRV) x 3/8" Orifice	Assembly	1	1	EACH
	8426A	1 1/2" M8011 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8427A</b>	<b>1 1/2" M8011 (THD x GRV) x 1/2" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8428A	1 1/2" M8011 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8429A	1 1/2" M8011 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>1 1/2" M8011 Groove</b> 	8430A	1 1/2" M8011 (GRV) x 3/8" Orifice	Assembly	1	1	EACH
	8431A	1 1/2" M8011 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8432A</b>	<b>1 1/2" M8011 (GRV) x 1/2" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8433A	1 1/2" M8011 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8434A	1 1/2" M8011 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011 Thread</b> 	8440A	2" M8011 (THD) x 3/8" Orifice	Assembly	1	1	EACH
	8441A	2" M8011 (THD) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8442A</b>	<b>2" M8011 (THD) x 1/2" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8443A	2" M8011 (THD) x 17/32" Orifice	Assembly	1	1	EACH
	8444A	2" M8011 (THD) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011 Thread x Groove</b> 	8445A	2" M8011 (THD x GRV) x 3/8" Orifice	Assembly	1	1	EACH
	8446A	2" M8011 (THD x GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8447A</b>	<b>2" M8011 (THD x GRV) x 1/2" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8448A	2" M8011 (THD x GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8449A	2" M8011 (THD x GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2" M8011 Groove</b> 	8450A	2" M8011 (GRV) x 3/8" Orifice	Assembly	1	1	EACH
	8451A	2" M8011 (GRV) x 7/16" Orifice	Assembly	1	1	EACH
	<b>8452A</b>	<b>2" M8011 (GRV) x 1/2" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8453A	2" M8011 (GRV) x 17/32" Orifice	Assembly	1	1	EACH
	8454A	2" M8011 (GRV) x 5/8" ELO Orifice	Assembly	1	1	EACH



# Model 8011 COMMERCIAL RISERPACK™

## Preassembled Schedule 40 Steel Riser for NFPA 13 Systems Requiring Pressure Relief

Includes: Schedule 40 Steel Riser Body w/ Grooved Connections, Water Flow Alarm Switch w/ Retard, 3½" Pressure Gauge with ¼" 3-Way Globe Valve, and **TEST<sub>AN</sub>DRAIN®** Valve w/ Test Orifice.

M8011 valves are packaged with Trim Kit. Kit includes a M7000 PRV (175 PSI) and drain trim. Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	8460A	2½" M8011 x ¾" Orifice	Assembly	1	1	EACH
	8461A	2½" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8462A</b>	<b>2½" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8463A	2½" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8464A	2½" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8465A	2½" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8470A	3" M8011 x ¾" Orifice	Assembly	1	1	EACH
	8471A	3" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8472A</b>	<b>3" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8473A	3" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8474A	3" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8475A	3" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
 <p>Utilizes M2500 Groove x Groove TEST<sub>AN</sub>DRAIN®</p>	8480A	4" M8011 x ¾" Orifice	Assembly	1	1	EACH
	8481A	4" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8482A</b>	<b>4" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8483A	4" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8484A	4" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8485A	4" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8486A	4" M8011 x K25 Orifice	Assembly	1	1	EACH
 <p>Utilizes M2500 Groove x Groove TEST<sub>AN</sub>DRAIN®</p>	8490A	6" M8011 x ¾" Orifice	Assembly	1	1	EACH
	8491A	6" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8492A</b>	<b>6" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8493A	6" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8494A	6" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8495A	6" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8496A	6" M8011 x K25 Orifice	Assembly	1	1	EACH

Note: It is important to note that the pressure rating of the relief valve indicates an operating range of pressure for both opening and closing of the valve. Standard relief valves are required to OPEN in a range of pressure between 90% and 105% of their rating. The valves are required to CLOSE at a pressure above 80% of that rating. The relief valve should be installed where it is easily accessible for maintenance. Care should be taken that the relief valve CANNOT be isolated from the system when the system is operational. A relief valve should NEVER have a shutoff valve or a plug downstream of its outlet.



## Model 8611 COMMERCIAL RISERPACK™

### Schedule 40 Corner Mount Steel Riser for NFPA 13 Systems Requiring Pressure Relief

Includes: Schedule 40 Steel Riser Body w/ Grooved Connections, Water Flow Alarm Switch w/ Retard, 3½" Pressure Gauge with ¼" 3-Way Globe Valve, and **TESTANDRAIN®** Valve w/ Test Orifice.

M8611 valves are packaged with Trim Kit. Kit includes a M7000 PRV (175 PSI) and drain trim. Other pressure relief valve PSI ratings are available (165, 185, 195, 205, 225, and 250).

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
<b>2" M8611</b> Corner Mount 	8655A	2" M8011 x ⅜" Orifice	Assembly	1	1	EACH
	8656A	2" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8657A</b>	<b>2" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8658A	2" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8659A	2" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
<b>2½" M8611</b> Corner Mount 	8660A	2½" M8011 x ⅜" Orifice	Assembly	1	1	EACH
	8661A	2½" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8662A</b>	<b>2½" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8663A	2½" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8664A	2½" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8665A	2½" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
<b>3" M8611</b> Corner Mount 	8670A	3" M8011 x ⅜" Orifice	Assembly	1	1	EACH
	8671A	3" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8672A</b>	<b>3" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8673A	3" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8674A	3" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8675A	3" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
<b>4" M8611</b> Corner Mount 	8680A	4" M8011 x ⅜" Orifice	Assembly	1	1	EACH
	8681A	4" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8682A</b>	<b>4" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8683A	4" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8684A	4" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8685A	4" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8686A	4" M8011 x K25 Orifice	Assembly	1	1	EACH
<b>6" M8611</b> Corner Mount 	8690A	6" M8011 x ⅜" Orifice	Assembly	1	1	EACH
	8691A	6" M8011 x 7/16" Orifice	Assembly	1	1	EACH
	<b>8692A</b>	<b>6" M8011 x ½" Orifice</b>	<b>Assembly</b>	<b>1</b>	<b>1</b>	<b>EACH</b>
	8693A	6" M8011 x 17/32" Orifice	Assembly	1	1	EACH
	8694A	6" M8011 x 5/8" ELO Orifice	Assembly	1	1	EACH
	8695A	6" M8011 x ¾" ESFR Orifice	Assembly	1	1	EACH
	8696A	6" M8011 x K25 Orifice	Assembly	1	1	EACH

# Model 7700 CORRinSITE™

## In-Line Pipe Corrosion Monitors

The **CORRinSITE™** Model 7700 In-Line Pipe Corrosion Monitor is suitable for new construction and can be retrofitted into existing fire protection systems. It is available in schedule 10 or 40, powder-coated black steel or galvanized pipe.

POWDER-COATED							
	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit	
	<b>SCH 10</b>	7720P-10	2" Powder Coated SCH 10 Pipe Assembly	Stock	10	1	EACH
		7725P-10	2.5" Powder Coated SCH 10 Pipe Assembly	Stock	10	1	EACH
		7730P-10	3" Powder Coated SCH 10 Pipe Assembly	Stock	10	1	EACH
		7740P-10	4" Powder Coated SCH 10 Pipe Assembly	Stock	10	1	EACH
		7760P-10	6" Powder Coated SCH 10 Pipe Assembly	Stock	10	1	EACH
		7780P-10	8" Powder Coated SCH 10 Pipe Assembly	Stock	10	1	EACH
	<b>SCH 40</b>	7720P-40	2" Powder Coated SCH 40 Pipe Assembly	Stock	10	1	EACH
		7725P-40	2.5" Powder Coated SCH 40 Pipe Assembly	Stock	10	1	EACH
		7730P-40	3" Powder Coated SCH 40 Pipe Assembly	Stock	10	1	EACH
		7740P-40	4" Powder Coated SCH 40 Pipe Assembly	Stock	10	1	EACH
		7760P-40	6" Powder Coated SCH 40 Pipe Assembly	Stock	10	1	EACH
		7780P-40	8" Powder Coated SCH 40 Pipe Assembly	Stock	10	1	EACH

GALVANIZED							
	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit	
	<b>SCH 10</b>	7720G-10	2" Galvanized SCH 10 Pipe Assembly	Stock	10	1	EACH
		7725G-10	2.5" Galvanized SCH 10 Pipe Assembly	Stock	10	1	EACH
		7730G-10	3" Galvanized SCH 10 Pipe Assembly	Stock	10	1	EACH
		7740G-10	4" Galvanized SCH 10 Pipe Assembly	Stock	10	1	EACH
		7760G-10	6" Galvanized SCH 10 Pipe Assembly	Stock	10	1	EACH
		7780G-10	8" Galvanized SCH 10 Pipe Assembly	Stock	10	1	EACH
	<b>SCH 40</b>	7720G-40	2" Galvanized SCH 40 Pipe Assembly	Stock	10	1	EACH
		7725G-40	2.5" Galvanized SCH 40 Pipe Assembly	Stock	10	1	EACH
		7730G-40	3" Galvanized SCH 40 Pipe Assembly	Stock	10	1	EACH
		7740G-40	4" Galvanized SCH 40 Pipe Assembly	Stock	10	1	EACH
		7760G-40	6" Galvanized SCH 40 Pipe Assembly	Stock	10	1	EACH
		7780G-40	8" Galvanized SCH 40 Pipe Assembly	Stock	10	1	EACH

AGF Item ID	Item Description
CALL	CORRinSITE Replacement Plug*

\*To replace worn or damaged plug call AGF at 610-240-4900.

# Model 7800 CORRinSITE™

## Mechanical Tee Corrosion Monitors

The **CORRinSITE™** Model 7800 Mechanical Tee Corrosion Monitor is suitable for retrofitting into existing fire protection systems and is available with a painted red or galvanized steel mechanical tee.


POWDER-COATED						
	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	7820MTP	2" Painted Mechanical Tee	Stock	10	1	EACH
	7825MTP	2.5" Painted Mechanical Tee	Stock	10	1	EACH
	7830MTP	3" Painted Mechanical Tee	Stock	10	1	EACH
	7840MTP	4" Painted Mechanical Tee	Stock	10	1	EACH
	7860MTP	6" Painted Mechanical Tee	Stock	10	1	EACH
	7880MTP	8" Painted Mechanical Tee	Stock	10	1	EACH

GALVANIZED						
	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	7820MTG	2" Galvanized Mechanical Tee	Stock	10	1	EACH
	7825MTG	2.5" Galvanized Mechanical Tee	Stock	10	1	EACH
	7830MTG	3" Galvanized Mechanical Tee	Stock	10	1	EACH
	7840MTG	4" Galvanized Mechanical Tee	Stock	10	1	EACH
	7860MTG	6" Galvanized Mechanical Tee	Stock	10	1	EACH
	7880MTG	8" Galvanized Mechanical Tee	Stock	10	1	EACH

AGF Item ID	Item Description
CALL	CORRinSITE Replacement Plug*

\*To replace worn or damaged plug call AGF at 610-240-4900.

## Installation Locations



## Model 7910MAV PURGE<sub>n</sub>VENT™

### Manual Air Venting Valve

The **PURGE<sub>n</sub>VENT™** Model 7910MAV Manual Air Venting Valve was designed to address NFPA 13 (2016) code requiring the addition of air venting valves on wet fire sprinkler systems. AGF recommends installing the Model 7910MAV at the end of each branch line, at the highest and furthest point of the system, and at the top of supply risers to help eliminate as much excess air as possible to help prevent corrosion.

	AGF Item ID	Item Description	Item Class	Master Carton	Minimum Order Qty.	Unit
	7910MAV	1/2" Manual Air Venting Valve	Stock	50	1	EACH

## Model 7900AAV PURGE<sub>n</sub>VENT™

### Automatic Air Venting Valve

The **PURGE<sub>n</sub>VENT™** Model 7900AAV Automatic Air Venting Valve is a one-piece isolation valve with strainer and purge valve with hose thread designed to allow the rapid purging of air from the pipes as the system is being filled, and the automatic venting of air once the system is operational. AGF recommends installing the Model 7900AAV at the end of system branch lines.

	AGF Item ID	Item Description	Item Class	Minimum Order Qty.	Unit
	7900AAV	1" Automatic Air Venting Valve	Stock	1	EACH

## Model 7930ECA PURGE<sub>n</sub>VENT™

### Automatic Air Venting Valve with End Cap

The **PURGE<sub>n</sub>VENT™** Model 7930ECA Automatic Air Venting Valve is a one-piece isolation valve with strainer and purge valve with hose thread designed to allow the rapid purging of air from the pipes as the system is being filled, and the automatic venting of air once the system is operational. Includes end cap and close nipple. AGF recommends installing the Model 7900AAV at the end of system branch lines.

	AGF Item ID	Item Description	Item Class	Minimum Order Qty.	Unit
	7930ECA-20	Automatic Air Venting Valve with 2" End Cap	Stock	1	EACH
	7930ECA-25	Automatic Air Venting Valve with 2.5" End Cap	Stock	1	EACH
	7930ECA-30	Automatic Air Venting Valve with 3" End Cap	Stock	1	EACH
	7930ECA-40	Automatic Air Venting Valve with 4" End Cap	Stock	1	EACH
	7930ECA-60	Automatic Air Venting Valve with 6" End Cap	Stock	1	EACH
	7930ECA-80	Automatic Air Venting Valve with 8" End Cap	Stock	1	EACH

## Model 7950ILV PURGE<sub>N</sub>VENT™

### Inline, Automatic Air Venting Valve

The **PURGE<sub>N</sub>VENT™** Model 7950ILV Inline Air Venting Valve features a collection chamber designed to remove air from the system as it is being filled, and provide a location for any air remaining in the system to be automatically vented when the system is operational. AGF recommends installing the Model 7950ILV after the floor control assembly. If extra space is needed the collection chamber can be turned 45°.

	AGF Item ID	Item Description	Item Class	Minimum Order Qty.	Unit
	7950ILV-20	2" Inline Air Venting Valve	Stock	1	EACH
	7950ILV-25	2.5" Inline Air Venting Valve	Stock	1	EACH
	7950ILV-30	3" Inline Air Venting Valve	Stock	1	EACH
	7950ILV-40	4" Inline Air Venting Valve	Stock	1	EACH
	7950ILV-60	6" Inline Air Venting Valve	Stock	1	EACH
	7950ILV-80	8" Inline Air Venting Valve	Stock	1	EACH

## Model 7920AI PURGE<sub>N</sub>VENT™

### Audible Water Indicator

The **PURGE<sub>N</sub>VENT™** Model 7920AI Audible Water Indicator detects the presence of water in the collection chamber by sounding an audible alarm.

	AGF Item ID	Item Description	Item Class	Minimum Order Qty.	Unit
	7920AI	Audible Water Indicator	Stock	1	EACH

M7950ILV sold separately

## Model 7925VI PURGE<sub>N</sub>VENT™

### Visual Water Indicator

The **PURGE<sub>N</sub>VENT™** Model 7925VI Visual Water Indicator detects the presence of water in the collection chamber by using a visual plug that raises with the water level in the assembly.

	AGF Item ID	Item Description	Item Class	Minimum Order Qty.	Unit
	7925VI	Visual Water Indicator	Stock	1	EACH

M7900AAV sold separately

Since our founding, AGF Manufacturing, Inc. has been committed to providing a unique line of products for the fire sprinkler industry. We strive to maintain a close working relationship with our customers in order to meet the ever increasing demands of our industry. Over the years, this has helped us introduce many innovative products designed to meet a wide variety of needs. In filling these needs, we have built a strong reputation for providing the best products backed by an unwavering commitment to customer satisfaction. We continually work in the field to improve existing products, as well as invent new items.

At AGF, our mission is to design and manufacture unique products that engineers and architects can specify with confidence based on a proven record of reliability and fiscal accountability, and that make the contractor's job more efficient and competitive by providing cost-effective labor savings.

Our entire product line is manufactured to the highest quality and meets or exceeds ISO 9002 standards. Our valves are approved by Underwriters Laboratories and FM Approvals, LLC. This commitment to quality enhances product reliability and end user satisfaction.



**AGF Manufacturing Inc.**  
100 Quaker Lane • Malvern, PA 19355

Phone: 610-240-4900  
Fax: 610-240-4906

**[www.testandrain.com](http://www.testandrain.com)**

***Reliability, Versatility, Code Compatibility***