



# Shift®+ | K-21336-G

Square two-function handshower, 1.75 gpm

## Features

- Multifunction handshower offers full coverage and targeted massage spray settings
- Ergonomic design is comfortable and easy to grip
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- 1.75 gpm (6.6 lpm) flow rate.
- Contains flow-regulating check valve for backflow prevention
- This product can help a building earn Water Efficiency points in LEED® Green Building Rating System



## Sustainability



## Available Colors/Finishes

*Color tiles intended for reference only.*

|     |                               |
|-----|-------------------------------|
| CP  | Polished Chrome               |
| SN  | Vibrant Polished Nickel       |
| AF  | Vibrant French Gold           |
| BN  | Vibrant Brushed Nickel        |
| BV  | Vibrant Brushed Bronze        |
| BL  | Matte Black                   |
| 2MB | Vibrant Brushed Moderne Brass |
| TT  | Vibrant Titanium              |
| BGP | Vibrant Brushed Graphite      |
| DR  | Deep Bronze                   |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-02-2026 22:43 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

*OBC compliant when installed to the specific requirements of these regulations.*



OBC

ASME A112.18.1/CSA B125.1  
DOE - Energy Policy Act 1992  
EPA WaterSense®  
California Energy Commission (CEC)  
OBC

## Warranty

*See website for detailed warranty information.*

KOHLER® Faucet Lifetime Limited Warranty

## Technical Information

*All product dimensions are nominal.*

### Flow Rate

Handshower Rated Maximum 1.75 gpm (6.6 l/min)

Flow:


## Recommended Products/Accessories

K-23723 Faucet cleaner

## Required Products/Accessories

- K-8593 72" metal shower hose
  - K-9069 25" sidebar
- or
- K-9514 60" metal shower hose
  - K-9069 25" sidebar
- or
- K-8593 72" metal shower hose
  - K-14791 Wall-mount handshower holder with supply elbow
- or
- K-9514 60" metal shower hose
  - K-14791 Wall-mount handshower holder with supply elbow





## Installation Notes

*Install this product according to the installation instructions.*

For use with automatic compensating valves rated at 1.5 gal/min (5.7 l/min) or less.

Plumbing codes may require that a vacuum breaker be installed in-line to handshowers. Please consult local plumbing codes.

OBC compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

7-02-2026 22:43 - US-CA