



Artifacts® | K-72765-4

Widespread bidet faucet with lever handles

Features

- Two Lever handles offer separate control of hot and cold water
- UltraGlide® valves with dry-stem technology are designed to eliminate common leak paths and provide smooth, effortless control
- Fixture-mount vacuum breaker
- Vertical spray delivers gentle, localized stream of water
- Includes vertical spray and pop-up drain with 1-1/4" (32 mm) tailpiece
- Coordinates with other products in the Artifacts collection



Available Colors/Finishes

Color tiles intended for reference only.

CP	Polished Chrome
SN	Vibrant Polished Nickel
AF	Vibrant French Gold
BN	Vibrant Brushed Nickel
BV	Vibrant Brushed Bronze
BL	Matte Black
2MB	Vibrant Brushed Moderne Brass
TT	Vibrant Titanium



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-03-2026 05:18 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.18.1/CSA B125.1
ASSE 1001

Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty

Technical Information

All product dimensions are nominal.

Handle

Handle Style/Type: Lever

Flow Rate

Handshower Rated Maximum 2 gpm (7.6 l/min)

Flow:

Valves

Included Valves: UltraGlide, Thermostatic,
Volume Control

Material

- Premium metal construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing

Recommended Products/Accessories

K-23726 Drain treatment

K-23723 Faucet cleaner

K-72567 18" towel bar

K-72568 24" towel bar

K-72570 24" double towel bar

K-72571 Towel ring

K-72572 Double robe hook


K-72573 Pivoting toilet paper holder

K-72576 Toilet paper carriage



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-03-2026 05:18 - US-CA



Installation

- Fixture mount

Installation Notes

Install this product according to the installation instructions.

