

GAS DISTRIBUTION PRODUCTS

IN-LINE REPAIR

FITTINGS



FROM STANDARD TO SPECIAL'S,
CONTINENTAL INDUSTRIES HAS YOUR IN-LINE REPAIR FITTING.

NO OTHER SINGLE MANUFACTURER CAN OFFER THE VARIETY
OF REPAIR FITTINGS THAT
CONTINENTAL INDUSTRIES PROVIDES.



Continental Industries

A Division of  **BURNDY** LLC

The Ultimate Connection
www.conind.com

ABOUT US

Our Company

Continental Industries, headquartered in Tulsa , Oklahoma , was formed in 1958 and is today a leading manufacturer of connectors for the Gas Utility, Gas & Water Distribution, Propane, Plumbing and Cathodic Protection markets. An ISO 9001 certified company, Continental Industries has manufacturing locations in Tulsa and Broken Arrow , Oklahoma. Our employees are committed to providing the best value to our customers.

Our full line of plastic and steel connector products are produced utilizing state-of-the-art injection molding machines, automatic screw machines, and CNC machining equipment. Our commitment to quality is evident in every step of our business processes. Renowned for our design and development of technologically advanced products, we provide our customers with reliable, cost-effective solutions to their “main to meter” service line installation, repair, or renewal problems.

thermOweld® , our exothermic welding materials and accessories products, provide a simple, efficient, cost effective method of permanently connecting two or more conductors utilizing a high temperature exothermic reaction between Aluminum and Copper Oxide to produce an almost pure copper weld. We manufacture all of our weld metal and molds in Oklahoma so you are certain of getting consistent, high quality products to satisfy your exothermic welding needs.

Our Vision

Simply stated, our vision is “To be a Sales and Customer Driven Company” . Our commitment to providing the best value to our customers is shared by the entire organization and is evidenced by both the number of long standing relationships we have gratefully developed over the years and the new relationships we are developing every day.

Why Use

Continental Industries is the industry leader in the manufacturing of plastic and steel mechanical fittings for the Gas & Water industry. From the Con-Stab ID Seal® to Scope®, steel saddles to HVT, quality and service is what drives us at Continental Industries.

Manufacturing fittings since 1958, Continental has the experience and confidence necessary to provide the best quality products on the market today. Continental Industries’ mechanical fittings will save you both time and money and give you the peace of mind that comes with using a quality product.

Continental Industries’ uses only the highest quality raw materials, engineered designs and manufacturing processes to ensure the consistent quality that makes Continental Industries’ products second to none.

With regional sales offices located throughout the United States, a Continental Industries representative is only a phone call away to help with any questions you may have.

Come experience what so many other satisfied customers have experienced, the excitement and family atmosphere that is Continental Industries!

TABLE OF CONTENTS

PE x PE Fittings	3-15
PE x PVC Fittings	16
PE x Steel Fittings	17-23
PE x Copper Fittings	24
Steel x Steel Fittings	25-26
Miscellaneous Fittings	27
Compression Styles	27
Typical Assemblies	28-29





PE X PE FITTINGS

CON-STAB ID SEAL® Full Couplings

PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	3259-52-1004-00†	3369-52-1004-00‡
3/4" CTS (7/8" OD)	.090	3259-52-1006-00‡	3369-52-1006-00
1" CTS (1 1/8" OD)	.099/.101	3259-52-1008-00†	3369-52-1008-00‡
	.090	3259-52-1008-AA‡	3369-52-1008-AA‡
1 1/4" CTS (1 3/8" OD)	.090	3259-52-1039-AA	3369-52-1039-AA
1/2" IPS	SDR-9.33 (.090)	3259-52-1012-00‡	3369-52-1012-00
3/4" IPS	SDR-11 (.095)	3259-52-1013-00†	3369-52-1013-00‡
1" IPS	SDR-11 (.119)	3259-52-1014-00†	3369-52-1014-00‡
1 1/4" IPS	SDR-10 (.166)	3259-52-1015-00†	3369-52-1015-00
	SDR-11 (.151)	3259-52-1015-AA	3369-52-1015-AA
1 1/2" IPS	SDR-11 (.173)	3259-52-1016-00†	3369-52-1016-00‡
2" IPS	SDR-11 (.216)	3259-52-1017-00†	3369-52-1017-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- For Con-Stab ID Seal® Couplings with EFV's, contact Continental Industries.
- † = CSA Approved / ‡ = IAPMO/UPC Listed



CON-STAB ID SEAL® End Caps

PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	3259-53-1004-00†	3369-53-1004-00‡
3/4" CTS (7/8" OD)	.090	3259-53-1006-00‡	3369-53-1006-00
1" CTS (1 1/8" OD)	.099/.101	3259-53-1008-00†	3369-53-1008-00‡
	.090	3259-53-1008-0A‡	3369-53-1008-0A‡
1 1/4" CTS (1 3/8" OD)	.090	3259-53-1039-0A	3369-53-1039-0A
1/2" IPS	SDR-9.33 (.090)	3259-53-1012-00‡	3369-53-1012-00
3/4" IPS	SDR-11 (.095)	3259-53-1013-00†	3369-53-1013-00‡
1" IPS	SDR-11 (.119)	3259-53-1014-00†	3369-53-1014-00‡
1 1/4" IPS	SDR-10 (.166)	3259-53-1015-00†	3369-53-1015-00
	SDR-11 (.151)	3259-53-1015-0A	3369-53-1015-0A
1 1/2" IPS	SDR-11 (.173)	3259-53-1016-00†	3369-52-1016-00‡
2" IPS	SDR-11 (.216)	3259-53-1017-00†	3369-53-1017-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- † = CSA Approved / ‡ = IAPMO/UPC Listed



CON-STAB ID SEAL® Cap-N-Go Couplings

PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	3259-57-1004-00‡	3369-57-1004-00
1" CTS (1 1/8" OD)	.099/.101	3259-57-1008-00‡	3369-57-1008-00
	.090	3259-57-1008-AA	3369-57-1008-AA
1/2" IPS	SDR-9.33 (.090)	3259-57-1012-00‡	3369-57-1012-00
3/4" IPS	SDR-11 (.095)	3259-57-1013-00‡	3369-57-1013-00
1" IPS	SDR-11 (.119)	3259-57-1014-00‡	3369-57-1014-00
1 1/4" IPS	SDR-10 (.166)	3259-57-1015-00‡	3369-57-1015-00
	SDR-11 (.151)	3259-57-1015-AA	3369-57-1015-AA
2" IPS	SDR-11 (.216)	3259-57-1017-00‡	3369-57-1017-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- † = CSA Approved / ‡ = IAPMO/UPC Listed



PE X PE FITTINGS



CON-STAB ID SEAL® 3-Way Tees

PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	3259-50-1004-00†‡	3369-50-1004-00‡
3/4" CTS (7/8" OD)	.090	3259-50-1006-00‡	3369-50-1006-00
1" CTS (1 1/8" OD)	.099/.101	3259-50-1008-00†‡	3369-50-1008-00‡
	.090	3259-50-1008-AA‡	3369-50-1008-AA‡
1 1/4" CTS (1 3/8" OD)	.090	3259-50-1039-AA	3369-50-1039-AA
1/2" IPS	SDR-9.33 (.090)	3259-50-1012-00‡	3369-50-1012-00
3/4" IPS	SDR-11 (.095)	3259-50-1013-00†‡	3369-50-1013-00‡
1" IPS	SDR-11 (.119)	3259-50-1014-00†‡	3369-50-1014-00‡
1 1/4" IPS	SDR-10 (.166)	Not Available	3369-50-1015-00
	SDR-11 (.151)	3259-50-1015-AA	Not Available
1 1/2" IPS	SDR-11 (.173)	3259-50-1016-00‡	3369-50-1016-00†‡
2" IPS	SDR-11 (.216)	3259-50-1017-00†‡	3369-50-1017-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- † = CSA Approved / ‡ = IAPMO/UPC Listed



CON-STAB ID SEAL® 90° Elbows

PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	3259-51-1004-00†	3369-51-1004-00
3/4" CTS (7/8" OD)	.090	3259-51-1006-00‡	3369-51-1006-00
1" CTS (1 1/8" OD)	.099/.101	3259-51-1008-00	3369-51-1008-00
	.090	3259-51-1008-AA	3369-51-1008-AA
1 1/4" CTS (1 3/8" OD)	.090	3259-51-1039-AA	3369-51-1039-AA
1/2" IPS	SDR-9.33 (.090)	3259-51-1012-00‡	3369-51-1012-00
3/4" IPS	SDR-11 (.095)	3259-51-1013-00†‡	3369-51-1013-00
1" IPS	SDR-11 (.119)	3259-51-1014-00†‡	3369-51-1014-00
1 1/4" IPS	SDR-10 (.166)	Not Available	3369-51-1015-00
	SDR-11 (.151)	3259-51-1015-AA	Not Available
1 1/2" IPS	SDR-11 (.173)	3259-51-1016-00‡	3369-51-1016-00†‡
2" IPS	SDR-11 (.216)	3259-51-1017-00†‡	3369-51-1017-00


- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- † = CSA Approved / ‡ = IAPMO/UPC Listed



CON-STAB ID SEAL® 45° Wyes

PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	Not Available	9969-99-0007-00
1" CTS (1 1/8" OD)	.099/.101	Not Available	9969-99-0008-00
3/4" IPS	SDR-11 (.095)	Not Available	9969-99-0009-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Con-Stab ID Seal® wye fittings available only in 2406/2708 PE material.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.





PE X PE FITTINGS

CON-STAB ID SEAL® Reducer Couplings



PE SIZE	WALL	PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
3/4" CTS (7/8" OD)	.090	1/2" CTS (5/8" OD)	.090	3259-54-0604-00	3369-54-0604-00
1" CTS (1 1/8" OD)	.099/.101	3/4" IPS	SDR-11 (.095)	3259-54-0813-00†	3369-54-0813-00†
	.090			3259-54-0813-A0†	3369-54-0813-A0†
	.099/.101	3/4" CTS (7/8" OD)	.090	3259-54-0806-00	3369-54-0806-00
	.090			3259-54-0806-A0	3369-54-0806-A0
	.099/.101	1/2" IPS	SDR-9.33 (.090)	3259-54-0812-00	3369-54-0812-00
	.090			3259-54-0812-A0	3369-54-0812-A0
1 1/4" CTS (1 3/8" OD)	.099/.101	1/2" CTS (5/8" OD)	.090	3259-54-0804-00†	3369-54-0804-00†
	.090			3259-54-0804-A0†	3369-54-0804-A0†
	.090	1" IPS	SDR-11	3259-54-3914-A0	3369-54-3914-A0
		1" CTS (1 1/8" OD)	.099/.101	3259-54-3908-A0	3369-54-3908-A0
			.090	3259-54-3908-AA	3369-54-3908-AA
		3/4" IPS	SDR-11 (.095)	3259-54-3913-A0	3369-54-3913-A0
1/2" IPS	SDR-9.33 (.090)	3/4" CTS (7/8" OD)	.090	3259-54-3906-A0	3369-54-3906-A0
		1/2" IPS	SDR-9.33 (.090)	3259-54-3912-A0	3369-54-3912-A0
3/4" IPS	SDR-11 (.095)	1/2" CTS (5/8" OD)	.090	3259-54-1204-0A	3369-54-1204-0A
1" IPS	SDR-11 (.119)	1/2" IPS	SDR-9.33 (.090)	3259-54-1312-00†	3369-54-1312-00
		3/4" CTS (7/8" OD)	.090	3259-54-1306-00	3369-54-1306-00
		1/2" CTS (5/8" OD)	.090	3259-54-1304-00†	3369-54-1304-00†
		1" CTS (1 1/8" OD)	.099/.101	3259-54-1408-00†	3369-54-1408-00
		3/4" IPS	.090	3259-54-1408-0A	3369-54-1408-0A
		3/4" CTS (7/8" OD)	SDR-11 (.095)	3259-54-1413-00†	3369-54-1413-00†
1 1/4" IPS	SDR-10 (.166) SDR-11 (.151) SDR-10 (.166) SDR-11 (.151) SDR-10 (.166) SDR-11 (.151) SDR-10 (.166) SDR-11 (.151)	1/2" IPS	SDR-9.33 (.090)	3259-54-1406-00	3369-54-1406-00
		1/2" CTS	SDR-9.33 (.090)	3259-54-1412-00	3369-54-1412-00
		1" CTS (1 1/8" OD)	.090	3259-54-1404-00†	3369-54-1404-00
		1 1/4" IPS	SDR-11 (.151)	Not Available	3369-54-1515-0A
		1 1/4" CTS (1 3/8" OD)	.090	3259-54-1539-AA	Not Available
		1" IPS	SDR-11 (.119)	Not Available	3369-54-1514-00
		1" CTS (1 1/8" OD)	.099/.101	3259-54-1514-A0	Not Available
			.090	Not Available	3369-54-1508-00
1 1/2" IPS	SDR-10 (.166) SDR-11 (.151) SDR-10 (.166) SDR-11 (.151) SDR-10 (.166) SDR-11 (.151) SDR-10 (.166) SDR-11 (.151)	1" CTS (1 1/8" OD)	.090	Not Available	3369-54-1508-0A
			.099/.101	3259-54-1508-A0	Not Available
		3/4" IPS	.090	3259-54-1508-AA	Not Available
			Not Available	3369-54-1513-00	Not Available
		1 1/4" IPS	SDR-11 (.095)	3259-54-1513-A0	3369-54-1513-A0
			SDR-10 (.166)	3259-54-1615-00†	3369-54-1615-00†
		1 1/2" IPS	SDR-11 (.151)	3259-54-1615-0A	3369-54-1615-0A
		1 1/4" IPS	SDR-10 (.166)	3259-54-1716-00†	3369-54-1716-00†
2" IPS	SDR-11	1 1/2" IPS	SDR-11 (.173)	3259-54-1716-00†	3369-54-1716-00†
		1 1/4" IPS	SDR-10 (.166)	Not Available	3369-54-1715-00
		1 1/4" CTS (1 3/8" OD)	SDR-11 (.151)	3259-54-1715-0A	Not Available
		1" IPS	.090	3259-54-1739-0A	3369-54-1739-0A
		1" CTS (1 1/8" OD)	SDR-11 (.119)	3259-54-1714-00	3369-54-1714-00
		1" CTS (1 1/8" OD)	.099/.101	3259-54-1708-00	3369-54-1708-00
			.090	3259-54-1708-A0	3369-54-1708-A0

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- † = CSA Approved / ‡ = IAPMO/UPC Listed

PE X PE FITTINGS



CON-STAB ID SEAL® 3-Way Reducing Tees



PE SIZE (Run)	WALL	PE SIZE (Branch)	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	1" CTS (1 1/8" OD)	.099/.101	3259-49-0408-00	3369-49-0408-00
		1" CTS (1 1/8" OD)	.090	3259-49-0408-0A	3369-49-0408-0A
3/4" CTS (7/8" OD)	.090	1/2" CTS (5/8" OD)	.090	3259-49-0604-00	3369-49-0604-00
1" CTS (1 1/8" OD)	.099/.101	3/4" CTS (7/8" OD)	.090	3259-49-0806-00	3369-49-0806-00
	.090			3259-49-0806-A0	3369-49-0806-A0
	.099/.101	1/2" CTS (5/8" OD)	.090	3259-49-0804-00‡	3369-49-0804-00
	.090			3259-49-0804-A0	3369-49-0804-A0
1 1/4" CTS (1 3/8" OD)	.090	1/2" CTS (5/8" OD)	.090	3259-49-3904-A0	3369-49-3904-A0
1/2" IPS	SDR-9.33 (.090)	1/2" CTS (5/8" OD)	.090	3259-49-1204-00	3369-49-1204-00
3/4" IPS	SDR-11 (.095)	1/2" CTS (5/8" OD)	.090	3259-49-1304-00‡	3369-49-1304-00
1" IPS	SDR-11 (.119)	1" CTS (1 1/8" OD)	.099/.101	3259-49-1408-00	3369-49-1408-00
			.090	3259-49-1408-0A	3369-49-1408-0A
		3/4" IPS	SDR-11 (.095)	3259-49-1413-00‡	3369-49-1413-00
		3/4" CTS (7/8" OD)	.090	3259-49-1406-00	3369-49-1406-00
		1/2" IPS	SDR-9.33 (.090)	3259-49-1412-00	3369-49-1412-00
1 1/4" IPS	SDR-10 (.166)	1" CTS (1 1/8" OD)	.099/.101	Not Available	3369-49-1508-00
			.090	Not Available	3369-49-1508-0A
		3/4" IPS	.099/.101	3259-49-1508-A0	Not Available
			.090	3259-49-1508-AA	Not Available
	SDR-11 (.151)	3/4" IPS	SDR-11 (.095)	Not Available	3369-49-1513-00
				3259-49-1513-A0	Not Available
		1/2" CTS (5/8" OD)	.090	Not Available	3369-49-1504-00
				3259-49-1504-A0	Not Available
1 1/2" IPS	SDR-11 (.173)	1 1/4" IPS	SDR-10 (.166)	Not Available	3369-49-1615-00
			SDR-11 (.151)	3259-49-1615-0A	Not Available
		3/4" IPS	SDR-11 (.095)	3259-49-1613-00	3369-49-1613-00
2" IPS	SDR-11	1 1/2" IPS	SDR-11 (.173)	3259-49-1716-00‡	3369-49-1716-00
		1 1/4" IPS	SDR-10 (.166)	Not Available	3369-49-1715-00
			SDR-11 (.151)	3259-49-1715-0A	Not Available
		1" IPS	SDR-11 (.119)	3259-49-1714-00	3369-49-1714-00
		3/4" IPS	SDR-11 (.095)	3259-49-1713-00	3369-49-1713-00
		1" CTS (1 1/8" OD)	.099/.101	3259-49-1708-00‡	3369-49-1708-00
			.090	3259-49-1708-0A	3369-49-1708-0A

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- ‡ = IAPMO/UPC Listed



PE X PE FITTINGS

CON-STAB ID SEAL® Repair Couplings



PE SIZE	WALL	LENGTH	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
1/2" CTS (5/8" OD)	.090	8"	0459-56-0800-00	0469-56-0800-00
		12"	0459-56-1200-00‡	0469-56-1200-00‡
		24"	0459-56-2400-00	0469-56-2400-00
3/4" CTS (7/8" OD)	.090	8"	0659-56-0800-00	0669-56-0800-00
		12"	0659-56-1200-00	0669-56-1200-00
		24"	0659-56-2400-00	0669-56-2400-00
1" CTS (1 1/8" OD)	.099/.101	8"	0859-56-0800-00	0869-56-0800-00
		12"	0859-56-1200-00‡	0869-56-1200-00‡
		24"	0859-56-2400-00	0869-56-2400-00
	.090	8"	0859-56-0800-AA	0869-56-0800-AA
		12"	0859-56-1200-AA‡	0869-56-1200-AA‡
		24"	0859-56-2400-AA	0869-56-2400-AA
1 1/4" CTS (1 3/8" OD)	.090	8"	3959-56-0800-AA	3969-56-0800-AA
		12"	3959-56-1200-AA	3969-56-1200-AA
		24"	3959-56-2400-AA	3969-56-2400-AA
1/2" IPS	SDR-9.33 (.090)	8"	1259-56-0800-00	1269-56-0800-00
		12"	1259-56-1200-00	1269-56-1200-00
		24"	1259-56-2400-00	1269-56-2400-00
3/4" IPS	SDR-11 (.095)	8"	1359-56-0800-00	1369-56-0800-00
		12"	1359-56-1200-00‡	1369-56-1200-00‡
		24"	1359-56-2400-00	1369-56-2400-00
1" IPS	SDR-11 (.119)	8"	1459-56-0800-00	1469-56-0800-00
		12"	1459-56-1200-00‡	1469-56-1200-00‡
		24"	1459-56-2400-00	1469-56-2400-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- For 1 1/4" IPS and 2" IPS Repair Couplings, see Scope® Repair Couplings on page 10.
- ‡ = IAPMO/UPC Listed

PE X PE FITTINGS



CON-STAB ID SEAL® PE Stab Full Couplings with GasBreaker™ Excess Flow Valves




GasBreaker™ EXCESS FLOW VALVES				
EFV SIZE	PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
UMAC® SERIES 300	1/2" CTS (5/8" OD)	.090	3259-52-1004-70	3369-52-1004-70
	3/4" CTS (7/8" OD)	.090	3259-52-1006-70	3369-52-1006-70
	1" CTS (1 1/8" OD)	.099/.101	3259-52-1008-70	3369-52-1008-70
		.090	3259-52-1008-71	3369-52-1008-71
	1 1/4" CTS (1 3/8" OD)	.090	3259-52-1039-71	3369-52-1039-71
	1/2" IPS	SDR-9.33 (.090)	3259-52-1012-70	3369-52-1012-70
	3/4" IPS	SDR-11 (.095)	3259-52-1013-70	3369-52-1013-70
UMAC® SERIES 700	1" IPS	SDR-11 (.119)	3259-52-1014-70	3369-52-1014-70
	1/2" CTS (5/8" OD)	.090	3259-52-1004-72	3369-52-1004-72
	3/4" CTS (7/8" OD)	.090	3259-52-1006-72	3369-52-1006-72
	1" CTS (1 1/8" OD)	.099/.101	3259-52-1008-72	3369-52-1008-72
		.090	3259-52-1008-73	3369-52-1008-73
	1 1/4" CTS (1 3/8" OD)	.090	3259-52-1039-73	3369-52-1039-73
	1/2" IPS	SDR-9.33 (.090)	3259-52-1012-72	3369-52-1012-72
UMAC® SERIES 1800	3/4" IPS	SDR-11 (.095)	3259-52-1013-72	3369-52-1013-72
	1" IPS	SDR-11 (.119)	3259-52-1014-72	3369-52-1014-72
	1" CTS (1 1/8" OD)	.099/.101	3259-52-1008-74	3369-52-1008-74
		.090	3259-52-1008-75	3369-52-1008-75
	1 1/4" CTS (1 3/8" OD)	.090	3259-52-1039-75	3369-52-1039-75
	1/2" IPS	SDR-9.33 (.090)	3259-52-1012-74	3369-52-1012-74
	3/4" IPS	SDR-11 (.095)	3259-52-1013-74	3369-52-1013-74
	1" IPS	SDR-11 (.119)	3259-52-1014-74	3369-52-1014-74

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.



PE X PE FITTINGS

CON-STAB ID SEAL® PE Stab Adapter Couplings with GasBreaker™ Excess Flow Valves




GasBreaker™ EXCESS FLOW VALVES				
EFV SIZE	PE SIZE	WALL	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)
UMAC® SERIES 300	1/2" CTS (5/8" OD)	.090	0459-48-3104-70	0469-48-3104-70
	1" CTS (1 1/8" OD)	.099/.101	0859-48-3108-70	0869-48-3108-70
	1/2" IPS	SDR-9.33 (.090)	1259-48-3112-70	1269-48-3112-70
	3/4" IPS	SDR-11 (.095)	1359-48-3113-70	1369-48-3113-70
	1" IPS	SDR-11 (.119)	1459-48-3114-70	1469-48-3114-70
UMAC® SERIES 700	1/2" CTS (5/8" OD)	.090	0459-48-3104-72	0469-48-3104-72
	1" CTS (1 1/8" OD)	.099/.101	0859-48-3108-72	0869-48-3108-72
	1/2" IPS	SDR-9.33 (.090)	1259-48-3112-72	1269-48-3112-72
	3/4" IPS	SDR-11 (.095)	1359-48-3113-72	1369-48-3113-72
	1" IPS	SDR-11 (.119)	1459-48-3114-72	1469-48-3114-72
UMAC® SERIES 1800	1" CTS (1 1/8" OD)	.099/.101	0859-48-3108-74	0869-48-3108-74
	1/2" IPS	SDR-9.33 (.090)	1259-48-3112-74	1269-48-3112-74
	3/4" IPS	SDR-11 (.095)	1359-48-3113-74	1369-48-3113-74
	1" IPS	SDR-11 (.119)	1459-48-3114-74	1469-48-3114-74

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.

PE X PE FITTINGS



THE SCOPE® Expandable Repair Couplings



PE SIZE	WALL	STYLE OUTLET	LENGTH	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)	ACTUAL REPAIR LENGTH
3/4" CTS (7/8" OD)	.090	Con-Stab	14"	3238-14-4406-00	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4406-00	3338-26-4606-00	25 1/2" to 26"
1" CTS (1 1/8" OD)	.099/.101	Con-Stab	14"	3238-14-4408-00	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4408-00	3338-26-4608-00	25 1/2" to 26"
	.090	Con-Stab	14"	3238-14-4408-AA	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4408-AA	3338-26-4608-AA	25 1/2" to 26"
1/2" IPS	SDR-9.3 (.090)	Con-Stab	14"	3238-14-4412-00	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4412-00	3338-26-4612-00	25 1/2" to 26"
3/4" IPS	SDR-11 (.095)	Con-Stab	14"	3238-14-4413-00	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4413-00	3338-26-4613-00	25 1/2" to 26"
1" IPS	SDR-11 (.119)	Con-Stab	14"	3238-14-4414-00	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4414-00	3338-26-4614-00	25 1/2" to 26"
1 1/4" IPS	SDR-10 (.166)	Con-Stab	14"	3238-14-4415-00†	N/A	13 1/2" to 14"
		Con-Stab	26"	N/A	3238-26-4615-00	25 1/2" to 26"
		Con-Stab	38"	N/A	3238-38-4615-00	37 1/2" to 38"
		Con-Stab	50"	N/A	3238-50-4615-00	49 1/2" to 50"
	SDR-11 (.151)	Con-Stab	14"	3238-14-4415-AA	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4415-AA	3338-26-4615-AA	25 1/2" to 26"
		Con-Stab	38"	3238-38-4415-AA	3338-38-4615-AA	37 1/2" to 38"
		Con-Stab	50"	3238-50-4415-AA	3338-50-4615-AA	49 1/2" to 50"
1 1/2" IPS	SDR-11 (.173)	Con-Stab	14"	3238-14-4416-00	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4416-00	3338-26-4616-00	25 1/2" to 26"
		Con-Stab	38"	3238-38-4416-00	3338-38-4616-00	37 1/2" to 38"
		Con-Stab	50"	3238-50-4416-00	3338-50-4616-00	49 1/2" to 50"
2" IPS	SDR-11 (.216)	Con-Stab	14"	3238-14-4417-00†	N/A	13 1/2" to 14"
		Con-Stab	26"	3238-26-4417-00	3338-26-4617-00	25 1/2" to 26"
		Con-Stab	38"	3238-38-4417-00	3338-38-4617-00	37 1/2" to 38"
		Con-Stab	50"	3238-50-4417-00	3338-50-4617-00	49 1/2" to 50"
PE SIZE	WALL	STYLE OUTLET	LENGTH	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)	ACTUAL REPAIR LENGTH
1 1/4" IPS	SDR-10 (.166)	Fusion	19"	3237-19-4415-00	N/A	16" to 19"
		Fusion	27"	N/A	3237-27-4615-00	16" to 27"
		Fusion	39"	N/A	3237-39-4615-00	16" to 39"
		Fusion	51"	N/A	3237-51-4615-00	16" to 51"
	SDR-11 (.151)	Fusion	19"	3237-19-4415-AA	N/A	16" to 19"
		Fusion	27"	3237-27-4415-AA	3337-27-4615-AA	16" to 27"
		Fusion	39"	3237-39-4415-AA	3337-39-4615-AA	16" to 39"
		Fusion	51"	3237-51-4415-AA	3337-51-4615-AA	16" to 51"
2" IPS	SDR-11 (.216)	Fusion	19"	3237-19-4417-00	N/A	16" to 19"
		Fusion	27"	3237-27-4417-00	3337-27-4617-00	16" to 27"
		Fusion	39"	3237-39-4417-00	3337-39-4617-00	16" to 39"
		Fusion	51"	3237-51-4417-00	3337-51-4617-00	16" to 51"

• For sizes not listed, contact Continental Industries.

- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- † = IAPMO/UPC Listed



PE X PE FITTINGS

COMPRESSION COUPLINGS For Polyethylene Pipe

PE SIZE	WALL	PART NUMBER
1/4" CTS (3/8" OD)	.062	5652-52-1002-00
1/2" CTS (5/8" OD)	.090	5657-52-1004-00‡
	.062	5657-52-1004-AA
1" CTS (1 1/8" OD)	.099/.101	5657-52-1008-00
	.090	5657-52-1008-AA
3/4" IPS	SDR-11 (.095)	5657-52-1013-00
1" IPS	SDR-11 (.119)	5657-52-1014-00
1 1/4" IPS	SDR-10 (.166)	5657-52-1015-00
	SDR-11 (.151)	5657-52-1015-AA
2" IPS	SDR-11 (.216)	5657-52-1017-00



- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- For PA Couplings with EFV's, see page 12.
- ‡ = IAPMO/UPC Listed

COMPRESSION END CAPS For Polyethylene Pipe

PE SIZE	WALL	PART NUMBER
1/4" CTS (3/8" OD)	.062	5657-53-1002-00
1/2" CTS (5/8" OD)	.090	5657-53-1004-00
	.062	5657-53-1004-0A
1" CTS (1 1/8" OD)	.099/.101	5657-53-1008-00
	.090	5657-53-1008-0A
3/4" IPS	SDR-11 (.095)	5657-53-1013-00
1" IPS	SDR-11 (.119)	5657-53-1014-00
1 1/4" IPS	SDR-10 (.166)	5657-53-1015-00
	SDR-11 (.151)	5657-53-1015-0A
2" IPS	SDR-11 (.216)	5657-53-1017-00



- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.

PE X PE FITTINGS



COMPRESSION FITTINGS For Polyethylene Pipe with GasBreaker™ Excess Flow Valves



GasBreaker™ EXCESS FLOW VALVES			
EFV SIZE	PE SIZE	WALL	PART NUMBER
UMAC® SERIES 300	1/2" CTS (5/8" OD)	.090	5657-52-1004-70
		.062	5657-52-1004-71
	1" CTS (1 1/8" OD)	.099/.101	5657-52-1008-70
		.090	5657-52-1008-71
	3/4" IPS	SDR-11 (.095)	5657-52-1013-70
	1" IPS	SDR-11 (.119)	5657-52-1014-70
UMAC® SERIES 700	1/2" CTS (5/8" OD)	.090	5657-52-1004-72
		.062	5657-52-1004-73
	1" CTS (1 1/8" OD)	.099/.101	5657-52-1008-72
		.090	5657-52-1008-73
	3/4" IPS	SDR-11 (.095)	5657-52-1013-72
	1" IPS	SDR-11 (.119)	5657-52-1014-72
UMAC® SERIES 1800	1" CTS (1 1/8" OD)	.099/.101	5657-52-1008-74
		.090	5657-52-1008-75
	3/4" IPS	SDR-11 (.095)	5657-52-1013-74
	1" IPS	SDR-11 (.119)	5657-52-1014-74

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



PE X PE FITTINGS

COMPRESSION 3-WAY TEES For Polyethylene Pipe

PE SIZE	WALL	PART NUMBER
1/2" CTS (5/8" OD)	.090	5657-50-1004-00
	.062	5657-50-1004-AA
1" CTS (1 1/8" OD)	.099/.101	5657-50-1008-00
	.090	5657-50-1008-AA
3/4" IPS	SDR-11 (.095)	5657-50-1013-00

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



COMPRESSION 90° ELBOWS For Polyethylene Pipe

PE SIZE	WALL	PART NUMBER
1/2" CTS (5/8" OD)	.090	5657-51-1004-00
	.062	5657-51-1004-AA
1" CTS (1 1/8" OD)	.099/.101	5657-51-1008-00
	.090	5657-51-1008-AA
3/4" IPS	SDR-11 (.095)	5657-51-1013-00

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



COMPRESSION REDUCER COUPLINGS For Polyethylene Pipe

PE SIZE	WALL	PE SIZE	WALL	PART NUMBER
1/2" CTS (5/8" OD)	.090	1/2" CTS (5/8" OD)	.062	5657-54-0404-0A
	.062	1/4" CTS (3/8" OD)	.062	5657-54-0402-00
1" CTS (1 1/8" OD)	.099/.101	3/4" IPS	SDR-11 (.095)	5657-54-0402-A0
	.090			5657-54-0813-00
	.099/.101	1/2" CTS (5/8" OD)	.062	5657-54-0813-A0
	.090			5657-54-0804-0A
	.099/.101			5657-54-0804-AA
	.090			5657-54-0804-00
3/4" IPS	SDR-11 (.095)	1/2" CTS (5/8" OD)	.090	5657-54-0804-A0
			.062	5657-54-1304-00
1" IPS	SDR-11 (.119)	1" CTS (1 1/8" OD)	.099/.101	5657-54-1304-0A
			.090	5657-54-1408-00
		3/4" IPS	SDR-11 (.095)	5657-54-1408-0A
			.090	5657-54-1413-00
		1/2" CTS	.062	5657-54-1404-00
1 1/4" IPS	SDR-10 (.166)	1 1/4" IPS	SDR-11 (.151)	5657-54-1404-0A
				5657-54-1015-0A

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



PE X PE FITTINGS



BY-PASS TEES

OUTLET (PE SIZE)	WALL	MAIN SIZE	PART NUMBER (PE COMPRESSION OUTLET)	PART NUMBER (ABANDONMENT OUTLET)
1 1/4" IPS	SDR-10 (.166)	1 1/4"	5662-15-1015-00	5662-15-2715-00
		1 1/2"	5662-16-1015-00	5662-16-2715-00
	SDR-11 (.151)	1 1/4"	5662-15-1015-0A	5662-15-2715-0A
		1 1/2"	5662-16-1015-0A	5662-16-2715-0A
2" IPS	SDR-11 (.216)	2"	5662-17-1017-00	5662-17-2717-00

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



33-4916-00 ~ 1 1/4" & 1 1/2" IPS Main By-Pass Tee Valve Adapter
33-4625-00 ~ 2" IPS Main By-Pass Tee Valve Adapter



- AVAILABLE WITH:
 - 1 1/4", 1 1/2" & 2" IPS mains
 - 1 1/4" & 2" IPS Compression outlets
- INCREASED PRESSURE CAPABILITY:
 - All saddles are pressure rated to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
 - PA saddles elevated temperature code CE
- POLYAMIDE MATERIAL (PA):
 - Used for 30 years in gas industry
 - Listed material in ASTM D 2513
 - Superior chemical resistance
 - PA is stronger than PE
 - Elevated temperature performance
- FULL CIRCUMFERENTIAL COMPRESSION
 - Stable foundation
 - Rotation resistance
 - Equal stress distribution
 - Simple tapping procedure



The By-Pass Tees can be used on a variety of plastic fuel gas piping.



PE X PE FITTINGS

STEEL COMPRESSION COUPLINGS For Polyethylene Pipe

PE SIZE	WALL	PART NUMBER
1/4" CTS (3/8" OD)	.062	0242-00-1002-00
1/2" CTS (5/8" OD)	.090	0442-00-1004-00
3/4" CTS (7/8" OD)	.062	0442-00-1004-AA
	.090	0642-00-1006-00
1" CTS (1 1/8" OD)	.099/.101	0842-00-1008-00
	.090	0842-00-1008-AA
1/2" IPS	SDR-9.33 (.090)	1242-00-1012-00
3/4" IPS	SDR-11 (.095)	1342-00-1013-00
1" IPS	SDR-11 (.119)	1442-00-1014-00
1 1/4" IPS	SDR-10 (.166)	1542-00-1015-00
	SDR-11 (.151)	1542-00-1015-AA

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



STEEL COMPRESSION REDUCER COUPLINGS For Polyethylene Pipe

PE SIZE	WALL	PE SIZE	WALL	PART NUMBER
1/2" CTS (5/8" OD)	.090	1/4" CTS (3/8" OD)	.062	0442-00-1002-00
	.062			0442-00-1002-A0
3/4" CTS (7/8" OD)	.090	1/2" IPS	SDR-9.3 (.090)	0642-00-1012-00
1" CTS (1 1/8" OD)	.099/.101	3/4" IPS	SDR-11 (.095)	0842-00-1013-00
	.090			0842-00-1013-A0
3/4" IPS	SDR-11 (.095)	3/4" CTS (7/8" OD)	.090	1342-00-1006-00
		1/2" IPS	SDR-9.3 (.090)	1342-00-1012-00
		1/2" CTS (5/8" OD)	.090	1342-00-1004-00
1" IPS	SDR-11 (.119)	3/4" CTS (7/8" OD)	.090	1442-00-1006-00
1 1/4" IPS	SDR-10 (.166)	1" CTS (1 1/8" OD)	.099/.101	1542-00-1008-00
		1/2" CTS (5/8" OD)	.090	1542-00-1004-00
	SDR-11 (.151)	1" CTS (1 1/8" OD)	.090	1542-00-1008-AA
		1/2" CTS (5/8" OD)	.062	1542-00-1004-AA

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



STEEL COMPRESSION 3-WAY TEES For Polyethylene Pipe

PE SIZE	WALL	PART NUMBER
1/4" CTS (3/8" OD)	.062	0039-00-1002-00
1/2" CTS (5/8" OD)	.090	0039-00-1004-00
	.062	0039-00-1004-AA
3/4" CTS (7/8" OD)	.090	0039-00-1006-00
1" CTS (1 1/8" OD)	.099/.101	0039-00-1008-00
	.090	0039-00-1008-AA
1/2" IPS	SDR-9.33 (.090)	0039-00-1012-00
3/4" IPS	SDR-11 (.095)	0039-00-1013-00
1" IPS	SDR-11 (.119)	0039-00-1014-00

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



PE X PVC FITTINGS



THE SCOPE® Expandable Repair Couplings (PE Stab X PVC)



PE SIZE	WALL	PVC SOCKET	LENGTH	PART NUMBER (3408/4710)	ACTUAL REPAIR LENGTH
1/2" CTS (5/8" OD)	.090	3/8" IPS	14"	0457-55-0711-34	13 1/2" to 14"
		1/2" IPS	14"	0457-55-0712-34	13 1/2" to 14"
		3/4" IPS	14"	0457-55-0713-34	13 1/2" to 14"
1" CTS (1 1/8" OD)	.099/.101	3/8" IPS	14"	0857-55-0711-34	13 1/2" to 14"
		1/2" IPS	14"	0857-55-0712-34	13 1/2" to 14"
		3/4" IPS	14"	0857-55-0713-34	13 1/2" to 14"
		1" IPS	14"	0857-55-0714-34	13 1/2" to 14"
3/4" IPS	SDR-11 (.095)	3/8" IPS	14"	1357-55-0711-34	13 1/2" to 14"
		1/2" IPS	14"	1357-55-0712-34	13 1/2" to 14"
		3/4" IPS	14"	1357-55-0713-34	13 1/2" to 14"
		1" IPS	14"	1357-55-0714-34	13 1/2" to 14"
1" IPS	SDR-11 (.119)	1" IPS	14"	1457-55-0714-34	13 1/2" to 14"
1 1/4" IPS	SDR-10 (.166)	1" IPS	14"	1557-55-0714-34	13 1/2" to 14"
		1 1/4" IPS	14"	1557-55-0715-34	13 1/2" to 14"
	SDR-11 (.151)	1" IPS	14"	9957-55-0003-00	13 1/2" to 14"
		1 1/4" IPS	14"	9957-55-0001-00	13 1/2" to 14"
2" IPS	SDR-11 (.216)	1 1/4" IPS	14"	1757-55-0715-34	13 1/2" to 14"
		1 1/2" IPS	14"	1757-55-0716-34	13 1/2" to 14"
		2" IPS	14"	1757-55-0717-34	13 1/2" to 14"
		2 1/2" IPS	14"	1757-55-0718-34	13 1/2" to 14"
		3" IPS	14"	1757-55-0719-34	13 1/2" to 14"

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.

THE SCOPE® Expandable Repair Couplings (PE Fusion X PVC)




PE SIZE	WALL	PVC SOCKET	LENGTH	PART NUMBER (3408/4710)	PART NUMBER (2406/2708)	ACTUAL REPAIR LENGTH
1" IPS	SDR-11 (.119)	3/8" IPS	14"	9957-55-0007-00	9957-55-0021-00	13 1/2" to 14"
		1/2" IPS	14"	9957-55-0012-00	9957-55-0022-00	13 1/2" to 14"
		3/4" IPS	14"	9957-55-0008-00	9957-55-0017-00	13 1/2" to 14"
		1" IPS	14"	9957-55-0009-00	9957-55-0013-00	13 1/2" to 14"
1 1/4" IPS	SDR-10 (.166)	3/4" IPS	14"	9957-55-0023-00	9957-55-0019-00	13 1/2" to 14"
		1 1/4" IPS	14"	9957-55-0024-00	9957-55-0014-00	13 1/2" to 14"
	SDR-11 (.151)	1 1/4" IPS	14"	9957-55-0010-00	9957-55-0015-00	13 1/2" to 14"
2" IPS	SDR-11 (.216)	1 1/2" IPS	14"	9957-55-0025-00	9957-55-0020-00	13 1/2" to 14"
		2" IPS	14"	9957-55-0011-00	9957-55-0016-00	13 1/2" to 14"

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.




PE X STEEL FITTINGS

TRANSITION FITTINGS



OUTLET (PE SIZE)	WALL	INLET	PART NUMBER 2406/2708	PART NUMBER 3408/4710	OVERALL LENGTH
1/2" CTS (5/8" OD)	.090	1/2" MPT	4646-00-1904-00†‡	4949-00-1904-00‡	14 3/8"
1" CTS (1 1/8" OD)	.099/.101	1" MPT	4646-00-1908-00†‡	4949-00-1908-00‡	14 3/4"
1/2" IPS	SDR-9.33 (.090)	3/4" MPT	4646-00-1912-00‡	4949-00-1912-00‡	14 11/32"
3/4" IPS	SDR-11 (.095)	3/4" MPT	4646-00-1913-00†‡	4949-00-1913-00‡	15"
1" IPS	SDR-11 (.119)	1" MPT	4646-00-1914-00†‡	4949-00-1914-00‡	16 1/8"
1 1/4" IPS	SDR-10 (.166)	1 1/4" MPT	4646-00-1915-00†‡	Not Available	16 1/16"
1 1/4" IPS	SDR-11 (.151)	1 1/4" MPT	4646-00-1915-0A†‡	4949-00-1915-0A‡	16 1/16"
1 1/2" IPS	SDR-11 (.171)	1 1/2" MPT	4646-00-1916-00†‡	4949-00-1916-00‡	16 5/16"
2" IPS	SDR-11 (.166)	2" MPT	4646-00-1917-00†‡	4949-00-1917-00‡	16 11/16"

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- † = CSA Approved / ‡ = IAPMO/UPC Listed



PE X STEEL FITTINGS




CON-STAB ID SEAL® STEEL TRANSITION FITTINGS

OUTLET (PE SIZE)	WALL	INLET	PART NUMBER 2406/2708	PART NUMBER 3408/4710	OVERALL LENGTH
1/2"CTS	.090	1/2"MPT	4646-00-1904-25†‡	4949-00-1904-25‡	16 9/16"
1"CTS (1 1/8" OD)	.099/.101	1"MPT	4646-00-1908-25†‡	4949-00-1908-25‡	16 15/16"
1/2"IPS	SDR-9.33 (.090)	3/4"MPT	4646-00-1912-25‡	4949-00-1912-25‡	16 9/16"
3/4"IPS	SDR-11 (.095)	3/4"MPT	4646-00-1913-25†‡	4949-00-1913-25‡	17 3/16"
1"IPS	SDR-11 (.119)	1"MPT	4646-00-1914-25†‡	4949-00-1914-25‡	19 1/4"
1 1/4"IPS	SDR-10 (.166)	1 1/4"MPT	4646-00-1915-25†‡	Not Available	19 3/16"
1 1/4"IPS	SDR-11 (.151)	1 1/4"MPT	9946-00-0058-25†‡	9949-00-0001-25‡	19 3/16"
1 1/2"IPS	SDR-11 (.171)	1 1/2"MPT	4646-00-1916-25†‡	4949-00-1916-25‡	19 7/16"
2"IPS	SDR-11 (.166)	2"MPT	4646-00-1917-25†‡	4949-00-1917-25‡	19 13/16"



• **For sizes not listed, contact Continental Industries.**

- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- † = CSA Approved / ‡ = IAPMO/UPC Listed



CON-STAB ID SEAL® BRASS TRANSITION FITTINGS

OUTLET (PE SIZE)	WALL	INLET	PART NUMBER (3408/4710)
1/2" CTS (5/8" OD)	.090	1/2" MPT	9932-00-0002-00
		1/2" FPT	9932-00-0019-00
		3/4" MPT	9932-00-0004-00
		3/4" FPT	9932-00-0021-00
1" CTS (1 1/8" OD)	.099/.101	3/4" MPT	9932-00-0008-00
		3/4" FPT	9932-00-0025-00
		1" MPT	9932-00-0010-00
		1" FPT	9932-00-0027-00
	.090	3/4" MPT	9932-00-0007-00
		3/4" FPT	9932-00-0024-00
		1" MPT	9932-00-0009-00
		1" FPT	9932-00-0026-00
1/2" IPS	SDR-9.33 (.090)	1/2" MPT	9932-00-0013-00
		1/2" FPT	9932-00-0030-00
		3/4" MPT	9932-00-0014-00
		3/4" FPT	9932-00-0031-00
3/4" IPS	SDR-11 (.095)	3/4" MPT	9932-00-0015-00
		3/4" FPT	9932-00-0032-00
		1" MPT	9932-00-0016-00
		1" FPT	9932-00-0033-00



• **For sizes not listed, contact Continental Industries.**

- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.



PE X STEEL FITTINGS

CON-STAB ID SEAL® STEEL TRANSITION FITTINGS

OUTLET (PE SIZE)	WALL	INLET	PART NUMBER (3408/4710)
1/2" CTS (5/8" OD)	.090	1/2" MPT	0432-00-0912-00
		1/2" FPT	0432-00-1512-00
		3/4" MPT	0432-00-0913-00
		3/4" FPT	0432-00-1513-00
		3/4" BUTT WELD	0432-00-0613-00
1" CTS (1 1/8" OD)	.099/.101	3/4" MPT	0832-00-0913-00
		3/4" FPT	0832-00-1513-00
		1" MPT	0832-00-0914-00
		1" FPT	0832-00-1514-00
		3/4" BUTT WELD	0832-00-0613-00
	.090	3/4" MPT	0832-00-0913-A0
		3/4" FPT	0832-00-1513-A0
		1" MPT	0832-00-0914-A0
		1" FPT	0832-00-1514-A0
		3/4" BUTT WELD	0832-00-0613-A0
1/2" IPS	SDR-9.33 (.090)	1/2" MPT	1232-00-0912-00
		1/2" FPT	1232-00-1512-00
		3/4" MPT	1232-00-0913-00
		3/4" FPT	1232-00-1513-00
3/4" IPS	SDR-11 (.095)	3/4" MPT	1332-00-0913-00
		3/4" FPT	1332-00-1513-00
		1" MPT	1332-00-0914-00
		1" FPT	1332-00-1514-00
		3/4" BUTT WELD	1332-00-0613-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 28 for size combinations available.



PE X STEEL FITTINGS



STEEL ADAPTER COUPLINGS PE Compression x Male Pipe Thread


PE SIZE	WALL	MPT	PART NUMBER
1/4" CTS (3/8" OD)	.062	1/2"	0242-00-0912-00
		3/4"	0242-00-0913-00
1/2" CTS (5/8" OD)	.090	1/2"	0442-00-0912-00†
		3/4"	0442-00-0913-00†
		1"	0442-00-0914-00†
	.062	1/2"	0442-00-0912-A0
		3/4"	0442-00-0913-A0
		1"	0442-00-0914-A0
3/4" CTS (7/8" OD)	.090	1/2"	0642-00-0912-00
		3/4"	0642-00-0913-00†
		1"	0642-00-0914-00†
1" CTS (1 1/8" OD)	.099/.101	3/4"	0842-00-0913-00†
		1"	0842-00-0914-00†
		1 1/4"	0842-00-0915-00†
	.090	3/4"	0842-00-0913-A0
		1"	0842-00-0914-A0
		1 1/4"	0842-00-0915-A0
1/2" IPS	SDR-9.33 (.090)	1/2"	1242-00-0912-00
		3/4"	1242-00-0913-00†
		1"	1242-00-0914-00†
3/4" IPS	SDR-11 (.095)	3/4"	1342-00-0913-00†
		1"	1342-00-0914-00
		1 1/4"	1342-00-0915-00
1" IPS	SDR-11 (.119)	3/4"	1442-00-0913-00
		1"	1442-00-0914-00
1 1/4" IPS	SDR-10 (.166)	1"	1542-00-0914-00
		1 1/4"	1542-00-0915-00
	SDR-11 (.151)	1"	1542-00-0914-A0
		1 1/4"	1542-00-0915-A0



- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- † = CSA Approved

STEEL ADAPTER COUPLINGS PE Compression x Female Pipe Thread

PE SIZE	WALL	FPT	PART NUMBER
1/4" CTS (3/8" OD)	.062	1/2"	0242-00-1512-00
		3/4"	0242-00-1513-00
1/2" CTS (5/8" OD)	.090	1/2"	0442-00-1512-00
		3/4"	0442-00-1513-00
		1"	0442-00-1514-00
	.062	1/2"	0442-00-1512-A0
		3/4"	0442-00-1513-A0
		1"	0442-00-1514-A0
3/4" CTS (7/8" OD)	.090	1/2"	0642-00-1512-00
		3/4"	0642-00-1513-00
		1"	0642-00-1514-00
1" CTS (1 1/8" OD)	.099/.101	3/4"	0842-00-1513-00
		1"	0842-00-1514-00
		1 1/4"	0842-00-1515-00
	.090	3/4"	0842-00-1513-A0
		1"	0842-00-1514-A0
		1 1/4"	0842-00-1515-A0
1/2" IPS	SDR-9.33 (.090)	1/2"	1242-00-1512-00
		3/4"	1242-00-1513-00
		1"	1242-00-1514-00
3/4" IPS	SDR-11 (.095)	3/4"	1342-00-1513-00
		1"	1342-00-1514-00
		1 1/4"	1342-00-1515-00
1" IPS	SDR-11 (.119)	3/4"	1442-00-1513-00
		1"	1442-00-1514-00
		1 1/4"	1442-00-1515-00
1 1/4" IPS	SDR-10 (.166)	1 1/4"	1542-00-1515-00
	SDR-11 (.151)	1 1/4"	1542-00-1515-A0



- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



PE X STEEL FITTINGS

STEEL ADAPTER COUPLINGS PE Compression x Butt Weld

PE SIZE	WALL	Butt Weld	PART NUMBER
1/4" CTS (3/8" OD)	.062	1/2"	0242-00-0612-00
		3/4"	0242-00-0613-00
1/2" CTS (5/8" OD)	.090	3/4"	0442-00-0613-00†
	.062	3/4"	0442-00-0613-A0
3/4" CTS (7/8" OD)	.090	3/4"	0642-00-0613-00†
		1"	0642-00-0614-00†
1" CTS (1 1/8" OD)	.099/.101	3/4"	0842-00-0613-00
	.090	3/4"	0842-00-0613-A0
1/2" IPS	SDR-9.33 (.090)	3/4"	1242-00-0613-00†
		1"	1242-00-0614-00†
3/4" IPS	SDR-11 (.095)	3/4"	1342-00-0613-00
1" IPS	SDR-11 (.119)	1"	1442-00-0614-00
1 1/4" IPS	SDR-10 (.166)	1 1/4"	1542-00-0615-00
		2"	1542-00-0617-00
	SDR-11 (.151)	1 1/4"	1542-00-0615-A0
		2"	1542-00-0617-A0

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- † = CSA Approved



STEEL ADAPTER COUPLINGS PE Compression x Plain End

PE SIZE	WALL	Plain End	PART NUMBER
1/4" CTS (3/8" OD)	.062	1/2"	0242-00-0812-00
1/2" CTS (5/8" OD)	.090	1/2"	0442-00-0812-00†
		3/4"	0442-00-0813-00†
		1"	0442-00-0814-00†
	.062	1/2"	0442-00-0812-A0
3/4" CTS (7/8" OD)	.090	3/4"	0442-00-0813-A0
		1"	0442-00-0814-A0
		1/2"	0642-00-0812-00
		3/4"	0642-00-0813-00†
1" CTS (1 1/8" OD)	.099/.101	1"	0642-00-0814-00†
		3/4"	0842-00-0813-00†
		1"	0842-00-0814-00†
	.090	1 1/4"	0842-00-0815-00†
		3/4"	0842-00-0813-A0
		1"	0842-00-0814-A0
1/2" IPS	SDR-9.33 (.090)	1 1/4"	0842-00-0815-A0
		1/2"	1242-00-0812-00
		3/4"	1242-00-0813-00†
3/4" IPS	SDR-11 (.095)	1"	1242-00-0814-00†
		3/4"	1342-00-0813-00
		1"	1342-00-0814-00†
1" IPS	SDR-11 (.119)	1 1/4"	1342-00-0815-00
1" IPS	SDR-11 (.119)	1"	1442-00-0814-00

- For sizes not listed, contact Continental Industries.
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- † = CSA Approved



PE X STEEL FITTINGS



STEEL ADAPTER COUPLINGS

PE Compression x Steel Tube or Pipe (Conductive) Compression

PE SIZE	WALL	STEEL TUBE OR PIPE SIZE	PART NUMBER
1/2" CTS (5/8" OD)	.090	1/2" OD	0343-00-1004-00
		5/8" OD	0443-00-1004-00
		3/4" IPS	1340-00-1004-00
		1" IPS	1440-00-1004-00
		1 1/4" IPS	1540-00-1004-00
3/4" CTS (7/8" OD)	.090	3/4" IPS	1340-00-1006-00
		1" IPS	1440-00-1006-00
		1 1/4" IPS	1540-00-1006-00
1" CTS (1 1/8" OD)	.099/.101	3/4" IPS	1340-00-1008-00
		1" IPS	1440-00-1008-00
		1 1/4" IPS	1540-00-1008-00
1/2" IPS	SDR-9.3 (.090)	1/2" OD	0343-00-1012-00
		3/4" IPS	1340-00-1012-00
		1" IPS	1440-00-1012-00
		1 1/4" IPS	1540-00-1012-00
3/4" IPS	SDR-11 (.095)	1/2" OD	0343-00-1013-00
		5/8" OD	0443-00-1013-00
		3/4" IPS	1340-00-1013-00
		1" IPS	1440-00-1013-00
1" IPS	SDR-11 (.119)	1 1/4" IPS	1540-00-1013-00
		1" IPS	1440-00-1014-00
1 1/4" IPS	SDR-10 (.166)	1 1/4" IPS	1540-00-1015-00
		5/8" OD	0443-00-1015-00
		1" IPS	1440-00-1015-00



- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.

STEEL ADAPTER 3-WAY TEES

PE Compression x Steel Tube or Pipe (Conductive) Compression

STEEL TUBE OR PIPE SIZE	PE SIZE	WALL	PART NUMBER
1/2" OD	1/2" CTS (5/8" OD)	.090	0039-00-0023-00
5/8" OD			0039-99-0015-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



STEEL ADAPTER 3-WAY TEES

PE Compression x Male Pipe Thread

PE SIZE	WALL	FPT	MPT	BRANCH MPT	PART NUMBER
1/2" CTS (5/8" OD)	.090	3/4"	3/4"	3/4"	9939-99-0004-00
1" CTS (1 1/8" OD)	.099/.101	1 1/4"	3/4"	3/4"	9939-99-0006-00
		1 1/4"	1 1/4"	3/4"	9939-99-0005-00

- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.





PE X STEEL FITTINGS

SERVICE HEAD ADAPTERS PE Compression x Male Pipe Thread x Female Pipe Thread

PE SIZE	WALL	MPT	FPT	PART NUMBER	PART NUMBER (Zinc Plated)
1/4" CTS (3/8" OD)	.062	3/4"	3/4"	9942-00-0187-00	
1/2" CTS (5/8" OD)	.090	1/2"	3/4"	0442-00-0912-05	0442-95-0912-05
		3/4"	3/4"	0442-00-0913-05‡	9942-99-0089-00
		3/4"	1"	0442-00-0913-06	0442-95-0913-06
		1"	3/4"	0442-00-0914-05	0442-95-0914-05
		1"	1"	0442-00-0914-06	0442-95-0914-06
		1 1/4"	3/4"	0442-00-0915-05	0442-95-0915-05
3/4" CTS (7/8" OD)	.090	3/4"	1"	0642-00-0913-06	0642-95-0913-06
		1"	1"	0642-00-0914-06	0642-95-0914-06
		1"	1 1/4"	0642-00-0914-07	0642-95-0914-07
1" CTS (1 1/8" OD)	.099/.101	3/4"	1 1/4"	0842-00-0913-07‡	0842-95-0913-07
		1"	1 1/4"	0842-00-0914-07	0842-95-0914-07
		1 1/4"	1 1/4"	0842-00-0915-07	0842-95-0915-07
	.090	3/4"	1 1/4"	9942-00-0184-00	9942-00-0200-00
		1"	1 1/4"	9942-00-0199-00	9942-00-0201-00
		1 1/4"	1 1/4"	9942-00-0185-00	9942-00-0116-00
1/2" IPS	SDR-9.33 (.090)	3/4"	1"	1242-00-0913-06	1242-95-0913-06
		1"	1"	1242-00-0914-06	1242-95-0914-06
		1 1/4"	1"	1242-00-0915-06	1242-95-0915-06
3/4" IPS	SDR-11 (.095)	3/4"	1 1/4"	1342-00-0913-07‡	1342-95-0913-07
		1"	1 1/4"	1342-00-0914-07	1342-95-0914-07
		1 1/4"	1 1/4"	1342-00-0915-07	1342-95-0915-07



- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- ‡ = IAPMO/UPC Listed

PE X COPPER FITTINGS



CON-STAB ID SEAL® PE Stab x Copper Transition Couplings

PE SIZE	WALL	COPPER TUBE SIZE	PART NUMBER (3408/4710)
1/2" CTS (5/8" OD)	.090	1/4" OD	9943-99-0062-00
		3/8" OD	9943-99-0063-00
		1/2" OD	9943-99-0064-00
		5/8" OD	9943-99-0065-00
3/4" IPS	SDR-11 (.095)	5/8" OD	9943-99-0066-00



- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.
- Recommended accessories;
 - Continental's Bladed Chamfering Tool. See page 30 for size combinations available.
- 45° Copper Flare made in accordance with SAE J513.
- Forged Flare nut made to ASTM B 283.

COMPRESSION FITTINGS PE Compression x Copper Adapter Couplings

PE SIZE	WALL	COPPER TUBE SIZE	PART NUMBER
1/2" CTS (5/8" OD)	.090	3/8" OD	9957-48-0057-00
	.062		9957-48-0058-00
1/2" CTS (5/8" OD)	.090	5/8" OD	9957-48-0054-00
	.062		9957-48-0059-00



- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.

STEEL COMPRESSION FITTINGS PE Compression x Copper Adapter Couplings

PE SIZE	WALL	COPPER TUBE SIZE	PART NUMBER
1/2" CTS (5/8" OD)	.090	1/2" OD	0343-00-1004-00
		5/8" OD	0443-00-1004-00
3/4" CTS (7/8" OD)	.090	5/8" OD	0443-00-1006-00
1" CTS (1 1/8" OD)	.099/.101	5/8" OD	0443-00-1008-00
1/2" IPS	SDR-9.3 (.090)	1/2" OD	0343-00-1012-00
		5/8" OD	0443-00-1012-00
3/4" IPS	SDR-11 (.095)	1/2" OD	0343-00-1013-00
		5/8" OD	0443-00-1013-00
1" IPS	SDR-11 (.119)	5/8" OD	0443-00-1014-00
1 1/4" IPS	SDR-10 (.166)	5/8" OD	0443-00-1015-00



- **For sizes not listed, contact Continental Industries.**
- Pressure rating—Designed to meet or exceed pressure rating of PE pipe per 49 CFR Part 192 and ASTM D2513.



STEEL X STEEL FITTINGS

STEEL ADAPTER COUPLINGS

Steel Tube or Pipe (Conductive) Compression x Male Pipe Thread

STEEL TUBE OR PIPE SIZE	MPT	PART NUMBER
1/2" OD	1/2"	0343-00-0912-00
	3/4"	0343-00-0913-00
	1"	0343-00-0914-00
5/8" OD	1/2"	0443-00-0912-00
	3/4"	0443-00-0913-00
	1"	0443-00-0914-00
3/4" IPS	3/4"	1340-00-0913-00
1" IPS	3/4"	1440-00-0913-00
	1"	1440-00-0914-00
1 1/4" IPS	3/4"	1540-00-0913-00
	1"	1540-00-0914-00
	1 1/4"	1540-00-0915-00

- For sizes not listed, contact Continental Industries.
- Conductive Compression Outlets rated at 300 psig.



STEEL ADAPTER COUPLINGS

Steel Tube or Pipe (Conductive) Compression x Female Pipe Thread

STEEL TUBE OR PIPE SIZE	FPT	PART NUMBER
1/2" OD	1/2"	0343-00-1512-00
	3/4"	0343-00-1513-00
	1"	0343-00-1514-00
5/8" OD	1/2"	0443-00-1512-00
	3/4"	0443-00-1513-00
	1"	0443-00-1514-00
3/4" IPS	3/4"	1340-00-1513-00
1" IPS	1"	1440-00-1514-00
1 1/4" IPS	1 1/4"	1540-00-1515-00

- For sizes not listed, contact Continental Industries.
- Conductive Compression Outlets rated at 300 psig.



STEEL ADAPTER COUPLINGS

Steel Tube or Pipe (Conductive) Compression x Butt Weld

STEEL TUBE OR PIPE SIZE	BUTT WELD	PART NUMBER
1/2" OD	3/4"	0343-00-0613-00
5/8" OD	3/4"	0443-00-0613-00

- For sizes not listed, contact Continental Industries.
- Conductive Compression Outlets rated at 300 psig.



STEEL X STEEL FITTINGS



STEEL ADAPTER COUPLINGS

Steel Tube or Pipe (Conductive) Compression x Plain End

STEEL TUBE OR PIPE SIZE	Plain End	PART NUMBER
1/2" OD	1/2"	0343-00-0812-00
5/8" OD	1/2"	0443-00-0812-00
	3/4"	0443-00-0813-00
	1"	0443-00-0814-00
	1 1/4"	0443-00-0815-00
3/4" IPS	3/4"	1340-00-0813-00
	1"	1340-00-0814-00
1" IPS	1"	1440-00-0814-00

- For sizes not listed, contact Continental Industries.
- Conductive Compression Outlets rated at 300 psig.



STEEL COMPRESSION COUPLINGS

Steel Tube or Pipe (Conductive) Compression Full Couplings

STEEL TUBE OR PIPE SIZE	PART NUMBER
1/2" OD	0343-00-1303-00
5/8" OD	0443-00-1304-00
3/4" IPS	1340-00-0413-00
1" IPS	1440-00-0414-00
1 1/4" IPS	1540-00-0415-00

- For sizes not listed, contact Continental Industries.
- Conductive Compression Outlets rated at 300 psig.



STEEL COMPRESSION COUPLINGS

Steel Tube or Pipe (Conductive) Compression Reducer Couplings

STEEL TUBE OR PIPE SIZE	STEEL TUBE OR PIPE SIZE	PART NUMBER
5/8" OD	1/2" OD	0443-00-1303-00
3/4" IPS	1/2" OD	0343-00-0413-00
1" IPS	3/4" IPS	1440-00-0413-00
1 1/4" IPS	5/8" OD	0443-00-0415-00

- For sizes not listed, contact Continental Industries.
- Conductive Compression Outlets rated at 300 psig.



STEEL COMPRESSION FITTINGS

Steel Tube or Pipe (Conductive) Compression 3-Way Tees

STEEL TUBE OR PIPE SIZE	PART NUMBER
1/2" OD	0039-00-1303-00
5/8" OD	0039-00-1304-00
3/4" IPS	0039-00-1313-00
1" IPS	0039-00-1314-00

- For sizes not listed, contact Continental Industries.
- Conductive Compression Outlets rated at 300 psig.





MISCELLANEOUS

BY-PASS ADAPTERS

Male Pipe Thread x Female Pipe Thread x Male Pipe Thread

RUN MPT	RUN FPT	BRANCH MPT	PART NUMBER
3/4"	3/4"	3/4"	9939-99-0009-00
1 1/4"	1 1/4"	3/4"	9939-99-0008-00
	1 1/4"	1"	9939-99-0010-00
2"	2"	1"	9939-99-0011-00

- For sizes not listed, contact Continental Industries.



PVC SUPPORT CLAMPS

for PE Pipe after squeeze off (4 Bolt Style)

PIPE SIZE	LENGTH	PART NUMBER
5/8" OD	4"	2937-04-0000-00
7/8" OD	4"	2937-06-0000-00
1 1/8" OD	4"	2937-08-0000-00
1/2" IPS	4"	2937-12-0000-00
3/4" IPS	4"	2937-13-0000-00
1" IPS	4"	2937-14-0000-00
1 1/4" IPS	4"	2937-15-0000-00
1 1/2" IPS	4"	2937-16-0000-00
2" IPS	4"	2937-17-0000-00
2 1/2" IPS	3 1/2"	2937-18-0000-00
3" IPS	3 1/2"	2937-19-0000-00
4" IPS	3 1/2"	2937-21-0000-00
6" IPS	3 1/2"	2937-24-0000-00
8" IPS	3 1/2"	9937-99-0008-00†

- For sizes not listed, contact Continental Industries
- † 8" IPS Support Clamps are made from Polyamide resin



PVC SUPER SUPPORT CLAMPS

for PE Pipe after squeeze off (6 Bolt Style)

PIPE SIZE	LENGTH	PART NUMBER
2" IPS	6"	2937-17-0606-00
3" IPS	6"	2937-19-0606-00
4" IPS	6"	2937-21-0606-00
6" IPS	6"	2937-24-0606-00

- For sizes not listed, contact Continental Industries



TECHNICAL INFO



ID CHAMFERING TOOLS

To Be Used With Con-Stab ID Seal® Fittings

CATALOG NO.	DESCRIPTION
DOUBLE ENDED ID CHAMFER TOOLS	
0000-33-5647-00	1/2" IPS X 1/2" CTS (5/8" OD)
0000-33-5481-00	3/4" IPS X 1/2" CTS (5/8" OD)
0000-33-5652-00	3/4" IPS X 1/2" IPS
0000-33-5651-00	3/4" CTS (7/8" OD) X 1/2" CTS (5/8" OD)
0000-33-5609-00	3/4" CTS (7/8" OD) X 1/2" IPS
0000-33-5480-00	1" CTS (1 1/8" OD) X 1/2" CTS (5/8" OD)
0000-33-5963-00	1" CTS (1 1/8" OD) X 1/2" IPS
0000-33-5763-00	1" CTS (1 1/8" OD) X 3/4" CTS (7/8" OD)
0000-33-5589-00	1" CTS (1 1/8" OD) X 3/4" IPS
0000-33-5514-00	1" IPS X 1/2" CTS (5/8" OD)
0000-33-5516-00	1" IPS X 3/4" IPS
0000-33-5606-00	1" IPS X 1" CTS (1 1/8" OD)
0000-33-5515-00	1 1/4" CTS (1 3/8" OD) X 1/2" CTS (5/8" OD)
0000-33-5798-00	1 1/4" CTS (1 3/8" OD) X 3/4" IPS
0000-33-5631-00	1 1/4" CTS (1 3/8" OD) X 1" CTS (1 1/8" OD)
0000-33-6572-00	1 1/4" CTS (1 3/8" OD) X 1" IPS
ID CHAMFER TOOLS WITH GAUGE	
0000-33-6580-04	1/2" CTS (5/8" OD) .090 WALL
0000-33-6580-02	1" CTS (1 1/8" OD) .090 WALL
0000-33-6580-06	3/4" CTS (7/8" OD) .090 WALL
0000-33-6580-08	1" CTS (1 1/8" OD) .099/.101 WALL
0000-33-6580-12	1/2" IPS SDR-9.3
0000-33-6580-13	3/4" IPS SDR-11
0000-33-6580-14	1" IPS SDR-11
0000-33-6580-03	1 1/4" CTS (1 3/8" OD) .090 WALL
0000-33-6580-10	1 1/4" IPS SDR-11 (.151 WALL)
0000-33-6580-15	1 1/4" IPS SDR-10 (.166 WALL)
0000-33-6580-09	1 1/4" IPS SDR-9.3 (.178 WALL)
0000-38-6580-16	1 1/2" IPS SDR-11
0000-33-6580-17	2" IPS SDR-11



COMPRESSION STYLES



Compression Style Fitting For PE Pipe
(Lock Type Compression Shown)




Compression Style Fitting For Steel Pipe
(Standard Compression Shown)

Compression Style Fittings for PE Pipe — Compression style fittings for PE pipe are designed with a built in stiffener concept and are to be used with PE pipe manufactured to ASTM D-2513 specifications. Two basic designs are supplied; the lock type positive bottoming for controlled compression and the standard compression which requires controlled torquing to proper compression. Refer to the instructions given with each fitting for proper installation.


Compression Style Fittings for Steel Pipe — Two basic designs are supplied; the lock type and standard compression. Lock type compression is positive bottoming for controlled compression and the standard compression requires controlled torquing for proper compression. Refer to the instructions given with each fitting for proper installation.




TYPICAL ASSEMBLIES




CON-STAB ID SEAL®
FULL COUPLING
(PAGE 3)



CON-STAB ID SEAL® BRASS TRANSITION COUPLING
(PAGE 18)







CON-STAB ID SEAL® TRANSITION COUPLING
(PAGE 18)




THE SCOPE®
EXPANDABLE REPAIR COUPLING
(PAGE 10)



TYPICAL ASSEMBLIES



For Cathodic Protection
Solutions, Contact
thermOweld®





Your Ultimate Connection

No other single manufacturer can offer the variety of repair fittings that Continental Industries provides. Whether you need to connect PE to PE, PE to PVC, PE to Steel, PE to Copper or Steel to Steel, chances are Continental has one to do the job.

PE to PE



PE to PVC



MISCELLANEOUS



PE to STEEL



PE to COPPER



STEEL to STEEL



OTHER QUALITY PRODUCTS FROM CONTINENTAL INDUSTRIES

GAS DISTRIBUTION PRODUCTS CON-STAB ID SEAL® FITTINGS



Con-Stab ID Seal® Fittings

GAS DISTRIBUTION PRODUCTS MECHANICAL SADDLES & FITTINGS



Mechanical
Saddles & Fittings

GAS DISTRIBUTION PRODUCTS STEEL SERVICE TEES



Steel Service Tees

GAS DISTRIBUTION PRODUCTS STEEL COUPLINGS



Steel Couplings

GAS DISTRIBUTION PRODUCTS METER RISERS



Meter Risers

GAS DISTRIBUTION PRODUCTS TRANSITION FITTINGS



Transition Fittings

GAS DISTRIBUTION PRODUCTS EFV FITTING CATALOG




EFV Catalog

WATER DISTRIBUTION PRODUCTS PVC WATER FITTINGS



PVC Water Fittings



thermOweld® for
Cathodic Protection



CONTINENTAL INDUSTRIES

1140 North 129th East Ave. Tulsa, Oklahoma 74116

(Phone) 800-558-1373 or 918-627-5210

(Fax) 800-788-1668 or 918-622-1275

www.conind.com

The Ultimate Connection