



GE APPLIANCES

# MULTI-ZONE DUCTLESS HEAT PUMP SYSTEM OUTDOOR

4  
ZONE

SUBMITTAL

Job Name: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Submitted To: \_\_\_\_\_

Construction: \_\_\_\_\_

Reference: \_\_\_\_\_

Approval: \_\_\_\_\_

Date: \_\_\_\_\_

Submitted By: \_\_\_\_\_

Unit: \_\_\_\_\_

Drawing #: \_\_\_\_\_



4G36AD2BEA



## Outdoor Accessories

|                    |           |
|--------------------|-----------|
| Front Wind Baffle  | UAWB31GA  |
| Side Wind Baffle   | UASWB31GA |
| Back Wind Baffle   | UAWB31GA  |
| Top Cover          | UATC31GA  |
| Central Controller | UACT32A   |

## Specifications

|                    |                                                            |                                                      |
|--------------------|------------------------------------------------------------|------------------------------------------------------|
| Operating Range    | Cooling without Wind Baffle °F (°C)                        | 14~115°F (-10~46°C)                                  |
|                    | Heating °F                                                 | -4~75°F (-20~24°C)                                   |
| Power              | Voltage, Cycle, Phase (V/Hz/-)                             | 208-230/60/1                                         |
|                    | Operating Voltage Range                                    | 187-253 VAC                                          |
| Cooling Non-Ducted | Rated Capacity Btu/hr                                      | 35,000                                               |
|                    | Capacity Range Btu/hr                                      | 6,500-36,000                                         |
|                    | SEER2 / EER2                                               | 20.0/10.0                                            |
|                    | Rated Power Input W                                        | 3,500                                                |
| Heating Non-Ducted | Rated Heating capacity 47°F Btu/hr                         | 36,000                                               |
|                    | Heating Capacity Range Btu/hr                              | 6,500-37,000                                         |
|                    | COP @ 5°F                                                  | 1.8                                                  |
|                    | HSPF2 (IV) / HSPF2(V)                                      | 10.0/7.4                                             |
|                    | Rated Power Input W                                        | 3,297                                                |
| Cooling Ducted     | Rated Capacity Btu/hr                                      | 33,400                                               |
|                    | Capacity Range Btu/hr                                      | 6,500-34,000                                         |
|                    | SEER2 / EER2                                               | 16.5/8.8                                             |
|                    | Rated Power Input W                                        | 3,795                                                |
| Heating Ducted     | Rated Heating capacity 47°F Btu/hr                         | 35,600                                               |
|                    | Heating Capacity Range Btu/hr                              | 6,500-36,000                                         |
|                    | COP @ 5°F                                                  | 1.8                                                  |
|                    | HSPF2 (IV) / HSPF2(V)                                      | 9.3/7.0                                              |
|                    | Rated Power Input W                                        | 3,161                                                |
| Outdoor Unit       | Compressor                                                 | DC Inverter Rotary                                   |
|                    | Maximum Fuse Size A                                        | 30                                                   |
|                    | Minimum Circuit Amp A                                      | 22                                                   |
|                    | Outdoor Noise Level dB                                     | 58                                                   |
|                    | Dimension: HxWxD in (mm)                                   | 30 1/8 x 37 3/16 x 15 13/16 (765 x 945 x 402)        |
|                    | Carton Dimension: HxWxD in (mm)                            | 33 1/16 x 40 13/16 x 18 13/16 (840 x 1036 x 478)     |
|                    | Weight Ship / Net - lbs (kg)                               | 134/152 (61/69)                                      |
|                    | Basepan Heater                                             | No                                                   |
|                    | Refrigerant                                                | R454B                                                |
|                    | Connections                                                | Flare                                                |
| Refrigerant Line   | Liquid O.D. in                                             | 1/4 • 1/4 • 1/4 • 1/4                                |
|                    | Suction O.D. in                                            | 3/8 • 3/8 • 3/8 • 1/2                                |
|                    | Ships with Lineset Adapters*                               | WJ01X35716 (3/8" x 1/2")<br>WJ01X35717 (1/2" x 3/8") |
|                    | Factory Charge Oz                                          | 81                                                   |
|                    | Maximum Line Length Ft / m                                 | 230/70                                               |
|                    | Maximum Height Ft / m                                      | 50/15                                                |
|                    | Minimum Line Length for Each Individual Indoor Unit Ft / m | 10/3                                                 |
|                    | Maximum Line Length for Each Individual Indoor Unit Ft / m | 82/25                                                |
|                    | Maximum Line Length without Additional Charge Ft / m       | 131/40                                               |
|                    |                                                            |                                                      |

For more information visit us:

[GEAppliancesAirAndWater.com](http://GEAppliancesAirAndWater.com)

©Copyright 2025 GE Appliances, a Haier Company. GE is a trademark of the General Electric Company. Manufactured under trademark license. GE Appliances has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.



\*See Lineset Adapter Application Guide on following page for adapter usage requirements.



GE APPLIANCES

# MULTI-ZONE DUCTLESS HEAT PUMP SYSTEM OUTDOOR

4  
ZONE

## 4G36AD2BEA Lineset Adapter Application Guide

| Combinations              |                     |                           |                     |                           |                           |     |
|---------------------------|---------------------|---------------------------|---------------------|---------------------------|---------------------------|-----|
| Port D                    |                     | Port C                    |                     | Port B                    | Port A                    |     |
| Port Size:<br>1/4" x 1/2" | Required<br>Adapter | Port Size:<br>1/4" x 3/8" | Required<br>Adapter | Port Size:<br>1/4" x 3/8" | Port Size:<br>1/4" x 3/8" |     |
| Two Zone                  | 18K                 | -                         | 9K                  | -                         | -                         | -   |
|                           | 18K                 | -                         | 12K                 | -                         | -                         | -   |
|                           | 18K                 | -                         | 15K                 | -                         | -                         | -   |
|                           | 18K                 | -                         | 18K                 | D                         | -                         | -   |
|                           | 18K                 | -                         | 24K                 | A, B                      | D                         | -   |
|                           | 24K                 | A, C                      | 7K                  | -                         | -                         | -   |
|                           | 24K                 | A, C                      | 9K                  | -                         | -                         | -   |
|                           | 24K                 | A, C                      | 12K                 | -                         | -                         | -   |
|                           | 24K                 | A, C                      | 15K                 | -                         | -                         | -   |
|                           | 24K                 | A, C                      | 24K                 | A, B                      | D                         | -   |
| Three Zone                | -                   | -                         | 9K                  | -                         | 9K                        | 9K  |
|                           | -                   | -                         | 12K                 | -                         | 9K                        | 7K  |
|                           | -                   | -                         | 12K                 | -                         | 9K                        | 9K  |
|                           | -                   | -                         | 12K                 | -                         | 12K                       | 7K  |
|                           | -                   | -                         | 12K                 | -                         | 12K                       | 9K  |
|                           | -                   | -                         | 12K                 | -                         | 12K                       | 12K |
|                           | -                   | -                         | 15K                 | -                         | 7K                        | 7K  |
|                           | -                   | -                         | 15K                 | -                         | 9K                        | 7K  |
|                           | -                   | -                         | 15K                 | -                         | 12K                       | 7K  |
|                           | -                   | -                         | 15K                 | -                         | 15K                       | 7K  |
|                           | -                   | -                         | 15K                 | -                         | 12K                       | 7K  |
|                           | -                   | -                         | 15K                 | -                         | 9K                        | 9K  |
|                           | -                   | -                         | 15K                 | -                         | 12K                       | 9K  |
|                           | -                   | -                         | 15K                 | -                         | 15K                       | 9K  |
|                           | -                   | -                         | 15K                 | -                         | 12K                       | 12K |
|                           | -                   | -                         | 15K                 | -                         | 15K                       | 12K |
|                           | -                   | -                         | 15K                 | -                         | 15K                       | 15K |
|                           | 18K                 | -                         | 7K                  | -                         | 7K                        | -   |
|                           | 18K                 | -                         | 9K                  | -                         | 7K                        | -   |
|                           | 18K                 | -                         | 9K                  | -                         | 9K                        | -   |
|                           | 18K                 | -                         | 12K                 | -                         | 7K                        | -   |
|                           | 18K                 | -                         | 12K                 | -                         | 9K                        | -   |
|                           | 18K                 | -                         | 12K                 | -                         | 12K                       | -   |
|                           | 18K                 | -                         | 15K                 | -                         | 7K                        | -   |
|                           | 18K                 | -                         | 15K                 | -                         | 9K                        | -   |
|                           | 18K                 | -                         | 15K                 | -                         | 12K                       | -   |
|                           | 18K                 | -                         | 15K                 | -                         | 15K                       | -   |
|                           | 18K                 | -                         | 18K                 | D                         | 7K                        | -   |
|                           | 18K                 | -                         | 18K                 | D                         | 9K                        | -   |
|                           | 18K                 | -                         | 18K                 | D                         | 12K                       | -   |
|                           | 24K                 | A, C                      | 7K                  | -                         | 7K                        | -   |
|                           | 24K                 | A, C                      | 9K                  | -                         | 7K                        | -   |
|                           | 24K                 | A, C                      | 9K                  | -                         | 9K                        | -   |
|                           | 24K                 | A, C                      | 12K                 | -                         | 7K                        | -   |
|                           | 24K                 | A, C                      | 12K                 | -                         | 9K                        | -   |
|                           | 24K                 | A, C                      | 12K                 | -                         | 12K                       | -   |
|                           | 24K                 | A, C                      | 15K                 | -                         | 7K                        | -   |
|                           | 24K                 | A, C                      | 15K                 | -                         | 9K                        | -   |

| Combinations              |                     |                           |                     |                           |                           |     |
|---------------------------|---------------------|---------------------------|---------------------|---------------------------|---------------------------|-----|
| Port D                    |                     | Port C                    |                     | Port B                    | Port A                    |     |
| Port Size:<br>1/4" x 1/2" | Required<br>Adapter | Port Size:<br>1/4" x 3/8" | Required<br>Adapter | Port Size:<br>1/4" x 3/8" | Port Size:<br>1/4" x 3/8" |     |
| Four Zone                 | 7K                  | E                         | 7K                  | -                         | 7K                        | 7K  |
|                           | 9K                  | E                         | 7K                  | -                         | 7K                        | 7K  |
|                           | 9K                  | E                         | 9K                  | -                         | 7K                        | 7K  |
|                           | 9K                  | E                         | 9K                  | -                         | 9K                        | 7K  |
|                           | 9K                  | E                         | 9K                  | -                         | 9K                        | 9K  |
|                           | 12K                 | E                         | 7K                  | -                         | 7K                        | 7K  |
|                           | 12K                 | E                         | 9K                  | -                         | 7K                        | 7K  |
|                           | 12K                 | E                         | 9K                  | -                         | 9K                        | 7K  |
|                           | 12K                 | E                         | 9K                  | -                         | 9K                        | 9K  |
|                           | 12K                 | E                         | 12K                 | -                         | 7K                        | 7K  |
|                           | 12K                 | E                         | 12K                 | -                         | 9K                        | 7K  |
|                           | 12K                 | E                         | 12K                 | -                         | 9K                        | 9K  |
|                           | 12K                 | E                         | 12K                 | -                         | 12K                       | 7K  |
|                           | 12K                 | E                         | 12K                 | -                         | 12K                       | 9K  |
|                           | 12K                 | E                         | 12K                 | -                         | 12K                       | 12K |
|                           | 15K                 | E                         | 7K                  | -                         | 7K                        | 7K  |
|                           | 15K                 | E                         | 9K                  | -                         | 7K                        | 7K  |
|                           | 15K                 | E                         | 9K                  | -                         | 9K                        | 7K  |
|                           | 15K                 | E                         | 9K                  | -                         | 9K                        | 9K  |
|                           | 15K                 | E                         | 12K                 | -                         | 7K                        | 7K  |
|                           | 15K                 | E                         | 12K                 | -                         | 9K                        | 7K  |
|                           | 15K                 | E                         | 12K                 | -                         | 9K                        | 9K  |
|                           | 15K                 | E                         | 12K                 | -                         | 12K                       | 7K  |
|                           | 15K                 | E                         | 12K                 | -                         | 12K                       | 9K  |
|                           | 15K                 | E                         | 12K                 | -                         | 12K                       | 9K  |
|                           | 15K                 | E                         | 15K                 | -                         | 7K                        | 7K  |
|                           | 15K                 | E                         | 15K                 | -                         | 9K                        | 7K  |
|                           | 15K                 | E                         | 15K                 | -                         | 9K                        | 9K  |
|                           | 18K                 | -                         | 7K                  | -                         | 7K                        | 7K  |
|                           | 18K                 | -                         | 9K                  | -                         | 7K                        | 7K  |
|                           | 18K                 | -                         | 9K                  | -                         | 9K                        | 7K  |
|                           | 18K                 | -                         | 9K                  | -                         | 9K                        | 9K  |
|                           | 18K                 | -                         | 12K                 | -                         | 7K                        | 7K  |
|                           | 18K                 | -                         | 12K                 | -                         | 9K                        | 7K  |
|                           | 18K                 | -                         | 12K                 | -                         | 9K                        | 9K  |
|                           | 18K                 | -                         | 15K                 | -                         | 7K                        | 7K  |
|                           | 24K                 | A, C                      | 7K                  | -                         | 7K                        | 7K  |
|                           | 24K                 | A, C                      | 9K                  | -                         | 7K                        | 7K  |

These 24K models require 3/8" liquid and 5/8" vapor linesets  
US24LB2BE\*\*, US24MB2BE\*\*

These 24K models require 1/4" liquid and 1/2" vapor linesets  
GS24WB2BE\*\*, GS24WP2BE\*\*

All 18K models require 1/4" liquid and 1/2" vapor linesets.

All 7K, 9K, 12K and 15K models require 1/4" liquid and 3/8" vapor linesets.

| Adapter | Part#      | Description                                | Ships with ODU |
|---------|------------|--------------------------------------------|----------------|
| A       | WJ01X35713 | 1/4" to 3/8" (Liquid line for ports C & D) | No             |
| B       | WJ01X35714 | 3/8" to 5/8" (Vapor line for port C)       | No             |
| C       | WJ01X35715 | 1/2" to 5/8" (Vapor line for port D)       | No             |
| D       | WJ01X35716 | 3/8" to 1/2" (Vapor line for port C)       | Yes (x1)       |
| E       | WJ01X35717 | 1/2" to 3/8" (Vapor line for port C or D)  | Yes (x1)       |

For more information visit us:

[GEAppliancesAirAndWater.com](http://GEAppliancesAirAndWater.com)

©Copyright 2025 GE Appliances, a Haier Company. GE is a trademark of the General Electric Company. Manufactured under trademark license. GE Appliances has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.





GE APPLIANCES

# MULTI-ZONE DUCTLESS HEAT PUMP SYSTEM OUTDOOR

4  
ZONE

4G36AD2BEA

## Heating Capacity Data (Non-Ducted)

TC: Total Capacity PI: Power Input

| Outdoor<br>Air Temp<br>DB | Indoor Temperature (°F, DB) |           |      |               |           |      |               |           |      |               |           |      |               |           |      |               |           |      |               |           |      |
|---------------------------|-----------------------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|
|                           | 60                          |           |      | 64            |           |      | 68            |           |      | 70            |           |      | 72            |           |      | 75            |           |      | 79            |           |      |
|                           | TC<br>(Btu/h)               | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  |
| -4°F (-20°C)              | 21,598                      | 3,247     | 1.95 | 21,384        | 3,314     | 1.89 | 21,173        | 3,416     | 1.82 | 20,758        | 3,596     | 1.69 | 20,342        | 3,668     | 1.63 | 20,139        | 3,704     | 1.59 | 19,938        | 3,741     | 1.56 |
| 0°F (-18°C)               | 22,735                      | 3,314     | 2.01 | 22,510        | 3,381     | 1.95 | 22,287        | 3,486     | 1.87 | 21,850        | 3,669     | 1.74 | 21,413        | 3,743     | 1.68 | 21,199        | 3,780     | 1.64 | 20,987        | 3,818     | 1.61 |
| 5°F (-15°C)               | 23,932                      | 3,381     | 2.07 | 23,695        | 3,450     | 2.01 | 23,460        | 3,557     | 1.93 | 23,000        | 3,744     | 1.80 | 22,540        | 3,819     | 1.73 | 22,315        | 3,857     | 1.70 | 22,091        | 3,896     | 1.66 |
| 14°F (-10°C)              | 26,992                      | 3,310     | 2.39 | 26,725        | 3,378     | 2.32 | 26,460        | 3,482     | 2.23 | 25,941        | 3,665     | 2.07 | 25,422        | 3,739     | 1.99 | 25,168        | 3,776     | 1.95 | 24,916        | 3,814     | 1.91 |
| 23°F (-5°C)               | 30,004                      | 3,232     | 2.72 | 29,707        | 3,298     | 2.64 | 29,413        | 3,400     | 2.53 | 28,836        | 3,579     | 2.36 | 28,259        | 3,651     | 2.27 | 27,977        | 3,687     | 2.22 | 27,697        | 3,724     | 2.18 |
| 32°F (0°C)                | 32,993                      | 3,151     | 3.07 | 32,666        | 3,216     | 2.98 | 32,342        | 3,315     | 2.86 | 31,708        | 3,490     | 2.66 | 31,074        | 3,559     | 2.56 | 30,763        | 3,595     | 2.51 | 30,456        | 3,631     | 2.46 |
| 41°F (5°C)                | 35,981                      | 3,070     | 3.43 | 35,625        | 3,133     | 3.33 | 35,272        | 3,230     | 3.20 | 34,580        | 3,400     | 2.98 | 33,889        | 3,468     | 2.86 | 33,550        | 3,502     | 2.81 | 33,214        | 3,537     | 2.75 |
| 47°F (8°C)                | 37,458                      | 2,977     | 3.69 | 37,087        | 3,038     | 3.58 | 36,720        | 3,132     | 3.44 | 36,000        | 3,296     | 3.20 | 35,280        | 3,362     | 3.07 | 34,927        | 3,396     | 3.01 | 34,578        | 3,430     | 2.95 |
| 55°F (13°C)               | 38,582                      | 2,917     | 3.88 | 38,200        | 2,977     | 3.76 | 37,822        | 3,069     | 3.61 | 37,080        | 3,230     | 3.36 | 36,338        | 3,295     | 3.23 | 35,975        | 3,328     | 3.17 | 35,615        | 3,361     | 3.10 |
| 65°F (18°C)               | 36,653                      | 2,480     | 4.33 | 36,290        | 2,530     | 4.20 | 35,931        | 2,609     | 4.04 | 35,226        | 2,746     | 3.76 | 34,521        | 2,801     | 3.61 | 34,176        | 2,829     | 3.54 | 33,835        | 2,857     | 3.47 |
| 75°F (24°C)               | 34,820                      | 2,207     | 4.62 | 34,475        | 2,252     | 4.49 | 34,134        | 2,322     | 4.31 | 33,465        | 2,444     | 4.01 | 32,795        | 2,493     | 3.86 | 32,467        | 2,518     | 3.78 | 32,143        | 2,543     | 3.70 |

## Cooling Capacity Data (Non-Ducted)

TC: Total Capacity PI: Power Input

| Outdoor<br>Air Temp<br>DB | Indoor Temperature (°F, DB) |           |       |               |           |       |               |           |       |               |           |       |               |           |       |               |           |       |               |           |       |
|---------------------------|-----------------------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|
|                           | 64 / 53                     |           |       | 68 / 57       |           |       | 72 / 61       |           |       | 77 / 64       |           |       | 80 / 67       |           |       | 82 / 70       |           |       | 86 / 72       |           |       |
|                           | TC<br>(Btu/h)               | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  |
| 14°F (-10°C)              | 25,908                      | 1,508     | 17.18 | 30,480        | 1,713     | 17.79 | 33,131        | 1,842     | 17.98 | 34,875        | 1,919     | 18.17 | 35,953        | 1,958     | 18.36 | 37,032        | 1,997     | 18.54 | 38,883        | 2,117     | 18.37 |
| 32°F (0°C)                | 26,988                      | 1,587     | 17.01 | 31,750        | 1,803     | 17.61 | 34,511        | 1,939     | 17.80 | 36,328        | 2,020     | 17.98 | 37,451        | 2,061     | 18.17 | 38,575        | 2,102     | 18.35 | 40,504        | 2,229     | 18.17 |
| 50°F (10°C)               | 27,823                      | 1,671     | 16.65 | 32,732        | 1,898     | 17.24 | 35,579        | 2,041     | 17.43 | 37,451        | 2,126     | 17.61 | 38,610        | 2,170     | 17.79 | 39,768        | 2,213     | 17.97 | 41,756        | 2,346     | 17.80 |
| 68°F (20°C)               | 27,277                      | 1,856     | 14.70 | 32,091        | 2,109     | 15.21 | 34,881        | 2,268     | 15.38 | 36,717        | 2,363     | 15.54 | 37,853        | 2,411     | 15.70 | 38,988        | 2,459     | 15.86 | 40,937        | 2,607     | 15.71 |
| 86°F (30°C)               | 26,483                      | 2,210     | 11.98 | 31,156        | 2,511     | 12.41 | 33,865        | 2,700     | 12.54 | 35,648        | 2,813     | 12.67 | 36,750        | 2,870     | 12.80 | 37,853        | 2,927     | 12.93 | 39,745        | 3,103     | 12.81 |
| 95°F (35°C)               | 25,221                      | 2,695     | 9.36  | 29,672        | 3,062     | 9.69  | 32,253        | 3,293     | 9.79  | 33,950        | 3,430     | 9.90  | 35,000        | 3,500     | 10.00 | 36,050        | 3,570     | 10.10 | 37,853        | 3,784     | 10.00 |
| 104°F (40°C)              | 24,213                      | 2,857     | 8.48  | 28,485        | 3,246     | 8.78  | 30,962        | 3,490     | 8.87  | 32,592        | 3,636     | 8.96  | 33,600        | 3,710     | 9.06  | 34,608        | 3,784     | 9.15  | 36,338        | 4,011     | 9.06  |
| 110°F (43°C)              | 22,760                      | 2,942     | 7.74  | 26,776        | 3,343     | 8.01  | 29,105        | 3,595     | 8.10  | 30,636        | 3,745     | 8.18  | 31,584        | 3,821     | 8.27  | 32,532        | 3,898     | 8.35  | 34,158        | 4,132     | 8.27  |
| 115°F (46°C)              | 20,484                      | 2,883     | 7.10  | 24,099        | 3,277     | 7.35  | 26,194        | 3,523     | 7.43  | 27,573        | 3,670     | 7.51  | 28,426        | 3,745     | 7.59  | 29,278        | 3,820     | 7.66  | 30,742        | 4,049     | 7.59  |

Heating and cooling capacities and power usage are measured under the assumption of indoor humidity of 46%.

\*Cooling capacities under low ambient temperatures below 23°F (-5°C) are tested when using wind baffle on outdoor unit.

For more information visit us:

[GEAppliancesAirAndWater.com](http://GEAppliancesAirAndWater.com)

©Copyright 2025 GE Appliances, a Haier Company. GE is a trademark of the General Electric Company. Manufactured under trademark license. GE Appliances has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.





GE APPLIANCES

# MULTI-ZONE DUCTLESS HEAT PUMP SYSTEM OUTDOOR

4  
ZONE

## 4G36AD2BEA

### Heating Capacity Data (Ducted)

TC: Total Capacity PI: Power Input

| Outdoor<br>Air Temp<br>DB | Indoor Temperature (°F, DB) |           |      |               |           |      |               |           |      |               |           |      |               |           |      |               |           |      |               |           |      |
|---------------------------|-----------------------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|---------------|-----------|------|
|                           | 60                          |           |      | 64            |           |      | 68            |           |      | 70            |           |      | 72            |           |      | 75            |           |      | 79            |           |      |
|                           | TC<br>(Btu/h)               | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  | TC<br>(Btu/h) | PI<br>(W) | COP  |
| -4°F (-20°C)              | 19,720                      | 2,965     | 1.95 | 19,525        | 3,025     | 1.89 | 19,332        | 3,119     | 1.82 | 18,953        | 3,283     | 1.69 | 18,573        | 3,349     | 1.63 | 18,388        | 3,382     | 1.59 | 18,204        | 3,416     | 1.56 |
| 0°F (-18°C)               | 20,758                      | 3,025     | 2.01 | 20,552        | 3,087     | 1.95 | 20,349        | 3,183     | 1.87 | 19,950        | 3,350     | 1.74 | 19,551        | 3,417     | 1.68 | 19,355        | 3,451     | 1.64 | 19,162        | 3,486     | 1.61 |
| 5°F (-15°C)               | 21,851                      | 3,087     | 2.07 | 21,634        | 3,150     | 2.01 | 21,420        | 3,248     | 1.93 | 21,000        | 3,419     | 1.80 | 20,580        | 3,487     | 1.73 | 20,374        | 3,522     | 1.70 | 20,170        | 3,557     | 1.66 |
| 14°F (-10°C)              | 25,262                      | 3,052     | 2.43 | 25,012        | 3,114     | 2.35 | 24,764        | 3,211     | 2.26 | 24,279        | 3,380     | 2.10 | 23,793        | 3,447     | 2.02 | 23,555        | 3,482     | 1.98 | 23,320        | 3,516     | 1.94 |
| 23°F (-5°C)               | 28,630                      | 3,011     | 2.79 | 28,347        | 3,072     | 2.70 | 28,066        | 3,167     | 2.60 | 27,516        | 3,334     | 2.42 | 26,966        | 3,401     | 2.32 | 26,696        | 3,435     | 2.28 | 26,429        | 3,469     | 2.23 |
| 32°F (0°C)                | 31,976                      | 2,966     | 3.16 | 31,660        | 3,027     | 3.06 | 31,346        | 3,121     | 2.94 | 30,732        | 3,285     | 2.74 | 30,117        | 3,350     | 2.63 | 29,816        | 3,384     | 2.58 | 29,518        | 3,418     | 2.53 |
| 41°F (5°C)                | 35,323                      | 2,922     | 3.54 | 34,973        | 2,982     | 3.44 | 34,627        | 3,074     | 3.30 | 33,948        | 3,236     | 3.07 | 33,269        | 3,300     | 2.95 | 32,936        | 3,333     | 2.90 | 32,607        | 3,367     | 2.84 |
| 47°F (8°C)                | 37,042                      | 2,855     | 3.80 | 36,675        | 2,913     | 3.69 | 36,312        | 3,003     | 3.54 | 35,600        | 3,161     | 3.30 | 34,888        | 3,224     | 3.17 | 34,539        | 3,256     | 3.11 | 34,194        | 3,289     | 3.05 |
| 55°F (13°C)               | 38,153                      | 2,798     | 4.00 | 37,775        | 2,855     | 3.88 | 37,401        | 2,943     | 3.72 | 36,668        | 3,098     | 3.47 | 35,935        | 3,160     | 3.33 | 35,575        | 3,191     | 3.27 | 35,220        | 3,223     | 3.20 |
| 65°F (18°C)               | 36,245                      | 2,378     | 4.47 | 35,887        | 2,426     | 4.33 | 35,531        | 2,501     | 4.16 | 34,835        | 2,633     | 3.88 | 34,138        | 2,686     | 3.72 | 33,797        | 2,713     | 3.65 | 33,459        | 2,740     | 3.58 |
| 75°F (24°C)               | 34,433                      | 2,116     | 4.77 | 34,092        | 2,160     | 4.63 | 33,755        | 2,226     | 4.44 | 33,093        | 2,343     | 4.14 | 32,431        | 2,390     | 3.98 | 32,107        | 2,414     | 3.90 | 31,786        | 2,438     | 3.82 |

### Cooling Capacity Data (Ducted)

TC: Total Capacity PI: Power Input

| Outdoor<br>Air Temp<br>DB | Indoor Temperature (°F, DB) |           |       |               |           |       |               |           |       |               |           |       |               |           |       |               |           |       |               |           |       |
|---------------------------|-----------------------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|---------------|-----------|-------|
|                           | 64 / 53                     |           |       | 68 / 57       |           |       | 72 / 61       |           |       | 77 / 64       |           |       | 80 / 67       |           |       | 82 / 70       |           |       | 86 / 72       |           |       |
|                           | TC<br>(Btu/h)               | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  | TC<br>(Btu/h) | PI<br>(W) | EER2  |
| 14°F (-10°C)              | 24,724                      | 1,635     | 15.12 | 29,087        | 1,858     | 15.66 | 31,616        | 1,998     | 15.83 | 33,280        | 2,081     | 15.99 | 34,310        | 2,123     | 16.16 | 35,339        | 2,166     | 16.32 | 37,106        | 2,296     | 16.16 |
| 32°F (0°C)                | 25,754                      | 1,721     | 14.96 | 30,299        | 1,956     | 15.49 | 32,934        | 2,103     | 15.66 | 34,667        | 2,191     | 15.83 | 35,739        | 2,235     | 15.99 | 36,811        | 2,280     | 16.15 | 38,652        | 2,417     | 15.99 |
| 50°F (10°C)               | 26,551                      | 1,812     | 14.66 | 31,236        | 2,059     | 15.17 | 33,952        | 2,214     | 15.34 | 35,739        | 2,306     | 15.50 | 36,845        | 2,353     | 15.66 | 37,950        | 2,400     | 15.81 | 39,847        | 2,544     | 15.66 |
| 68°F (20°C)               | 26,030                      | 2,013     | 12.93 | 30,624        | 2,287     | 13.39 | 33,287        | 2,460     | 13.53 | 35,038        | 2,562     | 13.68 | 36,122        | 2,614     | 13.82 | 37,206        | 2,667     | 13.95 | 39,066        | 2,827     | 13.82 |
| 86°F (30°C)               | 25,272                      | 2,396     | 10.55 | 29,732        | 2,723     | 10.92 | 32,317        | 2,928     | 11.04 | 34,018        | 3,050     | 11.15 | 35,070        | 3,112     | 11.27 | 36,122        | 3,175     | 11.38 | 37,928        | 3,365     | 11.27 |
| 95°F (35°C)               | 24,068                      | 2,922     | 8.24  | 28,316        | 3,321     | 8.53  | 30,778        | 3,571     | 8.62  | 32,398        | 3,720     | 8.71  | 33,400        | 3,795     | 8.80  | 34,402        | 3,871     | 8.89  | 36,122        | 4,104     | 8.80  |
| 104°F (40°C)              | 23,106                      | 3,098     | 7.46  | 27,183        | 3,520     | 7.72  | 29,547        | 3,785     | 7.81  | 31,102        | 3,943     | 7.89  | 32,064        | 4,023     | 7.97  | 33,026        | 4,104     | 8.05  | 34,677        | 4,350     | 7.97  |
| 110°F (43°C)              | 21,719                      | 3,191     | 6.81  | 25,552        | 3,626     | 7.05  | 27,774        | 3,899     | 7.12  | 29,236        | 4,061     | 7.20  | 30,140        | 4,144     | 7.27  | 31,044        | 4,227     | 7.34  | 32,597        | 4,480     | 7.28  |
| 115°F (46°C)              | 19,547                      | 3,127     | 6.25  | 22,997        | 3,553     | 6.47  | 24,997        | 3,821     | 6.54  | 26,312        | 3,980     | 6.61  | 27,126        | 4,061     | 6.68  | 27,940        | 4,142     | 6.75  | 29,337        | 4,391     | 6.68  |

Heating and cooling capacities and power usage are measured under the assumption of indoor humidity of 46%.

\*Cooling capacities under low ambient temperatures below 23°F (-5°C) are tested when using wind baffle on outdoor unit.

For more information visit us:

[GEAppliancesAirAndWater.com](http://GEAppliancesAirAndWater.com)

©Copyright 2025 GE Appliances, a Haier Company. GE is a trademark of the General Electric Company. Manufactured under trademark license. GE Appliances has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.







GE APPLIANCES

# MULTI-ZONE DUCTLESS HEAT PUMP SYSTEM OUTDOOR

4  
ZONE

4G36AD2BEA



Note: Dimensions are shown in inches (millimeters)

## SUBMITTAL REVISION HISTORY

03-25-25: Submittal release.

For more information visit us:

[GEAppliancesAirAndWater.com](https://GEAppliancesAirAndWater.com)

©Copyright 2025 GE Appliances, a Haier Company. GE is a trademark of the General Electric Company. Manufactured under trademark license. GE Appliances has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

