

www.tra-con.com

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: TRA-BOND F253 Hardener Date Printed: 12/5/2002

TRA-CON INC Revision Date: 11/18/2002

Revision: C

TRA-CON, INC. 45 Wiggins Avenue Bedford, MA 01730 781-275-6363 1-800-872-2661

1-275-6363

Emergency Telephone: 1-800-424-9300 (24 hours, CHEMTREC)

Component	CAS Number	<u>%</u>	OSHA	TWA		STEL		Ceiling	
			ACGIH	ppm	mg/m3	ppm	mg/m3	ppm	mg/m
Tetraethylenepentamine	000112-57-2	10 - 20							
1-benzyl-2-methyl imidazole	013750-62-4	40 - 50							
1,6-Hexanediamine, 2,2,4-trimethyl-	003236-53-1	< 5							
1,6-Hexanediamine, 2,4,4-trimethyl-	003236-54-2	< 5							
Proprietary Organic Diamines	NJ 56705700001- 5195P	1 - 10							
Proprietary Organic Diamines	NJ 56705700001- 5196P	1 - 10							
Proprietary Organic Diamines	NJ 56705700001- 5197P	1 - 10							
Proprietary Organic Diamines	NJ 56705700001- 5198P	1 - 10							
3. HAZARDS IDENTIFICATION									
Effects of Overexposure	Repeated contact or breathing of vapors may cause irritation; material is also a strong sensitizer. Eye and skin contact may cause transient irritation.								
4. FIRST AID MEASURES									
Eyes	Flush with water, get medical attention.								
Skin	Wash with soap and water; remove contaminated clothing.								
Inhalation	Remove to fresh air.								
Ingestion	No known antidote but give milk or water; do NOT induce vomitting if swallowed; get medical attention.								
5. FIREFIGHTING MEASURES									
Flashpoint	> 250°F		_				_		
Flashpoint Method	PMCC								
Extinguishing Media	Dry chemicals, chemical foam, carbon dioxide, water.								

QAF-1058 Rev B Date Printed: 12/5/2002 Page 1 of 9 **F253 Hardener**

Fire and Explosion Hazards Toxic gases may be liberated; handle as combustible; store in a cool place.

Flammable Limits N/AV
LEL N/A
UEL N/A

6.ACCIDENTAL RELEASE MEASURES

Spill and Leak Procedures Prevent skin and eye contact. Soak up in absorbent material, or scrape up, and

transfer to disposal container. Wipe up remaining residue with solvents, observing

solvent flammability cautions, or use detergents.

7. HANDLING AND STORAGE

Special Sensitivity Store in cool place in closed containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Local Exhaust Recommended Mechanical Exhaust Recommended

Eye Protection Requirements Safety glasses or goggles
Glove Requirements Rubber or plastic disposable.

Other Protection As required to prevent all body contact; eye bath and/or safety shower.

Respirator Requirements Air supplied or organic canister, mask in confined areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor Clear, amber-yellow, low viscosity liquid, ammoniacal odor.

Boiling Point (°F) > 300

Solubility in Water negligible

Specific Gravity (H2O=1) 1.0

Evaporation Rate (BuAc=1) low

Vapor Pressure (mm Hg.) <1
Vapor Density (air = 1) >4
Percent Volatile low

10. STABILITY AND REACTIVITY

Stability Stable

Conditions to Avoid (Stability) Avoid contact with metals corroded by liquid amines; avoid high temperatures.

Incompatibility (Materials to Avoid) Strong acids and bases, strong oxidizing agents.

Hazardous Decomposition

Products

Carbon monoxide, carbon dioxide, aldehydes, phenol.

Hazardous Polymerization Will Not Occur

Conditions to Avoid (Reactivity) Chlorinated compounds; exotherms when used to cure epoxy resins.

11. TOXICOLOGICAL INFORMATION

Primary Entry Route(s) Skin, eyes, inhalation.

Oral, LD50 Not determined, estimated based upon diethylene triamine. LD50 (rats) > 500

mg/kg;

Dermal, LD50 > 1400 mg/kg

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of as hazardous waste according to local, state and federal regulations. Disposal method can be land burial or chemical incineration as regulated by all governmental agencies.

14. TRANSPORTATION INFORMATION

Not Applicable

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA inventory.

STATE LAWS:

The information given and the recommendations made herein apply to our product(s) alone and are not combined with other product(s). Such are based on our research and on data from other reliable soruces and are believed to be accurate, no guaranty of accuracy is made, it is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

16. OTHER INFORMATION

MSDS Date: 11/18/2002 Revision: C HMIS Coding: H: 3 F: 1 R: 0



www.tra-con.com

1	CHEMICAL	PRODUCT	AND COMPA	NY IDENTIFICATION	V
Ι.		. F NODOCI			v

Date Printed: 12/5/2002 Product Name: TRA-BOND F253 Pre-Mixed and Frozen Revision Date: 11/18/2002

TRA-CON, INC. 45 Wiggins Avenue Bedford, MA 01730 781-275-6363 1-800-872-2661

Revision: C

Emergency Telephone: 1-800-424-9300 (24 hours, CHEMTREC)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	<u>%</u>	OSHA TWA		STEL	STEL		Ceiling	
			ACGIH ppm	mg/m3	ppm	mg/m3	ppm	mg/m3	
Phenol,4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl) oxirane	025068-38-6	75 - 95							
Oxirane,((2-methylphenoxy)methyl)-	002210-79-9	< 10							

< 5

3. HAZARDS IDENTIFICATION

Alkaneaklyamines

Effects of Overexposure	Repeated contact or breathing of vapors may cause irritation; material is also a				
	strong sensitizer. Eye and skin contact may cause transient irritation.				

4. FIRST AID MEASURES

Eyes Flush with water, get medical attention.

Skin Wash with soap and water; remove contaminated clothing.

Inhalation Remove to fresh air.

Ingestion No known antidote but give milk or water; induce vomitting if large amount

swallowed.

5. FIREFIGHTING MEASURES

Flashpoint > 200°F Flashpoint Method setaflash

Extinguishing Media Dry chemicals, chemical foam, carbon dioxide, water.

Special Firefighting Measures Avoid breathing smoke. Use self-contained breathing apparatus.

Fire and Explosion Hazards Toxic gases may be liberated; handle as combustible; store in a cool place.

Flammable Limits N/AV LEL N/A **UEL** N/A

6.ACCIDENTAL RELEASE MEASURES

Spill and Leak Procedures Prevent skin and eye contact. Soak up in absorbent material or scrape up and

transfer to disposal container. Wipe up remaining residue with solvents, observing

solvent flammability cautions or use detergents.

7. HANDLING AND STORAGE

QAF-1058 Rev B Date Printed: 12/5/2002 F253 Pre-Mixed and Frozen Page 4 of 9

Special Sensitivity Store in freezer at minium -40°F. Thaw cartridges in upright position, dispensing tip

up, to release air in tip cap, if any.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Local Exhaust Recommended

Mechanical Exhaust Recommended

Eye Protection Requirements Safety glasses or goggles
Glove Requirements Rubber or plastic disposable.

Other Protection As required to prevent all body contact; eye bath and/or safety shower.

Respirator Requirements Air supplied or organic canister, mask in confined areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor Clear, amber-yellow liquid, ammoniacal odor.

Boiling Point (°F) > 250

Solubility in Water partial

Specific Gravity (H2O=1) 1.1

Evaporation Rate (BuAc=1) ND

Vapor Pressure (mm Hg.) < 1

Vapor Density (air = 1) ND

Percent Volatile ND

10. STABILITY AND REACTIVITY

Stability Unstable

Conditions to Avoid (Stability) Avoid uncontrolled excess heating over long periods; avoid uncontrolled amine reaction

Will react at room temp. Keep frozen at all times.

Incompatibility (Materials to Avoid) Carbon monoxide, carbon dioxide, aldehydes, phenol.

Hazardous Decomposition

Products

Carbon monoxide, carbon dioxide, aldehydes, nitrogen oxides.

Hazardous Polymerization May Occur

Conditions to Avoid (Reactivity) Moderate temperatures, strong acids; certain organics, metallic acids.

11. TOXICOLOGICAL INFORMATION

Primary Entry Route(s) Skin, eyes, inhalation

Oral, LD50 Ingestion LD50 2.5 g/kg. Dermal LD50 2.3 g/kg.

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of as hazardous waste according to local, state and federal regulations.

Disposal method can be land burial or chemical incineration as regulated by all

governmental agencies.

14. TRANSPORTATION INFORMATION

Not Applicable

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA inventory.

STATE LAWS:

QAF-1058 Rev B Date Printed: 12/5/2002 Page 5 of 9 F253 Pre-Mixed and Frozen

The information given and the recommendations made herein apply to our product(s) alone and are not combined with other product(s). Such are based on our research and on data from other reliable soruces and are believed to be accurate, no guaranty of accuracy is made, it is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

16. OTHER INFORMATION

MSDS Date: 11/18/2002 Revision: C HMIS Coding: H: 2 F: 1 R: 1

QAF-1058 Rev B Date Printed: 12/5/2002 Page 6 of 9 F253 Pre-Mixed and Frozen



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: TRA-BOND F253 Resin Date Printed: 12/5/2002

TRA-CON, INC.

Revision Date: 11/18/2002

45 Wingins Avenue

Revision: C

45 Wiggins Avenue Bedford, MA 01730 781-275-6363 1-800-872-2661

Emergency Telephone: 1-800-424-9300 (24 hours, CHEMTREC)

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u> <u>CAS Number</u> <u>%</u> TWA STEL Ceiling

ACGIH ppm mg/m3 ppm mg/m3 ppm mg/m3

Phenol,4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl) oxirane

025068-38-6 80 - 100

Oxirane[(methylphenoxy)methyl]- 026447-14-3 up to 20

3. HAZARDS IDENTIFICATION

Effects of Overexposure Repeated contact or breathing of vapors may cause irritation; material is also a

strong sensitizer. Eye and skin contact may cause transient irritation.

4. FIRST AID MEASURES

Eyes Flush with water, get medical attention.

Skin Wash with soap and water; remove contaminated clothing.

Inhalation Remove to fresh air.

Ingestion No known antidote but give milk or water; induce vomitting if large amount

swallowed.

5. FIREFIGHTING MEASURES

Flashpoint > 300°F

Flashpoint Method TOC

Extinguishing Media Dry chemicals, chemical foam, carbon dioxide, water.

Special Firefighting Measures Avoid breathing smoke. Addition of water may reduce flame intensity.

Fire and Explosion Hazards

Toxic gases may be liberated; handle as combustible; store in a cool place.

Flammable Limits N/AV
LEL N/A
UEL N/A

6.ACCIDENTAL RELEASE MEASURES

Spill and Leak Procedures Prevent skin and eye contact. Soak up in absorbent material or scrape up and

transfer to disposal container. Wipe up remaining residue with solvents, observing

solvent flammability cautions or use detergents.

7. HANDLING AND STORAGE

Special Sensitivity Store in cool place in closed containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

QAF-1058 Rev B Date Printed: 12/5/2002 Page 7 of 9 **F253 Resin**

Local Exhaust Recommended

Mechanical Exhaust Recommended

Eye Protection Requirements Safety glasses or goggles
Glove Requirements Rubber or plastic disposable.

Other Protection As required to prevent all body contact; eye bath and/or safety shower.

Respirator Requirements Air supplied or organic canister, mask in confined areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor Clear, light yellow, low viscosity liquid, aromatic odor.

Boiling Point (°F) > 300

Solubility in Water nil

Specific Gravity (H2O=1) 1.2

Evaporation Rate (BuAc=1) low

Vapor Pressure (mm Hg.) < 1

Vapor Density (air = 1) > 1

Percent Volatile nil

10. STABILITY AND REACTIVITY

Stability Stable

Conditions to Avoid (Stability) Avoid uncontrolled excess heating over long periods; avoid uncontrolled amine reaction

Incompatibility (Materials to Avoid) Strong acids and bases, strong oxidizing agents.

Hazardous Decomposition

Products

Carbon monoxide, carbon dioxide, aldehydes, phenol.

Hazardous Polymerization Will Not Occur

Conditions to Avoid (Reactivity) High temperatures, strong acids; certain organics, metallic acids.

11. TOXICOLOGICAL INFORMATION

Primary Entry Route(s) Skin, eyes, inhalation.

Oral, LD50 LD50 (rats) > 8 grams/kg.

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of as hazardous waste according to local, state and federal regulations.

Disposal method can be land burial or chemical incineration as regulated by all

governmental agencies.

14. TRANSPORTATION INFORMATION

Not Applicable

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA inventory.

STATE LAWS:

The information given and the recommendations made herein apply to our product(s) alone and are not combined with other product(s). Such are based on our research and on data from other reliable soruces and are believed to be accurate. no guaranty of accuracy is made. it is

QAF-1058 Rev B Date Printed: 12/5/2002 Page 8 of 9 **F253 Resin**

the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes

16. OTHER INFORMATION

MSDS Date: 11/18/2002

Revision: C

HMIS Coding: H: 2 F: 1 R: 1

QAF-1058 Rev B Date Printed: 12/5/2002 Page 9 of 9 **F253 Resin**