

SAFETY DATA SHEET

Issue Date 4/25/2016 Revision Date 4/25/2016 Version 1

1. IDENTIFICATION

Product identifier

Product Name: Syn-Tack

Other means of identification

Product code: F-107 **Synonyms:** None

Recommended use of the chemical and restrictions on use

Recommended Use: Lubricating Grease
Uses advised against: No information available

Details of the supplier of the safety data sheet

Supplier Address

FRONTIER PERFORMANCE LUBRICANTS INC

PO BOX 1777 LODI, CA 95241

Phone: (800)-807-4496 Fax: (209)-334-6408

Emergency telephone number

Emergency Telephone: PERS (800)-633-8253

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Signal word None Symbols/Pictograms None

Hazards not otherwise classified (HNOC)

Not applicable.

Other information

0.39106% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	weight-%
Copper	7440-50-8	0.1-1

The exact percentage (concentration) of composition has been withheld as a trade secret.

Ingredient comments The mineral oils in the product contain <3% DMSO-extract (IP 346).

4. FIRST AID MEASURES

Description of first aid measures

Inhalation Move to fresh air in case of accidental inhalation of vapors or decomposition products.

Skin contact Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Ingestion Do not induce vomiting without medical advice. IF SWALLOWED: Call a POISON CENTER or

doctor if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Extinguishing media

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture

Not flammable. Fire may produce irritating and/or toxic gases.

Hazardous combustion products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be

highly dangerous if inhaled in confined spaces or at high concentration.

Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Extremely slippery when spilled. Avoid contact with eyes and skin. Avoid breathing vapors

or mists. Use personal protection recommended in Section 8.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. Prevent entry into

waterways, sewers, basements or confined areas. See Section 12 for additional Ecological

Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Take up with sand or other non-combustible

absorbent material and place into containers for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Extremely slippery when spilled. Avoid prolonged or repeated contact with skin. Avoid

breathing vapors or mists.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks and open flame. Keep at a temperature not exceeding 45°C.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper	TWA: 1 mg/m ³ Cu dust and mist	TWA: 0.1 mg/m ³ fume	IDLH: 100 mg/m ³ Cu dust and
		TWA: 1 mg/m ³ dust and mist	mist
		(vacated) TWA: 0.1 mg/m ³ Cu	TWA: 1 mg/m ³ Cu dust and mist
		dust, fume, mist	_

Solvent naphtha, petroleum, heavy arom	STEL: 150 ppm	TWA: 100 ppm	
	TWA: 100 ppm	TWA: 435 mg/m ³	
		(vacated) TWA: 100 ppm	
		(vacated) TWA: 435 mg/m ³	
		(vacated) STEL: 150 ppm	
		(vacated) STEL: 655 mg/m ³	

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

Engineering controls Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Hand protection Wear protective nitrile rubber gloves. Thickness ≥ 0.38 mm - breakthrough time >480 minutes.

Thickness 0.1 mm - splash protection.

Eye/face Protection No special technical protective measures are necessary. Skin and body protection No special technical protective measures are necessary.

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceSmoothPhysical stateSemi-solidColorcopper

Odor No information available Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not applicable

Melting point/freezing point No information available

Boiling point/boiling range

Not applicable

Flash point > 150 °C / > 302 °F Based on base oils
Evaporation rate Not applicable

Flammability (solid, gas)

Flammability limits in air

No information available

No information available

Upper flammability limit Lower flammability limit

Vapor pressureNot applicableVapor DensityNot applicable

Relative densityNo information availableWater solubilityNo information availableSolubility in other solventsNo information available

Partition coefficient No information available (n-octanol/water)

Autoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available

Dynamic viscosity

No information available

Other information

Density < 1000 kg/m³ @ 25 °C / 77 °F

Syn-Tack Revision Date 4/25/2016

10. STABILITY AND REACTIVITY

Reactivity Stable.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat

Incompatible materialsStrong oxidizing agents.Hazardous decomposition productsNone under normal processing.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Inhalation of oil mist may cause irritation, headaches, nausea and breathing difficulties.

Ingestion Malaise (vague feeling of discomfort). Skin contact May be harmful in contact with skin.

Eye contact May cause slight irritation.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not hazardous based on component data. Serious eye damage/eye irritation Not hazardous based on component data. Sensitization Not hazardous based on component data. Germ cell mutagenicity Not hazardous based on component data. Carcinogenicity Not hazardous based on component data. Reproductive toxicity Not hazardous based on component data. STOT-single exposure Not hazardous based on component data. STOT-repeated exposure Not hazardous based on component data. Aspiration hazard Not hazardous based on component data.

Numerical measures of toxicity

Acute toxicity 0.39106% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 16101 mg/kg **ATEmix (dermal)** 9537 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment. Occasional major emissions or frequently recurring minor emissions may have a harmful or disturbing effect.

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Toxicity to daphnia and other aquatic invertebrates
Copper 7440-50-8	0.0426 - 0.0535: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.031 - 0.054: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	0.0068 - 0.0156: 96 h Pimephales promelas mg/L LC50 0.3: 96 h Pimephales promelas mg/L LC50 static 0.2: 96 h Pimephales promelas mg/L LC50 flow-through 0.052: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.25: 96	-	0.03: 48 h Daphnia magna mg/L EC50 Static
		h Lepomis macrochirus mg/L LC50 static 0.3: 96 h Cyprinus carpio mg/L LC50 semi-static 0.8: 96 h Cyprinus carpio mg/L LC50 static 0.112: 96 h Poecilia reticulata mg/L LC50 flow-through		

Persistence and degradability Not readily biodegradable.

Syn-Tack Revision Date 4/25/2016

Bioaccumulative potential Material does not bioaccumulate.

Mobility in soil After release, adsorbs onto soil.

Results of PBT and vPvB assessment No information available

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Dispose of in accordance with federal, state and local regulations. Use personal protection

recommended in Section 8.

Contaminated packaging

Dispose of in accordance with federal, state and local regulations.

US EPA waste number

No information available

Other information

Waste codes should be assigned by the user based on the application for which the product was

used

Chemical name	California hazardous waste status	
Copper 7440.50.0	Toxic	
7440-50-8		

14. TRANSPORT INFORMATION

UN number Not regulated **UN** proper shipping name Not regulated Transport hazard class(es) Not regulated Packing group Not applicable

Environmental hazards None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Special precautions for user None

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

CWA (Clean Water Act) This product contains the following substances which are regulated pollutants pursuant to

the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper 7440-50-8		X	X	

International Inventories

TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies KECL **PICCS** Complies AICS Complies NZIoC

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Syn-Tack Revision Date 4/25/2016

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).

This product does not contain any chemicals which are subject to the reporting requirements of

the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability Act

(CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Copper (CAS #: 7440-50-8)	5000 lb		RQ 5000 lb final RQ
, , ,			RQ 2270 kg final RQ

US State Regulations

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

US State Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

HMIS

Health hazards 1

Flammability 1

Physical hazards 0

Personal protection p

NFPA

Health hazards 1
Flammability 1
Instability 0
Special Hazard -



 Issue Date
 4/25/2016

 Revision Date
 4/25/2016

 Revision Note
 Not applicable

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet