

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,**PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal _____ ☐ Unknown
☐ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown
 Quantity: ☐ Yes ☒ No ☐ Unknown
 Quality: ☒ Yes ☐ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☒ Yes ☐ No
 If Yes, Date of most recent test: 10/18/2024 Are test results available? .. ☒ Yes ☐ No
 To your knowledge, have any test results ever been reported as unsatisfactory
 or satisfactory with notation? ☒ Yes ☐ No
 If Yes, are test results available? ☒ Yes ☐ No
 What steps were taken to remedy the problem? See notes

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Front Yard, South side of lot

Installed by: Martin Baker Well Drilling

Date of Installation: 2001

USE: Number of persons currently using system: 1

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: Water Softening system in place. May need to be adjusted due to elevated iron. Test was just done. There is an abandoned well on site.

Source of Section I information: Seller, Previous Disclosures

Buyer Initials _____

Page 1 of 8

Seller Initials

DW

[Signature]

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

~~IF PUBLIC OR QUASI PUBLIC (Strike Section if Not Applicable):~~

~~Have you had the sewer line inspected?..... ☐ Yes ☐ No~~

~~If Yes, what results: _____~~

~~Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No~~

~~What steps were taken to remedy the problem? _____~~

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: Next to Garage to the north OR ☐ Unknown

Date installed: 1987 Date last pumped: 08/19/2024 Name of pumping company: RA Webber

Have you experienced any malfunctions? ☒ Yes ☐ No

If Yes, give the date and describe the problem: Lift station pump malfunctioned and was replaced

roughly 5 years ago.

Date of last servicing of tank: Est. 2019 Name of company servicing tank: _____

Leach Field: ☒ Yes ☐ No ☐ Unknown

If Yes, Location: Front Yard, Northwest section of lot

Date of installation of leach field: 1987 Installed by: Unknown

Date of last servicing of leach field: N/A Company servicing leach field: N/A

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: N/A

Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ No

If Yes, are they available? ☒ Yes ☐ No

Is System located in a Shoreland Zone? ☐ Yes ☒ No ☐ Unknown

Comments: None

Source of Section II information: Seller, Previous Disclosures

Buyer Initials _____

Page 2 of 8

Seller Initials

DW

JSW

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	HWBB	Woodstove		
Age of system(s) or source(s)	2024	2010		
TYPE(S) of Fuel	Propane	Wood		
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	Unknown, just installed	1.5-2 cords		
Name of company that services system(s) or source(s)	Installed by Tri-County	N/A		
Date of most recent service call	N/A	N/A		
Malfunctions per system(s) or source(s) within past 2 years	N/A	N/A		
Other pertinent information	N/A	See note		

Are there fuel supply lines? ☒ Yes ☐ No ☐ Unknown

Are any buried? ☒ Yes ☐ No ☐ Unknown

Are all sleeved? ☒ Yes ☐ No ☐ Unknown

Chimney(s): ☒ Yes ☐ No

If Yes, are they lined: ☒ Yes ☐ No ☐ Unknown

Is more than one heat source vented through one flue? ☐ Yes ☒ No ☐ Unknown

Had a chimney fire: ☐ Yes ☒ No ☐ Unknown

Has chimney(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: N/A

Date chimney(s) last cleaned: 2022

Direct/Power Vent(s): ☒ Yes ☐ No ☐ Unknown

Has vent(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: N/A

Comments: **Wood stove front door does not function properly. Side door used primarily.**

Source of Section III information: **Seller**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ Unknown

~~If Yes, are tanks in current use? ☐ Yes ☐ No ☐ Unknown~~

~~If no longer in use, how long have they been out of service? _____~~

~~If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☐ Unknown~~

~~Are tanks registered with DEP? ☐ Yes ☐ No ☐ Unknown~~

~~Age of tank(s): _____ Size of tank(s): _____~~

~~Location: _____~~

Buyer Initials _____

Page 3 of 8

Seller Initials DW JSW

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,

~~What materials are, or were, stored in the tank(s)?~~

~~Have you experienced any problems such as leakage?~~

☐ Yes ☐ No ☐ Unknown

Comments: None

Source of information: Seller

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ Unknown

In the ceilings? ☐ Yes ☒ No ☐ Unknown

In the siding? ☐ Yes ☒ No ☐ Unknown

In the roofing shingles? ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ☐ Yes ☒ No ☐ Unknown

~~Other:~~ ☐ Yes ☐ No ☐ Unknown

Comments: None

Source of information: Seller, Previous Disclosures

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If Yes: Date: 2010 By: Unknown

Results: 0.65 pci/L

If applicable, what remedial steps were taken? N/A

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ Unknown

Are test results available? ☒ Yes ☐ No

Results/Comments: Tested when sellers purchased

Source of information: Seller

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☒ Yes ☐ No ☐ Unknown

If Yes: Date: 2010 By: Unknown

Results: 3,412 pci/L

If applicable, what remedial steps were taken? None

Has the property been tested since remedial steps? ☐ Yes ☒ No ☐ Unknown

Are test results available? ☒ Yes ☐ No

Results/Comments: Tested when sellers purchased

Source of information: Seller

E. METHAMPHETAMINE - Current or previously existing:

☐ Yes ☒ No ☐ Unknown

Comments: None

Source of information: Seller

Buyer Initials _____

Page 4 of 8

Seller Initials

DW

JSW

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
 ☐ Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: N/A

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: N/A

Are you aware of any cracking, peeling or flaking paint? ☒ Yes ☐ No

Comments: Some minor locations on exterior

Source of information: Seller

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☒ No ☐ Unknown

LAND FILL: ☐ Yes ☒ No ☐ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☒ No ☐ Unknown

Other: None

Source of information: Seller, Previous Disclosures

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ Unknown

If Yes, explain: See Deed

Source of information: Seller, Registry of Deeds

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? N/A

Road Association Name (if known): N/A

Source of information: Seller, Public Record

Buyer Initials _____

Page 5 of 8

Seller Initials DW

[Signature]

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

N/ARelevant Panel Number: N/A Year: _____ (Attach a copy)Comments: During heavy rainfall, a small section of the yard between driveway and leachfield area can collect waterSource of Section VI information: Seller, FEMA

Buyer Initials _____

Page 6 of 8

Seller Initials

DW[Signature]

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

..... ☒ Yes ☐ No ☐ UnknownIf Yes, explain: Homestead exemptionIs a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Are there any actual or alleged violations of a shoreland zoning ordinance

including those that are imposed by the state or municipality? ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AEquipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: Propane TanksYear Principal Structure Built: 1987 What year did Seller acquire property? 2010Roof: Year Shingles/Other Installed: 2005Water, moisture or leakage: There was a small repair near skylights. Shingles were lifting, no issue since repair.Comments: Some shingles have been replaced in various locations

Foundation/Basement:

Is there a Sump Pump? ☒ Yes ☐ No ☐ UnknownWater, moisture or leakage since you owned the property: ☒ Yes ☐ No ☐ UnknownPrior water, moisture or leakage? ☒ Yes ☐ No ☐ UnknownComments: Sump pump was replaced recently after it failed and allowed water into the crawlspace.Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ UnknownIf Yes, are test results available? ☐ Yes ☐ NoComments: NoneElectrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ UnknownComments: NoneHas all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ UnknownIf Yes, is the survey available? ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ UnknownModular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ UnknownComments: Woodpecker damaged some exterior trim, which has been replaced. Regular pest control. Previously treated for carpenter ants.KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: NoneComments: NoneSource of Section VII information: Seller, Previous Disclosures

Buyer Initials _____

Page 7 of 8

Seller Initials

Initial
DWInitial
JZW

PROPERTY LOCATED AT: 13 Sandy Ridge Rd, Brunswick,

SECTION VIII - ADDITIONAL INFORMATION

Furnace and sump pump recently installed.


Roughly 5 years ago, the home was re-leveled by a contractor.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No


Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: _____ 11/12/2024

SELLER _____ DATE
1381C709A88D44E...
Deanna White

SELLER _____ DATE

DocuSigned by: _____ 11/12/2024

SELLER _____ DATE
1641EAC1F3E3741B...
Gordon White

SELLER _____ DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER _____ DATE

BUYER _____ DATE

BUYER _____ DATE

BUYER _____ DATE