Presentation of Petitioner Google Inc.

IPR2015-00343, IPR2015-00345, IPR2015-347, IPR2015-348

U.S. Patent Nos. 8,010,988 (Ex. 1022) 8,205,237 (Ex. 1021) 8,640,179 (Ex. 1022) 8,656,441 (Ex. 1022)

Presented by: James J. Elacqua Skadden, Arps, Slate, Meagher & Flom LLP

Overview

• Only three references are at issue:

| Reference | Non-exhaustive search | Identifying a neighbor | Determining an action | Sublinear search |
|--------------------|--------------------------|------------------------|--------------------------|---------------------|
| Ghias (Ex. 1010) | Х | Х | Х | |
| Iwamura (Ex. 1012) | Х | Х | | Х |
| Conwell (Ex. 1009) | Х | Х | | |

Overview

- Dr. Karypis agrees that the concepts of non-exhaustive search and neighbor search were known at the time of filing
- 4 Q. He does not. So as of 2000, when
- 5 Dr. Cox' patent applications were filed,
- 6 non-exhaustive searching was a concept known
- 7 in the art, correct?
- 8 A. Correct.
- 24 Q. Dr. Cox doesn't purport to have
- 25 invented neighbor searching in his patents,
- 1 does he?
- 2 A. I don't believe so.
- 3 Q. And in fact it was a concept well
- 4 known to people skilled in the art in and
- 5 before 2000?

6

A. That is true.

Karypis Tr. (Ex. 1020) at 26:4-8

Karypis Tr. (Ex. 1020) at 78:24-79:6

Ghias – Overview Ex. 1010

- The parties' dispute with respect to Ghias is confined to three limitations:
- Non-exhaustive search 1
- Identifying a neighbor 2.
- Determining an action 3.

| | | | | | US005874686 | A |
|---|--|---|---|---|---|---|
| Ur | ited \$ | States Patent [19] | [11] | Pa | tent Number: | 5,874,686 |
| Ghi | as et al. | | [45] | Da | te of Patent: | Feb. 23, 1999 |
| [54] | APPARA SEARCH | IUS AND METHOD FOR ING A MELODY | 5,40 5,51 5,61 | 2,339 0,572 9,004 | 3/1995 Nakashima 4/1996 Hayashi et a 4/1997 Dame . | et al al |
| [76] | Inventors: | Asif U. Ghias, 2306 Sultana Dr., Yorktown Heights, N.Y. 10598; Jonathan A. Logan, 1186 Palomino Rd., Santa Barbara, Calif. 93105; David W. Chamberlin, 206 Flynn Avc., Mountain View, Calif. 94043 | 405061 Hawley, | FO 917A Mich | REIGN PATENT D 3/1993 Japan . OTHER PUBLIC. ael J., Structure ou | OCUMENTS ATIONS 11 of Sound, 1993, MIT |
| [21] | Appl. No. | 742,260 | Doctoral | 1 Thes | is, Abstract. | |
| [22] | Filed: Re | Oct. 31, 1996 lated U.S. Application Data | Primary Assistan Attorney | Exam t Exan Agen | iner-William M. S niner-Jeffrey W. D t, or Firm-Hodgson | ihoop, Jr. onels n, Russ, Andrews, Woods |
| LCOL | | | & Good | year I | LP | |
| fool | Provisional | application No. 60/008,177, Oct. 31, 1995. | [57] | | ABSTRAC | Т |
| [51] Int. CL° A63H 5/00; G04B 13/00; G10H 7/00 G10H 7/00 [52] U.S. CL 84/600; 84/616 [58] Field of Search 84/610, 609, 634, 84/616, 654 | | Apparati searchin converte tations o thereof. | Apparatus and method for easily, efficiently, and accurately searching melodies. A melody is inputted to a computer and converted into a form of a sequence of digitized represen- tations of relative pitch differences between successive notes thereof. A melody database is searched for at least ons | | | |
| [56] | | References Cited | sequences | e of d betwe | igitized representation in the successive notes | ons of relative pitch dif- which at least approxi- |
| U.S. PATENT DOCUMENTS | | S. PATENT DOCUMENTS | mately r | mately matches the sequence of digitized representations of | | |
| 4455 | 4,688,464 8 4,771,671 9 5,038,658 8 5,088,380 2 | V1987 Gibson et al V1988 Hoff, Jr | melody. | pitch | differences between | ing Sheets |

Ghias Ghias Discloses A Second Search

The subsequent searches do not consider all references



'988 Google's Reply (Paper 20) at 6

Ghias – Non-Exhaustive Search

The Board construed "non-exhaustive search"

| UNITED ST | ATES PATENT AND TRADEMARK OFFICE | 1 |
|--------------------------------------|---|--|
| B | Accordingly, based | d on the instant record and for purposes of this |
| dec | ision, we construe a " | non-exhaustive search" as "a search that locates a |
| ma | tch without a comparis | son of all possible matches." |
| 1472 | Patent Owner. | '988 Institution Decision (Paper 6) at 7 |
| | Case IPR2015-00347 Patent 8,010,988 B2 | |
| Before KEVIN F. TU | Ex. 1004 ¶ 43. To the | e extent Dr. Moulin testifies that a non-exhaustive |
| JON B. TORNQUIST PETTIGREW, Admin | search "encompassed | anything other than a 'brute force' search," id., we |
| | agree, but we do not f | find that his testimony supports the latter portion of |
| | 37 C.F.R. § 42.108 | '988 Institution Decision (Paper 6) at 7 |

Ghias – Non-Exhaustive Search

- Ghias discloses non-exhaustive search
 - Ghias self-identifies as a different-than-brute-force (i.e., nonexhaustive) search (Ghias, Ex. 1010, at 6:23-28, 7:41-45)
 - The Board properly identified the second search taught by Ghias as a non-exhaustive search (Ghias, Ex. 1010, at 7:5-8)

Ghias – Non-Exhaustive Search

Ghias Self-Identifies Its Searches As Non-Exhaustive

 Ghias discloses search algorithms <u>different than brute force</u> search, i.e., non-exhaustive search algorithms



Ghias Ghias Discloses A Second Search

The subsequent searches do not consider all references



'988 Google's Reply (Paper 20) at 6

Ghias – Identifying a Neighbor / Neighbor Search Subsequent Searches Are Non-Exhaustive

 Ghias discloses a second search that only searches the songs returned from a first search



Ghias – Non-Exhaustive Search Subsequent Searches Are Non-Exhaustive

 The Board correctly identified the second search disclosed in Ghias as an example of a non-exhaustive search

the key-search." Ex. 1010, 6:63–65 (emphasis added). Ghias further provides that "the user can perform a *new query on a restricted search list consisting of songs just retrieved*. This allows the user to identify sets of songs that contain similar melodies." *Id.* at 7:5–8 (emphasis added). Thus, Ghias makes clear that the search need not be exhaustive, as Patent Owner argues, and will act to "identify[] a close, but not necessarily exact or closest, match," per our claim construction. Additionally, given the

'988 Institution Decision (Paper 6) at 12

- The parties agree that "identifying a neighbor" and "neighbor search" are interchangeable
- The Board construed both terms

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

Thus, on this record, and for purposes of this decision, we construe "identifying a neighbor" as "identifying a close, but not necessarily exact or closest, match."

Patent 8,010,988 B2

Before KEVIN F. TURNER, LYNNE E. PETTIGREW, and JON B. TORNQUIST, Administrative Patent Judges.

PETTIGREW, Administrative Patent Judge.

DECISION Institution of *Inter Partes* Review 37 C.F.R. § 42.108 '988 Institution Decision (Paper 6) at 8

- Google's position: nearest neighbor search is a type of neighbor search
- Network-1's position: nearest neighbor search is <u>not</u> a type of neighbor search



'988 Google's Reply (Paper 20) at 4

 Network-1 reads the Board's language of "not necessarily exact or closest" as "necessarily not exact or closest"

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

Thus, on this record, and for purposes of this decision, we construe

"identifying a neighbor" as "identifying a close, but not necessarily exact or

closest, match."

Patent 8,010,988 B2

Before KEVIN F. TURNER, LYNNE E. PETTIGREW, and JON B. TORNQUIST, Administrative Patent Judges.

PETTIGREW, Administrative Patent Judge.

DECISION Institution of Inter Partes Review 37 C.F.R. § 42.108 '988 Institution Decision (Paper 6) at 8

Independent claim 15 recites a search "identifying a neighbor"



- The dependent claims specify that the "search identifying a neighbor" may be any of the following "near<u>est</u> neighbor searches":
 - Claim 18 "based on kd-trees"
 - Claim 19 "based on vantage point trees"
 - Claim 20 "based on excluded middle vantage point forest"
- The specification identifies each of these search algorithms as forms of "nearest neighbor search" ('988 patent at 22:1-6, 22:10-12, 22:18-19)



Ghias – Identifying a Neighbor / Neighbor Search No Dispute Ghias Discloses Finding A Close Match

There is no dispute that Ghias identifies "approximately matching melodies"



Ghias – Determining an Action

• "Action" refers broadly to any act that the system executes



Ghias – Determining an Action

Dr. Karypis agrees that the claim term is broad and practically limitless



Ghias – Determining an Action

 Ghias displays a list of search results to the user, which would include information such as the artist and title so the user can identify the desired song



The computer 16 may desirably be programmed so that, for a given query, the database 14 returns a list of songs ranked by how well they matched the query, not just one best match. The number of matches that the database 14 should

From the results of the query the user can identify the song of interest. If the list is too large, the user can perform 5

Ghias (Ex. 1010) at 6:60-7:5

Iwamura – Overview Ex. 1012

- The parties' dispute with respect to Iwamura is confined to three limitations:
- 1. Non-exhaustive search
- 2. Identifying a neighbor
- 3. Sublinear search
 - Only in <u>2 claims</u> of the '237 patent

| I | US006188010B1 | | |
|---|---|--|--|
| (12) United States Patent Iwamura | (10) Patent No.: US 6,188,010 B1 (45) Date of Patent: Feb. 13, 2001 | | |
| (54) MUSIC SEARCH BY MELODY INPUT | 6,031,174 * 2/2000 Takabayashi | | |
| (75) Inventor: Rvuichi Iwamura, San Diego, CA (US) | OTHER PUBLICATIONS | | |
| (73) Assignees: Sony Corporation, Tokyo (JP); Sony Electronics, Inc., Park Ridge, NJ (US) | MIDISOFT Desktop Sheet Music 2.0 and MIDISOFT Stu dio 6.0 http://www.midisoft.com/upgrade.htm Apr. 10 1999. | | |
| (*) Notice: Under 35 U.S.C. 154(b), the term of this | * cited by examiner | | |
| patent shall be extended for 0 days. (21) Appl. No.: 09/429,260 | Primary Examiner—Stanley J. Witkowski (74) Attorney, Agent, or Firm—Blakely, Sokoloff, Taylor & Zafman LLP | | |
| (22) Filed: Oct. 29, 1999 | (57) ABSTRACT | | |
| (51) Int. CL. ⁷ G09B 15/04; G10H 1/26 (52) U.S. CL 84/609; 84/477 R (58) Fleid of Search 84/609–614, 634–638, 84/477 R, 478; 434/307 A | A method to enable one to search for a song title when onl its melody is known. An interface is used which allows th user to enter the melody in an easy to understand manner. remote music database with melody information is searche for the melody entered by the user. using, for example, peak or differential matching algorithm. Upon receiving | | |
| (56) References Cited | | | |
| U.S. PATENT DOCUMENTS 5,402,339 3/1995 Nakashima et al 5,670,730 * 9/1997 Grewe et al | search request, a database server, i.e., a remote comput which can be accessed by the user via a client PC, sends web page, for example, in HTML or Java containing t search results to the client PC. The client PC receives a displays the search results on the monitor and exchang data with the server. Sound may also be played through t sound card to connected speakers. | | |
| 5,986,200 * 11/1999 Curtin 84/609 | 40 Claims, 8 Drawing Sheets | | |

The Board construed "non-exhaustive search"

| UNITE | D STATES PATENT AND TRADEMARK OFFICE | 1 | | | |
|---|--|---|--|--|--|
| в | Accordingly, based | d on the instant record and for purposes of this | | | |
| ć | decision, we construe a "non-exhaustive search" as "a search that loc | | | | |
| r | match without a comparison of all possible matches." | | | | |
| _ | NETWORK-1 TECHNOLOGIES, INC., Patent Owner. | '988 Institution Decision (Paper 6) at 7 | | | |
| | Case IPR2015-00347 Patent 8,010,988 B2 | | | | |
| Before KEVIN | Ex. 1004 ¶ 43. To the e | extent Dr. Moulin testifies that a non-exhaustive | | | |
| JON B. TORNO | search "encompassed anything other than a 'brute force' search," id., we | | | | |
| | agree, but we do not fin | d that his testimony supports the latter portion of | | | |
| Institution of Inter Partes Review 37 C.F.R. § 42.108 '988 Institution Decision (Paper 6) a | | | | | |

- Iwamura discloses non-exhaustive search in two ways
 - Iwamura self-identifies as different than a brute force (i.e., exhaustive) search (Iwamura, Ex. 1012, at 9:7-11)
 - Iwamura only performs comparisons between the query and reference when peak notes are aligned, so intermediate positions are not compared (Iwamura, Ex. 1012, at 7:52-55)
 - The "possible matches" in Iwamura are melody segments, not songs

Iwamura Self-Identifies as a Non-Exhaustive Search

 Iwamura identifies its search as different than a brute force (i.e., exhaustive) search



The "Possible Matches" Are Melody Segments, Not Songs

 Dr. Karypis illustrates the non-exhaustive nature of Iwamura's search algorithm:

| | I | Comparison 1 |
|---|--|--|
| UNITED STATES PATENT AND TRADEMARK OFFICE | Work to be identified | |
| BEFORE THE PATENT TRIAL AND APPEAL BOARD | | |
| GOOGLE INC. Petitioner | Record in the database | 4 3 *5 0 -1 -2 -2 *5 -10 2 |
| v. | Computation (absolute difference) | 0 1 2 6 5 0 10 3 Total: 27 |
| NETWORK-1 TECHNOLOGIES Patent Owner | с | Comparison 2 (shift to next peak note) |
| Cases IPR2015-00343, IPR2015-00345, IPR2015-00347, and IPR2015 Patents 8 640 179 8 205 237 8 010 988 and 8 656 441 | Work to be identified | *5 -1 1 4 3 *5 *0 -1 -1 -2 -2 |
| | Record in the database | 4 3 *5 0 -1 -2 -2 *5 -10 2 shifted to next peak note |
| DECLARATION OF DR. GEORGE KARYPIS NETWOR | Computation (absolute difference) | 0 0 0 0 0 1 0 7 Total: 8 |
| Google Inc. v. Network Page 1 of 292 | -1 Technologies, Inc. IPR2015-00347 | Karypis Decl. (Ex. 2005) ¶¶160-162 (modifie |

The "Possible Matches" Are Melody Segments, Not Songs

Dr. Karypis confirmed that possible matches are melody segments

| |] | Page 1 | |
|---|----------------------|----------|--|
| UNITED STATES PATENT BEFORE THE PATENT AN BOARD | 5432 | 2 1 | |
| 300GLE, INC., Petiti Reference: | 0 0 <mark>5 4</mark> | 3210 | 0 <mark>5 4 3 2 1</mark> 0 0 <mark>5 4 3 2 1</mark> 0 0 <mark>5 4 3 2 1</mark> 0 0 |
| vs. IPR-20 | 015-00347 | | |
| IPR-20 NETWORK-1 TECHNOLOGIES, Patent Owner. | 18 | Q. | So in this example, is it fair to |
| x | 19 | say th | at there are four exact matches to the |
| Patent Nos. 8,640,179 8,205,237 | 20 | ~~~~ | within the reference? |
| 8,010,988 | 20 | query | within the reference? |
| 8,056,441 | 21 | Α. | So within the reference there are |
| | 22 | four p | ortions that match exactly to the |
| VIDEOTAPED DEPOSITION OF GEORGE | KAI 72 | CILIONTY | Voc |
| New York, New York Thursday, November 12, 2019 | 25 | query, | , ycs. |
| 9:05 a.m. | | | |
| | | | Karypis Tr. (Ex. 1020) at 147:18-23 |
| Reported by: | | | |
| Jennifer Ocampo-Guzman, CRR, CLR | | | |

Iwamura – Identifying a Neighbor / Neighbor Search

- The parties agree that "identifying a neighbor" and "neighbor search" are interchangeable
- The Board construed the terms

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

Thus, on this record, and for purposes of this decision, we construe "identifying a neighbor" as "identifying a close, but not necessarily exact or closest, match."

Patent 8,010,988 B2

Before KEVIN F. TURNER, LYNNE E. PETTIGREW, and JON B. TORNQUIST, *Administrative Patent Judges*.

PETTIGREW, Administrative Patent Judge.

DECISION Institution of *Inter Partes* Review 37 C.F.R. § 42.108 '988 Institution Decision (Paper 6) at 8

Iwamura – Identifying a Neighbor / Neighbor Search

 Iwamura teaches identifying similar works by returning the reference melody with the least difference



Conwell Ex. 1009

- The parties' dispute with respect to Conwell is confined to two limitations:
- 1. Identifying a neighbor
- 2. Non-exhaustive search

| | | | US006970886B1 | | |
|---|----------------------------|--|--|--|--|
| (12) United States Patent Conwell et al. | | | (10) Patent No.: US 6,970,886 B1 (45) Date of Patent: Nov. 29, 2005 | | |
| (54) | CONSUM | IER DRIVEN METHODS FOR | OTHER PUBLICATIONS | | |
| | WITH RI | ELATED WEB ADDRESSES | Ponce, B., "The impact of MP3 and the future of digita entertainment products", WWW Artists consortium, NY | | |
| (75) | Inventors: | William Y. Conwell, Portland, OR (US); Kenneth L. Levy, Stevenson, WA (US) | USA, Sep. 1999, pp. 68-70.* "NSI Commandeers Deadbeat Domains," Wired News, Jun 26, 2000 3 pp. "Network Solutions Creates Online Marketplace fo | | |
| (73) | Assignee: | Digimarc Corporation, Beaverton, OR (US) | Customers' Domain Names," Network Solutions, May 10 2000, 2 pp. | | |
| | A.F 1 | | (Continued) | | |
| (*) | Notice: | Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 642 days. | Primary Examiner—Mohammad Ali (74) Attorney, Agent, or Firm—Digimate Corporation | | |
| (21) | Appl. No.: | 09/578,551 | (57) ABSTRACT | | |
| (22) | Filed: | May 25, 2000 | Media content objects, such as audio MP3 files, are associ | | |
| (51) | Int C17 | C06F 17(20 | be implicit (e.g., derived from other data in the conten | | |
| (52) | U.S. CL | 707/104.1: 707/3 | object, as by hashing). A user of the file can utilize th | | |
| (58) Field of Search | | earch | identifier to query a database and thereby obtain the URL o one or more internet resources associated with that conten (e.g., web sites with fan info, concert schedules, opportuni ties to purchase CDs, etc.). Some identifiers may not b | | |
| (56) | | References Cited | associated with URLs in the database. A user who querie the database with such an identifier (e.g., which may be | | |
| | U. | S. PATENT DOCUMENTS | derived from an independently produced MP3) finds that there is not yet an associated URL. In this case, the user may be given the generation in the large this minute dataset. | | |
| | 6,122,403 A 6,269,361 B | 9/2000 Rhoads 1* 7/2001 Davis et al | predetermined period, with the privilege of specifying a URL for that identifier. Subsequent users who link from thi | | |

Conwell – Neighbor Search

 Conwell teaches identifying similar, but not exact, works by selecting from well-known hashing algorithms

| | US006970886B1 | |
|--|---|--|
| (12) United States Patent Conwell et al. | (10) Patent No.: US 6,970,886 B1 (45) Date of Patent: Nov. 29, 2005 | |
| (54) CONSUMER DRIVEN METHODS FOR ASSOCIATING CONTENT INDENTIFIERS WITH RELATED WEB ADDRESSES | OTHER PUBLICATIONS Ponce, B., "The impact of MP3 and the future of digital entertainment products", WWW. Artists consortium, NY, | |
| (75) Inventors: William Y. Conwell, Portland, OR (US); Kenneth L. Levy, Stevenson, WA (US) | "NSI Commandeers 26, 2000 3 pp. "Network Solution" | y suitably designing the algorithm by which |
| (73) Assignce: Digimare Corporation, Beaverton, OR (US) | ^{2000, 2 pp.} identifiers are | derived, non-identical versions of the same |
| (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 642 days. | Primary Examiner- basic content | may nonetheless correspond to the same |
| (21) Appl. No.: 09/578,551 | ⁵⁰ identifier. The | re is extensive published research on such |
| (22) Filed: May 25, 2000 (51) Int. Cl. ⁷ G06F 17/30 (52) U.S. Cl. 707/104,1, 207/3 (58) Field of Search 707/1-04, 1, 200, 205; 709/23-252, 219, 709/217; 705/10, 14 | Media content object ated with identifiers be implicit (e.g., ed.) object, as by hash identifier to query a one or more internat (e.g., web visits with ties to purchase O | g., hashing algorithms by which similar or on-identical, inputs map to the same hash |
| (56) References Cited | derived from an incependently produced MP3) linds that | |
| U.S. PATENT DOCUMENTS 6,122,403 A 9/2000 Rhoath 6,209,405 BH 7 7/2001 Davis et al | there is not yet an associated URL. In this case, the user may be given the opportunity to lease this virtual address for a predetermined period, with the privilege of specifying a URL for that identifier. Subsequent users who link from this particular MP3 file thereafter are directed to the URL specified by the first user. In some arrangements, the leasing privilege is awarded through a brief auction, triggered by the first user's discovery that the address is not used. Other users who query the database with that identifier during the period of the auction are permitted to bid. When the first lease period expires, the privilege can be re-auctioned. Proceeds from such auctions can be shared, e.g., with the user who triggered the first action, or with the high bidder of a previous auction. | Conwell (Ex. 1009) at 4:64-5:3 |
| WO WO01/06703 1/2001 | 27 Claims, 2 Drawing Sheets | |

Conwell – Neighbor Search

Conwell teaches identifying similar, but not exact, works using a database query:



object, as by hashing). A user of the file can utilize the identifier to query a database and thereby obtain the URL of one or more internet resources associated with that content (e.g., web sites with fan info, concert schedules, opportunities to purchase CDs, etc.). Some identifiers may not be

Conwell (Ex. 1009) at Abstract

- The parties agree that "identifying a neighbor" and "neighbor search" are interchangeable
- The Board construed both terms

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

Thus, on this record, and for purposes of this decision, we construe "identifying a neighbor" as "identifying a close, but not necessarily exact or closest, match."

Patent 8,010,988 B2

Before KEVIN F. TURNER, LYNNE E. PETTIGREW, and JON B. TORNQUIST, Administrative Patent Judges.

PETTIGREW, Administrative Patent Judge.

DECISION Institution of *Inter Partes* Review 37 C.F.R. § 42.108 '988 Institution Decision (Paper 6) at 8

Conwell – Neighbor Search

 The Board correctly concluded that Conwell identifies neighboring works



Conwell – Non-Exhaustive Search

- Conwell discloses non-exhaustive search
 - Conwell discloses a <u>database query</u> ("look-up table") (Conwell, Ex. 1009, at 3:43-44)
 - Database queries are non-exhaustive ('441 patent at 20:67-21:1)

Conwell – Non-Exhaustive Search

- exhaustive search = brute force search = linear search
- Patentee advised readers that database queries ran faster than a linear search (i.e., an exhaustive search)

| Γ | | US008656441B1 | |
|--------------|--|---|---|
| (12) | United States Patent Cox | (10) Patent No.: US 8,656 (45) Date of Patent: *Feb. | 5,441 B1 18, 2014 |
| (54) | SYSTEM FOR USING EXTRACTED FEATURES FROM AN ELECTRONIC WORK Applicant: Network-1 Security Solutions, Inc., | (56) Referen is sti | ill nine million. While databases of this size are now mon, they rely of efficient search to access entries, i.e., |
| (72) (73) | New York, NY (US) Inventor: Ingemar J. Cox, London (GB) Assignce: Network-1 Technologies, Inc., New | 4,230,990 A 101973 (Com FOREIGN PATE) | do not perform a linear search. A binary search of a |
| (*) | York, NY (US) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days. | EP 1354 276 BI 1354276 BI (Com In cc OTHER PUT 0001 | ontrast, a linear search will require an average of 45,000, |
| | This patent is subject to a terminal dis- claimer. | Peter Yianlos, Excluded Middle Neighbor Search, Aug. 1, 1999, pp. 1-12.* | |
| (21) (22) | Appl. No.: 13/829,717 Filed: Mar. 14, 2013 | (Continued) Primary Examiner — Cai Chen (74) Attorney, Agent, or Firm — Amster, F Ebenstein LLP | ² 441 patent (Ex. 1001) at 20:67-21:1 |
| (63) | Related U.S. Application Data Continuation of application No. 13/800,573, filed on Mar. 13, 2013, which is a continuation of application No. 13/338,079, filed on Dec. 27, 2011, which is a continuation of application No. 11/977,202, filed on Oct. 23, 2007, now Pat. No. 8,205,237, which is a continuation of application No. 11/445,928, filed on Jun. 2, 2006, now Pat. No. 8,010,988, which is a continuation-in-part of application No. 09/950,972. | (57) ABSTRACT A computer system comprising one or more com devices; one or more processors operatively com one or more communications devices; and one o puter readable media operatively connected t more processors and having stored thereon comp tions for carrying out the steps of (a) maintai computer system, a database comprising (1) first to identification of one or more works; and (2) | imunications intected to the or more com- o the one or putter instruc- ning, by the t data related second data |
CLAIM CONSTRUCTION

"Identifying a Neighbor" / "Neighbor Search"

Claim Construction – Identifying a Neighbor

 Network-1's interpretation violates the plain meaning of the Board's construction

Thus, on this record, and for purposes of this decision, we construe

"identifying a neighbor" as "identifying a close, but not necessarily exact or closest, match."

'988 Institution Decision (Paper 6) at 8

 It also runs contrary to the purpose of the patents: to identify a work

for example. In particular, the present invention concerns identifying a work (e.g., content or an advertisement delivered via print media, or via a radio or television broadcast) without the need to modify the work.

'179 patent (Ex. 1001) at 1:37-40

CLAIM CONSTRUCTION

"Approximate Nearest Neighbor Search"

Claim Construction – Approximate Nearest Neighbor search

The Board previously rejected Network-1's argument

approximate nearest neighbor search" (Ex. 1001, 9:12–14), such that we are not persuaded that an "approximate nearest neighbor search," must be a sublinear search, as that term has been construed above. As such, we are persuaded that the proper construction of "approximate nearest neighbor search" is "identifying a close match that is not necessarily the closest match."

'237 Institution Decision (Paper 6) at 9

Claim Construction – Approximate Nearest Neighbor search

 Construing "approximate nearest neighbor search" as requiring sublinearity would render the word "sublinear" superfluous

 b) determining, by the computer system, an identification of the media work using the media work extracted features to perform a sublinear approximate nearest neighbor search of reference extracted features of reference identified media works; and

'237 patent (Ex. 1001) at Claim 33



Overview

Ghias – Overview Ex. 1010

• Ghias is applicable to the following patents and claims:

| Patent No. | Claims |
|------------|--|
| 8,010,988 | 15 -17, 21-26, 28, 31, 51-52 |
| 8,205,237 | 9- 11, 13 -15, 23-24 |
| 8,640,179 | 1 -3, 8, 10-12, 13 -14, 18-19, 21-24, 25 -27, 29, 31, 34-37 |
| 8,656,441 | 1 -3, 8, 10-12, 13 -14, 18-19, 21-24, 25 -27, 29-30 |

GHIAS

Non-Exhaustive Search

Ghias – Non-Exhaustive Search

Ghias Self-Identifies Its Searches As Non-Exhaustive

 Ghias also discloses combining all songs into a single reference file



GHIAS

Identifying a Neighbor / Neighbor Search

Ghias – Identifying a Neighbor / Neighbor Search

- Ghias discloses identifying a neighbor and performing a neighbor search
 - Under the Board's construction, Ghias discloses a "neighbor search" because there is no dispute that it locates near matches (Ghias, Ex. 1010, at 2:50-52)
 - Even under Network-1's interpretation, Ghias discloses a "neighbor search" because it does not always locate the closest match, because the second search does not consider all references (Ghias, Ex. 1010, at 7:5-7)

Ghias – Identifying a Neighbor / Neighbor Search No Guarantee of the Closest Match

 Even under Network-1's interpretation, Ghias' subsequent searches do not always consider—much less identify—the closest match



Ghias – Non-Exhaustive Search No Guarantee of the Closest Match

• There are no restrictions on the new query, and it can be a different part of the song or even a different song entirely

| | 5 | Q. Could the new query that's |
|--|----|---|
| UNITED STATES PATENT AND TRADEMARK BEFORE THE PATENT AND TRIAL AND AP | 6 | described there be a different portion of the |
| BOARD | 7 | same song that was searched in the original |
| Petitioner, IPR-: IPR-: | 8 | query? |
| vs. IPR-: IPR-: | 9 | MR. LUNER: Objection to form. |
| NETWORK-1 TECHNOLOGIES, Patent Owner. | 10 | A. That can be a possibility. |
| Patent Nos. 8,640,179 | 11 | Q. Could the new query be a completely |
| 8,010,988 8,056,441 | 12 | different song? |
| x | 13 | A. The segments can perform a new |
| VIDEOTAPED DEPOSITION OF GEORG | 14 | query and puts no restrictions on the type of |
| New York, New York Thursday, November 12, 20: 9:05 a.m. | 15 | a query. |
| | | |
| Reported by: | | Karypis Ir. (Ex. 1 |
| Jennifer Ocampo-Guzman, CRR, CLR | | |

Ghias – Non-Exhaustive Search No Guarantee of the Closest Match

 Dr. Karypis testifies that the new query must be different from the first query

restricted list rather than refine the search as intended by Ghias.³² Although the details of the new query are not disclosed, the new query (2) could theoretically be, *e.g.*, (a) a different portion of the same song, or (b) a better hummed version of the same portion of the same song.

Karypis Decl. (Ex. 2005) ¶287

Ghias – Non-Exhaustive Search No Guarantee of the Closest Match

• The "new query" (Search 2), must be different from the original query (Search 1), and can yield entirely different search results

To refine the list of potential matches, the "new query" (2) disclosed in Ghias must be different from the original query (1). This is because Ghias does not teach an alternative search algorithm for searching the restricted list. Rather, Ghias teaches

Karypis Decl. (Ex. 2005) ¶287

Ghias – Identifying a Neighbor / Neighbor Search No Guarantee of the Closest Match

 The subsequent searches do not consider all references, and thus do not always find the "closest" match



'988 Google's Reply (Paper 20) at 6

Ghias – Identifying a Neighbor / Neighbor Search No Guarantee of the Closest Match

 Further, Ghias cannot always identify the closest match in a group of close matches



GHIAS

Determining an Action

Ghias – Determining an Action

 Dr. Karypis agrees that Ghias' display of song titles constitutes "determining an action"

| | | | ra |
|--------------------|------------|------------------|----|
| UNITED STATES PATH | ent and tr | ADEMARK OFFICE | |
| BEFORE THE PATENT | AND TRIAL | AND APPEAL | |
| BOARD | | | |
| | | x | |
| GOOGLE, INC., | | | |
| Peti | itioner, | IPR-2015-00343 | |
| | | IPR-2015-00345 | |
| vs. | | IPR-2015-00347 | |
| | | IPR-2015-00348 | |
| NETWORK-1 TECHNOLO | OGIES, | | |
| Pate | ent Owner. | | |
| | | x | |
| Patent Nos. 8,640, | ,179 | | |
| 8,205, | 237 | | |
| 8,010, | 988 | | |
| 8,056, | 441 | | |
| | | X | |
| | | | |
| | | | |
| VIDEOTAPED DEF | POSITION O | F GEORGE KARYPIS | |
| New | York, New | York | |
| Thursday, | November | 12, 2015 | |
| | 9:05 a.m. | | |
| | | | |
| | | | |
| | | | |
| Reported by: | | | |
| Jennifer Ocampo-Gu | ızman, CRR | , CLR | |

| 19 | Q. So displaying additional |
|----|---|
| 20 | information in association with the |
| 21 | electronic work would be an action that meets |
| 22 | the definition of "action" in claim 15, |
| 23 | right? |
| 24 | A. Yes. |
| 25 | Q. And might that additional |
| 1 | information include the title of the song |
| 2 | that you're searching for? |
| 3 | A. That can be the additional |
| 4 | information. |
| | |

Karypis Tr. (Ex. 1020) at 97:19-98:4

Ghias – Determining an Action

The specification lists "retrieving further information" as an action

| | | US008010988B2 | |
|------|--|--|------------------------|
| (12) | United States Patent Cox | Patent No.: US 8,010,988 B2 Date of Patent: Aug. 30, 2011 | |
| (54) | USING FEATURES EXTRACTED FROM AN AUDIO AND/OR VIDEO WORK TO OBTAIN INFORMATION ABOUT THE WORK | 677,455 A 61987 Objima 677,466 A 61987 Ten, Ic et al. 20 device such devices directly or indirectly record | niza tha |
| (76) | Inventor: Ingemar J. Cox, London (GB) | 30 device, such devices difectly of indifectly feedg | lize the |
| (*) | Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 797 days. | net and initiate an action. The set of possible ac notentially infinite and includes for example retriev | ztions is zing fur- |
| (21) | Appl. No.: 11/445,928 | potentially minine and merades, for example, retriev | ing iui- |
| (22) | Filed: Jun. 2, 2006 | ther information, interacting with a live broadcast, reg | gistering |
| (65) | Prior Publication Data US 2007/0041667 A1 Feb. 22, 2007 | the user for a service or product, purchasing a pro | oduct or |
| | Related U.S. Application Data | 35 service and/or receiving discount coupons or certific | ates that |
| (63) | Continuation-in-part of application No. 09/950,972, filed on Sep. 13, 2001, now Pat. No. 7,058,223. | can be used towards a purchase. | |
| (60) | Provisional application No. 60/232,618, filed on Sep. 14, 2000. | y issummer — Brian i i enosion int Examiner — Cai Chen | |
| (51) | Int. Cl. HolN 7/173 (2011.01) | itorney, Agent, or Firm-Amster, Rothstein & '988 patent (Ex. 1001) at 4 | 1:31-36 |

IWAMURA

Overview

Iwamura – Overview Ex. 1012

• Iwamura is applicable to the following patents and claims:

| Patent No. | Claims |
|------------|--|
| 8,010,988 | 15 -17, 21-26, 28, 31, 52 |
| 8,205,237 | 1 , 3- 5 , 7- 9 , 11- 13 , 15-16, 21- 25 , 26-27, 29-30, 33 , 34-35, 37-38 |
| 8,640,179 | N/A |
| 8,656,441 | N/A |

IWAMURA

Non-Exhaustive Search

The "Possible Matches" Are Melody Segments, Not Songs

 After calculating the absolute difference for one segment, Iwamura shifts to the next segment with aligned peak notes



This time, the total absolute difference is zero. The two melodies completely match. DB[0] is the melody the user is looking for. DB[0].composer_ID and DB[0].title_ID are 50 returned as a search result. The result is indicated in search result window 6 in FIG. 1. In this manner, the entered melody is shifted to each peak in each reference melody and compared. The reference melody that gives the least difference is returned as a search result. 55

displays the search results on the monitor and exchanges data with the server. Sound may also be played through the

Iwamura (Ex. 1012) at 7:52-55

The "Possible Matches" Are Melody Segments, Not Songs

 Iwamura returns the subsegment with the lowest absolute difference

15

16

17

18

21 22

23

24

25

1

2

5

| | | Page 1 |
|-------|--|--------|
| | | |
| UNITE | ED STATES PATENT AND TRADEMARK OFFICE | |
| BEFOR | RE THE PATENT AND TRIAL AND APPEAL | |
| BOARI | 0 | |
| | x | |
| GOOGI | JE, INC., | |
| | Petitioner, IPR-2015-00343 | |
| | IPR-2015-00345 | |
| | vs. IPR-2015-00347 | |
| | IPR-2015-00348 | |
| NETWO | DRK-1 TECHNOLOGIES, | |
| | Patent Owner. | |
| | x | |
| Pater | nt Nos. 8,640,179 | |
| | 8,205,237 | |
| | 8.010.988 | |
| | 8,056,441 | |
| | 0,000,112 | |
| | A. | |
| | | |
| | TREATARE REPORTATION OF GEORGE VARVATO | |
| ` | NDEGIAPED DEPOSITION OF GEORGE RARIFIS | |
| | New Iork, New Iork | |
| | Thursday, November 12, 2015 | |
| | 9:05 a.m. | |
| | | |
| | | |
| _ | | |
| Repor | rted by: | |
| Jenni | ifer Ocampo-Guzman, CRR, CLR | |

A. My recollection of the particular algorithm or approach, something like that, so I have a query which is for a certain length; and I have a reference melody that's for a certain length. And then I start at 19 the beginning of the reference melody and I 20 compute a distance, you know, between each, what is called data points of the query to the data point in the reference. That would give me some score of distance, I believe. And then I, you know, shift the query by one to the right, and I repeat the process and keep on doing that until the end. And at the end I return the score of the 3 match, the best scoring subsegment or the 4 highest scoring subsegment.

Karypis Tr. (Ex. 1020) at 113:11-114:5

Iwamura's Peak Search Does Not Consider All Melody Segments

 Dr. Moulin testified that the "possible matches" are melody segments

| 2 | Q Now, you just mentioned that it's a |
|----|---|
| 3 | difference between a part of the melody; is that |
| 4 | correct? |
| 5 | MR. DOVEL: Objection. Leading. |
| 6 | THE WITNESS: So it's difference between the |
| 7 | user input, the melody input by the user, and the |
| 8 | corresponding segment in the musical work. |
| 9 | BY MR. ELACQUA: |
| 10 | Q And what is the purpose of taking that |
| 11 | difference? |
| 12 | A To see whether there's a <u>match</u> between the |
| 13 | user query and <u>a segment of the musical work</u> . |

Moulin Tr. (Ex. 2006) at 379:2-13

Iwamura's Peak Search Does Not Consider All Melody Segments

 Network-1 admits that Iwamura skips intermediate comparisons between aligned peak notes



Iwamura's Peak Search Does Not Consider All Melody Segments

 Network-1 further admits that Iwamura's peak note search reduces the total number of comparisons

| UNITED STATES PATENT AND TRADEMARK OFFICE | |
|---|---|
| shifting the comparison between the | work and the record "note by note" to see if |
| there is a match, Iwamura teaches th | at the <mark>shifting can be done peak-note-to-peak-</mark> |
| note, thereby reducing the number of | f comparisons made between the work and a |
| specific record. Karypis Decl. ¶312; | ; 159. |
| U.S. Patent 8,010,988 | '988 N-1 Response (Paper 17) at 27-28 |
| | |

PATENT OWNER'S RESPONSE PURSUANT TO 37 C.F.R. § 42.120

Iwamura's Peak Search Does Not Consider All Melody Segments

Iwamura increases search speed by only performing comparisons where peaks align

| | | - | | Ret | fere | Q nce | uen *6 | 7: " 2 2 | 22 | 321 1 *€ | 54 | 132 | 1 | | |
|--|-----------------------------------|-------------------|-----------|-----------|-----------|-----------|-----------|-------------|-----------|-------------|-----------|------------|------------|------------|----------------|
| | E | a | | | | | Con | npa | riso | ns: | | | | | |
| UNITED STATES PATENT AND TRJ BEFORE THE PATENT AND TRIAL BOARD | ADEMARK OFFICE AND APPEAL x | | osition 1 | osition 2 | osition 3 | osition 4 | osition 5 | osition 6 | osition 7 | osition 8 | osition 9 | osition 10 | osition 11 | osition 12 | Total Absolute |
| Petitioner, | IPR-2015-00343 | Comparison No. 1 | 4 | 4 | 4 | Δ, | 4 | d | a | 0 | 0 | 0 | A | 0 | Dimerence |
| | IPR-2015-00345 | Comparison No. 1 | 2 | 1 | - | - | - | - | - | - | - | - | - | - | |
| vs. | IPR-2015-00347 | Comparison No. 2 | 1 | 1 | - | - | | - | - | - | - | - | - | - | 3 |
| NETWORK-1 TECHNOLOGIES | 1PR-2015-00348 | Comparison No. 3 | 3 | 2 | 1 | • | - | - | | • | - | - | - | - | 4 |
| Patent Owner. | | Comparison No. 4 | 4 | 3 | 2 | 1 | + | - | | * | - | - | - | - | 4 |
| | x | Comparison No. 5 | *5 | 4 | 3 | 2 | 1 | - | * | - | - | - | - | - | 5 |
| Patent Nos. 8,640,179 | | Comparison No. 6 | 4 | *5 | 4 | 3 | 2 | 1 | - | | | - | - | - | 6 |
| 8,205,237 | | Comparison No. 7 | | - | *5 | 4 | 3 | 2 | 1 | - | - | - | - | - | 12 |
| 8,010,988 | | Comparison No. 8 | | - | - | *5 | A | 2 | 2 | 1 | | | | - | 15 |
| 8,056,441 | Y | Comparison No. 0 | | | | | ** | 3 | 2 | - | 4 | | | | 15 |
| | ~ | Comparison No. 9 | | - | - | - | 2 | 4 | 3 | L. | 1 | - | - | | 15 |
| | | Comparison No. 10 | | - | - | - | - | *5 | 4 | 3 | 2 | 1 | 2 | - | 12 |
| VIDEOTAPED DEPOSITION OF | F GEORGE KARYPIS | Comparison No. 11 | | - | - | - | - | - | *5 | 4 | 3 | 2 | 1 | - | 5 |
| New York, New | York | Comparison No. 12 | | .+ | - | - | - | | ٨ | *5 | 4 | 3 | 2 | 1 | 0 |
| Thursday, November | 12, 2015 | Comparison No. 13 | | | | | | | - | - | *5 | 4 | 3 | 2 | 4 |
| 9:05 a.m. | | Comparison No. 14 | TT. | | AII | gm | ng | - | - | 1 | - | +5 | 4 | 3 | 6 |
| | | Comparison No. 15 | | P | eak | N | otes | 5 - | | | | - | *5 | 1 | 6 |
| | | Comparison No. 15 | 1 | - | - | - | - | - | | - | - | - | 3 | 4 | 0 |
| Reported by: | | Comparison No. 15 | | - | - | - | - | - | ۷. | - | - | - | - | - 4 | 4 |
| Jennifer Ocampo-Guzman, CRR | , CLR | Reference → | *6 | 2 | 2 | 2 | 2 | 1 | *6 | 5 | 4 | 3 | 2 | 1 | |

Karypis Tr. (Ex. 1020) Ex. 9 (modified)

Iwamura's Peak Search Does Not Consider All Melody Segments

 Dr. Karypis concedes that some reference melody segments are not compared to the query

| NITED STATES PATENT AND TRADEMARK OF 16 | So in the peak-by-peak pardon |
|---|---|
| IOARD 17 | me, in the peak search process, comparisons |
| Petitioner, IPR-201 | number 1 through 4 in Exhibit 9 wouldn't take |
| VS. 19R-201 19R-202 | place, correct? |
| IPR-201 20 IPR-201 20 | A. That would be correct. |
| Patent Owner. 21 | Q. And comparisons 6 through 10 would |
| Vatent Nos. 8,640,179 8,205,237 22 | not take place, correct? |
| 8,010,988 8,056,441 23 | A. That would be correct. |
| 24 | Q. And comparisons 12 through 16 would |
| VIDEOTAPED DEPOSITION OF GEORGE 1 New York, New York | not take place? |
| Thursday, November 12, 2015 9:05 a.m. | - Page 133 |
| 1 | A That would be correct |
| | |

Iwamura's Peak Search Does Not Consider All Melody Segments

 Iwamura discloses additional embodiments that skip "unimportant" segments and reduce the number of melody segments considered



IWAMURA

Identifying a Neighbor

Iwamura – Identifying a Neighbor

- Iwamura discloses identifying a neighbor and performing a neighbor search
 - Under the Board's construction, Iwamura discloses "identifying a neighbor" because it locates a close match (Iwamura, Ex. 1012, at 7:54-55)
 - Even under Network-1's interpretation, Iwamura discloses "identifying a neighbor" because it does not always locate the "exact or closest" match, because not all melody segments are considered (Iwamura, Ex. 1012, at 7:52-55)

Iwamura – Identifying a Neighbor Network-1's Interpretation

 Iwamura's peak search skips comparisons, so it does not necessarily even consider the closest match

| | | - | | Re | fere | nce | uer | γ: 1 2.2 | 54. 77 | 1 *6 | 54 | 32 | 1 | | |
|-----------------------------|------------------|-------------------|----|----------|------|-----|-----|-------------|-----------|------|------|------|-------|-----|----------------|
| | E | Comparisons: | | | | | | | | | | | | | |
| UNITED STATES PATENT AND TR | ADEMARK OFFICE | | a. | 1 | | - | COI | I | 130 | 13. | - | 0 | - | 01 | |
| BEFORE THE PATENT AND TRIAL | AND APPEAL | | | 12 | E C | 4 | SL | 9 4 | 17 | 80 | 6 0 | HL | TE | HE | |
| BOARD | | | 0 | tio | io | i i | IO | 0 | tion. | 1 e | 10 | tion | tio | 10 | Total Absolute |
| | x | | S | IS | Sei | Iso | 1SC | 11S | 11sc | 15 | 1 SC | 05 H | 12 St | 254 | Fotal Absolute |
| GOOGLE, INC., Petitioner | TPP-2015-00242 | | Ă | d | a | a | A | ă | d | ă | ď | 0 | à | a | Difference |
| Fectuloner, | TPR-2015-00345 | Comparison No. 1 | 1 | * | 1 | - | - | - | * | - | - | - | - | - | 5 |
| vs. | IPR-2015-00347 | Comparison No. 2 | 2 | 1 | - | - | | - | - | - | - | - | - | - | 5 |
| | IPR-2015-00348 | Comparison No. 3 | 3 | 2 | 1 | - | | | * | | - | - | - | - | 4 |
| NETWORK-1 TECHNOLOGIES, | | Comparison No. 4 | 4 | 3 | 2 | 1 | - | - | | | - | - | - | - | 4 |
| Patent Owner. | Y | Comparison No. 5 | *5 | 4 | 3 | 2 | 1 | - | | - | - | - | - | - | 5 |
| Patent Nos. 8,640,179 | ~ | Comparison No. 6 | A | +5 | 4 | 3 | 2 | 1 | | | | | | | 6 |
| 8,205,237 | | Comparison No. 7 | Ŧ | - | += | 1 | 2 | 2 | 1 | | - 10 | | | | 12 |
| 8,010,988 | | Comparison No. 7 | | - | | += | 2 | 4 | 1 | - | - | - | - | - | 12 |
| 8,056,441 | | Comparison No. 8 | | - | - | -5 | 4 | 3 | 6 | 2 | 7.5 | - | - | - | 15 |
| | x | Comparison No. 9 | ŀ | - | - | - | *5 | 4 | 3 | 2 | 1 | - | - | - | 15 |
| | | Comparison No. 10 | ŀ | - | - | - | - | *5 | 4 | 3 | 2 | 1 | - | - | 12 |
| VIDEOTAPED DEPOSITION O | F GEORGE KARYPIS | Comparison No. 11 | | 4 | - | - | - | - | *5 | Λ | 3 | 2 | 1 | | 5 |
| New York, New | York | Comparison No. 12 | | | - | - | - | ~ | | *5 | 4 | 3 | 2 | 1 | 0 |
| Thursday, November | 12, 2015 | Comparison No. 13 | | deren se | | | | | | - | *5 | 4 | 3 | | |
| 9:05 a.m. | | Comparison No. 14 | t | 1.3 | Ali | gni | ng | - | | | - | +5 | 4 | t i | Classet metak |
| | | Comparison No. 15 | ++ | P | eal | (N | ote | s - | - | | - | - | *5 | | LIOSEST Match |
| | | Comparison No. 15 | 1 | 1 | 1 | 1 | - | - | | - | - | - | 2 | | |
| Reported by: | | Comparison No. 15 | | - | - | - | - | - | V | - | - | - | - | -5 | 4 |
| Jennifer Ocampo-Guzman, CRR | , CLR | Reference → | *6 | 2 | 2 | 2 | 2 | 1 | *6 | 5 | 4 | 3 | 2 | 1 | |

Karypis Tr. (Ex. 1020) 132:15-133:1 & Ex. 9 (modified)

Iwamura – Identifying a Neighbor Network-1's Interpretation

• Dr. Karypis agrees that Comparison No. 12, which would identify the closest match, is never performed

| 24 | Q. And comparis | sons 12 through 16 would | 5 | Q. If you take a look at comparison |
|----|--|----------------------------------|-------|--|
| 25 | not take place? | | 6 | number 12 |
| 1 | A. That would be correct. | | 7 | A. Uh-huh. |
| _ | GOOGLE, INC., Petitioner, | IPR-2015-00343 | 8 | Q and compare the alignment of the |
| | vs. | IPR-2015-00345 IPR-2015-00347 | 9 | query to the notes in the reference work, at |
| | NETWORK-1 TECHNOLOGIES, | IPR-2015-00348 | 10 | that point, would you agree that the total |
| | Patent Owner. | | 11 | absolute difference sums to zero? |
| | Patent Nos. 8,640,179 8,205,237 | | 12 | A. I do. |
| | 8,010,988 8,056,441 | | 13 | Q. And is that representative of an |
| | | X | 14 | exact match between the query and that |
| | VIDEOTAPED DEPOSITION OF GEORGE KARYPIS | | 15 | portion of reference work? |
| | New York, New Thursday, November | York 12, 2015 | 16 | A. That is representative of an exact |
| | 9:05 a.m. | | 17 | match, yes. |
| | Reported by: Jennifer Ocampo-Guzman, CRR, CLR | | Karyp | ois Tr. (Ex. 1020) 132:24-133:1, 134:5-17) |

Iwamura – Identifying a Neighbor Network-1's Interpretation

 Because Iwamura skips "unimportant portions" of a reference, it does not always find the closest match

| | US006188010B1 | |
|--|--|---|
| (12) United States Patent Iwamura | (10) Patent No.: US 6,188,010 B1 (45) Date of Patent: Feb. 13, 2001 | |
| (54) MUSIC SEARCH BY MELODY INPUT | search speed. Also, a | peak that is in an unimportant portion |
| (75) Inventor: Ryuichi Iwamura, San Diego, CA (US) (73) Assignees: Sony Corporation, Tokyo (JP); Sony Electronics, Inc., Park Ridge, NJ (US) | can be skipped. In a | long music selection, there are some |
| Notice: Under 35 U.S.C. 154(b), the term of this patent shall be extended for 0 days. Appl. No.: 09/429,260 | melody. These portion | ons are well recognized and remembered |
| Int. CL? Got. 29, 1999 (51) Int. CL? G09B 15/04; G10H 1/20 (52) U.S. CL 84/609; 84/477 k | by the user. The user | identifies such important portions as a |
| (58) Field of Search 84/609–614, 634–638 84/477 R, 478; 434/307 A (56) References Cited | keyword (key-melod often be ignored. The | y). The other unimportant portions can |
| U.S. PATENT DOCUMENTS 5,402,339 3/1995 Nakashima et al 5,670,730 * 9/1997 Grewe et al | can be omitted in th | ne same way as a repeated peak. This |
| 5,864,868 11/1999 Contois 84/609 5,895,876 4/1999 Moityama 84/609 5,025,843 7/1999 Miller et al. 84/609 5,050,283 10/1999 Loney et al. 84/609 5,958,6200 11/1999 Curtin 84/609 | duta with the server. Sound may also be played through the sound card to connected speakers. 40 Claims, 8 Drawing Sheets | Iwamura (Ex. 1012) at 9:44-51 & Fig. 2 |

4
Iwamura – Identifying a Neighbor Network-1's Interpretation

 Because Iwamura's peak note search does not always find the best segment, it also does not always find the best song



'988 Google's Reply (Paper 20) at 21-22

IWAMURA

Sublinear Search (IPR2015-00345 only)

 The Board's construction refers to a "less than linear relationship to the <u>size</u> of the data set to be searched"



 The challenged patents refer to disk space when addressing the size of the database

With 9 million entries, if each vector is 1 Kbyte, then the storage requirement is 9 Gigabytes. Disk drives with this 25 capacity are extremely cheap at this time. However, if the

'237 patent (Ex. 1001) at 21:24-25

- Dr. Karypis agrees it is an appropriate interpretation of size
 - Q. And you've expressed the opinion
 that the number of entries in the data set is
 the appropriate interpretation.
 Why would the size on disk not be
 an appropriate interpretation?
 A. I think that can also be an
 appropriate interpretation.

Karypis Tr. (Ex. 1020) at 105:25-106:6

 Dr. Moulin cited the Boyer-Moore algorithm as an *example* of sublinear search disclosed in Iwamura

72. It is my opinion that Iwamura further teaches how this search can be sublinear. For example, Iwamura discloses that different "search algorithms may be applied to perform melody searches," (*id.* at 10:2-3), such as the "Boyer-Moore algorithm," (*id.* at 9:63). "On the average the [Boyer-Moore] algorithm has a sublinear behaviour." Ex. 1017 at 1.

'237 Moulin Decl. (Ex. 1004) ¶ 72

 In another example, Iwamura discloses storing reference songs in two formats: low resolution MIDI, and high resolution waveform (.wav)



 Adding a .wav file to a database containing a single MIDI file will greatly increase the size of the data set, but only double the search time



 Iwamura discloses an embodiment storing up to 64 notes per reference song (even if the song is longer), independent of the file type



 The distance between peak notes would be a function of the music, not the file type, so the search time is independent of file type

| | 10 |
|---|----|
| UNITED STATES PATENT AND TRADEMARK OFFICE | 11 |
| BEFORE THE PATENT AND TRIAL AND APPEAL | ** |
| BOARD | 10 |
| Х | 12 |
| GOOGLE, INC., | |
| Petitioner, IPR-2015-003 | 13 |
| IPR-2015-003 | - |
| vs. IPR-2015-003 | 14 |
| IPR-2015-003 | TH |
| NETWORK-1 TECHNOLOGIES, | 15 |
| Patent Owner. | 10 |
| x | |
| Patent Nos. 8,640,179 | 16 |
| 8.205.237 | 10 |
| 8.010.988 | 17 |
| 8,056,441 | 1/ |
| | 10 |
| ~ | 18 |
| | |
| VIDEOTAPED DEPOSITION OF GEORGE KARYPI | s |
| New York, New York | |
| Thursday, November 12, 2015 | |
| 9:05 a.m. | |
| | |
| | |
| | |

Reported by:

Would distance between the peak notes in either a query or a reference item in Iwamura would be a function of the music, right?

The distance between the peak notes Α. in either the query or the reference would be a function of the music and a function of how they're, whether or not they're, how they're doing the centering.

Karypis Tr. (Ex. 1020) at 126:10-18

CONWELL

Overview

Conwell Ex. 1009

Conwell is applicable to the following patents and claims:

| Patent No. | Claims |
|------------|---|
| 8,010,988 | N/A |
| 8,205,237 | N/A |
| 8,640,179 | 1 -3, 6, 8-12, 13 -14, 19, 21-24, 25 -26, 30-31, 34-37 |
| 8,656,441 | 1 -3, 6, 8-12, 13 -14, 19, 21-24, 25 -26, 30 |

CONWELL

Neighbor Search

Conwell – Neighbor Search

 Network-1 does not dispute that Conwell discloses identifying a neighbor of the query work

| UNITED STATES PATENT AND TRADEMARK OFFICE | |
|--|---|
| BEF While the search disclosed in | n Conwell may have the result of <mark>identifying a</mark> |
| neighbor of the work to be identified | <mark>ed,</mark> it does not do so by "comparing [the |
| extracted features] using [a] neighb | oor search" as required by the '441 claims. |
| NETWORK-1 TECHNOLOGIES, INC. Patent Owner | '179 N-1 Response (Paper 17) at 17 |
| Cases IPR2015-00348 Patent 8,656,441 | |
| PATENT OWNER'S RESPONSE PURSUANT TO 37 C.F.R. § 42.120 | |

Conwell – Neighbor Search

 The claim language recites identifying an electronic work, and does not exclude exactly matching features

| | | | US008640179B1 | | |
|------|--|--|--|--|--|
| (12) | Unite ^{Cox} | d States Patent | US 8,640,179 B1 (45) Date of Patent: *Jan. 28, 2014 | | |
| (54) | METHOI FEATUR |) FOR USING EXTRACTED ES FROM AN ELECTRONIC WORK | 4,450,531 A 5/1984 Kanyon et al. 4,454,594 A 6/1984 Heffron et al. 4,495,526 A 1/1985 Baranoff-Rossine | | |
| (75) | Inventor: | Ingemar J. Cox, London (GB) | 4,499,601 A 2/1985 Mathews 4,511,917 A 4/1985 Kohler et al. 4,547 804 A 10/1985 Gramehere | | |
| (73) | Assignce: | Network-1 Security Solutions, Inc., New York, NY (US) | 4.634,966 A 1/1987 Nakatani et al. 4.639,779 A 1/1987 Greenberg 4.677,455 A 6/1987 Okajima | | |
| (*) | Notice: | Subject to any disclaimer, the term of this patent is extended or adjusted under 33 U.S.C. 154(b) by 8 days. | foreign (c) identifyi | | |
| | | This patent is subject to a terminal dis claimer. | " EP 1354.2" EP 13542" | | |
| (21) | Appl. No.: | 13/338,079 | orm WORK by | | |
| (22) | Filed: Re Continuati Oct. 23, 2 continuati Jun. 2, 20 | Dec. 27, 2011 lated U.S. Application Data on of application No. 11/977,202, filed or 007, now Pat. No. 8,205,237, which is in or application No. 11/445,2928, filed on 06, now Pat. No. 8,010,988, which is i | Peter N. Yianlos, Exclus Neighbor Search, Aug. 1 Marial Ferr et al., "A International Conference (KDD-46), 1996. | | |
| (60) | filed on Se | n-in-part of application No. 09/950,972 p. 13, 2001, now Pat. No. 7,058,223. | Primary Examiner — Cai Chen (74) Attorney, Agent, or Firm — Amster, Rothstein & | | |
| (00) | 14, 2000. | r application 140, 00/252,010, mea on Sep | (57) ABSTRACT | | |
| (51) | Int. Cl. H04N 7/1 | 73 (2011.01) | A computer-implemented method including the steps of maintaining, by a computer system including at least one computer of deplement in which is a torend fluct determined to | | |
| (52) | U.S. Cl. USPC Field of C | | computer, a database in which is stored first data related to 6 identification of one or more works and second data related to information corresponding to each of the one or more works as identified by the first data. Extracted features of a work to be identified are obtained. The work is identified by compar- | | |
| | None See applic | ation file for complete search history. | | | |
| (56) | References Cited | | ing the extracted features of the work with the first data in the database using a non-exhaustive neighbor search. The infor- | | |
| | U | S. PATENT DOCUMENTS | mation corresponding to the identified work is determined based on the second data in the database. The determined information is associated with the identified work. | | |
| | 3,919,479 A 4,230,990 A | 11/1975 Moon et al. 10/1980 Lert, Jr. et al. | 37 Claims, 10 Drawing Sheets | | |

(c) identifying, by the computer system, the first electronic work by comparing the extracted features of the first electronic work with the first electronic data in the database using a non-exhaustive neighbor search;

'179 patent (Ex. 1001) at Claim 1

Conwell – Neighbor Search

 The specification makes clear that the purpose of the invention is to identify a *work*



CONWELL

Non-Exhaustive Search

Conwell – Non-Exhaustive Search

Conwell discloses a database (look-up table) that returns the URL corresponding to an identifier



Conwell – Non-Exhaustive Search

 Dr. Karypis concedes that a "binary search" is a type of nonexhaustive search

| | Page 1 | |
|---|-----------|-------------------------------------|
| UNITED STATES PATENT AND TRADEMARK OFF BEFORE THE PATENT AND TRIAL AND APPEAL BOARD | FICE L | |
| GOOGLE, INC., | 5-00242 | |
| vs. IPR- | 6 Q | A binary search being an example of |
| IPR- | 7 a nor | -exhaustive search, correct? |
| Patent Owner. | 8 A | That is correct. |
| 8,205,237 8,010,988 8,056,441 | | Karypis Tr. (Ex. 1020) at 186:6- |
| X | | |
| VIDEOTAPED DEPOSITION OF GEORGE KA | ARYPIS | |
| New York, New York Thursday, November 12, 2015 9:05 a.m. | | |
| | | |

'988 patent (IPR2015-00347)

15. A method for associating an electronic work with an action, the electronic work comprising at least one of audio and video, the method comprising:

- a) electronically extracting features from the electronic work;
- b) electronically determining an identification of the electronic work based on the extracted features, wherein the identification is based on a non-exhaustive search identifying a neighbor;
- c) electronically determining an action based on the identification of the electronic work; and
- d) electronically performing the action.

'237 patent (IPR2015-00345)

- 1. A computer-implemented method comprising:
- a) receiving, by a computer system including at least one computer, features that were extracted from a media work by a client device;
- b) determining, by the computer system, an identification of the media work using the received features extracted from the media work to perform a sub-linear time search of extracted features of identified media works to identify a neighbor; and
- c) transmitting, by the computer system, information about the identified media work to the client device.

'179 patent (IPR2015-00343)

- 1. A computer-implemented method comprising:
- (a) maintaining, by a computer system including at least one computer, a database comprising:
 - first electronic data related to identification of one or more reference electronic works; and
 - (2) second electronic data related to action information comprising an action to perform corresponding to each of the one or more reference electronic works;
- (b) obtaining, by the computer system, extracted features of a first electronic work;
- (c) identifying, by the computer system, the first electronic work by comparing the extracted features of the first electronic work with the first electronic data in the database using a non-exhaustive neighbor search;
- (d) determining, by the computer system, the action information corresponding to the identified first electronic work based on the second electronic data in the database; and
- (e) associating, by the computer system, the determined action information with the identified first electronic work.

'441 patent (IPR2015-00348)

| 1. A computer system comprising: |
|----------------------------------|
|----------------------------------|

one or more electronic communications devices;

one or more processors operatively connected to the one or more electronic communications devices; and

one or more computer readable media operatively connected to the one or more processors and having stored

- thereon computer instructions for carrying out the steps of:
- (a) maintaining, by the computer system, a database comprising:
 - (1) first electronic data related to identification of one or more reference electronic works; and
 - (2) second electronic data related to action information comprising an action to perform corresponding to each of the one or more reference electronic works;

- (b) obtaining, by the computer system, extracted features of a first electronic work;
- (c) identifying, by the computer system, the first electronic work by comparing the extracted features of the first electronic work with the first electronic data in the database using a non-exhaustive neighbor search;
- (d) determining, by the computer system, the action information corresponding to the identified first electronic work based on the second electronic data in the database; and
- (e) associating, by the computer system, the determined action information with the identified first electronic work.

Brute Force Search = Exhaustive Search

82. If there are 100 records in the database, an "exhaustive" search does not narrow the potential matches but instead systematically compares the work with each record to determine a match (if there is one). Systematically comparing the work to be identified with each potential match until a match is identified rather than using intelligence to narrow the search candidates is also referred to as using "brute force." Moulin Decl. ('988) ¶44 ("a brute force search conducts a comparison of every item in a search database"); Ex. 2001.

Karypis Decl. (Ex. 2005) ¶82

Linear Search = Exhaustive Search

| | | P |
|---|----------------|-----|
| UNITED STATES PATENT AND TRADE BEFORE THE PATENT AND TRIAL AND | | |
| BOARD | / | 6 |
| GOOGLE, INC., Petitioner, | 1PR- 8 | |
| vs. | IPR- IPR- 9 | i |
| NETWORK-1 TECHNOLOGIES, Patent Owner. | 10 | f |
| Patent Nos. 8,640,179 8,205,237 | 11 | t |
| 8,010,988 8,056,441 | 12 | s s |

Q. So is a linear search always exhaustive is my question?
A. If the goal of the search is identify a single record, right, in which the fitness of record is determined entirely by the record itself, right, an exhaustive search would be a linear search.

VIDEOTAPED DEPOSITION OF GEORGE KARYPIS New York, New York Thursday, November 12, 2015 9:05 a.m.

Reported by: Jennifer Ocampo-Guzman, CRR, CLR Karypis Tr. (Ex. 1020) at 66:6-12, 69:22-70:20