Exhibit C

Claim Language	Representative Evidence of Infringement for Apple TV			
	Claim 1			
1. A method for communicating with servers over the Internet to prevent or allow access to Internet sites, the	The Accused Apple Products ¹ perform a method for communicating with servers over the Internet to prevent or allow access to Internet sites.			
method comprising computer- implemented steps of:	Apple TV communicates in various ways with servers over the Internet. For example, Apple TV can communicate with servers over the Internet through the use of Internet protocols such as the HTTP and TCP protocols.			
	See, e.g., <u>http://support.apple.com/kb/HT2463</u> :			

¹ The Accused Apple Products include Apple TV (1st Gen., 2nd Gen., and 3rd Gen.), Apple's iOS Products, and Apple's Mac OS Products. Apple's iOS products include the iPhone, iPhone 3G, iPhone 3GS, iPod Touch 1st Generation, iPod Touch 2nd Generation, iPod Touch 3rd Generation, iPad, iPhone 4, iPhone 4S, iPhone 5, iPhone 5C, iPhone 5C, iPhone 6, iPhone 6 Plus, iPod Touch 4th Generation, iPod Touch 5th Generation, iPad 2, iPad 3rd Generation, iPad 4th Generation, iPad Air, iPad Air 2, iPad mini, iPad mini 2, iPad mini 3, and all other Apple products that use any version of the iOS or iPhone OS operating system. *See* 10/30/2014 Apple Responses to OpenTV Interrogatory Nos. 1 and 3 (tables of Accused Products).. Apple's Mac OS Products include the iMac, Mac Pro, MacBook, MacBook Air, MacBook Pro, Mac Mini, and all other Apple products that use any version of the Mac OS operating system, such as Mac OS X. *Id.* The representative Apple TV features referenced in this chart apply to each of Apple's iOS Products, Apple TV, and Mac OS Products to the extent they use the same or similar structures and/or methods.

Claim Language	Representative Evidence of Infringement for Apple TV
	Apple TV: TCP and UDP ports and protocols used
	Networked devices, such as your Mac, PC, and Apple TV, communicate with each other using specific communication channels known as TCP and UDP ports. Learn about the ports used by Apple TV.
	These network ports are used by Apple TV for communications on your network.
	 TCP port 123 is used to communicate with a network time server. TCP port 3689 is used to communicate with iTunes while using the iTunes Library Sharing feature. UDP port 5353 is used by Apple TV for automatically finding computers with iTunes on your network using Bonjour. TCP port 80 is used for communicating with podcast servers. TCP port 80 and 443 are used for basic and secure communications with the iTunes Store via the Internet. TCP port 53 is used for regular DNS.
	These are well-known ports used by Apple products, like iTunes. If you can use all the features of iTunes, these ports are likely already open on your firewall or NAT router. Note : These ports may also used by other services such as YouTube and Flickr.
	See, e.g., http://support.apple.com/kb/HT6175:
	Well known TCP and UDP ports used by Apple Languages English software products Learn more about TCP and UDP ports used by Apple products, such as OS X, OS X Server, Apple Remote Desktop,
	and iCloud. Many of these are referred to as "well known" industry standard ports. Ports used by Apple products The table below outlines TCP and UDP ports used by Apple products. Your network administrator may need this information to make sure your computer or device can connect to services such as automatic software updates, or the App Store. For an explanation of what a TCP or UDP port is, see the "IP Ports" section of "OS X: What Is a Port?"

Claim Language	Representative Evidence of Infringement for Apple TV					
	Port	TCP or UDP	Service or Protocol Name	RFC	Service Name	Used by / Additional information
	80	ТСР	Hypertext Transfer Protocol (HTTP)	2616	http	World Wide Web, iCloud, QuickTime Installer, iTunes Store and Radio, OS X Software Update (OS X Lion and earlier), Mac App Store, RAID Admin, Backup, iCal calendar publishing, WebDAV, Final Cut Server, AirPlay, OS X Internet Recovery, Profile Manager, Xcode Server (Xcode app, hosted and remote Git HTTP, remote SVN HTTP).
	443	ТСР	Secure Sockets Layer (SSL, or "HTTPS")	2818	https	TLS websites, iTunes Store, OS X Software Update (Mountain Lion and later), Mac App Store, FaceTime, Game Center, iCloud authentication and DAV Services (Contacts, Calendars, and Bookmarks), iCloud backup and applications (Calendars, Contacts, Find My iPhone/Find My Friends, Mail, Documents & Photo Stream), iCloud Key Value Store (KVS), iPhoto Journals, AirPlay, OS X Internet Recovery, Profile Manager, Back to My Mac, Dictation, Xcode Server (hosted and remote Git HTTPS, remote SVN HTTPS, Apple Developer registration).
	See, e.g	., http://suppo	ort.apple.com/kb	/SP648:		

Claim Language	Representative Evidence of Infringement for Apple TV
	System Requirements
	 Wi-Fi (802.11a, b, g, or n) wireless network (wireless video streaming requires 802.11a, g, or n) or 10/100BASE-T Ethernet network
	For example, Apple TV includes features, such as Restrictions, that can prevent or allow access to Internet sites. To the extent an Internet site that may be accessed by Apple TV differs from the claimed Internet site, such a difference would be insubstantial and the Internet site would perform substantially the same function, in substantially the same way, to achieve substantially the same result as the claimed Internet site.
	See, e.g., http://support.apple.com/kb/HT200198?viewlocale=en_US:
	"You can turn on Restrictions, also known as parental controls, on Apple TV with a few simple steps. Restrictions stop you from using specific features and services on the device You can turn on and adjust Restrictions on Apple TV to prevent access to specific features or content on the device."
	For example, Apple TV includes a processor that performs computer-implemented steps for communicating with servers over the Internet to prevent or allow access to Internet sites.
	See, e.g., http://support.apple.com/kb/SP648:

Claim Language	Representative Evidence of Infringement for Apple TV
	3.9" Image: Constraint of the system of the syste
(a) opening a data stream to send a message through an interface to an	Apple TV opens a data stream to send a message through an interface to an Internet server.
Internet server;	Apple TV can send various messages through an interface through to an Internet server. For example, Apple TV can send an HTTP message, such as an HTTP Request. When a user selects an icon or a
	video, Apple TV opens a data stream, such as a TCP data stream, to send a message through an
	interface to an Internet server.
	See, e.g., http://support.apple.com/kb/HT2463:

5

Claim Language	Representative Evidence of Infringement for Apple TV
	Apple TV: TCP and UDP ports and protocols used
	Networked devices, such as your Mac, PC, and Apple TV, communicate with each other using specific communication channels known as TCP and UDP ports. Learn about the ports used by Apple TV.
	These network ports are used by Apple TV for communications on your network.
	 TCP port 123 is used to communicate with a network time server. TCP port 3689 is used to communicate with iTunes while using the iTunes Library Sharing feature. UDP port 5353 is used by Apple TV for automatically finding computers with iTunes on your network using Bonjour. TCP port 80 is used for communicating with podcast servers. TCP port 80 and 443 are used for basic and secure communications with the iTunes Store via the Internet. TCP port 53 is used for regular DNS.
	These are well-known ports used by Apple products, like iTunes. If you can use all the features of iTunes, these ports are likely already open on your firewall or NAT router. Note : These ports may also used by other services such as YouTube and Flickr.
	See, e.g., http://support.apple.com/kb/HT6175:
	Well known TCP and UDP ports used by Apple Languages English software products Learn more about TCP and UDP ports used by Apple products, such as OS X, OS X Server, Apple Remote Desktop, and iCloud. Many of these are referred to as "well known" industry standard ports.
	Ports used by Apple products The table below outlines TCP and UDP ports used by Apple products. Your network administrator may need this information to make sure your computer or device can connect to services such as automatic software updates, or the App Store. For an explanation of what a TCP or UDP port is, see the "IP Ports" section of "OS X: What Is a Port?"

6

Claim Language	Representative Evidence of Infringement for Apple TV					
	Port	TCP or UDP	Service or Protocol Name	RFC	Service Name	Used by / Additional information
	80	ТСР	Hypertext Transfer Protocol (HTTP)	2616	http	World Wide Web, iCloud, QuickTime Installer, iTunes Store and Radio, OS X Software Update (OS X Lion and earlier), Mac App Store, RAID Admin, Backup, iCal calendar publishing, WebDAV, Final Cut Server, AirPlay, OS X Internet Recovery, Profile Manager, Xcode Server (Xcode app, hosted and remote Git HTTP, remote SVN HTTP).
	443	ТСР	Secure Sockets Layer (SSL, or "HTTPS")	2818	https	TLS websites, iTunes Store, OS X Software Update (Mountain Lion and later), Mac App Store, FaceTime, Game Center, iCloud authentication and DAV Services (Contacts, Calendars, and Bookmarks), iCloud backup and applications (Calendars, Contacts, Find My iPhone/Find My Friends, Mail, Documents & Photo Stream), iCloud Key Value Store (KVS), iPhoto Journals, AirPlay, OS X Internet Recovery, Profile Manager, Back to My Mac, Dictation, Xcode Server (hosted and remote Git HTTPS, remote SVN HTTPS, Apple Developer registration).
(b) maintaining a database of filtering information comprising a table of filters, said table comprising		mple, Apple T		-		mprising a table of filters. ormation comprising a table of filters as

7



Claim Language	Represe	ntative Evidence of Infringement fo	or Apple TV
Claim Language	Represe	Intative Evidence of Infringement for Main Mee Sky News Smithsonian Trailers Vevo Vimeo Veather Willow WSJ Live WWE Network Yahoo Screen YouTube	
(1) filters specifying immediate action, and	Apple TV includes filters specify For example, Apple TV includes the second sec	ing immediate action. filters specifying immediate action a	s shown below.

Claim Language		Representative Evidence of Infringement for	Apple TV			
	Main Menu					
		Sky News				
		Smithsonian	Show			
		Trailers	Show			
		Vevo	Ask			
	You Tube	Vimeo	Show			
		Weather	Show			
		Willow	Show			
		WSJ Live	Show			
		WWE Network	Ask			
		Yahoo Screen	Show			
		YouTube	Show			
	See, e.g.:					

Claim Language	Representative Evidence of Infringement for Apple TV
	Restrictions Turn Off Restrictions Change Passcode Purchase & Rental Allow Ratings For United States (Restrict Movies To G Restrict TV Shows To Tv-G Explicit Music & Podcasts Ask AirPlay Settings Show Conference Room Display Allow
(2) filters specifying deferred action;	See, e.g., http://support.apple.com/kb/HT200198?viewlocale=en_US: "Show or Allow: You don't need a passcode to use the service, and there aren't any restrictions." Apple TV includes filters specifying deferred action. For example, Apple TV includes filters specifying deferred action as shown below. See, e.g.:

Claim Language	R	epresentative Evidence of Infringement	for Apple TV		
		Main Mei	Main Menu		
		Sky News	Sites		
		Smithsonian	Show		
		Trailers	Show		
		Vevo	Ask		
	Veu Tubo	Vimeo	Show		
	You Tube	Weather	Show		
		Willow	Show		
		WSJ Live	Show		
		WWE Network	Ask		
		Yahoo Screen	Show		
		YouTube	Ask		
	See, e.g.:				

Claim Language	Representative Evidence of Infringement for Apple TV				
Claim Language	Representative Evidence of Infringement for Apple TV Restrictions Turn Off Restrictions Change Passcode Purchase & Rental Ask Ratings For United States Restrict Movies To G Restrict TV Shows To TV-G Explicit Music & Podcasts Ask AirPlay Settings Show				
(c) comparing information in the message to filtering information in at least one of said filters specifying immediate action and said filters specifying deferred action; and	Conference Room Display Allow See, e.g., http://support.apple.com/kb/HT200198?viewlocale=en_US: "Ask: You must enter the four-digit passcode before using the service or making a purchase or rental transaction." Apple TV compares information in the message to filtering information in at least one of said filters specifying immediate action and said filters specifying deferred action and determines whether to prevent or allow transmission of the message in response to the comparison. There are various messages available to Apple TV that can be compared to the filtering information. For example, Apple TV's Restrictions allow Apple TV to compare information in an outgoing HTTP				

Claim Language	Representative Evidence of Infringement for Apple TV			
(d) determining whether to prevent or	message, such as an HTTP Request (e.g., HTTP GET) message, to filtering information in at least one of			
allow the outgoing transmission of the	said filters specifying immediate action and said filters specifying deferred action and determine			
message based on the comparison.	whether to prevent or allow the outgoing transmission of the message in response to the comparison as shown, for example, in the examples below. To the extent a message in Apple TV differs from the			
	claimed message, such a difference would be insubstantial and the messages would perform substantially the same function, in substantially the same way, to achieve substantially the same result. Example 1-1: Filtering information:			
	Main Menu			
		Sky News		
		Smithsonian	Show	
		Trailers	Show	
		Vevo	Ask	
	N	Vimeo	Show	
	You Tube	Weather	Show	
		Willow	Show	
		WSJ Live	Show	
		WWE Network	Ask	
		Vahoo Screen	Show	
		YouTube	Show	
	Example 1-2: Comparing information	on in the message to filtering	information:	
		in the message to mitering		





Claim Language	Representative Evidence of Infringement for Apple TV				
	Main Menu				
		Sky News	Entrany		
		Smithsonian	Show		
		Trailers	Show		
		Vevo	Ask		
	V TTO	Vimeo	Show		
	You lube	Weather	Show		
		Willow	Show		
		WSJ Live	Show		
		WWE Network	Ask		
		Yahoo Screen	Show		
		YouTube	Ask		
	Example 2-2: Comparing inf	ormation in the message to filter	ing information:		





Claim Language	Representative Evidence of Infringement for Apple TV		
	Restrictions Turm Off Restrictions Change Passcode Purchase & Rental Ack Ratings For United States > Restrict TV Shows To TV-G Explicit Music & Podcasts Ack AirPlay Settings Show Conference Room Display Alow		

Claim Language	Representative Evidence of Infringement for Apple TV		
	<i>See e.g.,</i> http://www.hardwarese The Apple TV The Apple TV uses a single core ver	Main Mee Sky News Smithsonian Trailers Vevo Vimeo Weather Willow WSJ Live WWE Network Yahoo Screen YouTube	Show Show Ask Show Show Show Show Show Show Show Show
	Claim 1	5	

Claim Language	Representative Evidence of Infringement for Apple TV
15. A method for filtering messages transmitted over the Internet to prevent or allow access to Internet	The Accused Apple Products include a method for filtering messages transmitted over the Internet to prevent or allow access to Internet Sites.
sites, the method comprising computer-implemented steps of:	For example, Apple TV includes a method for filtering messages transmitted over the Internet to prevent or allow access to Internet sites.
	See, e.g., http://support.apple.com/kb/HT200198?viewlocale=en_US:
	"You can turn on Restrictions, also known as parental controls, on Apple TV with a few simple steps. Restrictions stop you from using specific features and services on the device You can turn on and adjust Restrictions on Apple TV to prevent access to specific features or content on the device."
	For example, Apple TV includes a processor that performs computer-implemented steps for filtering messages transmitted over the Internet to prevent or allow access to Internet sites. To the extent an Internet site that may be accessed by Apple TV differs from the claimed Internet site, such a difference would be insubstantial and the Internet site would perform substantially the same function, in substantially the same way, to achieve substantially the same result as the claimed Internet site.
	See, e.g., http://support.apple.com/kb/SP648:



Claim Language	Representative Evidence of Infringement for Apple TV				
	Apple TV: TCP and UDP ports and protocols used				
	Networked devices, such as your Mac, PC, and Apple TV, communicate with each other using specific communication channels known as TCP and UDP ports. Learn about the ports used by Apple TV.				
	These network ports are used by Apple TV for communications on your network.				
	 TCP port 123 is used to communicate with a network time server. TCP port 3689 is used to communicate with iTunes while using the iTunes Library Sharing feature. UDP port 5353 is used by Apple TV for automatically finding computers with iTunes on your network using Bonjour. TCP port 80 is used for communicating with podcast servers. TCP port 80 and 443 are used for basic and secure communications with the iTunes Store via the Internet. TCP port 53 is used for regular DNS. 				
	These are well-known ports used by Apple products, like iTunes. If you can use all the features of iTunes, these ports are likely already open on your firewall or NAT router. Note : These ports may also used by other services such as YouTube and Flickr.				
	See, e.g., http://support.apple.com/kb/HT6175:				
	Well known TCP and UDP ports used by Apple Languages English software products Learn more about TCP and UDP ports used by Apple products, such as OS X, OS X Server, Apple Remote Desktop, and iCloud. Many of these are referred to as "well known" industry standard ports.				
	Ports used by Apple products The table below outlines TCP and UDP ports used by Apple products. Your network administrator may need this information to make sure your computer or device can connect to services such as <u>automatic software updates</u> , or the App Store. For an explanation of what a TCP or UDP port is, see the "IP Ports" section of "OS X: What Is a Port?"				

Claim Language	Representative Evidence of Infringement for Apple TV					
	Port	TCP or UDP	Service or Protocol Name	RFC	Service Name	Used by / Additional information
	80	ТСР	Hypertext Transfer Protocol (HTTP)	2616	http	World Wide Web, iCloud, QuickTime Installer, iTunes Store and Radio, OS X Software Update (OS X Lion and earlier), Mac App Store, RAID Admin, Backup, iCal calendar publishing, WebDAV, Final Cut Server, AirPlay, OS X Internet Recovery, Profile Manager, Xcode Server (Xcode app, hosted and remote Git HTTP, remote SVN HTTP).
	443	ТСР	Secure Sockets Layer (SSL, or "HTTPS")	2818	https	TLS websites, iTunes Store, OS X Software Update (Mountain Lion and later), Mac App Store, FaceTime, Game Center, iCloud authentication and DAV Services (Contacts, Calendars, and Bookmarks), iCloud backup and applications (Calendars, Contacts, Find My iPhone/Find My Friends, Mail, Documents & Photo Stream), iCloud Key Value Store (KVS), iPhoto Journals, AirPlay, OS X Internet Recovery, Profile Manager, Back to My Mac, Dictation, Xcode Server (hosted and remote Git HTTPS, remote SVN HTTPS, Apple Developer registration).
	See, e.g	g., Apple TV (3،	rd generation) - T	echnical	Specificati	remote Git HTTPS, remote SVN HTTP

Claim Language	Representative Evidence of Infringement for Apple TV
	System Requirements
	 Wi-Fi (802.11a, b, g, or n) wireless network (wireless video streaming requires 802.11a, g, or n) or 10/100BASE-T Ethernet network
(a) maintaining a database of filtering information comprising a table of filters, said table comprising	See elements 1(b), 1(b)(1), and 1(b)(1) above.
(1) filters specifying immediate action, and	
(2) filters specifying deferred action;	
(b) comparing information in the message to filtering information in at least one of said filters specifying immediate action and said filters	Apple TV compares information in the message to filtering information in at least one of said filters specifying immediate action and said filters specifying deferred action and determines whether to prevent or allow transmission of the message in response to the comparison.
specifying deferred action; and (c) determining whether to prevent or allow transmission of the message in response to the comparison.	There are various messages available to Apple TV that can be compared to filtering information. For example, Apple TV's Restrictions allow Apple TV to compare information in the message, such as an HTTP message, to filtering information in at least one of said filters specifying immediate action and said filters specifying deferred action and determines whether to prevent or allow transmission of the message in response to the comparison, for example, as shown in the examples below. To the extent a message in Apple TV differs from the claimed message, such a difference would be insubstantial and the messages would perform substantially the same function, in substantially the same way, to achieve substantially the same result.
	Example 1-1: Filtering information:

Claim Language	Representative Evidence of Infringement for Apple TV		
Claim Language	Represent	Main Me Sky News Smithsonian Trailers Vevo Vimeo Vimeo Weather Willow WSJ Live WWE Network	enu Show Show Ask Show Show Show Show Show Ask Show
			Show
		YouTube	
	Example 1-2: Comparing informat	tion in the message to filterin	g information:





Claim Language	Representative Evidence of Infringement for Apple TV				
	Main Menu				
		Sky News	and a second		
		Smithsonian	Show		
		Trailers	Show		
		Vevo	Ask		
	Venter	Vimeo	Show		
	You Tube	Weather	Show		
		Willow	Show		
		WSJ Live	Show		
		WWE Network	Ask		
		Yahoo Screen	Show		
		YouTube	Ask		
	Example 2-2: Comparing infor	mation in the message to filtering in	formation:		







Claim Language	Representative Evidence of Infringement for Apple TV		
	Enter Passcode		
	Enter your four-digit passcode.		
	Claim 23		
23. A method for communicating with servers over the Internet to prevent or allow access to Internet sites, the method comprising the computer- implemented steps of:	The Accused Apple Products perform a method for communicating with servers over the Internet to prevent or allow access to Internet sites. Apple TV communicates in various ways with servers over the Internet. For example, Apple TV can communicate with servers over the Internet through the use of Internet protocols such as the HTTP and TCP protocols. See, e.g., http://support.apple.com/kb/HT2463:		

Claim Language	Representative Evidence of Infringement for Apple TV
	Apple TV: TCP and UDP ports and protocols used
	Networked devices, such as your Mac, PC, and Apple TV, communicate with each other using specific communication channels known as TCP and UDP ports. Learn about the ports used by Apple TV.
	These network ports are used by Apple TV for communications on your network.
	 TCP port 123 is used to communicate with a network time server. TCP port 3689 is used to communicate with iTunes while using the iTunes Library Sharing feature. UDP port 5353 is used by Apple TV for automatically finding computers with iTunes on your network using Bonjour. TCP port 80 is used for communicating with podcast servers. TCP port 80 and 443 are used for basic and secure communications with the iTunes Store via the Internet. TCP port 53 is used for regular DNS.
	These are well-known ports used by Apple products, like iTunes. If you can use all the features of iTunes, these ports are likely already open on your firewall or NAT router. Note : These ports may also used by other services such as YouTube and Flickr.
	See, e.g., http://support.apple.com/kb/HT6175:
	Well known TCP and UDP ports used by Apple Languages English software products Learn more about TCP and UDP ports used by Apple products, such as OS X, OS X Server, Apple Remote Desktop, and iCloud. Many of these are referred to as "well known" industry standard ports.
	Ports used by Apple products The table below outlines TCP and UDP ports used by Apple products. Your network administrator may need this information to make sure your computer or device can connect to services such as automatic software updates, or the App Store. For an explanation of what a TCP or UDP port is, see the "IP Ports" section of "OS X: What Is a Port?"

Claim Language			Representative	e Eviden	ce of Infrir	ngement for Apple TV
	Port	TCP or UDP	Service or Protocol Name	RFC	Service Name	Used by / Additional information
	80	ТСР	Hypertext Transfer Protocol (HTTP)	2616	http	World Wide Web, iCloud, QuickTime Installer, iTunes Store and Radio, OS X Software Update (OS X Lion and earlier), Mac App Store, RAID Admin, Backup, iCal calendar publishing, WebDAV, Final Cut Server, AirPlay, OS X Internet Recovery, Profile Manager, Xcode Server (Xcode app, hosted and remote Git HTTP, remote SVN HTTP).
	443	ТСР	Secure Sockets Layer (SSL, or "HTTPS")	2818	https	TLS websites, iTunes Store, OS X Software Update (Mountain Lion and later), Mac App Store, FaceTime, Game Center, iCloud authentication and DAV Services (Contacts, Calendars, and Bookmarks), iCloud backup and applications (Calendars, Contacts, Find My iPhone/Find My Friends, Mail, Documents & Photo Stream), iCloud Key Value Store (KVS), iPhoto Journals, AirPlay, OS X Internet Recovery Profile Manager, Back to My Mac, Dictation, Xcode Server (hosted and remote Git HTTPS, remote SVN HTTPS, Apple Developer registration).

Claim Language	Representative Evidence of Infringement for Apple TV
	System Requirements
	 Wi-Fi (802.11a, b, g, or n) wireless network (wireless video streaming requires 802.11a, g, or n) or 10/100BASE-T Ethernet network
	For example, Apple TV includes features, such as Restrictions, that can prevent or allow access to Internet Sites.
	See, e.g., http://support.apple.com/kb/HT200198?viewlocale=en_US:
	"You can turn on Restrictions, also known as parental controls, on Apple TV with a few simple steps. Restrictions stop you from using specific features and services on the device You can turn on and adjust Restrictions on Apple TV to prevent access to specific features or content on the device."
	For example, Apple TV includes a processor that performs computer-implemented steps for communicating with servers over the Internet to prevent or allow access to Internet sites. To the extent an Internet site that may be accessed by Apple TV differs from the claimed Internet site, such a difference would be insubstantial and the Internet site would perform substantially the same function, in substantially the same way, to achieve substantially the same result as the claimed Internet site.
	See, e.g., http://support.apple.com/kb/SP648:

Claim Language	Representative Evidence of Infringement for Apple TV
	3.3" Image: Constraint of the system of the syste
(a) opening a data stream to receive a message through an interface from an Internet server;	Apple TV opens a data stream to receive a message through an interface from an Internet server. For example, when an Internet site sends a response to Apple TV, Apple TV opens a data stream, such as a TCP data stream, to receive a message through an interface from an Internet server. See, e.g., http://support.apple.com/kb/HT2463:

Claim Language	Representative Evidence of Infringement for Apple TV					
	Apple TV: TCP and UDP ports and protocols used					
	Networked devices, such as your Mac, PC, and Apple TV, communicate with each other using specific communication channels known as TCP and UDP ports. Learn about the ports used by Apple TV.					
	These network ports are used by Apple TV for communications on your network.					
	 TCP port 123 is used to communicate with a network time server. TCP port 3689 is used to communicate with iTunes while using the iTunes Library Sharing feature. UDP port 5353 is used by Apple TV for automatically finding computers with iTunes on your network using Bonjour. TCP port 80 is used for communicating with podcast servers. TCP port 80 and 443 are used for basic and secure communications with the iTunes Store via the Internet. TCP port 53 is used for regular DNS. 					
	These are well-known ports used by Apple products, like iTunes. If you can use all the features of iTunes, these ports are likely already open on your firewall or NAT router. Note : These ports may also used by other services such as YouTube and Flickr.					
	See, e.g., http://support.apple.com/kb/HT6175:					
	Well known TCP and UDP ports used by Apple Languages English software products Learn more about TCP and UDP ports used by Apple products, such as OS X, OS X Server, Apple Remote Desktop, and iCloud. Many of these are referred to as "well known" industry standard ports.					
	Ports used by Apple products The table below outlines TCP and UDP ports used by Apple products. Your network administrator may need this information to make sure your computer or device can connect to services such as automatic software updates, or the App Store. For an explanation of what a TCP or UDP port is, see the "IP Ports" section of "OS X: What Is a Port?"					
	Port TCP or UDP Service or RFC Service Used by / Additional information					

Claim Language			Representativ	e Eviden	ce of Infri	ngement for Apple TV
			Protocol Name		Name	
	80	ТСР	Hypertext Transfer Protocol (HTTP)	2616	http	World Wide Web, iCloud, QuickTime Installer, iTunes Store and Radio, OS X Software Update (OS X Lion and earlier), Mac App Store, RAID Admin, Backup, iCal calendar publishing, WebDAV, Final Cut Server, AirPlay, OS X Internet Recovery, Profile Manager, Xcode Server (Xcode app, hosted and remote Git HTTP, remote SVN HTTP).
	443	ТСР	Secure Sockets Layer (SSL, or "HTTPS")	2818	https	TLS websites, iTunes Store, OS X Software Update (Mountain Lion and later), Mac App Store, FaceTime, Game Center, iCloud authentication and DAV Services (Contacts, Calendars, and Bookmarks), iCloud backup and applications (Calendars, Contacts, Find My iPhone/Find My Friends, Mail, Documents & Photo Stream), iCloud Key Value Store (KVS), iPhoto Journals, AirPlay, OS X Internet Recovery, Profile Manager, Back to My Mac, Dictation, Xcode Server (hosted and remote Git HTTPS, remote SVN HTTPS, Apple Developer registration).
		t server. Fo	-			remote Git HTTPS, remote SVN HTTPS,

Claim Language	Representative Evidence of Infringement for Apple TV
(b) maintaining a database of filtering information comprising a table of filters, said table comprising	See elements 1(b), 1(b)(1), and 1(b)(2) above.
(c) filters specifying immediate action, and	
(d) filters specifying deferred action;	
(e) comparing information in the message to filtering information in the filters specifying immediate action and filters specifying deferred action and	Apple TV compares information in the message to filtering information in at least one of said filters specifying immediate action and said filters specifying deferred action and determines whether to prevent or allow transmission of the message in response to the comparison.
(f) determining whether to prevent or allow the incoming transmission of the message based on the comparison.	There are various messages available to Apple TV that can be compared to the filtering information. For example, Apple TV's Restrictions allow Apple TV to compare information in an incoming HTTP message, such as an HTTP Response message, to filtering information in at least one of said filters specifying immediate action and said filters specifying deferred action and determine whether to prevent or allow the incoming transmission of the message in response to the comparison as shown, for example, in the examples below. To the extent a message in an Apple TV differs from the claimed message, such a difference would be insubstantial and the messages would perform substantially the same function, in substantially the same way, to achieve substantially the same result.
	Example 1-1: Filtering information:



Claim Language	Representative Evidence of Infringement for Apple TV
	Example 3-3: Determining whether to prevent or allow the incoming transmission of the message in response to the comparison. In this case, the incoming transmission of the message, which includes the preview of a PG-13 movie, is prevented in response to the comparison of the movie rating filter as shown below:
	Enter Passcode
	Enter your four-digit passcode.