UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

TAIWAN SEMICONDUCTOR MANUFACTURING COMPANY,

LIMITED

Petitioner

v.

GODO KAISHA IP BRIDGE 1

Patent Owner

Case IPR2016-01247/2016-01246 U.S. Patent No. 7,126,174

Palo Alto, California

June 30, 2017

CROSS-EXAMINATION

ALEXANDER D. GLEW, Ph.D., P.E.

Henderson Legal Services, Inc.

202-220-4158

www.hendersonlegalservices.com

		2
1	Cross-Examination of ALEXANDER D. GLEW, Ph.D.,	
2	P.E., a witness herein, called for examination	
3	by counsel for Petitioner in the above-entitled	
4	matter, pursuant to notice, the witness being	
5	duly sworn by MARY HOGAN, CSR, a Certified	
6	Shorthand Reporter in and for the State of	
7	California, taken at the offices of Ropes &	
8	Gray, 1900 University Avenue, 6th Floor, East	
9	Palo Alto, California, commencing at 8:54 a.m.	
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		

```
3
    APPEARANCES:
    On behalf of the Patent Owner:
    JAMES L. DAVIS, ESQUIRE
    Ropes & Gray, LLP
    1900 University Avenue, 6th Floor
    East Palo Alto, California 94303
5
    (650) 617-4794
    james.l.davis@ropesgray.com
6
    On behalf of the Petitioner
7
    DARREN M. JIRON, ESQUIRE
    Finnegan, Henderson, Farabow, Garrett &
    Dunner, LLP
9
    Two Freedom Square
    11955 Freedom Drive
10
    Reston, Virginia 20190-5675
    (571)203-2700
11
    darren.jiron@finnegan.com
    -and-
12
    J. PRESTON LONG, Ph.D., ESQUIRE
    Finnegan, Henderson, Farabow, Garrett &
13
    Dunner, LLP
    901 New York Avenue, N.W.
14
    Washington, D.C.
    (202) 408-4000
15
    jp.long@finnegan.com
16
17
18
19
20
21
22
```

			4
1	CONTENTS		
2			
3	ALEXANDER D. GLEW, PH.D.	EXAMINATION	
4	By Mr. Jiron	5	
5			
6			
7	EXHIBITS		
8	**Exhibits previously marked		
9	IP BRIDGE EXHIBIT NO. 2009	68	
10	Declaration of		
11	Alexander D. Glew, Ph.D., P.E.		
12	TSMC EXHIBIT NO. 1001	94	
13	696 Patent		
14			
15	**Exhibits marked		
16	GLEW EXHIBIT 1	86	
17	Layer Etching Pattern Sketch		
18			
19			
20			
21			
22			

```
5
1
                PROCEEDINGS
           Whereupon, ALEXANDER D. GLEW, PH.D.,
    P.E., was called as a witness by counsel for
    Petitioners, and having been duly sworn, was
5
6
    examined and testified as follows:
                    CROSS-EXAMINATION
9
    BY MR. JIRON:
10
                Good morning, Dr. Glew.
          0
11
             Good morning.
          Α
                Could you state your full name and
13
    address for the record, please?
14
                Yes. Work or home address?
15
                Work address.
16
                Okay. Alexander David Glew, 240
17
    Pamela Drive, Mountain View, California 94040.
18
                You understand you are under oath
19
    today, correct?
          Α
                Yes.
21
                That means you must testify
22
    truthfully as if you were in front of a judge or
```

```
6
    in a courtroom, okay?
           Α
                 Yes.
                 Is there any reason that would
    prevent you from understanding my questions
5
    today that you know of?
6
           Α
                 No.
                 Are you taking any medications that
    would hinder your ability to understand
9
    questions?
10
                 No.
11
                 Earlier it sounded like you had been
           Q
    involved in some deposition prep, so I assume
12
13
    you have been involved in depositions before, is
14
    that right?
15
                 Yes, I have.
16
                 About how many times have you been
           Q
17
    deposed?
18
          Α
                 Approximately 40.
19
                 So given your experience, even in
           0
    view of your experience, I'll just go over a
21
    couple of ground rules for today.
22
                 As we have a court reporter today who
```

7 will be recording responses and questions, do you understand that she needs to hear verbal responses rather than head nods and things like that? Α Yes. 5 Also I'll ask a number of questions 6 today and I'll ask you that if there is any question that you don't understand, could you 7 let me know that you don't understand the 9 question? 10 Yes. 11 If you don't let me know that you 0 don't understand the question, would it be fair to assume then that you do understand? 13 14 That's reasonable. 15 I will try to take a break about once every hour but if you need a break any time 16 17 other than that, just let me know, okay? 18 Okay. I will do that. 19 The only request that I have is that if there is a question pending that you complete 21 your answer to the question before we take a 22 break. Understood?

Glew Ph.D., P.E., Alexander D. June 30, 2017

8 I understand. 2 You are currently employed at Glew Q Engineering and Consulting, is that right? That's correct. You have been there since 1997? Α Yes. What type of consulting do you do in Q that position? 9 Well, we do a few things. I wear 10 two hats. 11 I'm a mechanical engineer and material 12 scientist. I have a BS and MS in Mechanical 13 Engineering and a license in Mechanical 14 Engineering. I am insured in errors and omissions 15 in mechanical engineering, so we do some work 16 which is largely equipment design. 17 I started my career in semiconductor 18 equipment, so we do a lot of equipment work, and 19 the material science part of me, the Master's in Material Science does more of the material 21 processing, which dovetails nicely with the 22 equipment, as well as materials characterization.

```
9
1
                 So in terms of technical areas, those
2
    are kind of the technical areas we largely work
3
    in.
                 Along with the materials is a lot of
5
    semiconductor and thin film technology, some
6
    display technology now, and then I would divide
7
    the business in terms of its practice areas into
    largely engineering and litigation support, some
9
    small amount of general consulting, companies that
10
    want to evaluate technology or that sort of thing.
11
                 How many people are at Glew
           0
    Construction?
13
                 Currently three. We should be
14
    staffed at four. We're short one now.
15
                 You mentioned litigation support.
           0
    That falls under the umbrella of Glew
16
17
    Consulting?
18
                 Yes.
19
                 About how much of your time in
           0
20
    percentage numbers do you spend on litigation
21
    support versus the other types of work you
22
    mentioned?
```

- 1 A It depends year to year. My goal is
- 2 to keep it about 50/50.
- When you mentioned that you do
- 4 equipment design, what type of equipment are you
- 5 designing?
- 6 A Well, everything from semiconductor
- 7 equipment, thin film processing, to some
- 8 industrial equipment, what you might call
- 9 general industry.
- 10 Q So you mentioned that you do about
- 11 50/50 litigation support and other work.
- 12 Is that about what you would say an
- average year is in actual numbers or does it vary
- 14 from 50/50?
- 15 A It varies year to year. Engineering
- work is more predictable. There is usually a
- start and an end to a project.
- 18 Litigation work is very unpredictable.
- 19 Sometimes cases end the first week you're engaged,
- 20 other times they carry on for -- I think I'm
- 21 finishing a case that has been going on for 14
- years, so it's just hard to predict how much

11 litigation work comes out of the agreement. 2 Maybe as an example, do you recall 0 in 2016 what the percentage might have been roughly? 5 Probably 60 litigation, 40 6 engineering. 7 I would like to talk for a minute O about your experience at Applied Materials. 9 Α Okay. 10 You were at Applied Materials from 11 1987 through 1997, is that right? 12 Α Yes. 13 During that time it sounded like there were different divisions of Applied 14 Materials. What were those divisions? 15 Well, the divisions changed over 17 There was a CVD division, an etch division. The CVD and etch division merged for 18 19 a while. I was in both. There was an implant division. 21 Eventually there was a CMP division, chemical 22 mechanical polishing.

June 30, 2017

12 1 There was a division for service. 2 There was a division for high temperature 3 processing. It was part of CVD, and then I think it got spun out to its own group. 5 The divisions initially were more 6 oriented along the lines of CVD etch, which you might think of as traditional technologies. over time they reoriented themselves to be more 9 oriented toward the fabrication process, meaning 10 there would be a group that focused on 11 transistors, a group that focused on 12 interconnects. 13 Then there was also a corporate function, corporate entity, that I served in also 14 that worked with all the divisions. 15 16 So during the time that you were at 17 Applied Materials you mentioned that you were a member at one time of both the CVD and the etch 18 19 division? Α Yes. 21 How long did you spend in the CVD 22 division?

```
13
1
                 If I was there ten years, probably I
2
    would say at least six years were CVD.
3
                 Then for another period of time it was
    a combination of CVD and etch, a few years of
5
    that.
6
                 Then it was merged?
          Α
                 Yes.
                 Approximately how long were you a
9
    member of the merged etch CVD group?
10
                 Probably something short of two
11
    years.
12
           O
                 Were you a member of any other
13
    divisions?
14
                 I was a member of -- I served in the
15
    corporate group.
16
                 I was a core technologist, so I was
17
    one of 15 corporate experts, so I served at the
    corporate level and then worked with all of the
18
19
    divisions.
                 Sometimes -- there was a period of
21
    time where I had a few appointments within the
22
    company. I was both -- I had a corporate position
```

Glew Ph.D., P.E., Alexander D. 14 as well as divisional responsibility. 2 It's been a while, but I may have also been in a division that was toward the end an operations division responsible for manufacturing, 5 but that's been a long time. 6 There was also a TFT division, thin 7 film transistors. Applied made tools to make flat panel displays. 9 They eventually -- there was a joint 10 venture. They eventually spun off. They were 11 down the hall, in the same building, but I think 12 they were at some point officially a joint 13 venture. 14 There may have been other divisions, 15 too. By the time I left it was a \$6 billion 16 company. 17 You were a member of the TFT 18 division? 19 I was a core technologist then, so I worked with them, but I was not in the TFT 21 division.

Henderson Legal Services, Inc.

You mentioned as a core

- technologist. That was a corporate division?
- A That's like -- yes, it's a corporate
- function. There is a corporation, then there's
- 4 divisions under the corporation, if you think of
- 5 it like that.
- 6 So there was a small cadre of core
- 7 skills kept at the corporate level. I was one of
- 8 15 corporate experts, core technologists, for a
- 9 while, yes.
- 10 Q What would you characterize as the
- 11 responsibility of the division at the corporate
- 12 level that you were working in?
- 13 A The core technology group?
- 14 O Yes.
- 15 A Well, there were about 15 of us. We
- each had a responsibility for one area of
- technology.
- We met monthly with either the
- 19 president of the company or an executive vice
- 20 president, sometimes the CEO.
- We tried to establish, make sure that
- we had expertise in the technologies that the

- 1 corporation thought we needed to have expertise
- in, and then propagate that expertise out to the
- divisions, making sure that one division wasn't
- 4 lagging the other divisions.
- 5 If one division knew it or had the
- 6 skill set capability that all the divisions of the
- 7 corporation as a whole had access or that ability,
- 8 so one product wasn't lagging another group in an
- ⁹ area that we actually had expertise in.
- 10 Q What were the primary
- 11 responsibilities of the CVD division while you
- were there?
- 13 A Well, when I started there -- I
- 14 think there had been a CVD tool years before,
- but it was no longer in production, had been
- defunct, so we made what I understood as the
- first competitive CVD tool at Applied Materials.
- We made the mainframe upon which
- 19 process chambers hung, and then we developed the
- 20 process chambers and the processes for the CVD
- 21 processes.
- The tool that I worked on, Applied

- 1 Materials Precision 5000, was placed in the
- 2 Smithsonian Institute next to a Caterpillar
- 3 tractor.
- 4 Eventually, even though it was a
- 5 division, the mainframe we developed was used by
- 6 other divisions, so the etch division took our
- 7 mainframe and hung their process chambers on it.
- 8 So what we did is we made the first
- 9 single wafer processing. Up to that time all the
- equivalent was batch, 25 wafers at a time, maybe
- ¹¹ 50.
- 12 So we made a chamber that processed
- the single wafer, and there were perhaps up to
- 14 four chambers on the system.
- 15 Then after that we just started off
- with a couple of processes. At one point I
- 17 counted over 25 different CVD processes that we
- 18 sold chambers for. Some of them were minor
- variations on others, but we did that sort of
- 20 thing.
- Then eventually that mainframe got
- older and the corporation as a whole tried to

- develop a new mainframe instead of a division, and
- 2 so we transitioned our processes and chambers to
- 3 the new mainframe.
- 4 We also developed different wafer
- 5 sizes. So when I started the industry wafers were
- 6 smaller. The biggest was 150 millimeter.
- People still used 50 and 75, so we
- 8 developed the 200 millimeter processes, then
- 9 eventually, the 300 millimeter processes.
- 10 Q When you say mainframe, what
- 11 components are you referring to?
- 12 A Mainframe usually has a central load
- 13 lock chamber and a robot.
- 14 It has a port that accepts cassettes
- of wafers from the factory. So the robot will
- 16 take the cassette and unload it into a load lock,
- 17 put it under vaccuum and transfer the wafers out
- 18 to the process chambers, attach the load lock
- or -- the mainframe is essentially a remote
- 20 mainframe with the dirty gear that doesn't need to
- 21 be in the clean room.
- There is a big umbilical cord, so to

- 1 speak, and some vaccuum pumps are right on the
- 2 chambers and the bigger are remote, the big power
- 3 supplies for generating RF plasmas or other types
- 4 of plasmas.
- 5 So the mainframe is pretty much
- 6 everything except for the process chamber that the
- 7 wafer goes into and the nasty chemicals go on.
- 8 The mainframe also includes the gas
- 9 delivery system, chemical vaporizers, things like
- that, a gas panel.
- 11 Q So the wafers would transition from
- 12 the mainframe into the different process
- 13 chambers?
- 14 A Yes.
- 15 Q And what was your role, would you
- say, in developing the mainframe?
- 17 A Well, initially quite a bit. I
- 18 actually ended up releasing the mainframe in a
- manufacturing sense, so I was responsible for
- 20 creating all of the business and materials and
- 21 assembly drawings and configuring the system.
- It's something I had a knack for,

- 1 system engineering, so if you ordered a system
- 2 nobody knew what to build, nobody, except for
- maybe two or three people, so sales would sell
- 4 something, marketing would get an order, and you
- 5 have to figure out how to -- what actually went on
- 6 this.
- 7 If you want two CVD chambers that
- 8 deposit silicon oxide and one that deposited doped
- 9 silicon oxide, what showed up on the sales order,
- what went to manufacturing, that's one element.
- 11 Then the other element is how do you
- 12 get that order into manufacturing because
- basically it just looked like a big menu with
- 14 hundreds of choices of modules and subassemblies
- 15 could be done.
- Over the first year I sorted all that
- out and made sense out of that.
- 18 I also worked on detail design of many
- 19 aspects of the mainframe, everything from the
- 20 robot to the RF matches, the gas panels, the
- vaccuum pump systems, the remote frame.
- I ended up redesigning the rear half

Glew Ph.D., P.E., Alexander D. June 30, 2017

21

- of the mainframe to accommodate a bigger breaker
- box and bigger chemical delivery system, so
- yarious aspects of it.
- 4 I re-did the hepa filters on it so
- 5 they would run in Japan also on 50 hertz. There
- 6 is numerous problems.
- After that I took over as a customer
- 8 engineering specials manager. We ended up -- I
- 9 don't want to say modifying every system we built.
- 10 Every system was different, but there were a lot
- of idiosyncrasies to each manufacturer and each
- 12 country and jurisdictions for safety, so ended up
- modifying the equipment with my team repeatedly
- over the first few years, so that type stuff.
- 15 O You mentioned the etch division.
- What were the primary responsibilities of the
- etch division at Applied Materials?
- 18 A Well, when I started the etch
- 19 division had their own batch processor.
- They didn't use the mainframe. They
- 21 had their own tool, and I wouldn't call it a
- 22 mainframe.

June 30, 2017

- 1 It was just a batch system with one
- big chamber and really wasn't reconfigurable, so
- 3 the etch division initially transitioned their
- 4 processors from batch to single wafer and put them
- on the mainframe, the 5,000, it was called.
- 6 Then after that they had
- 7 responsibility for modifying the mainframe in any
- 8 way that they needed for their particular
- 9 processes.
- 10 Of course, any division is responsible
- 11 for developing their processes and chambers. Of
- 12 course, they have to support the marketing and
- sales teams with demonstrations, so whether it was
- 14 CVD or etch, you had to run wafers for customers
- both for demonstrations and acceptance sometimes.
- You know, in the end these were billion dollar
- divisions.
- They had a lot of responsibilities.
- 19 In the end they would, of course, have
- 20 responsibility for support in the field when the
- 21 service division needed high level support,
- 22 specialized factory support, things along those

June 30, 2017

- lines, from an engineering and operational sense.
- 2 O Sounds like the etch division and
- 3 CVD division were both involved in developing
- 4 this 5000 mainframe tool. Would that be
- 5 accurate to say?
- 6 A If you asked the CVD people, they
- 7 developed it and they pretty much did.
- When this 5000 came out, there were no
- 9 etch chambers on it, only CVD.
- 10 Shortly after that -- it sold really
- well, customers loved it. It was considered big
- 12 change to go to single wafer, so the company
- decided that the etch group had to use that
- 14 mainframe.
- 15 So rather reluctantly, you know, there
- was a lot of people with a lot of history, and you
- 17 know, corporate politics, they adopted the new
- 18 mainframe and transitioned their processes to
- 19 single wafer.
- 20 After that though, they had a big role
- in the mainframe because at the time when I
- 22 started there were no CVD sales. It was a new

- division. Etch was carrying the company.
- 2 So going forward, to put etch on the
- 5,000, it had to accommodate that -- the mainframe
- 4 had to accommodate the largest division in the
- 5 company, so they both over time had the large
- 6 amount of influence over the mainframe.
- 7 Eventually the mainframe went
- 8 corporate though. It was built by the corporate
- group and then divisions had to work with the
- 10 corporate group to manage their mainframe
- 11 requests.
- 12 Q So it sounds then like the CVD group
- initially developed and designed the 5,000
- mainframe tool, and the etch group incorporated
- their own etch specific chambers onto that tool?
- 16 A Yes, that's reasonable.
- 17 Q Did you ever have an opportunity to
- interact with the etch group or work with the
- etch group on the tools they were developing?
- A Yes, because as some point shortly
- 21 after that the -- around that time, when all
- 22 this activity was going on, the etch and CVD

- 1 groups merged.
- What better way to help the etch group
- get their chambers onto the tool than have the
- 4 people who developed the tool work with them.
- 5 So yes, at some point I was in a joint
- 6 CVD etch division, and we were integrating the
- 7 etch processes into the new platform, new
- 8 mainframe.
- 9 Q So what tasks did you work on to
- integrate the etch chambers to the mainframe
- 11 device?
- 12 A Well, very similar to what you would
- do in CVD. Once the mainframe was established
- you had less to do.
- 15 You had to make sure that, from a
- systems point of view, that the interfaces
- existed, so you sort of break it down to
- 18 electrical signals.
- 19 You have analog ins and analog outs,
- 20 digital ins and digital outs. This was before we
- 21 went to a serial bus.
- Then you have pneumatics interfaces,

- turn valves on and off, cooling water, a power
- 2 limit.
- You have to understand how much power
- 4 the plasma sources are going to draw or magnets
- 5 for etch processes.
- The pumps are sometimes enormous.
- 7 They have to physically fit. You have to design
- 8 the flow paths. Vaccuum lines are kind of like
- 9 car exhausts, very particular.
- 10 So all of this, you had a lot of
- 11 detail into getting these things to fit. This was
- 12 back in the days where a lot of the design was
- done with pen and pencil and two dimensional CAD,
- so, you know, if you didn't have a lot of
- experience with the system, you couldn't design
- something without running into 14 other things, so
- 17 it was a lot of key people that could make things
- 18 work and fit.
- 19 Of course, you had to -- I'm talking
- about the system level integration.
- 21 Then at the chamber level integration
- you had more stuff along the lines of making sure

- 1 that, you know, there was adequate temperature
- control, that the magnetic system didn't talk to
- the rest of the system, that it was shielded, that
- 4 the RF was shielded so that it didn't short
- everything out around it, that things were safe.
- 6 I remember talking to an etch engineer
- once about the safety issues of the chamber, and
- 8 he said, no, it's fine, while he had this big burn
- 9 mark across his forehead.
- 10 Then, of course, the gases were
- 11 hazardous, deadly in a lot of cases.
- 12 That was one of my areas of expertise,
- was hazardous chemicals that touch wafers, wedded
- 14 gases. Gases wedded a wafer, so you had to make
- sure all of the safety was in place, and it was
- integrated properly into the tool, so that people
- 17 didn't get hurt, and you couldn't assemble -- to
- 18 the extent that you couldn't build a system that
- wasn't safe, there were kind of design features
- that were keyed, so to speak, that you couldn't
- 21 put things that didn't go there, and then try to
- get some things in place so that sales couldn't

June 30, 2017

28 sell configurations that weren't safe. Did you ever have a chance to do any 0 etching while you were at Applied Materials? Α Yes. 5 Can you describe what etching you 6 did? 7 I'll start with one example. While Α 8 I was at Applied I proposed a project to 9 Sematech which they accepted that I managed, in 10 which case we looked at the effects of micro 11 contamination on a CVD process and an etch 12 process. 13 So we ran numerous etch processes, 14 looked at the effect on the etch uniformity, the 15 etch profiles. We examined them under SEMs 16 ourselves. 17 Some work we sent to outside labs for 18 equipment we didn't have for measurements, but we 19 could determine when there was an effect, or not, of a proposed contaminant upon the etch processing 21 results. 22 In that study do you recall what

Glew Ph.D., P.E., Alexander D. June 30, 2017

29 percent were being etched? 2 I think in the Sematech program it Α was -- probably could have been a metal etch, That would be one example, yes. aluminum. 5 Do you remember the chemistries that 6 were being used to etch the aluminum? 7 My recollection, it's been a long Α time, is it was a bromine chlorine combination, 9 hallogen gas species. 10 You think it was called Sematech? 11 Sematech, yes. S E M A T E C H. Α 12 In addition to the Sematech project 13 were there other opportunities you had to 14 perform any etch processes? 15 Yes. All of the processes we 16 developed, we had to run wafers for, so I was on 17 numerous teams with hardware process, software 18 engineers, where we developed process chambers, 19 and when we -- whether we were doing a CVD or an etch project, invariably a CVD film gets etched 21 and you need to deposit a film to etch it, so 22 they pretty much went hand in hand in all the

June 30, 2017

- 1 projects.
- One of the key measurements of a
- material is how well you can etch it. If you
- 4 deposit a film, you have to create a pattern in
- 5 it.
- 6 Some films are difficult to pattern
- because they erode too quickly or are not
- 8 selective, so we etched -- we deposited and etched
- 9 oxides and nitrides and tungsten films.
- 10 Basically any film that we sold, we
- 11 had to be able to deposit an etch, so numerous
- 12 silicon compounds and the various metals.
- 13 Q It sounds, too, like you would do
- testing of the system or a demonstration of the
- 15 system for customers?
- A Well, we did -- when we developed
- the process tools we ran processes.
- We had to characterize it and decide
- what its performance was, and invariably it wasn't
- 20 what we wanted the first time, but testing went on
- 21 for months typically until you went through the
- 22 experimental parameters.

Glew Ph.D., P.E., Alexander D. June 30, 2017

31 1 It might be the design of the 2. showerhead to distribute the gas to the wafer, so the thickness of the film was uniform, and invariably it wasn't uniform at first, and the end 5 would be thin or the middle too thin, or 6 something. There was just lots of problems, so we did lots of that. 9 And then we ran marathon tests to show 10 that the process and equipment together were 11 reliable, because, you know, depending on who you 12 talk to, the company would say we don't sell 13 equipment, we sell processes, so you had to make 14 sure the equipment performed the process, and you 15 didn't get paid for the equipment until it met the 16 process spec. 17 Customer demos, the design group 18 didn't have to do most of the demos. There was a 19 demo group that did that. We would help the demo group in terms 21 of hardware and set up, because they had to have

Henderson Legal Services, Inc.

sometimes a specific configuration for a specific

June 30, 2017

- 1 customer, but for the most part the -- largely
- there was a demo group that ran the demos.
- Q I think also at Applied Materials
- 4 you said you were systems engineer. Is that
- 5 right?
- 6 A Yes.
- 7 Q And was one of the areas that you
- 8 worked in as systems engineer developing
- 9 dielectrics of silicon dioxide?
- 10 A Yes. When I started at Applied
- 11 Materials I came in as a mechanical
- 12 engineer/systems engineer, and what we did was
- develop the first CVD processes for the 5,000
- which were silicon oxide dielectrics, and then
- of course, silicon nitride, silicon oxinitride,
- and then doped silicon oxide, boron phosphorus,
- silicon glass, PBPSG, and then phosphorus
- silicon glass, PSG, and then we also developed
- many flavors of silicon dioxide after that, ones
- that were deposited at higher pressures, ones
- 21 that were deposited thermally without plasma,
- ones that were deposited with ozos instead of

- oxygen, and so there are a lot of different
- 2 silicon oxides.
- 3 Q So when you say you developed layers
- 4 of those materials, is it kind of like you
- 5 developed recipes for specific versions of
- 6 silicon oxide, for example?
- 7 A We developed the equipment or the
- 8 modifications for the equipment, and then the
- 9 recipes, yes.
- 10 As an equipment company, you had to
- deliver a piece of equipment that performed this
- 12 process, so you gave -- what you sold to the
- customer was BKM, or best known method, so that
- was the process recipe that you guarantee, and
- when your equipment performed that process, it was
- 16 considered working.
- Q What were your responsibilities in
- developing the list of materials that you
- 19 described?
- 20 A It varied over time. You know,
- 21 everything from designing detailed parts.
- I was the supervising manager of the

- design group for a while, responsible for
- 2 thousands and thousands of blueprints and layouts
- 3 to making sure that it transitioned to the
- 4 manufacturing, building the prototypes, making
- 5 sure that the prototypes started up in the
- 6 laboratory for running the processes, helping to
- 7 run the processes and equipment, modifying the
- 8 equipment to support the experimental plan to get
- 9 the film to where the company needed it to be.
- Some cases, I would go out to customer
- sites. We would have joint development projects
- where we would send a piece of equipment to a
- 13 customer site, but modify it so that it would meet
- 14 their specific needs, and I can go out and do
- 15 that.
- 16 Q Did you engage in any testing of the
- 17 materials that you developed -- let me start
- over.
- In developing the list of materials
- that you provided, did you have an opportunity to
- 21 engage in any testing of those materials?
- 22 A Yes.

35 What type of testing? I used at Applied Materials scan Α electron microscope, profilometers, stylist profilometers, sort of like a record player, has 5 a needle that you can measure things that are 6 nanometers thick, used that to measure film thickness, thickness measurement tools, such as 7 ellipsometers, and the like that would measure 9 either 13 or 49 points on the wafer optically to 10 know how thick a film was. 11 Did other testing that was, you know, 12 process chamber related testing. 13 I used RGAs, residual gas analyzers, 14 to look at the chemistry in the chamber or what 15 was coming out of the chamber, too. 16 I also had some particle measurement 17 equipment. 18 Did you have an opportunity to do 19 any etch testing of any of those materials you listed? 21 You know, a lot of the etched 22 examination would be, first of all, a profile

- that was largely at the time SEM.
- 2 You would look at etch profiles to
- make sure they had the profile you were interested
- 4 in and then thickness measurements.
- Q When you say profile, what were you
- 6 looking at under the SEM specifically?
- 7 A Okay. In theory, when you see
- 8 things in patents and in papers, you see a
- 9 rectangular hole and they call that a groove.
- 10 In reality it's not. The bottom corners are
- 11 rounded.
- 12 There is no such thing as nature pours
- a corner, so the corners aren't around. The top
- 14 corners are usually kind of beat up. The walls
- may not be straight.
- The lithography may have -- sometimes
- 17 you get standing waves in the resist, so when it's
- exposed it's not straight either, so it causes odd
- 19 artifacts in the etching profile.
- You're basically comparing the desired
- 21 profile to the output, the result.
- 22 A lot of times the edges are also not

- vertical, they are tapered.
- 2 In some cases they are designed to be
- 3 tapered, in some cases they are not, but they are
- 4 tapered, so these are the kind of things you would
- 5 look for in terms of the profile of the etch
- 6 pattern.
- 7 Q And were the different materials
- 8 tested against different etching materials to
- ⁹ give a desired profile for each one?
- 10 A Well, a material, say, for example,
- 11 silicon oxide based on TEOS plasma, very routine
- 12 film we sold, probably our most common film.
- You know, that would have a certain spec for the
- 14 width at the bottom of the via or the bottom of
- the groove, or whatever you want to call it,
- whatever you're working with, to the top.
- 17 Is it the same, how verticle is it, is
- it five percent thinner at the bottom, you would
- 19 have specs like that, so you're just looking at
- 20 that film, you know, for what its goal was, what
- you promised the customer it would do, or what the
- spec is you're trying to hit to guarantee to your

- 1 client base.
- 2 Or you might look at sometimes
- 3 contamination. When you etch you can also etch
- 4 the chamber.
- 5 When you're etching aluminum, etching
- an aluminum chamber isn't really a problem, not
- 7 contamination exactly, aluminum on aluminum, but
- 8 if you get material from a chamber into an
- 9 insulator, dielectric, it's a problem, so that
- goes more along the lines of either it's ionic
- 11 contamination, metal species running around, and
- 12 there are certain tests for that, or you get
- chunks of material, parts down into the groove.
- 14 Ninety percent plus of yield loss is particle
- 15 based.
- 16 It's not deformity of the pattern.
- 17 It's undesired chunks of material falling off the
- 18 chamber wall, either material that you had etched
- 19 that deposited on the wall and came off or part of
- 20 a chamber liner or something down into a groove,
- so you look for things like that.
- The same in CVD. You look for

- 1 particles because that's your main loss of yield,
- 2 particle.
- Q Were the etch profile specs tied to
- 4 any particular etching conditions?
- 5 A The etching conditions -- well, a
- 6 certain etch recipe was guaranteed to yield a
- 7 certain result.
- 8 Q And did you investigate or provide
- 9 specifications for different etch recipes?
- 10 A We had BKM, a best known method that
- was the starting point, and that's usually what
- 12 you show the customer first.
- 13 After that the customer could request
- a change. They could say, okay, that's great, but
- we need a hole that's deeper than all our
- competition, we need a better film than you are
- 17 selling everyone else, so then you would go try to
- develop something for that particular customer and
- 19 they might have a specific recipe that you
- developed for them and then guaranteed that the
- 21 tool would perform that particular recipe and give
- the desired result.

June 30, 2017

40 Do you recall any of the types of 1 etching recipes that were at issue at the time? Well, you know, any recipe Α regardless of the process, CVD, etch or implant, 5 could be at issue. 6 You know, oxide etches, silicon oxide 7 was, at a certain point in time, you know, a big 8 seller. 9 We also sold a lot of metal etching, 10 aluminum etching. Thermite copper is chemically 11 etched, it's CMP. 12 There were always some difficult 13 etches. Tungsten etch back was difficult, CMP 14 eventually replaced it. Nitride etches were 15 difficult. 16 In the end, whenever a customer wanted 17 to go to a new technology node and make a smaller 18 feature on a chip, that usually pushed the

of the art for more than 18 months, so it was sort

So basically nothing was really state

technology, and that's when you got requests for

improving your process.

19

20

21

- of a continual improvement upon the process to
- 2 meet the next generation of technology as stuff
- 3 shrank from one micron down to, you know, I guess
- 4 we're down to nanometers now.
- 5 Q Also as a systems engineer at
- 6 Applied Materials, I think you mentioned
- 7 developing organometalic CVD systems?
- 8 A Yes.
- 9 Q What aspects of the organometalic
- 10 systems did you develop?
- 11 A For a long time I was responsible
- 12 for all of the organometallic delivery, so we
- used TEOS, tetra ethol orthosilicate, which was
- the most common precursor in the industry for
- silicon oxide because it was safe. It replaced
- 16 zilene that was very dangerous.
- We used other organometallics for
- 18 phosphorus and boron doping.
- 19 I'll refer to them by their acronyms,
- 20 TMP and TMB, for brevity here.
- 21 So I would be responsible for
- everything from working with the suppliers of the

- 1 chemicals to designing the ampules that we would
- 2 put them in, because we used customized ampules,
- and then designing the vaporization or transition
- 4 from the liquid to the gas phase, the vapor phase,
- 5 the flow control and heaters that allowed one to
- 6 deliver these organometallics to the chamber
- before they recondensed as a liquid, so did a lot
- 8 of organometallic design back then.
- 9 Of course, I worked with the jets that
- introduced it into the chamber.
- 11 Q Just to be clear, when you refer to
- organometallics, what are those?
- 13 A Organometallics are something that
- 14 has a organic component and a metal component.
- People usually refer in that context
- 16 to silicon as metal. Technically it's a
- semiconductor, but whether it's something you
- 18 might more traditionally understand as a metal or
- silicon, they refer to them as organometallics, so
- 20 the ethel groups on TEOS are organic groups.
- 21 There are four of them.
- Q Did you have any experience while at

- 1 Applied Materials designing or building complete
- 2 semiconductor devices?
- 3 A Well, what we made at Applied
- Materials were largely what I would call the
- 5 building blocks of semiconductors.
- 6 So we made the films and eventually we
- 7 kind of stepped up and started making the
- 8 functional groups.
- 9 Let me explain what I mean by
- 10 functional group. In the early days, if one
- 11 wanted to deposit a metal layer, one had two
- 12 things to think about, the dielectric and the
- 13 metal.
- 14 However, eventually that became much
- more complicated. One might have, instead of a
- dielectric deposition, an etch and a metal
- deposition and metal etch, four processes to run
- 18 and two different materials. It became five or
- 19 six materials and maybe a dozen different tools.
- One might have a dielectric, then a
- 21 low K dielectric, then a barrier layer on the low
- 22 K, then a liner in the trench or via, so that the

- 1 copper didn't escape, and then a cap on that, so
- it went from a couple of steps that the fabs can
- manage to being multiple systems that needed to be
- 4 integrated, so what we eventually started doing
- was basically packaging that as a selling point.
- 6 You know, we would sell you all the
- 7 capability you needed to have to make this entire
- 8 metal layer including the metal, the barrier
- 9 layers and the various low Ks.
- Same things for transistors.
- 11 Transistors are very complicated, so we had
- 12 different groups that could sort of package
- different parts of the system. A gate stack.
- We had a group that did nothing but
- 15 the gate stack eventually because it became
- 16 multiple layers and multiple pieces of equipment.
- The transistors were, of course,
- numerous pieces of equipment, but even just metal,
- 19 two out of ten metal layers, that was a group of
- things you needed.
- We did have a capability to make
- 22 chips. We didn't sell chips, we sold equipment.

45 1 There were times when local fabs had 2 problems and they would come over with their 3 product wafers and we could run them for them and that would be the exception. 5 That was a favor we did for the 6 companies, smaller companies. We couldn't handle 7 the volume of an Intel or something, but we had a few pieces of equipment at a fab, and they were 9 having problems with our equipment, they would 10 have no problem asking us to help them. 11 There used to be more small fabs in 12 the Bay Area. 13 How about while in your role at Glew 14 Engineering? Do you have any experience 15 building semiconductor devices there? 16 Well, basically we work with 17 semiconductor equipment and semiconductor 18 materials. So we're a small company. We don't 19 make a chip. That's a multibillion dollar fab that does that. 21 How about any role in designing 22 chips?

46 1 Well, largely we work with design of 2 the equipment for making the chips in the processor. I would like to talk now about your doctoral dissertation. 5 6 Yes. Α 1996 to 2002 you were working on your Ph.D. at Stanford? 9 Α Yes. 10 I think you mentioned one of the areas that you worked on was a project that 11 involved MIS capacitors, is that right? 12 13 Α Yes. 14 What's an MIS capacitor? 15 MIS is an acronym for metal 16 insulator semiconductor, but basically a 17 capacitor is simply two metal electrodes and an 18 insulator in between them. 19 So you can determine properties of the 20 insulator by building a capacitor with it, and 21 then that gives you you a lot of information about the dielectric values. 22

June 30, 2017

```
47
                 You built some MIS capacitors?
1
          Α
                 I built test structures for testing
3
    the dielectric properties of the dielectrics I
    was developing, yes.
                 What were some of those dielectrics
5
6
    that you were looking at?
7
                 Well, largely diamond like carbon
          Α
    and fluorinated diamond like carbon, which we
9
    called fluorinated amorphous carbon or FLAC.
10
                 How did you build the MIS
          Q
11
    capacitors?
          Α
                 There was, I would call it, a mini
13
    fab at Stanford that we had access to.
14
                 What were the steps involved?
15
                 Create the lithography patterns,
16
    deposit the films, deposit the photoresist,
17
    develop the photoresist, etch the patterns.
18
    Then when you had the devices, take it over to
19
    test equipment and test the properties.
                 You said develop the photoresist and
           O
21
    etch the patterns. Then did you etch the
22
    materials below the patterns?
```

June 30, 2017

48

the purpose of a photoresist mask is to create a
material that you can etch around, so to speak,
you know, etch through holes in the photoresist,
the pattern, and that allows you to create
structures.

Then did you deposit other materials
in the holes that you created?

A Well, there are multiple systems.

First you have to deposit a metal.

You basically have to deposit a metal

and a dielectric and a second metal, because it's

Yes. You had to etch -- you know,

You can also do directly metal on an

a capacitor, so it's a sandwich of metal,

- insulator on the semiconductor. That's a
- 17 different structure.

insulator, metal.

- 18 So the metal insulator, metal
- 19 sandwiches, the MIMs, are essentially at that
- point capacitors, and given the geometry, one can
- 21 determine the capacitance.
- One measures the capacitance and from

1

12

13

49 the geometry one determines the dielectric 2 properties of the material. As I was developing materials that were dielectrics, I needed to know the dielectric 5 values. 6 I was also co-developing test 7 techniques where you could optically measure dielectric properties, and I wanted to confirm the 9 optical measurements against a more standard 10 measurement, which would have been a test 11 structure, so I basically wanted to verify the 12 spectroscopic techniques I was using and that I 13 wrote software for against -- I don't want to say 14 an established -- yes, an established method. 15 0 So the dielectrics that you were placing or depositing included diamond like 16 17 carbon and fluorinated diamond like carbon? 18 Α Yes. 19 Did you deposit any other dielectric materials or were those the two primary 21 materials that you were working with? 22 Α Those were the focus of my thesis.

- 1 I did work with some other materials here and
- there for fun or side projects and support other
- 3 laboratories, yes.
- 4 O What is diamond like carbon?
- 5 A Diamond like carbon is a form of
- 6 carbon that has a certain SP3 content or diamond
- 7 structure.
- 8 There isn't just one material known as
- 9 diamond like carbon. I worked with hydrogenated
- 10 diamond like carbon.
- Diamond in its purest sense is just
- 12 carbon, and it has a specific structure known as
- 13 diamond cubic. Now we're in the realm of material
- 14 scientists and geologists.
- So there are certain structures that
- 16 crystals can have. Diamond actually has the same
- 17 crystal structure as silicon, so a silicon wafer
- 18 and diamond have diamond cubic structure.
- 19 If you think of a single carbon atom
- in the middle of a tetrahedron, it has four bonds.
- 21 Think of it like a solid triangle, and it was
- 22 bonded only to other carbons.

		5
1	That's another way to look at it from	
2	the atomic view, as opposed to the crystal view.	
3	However, in diamond like carbon not	
4	all of those bonds are carbon. Some may be to	
5	hydrogen. Furthermore, there may be some bonds	
6	that aren't single bonds to other carbon but may	
7	be double bonds to other carbon, and that's called	
8	a graphitic bond, because graphite has a double	
9	bond between the carbons.	
10	In a crystal there is long range	
11	order, so the atomic bonds are repeatable and the	
12	same over long ranges.	
13	In diamond like carbon you also have	
14	very small granules, so there aren't crystals as	
15	you think of them. They are on the nano scale.	
16	So the bonds may repeat for a short	
17	period but not for long periods. The result is	
18	something that is fairly easy to make. Sometimes	
19	it can even be deposited on plastic at low	
20	temperatures, unlike diamond, which is difficult	
21	to make and requires generally either high	
22	temperature and pressure for industrial processes,	
1		

- such as the GE process, or when deposited by thin
- film methods is still a fairly hot process.
- 3 The properties of diamond like carbon
- 4 are good, but not as good as diamond. The
- 5 compromise is that it's much easier to deposit and
- 6 can be deposited on many things.
- 7 For example, there is a good chance
- 8 that all of us actually touched diamond like
- 9 carbon this morning. Many razors have diamond
- 10 like carbon on them.
- 11 Q Did you ever have a chance to etch
- 12 any of the diamond like carbon materials?
- 13 A Yes. I routinely etched them.
- 14 Q How did you do that?
- 15 A Well, there are different things. I
- both etched and I obliterated or removed.
- 17 Sometimes if I had wafers I wanted to
- 18 re-use, and you know, wasn't that critical, I
- 19 could introduce oxygen into a process chamber,
- 20 strike a mass plasma, and basically ash or burn
- 21 off the carbon.
- 22 Q How does that compare to -- would

- that be referred to as a dry etching process?
- 2 A It was a -- well, dry etching
- includes plasma.
- 4 Generally, when one says dry etching
- 5 in the context of semiconductor processing, one
- 6 means plasma.
- 7 There are a few obscure efforts to
- 8 etch without plasma but in industry the vast
- 9 preponderance of dry etching is plasma etching but
- 10 that's different than ashing per se.
- 11 Etching usually implies that you are
- 12 creating a pattern. Ashing is just the removal of
- 13 a film, whether -- whether it's a photoresist or
- 14 carbon film, if you burn it off with oxygen, ash
- it, you are just removing everything. There is no
- 16 pattern left in that case.
- 17 Q So you could -- if you wanted to
- etch using a pattern, if you wanted to etch the
- 19 diamond like carbon, you could use an oxide
- 20 plasma?
- 21 A Well, no. At that point actually
- 22 you would -- DLC -- how should I put this. A

- 1 CVD chamber and etch chamber are not all that
- different in some regards.
- When you really mess up a deposition
- 4 process, and you might do this experimentally
- 5 sometimes, instead of depositing you etch. So
- 6 depending upon the energy in the plasma and how it
- 7 impacts the wafer, you can either deposit a
- 8 material or etch a material.
- 9 The plasma used in DLC or fluorinated
- 10 DLC included CF4, carbon tetra flouride, as well
- 11 as methane.
- 12 The flourine provided the flourine in
- 13 the fluorinated carbon but it also etches.
- 14 The plasma produces a few ions. One
- out of every 100,000 molecules or atoms in a
- plasma in chamber is ionized.
- A flourescent light bulb is similar,
- 18 25 degrees, not millions of degrees, because it's
- 19 not fully ionized like a super Nova or the sun.
- 20 So a process chamber creates lot of
- reactive species that do much of the work both in
- deposition and etching and a few ions, so the

- balance between the number of ions and the energy
- of the ions gives you the ability to either
- deposit, deposit slowly with certain properties,
- 4 or more quickly with different properties, or in
- 5 some cases that same chemistry but with different
- 6 process conditions will allow you to actually
- 7 etch, because you are knocking more off than you
- 8 are actually accumulating on the surface.
- 9 Q So if you wanted to deposit diamond
- 10 like carbon you could use environments that
- included oxygen and flourine? Is that what I
- 12 heard?
- 13 A No. Typically for depositing FLAC
- what I used was methane, which is an organic
- component, as carbon and hydrogen, and CF4, and
- then of course a filler gas or carrier gas,
- argon.
- 18 Argon doesn't deposit but allows one
- 19 to tune the plasma and ballast it, keep the
- 20 pressure at a certain level without increasing the
- other gases.
- Q So conversely, if you wanted to

```
56
    etch, what chemistries would you use to remove
2
    diamond like carbon?
                 Diamond like carbon, well, if you
    just wanted etching as opposed to obliteration
5
    or ashing, I could etch with CF4 in the
6
    chemistry. CF4 is a very common etching in the
7
    industry.
                Flourine is a good material for
9
    removing. It's very reactive, it's more reactive
10
    than oxygen.
11
                 So could you also use as an
          0
12
    alternative oxides or oxygen containing
13
    chemistries to etch diamond like carbon?
14
                 MR. DAVIS: Objection.
15
                 THE WITNESS: I didn't. I used oxygen
    only for the removal of the -- when I wanted to
16
17
    strip the wafer of everything I used oxygen.
18
                (By Mr. Jiron) Would it have been
19
    possible to use oxygen containing gases to remove
    diamond like carbon from an etching process?
21
                 MR. DAVIS: Objection to form.
22
                 THE WITNESS: Oxygen wouldn't give
```

- 1 much selectivity itself. One might be able to use
- dilute amounts of N20 or nitrogen oxygen compound
- 3 that is much less reactive than oxygen.
- 4 Q (By Mr. Jiron) When you say it wouldn't
- 5 provide much selectivity, what do you mean?
- 6 A Oxygen just basically largely
- 7 provides sort of an isotropic etch.
- 8 The difference between an isotropic is
- you can etch a pattern, a verticle pattern,
- 10 plasmas that are very high pressure and don't have
- 11 a lot of ions because they run into other atoms or
- 12 molecules. I'll say plasmas that are low -- low
- ion content but high reactive species content are
- 14 generally isotropic so oxygen generally
- contributes to more of an isotropic type etch
- which is essentially I what an ashing is.
- 17 O What about combinations of oxygen
- chemistry with flourine chemistry? Could that
- be used to etch diamond like carbon?
- 20 A One could try flourine chemistry in
- 21 something like an N20, something like a dilute
- 22 form of oxygen that's bonded.

June 30, 2017

```
58
1
                 As an engineer or scientist, my first
2
    approach wouldn't be to use oxygen if I want to
    try accelerating the etch rate or something.
                 I would probably -- I don't know if it
5
    would work, but I would try N20.
6
                 The problem with -- the faster the
7
    etch rate in general, the lower the selectivity.
    There is a trade off between the speed of the etch
9
    and the number of reactive species, radicals,
10
    versus the number of ions, kind of is a trade off.
11
                 We have been going for about an hour
           Q
12
    so you want to take a break?
13
          Α
                 Sure.
14
                 Ten minutes?
15
          Α
                 Sure.
16
                            (Recess)
17
                 So we were talking about MIS
18
    capacitors before the break, so I would like to
19
    go back and continue that discussion.
                 I think you had mentioned that
21
    construction of the MIS involved pattern? Is that
22
    right?
```

59 1 Yes. A capacitor has two 2 electrodes, so one has to have an electrode on each side of known dimension for calibration purposes, in my case. 5 How were the patterns used? 6 Well, the patterns were used to create electrodes of different sizes, so I could 7 create electrodes with different capacitance. 9 I wanted to decouple any effects 10 associated with etches or other artifacts by 11 testing different multiple capacitors or different sizes to make sure that I got a consistent reading 13 for the dielectric value of the material in 14 between the two electrodes. 15 What types of patterns did you use? 16 Α Generally fairly straightforward, I 17 would call simple patterns, rectangles and 18 squares, you know. 19 What types of materials were used to 20 create the patterns? 21 Well, the electrodes were aluminum 22 so I sputtered aluminum for the electrodes, and

60 the dielectric, of course, was flourinated 2 amorphous carbon or DLC. Was there photoresist? Yes, photoresist is used to create 5 the pattern. 6 The material that we were patterning 7 was either the electrode or the insulator, the dielectric in the capacitor, and we used 9 photoresist to provide the pattern that we etched 10 into the materials. 11 Can you describe the process by 0 12 which you have created the photoresist needed to 13 pattern the materials? 14 Well, the photo -- it's been a long 15 time but the photoresist was a purchased 16 commodity, one buys photoresist. 17 There is a dispense unit that 18 dispenses a certain amount of photoresist in terms 19 of, you know, X volume onto a surface of a certain size which you calculate to make a thickness of a 21 micron or so of photoresist, and then there is a 22

Henderson Legal Services, Inc.

spinner.

61 1 You know, as the draw is dispensed 2 onto the spinning wafer, it disperses on top the wafer, and then one has a photoresist that needs to be baked at some point, needs to be exposed and 5 needs to be developed. 6 How do you develop it? Well, you start with exposure and Α after exposure it's weakened and then a chemical 9 that attacks the exposed portion of the 10 photoresist simply washes it away. 11 What's that chemical? 0 I don't recall which one I used back 13 then, whatever was in the laboratory at the 14 time. 15 It was a university laboratory so you 16 basically used what they had, didn't have the 17 choice to change it, didn't have the need to 18 either. 19 Are there various chemicals that would work in removing the photoresist? 21 Different photoresists are meant to 22 work with different chemicals.

```
62
                 Was it a wet process or a dry
2
    process that removed the photoresist?
          Α
                 In the exposure that was a wet
    process.
5
                 Could photoresist be removed using a
6
    dry process?
                 One can ash photoresist.
          Α
                 Are there any other processes for
9
    removing photoresist in the dry process?
                 MR. DAVIS: Objection to form.
10
11
                 THE WITNESS: In that laboratory the
12
    process for removing the photoresist was a wet
13
    process.
               That was the process I used.
14
                (By Mr. Jiron) Were any other processes
    known at the time for removing photoresist in the
15
    dry method?
16
17
                 MR. DAVIS: Same objection.
18
                 THE WITNESS: I'm not sure at the time
19
    if there were dry methods.
20
                 We used a wet method for exposure --
21
    excuse me, for -- yeah.
22
                (By Mr. Jiron) How would you ash a
```

Glew Ph.D., P.E., Alexander D.

June 30, 2017

63 photoresist? Photoresist ashing, also known as Α photoresist strip, is an oxygen based plasma. We sold PRS or photoresist strip tools 5 while at Applied Materials, so they were 6 essentially oxygen based plasmas that reacted with the material and essentially created volatile species that disappeared. They burned off 9 basically. 10 The reason they call it ashing is 11 because it's kind of like burning. You oxidize 12 it. 13 When we're talking about photoresist 14 is there a particular material that's used for 15 photoresist? 16 MR. DAVIS: Objection to form. 17 THE WITNESS: The materials used for 18 photoresist are fairly complex polymers, 19 combinations. The different manufacturers have their offerings. 21 (By Mr. Jiron) And are those polymers 22 organic polymers?

		64	
1	A One generally considers them		
2	organic. They are organic in that sense.		
3	They are not organic in that you would		
4	ever find them in a living creature.		
5	Q They contain carbon?		
6	A Yes.		
7	Q So what did you do to prepare for		
8	the deposition today?		
9	MR. DAVIS: To the extent the question		
10	asks for any communications with counsel, those		
11	would be privileged, but the witness can answer		
12	otherwise.		
13	THE WITNESS: I reviewed documents		
14	related to the IPR. You know, might have		
15	consulted with a reference or two on my bookshelf,		
16	and met with attorneys.		
17	Q (By Mr. Jiron) Who did you meet with?		
18	A Mr. Davis and Mr. Yen.		
19	Q For how long did you meet with the		
20	attorneys?		
21	A In total maybe 10 or 12 hours.		
22	Q When did those 10 or 12 hours of		

```
65
    meetings occur?
                 I met with them once last week and
    once this week.
                 Were those in person meetings?
                 Yes.
6
                 You mentioned that you reviewed some
7
    documents in preparation. Which documents did
8
    you review?
9
                 Well, off the top of my head, I'll
10
    try to remember that.
11
                 MR. DAVIS: Any conversations, again,
12
    to the extent that any question calls for any
    communications with counsel, again, those are
13
14
    going to be privileged.
15
                 You can answer as to what you
    reviewed.
16
17
                 THE WITNESS: I reviewed the
18
    institutions from the patent office, the patent
19
    office exhibits, the expert reports by Dr. Smith,
    the petitioner's exhibits, the patent owner's
21
    exhibits, my declarations and related support
22
    documents for those documents.
```

```
66
                (By Mr. Jiron) You also mentioned that
1
2
    you had made a reference or two from your shelf.
    Do you recall what those references were?
                 Usually keep Tauber, T A U B E R,
5
    and Wolfe or one of the Wolfe series.
6
           Q
                 When were you first contacted, as
7
    best you can recollect, about these IPR
8
    proceedings?
9
                 MR. DAVIS: Again, you can answer as
10
    to the timing if you remember, but I cannot -- any
11
    particular communications would be privileged.
                 I understand your question is not
12
13
    asking for any particular communications.
                                                 Is that
14
    right?
15
                 MR. JIRON: That's correct.
16
                 THE WITNESS: Earlier this year.
17
                (By Mr. Jiron) In 2017?
           Q
18
                 Yes.
19
                 Do you remember which month?
          Α
                 No.
21
                 Do you recall when you were retained
22
    as an expert in these IPR proceedings?
```

67 I was retained in a related Federal 2 District matter about two years ago, so that sort of segued into this. I was retained separately on this 5 matter this year. 6 Also 2017? Α Yes. About how many hours have you spent 9 so far in these IPR proceedings in developing 10 the opinions that you included in your 11 declarations? That's a complicated question 13 because I worked on the related federal matter, 14 so I had reviewed the 696 patent in that context 15 already quite a bit. 16 That's sort of off limits here. 17 Working specifically on the IPR addendum, 18 something in the hundreds of hours. 19 You said that's sort of off limits here. What did you mean by that? 21 Well, the Federal Court case is 22 under a protective order.

```
68
                 I would like to hand you an exhibit
    that has been marked IP Bridge Exhibit 2009 for
2
    IPR 2016-01376.
                 Thank you.
5
                 I suppose I should say, too, is it
6
    okay when I refer to these IPR proceedings that
7
    that includes IPR 2016 matters 1376, 1377, 1378
    and 1379?
9
                 I would understand when you say that
           Α
10
    that you are referring to these, yes.
11
                 Do you recognize the document that I
           Q
     just handed to you?
12
13
          Α
                 Yes, I do.
14
                 What is this document?
15
                 This is a declaration I wrote with
    regards to IPR 2016-1376.
16
17
                 Until I say otherwise, can we
18
    understand that when I refer to your
19
    declaration, I'm referring to the declaration
    that's IP Bridge Exhibit 2009?
21
          Α
                 Yes.
22
                 MR. DAVIS: Objection to form.
```

```
69
                (By Mr. Jiron) Let me go back. Just to
1
2
    be clear for the record, in the questions that
    I'll be asking, when I refer to your declaration
    will you understand that to be IP Bridge Exhibit
    2009 submitted in IPR 2016-01376?
5
6
          Α
                 That gets complicated if you ask me
    about other declarations. I'm not sure how that
7
    would work.
9
                 I'm just trying to clear up, when I
10
    do ask about things you understand I'm only
11
    asking about this particular document.
12
                 Just as a shorthand, if I say "in your
13
    declaration, " you will understand that I'm talking
14
    about only this particular declaration as IP
15
    Bridge Exhibit 2009?
16
                 MR. DAVIS: Same objection.
17
                 THE WITNESS: It might be cleaner if
18
    we just came up with something a little more
19
    specific but still a shorthand like 1376 or
20
    something.
21
                (By Mr. Jiron) Sure. I'll say "your
22
    1376 declaration."
```

```
70
                 Okay.
2
                 I'll try to remember. If I don't,
          0
    please let me know.
                 Okay.
5
                 Okay. So can you describe for me
6
    the process for preparing your 1376 declaration?
7
                 MR. DAVIS: So any communications with
    counsel involving the preparation of the
9
    declaration will be privileged.
10
                 That's my view on it. We can have a
11
    discussion on it, if that's helpful.
12
                 MR. JIRON: What specifically are you
13
    considering to be privileged?
14
                 MR. DAVIS: The process, to the extent
    there was one, of any interaction he had with
15
    counsel in preparing his declaration.
16
17
                 MR. JIRON: On what basis are we
18
    asserting a privilege here?
19
                 MR. DAVIS: Pevarello vs. Lan.
                 MR. JIRON: What did it say?
21
                 MR. DAVIS: I'm not going to read you
22
    an excerpt from that if it's helpful.
```

1 MR. JIRON: I would just like to 2 understand your position. 3 MR. DAVIS: "Between one, an inquiry into details of how a direct testimony declaration 5 can be prepared, on the one hand, and two, both 6 the attorney work product doctrine and attorney 7 work product privilege on the other hand, an attorney needs to be able to freely talk with a 9 client, witness or non-client witness to formulate 10 a litigation strategy, or even to see if there is 11 a case to present. After the fact cross 12 examination inquiries into declaration preparation 13 tend to chill an inquiry an attorney might 14 initially make into what the facts are and who should testify concerning particular facts." 15 16 Another quote from that case, "All of 17 these reasons are consistent with limitation in 18 patent interference cases for not permitting 19 inquiry into how a direct testimony declaration was prepared and with the underlying philosophy 21 governing contested cases, citing 37CFR-14 2d 22 41.1(b), 2006. In the future absent a compelling

•	7	2

- 1 reason against any attempt to inquire on cross
- examination into how direct testimony declarations
- 3 came to be prepared."
- 4 MR. JIRON: What was the court?
- 5 MR. DAVIS: I think that's the
- 6 precursor for the PTAB, but I don't have the full
- 7 cite. I can get that for you, if needed.
- 8 MR. JIRON: So in that case it sounds
- 9 like what they are after is how the testimony came
- to be prepared.
- 11 What I'm interested in here is just
- 12 what the witness did in terms of a mechanical
- 13 action.
- MR. DAVIS: That would be fine as long
- as we're in agreement as to a line being drawn
- between those two things.
- 17 MR. JIRON: Understood. I'm not
- 18 trying to ask about the conversations or how the
- opinions came to be developed in terms of
- discussions between counsel and the witness.
- MR. DAVIS: Understood.
- Q (By Mr. Jiron) Okay. So going back to

```
73
    the question I was asking, can you describe the
2
    process for mechanically preparing your
3
    declaration?
                 Did you, for example, type your
5
    declaration? Did you write your declaration?
6
                 MR. DAVIS: And again, I have this
7
    same -- and I have an objection to this line of
    testimony.
9
                 You can inquire as to what the witness
10
    did, but not the interactions with counsel.
11
                (By Mr. Jiron) Did you understand?
          0
12
          Α
                 Yes. I understand the question.
13
    typed much of my report, not all of it.
14
          Q
                 About how much would you say?
15
                 MR. DAVIS: Same objection, same
16
    understanding.
17
                 THE WITNESS: Well, quite a bit of
18
    work I had done previously in the federal case on
19
    the 696, so a lot of this comes from that.
20
    can't put an exact percentage on how much of it I
21
    typed.
22
                (By Mr. Jiron) Okay. How many hours
```

- would you estimate that you spent on the specific
- 2 task of preparing your 1376 declaration?
- MR. DAVIS: Same objection, and to the
- 4 extent that you are also inquiring into anything
- ⁵ relating to the underlying litigation, which I
- 6 understand you are not, Mr. Jiron.
- 7 Are you inquiring as to anything
- 8 relating to the underlying litigation?
- 9 MR. JIRON: No. I think the question
- was clear. At least, I thought it was.
- 11 It was how many hours did you spend on
- the specific task of preparing your 1376
- declaration just in terms of mechanics.
- MR. DAVIS: Same objections regarding
- privilege, as well as the underlying litigation.
- THE WITNESS: A lot of the work for
- this analysis of the 696 was performed -- I
- 18 performed previously in the context of the
- 19 district court litigation.
- I think of this as sort of an addendum
- 21 to that. This addendum was, you know, a few weeks
- worth of work.

June 30, 2017

```
75
                (By Mr. Jiron) Do you understand that
    there has been something called a patent owner
    response filed in the 1376 proceeding?
           Α
                 Yes.
5
                 Have you reviewed the patent owner
6
    response from the 1376 proceeding?
                 Yes, I have.
          Α
                 When did you review it last?
9
                 I reviewed it briefly for this
10
    deposition.
11
                 I reviewed it more thoroughly when I
12
    was working actively on the case a few months ago.
13
                 Which case do you mean?
14
                 This case.
15
                 Did you review any drafts of the
           O
    patent owner response in preparing your 1376
16
    declaration?
17
18
                 MR. DAVIS: That would be directly
19
    covered by Pevarello vs. Lan and also be
20
    privileged.
21
                 You're asking for communications with
22
    counsel there.
```

76 MR. JIRON: I'm not asking for a 1 communication. I'm just asking whether he looked 2. at the document. MR. DAVIS: I disagree. You're asking 5 for communication. That's privileged. 6 MR. JIRON: It sounds like you're forbidding us to find out what materials the 7 witness reviewed in preparing his declaration. Is 9 that what you're saying? 10 MR. DAVIS: No, I'm not. 11 MR. JIRON: So one of the materials 12 that I'm interested in, just as if he reviewed 13 prior art or reviewed a document, I'm interested 14 in did he review the patent owner's response 15 document while preparing the declaration. 16 MR. DAVIS: And I understand that's 17 what your question is. 18 I do view that as being privileged and 19 relating to the preparation of a declaration. I'll tell you what. To circumvent 21 this, I'll allow the witness to answer as long as 22 you are agreeing there is no waiver of privilege

```
77
    here.
2
                 MR. JIRON: That's fine. I'm only
    interested in the mechanics, not a privilege
    issue.
5
                 MR. DAVIS: Okay.
6
                 THE WITNESS: Can you repeat the
    question?
7
                 (Question read)
9
                 MR. DAVIS: Same agreement. There is
10
    no waiver of privilege.
11
                 THE WITNESS: I don't recall if I
    received drafts.
13
                 I would have received the document at
14
    some point, as it was given to the PTAB.
15
                 I think more it's a case of their
    reviewing my work than my reviewing their work.
16
17
                (By Mr. Jiron) I would like to take a
18
    look at Page 36 of your 1376 declaration.
19
          O
                 Page 36?
                 I'm sorry. Are you referring to
21
    page 0036 or 36 of my -- because there's
22
    different page numbers.
```

Glew Ph.D., P.E., Alexander D. 78 Understood. I'll go with your 1 2 convention. Looking at the page number at the bottom right corner, which is the page of the 5 exhibit, and I think that's Page 40, is what I was 6 looking for. Α Okay. I am looking at the page marked 36 of the report and page 0040. 9 Great. 10 In the production. 11 You see a figure at the top of the Q 12 page? 13 Α Yes. 14 And the figure has a label "Etching Source" and a multilevel structure there that 15 has the word "substrate" at the bottom? 16 17 Α Yes. 18 Did you prepare that figure? 19 I described the figure to the 20 attorneys and they, either them or their

Henderson Legal Services, Inc.

I prepared some other figures in here

graphics person, prepared it.

21

```
79
    but not that one.
2
                 Which other figures did you prepare?
           O
    Do you recall?
                 Well, I prepared some 3-D figures,
5
    things that would look like -- I'm not sure if
6
    they made it into this report, but I prepared a
7
    number of three dimensional figures that look
    substantially like 20 -- like the ones on page
9
    0037, so I prepared --
10
                 MR. DAVIS: Any inquiry into any
11
    communications with counsel, I have a standing
12
    objection.
13
                 THE WITNESS: I would have prepared
14
    the CAD image and they would have labeled it.
15
                (By Mr. Jiron) Take a look at page 0057
           O
    of the exhibit which is also Page 53 of the 1376
16
    declaration.
17
18
          Α
                 Yes.
19
                 You see the figure in the middle of
    the page that's got a red box surrounding the
21
    words "layer 355 etched"?
22
          Α
                 Yeah.
```

```
80
                Did you prepare this figure?
2
                 MR. DAVIS: Again, this line of
3
    questioning I think falls directly under
    Pevarello.
5
                 You're talking about the preparation
6
    of his declaration.
7
                Also potentially, I'm not actually
8
    sure wonder way or the other, I wasn't involved in
9
    the underlying litigation, but you may also be
10
    asking about communication there as well.
11
                 MR. JIRON: I'm not asking anything
12
    about any communications.
13
                 If you want to have a standing
14
    objection to this line of questioning that we
    understand that none of it is to waive privilege,
15
    I'm happy to do that, but I really strongly
16
17
    believe that asking him about the mechanics of
18
    whether he prepared a figure or not is well
19
    outside of the issue that you described in the
    case which is directly related to the direct
21
    testimony.
22
                 It's related to how the direct
```

- 1 testimony came into existence, not about the
- 2 mechanics of who drew a figure or not.
- 3 MR. DAVIS: I'm not sure I understand
- 4 how you are drawing the line between direct
- 5 testimony and the declaration.
- 6 My understanding is the declaration is
- 7 direct testimony.
- MR. JIRON: I think we'll just have to
- 9 elevate this issue to the board, if we can't
- 10 agree, like we did in the past.
- MR. DAVIS: What do you mean we did in
- 12 the past?
- MR. JIRON: We can allow the question
- if we would agree that there is no waiver of
- privilege, you said.
- I don't see this as an issue of any
- 17 privilege waiver, and if you want to have that
- objection, then you are free to make the
- objection, but I believe that this is no more of
- 20 an issue than the other question I asked that you
- 21 allowed.
- MR. DAVIS: Well, I disagree. There

- is a distinction between some of these things and
- 2 I'll take it on a case by case basis for purposes
- of this particular question, again agreeing there
- 4 is no waiver.
- 5 You can go ahead, but I'm not agreeing
- 6 to waive -- I'm not agreeing to drop my objection
- 7 on all future questions.
- MR. JIRON: I'm not asking you to drop
- ⁹ the objection.
- 10 Q (By Mr. Jiron) The question was, did
- 11 you prepare the figure on Page 57 of the exhibit,
- 12 Page 53 of the 1376 declaration?
- 13 A I discussed the underlying content
- of this figure and the text of this figure with
- 15 the attorneys.
- 16 This was my understanding of what
- would result from the text.
- 18 As for the actual fabrication of this
- image, it was produced by the attorneys or their
- 20 contractor. I'm not sure if they have a graphics
- 21 person.
- Q All right. Then can you turn to

- 1 Page 97 of the exhibit, which is page --
- 2 actually, turn to Page 96 and 97, which is Page
- ³ 92 and 93 of your 1376 declaration.
- 4 A Okay.
- 5 Q You see the figures that appear on
- 6 the top half of the page as 92 and 93 which are
- 7 Page 96 and 97 of the exhibit?
- 8 A Yes.
- 9 Q Same question, did you prepare those
- 10 figures?
- MR. DAVIS: Same objection.
- 12 THE WITNESS: I discussed my
- understanding of some of the problems that could
- occur here and then they created the actual
- graphic itself, but I don't know, again, if it was
- them or a graphics company.
- 17 Q (By Mr. Jiron) Okay. I would like to
- turn to paragraph 137 of your 1376 declaration and
- 19 specifically a section located on page 82 of the
- exhibit, page 78 of the declaration.
- Do you see the sentence that is about
- 22 halfway down the page that says "Petitioners

84 propose modification of Grill to remove layer 7 2 would result in the creation of an insulating film that would rendered Grill's final structure inoperable because it would prevent electrical 5 contact between a lower and upper layer"? Do you 6 see that? Α Yes. Is that your opinion? 9 Well, I could put a finer point on 10 that. Without a stop layer seven, one of three 11 things could happen. 12 Either one would underetch, meaning 13 one didn't etch all the way down, or one could 14 etch too far, overetch, so without a stop layer 15 it's difficult to know where to stop the etch. 16 So in some instances without a stop 17 layer there would certainly be underetching, 18 because the only option then would be to overetch 19 which wouldn't necessarily be desirable. 0 Can you explain how removal of layer 21 seven would result in the creation of an 22 insulating film?

1	A If one was trying to etch through
2	layer or material eight, which is above material
3	seven, one has to know when to stop the etch.
4	When one has a material that functions
5	as a stop layer, one can etch to the stop layer
6	and keep etching a bit longer to make sure that
7	all of material eight is gone without damaging
8	anything.
9	If one doesn't have a stop layer
10	seven, then one has to use a timed etch, so one
11	etches down, and in some cases, parts of the wafer
12	or different wafer, the amount of etch time for
13	different contacts will be slightly different.
14	So there may be cases where the
15	material is thicker or the plasma isn't uniform in
16	that part of the chamber, so it doesn't etch as
17	quickly or doesn't etch all the way through eight
18	down to hit the underlying metal.
19	There will be other metal. There will
20	be other cases where it etches fine and other
21	cases where it overetches, but basically a timed
22	etch is not necessarily as precise as having an

```
86
    etch stop.
2
                 That is generally the purpose of an
    etch stop, to make a more robust process.
                 It's not my opinion that it always
5
    results in an insulating film. It's that in some
6
    instances it's not going to etch all the way
7
    through and there will be insulator left, and in
    other cases it will overetch and there would be
9
    other types of damage, to clarify that opinion.
10
                All right. I would also like to
11
    mark a little sketch as Glew Exhibit 1.
12
                 (Glew Exhibit 1 marked)
13
                 MR. DAVIS: Do you have a copy?
14
                 MR. JIRON: No, I don't. Do you want
15
    to go off the record and make a copy?
16
                 MR. DAVIS: Yes.
17
                           (Recess)
18
                (By Mr. Jiron) So, Dr. Glew, you have
19
    the paper that's been marked as Glew Exhibit 1
    that shows a sketch. Is that correct?
21
                Yes, there is a sketch.
22
                 And on the sketch are three
```

Α

2

5

6

7

8

9

10

11

12

13

87 structures. One is called a resist, one is called a pattern film and one is called layer X or a layer to be etched. Do you see that? Yes. Do you have an understanding of what this sketch is depicting? MR. DAVIS: Objection to form. THE WITNESS: I have a rough idea that this is a pattern one wishes to etch into (By Mr. Jiron) Maybe a better question would be, you are familiar with this type of sketch? Would that be fair?

- 14 MR. DAVIS: Objection to form.
- 15 THE WITNESS: It seems understandable
- at face value. I would -- I could try to divine a 16
- 17 meaning from it.

something.

0

- 18 If you have some detail on this
- 19 hypothetical, that wouldn't be a bad thing either.
- 0 (By Mr. Jiron) Okay. So the resist
- 21 that's shown on top, it has a hole in the middle
- 22 which would correspond to a pattern on the resist.

```
1 Is that fair to say?
```

- 2 A Yes. This is a two dimensional -- a
- 3 cross section showing the cross section of the
- 4 pattern. We don't know how deep or long it is,
- 5 but yes.
- 6 Q Okay. You could use, say, a dry
- 7 etching process to transfer the pattern from the
- 8 resist into layer X, which is the layer to be
- 9 etched. Would that be fair to say?
- 10 A Presuming one had the appropriate
- 11 dry etch process for layer X material, it's
- 12 certainly possible.
- 13 You have to have a process that can
- 14 achieve that aspect ratio width to depth and
- 15 compatible with that material as well as the
- 16 photoresist, so given the correct etching process,
- 17 you know, in this kind of pictogram or schematic
- 18 form, I understand that that's what you have in
- ¹⁹ mind.
- Q Okay. And if you were to transfer
- 21 the pattern from the resist into layer X, it
- would be fair to call the resist a mask,

```
89
    correct?
2
                 MR. DAVIS: Objection to form.
3
                 THE WITNESS: Let me put -- are we
    talking about in the context of the 696 patent or
5
    in general?
6
                (By Mr. Jiron) Actually, this is just a
    sketch in general.
7
                 In general, okay. I mean, the
8
9
    reason I said that is sometimes people call the
10
    reticle or mask that focuses the optics a mask,
    and they would just call the resist the resist.
11
12
                 If we want to call the resist the
13
    etching mask, that's fine, too. Sometimes mask
14
    has additional meanings.
15
                 So you would agree then that at
    least it would be customary for people in the
16
    semiconductor field to refer to the resist in an
17
18
    etching process as a mask?
19
                 MR. DAVIS: Objection to form.
                 THE WITNESS: I would say that it's
21
    fine to do that. A lot of times mask is an
22
    abbreviation for the reticle, which is sort of an
```

90 awkward word, but yes, for the purposes here, one 2 can call the pattern the mask, the template. (By Mr. Jiron) Template? There is a lot of synonyms for the 5 templet and mask. 6 The odd thing about this hypothetical 7 is there is a layer to be etched, but there is nothing underneath it, so I'm not sure when you 9 say etching if you mean you're going to etch right 10 through it. 11 I think the sketch is meant to just 12 be an assumption that there are structures below 13 it. 14 We're just talking about the first interaction of the etchant with such structure. 15 16 Α Okay. 17 You mentioned earlier the 18 possibility of doing a timed etch so rather than 19 using an etch stop layer. 20 Could you use a timed etch here to 21 etch a portion of layer X using the resist? 22 MR. DAVIS: Objection to form.

91 1 THE WITNESS: If one had worked up a timed etch that etched approximately say half of 2 it, one could do that. The weakness or aspect of the timed 5 etch is the stop point is timed so you never 6 necessarily end up with exactly the same thing, device to device, wafer to wafer. 7 8 It may be close. How close it is 9 depends on the parameters in the equipment and the 10 product started with. 11 (By Mr. Jiron) So as drawn here in the 0 12 cross section, let me give you another assumption 13 for the hypothetical. 14 The resist is a resist that is an 15 opening that would correspond to a contact hole 16 and the pattern film has an opening in it that 17 corresponds to a wiring groove. Are you familiar 18 with those two structures? 19 I'm familiar with those structures, 20 yes. 21 So with that assumption, in going 22 back to the case where the etchant is

- 1 penetrating through the opening in a resist,
- what interaction would the pattern film have
- 3 with the etchant?
- 4 A Well, my understanding --
- 5 MR. DAVIS: I'll object form. Go
- 6 ahead.
- 7 THE WITNESS: My understanding from
- 8 this TIG is that the resist is completely covering
- ⁹ the pattern film at least over the area of the
- 10 hole in the resist that it's covered.
- So neither the ions -- initially
- 12 neither the ions nor the more abundant reactive
- chemistry, the radicals, will contact the pattern
- 14 film and interact with it.
- 15 It's possible that subsequently the
- sidewall of the resist erodes and the pattern film
- 17 contacts it or that the top of the resist erodes
- and contacts it, but as drawn here, I don't see
- that there is any contact between the chemistry
- and the pattern film.
- There doesn't need to be a line on
- 22 site, so to speak, or a verticle path. It just

- needs to be a chemical pathway to it, and I don't
- 2 see a chemical pathway to the pattern film the way
- 3 it's drawn.
- 4 Q (By Mr. Jiron) So you would agree then,
- 5 the way it's drawn, pattern film would not be
- functioning as a mask in an etch that transfers
- 7 the resist pattern into layer X. Would that be
- 8 fair to say?
- 9 A In this particular example or
- sketch, in the area of the hole in the resist, I
- don't see that the pattern film is interacting
- with the chemicals in any way, the etchants, so
- 13 I don't see that it has a role in determining
- 14 much at all at this point. It may later.
- 15 Q So if it doesn't interact with it,
- it doesn't have a role, it wouldn't be a mask,
- 17 right?
- 18 A If we're using mask in the context
- or to mean that it determines or partially
- determines the pattern that is transferred, no,
- 21 it is not.
- 22 Q I think I understand what you mean

```
94
    but I just want to make sure that the record is
2
    clear.
                 Assuming that we're using the mask in
    the context to mean that a mask determines or
    partially determines the pattern transferred, in
5
6
    that context what's drawn on this sketch as the
7
    pattern film, that wouldn't be behaving as a mask,
    correct?
9
                 That's essentially what I said, yes.
          Α
10
                 I'll hand you what's been marked as
           O
11
    TSMC Exhibit 1001. Do you recognize this
12
    document, Dr. Glew?
13
          Α
                 Yes, I do.
14
                 What document is this?
15
                 This is the patent in question in
16
    the proceeding.
17
                 The 696 patent?
18
                 Yes.
19
                 Okay. Let's turn to column 23 and
    then at about line 40 in column 23, where it
21
    starts, "Then as shown in Figure 22B, a second
22
    resist pattern 510, having openings performing
```

95 contact holes is performed on mask pattern 509," 2 do you see that? Yes. Α You see the sentence after that that 5 says, "Thereafter the second silicon dioxide 6 film 506 is dry etched using the second resist 7 pattern 510 and the mask pattern 509 as a mask"? You see that? 9 Α Yes. 10 It's your understanding that that 0 11 passage is referring to Figure 22-B? 12 MR. DAVIS: I'll object, completeness. 13 THE WITNESS: The passage starts with 14 "as shown in Figure 22-B" and ends with "as shown in Figure 22-C," so it appears to be referring to 15 at least these two figures. 16 17 (By Mr. Jiron) Okay. So going from 18 Figure 22-B to 22-C, is it your understanding what 19 this is depicting is a resist -- okay. Let me 20 just take it in smaller parts. 21 In Figure 22-B do you understand layer 22 510 to be a resist that includes a contact hole

96 pattern? Yes, I understand 510 is a resist Α for forming a contact hole. Okay. And do you understand that pattern 509 has openings -- is a layer that has 5 6 openings performing wiring grooves out of a titanium nitride film? Is that your understanding? That's my understanding, yes. 10 is etched from a pattern for wiring groove and 11 thereafter called 509. Going from Figure 22-B to 22-C, 13 what's being depicted here is an etch of layer 506, is that correct? 14 15 Yes. 506 is shown as etched, a silicon dioxide film. 16 So in this particular case certainly 17 510 is functioning as a mask to transfer the 18 19 contact hole pattern to layer 506, right? I understand that 510 is described Α 21 as that in the text. 22 Is there somewhere in my report you

97 wish to refer me to where I opined on this? 2 Yes. Actually, for now we're just 0 talking about -- I think the passage of most relevance would be in column 23 and then these 5 two figures. Do you need to review column 23? 6 Α My point was that did you wish 7 to refer me to somewhere in my report where I have opined on this figure? 9 0 No. 10 I don't recall opining on this 11 figure. 12 Do you understand the figure? 13 I believe I understand the figure. 14 Okay. Maybe then can you explain to 15 me in your words and in view of the passage in the middle of column 23 what's going on between 16 17 Figure 22-B and 22-C, and maybe that will help 18 me structure my question. 19 MR. DAVIS: Objection to form. THE WITNESS: I think generally it's 21 described at 23, lines 40 to 46, from which you 22 partially read, "Photoresist pattern is used to

Henderson Legal Services, Inc.

202-220-4158 **Page 97 of 171**

```
98
    provide a template to transfer a feature to an
2
    underlying layer 506."
3
                (By Mr. Jiron) So when you say a
    template, that could also be referred to as a
5
    mask?
6
          Α
                 Yes.
                 What role does layer 509 have in
           O
    transfering that pattern from layer 510 into
9
    layer 506?
10
                 MR. DAVIS: Objection to form.
11
                 THE WITNESS: In this particular
12
    image, as I understand it -- again, I haven't
13
    opined on this image.
14
                 If I recall, I don't see a pathway for
    the reactive chemistry to touch 509.
15
16
                 My understanding is that in order for
17
    the material, the layer, to impart or help impart
18
    a feature, a pattern, function as a mask, if you
19
    will, it has to have a chemical pathway. It has
    to be able to touch the reactive chemistry.
21
                 As I see Figure 22-B and C, 509 is
22
    completely covered and there is no chemical
```

99 contact between the etchant and 509, so it can't 2 determine the transfer to pattern. 3 0 (By Mr. Jiron) So in other words, it doesn't have a role in transfering the pattern? 5 MR. DAVIS: Objection to form. 6 THE WITNESS: Well, due to its being chemically isolated, it can't contact the reactive 7 8 chemistry of the etchant, it can't determine the 9 pattern that's transferred. 10 (By Mr. Jiron) So looking at that 0 Figure 1, wouldn't you understand layer 509 to be 11 12 a mask in transfering the pattern from layer 510 13 into layer 506? Right? 14 It may be a mask for later purposes. 15 In this particular step, 509 is not functioning 16 as a mask to transfer a pattern or feature into 17 506 because the etchant cannot chemically 18 contact it. 19 There is no interaction between the 20 etchant species, the reactive species to do the 21 work and the material 509. 22 0 All right. Maybe we can go off the

```
100
    record and take a quick break.
2
                           (Recess)
          0
                 So I would like for you to turn to
    paragraph 171 of your 1376 declaration.
5
                 Paragraph?
6
                 Paragraph 171 of your 1376
7
    declaration. Are you there?
8
          Α
                 Yes.
9
                 So in paragraph 171, at the end it
10
    sounds like you indicate that part of Aoyama's
11
    misalignment solution is its use of edge stopper
12
    film 45.
             Do you see where it says that?
13
          Α
                 Essentially.
14
                 And then turning to paragraph 174,
15
    in paragraph 174 there is a sentence that says,
    "Instead a person of ordinary skill in the art
16
17
    would have understood that it would not be
18
    possible to modify Grill by combining it with
19
    Aoyama's wider via hole pattern and certainly
    would not have had a reasonable expectation of
21
    success without also including Aoyama's carbon
22
    etch stopper film 45. Do you see that?
```

```
101
1
                 MR. DAVIS: Objection.
2
                 THE WITNESS: I see that. That's a
    partial sentence, yes.
                (By Mr. Jiron) Is that your opinion?
5
    Is that representative of your opinion?
6
                 MR. DAVIS: Objection, form.
                 THE WITNESS: My opinion is, you know,
    in this report and further lengthy form, this is
9
    half of a sentence out of my opinion, yes.
10
                (By Mr. Jiron) So I can better
          0
11
    understand, is it your position that the wider
12
    hole pattern of Aoyama would not work in the Grill
13
    device without Aoyama's carbon etch stopper film?
14
                 MR. DAVIS: Objection, form.
15
                 THE WITNESS: What I've described in
    my report here are a number of problems that would
16
17
    result without use of etch stopper 45.
18
                (By Mr. Jiron) So does your opinion
19
    assume that there must be an analog to etch
20
    stopper 45 in the Grill device in order for the
21
    modification of the water hole in Grill to work?
22
                 MR. DAVIS: Objection to form.
```

102 1 THE WITNESS: What I've essentially said is that limiting, controlling the width, does 2 depend upon having a stop film there, etch stopper 45. 5 (By Mr. Jiron) Which part of the etch 6 stopper 45 is most important for your opinion? 7 It sounds like there is an etch stop 8 characteristic that you rely upon and also the 9 carbon material portions you rely upon. Which one 10 of those, if any, is the critical piece that your 11 opinion relies upon? 12 MR. DAVIS: Objection, form. 13 THE WITNESS: Could you repeat the 14 question? 15 (Question read) 16 MR. DAVIS: Same objection. 17 THE WITNESS: The question I am taking 18 as kind of compound. 19 It's which part do I rely on and which 20 part is more important. 21 (By Mr. Jiron) Maybe I can try to 22 clarify. I'm not trying to confuse you, so I

103 apologize if I am. 2 When I read the opinion that's in 3 paragraph 171 through 174, it sounds like what you are saying is that it wouldn't be possible to 5 modify Grill by combining it with Aoyama's wider 6 via hole pattern without including Aoyama's carbon 7 etch stopper film. 8 Which part is the reason why it wouldn't be possible to modify Grill? Is it the 9 10 carbon aspect or the etch stopper aspect? 11 MR. DAVIS: Objection, form. 12 THE WITNESS: Aoyama discloses using a 13 carbon etch stop to stop the etch at the 14 appropriate depth. 15 I don't believe that Aoyama would 16 function as Aoyama describes without the carbon 17 etch stop. 18 (By Mr. Jiron) Why wouldn't one be able 19 to make the contact hole pattern in Grill wider as 20 taught by Aoyama? 21 MR. DAVIS: Objection, form. 22 THE WITNESS: What Aoyama teaches is

- 1 making it wider and etching it to a certain depth
- and stopping it with a stopper. Without that
- 3 stopper one can't control the depth very well.
- 4 Q (By Mr. Jiron) Okay. So let's assume
- 5 that Grill had an analog to Aoyama's edge stopper.
- There wouldn't be any impediment to
- 7 making Grill's contact hole pattern wider then,
- 8 would it?
- 9 MR. DAVIS: Objection to form.
- 10 THE WITNESS: I'm not aware that the
- 11 Petitioner proposed an analog to it.
- 12 I analyzed the embodiment or the
- proposed embodiment that was put before me.
- Q (By Mr. Jiron) In your opinion is it
- 15 necessary for Aoyama's etch stopper to be made of
- 16 carbon for it to function?
- MR. DAVIS: Objection to form.
- 18 THE WITNESS: I think Aoyama generally
- describes carbon etch stop as something that would
- 20 work with the materials and design that he has.
- 21 Any more discussion of Aoyama, I'm going to have
- 22 to ask for the reference.

Glew Ph.D., P.E., Alexander D. June 30, 2017

105 (By Mr. Jiron) All right. I'm handing 1 2 you what's been marked as TSMC Exhibit 1018. Okay. Perhaps if you could review the 5 section that's labeled as example 7 in column 15 6 and let me know when you're through, the bottom of 7 column 16 through to the middle of column 16. Okay. Α 9 So the question would be, is it your 10 position that Aoyama's etch stopper layer 45 11 must be made from carbon? Aoyama describes only carbon. Α 13 are certain material requirements of selectivity so in Aoyama's invention carbon based material 14 15 provides this etch selectivity that they need in 16 order to implement this via approach. 17 I haven't evaluated another material 18 that the Petitioner's -- because the Petitioners 19 have not put one forward to evaluate off the top 20 of my head, I don't know of something other than a 21 carbon like material that's going to have the 22 selectivity in this environment.

```
106
                 But in column 15 at line 61, Aoyama
    said that the second stopper film 45 can be made
2
    of e.g. carbon, correct?
                 Yes, it does.
                 E.g. means for example?
6
          Α
                 Yes.
                For example would mean to one
    skilled in the art that it can be made of carbon
9
    but can be made of other things as well, right?
10
                 MR. DAVIS: Objection to form.
11
                 THE WITNESS:
                               I understand e.g. to
12
    mean for example in this instance.
                 It doesn't mean it can be made of
13
14
    anything, but it can be made of something that
    would have the requirements of etch selectivity or
15
    be able to endure through an etching cycle without
16
17
    being ablated or removed.
                 There are other limitations. It isn't
18
19
    just or any other material. The other limitations
    include this etching requirement and to be
    selective and in this instance.
22
                (By Mr. Jiron) But e.g. at least would
```

- mean that it's not limited to carbon?
- A Well, I don't take the e.g. in this
- 3 context as being open ended, meaning it could be
- 4 anything.
- 5 It would have to be carbon or
- 6 something substantially similar to carbon, an
- organic material that had the selectivity to the
- 8 etch that they are going to use subsequent that
- 9 they need to protect from.
- 10 Q So as long as it had the selectivity
- 11 to the etch such that it remained during the
- etch and protected the films below it from etch,
- they would perform the function of the etch
- stopper, correct?
- MR. DAVIS: Objection to form.
- THE WITNESS: Well, I understand that
- it needs to have -- it needs to serve this
- 18 function of stopping the etch.
- 19 It needs to be essentially a different
- 20 material because it has to be selective. It has
- to be selective to the materials described in
- 22 Aoyama and that largely limits it to something

- organic.
- It has to be removable without
- destroying the rest of the device after the fact,
- 4 too, potentially, or -- excuse me -- strike that
- 5 last point.
- It needs to be consistent with all the
- other requirements of the Aoyama invention.
- 8 Q (By Mr. Jiron) Are there other
- 9 materials that would have been known to be etch
- stoppers, for example, in different chemistries,
- 11 etching chemistries, than carbon?
- MR. DAVIS: Objection to form.
- THE WITNESS: Well, there are, and
- it's very interesting that, you know, they point
- out one layer 43, which is silicon nitride, which
- is an etch stop, but they specifically don't point
- 17 it out for 45.
- I take it that silicon nitride, being
- the other common etch stop, doesn't appear that it
- would work here.
- I think if something was carbon or
- 22 substantially carbon, there are related materials

- 1 that have this selectivity to these etch
- 2 chemicals.
- You know, it's along the lines of
- 4 photoresist is resistant. It's essentially
- organic, carbon based, carbon or DLC or sputtered
- 6 carbons. These are all related materials.
- 7 Fluorinated carbon. These are going to be
- 8 resistant to the chemistries that he used in the
- 9 subsequent etch.
- Specifically, they don't suggest
- 11 nitride, even though they suggested it in a
- different application two sentences before.
- Q (By Mr. Jiron) What if an interlayer
- 14 dielectric was diamond like carbon? Would SIO2
- work as an etch stopper?
- A Are you asking me could they use DLC
- 17 **for 45?**
- 18 Q I think just in the more general
- 19 context, that if -- actually, with respect to
- the example in Aoyama, if layer 44 was diamond
- like carbon, could layer 45 be SIO2?
- 22 A I'm not aware of any instance where

- 1 diamond like carbon has been used as an
- interlayer dielectric, much to my chagrin after
- 3 having completed a Ph.D. in related materials.
- It's just not a material that's used for that
- 5 application.
- I can make the general comments that
- 7 carbon based films can be oxidized or burned,
- 8 whereas silicon oxide is already oxidized. You
- 9 can't photooxidize it further.
- 10 So there is some selectivity in that
- sense, but the hypothetical you have drawn is not
- 12 really something I can answer.
- 13 Q Would it be fair to say that the
- function of Aoyama's edge stop layer 45 is to
- protect the underlying interlayer in 44 from
- being etched during the process from forming the
- through hole?
- MR. DAVIS: Objection to form.
- 19 THE WITNESS: The specification
- 20 specifically described at 16, column 16, line 13,
- of 024 Aoyama, that at this time the second
- 22 interlayer insulating film 44 below the stopper

June 30, 2017

```
111
    film 45 is not etched by virtue of the second
2
    stopper film 45, so that's my understanding.
3
                 That's what the patent describes, is
    that the stopper stops the underlying material
    from being etched.
5
6
                (By Mr. Jiron) So you would agree then
7
    that if Grill had a layer that prevented etching
    of the underlying material, this function
9
    described in Aoyama would be met, right?
10
                 Aoyama describes that the stopper is
    a carbon based material.
11
12
                 It wouldn't be Aoyama if it wasn't
13
    using the etch stopper 45.
14
                 If there is another hypothetical on
15
    the table or another combination that wasn't put
16
    forward for me to rebut, I haven't opined on it
17
    yet.
18
                 I guess what I'm wondering is why
19
    did you reach the conclusion that it's necessary
20
    to import etch stopper layer 45 into Grill?
21
                 MR. DAVIS: Objection to form.
22
                 THE WITNESS: Well, Aoyama's invention
```

- includes etch stopper 45, so to import Aoyama is
- 2 to import the etch stopper.
- Q (By Mr. Jiron) Did you consider whether
- 4 Grill has any analogs to etch stopper layer 45?
- 5 MR. DAVIS: Objection to form.
- 6 THE WITNESS: I rebutted the arguments
- 7 put in front of me that I was asked to rebut.
- I don't recall seeing -- there was no
- 9 argument put forward to substitute a material that
- 10 I recall for Aoyama's number 45 etch stopper.
- 11 Q (By Mr. Jiron) So in your opinion that
- one would not widen the contact hole pattern of
- 13 Grill without also including the -- like in
- Aoyama, without also including etch stopper 45,
- which opinion were you rebutting with that
- 16 observation?
- MR. DAVIS: Objection to form.
- THE WITNESS: I was rebutting the
- opinion that Aoyama would be combined with Grill,
- 20 that the steps that Aoyama describes for widening
- the etch pattern would or would not work with
- 22 Grill.

		113
1	Q (By Mr. Jiron) Did you consider whether	
2	the contact hole pattern of Grill could be widened	
3	just like as shown in Aoyama?	
4	MR. DAVIS: Objection to form.	
5	THE WITNESS: What I considered was	
6	using the method or the techniques of Aoyama in	
7	combination with Grill, and my determination was	
8	that the etch stop layer taught by Grill would be	
9	problematic excuse me.	
10	The etch stop layer as taught by	
11	Aoyama, etch stop layer 45, would be problematic	
12	in the context of the Grill technology.	
13	Q (By Mr. Jiron) Why do you need to	
14	import the etch stop layer 45 with Aoyama into	
15	Grill?	
16	A Aoyama expressly describes the need	
17	for an etch stop layer and the use of carbon.	
18	Q Are you suggesting that in instances	
19	where the contact hole pattern is wider than the	
20	wiring groove pattern, that those must be	
21	accompanied by a carbon etch stop layer?	
22	MR. DAVIS: Objection to form.	

114 THE WITNESS: Aoyama teaches that when 1 the contact hole pattern is wider than the groove, 2 that it should be accompanied by a carbon etch stop layer. (By Mr. Jiron) Would you be surprised 5 6 if there were other instances where contact holes wider than the wiring groove included etch stop 7 layers, layers not made of carbon? 9 I would have to look at the specific 10 scenario. 11 Are you aware of any scenarios where 0 12 non carbon etch stops were used in a situation 13 where the contact hole pattern was wider than a 14 wiring groove pattern? 15 MR. DAVIS: Objection to form. 16 THE WITNESS: I can speak in a general 17 The top layer dielectric generally can't 18 be low K that's naked. It generally needs a 19 capping layer so that it's not exposed to moisture when it moves from tool to tool. 21 So one generally sees an oxide on top 22 of an organic or low K dielectric, so one would

```
115
    typically never see something equivalent to 44
2
    nakedly exposed to the environment.
3
                 So that leads -- it's ubiquitous
    essentially that the top is going to be a silicon
5
    oxide of sorts or some sealing material, in which
6
    case carbon is a very nice stop layer because
7
    you're not going to hurt -- you know, things which
    will etch oxide aren't going to hurt carbon or
9
    organic molecule in the same way that it doesn't
10
    harm -- that the resist holds up.
11
                (By Mr. Jiron) So in proposing that the
          Q
12
    combination of Aoyama and Grill would require etch
13
    stop layer 45 from Aoyama to be incorporated into
14
    Grill, did you consider whether Grill already had
15
    an etch stop layer?
16
                 MR. DAVIS: Objection to form.
17
                 THE WITNESS: What I considered was
18
    the importation of Grill as it was -- excuse me,
19
    Aoyama, as it was into Grill.
                (By Mr. Jiron) Meaning importation of
          0
21
    layer 45 into Grill?
22
          Α
                 Yes, as well as --
```

```
116
1
                 MR. DAVIS: Objection to form.
2
    ahead.
3
                 THE WITNESS: I considered the
    importation of the wider feature and the etch
5
    stopper 45 from Aoyama into Grill.
6
                (By Mr. Jiron) Wouldn't it be true if
    Grill already had an etch stop layer, it wouldn't
7
    need to import layer 45?
9
                 MR. DAVIS: Objection to form.
                 THE WITNESS: Well, then that's a
10
11
    detail that Applicants could have put forward for
    me to rebut.
13
                 I'm not aware that there is an etch
14
    stop on top, something referred to as an etch stop
15
    on top of Grill.
                (By Mr. Jiron) So you didn't find an
16
17
    etch stop layer in Grill?
18
                 MR. DAVIS: Objection to form.
19
                 THE WITNESS: Grill doesn't refer to
20
    an etch stop that I recall on the top, but none
21
    the less, it's not -- it's no longer Aoyama if it
22
    doesn't import Aoyama's teaching.
```

```
117
                (By Mr. Jiron) So are you saying you
1
2
     just didn't find something in Grill labeled as an
    etch stop, specifically using that terminology?
                 MR. DAVIS: Objection to form.
5
                 THE WITNESS: There is nothing
6
    described necessarily as an etch stop on top.
7
                (By Mr. Jiron) You understand that
          0
8
    Grill includes two hard mask layers, correct?
9
                 Yes.
          Α
10
                 Wouldn't the hard mask layer
           0
11
    function to stop an etch?
12
                 MR. DAVIS: Objection to form.
13
                 THE WITNESS: Not necessarily. A hard
14
    mask layer is there for lithographic purposes, not
    necessarily as a blanket layer.
15
16
           Q
                (By Mr. Jiron) When you say
17
    lithographic purposes, what do you mean?
18
                 Well, a mask and an etch stop are
19
    similar, but they are not the same.
20
                 How do they differ?
          0
21
                 An etch stop is meant to stop an
22
    etch at the end of an etch.
```

118 1 A lithography feature, a mask, a 2 template, is meant to impart a feature, a shape, into a part through an etch. So both provide etch resistance, 5 correct? 6 MR. DAVIS: Objection to form. THE WITNESS: All materials have some etch resistance, but they are referred to 9 differently and have different functions. (By Mr. Jiron) You said a mask and an 10 Q etch stop are similar. How are they similar? 11 Α They are both involved in the 13 etching process but one is designed to impart a 14 pattern, a feature. The other is designed to -at the start of an etch, the top, an etch stop 15 is a material that is at the bottom of an etch. 16 17 An etch stop also has potentially no 18 need for any optical properties, whereas masks are 19 part of the reflective path of exposure. So in a situation where you have a O 21 hard mask and you are forming a contact hole 22 using the pattern of the hard mask to form the

119 contact hole, do you understand that situation? 2 Generally. Α Would it be fair to say that the function of the mask was to allow the pattern to 5 be transferred in areas where the mask didn't 6 exist? MR. DAVIS: Objection to form. 8 THE WITNESS: I think the general 9 function of a mask or template is to allow selective transfer of feature through selected 10 11 exposure of a chemical. (By Mr. Jiron) So while allowing 13 transfer of the features through the areas where the mask doesn't exist, it would prevent the 14 etching of material below the mask, right? 15 16 MR. DAVIS: Objection to form. 17 THE WITNESS: Well, the hard mask --18 the hard mask has other jobs other than just that.

dielectric constants are also very different

(By Mr. Jiron) But that is one job of

It's one job but it doesn't -- the

19

21

Q

the hard mask?

- between potential materials, whereas nitride is
- a high K, dielectric constant of about eight,
- depending how it's formed.
- 4 Silicon oxide has a constant of about
- 5 four, and DLC is on the order of three, so if the
- 6 material is going to be adjacent to low K
- dielectrics, one can't put a high K material there
- because it would ruin -- it offsets the low K of
- 9 the high K, so it slows down the circuitry.
- 10 Furthermore, the dielectric constant
- is also related to the optical constant by the
- 12 square route, and this comes into play when one is
- exposing, whether or not one reflects light,
- 14 doesn't reflect light, at what frequencies and the
- 15 thicknesses that are allowed in order to make this
- work, so it's not a trivial matter just to
- 17 randomly change the material.
- 18 Q Sure, but what if you didn't change
- 19 the material? What if you relied upon the
- 20 material that was already in Grill?
- Wouldn't it be fair to say that the
- 22 hard mask prevents etching of the underlying

121 dielectric during transfer of the contact hole 2 pattern to that dielectric? MR. DAVIS: Objection to form. THE WITNESS: It would depend on 5 whether it could do it or not, whether it was 6 selective enough, whether it was thick enough, 7 whether it had the right properties. No one put forward a proposal that 9 this would work or analyzed it, so that was not 10 something that I rebutted. 11 (By Mr. Jiron) Okay. So assuming that 0 12 one did select -- assuming that Grill selected an 13 appropriate hard mask to perform the job that you 14 indicated, it would prevent etching of the 15 underlying dielectric during transfer of the 16 content hole pattern to dielectric, right? 17 MR. DAVIS: Objection to form. 18 THE WITNESS: You know, is it possible 19 that they select another material?

Henderson Legal Services, Inc.

I would have -- I can't evaluate

whether it would work or not unless I had the

material and the situation in front of me.

20

21

```
122
1
                 I do know that Aoyama has described
    the material that in his situation works and
    functions as an etch stop.
                (By Mr. Jiron) Actually, I think you
5
    may not have caught what I was asking, so I'll try
6
    to clarify.
                 I actually wasn't suggesting changing
    the material that Grill had. My hypothetical was
9
    take Grill for what it teaches. So Grill has a
10
    hard mask. Do you agree with that?
11
                 MR. DAVIS: Objection to form.
                 THE WITNESS: Grill has what it
13
    describes as hard masks, yes.
                (By Mr. Jiron) And Grill has identified
14
    materials that could be used as that hard mask,
15
    right?
16
17
                Could I see Grill, please?
18
                 I'm handing you what's been marked
19
    as TSMC Exhibit 1005.
                 Yes, Grill has identified materials
          Α
21
    for hard masks.
22
                 Okay. And what are those materials?
```

June 30, 2017

```
123
1
                 In Figure 5 Grill identifies lower
2
    hard mask 506 from silicon nitride and upper
    hard mask 58 from silicon oxide.
                 Are there any other examples of
    materials that Grill identifies for hard masks
5
6
    56 and 58?
                 They identify other materials such
          Α
    as carbon based dielectrics, silicon carbide
9
    dielectrics, polycrystalline silicon, amorphous
10
    hydrogenated silicon and metals.
11
           0
                 So doesn't the fact that Grill
    describes hard masks that include carbon
13
    undercut your opinion that one would somehow
14
    have to import the carbon etch stop layer 45
15
    into Grill?
16
                 MR. DAVIS: Objection to form.
17
                 THE WITNESS: The choice of one
18
    material is affected by the choice of other
19
    materials.
                 Grill cautions extensively against the
21
    exposure of carbon based materials to oxygen
22
    plasmas and ashing.
```

```
124
1
                 I don't take it in Grill that one can
    necessarily put metal in there either without
2
3
    shorting everything out.
                 So given that he's thrown out carbon,
5
    inorganic and metal as possible alternatives, I
6
    understand that one would be required to think
7
    through the problem a bit and figure out, given
    the other choices for materials that one makes,
9
    one would work it out.
10
                (By Mr. Jiron) So given the materials
          0
11
    list that Grill provides and taking into account
12
    the problems you identified, when you say that one
13
    would work it out, one skilled in the art would
14
    understand those issues and know how to
15
    essentially work it out, correct?
16
                 MR. DAVIS: Objection to form.
17
                 THE WITNESS: If there was a solution,
18
    one of skill in the art could find it, but there
19
    may not be a solution.
                 One can't willy-nilly substitute
21
    materials.
22
                 For example, the metal example.
```

125 Nobody, I don't think, off the top of their head would suggest that you put a layer of metal down and leave it there. A layer of metal functioning as a mask left in place would short out the entire 5 circuit. 6 So these are the kind of details that 7 have to be thought through before the combination of different technologies takes place 9 successfully. 10 (By Mr. Jiron) All right. I think now Q 11 would be a good time to take a lunch break. 12 Α Sure. 13 (Recess) 14 0 Could you look at Paragraph 72 of the 1376 declaration? You see that paragraph? 15 16 Α Yes. 17 So this paragraph, in this paragraph 18 you say Dr. Smith himself acknowledged that 19 these multiple layers are used to etch a substrate clean film material using this

Henderson Legal Services, Inc.

Then it continues, "Thus Petitioner's

process.

21

126 expert Smith himself has acknowledged that 2 multiple layers having plus edges (like the multilayer resist in his own text) may be used as a mask." Do you see that? 5 I see that, yes. 6 0 What was the basis for your conclusion that Dr. Smith acknowledged that 7 8 multiple layers having plus edges may be used as 9 a mask in that paragraph? 10 He acknowledges multilayer resist, 11 as I'm sure anybody in the industry would, 12 existed at the time. Multilayer resists are in 13 fact multilayer masks. 14 Where did you find that Dr. Smith 15 acknowledged that the multilayer -- that multilayers having flush edges may be used as a 16 17 mask? Was there any particular place? 18 Let's see. Do we have the exhibits? 19 I've got some cites in here. 0 Sure. Which one are you looking 21 for? 22 Α Exhibit 2010. I believe there's

```
127
    two, and 2017 and 18.
2
                 I will hand you what's been marked
           O
    as IP Bridge Exhibit 2010.
                 I'll also hand you what's been marked
5
    as IP bridge Exhibit 2017.
6
                 Thank you.
                 And next I'll hand you what's been
    marked as IP Bridge Exhibit 2018.
9
                 Thank you. So I cited in my report
10
    to Page 64 at 5 through 8, but also starting
11
    really on 63 in this discussion.
12
                 6321 through 644 describes that the
13
    line control is established with this multilayer
14
    resist.
15
                 The question really starts at 633 and
16
    goes forward. He describes in here, Page 64
17
    through 5, the multilayers in the multilayer
18
    resist, and then that is the multilayer resist, so
19
    clearly there are multiple layers described as
    "control the opening."
21
                 In Exhibit 2018 at page 0033, labeled
22
    657 in the upper right corner page number, also is
```

- a description of multilayer resist applications,
- describes in the first paragraph that tri-level
- 3 resists have demonstrated enhanced resolution
- 4 compared with singular resists, does admit there
- 5 is additional processing which makes it more
- 6 difficult but it acknowledges the benefit of using
- 7 multiple layers in a resist.
- 8 He discusses also trying to do it in
- 9 single layer and essentially equates the method of
- 10 three layers and one layer as both being
- 11 performing the function of the resist, essentially
- 12 the patterning.
- 13 The other reference, 2017, is an
- 14 earlier edition of this which has substantially
- 15 the same information.
- Page 0079, also labeled Page 592,
- describes silicon containing resists for
- 18 multilayer surface imaging for resist
- 19 applications, talks about again the increased
- 20 performance in the ability to accommodate
- 21 difficult applications.
- Q You referred to page 0033 in Exhibit

```
129
     2018. Maybe you could turn back to that page?
2
          Α
                 Yes.
                 Do you see in the first line after
    the sentence "Multilayer resist techniques have
5
    long been used to ease requirements for resist
6
    performance"?
          Α
                 Yes.
                 There is some citations to items 51
9
    through 56?
10
           Α
                 Yes.
11
                 Did you consider any of those
           0
12
    documents in arriving at your opinion?
13
                 I didn't pull these citations, 51
14
    through 56.
15
                 Going back to your 1376 declaration,
    right above Paragraph 72 you have included a
16
17
    figure that's labeled "Tri-layer system." Do
18
    you see that?
19
                 Yes.
                 That's Figure 12.3C from Exhibit IP
           0
21
    Bridge 2017, correct?
22
          Α
                 Yes.
```

June 30, 2017

```
130
1
                 That's Dr. Smith's book entitled
           0
    Microlithography Science and Technology, Second
    Edition?
                 2017 is, yes. You're asking is that
           Α
5
    figure from that?
                       Well, actually I was asking --
6
    I think I had two questions.
8
                 One was Figure 12.3C, is that taken
9
    from Exhibit 2017?
10
                 12.3C is a colorized version from --
11
    sorry, it's shown in 2018. It's shown -- Figure
12
    12.3C is from Exhibit 2018, I believe.
13
           Q
                 Okay.
14
                 We have colorized it here.
                 So the citation in your 1376
15
           O
    declaration, paragraph 71, directed to Figure
16
17
    12.3C, that should refer to Exhibit 2018 instead
    of 2017?
18
19
           Α
                 Yes.
                 And you understand that Figure 12.3C
           0
21
    from Exhibit 2018 represents a tri-layer system,
22
    right?
```

```
131
                 Yes, it does.
2
                 What's your understanding of how a
           0
    tri-layer resist process works?
                 Tri-layer resists essentially break
5
    up the functioning.
6
                 First layer is largely for planarizing
7
    when things are at different heights or
    thicknesses above the surface, causes
9
    complications, so one establishes a first layer
10
    for planarization purposes.
11
                 There is another layer typically
12
    that's a bit more robust and another essentially
13
    optimized for optical properties.
14
                 Is it your belief that a buried
15
    layer with flush edges acts as a mask in a
16
    tri-layer process?
17
                 MR. DAVIS: Objection to form.
18
                 THE WITNESS: By buried layer with
19
    flush edges, you would perhaps be referring to the
    dark green layer in Figure 12-C on the bottom of
21
    the two figures.
22
                 If that is the case, then my
```

132 understanding is all of the multilayer resist acts 2 as the mask. (By Mr. Jiron) Is it your belief that the process in Figure 12.3C described a single etch process? 5 6 MR. DAVIS: Objection to form. THE WITNESS: 12.3C is a tri-layer The mask can be used for whatever purpose 9 is desired. 10 (By Mr. Jiron) Is it your understanding 11 that one of its purposes would be a single etch 12 process? 13 Α It's my understanding that this is a 14 general description of a three layer, a 15 multilayer photoresist mask. 16 A photoresist mask could be used for a 17 single etch process or, depending on materials in 18 the etch properties, multiple etches, if you had 19 two or three materials underneath it and you 20 wanted to etch through all of them. 21 Is it your understanding that what's

Henderson Legal Services, Inc.

represented in Figure 12.3C is representative of

133 an actual process? What's shown in Figure 12.3C --Α 3 MR. DAVIS: Objection to form. Go ahead. 5 THE WITNESS: -- is simply one 6 approach to a multilayer resist formation. 7 O (By Mr. Jiron) I understand, but is 8 that multilayer resist one that in your 9 understanding would be used in a single etch 10 process? 11 MR. DAVIS: Objection to form. 12 THE WITNESS: My understanding, and I 13 thought I answered this question before, is that 14 this is the, or one, approach to a multilayer resist structure that can be used for any desired 15 16 purpose. 17 (By Mr. Jiron) I'll ask a slightly 18 different question. 19 Is it your understanding that Figure 20 12.3C represents a structure that is formed by a 21 single etch process? 22 MR. DAVIS: Objection to form.

```
134
1
                 THE WITNESS: My understanding is that
    one can transfer a pattern through the entire
2
    stack.
                 This is an alternative to, in some
5
    cases, just a singular resist.
6
                (By Mr. Jiron) So looking at Figure
7
    12.3C, could you walk through the steps of the --
    could you take a look -- I'll start over.
9
                 Could you take a look at IP Bridge
10
    Exhibit 2010 and take a look at Page 64 at lines 9
11
    and 10?
              This passage is within the portion cited
12
    where Dr. Smith is talking about Figure 12.3C.
13
    that right?
14
                 Yes, 12.3C is cited.
15
           0
                 And so you see at lines 9 and 10 of
    Page 64, Dr. Smith indicates that there are two
16
17
    etch processes and a develop process involved in
18
    what's depicted in Figure 12.3C, correct?
19
                 MR. DAVIS: Objection to form.
                 THE WITNESS: In the formation of this
21
    multilayer resist, yes.
22
                (By Mr. Jiron) Do you disagree with
```

- what he says there?
- 2 A That's how he's characterizing it.
- Q Could you take a look at page -- do
- 4 you have any reason to believe that Dr. Smith
- 5 has mischaracterized what Figure 12.3C
- 6 represents when he says that there are two etch
- 7 processes and a develop process involved?
- 8 MR. DAVIS: Objection to form.
- 9 THE WITNESS: This is in the context
- 10 of describing the formation of this multilayer
- 11 resist he's asked about. That's how he's
- 12 characterizing it. If that's how he understands
- his illustration to be, then so be it.
- Q (By Mr. Jiron) Do you understand his
- 15 illustration differently?
- 16 A I think there is a difference
- between the questions you're asking and what's
- in his book and testimony here.
- So I am referring to a multilayer
- 20 resist. The deposition question in Exhibit 2010
- is regarding a multilayer resist, so the
- 22 multilayer resist, et cetera, so this is about the

- 1 formation of a multilayer resist.
- 2 Your questions seem to imply that
- they're actually forming the circuitry, but this
- 4 is just the resist that I'm talking about and that
- 5 I think Dr. Smith is talking about and the
- 6 deposition attorney was talking about.
- 7 Q I'm just curious about the statement
- 8 where after Dr. Smith is asked, "So the
- 9 multilayer resist that we're talking about here
- 10 contained the imaging layer the intermediate
- etch stop layer and the plane layer, "he says,
- 12 "There are two etch processes and a develop
- 13 process involved." What's he referring to
- 14 there?
- MR. DAVIS: Objection to form. Go
- ahead.
- 17 THE WITNESS: I understand he's
- referring to the formation of the multilayer
- 19 resist.
- He then says at Page 65, row 3, that
- 21 then would be etched using this process, and then
- he goes on to say at 5, "So this doesn't address

June 30, 2017

- what would be etched underneath. That hasn't been
- 2 etched yet."
- This is just defining the multilayer,
- 4 the multilayer resist, so all this etching
- 5 information is talking about is the multilayer
- 6 resist.
- 7 It's certainly more complicated than
- 9 just spinning on a resist polymer. You know, it's
- 9 almost like processing itself but it allows one to
- image over a fairly uneven surface.
- 11 Q (By Mr. Jiron) Is it your understanding
- that all of the layers in the multilayer resist
- shown in Figure 12.3C would remain during the
- etching of the device layers down the line?
- 15 A Yes, they could. In his book he
- describes that you can image through all of the
- 17 layers.
- 18 There are a lot of variations on this.
- 19 At Page 643 of the 218 he writes -- I'm in the
- 20 first full paragraph, second line -- "Three resist
- 21 layers may be used to allow specific feature
- 22 shaping through the depth of the resist stack,"

- and then he goes on to describe the bottom layer
- and the top coat and the middle layer.
- 3 Q In your answer were you talking
- 4 about imaging or etching?
- 5 A Well, the image can be exposed
- 6 throughout the three layers. The template, if
- you will, the shape.
- 8 0 How about etching? Is that
- 9 something you understand to occur with respect
- to all three layers?
- 11 A Generally the layers are sort of
- 12 divied up into three, one that helps with the
- imaging, one that is chemically very resistant,
- 14 and lastly, on the bottom, one that allows
- planarization.
- So even if the top layer is removed in
- the etching process, you still have the more
- 18 chemically resistant middle layer that would
- 19 survive through the etching process.
- 20 Q I think indeed Dr. Smith testified
- that the top layer wouldn't remain in the actual
- 22 process, right?

```
139
1
                 MR. DAVIS: Objection to form.
2
                 THE WITNESS: He may have.
                                              I don't
    recall off the top of my head. You may want to
    point me to it.
5
                (By Mr. Jiron) Take a look at Page
6
    62 -- I'm sorry, 61, lines 14 through 63 --
    actually let's look more specifically at Page 62,
7
    lines 4 through 14.
9
                 I don't completely agree with your
10
    characterization.
11
          Q
                 Okay.
12
                 It says that the top layer,
13
    essentially the imaging layer, is used only for
14
    imaging and that the etch stop, the middle layer
15
    basically serves the function, as I described
16
    previously, of being robust and resisting
17
    ablation.
18
                 So looking at Page 62, lines 12
19
    through 14, Dr. Smith says, "So it would be
    obvious that what would happen as you do the
21
    oxygen plasma RIE is the resist would be gone."
22
    Do you see that?
```

```
140
1
                 Yes.
2
                 Isn't the resist referring to one of
           0
    the layers shown in Figure 12.3C?
                 MR. DAVIS: Objection to form.
                 THE WITNESS:
                              Okay. I see that.
6
                (By Mr. Jiron) So you would agree then
           Q
7
    that Dr. Smith is saying when you do the oxygen
    plasma RIE the resist is in fact not there any
9
    more?
10
                 In this instance --
11
                 MR. DAVIS: Objection to form.
                 THE WITNESS: In this instance, yes, I
13
    believe he's describing that the imaging layer is
14
    removed in that step.
15
                As I stated earlier, the middle layer
    is the one that provides the robustness in the
16
17
    etch process and that's the one that must survive
18
    the etching.
19
                (By Mr. Jiron) So if the resist is gone
    and it's the middle layer that provides the
21
    robustness, which layer is a buried layer with the
22
    threshold edge functioning as the mask?
```

141 1 MR. DAVIS: Objection to form. 2 THE WITNESS: All three are resist 3 There are different types of resist. layers. It's a multilayer resist. Top layer is there 5 principally, as I said earlier, for optical purposes to enhance imaging. 6 The middle layer is there for chemical robustness to resist etching, and the bottom layer 9 is there to planarize the rough surface. 10 So they are all resists. Together 11 they form a multilayer resist, and each layer has 12 a different function for optimization. 13 (By Mr. Jiron) So of those three layers 14 you identified, which one acts as the mask during 15 etching? 16 MR. DAVIS: Objection to form. 17 THE WITNESS: In this case where they 18 have removed the imaging layer, the remaining 19 portion -- the remaining multilayer resist which would include the planarizing layer shown in dark 21 green in figure -- on page 0043 of my 1376 22 declaration, as well as the layer labeled plasma

142 1 RIE. 2 So he has labeled them as he described in his deposition by how they were made, not necessarily their properties. 5 So they are labeled in his book and in our figure here as plasma RIE and oxygen plasma 7 RIE. (By Mr. Jiron) And which one are you 9 saying is the mask? 10 MR. DAVIS: Objection to form. 11 THE WITNESS: The multilayer resist 12 has, as he's described here, at least two layers 13 remaining that function as a mask, the bottom 14 layer and the middle layer. 15 The bottom layer is there for 16 planarization. It evens out uneven surfaces. And 17 the top layer is there for strength or resistance 18 to the chemical etching process. 19 MR. JIRON: Let's take a quick break, five minutes. 21 (Recess) 22 MR. JIRON: That's all from us.

		143
1	have no more questions.	
2	(Whereupon, at 2:06 p.m., the taking	
3	of the deposition ceased.)	
4	* * *	
5		
6	ACKNOWLEDGMENT OF DEPONENT	
7		
8	I,, do hereby	
9	acknowledge that I have read and examined the	
10	foregoing testimony, and the same is a true, correct	
11	and complete transcription of the testimony given by	
12	me, and any corrections appear on the attached Errata	
13	Sheet signed by me.	
14		
15		
16		
17	(DATE) (SIGNATURE)	
18		
19		
20		
21		
22		

144 1 CERTIFICATE OF REPORTER 2 UNITED STATES OF AMERICA) DISTRICT OF COLUMBIA 4 5 The within and foregoing deposition of the witness, ALEXANDER D. GLEW, Ph.D., P.E., was 6 taken before MARY HOGAN, CSR, at Ropes & Gray, 1900 University Avenue, 6th Floor, East Palo Alto, 7 California, commencing at 8:54 a.m., on the 30th day of June, 2017. 8 The said witness was first duly sworn and was then examined upon oral interrogatories; the questions and answers were taken down in shorthand by the undersigned, acting as Certified 10 Shorthand Reporter; and the within and foregoing is a true, accurate and complete record of all the 11 questions asked of and answers made by the aforementioned witness at the time and place 12 herein referred to. I further certify that present on 13 behalf of Taiwan Semiconductor Manufacturing Company Limited, Petitioner, were Darren M. Jiron, 14 Esquire, and J. Preston Long, Ph.D., Esquire, of Finnegan, Henderson, Farabow, Garrett & Dunner, 15 LLP, and on behalf of Patent Owner, Godo Kaisha IP Bridge 1, was James L. Davis, Esquire, of Ropes & 16 Gray. The signature of the witness was not 17 waived and the deposition was submitted to the deponent as per copy of the attached letter. 18 The undersigned is not interested in the within case, nor of kin or counsel to any of 19 the parties. Witness my signature this July 3rd, 20 2017. 21 MARY HOGAN, CSR NO. 5386 22

	acknowledges	92:6 116:2	analyzed	103:1
A	126:10 128:6	133:4 136:16	104:12 121:9	APPEAL 1:3
a.m 2:9 144:7	ACKNOWLE	Alexander	analyzers	appear 83:5
abbreviation	143:6	1:17 2:1 4:3	35:13	108:19
89:22	acronym 46:15	4:11 5:3,16	and- 3:11	143:12
ability 6:8 16:7 55:2 128:20	acronyms	144:5	answer 7:21	APPEARAN
ablated 106:17	41:19	allow 55:6	64:11 65:15	3:1
ablation	acting 144:9	76:21 81:13	66:9 76:21	appears 95:15
139:17	action 72:13	119:4,9	110:12 138:3	Applicants
able 30:11	actively 75:12	137:21	answered	116:11
57:1 71:8	activity 24:22	allowed 42:5	133:13	application
98:20 103:18	acts 131:15	81:21 120:15	answers 144:9	109:12 110:5
106:16	132:1 141:14	allowing	144:11	applications
above-entitled	actual 10:13	119:12	anybody	128:1,19
2:3	82:18 83:14	allows 48:5	126:11	applicatons
absent 71:22	133:1 138:21	55:18 137:9	Aoyama	128:21
abundant	addendum	138:14	101:12	Applied 11:8
92:12	67:17 74:20	alternative	103:12,15,16	11:10,14
accelerating	74:21	56:12 134:4	103:20,22	12:17 14:7
58:3	addition 29:12	alternatives	104:18,21	16:17,22
acceptance	additional	124:5	105:12 106:1	21:17 28:3,8
22:15	89:14 128:5	Alto 1:14 2:9	107:22 108:7	32:3,10 35:2
accepted 28:9	address 5:13	3:4 144:6	109:20	41:6 43:1,3
accepts 18:14	5:14,15	aluminum	110:21 111:9	63:5
access 16:7	136:22	29:4,6 38:5,6	111:10,12	appointments
47:13	adequate 27:1	38:7,7 40:10	112:1,14,19	13:21
accommodate	adjacent 120:6	59:21,22	112:20 113:3	approach 58:2
21:1 24:3,4	admit 128:4	AMERICA	113:6,11,14	105:16 133:6
128:20	adopted 23:17	144:2	113:16 114:1	133:14
accompanied	aforementio 144:11	amorphous 47:9 60:2	115:12,13,19	appropriate 88:10 103:14
113:21 114:3	ago 67:2 75:12	123:9	116:5,21 122:1	121:13
account	agree 81:10,14	amount 9:9	Aoyama's	approximately
124:11	89:15 93:4	24:6 60:18	100:10,19,21	6:18 13:8
accumulating	111:6 122:10	85:12	100:10,19,21	91:2
55:8	139:9 140:6	amounts 57:2	103:6 104:5	area 15:16
accurate 23:5	agreeing	ampules 42:1	104:15	16:9 45:12
144:10 achieve 88:14	76:22 82:3,5	42:2	105:10,14	92:9 93:10
achieve 88:14 acknowledge	82:6	analog 25:19	110:14	areas 9:1,2,7
143:9	agreement	25:19 101:19	111:22	27:12 32:7
acknowledg	11:1 72:15	104:5,11	112:10	46:11 119:5
125:18 126:1	77:9	analogs 112:4	116:22	119:13
126:7,15	ahead 82:5	analysis 74:17	apologize	argon 55:17
120.7,10			-	
		•	·	1

55:18	70:18	91:22 129:1	better 25:2	break 7:15,16
argument	associated	129:15	39:16 87:11	7:22 25:17
112:9	59:10	bad 87:19	101:10	58:12,18
arguments	assume 6:12	baked 61:4	big 18:22 19:2	100:1 125:11
112:6	7:13 101:19	balance 55:1	20:13 22:2	131:4 142:19
arriving	104:4	ballast 55:19	23:11,20	breaker 21:1
129:12	assuming 94:3	barrier 43:21	27:8 40:7	brevity 41:20
art 40:22 76:13	121:11,12	44:8	bigger 19:2	bridge 1:9 4:9
100:16 106:8	assumption	base 38:1	21:1,2	68:2,20 69:4
124:13,18	90:12 91:12	based 37:11	biggest 18:6	69:15 127:3
artifacts 36:19	91:21	38:15 63:3,6	billion 14:15	127:5,8
59:10	atom 50:19	105:14 109:5	22:16	129:21 134:9
ash 52:20	atomic 51:2,11	110:7 111:11	bit 19:17 67:15	144:15
53:14 62:7	atoms 54:15	123:8,21	73:17 85:6	briefly 75:9
62:22	57:11	basically	124:7 131:12	bromine 29:8
ashing 53:10	attach 18:18	20:13 30:10	BKM 33:13	BS 8:12
53:12 56:5	attached	36:20 40:21	39:10	build 20:2
57:16 63:2	143:12	44:5 45:16	blanket 117:15	27:18 47:10
63:10 123:22	144:17	46:16 48:11	blocks 43:5	building 14:11
asked 23:6	attacks 61:9	49:11 52:20	blueprints	34:4 43:1,5
81:20 112:7	attempt 72:1	57:6 61:16	34:2	45:15 46:20
135:11 136:8	attorney 71:6	63:9 85:21	board 1:3 81:9	built 21:9 24:8
144:11	71:6,8,13	139:15	bond 51:8,9	47:1,2
asking 45:10	136:6	basis 70:17	bonded 50:22	bulb 54:17
66:13 69:3	attorneys	82:2 126:6	57:22	buried 131:14
69:11 73:1	64:16,20	batch 17:10	bonds 50:20	131:18
75:21 76:1,2	78:20 82:15	21:19 22:1,4	51:4,5,6,7,11	140:21
76:4 80:10	82:19	Bay 45:12	51:16	burn 27:8
80:11,17	Avenue 2:8	beat 36:14	book 130:1	52:20 53:14
82:8 109:16	3:4,13 144:6	behalf 3:2,6	135:18	burned 63:8
122:5 130:4	average 10:13	144:13,15	137:15 142:5	110:7
130:6 135:17	aware 104:10	behaving 94:7	bookshelf	burning 63:11
asks 64:10	109:22	belief 131:14	64:15	bus 25:21
aspect 88:14	114:11	132:3	boron 32:16	business 9:7
91:4 103:10	116:13	believe 80:17	41:18	19:20
103:10	awkward 90:1	81:19 97:13	bottom 36:10	buys 60:16
aspects 20:19		103:15	37:14,14,18	
21:3 41:9	<u>B</u>	126:22	78:4,16	<u>C</u>
assemble	B 4:7 66:4	130:12 135:4	105:6 118:16	C 4:1 5:1 29:11
27:17	back 26:12	140:13	131:20 138:1	98:21
assembly	40:13 42:8	benefit 128:6	138:14 141:8	CAD 26:13
19:21	58:19 61:12	best 33:13	142:13,15	79:14
asserting	69:1 72:22	39:10 66:7	box 21:2 79:20	cadre 15:6

[3
calculate	51:6,7,13	141:17	26:21 27:7	42:1 61:19
60:20	52:3,9,10,12	144:17	35:12,14,15	61:22 93:12
calibration	52:21 53:14	cases 10:19	38:4,6,8,18	109:2
59:3	53:19 54:10	27:11 34:10	38:20 42:6	chemistries
California 1:14	54:13 55:10	37:2,3 55:5	42:10 52:19	29:5 56:1,13
2:7,9 3:4	55:15 56:2,3	· · · · · · · · · · · · · · · · · · ·		•
5:17 144:7	,	71:18,21	54:1,1,16,20	108:10,11
call 10:8 21:21	56:13,20	85:11,14,20	85:16	109:8
	57:19 60:2	85:21 86:8	chambers	chemistry
36:9 37:15	64:5 100:21	134:5	16:19,20	35:14 55:5
43:4 47:12	101:13 102:9	cassette 18:16	17:7,14,18	56:6 57:18
59:17 63:10	103:6,10,13	cassettes	18:2,18 19:2	57:18,20
88:22 89:9	103:16	18:14	19:13 20:7	92:13,19
89:11,12	104:16,19	Caterpillar	22:11 23:9	98:15,20
90:2	105:11,12,14	17:2	24:15 25:3	99:8
called 2:2 5:4	105:21 106:3	caught 122:5	25:10 29:18	chill 71:13
22:5 29:10	106:8 107:1	causes 36:18	chance 28:2	chip 40:18
47:9 51:7	107:5,6	131:8	52:7,11	45:19
75:2 87:1,2,2	108:11,21,22	cautions	change 23:12	chips 44:22,22
96:11	109:5,5,7,14	123:20	39:14 61:17	45:22 46:2
calls 65:12	109:21 110:1	ceased 143:3	120:17,18	chlorine 29:8
cap 44:1	110:7 111:11	central 18:12	changed 11:16	choice 61:17
capability 16:6	113:17,21	CEO 15:20	changing	123:17,18
44:7 <u>,</u> 21	114:3,8,12	certain 37:13	122:7	choices 20:14
capacitance	115:6,8	38:12 39:6,7	characteristic	124:8
48:21,22	123:8,12,14	40:7 50:6,15	102:8	chunks 38:13
59:8	123:21 124:4	55:3,20	characteriza	38:17
capacitor	carbons 50:22	60:18,19	8:22 139:10	circuit 125:5
46:14,17,20	51:9 109:6	104:1 105:13	characterize	circuitry 120:9
48:13 59:1	career 8:17	certainly 84:17	15:10 30:18	136:3
60:8	carrier 55:16	88:12 96:17	characterizing	circumvent
capacitors	carry 10:20	100:19 137:7	135:2,12	76:20
46:12 47:1	carrying 24:1	CERTIFICATE	chemical	citation 130:15
47:11 48:20	case 1:12	144:1	11:21 19:9	citations 129:8
58:18 59:11	10:21 28:10	Certified 2:5	21:2 61:8,11	129:13
capping	53:16 59:4	144:9	93:1,2 98:19	cite 72:7
114:19	67:21 71:11	certify 144:12	98:22 119:11	cited 127:9
car 26:9	71:16 72:8	cetera 135:22	141:7 142:18	134:11,14
carbide 123:8	73:18 75:12	CF4 54:10	chemically	cites 126:19
carbon 47:7,8	75:13,14	55:15 56:5,6	40:10 99:7	citing 71:21
47:9 49:17	77:15 80:20	chagrin 110:2	99:17 138:13	clarify 86:9
49:17 50:4,5	82:2,2 91:22	chamber	138:18	102:22 122:6
50:6,9,10,12	96:17 115:6	17:12 18:13	chemicals	clean 18:21
50:19 51:3,4	131:22	19:6 22:2	19:7 27:13	125:20
<u> </u>				

				4
cleaner 69:17	37:12 41:14	complicated	64:1	82:13 121:16
clear 42:11	56:6 108:19	43:15 44:11	consistent	contested
69:2,9 74:10	communicat	67:12 69:6	59:12 71:17	71:21
94:2	76:2,5 80:10 communicat 64:10 65:13 66:11,13	137:7	108:6	context 42:15
clearly 127:19		complications	constant	53:5 67:14
client 38:1		131:9	120:2,4,10	74:18 89:4
71:9		component	120:11	93:18 94:4,6
close 91:8,8 CMP 11:21 40:11,13	70:7 75:21	42:14,14	constants	107:3 109:19
	79:11 80:12	55:15	119:22	113:12 135:9
	companies 9:9	components	construction	continual 41:1
co-developing	45:6,6	18:11	9:12 58:21	continue
49:6	company 1:5	compound	consulted	58:19
coat 138:2	13:22 14:16	57:2 102:18	64:15	continues
colorized	15:19 23:12	compounds	consulting 8:3	125:22
130:10,14	24:1,5 31:12	30:12	8:7 9:9,17	contractor
COLUMBIA	33:10 34:9	compromise	contact 84:5	82:20
144:3	45:18 83:16	52:5	91:15 92:13	contributes
column 94:19	144:13	concerning	92:19 95:1	57:15
94:20 97:4,5	compare	71:15	95:22 96:3	control 27:2
97:16 105:5	52:22	conclusion	96:19 99:1,7	42:5 104:3
105:7,7	compared	111:19 126:7	99:18 103:19	127:13,20
106:1 110:20	128:4	conditions	104:7 112:12	controlling
combination	comparing	39:4,5 55:6	113:2,19	102:2
13:4 29:8	36:20	configuration	114:2,6,13	convention
111:15 113:7	compatible	31:22	118:21 119:1	78:2
115:12 125:7	88:15	configuratio	121:1	conversations
combinations	compelling	28:1	contacted	65:11 72:18
57:17 63:19	71:22	configuring	66:6	conversely
combined	competition	19:21	contacts 85:13	55:22
112:19	39:16	confirm 49:8	92:17,18	cooling 26:1
combining	competitive	confuse	contain 64:5	copper 40:10
100:18 103:5	16:17	102:22	contained	44:1
come 45:2	complete 7:20	consider	136:10	copy 86:13,15
comes 11:1	43:1 143:11	112:3 113:1	containing	144:17
73:19 120:12	144:10	115:14	56:12,19	cord 18:22
coming 35:15	completed	129:11	128:17	core 13:16
commencing	110:3	considered	contaminant	14:19,22
2:9 144:7 comments 110:6	completely 92:8 98:22 139:9	23:11 33:16 113:5 115:17 116:3	28:20 contamination 28:11 38:3,7	15:6,8,13 corner 36:13 78:4 127:22
60:16 common	95:12 complex 63:18	considering 70:13 considers	38:11 content 50:6 57:13,13	corners 36:10 36:13,14 corporate
	•	•	•	•

12:13,14	74:19	customers	66:9 68:22	141:1,16
13:15,17,18	courtroom 6:1	22:14 23:11	69:16 70:7	142:10
13:22 15:1,2	covered 75:19	30:15	70:14,19,21	144:15
15:7,8,11	92:10 98:22	customized	71:3 72:5,14	day 144:7
23:17 24:8,8	covering 92:8	42:2	72:21 73:6	days 26:12
24:10	create 30:4	CVD 11:17,18	73:15 74:3	43:10
corporation	47:15 48:2,5	12:3,6,18,21	74:14 75:18	deadly 27:11
15:3,4 16:1,7	59:7,8,20	13:2,4,9	76:4,10,16	decide 30:18
17:22	60:4	16:11,14,17	77:5,9 79:10	decided 23:13
correct 5:19	created 48:8	16:20 17:17	80:2 81:3,11	declaration
8:4 66:15	60:12 63:7	20:7 22:14	81:22 83:11	4:10 68:15
86:20 88:16	83:14	23:3,6,9,22	86:13,16	68:19,19
89:1 94:8	creates 54:20	24:12,22	87:7,14 89:2	69:3,13,14
96:14 106:3	creating 19:20	25:6,13	89:19 90:22	69:22 70:6,9
107:14 117:8	53:12	28:11 29:19	92:5 95:12	70:16 71:4
118:5 124:15	creation 84:2	29:20 32:13	97:19 98:10	71:12,19
129:21	84:21	38:22 40:4	99:5 101:1,6	73:3,5,5 74:2
134:18	creature 64:4	41:7 54:1	101:14,22	74:13 75:17
143:10	critical 52:18	cycle 106:16	101:14,22	76:8,15,19
corrections	102:10	Cycle 100.10	103:11,21	77:18 79:17
143:12	cross 71:11		104:9,17	80:6 81:5,6
correspond	72:1 88:3,3	D 1:17 2:1 4:3	104.9,17	82:12 83:3
87:22 91:15	91:12	4:11 5:1,3	107:15	83:18,20
corresponds	Cross-Exam	144:5	107.13	100:4,7
91:17	1:16 2:1 5:8	D.C 3:14	110:18	125:15
counsel 2:3	crystal 50:17	damage 86:9	111:21 112:5	129:15
5:4 64:10	51:2,10	damaging	112:17 113:4	130:16
65:13 70:8	crystals 50:16	85:7	113:22	141:22
70:16 72:20	51:14	dangerous	114:15	declarations
73:10 75:22	CSR 2:5 144:6	41:16	115:16 116:1	65:21 67:11
79:11 144:18	144:22	dark 131:20	116:9,18	69:7 72:2
counted 17:17	cubic 50:13,18	141:20	117:4,12	decouple 59:9
country 21:12	curious 136:7	Darren 3:7	118:6 119:7	decouple 59.9
couple 6:21	currently 8:2	144:13	119:16 121:3	deeper 39:15
17:16 44:2	9:13	darren.jiron	121:17	defining 137:3
course 22:10	customary	3:11	122:11	deformity
22:12,19	89:16	DATE 143:17	123:16	38:16
26:19 27:10	customer 21:7	David 5:16	124:16	defunct 16:16
32:15 42:9	31:17 32:1	Davis 3:3	131:17 132:6	degrees 54:18
44:17 55:16	33:13 34:10	56:14,21	133:3,11,22	54:18
60:1	34:13 37:21	62:10,17	134:19 135:8	deliver 33:11
court 6:22	39:12,13,18	63:16 64:9	136:15 139:1	42:6
67:21 72:4	40:16	64:18 65:11	140:4,11	delivery 19:9
	<u> </u>	<u> </u>	<u> </u>	<u> </u>

				0
.1 04 40 00	5400040	07.40.04.4	04.40.05.4	104 0 45 40
demo 31:19,20	54:22 64:8	27:19 31:1	24:13 25:4	121:2,15,16
32:2	75:10 135:20	31:17 34:1	29:16,18	dielectrics
demonstrated	136:6 142:3	42:8 46:1	30:16 32:18	32:9,14 47:3
128:3	143:3 144:5	104:20	33:3,5,7	47:5 49:4,15
demonstrati	144:17	designed	34:17 39:20	120:7 123:8
30:14	depositions	24:13 37:2	61:5 72:19	123:9
demonstrati	6:13	118:13,14	developing	differ 117:20
22:13,15	depth 88:14	designing	19:16 22:11	difference
demos 31:17	103:14 104:1	10:5 33:21	23:3 24:19	57:8 135:16
31:18 32:2	104:3 137:22	42:1,3 43:1	32:8 33:18	different 11:14
depend 102:3	describe 28:5	45:21	34:19 41:7	17:17 18:4
121:4	60:11 70:5	desirable	47:4 49:3	19:12 21:10
depending	73:1 138:1	84:19	67:9	33:1 37:7,8
31:11 54:6	described	desired 36:20	development	39:9 43:18
120:3 132:17	33:19 78:19	37:9 39:22	34:11	43:19 44:12
depends 10:1	80:19 96:20	132:9 133:15	device 25:11	44:13 48:17
91:9	97:21 101:15	destroying	91:7,7	52:15 53:10
depicted 96:13	107:21	108:3	101:13,20	54:2 55:4,5
134:18	110:20 111:9	detail 20:18	108:3 137:14	59:7,8,11,11
depicting 87:6	117:6 122:1	26:11 87:18	devices 43:2	61:21,22
95:19	127:19 132:4	116:11	45:15 47:18	63:19 77:22
deponent	139:15 142:2	detailed 33:21	diamond 47:7	85:12,13,13
143:6 144:17	142:12	details 71:4	47:8 49:16	107:19
deposed 6:17	describes	125:6	49:17 50:4,5	108:10
deposit 20:8	103:16	determination	50:6,9,10,11	109:12 118:9
29:21 30:4	104:19	113:7	50:13,16,18	119:22 125:8
30:11 43:11	105:12 111:3	determine	50:18 51:3	131:7 133:18
47:16,16	111:10	28:19 46:19	51:13,20	141:3,12
48:7,10,11	112:20	48:21 99:2,8	52:3,4,8,9,12	differently
49:19 52:5	113:16	determines	53:19 55:9	118:9 135:15
54:7 55:3,3,9	122:13	49:1 93:19	56:2,3,13,20	difficult 30:6
55:18	123:12	93:20 94:4,5	57:19 109:14	40:12,13,15
deposited	127:12,16	determining	109:20 110:1	51:20 84:15
20:8 30:8	128:2,17	93:13	dielectric 38:9	128:6,21
32:20,21,22	137:16	develop 18:1	43:12,16,20	digital 25:20
38:19 51:19	describing	32:13 39:18	43:21 46:22	25:20
52:1,6	135:10	41:10 47:17	47:3 48:12	dilute 57:2,21
depositing	140:13	47:20 61:6	49:1,4,8,19	dimension
49:16 54:5	description	134:17 135:7	59:13 60:1,8	59:3
55:13	128:1 132:14	136:12	109:14 110:2	dimensional
deposition	design 8:16	developed	114:17,22	26:13 79:7
6:12 43:16	10:4 20:18	16:19 17:5	119:22 120:2	88:2
43:17 54:3	26:7,12,15	18:4,8 23:7	120:10 121:1	dioxide 32:9
	, , ,	,		
	<u> </u>	<u> </u>	l	<u> </u>

Henderson Legal Services, Inc.

,	•

32:19 95:5	divide 9:6	45:19	106:22 107:2	20:11
96:16	divide 9.0 divied 138:12	doped 20:8	earlier 6:11	elevate 81:9
direct 71:4,19	divine 87:16	32:16	66:16 90:17	ellipsometers
72:2 80:20	division 11:17	doping 41:18	128:14	35:8
80:22 81:4,7	11:18,18,20	double 51:7,8	140:15 141:5	embodiment
directed	11:21 12:1,2	dovetails 8:21	early 43:10	104:12,13
130:16	12:19,22	dozen 43:19	ease 129:5	employed 8:2
directly 48:15	14:3,4,6,18	Dr 5:10 65:19	easier 52:5	ended 19:18
75:18 80:3	14:21 15:1	86:18 94:12	East 2:8 3:4	20:22 21:8
80:20	15:11 16:3,5	125:18 126:7	144:6	21:12 107:3
dirty 18:20	16:11 17:5,6	126:14 130:1	easy 51:18	ends 95:14
disagree 76:4	18:1 21:15	134:12,16	edge 100:11	endure 106:16
81:22 134:22		135:4 136:5	104:5 110:14	
	21:17,19 22:3,10,21	136:8 138:20	140:22	energy 54:6 55:1
disappeared 63:8	· · · · · · · · · · · · · · · · · · ·			
	23:2,3 24:1,4 25:6	139:19 140:7	edges 36:22	engage 34:16 34:21
discloses 103:12	divisional 14:1	drafts 75:15 77:12	126:2,8,16	_
	divisional 14:1	draw 26:4 61:1	131:15,19 edition 128:14	engaged 10:19 engineer 8:11
discussed				. •
82:13 83:12	11:14,15,16	drawing 81:4	130:3	27:6 32:4,8
discusses	12:5,15	drawings	effect 28:14,19	32:12 41:5
128:8	13:13,19	19:21	effects 28:10	58:1
discussion	14:14 15:4	drawn 72:15	59:9	engineer/sy
58:19 70:11	16:3,4,6 17:6	91:11 92:18	efforts 53:7	32:12
104:21	22:17 24:9	93:3,5 94:6	eight 85:2,7,17	engineering
127:11	DLC 53:22	110:11	120:2	8:3,13,14,15
discussions	54:9,10 60:2	drew 81:2	either 15:18	9:8 10:15
72:20	109:5,16	Drive 3:9 5:17	35:9 36:18	11:6 20:1
dispense	120:5	drop 82:6,8	38:10,18	21:8 23:1
60:17	doctoral 46:5	dry 53:1,2,4,9	51:21 54:7	45:14
dispensed	doctrine 71:6	62:1,6,9,16	55:2 60:7	engineers
61:1	document	62:19 88:6	61:18 78:20	29:18
dispenses	68:11,14	88:11 95:6	84:12 87:19	enhance 141:6
60:18	69:11 76:3	due 99:6	124:2	enhanced
disperses 61:2	76:13,15	duly 2:5 5:5	electrical	128:3
display 9:6	77:13 94:12	144:8	25:18 84:4	enormous
displays 14:8	94:14	Dunner 3:8,13	electrode 59:2	26:6
dissertation	documents	144:14	60:7	entire 44:7
46:5	64:13 65:7,7	E	electrodes	125:4 134:2
distinction	65:22,22		46:17 59:2,7	entitled 130:1
82:1	129:12	E4:1,7 5:1,1	59:8,14,21	entity 12:14
distribute 31:2	doing 29:19	29:11,11	59:22	environment
district 67:2	44:4 90:18	66:4	electron 35:3	105:22 115:2
74:19 144:3	dollar 22:16	e.g 106:3,5,11	element 20:10	environments

	-	
•		

55:10 equipment equipment estimate 74:1 et al. 104:15,19 apuipment 96:15 10:16,15 apuipment 43:6,144 44:4 44:15 apuipment 43:6,184 44:4 44:4 44:15 apuipment 43:6,18 13:22 etch 11:17,18 apuipment 43:6,18 13:4 apuipment 44:15 apuipment 44:14 apuipment 44:15 apuipment 44:14 apuipment 44:15 apuipment 44:15 apuipment 44:14 apuipment					8
equates 128:9 equipment etch 11:17,18 106:15 107:8 111:1,5 44:15 exact 73:20 exactly 38:7 acactly 38:7 91:6 exactly 38:7 91:6 examination examination examination 22:2 4:3 35:22 23:35 91:6 examination 24:13 91:	55.40	24:	104:45 40	00:45 440:40	40.0 44 44.4
equipment etch 11:17,18 106:15 107:8 136:21 137:1 exact 73:20 exactly 38:7 8:16,18,18 12:6,18 13:4 10:7:11,12,12 137:2 etches 40:6,13 exactly 38:7 10:8 21:13 21:15,17,18 109:1,9,15 59:10 85:11 examination 28:18 31:10 22:3,14 23:2 109:1,9,15 59:10 85:11 22:4:3 35:22 33:7,8,10,11 24:2,14,15 112:1,2,4,10 85:20 132:18 27:12 72:2 33:15 34:7,8 24:18,19,22 112:14,21 28:3,5 36:19 28:15 143:9 34:12 35:17 25:2,6,7,10 113:8,10,11 37:8 38:5,5 14:8 44:16,18,22 26:5 27:6 113:14,17,21 39:4,5 40:2,9 28:15 143:9 46:2 47:19 29:3,6,14,20 115:8,12,15 53:4,9,9,11 36:22 37:5 117:36,11 54:22 56:4,6 52:7 73:4 equivalent 29:21 30:3 116:14,7,20 56:20 78:14 93:9 105:5 17:10 115:1 30:13 35:19 117:22 118:3 90:9 104:1 106:16,20 29:17 43:16,17 118:17,21 118:17,17,18 106:16,20	I		7		· ·
8:16,18,18 12:6,18 13:4 107:11,12,12 137:2 exactly 38:7 91:6 8:22 10:4,4,7 21:15,17,18 108:11:3 40:14 54:13 91:6 91:14 91:6 91:14 91:6 91:14 91:2 91:3 91:14 91:12 91:2 91:13 91:14 91:12 91:12 91:12 91:12 91:15 91:15 91:15 91:12 91:12 91:12			7	•	
8:22 10:4,4,7 13:9 17:6 107:13,18 etches 40:6,13 91:6 28:18 31:10 22:3,14 23:2 108:9,16,19 59:10 85:11 22:2 4:3 35:22 31:13,14,15 23:9,13 24:1 111:13,20 85:20 132:18 2:2 4:3 35:22 33:7,8,10,11 24:2,14,15 112:1,2,4,10 85:20 132:18 etching 4:17 28:15,129 examined 5:6 34:12 35:17 25:2,6,7,10 113:8,10,11 37:8 38:5,5 38:5,5 38:5,5 28:15 143:9 example 11:2 28:15,20 28:15,20 115:8,12,15 39:4,5 40:2,9 example 11:2 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 29:4 28:7 3:4 99:90 29:10 39:9 105:5 27:7 3:4 99:90 29:10 39:9 105:5 27:7 3:4 99:90 90:55 17:12 11:17 89:13,18 108:10 109:20 20:22 20:27 3:4 93:9 105:5 106:16,20 20:22 20:22 20:22 20:22 20:22 20:22 20:22	· ·	,			
10:8 21:13 21:15,17,18 108:9,16,19 40:14 54:13 examination 28:18 31:10 22:3,14 23:2 109:1,9,15 85:20 132:18 7:12 72:2 33:7,8,10,11 24:2,14,15 112:1,2,4,10 28:3,5 36:19 7:12 72:2 33:15 34:7,8 24:18,19,22 113:8,10,11 28:3,5 36:19 37:8 38:5,5 34:12 35:17 26:5 27:6 113:14,17,21 39:4,5 40:2,9 28:15 143:9 45:8,9,17 28:11,13,14 114:3,7,12 40:10 53:1,2 28:7 29:4 46:2 47:19 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 91:9 29:3,6,14,20 116:14,17,20 56:20 78:14 52:7 73:4 equivalent 29:21 30:3 117:18,21,5 59:13,18 106:5,7,12 17:10 115:1 30:11 35:19 117:3,6,11 89:13,18 108:10 92:17 38:3,3 39:3,6 117:22 118:3 90:9 104:1 90:9 104:1 92:17 31:2 144:14 53:18,18 125:19 132:5 120:22 2examples 12:14 24:14 53:18,18 133:21	1	· ·	7		_
28:18 31:10 22:3,14 23:2 109:1,9,15 59:10 85:11 2:2 4:3 35:22 71:12 72:2 33:7,8,10,11 24:2,14,15 111:13,20 85:20 132:18 ctching 4:17 28:3,5 36:19 28:15 143:9 28:14:18 28:15 143:9 28:15 143:9 28:1	II ' '		,	· · · · · · · · · · · · · · · · · · ·	
31:13,14,15 23:9,13 24:1 111:13,20 85:20 132:18 71:12 72:2 examined 5:6 33:7,8,10,11 24:2,14,15 112:1,2,4,10 28:3,5 36:19 28:15 143:9 28:15 143:9 28:15 143:9 28:15 143:9 37:8 38:5,5 144:8 example 11:2 28:15 143:9 28:15 143:9 37:8 38:5,5 144:8 example 11:2 28:7 29:4 33:6 37:10 39:4,5 40:2,9 40:10 53:1,2 28:7 29:4 33:6 37:10 33:6 37:10 33:6 37:10 33:6 37:10 33:6 37:10 33:6 37:10 33:6 37:10 33:6 37:10 33:6 37:10 55:22 56:4,6 52:7 73:4 93:9 105:5 33:6 37:10 33:6 37:10 55:22 56:4,6 52:7 73:4 93:9 105:5 33:6 37:10 55:22 56:4,6 52:7 73:4 93:9 105:5 117:12,211 85:6 88:7,16 106:5,7,12 85:6 88:7,16 106:5,7,12 106:16,20 124:22,22 examples 123:4 123:4 123:4 42:12,22 22:22 examples 123:4 123:4 138:13,14,15 138:13,14,15 138:13,14,15 138:13,14,15 138:13,14,15 138:13,14,15 138:13,14,15 138:14		· · ·	, ,		
33:7,8,10,11 24:2,14,15 112:1,2,4,10 etching 4:17 28:3,5 36:19 28:15 143:9 34:12 35:17 25:2,6,7,10 113:8,10,11 28:3,5 36:19 28:15 143:9 44:16,18,22 26:5 27:6 113:14,17,21 37:8 38:5,5 28:15 143:9 45:8,9,17 28:11,13,14 114:3,7,12 40:10 53:1,2 28:7 29:4 46:2 47:19 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 equivalent 30:1 35:19 117:3,6,11 55:20 78:14 93:9 105:5 17:10 115:1 30:1 35:19 117:18,21,22 56:20 78:14 93:9 105:5 erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:48,11 106:16,20 124:22,22 errors 8:14 42:17,21,21 118:15,15,16 108:11 111:7 108:11 111:7 128:13 123:4 exception 45:4		,	, ,		
33:15 34:7,8 24:18,19,22 112:14,21 28:3,5 36:19 28:15 143:9 34:12 35:17 25:2,6,7,10 113:8,10,11 37:8 38:5,5 144:8 44:16,18,22 26:5 27:6 113:14,17,21 39:4,5 40:2,9 144:8 45:8,9,17 28:11,13,14 114:3,7,12 40:10 53:1,2 28:7 29:4 46:2 47:19 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 equivalent 29:21 30:3 116:14,17,20 56:20 78:14 93:9 105:5 17:10 115:1 30:11 35:19 117:36,11 85:6 88:7,16 106:5,7,12 erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:14,8,11 106:16,20 124:22,22 Errata 143:12 47:17,21,21 118:17 122:3 118:13 122:4 22:42,22 excape 44:1 48:1,3,4 123:14 119:15 22:22 22:22 22:22 22:22 22:22 22:22 22:22 22:22 22:22 22:22 22:22 22:22 22:22		· ·	,		
34:12 35:17 25:2,6,7,10 113:8,10,11 37:8 38:5,5 144:8 44:16,18,22 26:5 27:6 113:14,17,21 39:4,5 40:2,9 example 11:2 45:8,9,17 28:11,13,14 114:3,7,12 40:10 53:1,2 28:7 29:4 46:2 47:19 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 91:9 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 equivalent 29:21 30:3 116:14,17,20 56:20 78:14 93:9 105:5 17:10 115:1 30:11 35:19 117:3,6,11 85:6 88:7,16 52:7 73:4 erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:4,8,11 106:16,20 124:22,22 errors 8:14 47:17,21,21 118:17 122:3 118:13 109:20 escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 esquire 3:3,7 52:11 53:8 132:20 133:9 137:14 138:4 exception 45:4 espentially 56:1,5,13 133:17,10 134:17 135:6	II ' ' '				
44:16,18,22 26:5 27:6 113:14,17,21 39:4,5 40:2,9 example 11:2 45:8,9,17 28:11,13,14 114:3,7,12 40:10 53:1,2 28:7 29:4 91:9 29:3,6,14,20 115:8,12,15 53:4,9,9,11 33:6 37:10 equivalent 29:21 30:3 116:14,17,20 56:20 78:14 93:9 105:5 17:10 115:1 30:11 35:19 117:3,6,11 85:6 88:7,16 93:9 105:5 erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:48,11 106:16,20 124:22,22 errata 143:12 43:16,17 118:15,15,16 108:11 111:7 109:20 errors 8:14 47:17,21,21 118:17 122:3 118:13 123:4 exception 45:4 escape 44:1 48:1,3,4 123:14 139:15 137:14 138:4 123:4 exception 45:4 essentially 56:1,5,13 133:21 133:21 138:8,17,19 136:41138:4 142:18 excuse 62:21 109:4 115:4 58:3,7,8 136:11,12 142:18 exhibit 49:12 exhibit 49:12 exhibit 49:12 exhibit 49:12 exhibit 49:1	II '	· · ·	,	,	
45:8,9,17 28:11,13,14 114:3,7,12 40:10 53:1,2 28:7 29:4 46:2 47:19 29:3,6,14,20 115:8,12,15 53:4,9,9,11 33:6 37:10 91:9 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 equivalent 29:21 30:3 116:14,17,20 56:20 78:14 93:9 105:5 17:10 115:1 30:11 35:19 117:18,21,22 89:13,18 106:5,7,12 erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:14,8,11 106:16,20 124:22,22 Errata 143:12 43:16,17 118:17,122:3 118:13 123:4 escape 44:1 48:1,3,4 123:14 119:15 examples Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 137:14 138:4 42:14 144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 115:18 excerpt 70:22 excerpt 70:22 excerpt 70:22 exceutive 15:19 91:22 92:3 140:18 141:8 exceutive 15:19 15:19			, ,	· ·	
46:2 47:19 28:15,20 115:8,12,15 53:4,9,9,11 33:6 37:10 91:9 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 equivalent 29:21 30:3 116:14,17,20 56:20 78:14 93:9 105:5 17:10 115:1 30:11 35:19 117:3,6,11 85:6 88:7,16 106:5,7,12 erode 30:7 36:2 37:5 117:18,21,22 89:13,18 108:10 92:17 39:9 40:4,13 118:4,8,11 106:16,20 124:22,22 errors 8:14 47:17,21,21 118:15,15,16 108:11 11:7 18:13 123:4 escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 exception 45:4 essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 15:19 94:9 100:13 84:13,14,15 139:14 142:18 executive 10:4:15:19 85:12,66,17 91:22 92:3 exhausts 26:9 </td <td>44:16,18,22</td> <td></td> <td>113:14,17,21</td> <td>· ·</td> <td>example 11:2</td>	44:16,18,22		113:14,17,21	· ·	example 11:2
91:9 29:3,6,14,20 116:4,7,13 54:22 56:4,6 52:7 73:4 equivalent 29:21 30:3 116:14,17,20 56:20 78:14 93:9 105:5 17:10 115:1 30:11 35:19 117:3,6,11 85:6 88:7,16 106:5,7,12 erode 30:7 36:2 37:5 117:18,21,22 89:13,18 108:10 92:17 39:9 40:4,13 118:48,11 106:16,20 124:22,22 Errata 143:12 43:16,17 118:15,15,16 108:11 111:7 examples errors 8:14 47:17,21,21 118:17 122:3 118:13 123:4 exception 45:4 esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 excure 70:22 excure 70:22 excure 62:21 14:14:14,15 54:1,5,8 55:7 133:21 138:8,17,19 115:18 excure 62:21 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 executive 57:16 63:6,7 58:3,7,8 136:11,12 142:18 exhel 42:20 exhe	45:8,9,17		114:3,7,12	•	28:7 29:4
equivalent 29:21 30:3 116:14,17,20 56:20 78:14 93:9 105:5 17:10 115:1 30:11 35:19 117:3,6,11 85:6 88:7,16 106:5,7,12 erode 30:7 36:2 37:5 117:18,21,22 89:13,18 108:10 erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:4,8,11 106:16,20 124:22,22 errors 8:14 43:16,17 118:15,15,16 108:11 111:7 examples escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 exception 45:4 escape 44:1 53:18,18 132:11,17,18 138:8,17,19 115:18 essentially 56:1,5,13 133:21 138:8,17,19 115:18 essentially 57:7,9,15,19 134:17 135:6 140:18 141:8 exceutive 57:16 63:6,7 85:3,7,8 136:11,12 142:18 exhausts 26:9 94:9 100:13 85:12,16,17 85:1,3,5,10 etchant 90:15 e		28:15,20	115:8,12,15	53:4,9,9,11	
17:10 115:1 30:11 35:19 117:3,6,11 85:6 88:7,16 106:5,7,12 erode 30:7 36:2 37:5 117:18,21,22 89:13,18 108:10 92:17 39:9 40:4,13 118:4,8,11 106:16,20 124:22,22 Errata 143:12 43:16,17 118:15,15,16 108:11 111:7 examples errors 8:14 47:17,21,21 118:17 122:3 118:13 123:4 examples Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 exception 45:4 exception 45:4 escape 44:1 53:18,18 132:11,17,18 121:14 137:4 exception 45:4 exception 45:4 escape 14:1 53:18,18 132:11,17,18 121:14 137:4 exception 45:4 exception 45:4 espentially 56:1,5,13 133:21 138:8,17,19 115:18 exceutive 102:1 107:19 57:7,9,15,19 134:17 135:6 140:18 141:8 15:19 executive 109:4 115:4 85:12,16,17 etchant 90:15 etchant 90:15 etchant 90:15 etchant 90:15 etchal 42:20 exhibit 4:9,12 4:16 6	91:9		116:4,7,13	54:22 56:4,6	
erode 30:7 36:2 37:5 117:18,21,22 89:13,18 108:10 erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:4,8,11 106:16,20 124:22,22 examples Errata 143:12 43:16,17 118:15,15,16 108:11 111:7 examples 123:4 examples 123:4 exception 45:4 excuse 62:21 118:13 13:14 137:14 133:4 138:8,17,19 138:8,17,19 115:18 excuse 62:21 115:18 exception 45:4 excuse 62:21 115:18 exception 45:4 exception 45:4 exception 45:4 exception 45:4 exception 45:4	equivalent	29:21 30:3	116:14,17,20	56:20 78:14	93:9 105:5
erodes 92:16 38:3,3 39:3,6 117:22 118:3 90:9 104:1 109:20 92:17 39:9 40:4,13 118:4,8,11 106:16,20 124:22,22 examples Errata 143:12 43:16,17 118:15,15,16 108:11 111:7 examples errors 8:14 47:17,21,21 118:17 122:3 118:13 123:4 examples escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 exception 45:4 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 exception 45:4 exception 45:4 Esquire 3:3,7 52:15,8 55:7 132:20 133:9 137:14 138:4 138:8,17,19 15:18 excutive essentially 56:1,5,13 133:21 138:8,17,19 15:18 executive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 exhausts 26:9 exhausts 26:9 exhausts 26:9 exhausts 26:9 exhibit 4:9,12 4:16 68:1,2 exhibit 4:9,12 4:16 68:1,2 69:15 78:5 </td <td>17:10 115:1</td> <td>30:11 35:19</td> <td>117:3,6,11</td> <td>85:6 88:7,16</td> <td>106:5,7,12</td>	17:10 115:1	30:11 35:19	117:3,6,11	85:6 88:7,16	106:5,7,12
92:17 39:9 40:4,13 118:4,8,11 106:16,20 124:22,22 examples errors 8:14 47:17,21,21 118:17 122:3 118:13 123:4 exception 45:4 except 70:22 exceute 62:21 115:18 115:18 115:18 121:14:13:14 13:14:13:14 141:15 15:19 115:18 140:18 executive 15:19 exhausts 26:9 exhibit 4:9,12	erode 30:7	36:2 37:5	117:18,21,22	89:13,18	108:10
Errata 143:12 errors 8:14 43:16,17 118:15,15,16 108:11 111:7 examples escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 excerpt 70:22 3:12 144:14 53:18,18 132:11,17,18 121:14 137:4 excuse 62:21 144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 excutive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 94:9 100:13 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 122:11 131:4 86:6 87:9 99:1,8,17,20 ethol 41:13 evaluate 9:10 68:20 69:4 139:13 90:18,19,20 etchants 93:12 105:19 69:15 78:5 15:21 93:6 96:13 38:18 40:11	erodes 92:16	38:3,3 39:3,6	117:22 118:3	90:9 104:1	109:20
Errata 143:12 errors 8:14 43:16,17 118:15,15,16 108:11 111:7 examples escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 excerpt 70:22 3:12 144:14 53:18,18 132:11,17,18 121:14 137:4 excuse 62:21 144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 excutive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 94:9 100:13 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 122:11 131:4 86:6 87:9 99:1,8,17,20 ethol 41:13 evaluate 9:10 68:20 69:4 139:13 90:18,19,20 etchants 93:12 105:19 69:15 78:5 15:21 93:6 96:13 38:18 40:11	92:17		118:4,8,11	106:16,20	124:22,22
errors 8:14 47:17,21,21 118:17 122:3 118:13 123:4 escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 excerpt 70:22 excerpt 70:22 excuse 62:21 3:12 144:14 53:18,18 132:11,17,18 121:14 137:4 excuse 62:21 108:4 113:9 144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 115:18 essentially 56:1,5,13 133:21 138:8,17,19 115:18 excutive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 exhausts 26:9 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 exhibit 4:9,12 exhibit 4:9,12 128:11 131:4 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 69:15 78:5 139:13 90:18,19,20 etched 29:1,20 evaluated 83:1,7,20 exens 142:16 evens	Errata 143:12	43:16,17	118:15,15,16	108:11 111:7	· ·
escape 44:1 48:1,3,4 123:14 119:15 exception 45:4 Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 excerpt 70:22 3:12 144:14 53:18,18 132:11,17,18 121:14 137:4 excuse 62:21 144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 excutive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 102:1 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 evaluate 9:10 68:20 69:4 131:12 88:11 90:9 99:1,8,17,20 105:19 69:15 78:5 139:13 90:18,19,20 30:8,8 35:21 105:17 86:11,12,19 established 100:22 38:18 40:11 eventu	errors 8:14	47:17,21,21	7	118:13	-
Esquire 3:3,7 52:11 53:8 125:19 132:5 120:22 excerpt 70:22 3:12 144:14 53:18,18 132:11,17,18 121:14 137:4 108:4 113:9 144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 executive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 102:1 107:19 85:12,16,17 etchant 90:15 ethel 42:20 exhibit 4:9,12 128:11 131:4 86:6 87:9 91:22 92:3 evaluate 9:10 68:20 69:4 139:13 90:18,19,20 etchats 93:12 121:20 79:16 82:11 139:13 90:19,12,5 30:8,8 35:21 105:17 86:11,12,19 established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 1	escape 44:1	, ,		119:15	exception 45:4
3:12 144:14 53:18,18 132:11,17,18 121:14 137:4 excuse 62:21 144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 executive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 94:9 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 4:16 68:1,2 132:11 131:4 86:6 87:9 99:1,8,17,20 68:20 69:4 139:13 90:18,19,20 etchants 93:12 121:20 79:16 82:11 15:21 93:6 96:13 38:18 40:11 eventuated 83:1,7,20 15:19 94:11 105:2 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21		, ,	125:19 132:5		-
144:14,15 54:1,5,8 55:7 132:20 133:9 137:14 138:4 108:4 113:9 essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 executive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 102:1 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 evaluate 9:10 68:20 69:4 139:13 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 139:13 90:18,19,20 etched 29:1,20 evaluated 83:1,7,20 establishe 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 established 100:22 30:8,8 35:21 105:17 94:11 105:2 establishes 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 establishes 103:7,10,13 90:7 91:2 17					-
essentially 56:1,5,13 133:21 138:8,17,19 115:18 18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 executive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 102:1 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 exhibit 4:9,12 124:15 128:9 85:22 86:1,3 91:22 92:3 evaluate 9:10 68:20 69:4 139:13 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 139:13 90:18,19,20 etched 29:1,20 evaluated 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 105:17 94:11 105:2 established 100:22 52:13,16 evens 142:16 evens 142:16 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4		,			
18:19 48:19 57:7,9,15,19 134:17 135:6 140:18 141:8 executive 57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 102:1 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 exaluate 9:10 68:20 69:4 128:11 131:4 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 30:8,8 35:21 105:17 86:11,12,19 establish 90:21 91:2,5 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22	II '				
57:16 63:6,7 58:3,7,8 136:11,12 141:15 15:19 94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 102:1 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 4:16 68:1,2 124:15 128:9 85:22 86:1,3 91:22 92:3 evaluate 9:10 68:20 69:4 131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 established 100:22 38:18 40:11 eventually 94:11 105:2 establishes 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22				, ,	
94:9 100:13 84:13,14,15 139:14 142:18 exhausts 26:9 102:1 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 4:16 68:1,2 128:11 131:4 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 evaluated 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 15:21 93:6 96:13 38:18 40:11 eventually 94:11 105:2 established 100:22 52:13,16 eventually 122:19 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 49:14 127:13 103:7,10,13 90:7 91:2 17:21 18:9 128:22					
102:1 107:19 85:1,3,5,10 140:17 ethel 42:20 exhibit 4:9,12 109:4 115:4 85:12,16,17 etchant 90:15 ethol 41:13 4:16 68:1,2 124:15 128:9 85:22 86:1,3 91:22 92:3 evaluate 9:10 68:20 69:4 128:11 131:4 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 evaluated 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 49:14 127:13 103:7,10,13 90:7 91:2 17:21 18:9 128:22			· · · · · · · · · · · · · · · · · · ·		
109:4 115:4 85:12,16,17 etchant 90:15 4:16 68:1,2 124:15 128:9 85:22 86:1,3 91:22 92:3 68:20 69:4 128:11 131:4 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 86:11,12,19 15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22					
124:15 128:9 85:22 86:1,3 91:22 92:3 evaluate 9:10 68:20 69:4 128:11 131:4 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22		1			· ·
128:11 131:4 86:6 87:9 99:1,8,17,20 105:19 69:15 78:5 131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 86:6 17 86:11,12,19 15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22					
131:12 88:11 90:9 etchants 93:12 121:20 79:16 82:11 139:13 90:18,19,20 etched 29:1,20 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22		•			
139:13 90:18,19,20 etched 29:1,20 evaluated 83:1,7,20 establish 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22					
establish 90:21 91:2,5 30:8,8 35:21 105:17 86:11,12,19 15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22					
15:21 93:6 96:13 38:18 40:11 evens 142:16 94:11 105:2 established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22		, ,	· ·		, ,
established 100:22 52:13,16 eventually 122:19 25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22		•			
25:13 49:14 101:13,17,19 60:9 79:21 11:21 14:9 126:22 127:3 49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22					
49:14 127:13 102:3,5,7 87:3 88:9 14:10 17:4 127:5,8,21 establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22			,		
establishes 103:7,10,13 90:7 91:2 17:21 18:9 128:22		, ,			
		* *			
101.9 103.13,17 93.0 90.10 24.7 40.14 129.20 130.9					
	6.101	100.10,17	33.0 30.10	24.1 40.14	123.20 130.9
1 1		<u> </u>	<u> </u>	<u> </u>	

Henderson Legal Services, Inc.

130:12,17,21	123:20	federal 67:1,13	92:20 93:2,5	Floor 2:8 3:4
134:10	extent 27:18	67:21 73:18	93:11 94:7	144:6
135:20	64:9 65:12	field 22:20	95:6 96:7,16	flourescent
exhibits 4:8,15	70:14 74:4	89:17	100:12,22	54:17
65:19,20,21	70.1777	figure 20:5	101:13 102:3	flouride 54:10
126:18	F	78:11,14,18	103:7 106:2	flourinated
exist 119:6,14	fab 45:8,19	78:19 79:19	110:22 111:1	60:1
existed 25:17	47:13	80:1,18 81:2	111:2 125:20	flourine 54:12
126:12	fabrication	82:11,14,14	films 30:6,9	54:12 55:11
existence 81:1	12:9 82:18	94:21 95:11	43:6 47:16	56:8 57:18
expectation	fabs 44:2 45:1	95:14,15,18	107:12 110:7	57:20
100:20	45:11	95:21 96:12	filters 21:4	flow 26:8 42:5
experience	face 87:16	97:8,11,12	final 84:3	fluorinated
6:19,20 11:8	fact 71:11	97:13,17	find 64:4 76:7	47:8,9 49:17
26:15 42:22	108:3 123:11	98:21 99:11	116:16 117:2	54:9,13
45:14	126:13 140:8	123:1 124:7	124:18	109:7
experimental	factory 18:15	129:17,20	126:14	flush 126:16
30:22 34:8	22:22	130:5,8,11	fine 27:8 72:14	131:15,19
experimenta	facts 71:14,15	130:16,20	77:2 85:20	focus 49:22
54:4	fair 7:12 87:13	131:20 132:4	89:13,21	focused 12:10
expert 65:19	88:1,9,22	132:22 133:2	finer 84:9	12:11
66:22 126:1	93:8 110:13	133:19 134:6	finishing	focuses 89:10
expertise	119:3 120:21	134:12,18	10:21	follows 5:6
15:22 16:1,2	fairly 51:18	135:5 137:13	Finnegan 3:8	forbidding
16:9 27:12	52:2 59:16	140:3 141:21	3:12 144:14	76:7
experts 13:17	63:18 137:10	140.5 141.21	first 10:19	foregoing
15:8	falling 38:17	figures 78:22	16:17 17:8	143:10 144:5
explain 43:9	falls 9:16 80:3	79:2,4,7 83:5	20:16 21:14	144:10
84:20 97:14	familiar 87:12	83:10 95:16	30:20 31:4	forehead 27:9
exposed 36:18	91:17,19	97:5 131:21	32:13 35:22	form 50:5
61:4,9	far 67:9 84:14	filed 75:3	39:12 48:10	56:21 57:22
114:19 115:2	Farabow 3:8	filler 55:16	58:1 66:6	62:10 63:16
138:5	3:12 144:14	film 9:5 10:7	90:14 128:2	68:22 87:7
exposing	faster 58:6	14:7 29:20	129:3 131:6	87:14 88:18
120:13	favor 45:5	29:21 30:4	131:9 137:20	89:2,19
exposure 61:7	feature 40:18	30:10 31:3	144:8	90:22 92:5
61:8 62:3,20	98:1,18	34:9 35:6,10	fit 26:7,11,18	97:19 98:10
118:19	99:16 116:4	37:12,12,20	five 37:18	99:5 101:6,8
119:11	118:1,2,14	39:16 52:2	43:18 142:20	101:14,22
123:21	119:10	53:13,14	FLAC 47:9	102:12
expressly	137:21	84:2,22 86:5	55:13	103:11,21
113:16	features 27:19	87:2 91:16	flat 14:7	104:9,17
extensively	119:13	92:2,9,14,16	flavors 32:19	106:10
L	I	<u> </u>	<u> </u>	<u> </u>

				10
107:15	free 81:18	31:2 35:13	Glew 1:17 2:1	graphics
107.15		42:4 55:16		78:21 82:20
110:18	Freedom 3:9,9	55:16	4:3,11,16 5:3	83:16
111:21 112:5	freely 71:8 frequencies	gases 27:10	5:10,16 8:2 9:11,16	graphite 51:8
112:17 113:4	120:14	27:14,14	45:13 86:11	
113:22	front 5:22	55:21 56:19	86:12,18,19	graphitic 51:8 Gray 2:8 3:3
			, ,	
114:15	112:7 121:22 full 5:12 72:6	gate 44:13,15	94:12 144:5	144:6,16
115:16 116:1		GE 52:1	go 6:20 19:7	great 39:14
116:9,18	137:20	gear 18:20	23:12 27:21	78:9
117:4,12	fully 54:19	general 9:9	34:10,14	green 131:20
118:6,22	fun 50:2	10:9 58:7	39:17 40:17	141:21
119:7,16	function 12:14	89:5,7,8	58:19 69:1	Grill 84:1
121:3,17	15:3 98:18	109:18 110:6	78:1 82:5	100:18
122:11	103:16	114:16 119:8	86:15 92:5	101:12,20,21
123:16	104:16	132:14	99:22 116:1	103:5,9,19
124:16	107:13,18	generally	133:3 136:15	104:5 111:7
131:17 132:6	110:14 111:8	51:21 53:4	goal 10:1	111:20 112:4
133:3,11,22	117:11 119:4	57:14,14	37:20	112:13,19,22
134:19 135:8	119:9 128:11	59:16 64:1	Godo 1:9	113:2,7,8,12
136:15 139:1	139:15	86:2 97:20	144:15	113:15
140:4,11	141:12	104:18	goes 19:7	115:12,14,14
141:1,11,16	142:13	114:17,18,21	38:10 127:16	115:18,19,21
142:10	functional	119:2 138:11	136:22 138:1	116:5,7,15
formation	43:8,10	generating	going 10:21	116:17,19
133:6 134:20	functioning	19:3	24:2,22 26:4	117:2,8
135:10 136:1	93:6 96:18	generation	58:11 65:14	120:20
136:18	99:15 125:3	41:2	70:21 72:22	121:12 122:8
formed 120:3	131:5 140:22	geologists	86:6 90:9	122:9,9,12
133:20	functions 85:4	50:14	91:21 95:17	122:14,17,20
forming 96:3	118:9 122:3	geometry	96:12 97:16	123:1,5,11
110:16	further 101:8	48:20 49:1	104:21	123:15,20
118:21 136:3	110:9 144:12	getting 26:11	105:21 107:8 109:7 115:4	124:1,11
formulate 71:9 forward 24:2	Furthermore 51:5 120:10	give 37:9 39:21 56:22		Grill's 84:3 104:7
105:19		91:12	115:7,8 120:6 129:15	
111:16 112:9	future 71:22 82:7	_		groove 36:9 37:15 38:13
116:11 12:8	02.1	given 6:19 48:20 77:14	good 5:10,11	38:20 91:17
127:16	G	88:16 124:4	52:4,4,7 56:8 125:11	96:10 113:20
four 9:14	G 5:1	124:7,10	governing	114:2,7,14
17:14 42:21	Garrett 3:8,12	143:11	71:21	
43:17 50:20	144:14	gives 46:21	granules	grooves 96:6 ground 6:21
120:5	gas 19:8,10	55:2	51:14	group 12:4,10
frame 20:21	20:20 29:9	glass 32:17,18	graphic 83:15	12:11 13:9
II allie ZU.Z I	20.20 20.0	giass JZ. 17, 10	grapine 00.10	12.11 13.8
	l		l	l

				11
10.45 45.40	100:10 10 15	100:10	idioove area!	144.00
13:15 15:13	122:10,13,15	100:19	idiosyncrasi	141:20
16:8 23:13	122:21 123:2	101:12,21	21:11	included 49:16
24:9,10,12	123:3,5,12	103:6,19	illustration	54:10 55:11
24:14,18,19	hardware	104:7 110:17	135:13,15	67:10 114:7
25:2 31:17	29:17 31:21	112:12 113:2	image 79:14	129:16
31:19,20	harm 115:10	113:19 114:2	82:19 98:12	includes 19:8
32:2 34:1	hats 8:10	114:13	98:13 137:10	53:3 68:7
43:10 44:14	hazardous	118:21 119:1	137:16 138:5	95:22 112:1
44:19	27:11,13	121:1,16	imaging	117:8
groups 25:1	head 7:3 65:9	holes 48:4,8	128:18	including 44:8
42:20,20	105:20 125:1	95:1 114:6	136:10 138:4	100:21 103:6
43:8 44:12	139:3	home 5:14	138:13	112:13,14
guarantee	hear 7:2	hot 52:2	139:13,14	incorporated
33:14 37:22	heard 55:12	hour 7:16	140:13 141:6	24:14 115:13
guaranteed	heaters 42:5	58:11	141:18	increased
39:6,20	heights 131:7	hours 64:21	impacts 54:7	128:19
guess 41:3	help 25:2	64:22 67:8	impart 98:17	increasing
111:18	31:20 45:10	67:18 73:22	98:17 118:2	55:20
	97:17 98:17	74:11	118:13	indicate
Н	helpful 70:11	hundreds	impediment	100:10
H 4:7 29:11	70:22	20:14 67:18	104:6	indicated
half 20:22 83:6	helping 34:6	hung 16:19	implant 11:20	121:14
91:2 101:9	helps 138:12	17:7	40:4	indicates
halfway 83:22	Henderson 3:8	hurt 27:17	implement	134:16
hall 14:11	3:12 144:14	115:7,8	105:16	industrial 10:8
hallogen 29:9	hepa 21:4	hydrogen 51:5	implies 53:11	51:22
hand 29:22,22	hertz 21:5	55:15	•	_
68:1 71:5,7			imply 136:2	industry 10:9 18:5 41:14
94:10 127:2	high 12:2 22:21 51:21	hydrogenated 50:9 123:10	import 111:20	
127:4,7	_		112:1,2	53:8 56:7
II	57:10,13	hypothetical	113:14 116:8	126:11
handed 68:12	120:2,7,9	87:19 90:6	116:22	influence 24:6
handing 105:1	higher 32:20	91:13 110:11	123:14	information
122:18	hinder 6:8	111:14 122:8	important	46:21 128:15
handle 45:6	history 23:16		102:6,20	137:5
happen 84:11	hit 37:22 85:18		importation	initially 12:5
139:20	HOGAN 2:5	idea 87:8	115:18,20	19:17 22:3
happy 80:16	144:6,22	identified	116:4	24:13 71:14
hard 10:22	holds 115:10	122:14,20	improvement	92:11
117:8,10,13	hole 36:9	124:12	41:1	inoperable
118:21,22	39:15 87:21	141:14	improving	84:4
119:17,18,20	91:15 92:10	identifies	40:20	inorganic
120:22	93:10 95:22	123:1,5	include 106:20	124:5
121:13	96:3,19	identify 123:7	123:12	inquire 72:1
				-
	·	<u> </u>	1	ı

I				
73:9	interactions	ionized 54:16	70:12,17,20	job 119:19,21
inquiries	73:10	54:19	71:1 72:4,8	121:13
71:12	interconnects	ions 54:14,22	72:17,22	jobs 119:18
inquiring 74:4	12:12	55:1,2 57:11	73:11,22	joint 14:9,12
74:7	interested	58:10 92:11	74:6,9 75:1	25:5 34:11
inquiry 71:3	36:3 72:11	92:12	76:1,6,11	jp.long@fin
71:13,19	76:12,13	IP 1:9 4:9 68:2	77:2,17	3:15
79:10 [°]	77:3 144:18	68:20 69:4	79:15 80:11	judge 5:22
ins 25:19,20	interesting	69:14 127:3	81:8,13 82:8	July 144:19
instance	108:14	127:5,8	82:10 83:17	June 1:15
106:12,21	interfaces	129:20 134:9	86:14,18	144:7
109:22	25:16,22	144:15	87:11,20	jurisdictions
140:10,12	interference	IPR 64:14 66:7	89:6 90:3	21:12
instances	71:18	66:22 67:9	91:11 93:4	
84:16 86:6	interlayer	67:17 68:3,6	95:17 98:3	<u>K</u>
113:18 114:6	109:13 110:2	68:7,16 69:5	99:3,10	K 43:21,22
Institute 17:2	110:15,22	IPR2016-012	101:4,10,18	114:18,22
institutions	intermediate	1:12	102:5,21	120:2,6,7,8,9
65:18	136:10	isolated 99:7	103:18 104:4	Kaisha 1:9
insulating	interrogatori	isotropic 57:7	104:14 105:1	144:15
84:2,22 86:5	144:8	57:8,14,15	106:22 108:8	keep 10:2
110:22	introduce	issue 40:2,5	109:13 111:6	55:19 66:4
insulator 38:9	52:19	77:4 80:19	112:3,11	85:6
46:16,18,20	introduced	81:9,16,20	113:1,13	kept 15:7
48:14,16,18	42:10	issues 27:7	114:5 115:11	key 26:17 30:2
60:7 86:7	invariably	124:14	115:20 116:6	keyed 27:20
insured 8:14	29:20 30:19	items 129:8	116:16 117:1	kin 144:18
integrate	31:4	J	117:7,16	kind 9:2 26:8
25:10	invention	J 3:12 144:14	118:10	27:19 33:4 36:14 37:4
integrated	105:14 108:7	James 3:3	119:12,19	43:7 58:10
27:16 44:4	111:22	144:15	121:11 122:4	63:11 88:17
integrating	investigate	james.l.davi	122:14	102:18 125:6
25:6	39:8	3:5	124:10	knack 19:22
integration	involved 6:12	Japan 21:5	125:10 132:3	knew 16:5
26:20,21	6:13 23:3	jets 42:9	132:10 133:7 133:17 134:6	20:2
Intel 45:7 interact 24:18	46:12 47:14 58:21 80:8	Jiron 3:7 4:4	134:22	knocking 55:7
92:14 93:15	118:12	5:9 56:18	135:14	know 6:5 7:8
interacting	134:17 135:7	57:4 62:14	135.14	7:11,17
93:11	136:13	62:22 63:21	140:6,19	22:16 23:15
interaction	involving 70:8	64:17 66:1	141:13 142:8	23:17 26:14
70:15 90:15	ion 57:13	66:15,17	142:19,22	27:1 31:11
92:2 99:19	ionic 38:10	69:1,21	144:13	33:20 35:10
02.2 00.10	131110 00.10	,		
		<u> </u>	<u> </u>	I

[13
35:11,21	large 24:5	139:12,13,14	limited 1:6	lock 18:13,16
37:13,20	largely 8:16	140:13,15,20	107:1 144:13	18:18
40:3,6,7 41:3	9:2,8 32:1	140:13,13,20	limiting 102:2	long 3:12
44:6 48:1,4	36:1 43:4	141:4,7,8,11	limits 67:16,19	12:21 13:8
49:4 52:18	46:1 47:7	141:18,20,22	107:22	14:5 29:7
58:4 59:18	57:6 107:22	142:14,14,15	line 72:15 73:7	41:11 51:10
60:19 61:1	131:6	142:17	80:2,14 81:4	51:12,17
64:14 70:3	largest 24:4	layers 33:3	92:21 94:20	60:14 64:19
74:21 83:15	lastly 138:14	44:9,16,19	106:1 110:20	72:14 76:21
84:15 85:3	layer 4:17	, ,	127:13 129:3	88:4 107:10
		114:8,8 117:8 125:19		129:5 144:14
88:4,17	43:11,21		137:14,20	
101:7 105:6	44:8 79:21	126:2,8	liner 38:20	longer 16:15
105:20	84:1,5,10,14	127:19 128:7	43:22	85:6 116:21
108:14 109:3	84:17,20	128:10	lines 12:6 23:1	look 35:14
115:7 121:18	85:2,5,5,9	137:12,14,17	26:8,22	36:2 37:5
122:1 124:14	87:2,3 88:8,8	137:21 138:6	38:10 97:21	38:2,21,22
137:8	88:11,21	138:10,11	109:3 134:10	51:1 77:18
known 33:13	90:7,19,21	140:3 141:3	134:15 139:6	79:5,7,15
39:10 50:8	93:7 95:21	141:13	139:8,18	114:9 125:14
50:12 59:3	96:5,13,19	142:12	liquid 42:4,7	134:8,9,10
62:15 63:2	98:2,7,8,9,17	layouts 34:2	list 33:18	135:3 139:5
108:9	99:11,12,13	leads 115:3	34:19 124:11	139:7
Ks 44:9	105:10	leave 125:3	listed 35:20	looked 20:13
—	108:15	left 14:15	lithographic	28:10,14
L 3:3 144:15	109:20,21	53:16 86:7	117:14,17	76:2
label 78:14	110:14 111:7	125:4	lithography	looking 36:6
labeled 79:14	111:20 112:4	lengthy 101:8	36:16 47:15	37:19 47:6
105:5 117:2	113:8,10,11	let's 94:19	118:1	78:3,6,7
127:21	113:14,17,21	104:4 126:18	litigation 9:8	99:10 126:20
128:16	114:4,17,19	139:7 142:19	9:15,20	134:6 139:18
128:16	115:6,13,15	letter 144:17	10:11,18	loss 38:14
141:22 142:2	115:21 116:7	level 13:18	11:1,5 71:10	39:1
141.22 142.2	116:8,17	15:7,12	74:5,8,15,19	lot 8:18 9:4
laboratories	117:10,14,15	22:21 26:20	80:9	21:10 22:18
50:3	123:14 125:2	26:21 55:20	little 69:18	23:16,16
laboratory	125:3 128:9	license 8:13	86:11	26:10,12,14
34:6 61:13	128:10 131:6	light 54:17	living 64:4	26:17 27:11
61:15 62:11	131:9,11,15	120:13,14	LLP 3:3,8,13	33:1 35:21
labs 28:17	131:18,20	limit 26:2	144:15	36:22 40:9
lagging 16:4,8	132:14	limitation	load 18:12,16	42:7 46:21
Lan 70:19	136:10,11,11	71:17 limitations	18:18	54:20 57:11
75:19	138:1,2,16	106:18,19	local 45:1	73:19 74:16
7 5.15	138:18,21	100.10,19	located 83:19	89:21 90:4
	l	l	l	l

				14
137:18	62:10	122:16	22:4 10	moacura 25.5
lots 31:7,8	63:19 manufacturi	132:16 140:22	33:4,18 34:17,19,21	measure 35:5 35:6,8 49:7
II '		_	, ,	· ·
loved 23:11	1:5 14:4	141:14 142:9	35:2,19 37:7	measurement
low 43:21,21	19:19 20:10	142:13	37:8 41:6	35:7,16
44:9 51:19	20:12 34:4	masks 118:18	43:1,4,18,19	49:10
57:12,12	144:13	122:13,21	45:18 47:22	measureme
114:18,22	marathon 31:9	123:5,12	48:7 49:3,20	28:18 30:2
120:6,8	mark 27:9	126:13	49:21 50:1	36:4 49:9
lower 58:7	86:11	mass 52:20	52:12 59:19	measures
84:5 123:1	marked 4:8,15	Master's 8:19	60:10,13	48:22
lunch 125:11	68:2 78:8	matches 20:20	63:5,17 76:7	mechanical
	86:12,19	material 8:11	76:11 104:20	8:11,12,13
M	94:10 105:2	8:19,20,20	107:21 108:9	8:15 11:22
M 3:7 29:11	122:18 127:2	30:3 37:10	108:22 109:6	32:11 72:12
144:13	127:4,8	38:8,13,17	110:3 118:7	mechanically
magnetic 27:2	marketing	38:18 48:3	120:1 122:15	73:2
magnets 26:4	20:4 22:12	49:2 50:8,13	122:20,22	mechanics
main 39:1	MARY 2:5	54:8,8 56:8	123:5,7,19	74:13 77:3
mainframe	144:6,22	59:13 60:6	123:21 124:8	80:17 81:2
16:18 17:5,7	mask 48:2	63:7,14 85:2	124:10,21	medications
17:21 18:1,3	88:22 89:10	85:2,4,7,15	132:17,19	6:7
18:10,12,19	89:10,13,13	88:11,15	matter 2:4	meet 34:13
18:20 19:5,8	89:18,21	98:17 99:21	67:2,5,13	41:2 64:17
19:12,16,18	90:2,5 93:6	102:9 105:13	120:16	64:19
20:19 21:1	93:16,18	105:14,17,21	matters 68:7	meetings 65:1
21:20,22	94:3,4,7 95:1	106:19 107:7	mean 43:9	65:4
22:5,7 23:4	95:7,7 96:18	107:20 110:4	57:5 67:20	member 12:18
23:14,18,21	98:5,18	111:4,8,11	75:13 81:11	13:9,12,14
24:3,6,7,10	99:12,14,16	112:9 115:5	89:8 90:9	14:17
24:14 25:8	117:8,10,14	118:16	93:19,22	mentioned
25:10,13	117:18 118:1	119:15 120:6	94:4 106:7	9:15,22 10:3
making 16:3	118:10,21,22	120:7,17,19	106:12,13	10:10 12:17
26:22 34:3,4	119:4,5,9,14	120:7,17,13	107:1 117:17	14:22 21:15
43:7 46:2	119:15,17,18	121:19,22	meaning 12:9	41:6 46:10
104:1,7	119:13,17,18	121:19,22	84:12 87:17	58:20 65:6
manage 24:10	120:22	123:18	107:3 115:20	66:1 90:17
44:3	120.22	125:20	meanings	menu 20:13
managed 28:9			89:14	
manager 21:8	122:10,15	materials 8:22 9:4 11:8,10		merged 11:18
33:22	123:2,3	,	means 5:21	13:6,9 25:1
manufacturer	125:4 126:4	11:15 12:17	53:6 106:5	mess 54:3
21:11	126:9,17	16:17 17:1	meant 61:21	met 15:18
manufacture	131:15 132:2	19:20 21:17	90:11 117:21	31:15 64:16
manulacture	132:8,8,15	28:3 32:3,11	118:2	65:2 111:9

				13
		407:40.47.40	104.45	
metal 29:3	mini 47:12	127:13,17,18	104:15	non-client
38:11 40:9	minor 17:18	128:1,18	111:19	71:9
42:14,16,18	minute 11:7	129:4 132:1	need 7:16	notice 2:4
43:11,13,16	minutes 58:14	132:15 133:6	18:20 29:21	Nova 54:19
43:17 44:8,8	142:20	133:8,14	39:15,16	number 7:5
44:18,19	MIS 46:12,14	134:21	61:17 92:21	55:1 58:9,10
46:15,17	46:15 47:1	135:10,19,21	97:5 105:15	78:3 79:7
48:10,11,12	47:10 58:17	135:22 136:1	107:9 113:13	101:16
48:13,14,15	58:21	136:9,18	113:16 116:8	112:10
48:18,18	misalignment	137:3,4,5,12	118:18	127:22
85:18,19	100:11	141:4,11,19	needed 16:1	numbers 9:20
124:2,5,22	mischaracte	142:11	22:8,21 34:9	10:13 77:22
125:2,3	135:5	multilayers	44:3,7,20	numerous
metals 30:12	modification	126:16	49:4 60:12	21:6 28:13
123:10	84:1 101:21	127:17	72:7	29:17 30:11
methane 54:11	modifications	multilevel	needle 35:5	44:18
55:14	33:8	78:15	needs 7:2	
method 33:13	modify 34:13	multiple 44:3	34:14 61:3,4	0
39:10 49:14	100:18 103:5	44:16,16	61:5 71:8	O 4:1 5:1
62:16,20	103:9	48:9 59:11	93:1 107:17	oath 5:18
113:6 128:9	modifying	125:19 126:2	107:17,19	object 92:5
methods 52:2	21:9,13 22:7	126:8 127:19	108:6 114:18	95:12
62:19	34:7	128:7 132:18	neither 92:11	objection
micro 28:10	modules 20:14		92:12	56:14,21
Microlithogr	moisture	N	never 91:5	62:10,17
130:2	114:19	N 4:1,1 5:1	115:1	63:16 68:22
micron 41:3	molecule	N.W 3:13	new 3:13 18:1	69:16 73:7
60:21	115:9	N20 57:2,21	18:3 23:17	73:15 74:3
microscope	molecules	58:5	23:22 25:7,7	79:12 80:14
35:3	54:15 57:12	naked 114:18	40:17	81:18,19
middle 31:5	month 66:19	nakedly 115:2	nice 115:6	82:6,9 83:11
50:20 79:19	monthly 15:18	name 5:12	nice 113.0	87:7,14 89:2
87:21 97:16	months 30:21	nano 51:15	Ninety 38:14	89:19 90:22
105:7 138:2	40:22 75:12	nanometers	nitride 32:15	97:19 98:10
138:18		35:6 41:4	40:14 96:7	99:5 101:1,6
139:14	morning 5:10 5:11 52:9	nasty 19:7	108:15,18	101:14,22
	Mountain 5:17	nature 36:12	109:11 120:1	102:12,16
140:15,20 141:7 142:14	moves 114:20	necessarily	123:2	103:11,21
	moves 114:20 multibillion	84:19 85:22	nitrides 30:9	104:9,17
millimeter	45:19	91:6 117:6		106:10
18:6,8,9		117:13,15	nitrogen 57:2	107:15
millions 54:18	multilayer	124:2 142:4	node 40:17	107.13
MIMs 48:19	126:3,10,12		nods 7:3	110:18
mind 88:19	126:13,15	necessary	non 114:12	1 10.10
<u> </u>				

				16
111:21 112:5	36:7 39:14	129:12	41:17 42:6	123:21
111.21 112.5	68:6 70:1,4,5			139:21 140:7
112.17 113.4	72:22 73:22	opinions 67:10 72:19	42:12,13,19 oriented 12:6	142:6
113.22	77:5 78:7		12:9	ozos 32:22
115:16 116:1		opportunities 29:13	orthosilicate	0205 32.22
	83:4,17 87:20 88:6	opportunity	41:13	P
116:9,18			_	P 5:1
117:4,12 118:6 119:7	88:20 89:8	24:17 34:20 35:18	output 36:21	P.E 1:17 2:2
119:16 121:3	90:16 94:19		outs 25:19,20 outside 28:17	4:11 5:4
	95:17,19	opposed 51:2		144:5
121:17	96:4 97:14	56:4	80:19	p.m 143:2
122:11	104:4 105:3	optical 49:9	overetch	package 44:12
123:16	105:8 121:11	118:18	84:14,18	package 44.12
124:16	122:22	120:11	86:8	44:5
131:17 132:6	130:13	131:13 141:5	overetches	page 77:18,19
133:3,11,22	139:11 140:5	optically 35:9	85:21	77:21,22
134:19 135:8	older 17:22	49:7	owner 1:10 3:2	78:3,4,5,7,8
136:15 139:1	omissions	optics 89:10	75:2,5,16	78:12 79:8
140:4,11	8:14	optimization	144:15	79:15,16,20
141:1,16	once 7:16	141:12	owner's 65:20	82:11,12
142:10	25:13 27:7	optimized	76:14	83:1,1,2,2,6
objections	65:2,3	131:13	oxide 20:8,9	83:7,19,20
74:14	ones 32:19,20	option 84:18	32:14,16	83:22 127:10
obliterated	32:22 79:8	oral 144:8	33:6 37:11	127:16,21,22
52:16	open 107:3	order 20:4,9	40:6,6 41:15	128:16,16,22
obliteration	opening 91:15	20:12 51:11	53:19 110:8	129:1 134:10
56:4	91:16 92:1	67:22 98:16	114:21 115:5	134:16 135:3
obscure 53:7	127:20	101:20	115:8 120:4	136:20
observation	openings	105:16 120:5	123:3	137:19 139:5
112:16	94:22 96:5,6	120:15	oxides 30:9	139:7,18
obvious	operational	ordered 20:1	33:2 56:12	141:21
139:20	23:1	ordinary	oxidize 63:11	
occur 65:1	operations	100:16	oxidized 110:7	paid 31:15 Palo 1:14 2:9
83:14 138:9	14:4	organic 42:14	110:8	3:4 144:6
odd 36:18 90:6	opined 97:1,8	42:20 55:14	oxinitride	Pamela 5:17
offerings	98:13 111:16	63:22 64:2,2	32:15	panel 14:8
63:20	opining 97:10	64:3 107:7	oxygen 33:1	19:10
office 1:1	opinion 84:8	108:1 109:5	52:19 53:14	panels 20:20
65:18,19	86:4,9 101:4	114:22 115:9	55:11 56:10	panels 20.20 paper 86:19
offices 2:7	101:5,7,9,18	organometalic	56:12,15,17	paper 36:8
officially 14:12	102:6,11	41:7,9	56:19,22	• •
offsets 120:8	103:2 104:14	organometal	57:2,3,6,14	paragraph 83:18 100:4
okay 5:16 6:1	112:11,15,19	41:12 42:8	57:17,22	
7:17,18 11:9	123:13	organometal	58:2 63:3,6	100:5,6,9,14
T-				

				1 /
100:45 400:0	444.0 444.45	nanail 00:40	Detitioners 5:5	105:40
100:15 103:3	111:3 144:15	pencil 26:13	Petitioners 5:5	125:4,8
125:14,15,17	patents 36:8	pending 7:20	83:22 105:18	126:17
125:17 126:9	path 92:22	penetrating	Pevarello	144:11
128:2 129:16	118:19	92:1	70:19 75:19	placed 17:1
130:16	paths 26:8	people 9:11	80:4	placing 49:16
137:20	pathway 93:1	18:7 20:3	Ph.D 1:17 2:1	plan 34:8
parameters	93:2 98:14	23:6,16 25:4	3:12 4:3,11	planarization
30:22 91:9	98:19	26:17 27:16	5:3 46:8	131:10
part 8:19 12:3	pattern 4:17	42:15 89:9	110:3 144:5	138:15
32:1 38:19	30:4,6 37:6	89:16	144:14	142:16
85:16 100:10	38:16 48:5	percent 29:1	phase 42:4,4	planarize
102:5,19,20	53:12,16,18	37:18 38:14	philosophy	141:9
103:8 118:3	57:9,9 58:21	percentage	71:20	planarizing
118:19	60:5,9,13	9:20 11:3	phosphorus	131:6 141:20
partial 101:3	87:2,9,22	73:20	32:16,17	plane 136:11
partially 93:19	88:4,7,21	perform 29:14	41:18	plasma 26:4
94:5 97:22	90:2 91:16	39:21 107:13	photo 60:14	32:21 37:11
particle 35:16	92:2,9,13,16	121:13	photooxidize	52:20 53:3,6
38:14 39:2	92:20 93:2,5	performance	110:9	53:8,9,20
particles 39:1	93:7,11,20	30:19 128:20	photoresist	54:6,9,14,16
particular 22:8	94:5,7,22	129:6	47:16,17,20	55:19 63:3
26:9 39:4,18	95:1,7,7 96:1	performed	48:2,4 53:13	85:15 139:21
39:21 63:14	96:5,10,19	31:14 33:11	60:3,4,9,12	140:8 141:22
66:11,13	97:22 98:8	33:15 74:17	60:15,16,18	142:6,6
69:11,14	98:18 99:2,4	74:18 95:1	60:21 61:3	plasmas 19:3
71:15 82:3	99:9,12,16	performing	61:10,20	19:4 57:10
93:9 96:17	100:19	94:22 96:6	62:2,5,7,9,12	57:12 63:6
98:11 99:15	101:12 103:6	128:11	62:15 63:1,2	123:22
126:17	103:19 104:7	period 13:3,20	63:3,4,13,15	plastic 51:19
parties 144:19	112:12,21	51:17	63:18 88:16	platform 25:7
parts 33:21	113:2,19,20	periods 51:17	97:22 109:4	play 120:12
38:13 44:13	114:2,13,14	permitting	132:15,16	player 35:4
85:11 95:20	118:14,22	71:18	photoresists	please 5:13
passage 95:11	119:4 121:2	person 65:4	61:21	70:3 122:17
95:13 97:3	121:16 134:2	78:21 82:21	physically	plus 38:14
97:15 134:11	patterning	100:16	26:7	126:2,8
patent 1:1,3,10	60:6 128:12	Petitioner 1:7	pictogram	pneumatics
1:12 3:2 4:13	patterns 47:15	2:3 3:6	88:17	25:22
65:18,18,20	47:17,21,22	104:11	piece 33:11	point 14:12
67:14 71:18	59:5,6,15,17	144:13	34:12 102:10	17:16 24:20
75:2,5,16	59:20	petitioner's	pieces 44:16	25:5,16
76:14 89:4	PBPSG 32:17	65:20 105:18	44:18 45:8	39:11 40:7
94:15,17	pen 26:13	125:22	place 27:15,22	44:5 48:20
04.10,17	PO 11 20.10	120.22	P1000 27 . 10,22	77.0 70.20
	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Ī				18
F2-24 C4-4	44.44.70.0	104.44	10.0.10	
53:21 61:4	41:14 72:6	121:14	19:6,12	processing 8:21 10:7
77:14 84:9 91:5 93:14	predict 10:22	prevented 111:7	28:11,12	12:3 17:9
97:6 108:5	predictable 10:16	prevents	29:17,18 30:17 31:10	28:20 53:5
108:14,16		120:22	31:14,16	128:5 137:9
139:4	prep 6:12 preparation	previously 4:8	33:12,14,15	
points 35:9	65:7 70:8	73:18 74:18	35:12,14,13	processor 21:19 46:3
polishing	71:12 76:19	139:16	40:20 41:1	
11:22	80:5	primary 16:10	52:1,2,19	processors 22:4
politics 23:17	prepare 64:7	21:16 49:20	53:1 54:4,20	produced
polycrystalli	78:18 79:2	principally	55:6 56:20	82:19
123:9	80:1 82:11	141:5	60:11 62:1,2	produces
polymer 137:8	83:9	prior 76:13	62:4,6,9,12	54:14
polymers	prepared 71:5	privilege 70:18	62:13,13	product 16:8
63:18,21,22	71:20 72:3	71:7 74:15	70:6,14 73:2	45:3 71:6,7
port 18:14	72:10 78:21	76:22 77:3	86:3 88:7,11	91:10
portion 61:9	78:22 79:4,6	77:10 80:15	88:13,16	production
90:21 134:11	79:9,13	81:15,17	89:18 110:16	16:15 78:10
141:19	80:18	privileged	118:13	profile 35:22
portions 102:9	preparing 70:6	64:11 65:14	125:21 131:3	36:3,5,19,21
position 8:8	70:16 73:2	66:11 70:9	131:16 132:4	37:5,9 39:3
13:22 71:2	74:2,12	70:13 75:20	132:5,12,17	profiles 28:15
101:11	75:16 76:8	76:5,18	133:1,10,21	36:2
105:10	76:15	probably 11:5	134:17 135:7	profilometers
possibility	prepondera	13:1,10 29:3	136:13,21	35:3,4
90:18	53:9	37:12 58:4	138:17,19,22	program 29:2
possible 56:19	present 71:11	problem 38:6	140:17	project 10:17
88:12 92:15	144:12	38:9 45:10	142:18	28:8 29:12
100:18 103:4	president	58:6 124:7	processed	29:20 46:11
103:9 121:18	15:19,20	problematic	17:12	projects 30:1
124:5	pressure	113:9,11	processes	34:11 50:2
potential	51:22 55:20	problems 21:6	16:20,21	promised
120:1	57:10	31:7 45:2,9	17:16,17	37:21
potentially	pressures	83:13 101:16	18:2,8,9 22:9	propagate
80:7 108:4	32:20 Proston 3:12	124:12	22:11 23:18	16:2
118:17	Preston 3:12 144:14	proceeding	25:7 26:5 28:13 29:14	properly 27:16
pours 36:12 power 19:2	Presuming	75:3,6 94:16 proceedings	29:15 30:17	properties 46:19 47:3
26:1,3	88:10	66:8,22 67:9	31:13 32:13	47:19 49:2,8
practice 9:7	pretty 19:5	68:6	34:6,7 43:17	52:3 55:3,4
precise 85:22	23:7 29:22	process 12:9	51:22 62:8	118:18 121:7
Precision 17:1	prevent 6:4	16:19,20	62:14 134:17	131:13
precursor	84:4 119:14	17:7 18:18	135:7 136:12	132:18 142:4
F. 000.00.		17.17 10.10	100.17	102.10112.4
	l	l	<u> </u>	l

proposal	131:10	67:15 73:17	135:4	recording 7:1
121:8	132:11 141:6	quote 71:16	reasonable	rectangles
propose 84:1	pursuant 2:4		7:14 24:16	59:17
proposed 28:8	pushed 40:18	R	100:20	rectangular
28:20 104:11	put 18:17 22:4	R 5:1 66:4	reasons 71:17	36:9
104:13	24:2 27:21	radicals 58:9	rebut 111:16	red 79:20
proposing	42:2 53:22	92:13	112:7 116:12	redesigning
115:11	73:20 84:9	ran 28:13	rebutted 112:6	20:22
protect 107:9	89:3 104:13	30:17 31:9	121:10	refer 41:19
110:15	105:19	32:2	rebutting	42:11,15,19
protected	111:15 112:7	randomly	112:15,18	68:6,18 69:3
107:12	112:9 116:11	120:17	recall 11:2	89:17 97:1,7
protective	120:7 121:8	range 51:10	28:22 40:1	116:19
67:22	124:2 125:2	ranges 51:12	61:12 66:3	130:17
prototypes		rate 58:3,7	66:21 77:11	reference
34:4,5	Q	ratio 88:14	79:3 97:10	64:15 66:2
provide 39:8	question 7:7,9	razors 52:9	98:14 112:8	104:22
57:5 60:9	7:12,20,21	re-did 21:4	112:10	128:13
98:1 118:4	64:9 65:12	re-use 52:18	116:20 139:3	references
provided	66:12 67:12	reach 111:19	received 77:12	66:3
34:20 54:12	73:1,12 74:9	reacted 63:6	77:13	referred 53:1
provides 57:7	76:17 77:7,8	reactive 54:21	Recess 58:16	98:4 116:14
105:15	81:13,20	56:9,9 57:3	86:17 100:2	118:8 128:22
124:11	82:3,10 83:9	57:13 58:9	125:13	144:12
140:16,20	87:11 94:15	92:12 98:15	142:21	referring 18:11
PRS 63:4	97:18 102:14	98:20 99:7	recipe 33:14	68:10,19
PSG 32:18	102:15,17	99:20	39:6,19,21	77:20 95:11
PTAB 72:6	105:9 127:15	read 70:21	40:3	95:15 131:19
77:14	133:13,18	77:8 97:22	recipes 33:5,9	135:19
pull 129:13	135:20	102:15 103:2	39:9 40:2	136:13,18
pump 20:21	questioning	143:9	recognize	140:2
pumps 19:1	80:3,14	reading 59:12	68:11 94:11	reflect 120:14
26:6	questions 6:4	reality 36:10	recollect 66:7	reflective
purchased	6:9 7:1,5	really 22:2	recollection	118:19
60:15	69:2 82:7	23:10 38:6	29:7	reflects 120:13
purest 50:11	130:7 135:17	40:21 54:3	recondensed	regarding
purpose 48:2	136:2 143:1	80:16 110:12	42:7	74:14 135:21
86:2 132:8	144:9,11	127:11,15	reconfigura	regardless
133:16	quick 100:1	realm 50:13	22:2	40:4
purposes 59:4	142:19	rear 20:22	record 5:13	regards 54:2
82:2 90:1	quickly 30:7	reason 6:3	35:4 69:2	68:16
99:14 117:14	55:4 85:17	63:10 72:1	86:15 94:1	related 35:12
117:17	quite 19:17	89:9 103:8	100:1 144:10	64:14 65:21
		l		
<u> </u>				

-				20
67:1,13	62:12:15	07.4 20 22	rooponee 75:2	RGAs 35:13
80:20,22	62:12,15 rendered 84:3	87:1,20,22 88:8,21,22	response 75:3 75:6,16	RIE 139:21
108:22 109:6	reoriented	89:11,11,12	76:14	140:8 142:1
110:3 120:11	12:8	89:17 90:21	responses 7:1	140.6 142.1
relating 74:5,8	repeat 51:16	91:14,14	7:2	right 6:14 8:3
76:19	77:6 102:13	92:1,8,10,16	responsibilit	11:11 19:1
releasing	repeatable	92:17 93:7	16:11 21:16	32:5 46:12
19:18	51:11	93:10 94:22	22:18 33:17	58:22 66:14
relevance 97:4	repeatedly	95:6,19,22	responsibility	78:4 82:22
reliable 31:11	21:13	96:2 115:10	14:1 15:11	86:10 90:9
relied 120:19	replaced 40:14	126:3,10	15:16 22:7	93:17 96:19
relies 102:11	41:15	127:14,18,18	22:20	99:13,22
reluctantly	report 73:13	128:1,7,11	responsible	105:1 106:9
23:15	78:8 79:6	128:18 129:4	14:4 19:19	111:9 119:15
rely 102:8,9,19	96:22 97:7	129:5 131:3	22:10 34:1	121:7,16
remain 137:13	101:8,16	132:1 133:6	41:11,21	122:16
138:21	127:9	133:8,15	rest 27:3 108:3	125:10
remained	reporter 2:6	134:5,21	Reston 3:10	127:22
107:11	6:22 144:1	135:11,20,21	result 36:21	129:16
remaining	144:10	135:22 136:1	39:7,22	130:22
141:18,19	reports 65:19	136:4,9,19	51:17 82:17	134:13
142:13	representative	137:4,6,8,12	84:2,21	138:22
remember	101:5 132:22	137:20,22	101:17	robot 18:13,15
27:6 29:5	represented	139:21 140:2	results 28:21	20:20
65:10 66:10	132:22	140:8,19	86:5	robust 86:3
66:19 70:2	represents	141:2,3,4,8	retained 66:21	131:12
remote 18:19	130:21	141:11,19	67:1,4	139:16
19:2 20:21	133:20 135:6	142:11	reticle 89:10	robustness
removable	request 7:19	resistance	89:22	140:16,21
108:2	39:13	118:4,8	review 65:8	141:8
removal 53:12	requests	142:17	75:8,15	role 19:15
56:16 84:20	24:11 40:19	resistant	76:14 97:5	23:20 45:13
remove 56:1	require 115:12	109:4,8	105:4	45:21 93:13
56:19 84:1	required 124:6	138:13,18	reviewed	93:16 98:7
removed	requirement	resisting	64:13 65:6	99:4
52:16 62:2,5	106:20	139:16	65:16,17	room 18:21
106:17	requirements	resists 126:12	67:14 75:5,9	Ropes 2:7 3:3
138:16	105:13	128:3,4,17	75:11 76:8	144:6,15
140:14	106:15 108:7	131:4 141:10	76:12,13	rough 87:8
141:18	129:5	resolution	reviewing	141:9
removing	requires 51:21	128:3	77:16,16	roughly 11:4
53:15 56:9	residual 35:13	respect 109:19	RF 19:3 20:20	rounded 36:11
61:20 62:9	resist 36:17	138:9	27:4	route 120:12
L				

				41
routing 27:11	00:17	107:20 24	67:4	chowe 96:20
routine 37:11	88:17 science 8:19	107:20,21 119:10 121:6	67:4 serial 25:21	shows 86:20 shrank 41:3
routinely				
52:13	8:20 130:2	selectivity	series 66:5	side 50:2 59:3
row 136:20	scientist 8:12	57:1,5 58:7	serve 107:17	sidewall 92:16
ruin 120:8	58:1	105:13,15,22	served 12:14	signals 25:18
rules 6:21	scientists	106:15 107:7	13:14,17	signature
run 21:5 22:14	50:14	107:10 109:1	serves 139:15	143:17
29:16 34:7	se 53:10	110:10	service 12:1	144:16,19
43:17 45:3	sealing 115:5	sell 20:3 28:1	22:21	signed 143:13
57:11	second 48:12	31:12,13	set 16:6 31:21	silicon 20:8,9
running 26:16	94:21 95:5,6	44:6,22	seven 84:10	30:12 32:9
34:6 38:11	106:2 110:21	seller 40:8	84:21 85:3	32:14,15,15
	111:1 130:2	selling 39:17	85:10	32:16,17,18
<u>S</u>	137:20	44:5	shape 118:2	32:19 33:2,6
S 4:1,7 5:1	section 83:19	SEM 36:1,6	138:7	37:11 40:6
29:11	88:3,3 91:12	Sematech	shaping	41:15 42:16
safe 27:5,19	105:5	28:9 29:2,10	137:22	42:19 50:17
28:1 41:15	see 36:7,8	29:11,12	Sheet 143:13	50:17 95:5
safety 21:12	71:10 78:11	semiconduc	shelf 66:2	96:16 108:15
27:7,15	79:19 81:16	1:5 8:17 9:5	shielded 27:3	108:18 110:8
sales 20:3,9	83:5,21 84:6	10:6 42:17	27:4	115:4 120:4
22:13 23:22	87:3 92:18	43:2 45:15	short 9:14	123:2,3,8,9
27:22	93:2,11,13	45:17,17	13:10 27:4	123:10
sandwich	95:2,4,8	46:16 48:16	51:16 125:4	128:17
48:13	98:14,21	53:5 89:17	shorthand 2:6	similar 25:12
sandwiches	100:12,22	144:13	69:12,19	54:17 107:6
48:19	101:2 115:1	semiconduc	144:9,10	117:19
saying 76:9	122:17	43:5	shorting 124:3	118:11,11
103:4 117:1	125:15 126:4	SEMs 28:15	shortly 23:10	simple 59:17
140:7 142:9	126:5,18	send 34:12	24:20	simply 46:17
says 53:4	129:3,18	sense 19:19	show 31:9	61:10 133:5
83:22 95:5	134:15	20:17 23:1	39:12	single 17:9,13
100:12,15	139:22 140:5	50:11 64:2	showed 20:9	22:4 23:12
135:1,6	seeing 112:8	110:11	showerhead	23:19 50:19
136:11,20	sees 114:21	114:17	31:2	51:6 128:9
139:12,19	segued 67:3	sent 28:17	showing 88:3	132:4,11,17
scale 51:15	select 121:12	sentence	shown 87:21	133:9,21
scan 35:2	121:19	83:21 95:4	94:21 95:14	singular 128:4
scenario	selected	100:15 101:3	95:14 96:15	134:5
114:10	119:10	101:9 129:4	113:3 130:11	SIO2 109:14
scenarios	121:12	sentences	130:11 133:2	109:21
114:11	selective 30:8	109:12	137:13 140:3	site 34:13
schematic	106:21	separately	141:20	92:22
	100.21	3 charatery	141.20	32.22
	<u> </u>	<u> </u>	<u> </u>	<u> </u>

a:taa 24.44	0.014.47.40	24.00.00	Ctonford 40.0	440:47.00
sites 34:11	sold 17:18	31:22,22	Stanford 46:8 47:13	116:17,20
situation	23:10 30:10	33:5 34:14	_	117:3,6,11
114:12	33:12 37:12	39:19 50:12	start 10:17	117:18,21,21
118:20 119:1	40:9 44:22	69:19 74:1	28:7 34:17	118:11,15,17
121:22 122:2	63:4	74:12 114:9	61:7 118:15	122:3 123:14
six 13:2 43:19	solid 50:21	137:21	134:8	136:11
size 60:20	solution	specifically	started 8:17	139:14
sizes 18:5 59:7	100:11	36:6 67:17	16:13 17:15	stopper
59:12	124:17,19	70:12 83:19	18:5 21:18	100:11,22
sketch 4:17	sorry 77:20	108:16	23:22 32:10	101:13,17,20
86:11,20,21	130:11 139:6	109:10	34:5 43:7	102:3,6
86:22 87:6	sort 9:10 17:19	110:20 117:3	44:4 91:10	103:7,10
87:13 89:7	25:17 35:4	139:7	starting 39:11	104:2,3,5,15
90:11 93:10	40:22 44:12	specification	127:10	105:10 106:2
94:6	57:7 67:3,16	110:19	starts 94:21	107:14
skill 16:6	67:19 74:20	specifications	95:13 127:15	109:15
100:16	89:22 138:11	39:9	state 2:6 5:12	110:22 111:2
124:18	sorted 20:16	specs 37:19	40:21	111:4,10,13
skilled 106:8	sorts 115:5	39:3	stated 140:15	111:20 112:1
124:13	sounded 6:11	spectroscopic	statement	112:2,4,10
skills 15:7	11:13	49:12	136:7	112:14 116:5
slightly 85:13	sounds 23:2	speed 58:8	STATES 1:1	stoppers
133:17	24:12 30:13	spend 9:20	144:2	108:10
slowly 55:3	72:8 76:6	12:21 74:11	step 99:15	stopping
slows 120:9	100:10 102:7	spent 67:8	140:14	104:2 107:18
small 9:9 15:6	103:3	74:1	stepped 43:7	stops 111:4
45:11,18	Source 78:15	spinner 60:22	steps 44:2	114:12
51:14	sources 26:4	spinning 61:2	47:14 112:20	straight 36:15
smaller 18:6	SP3 50:6	137:8	134:7	36:18
40:17 45:6	speak 19:1	spun 12:4	stop 84:10,14	straightforw
95:20	27:20 48:3	14:10	84:15,16	59:16
Smith 65:19	92:22 114:16	sputtered	85:3,5,5,9	strategy 71:10
125:18 126:1	spec 31:16	59:22 109:5	86:1,3 90:19	strength
126:7,14	37:13,22	square 3:9	91:5 102:3,7	142:17
134:12,16	specialized	120:12	103:13,13,17	strike 52:20
135:4 136:5	22:22	squares 59:18	104:19	108:4
136:8 138:20	specials 21:8	stack 44:13,15	108:16,19	strip 56:17
139:19 140:7	species 29:9	134:3 137:22	110:14 113:8	63:3,4
Smith's 130:1	38:11 54:21	staffed 9:14	113:10,11,14	strongly 80:16
Smithsonian	57:13 58:9	standard 49:9	113:17,21	structure
17:2	63:8 99:20	standing	114:4,7	48:17 49:11
software 29:17	99:20	36:17 79:11	115:6,13,15	50:7,12,17
49:13	specific 24:15	80:13	116:7,14,14	50:18 78:15
10.10		00.10	110.7,17,17	00.1070.10
	<u> </u>	<u> </u>	l 	<u> </u>

ir				23
84:3 90:15	41:22	27.2.2.40	27.4	120.6
		27:2,3,18	37:4	138:6
97:18 133:15	supplies 19:3	30:14,15	task 74:2,12	templet 90:5
133:20	support 9:8,15	44:13 129:17	tasks 25:9	ten 13:1 44:19
structures	9:21 10:11	130:21	Tauber 66:4	58:14
47:2 48:6	22:12,20,21	systems 20:21	taught 103:20	tend 71:13
50:15 87:1	22:22 34:8	25:16 32:4,8	113:8,10	TEOS 37:11
90:12 91:18	50:2 65:21	41:5,7,10	teaches	41:13 42:20
91:19	suppose 68:5	44:3 48:9	103:22 114:1	terminology
study 28:22	sure 15:21	T	122:9	117:3
stuff 21:14	16:3 25:15		teaching	terms 9:1,7
26:22 41:2	26:22 27:15	T 4:1,1,7 29:11	116:22	31:20 37:5
stylist 35:3	31:14 34:3,5	66:4	team 21:13	60:18 72:12
subassembl	36:3 58:13	table 111:15	teams 22:13	72:19 74:13
20:14	58:15 59:12	Taiwan 1:5	29:17	test 47:2,19,19
submitted	62:18 69:7	144:13	technical 9:1,2	49:6,10
69:5 144:17	69:21 79:5	take 7:15,21	Technically	tested 37:8
subsequent	80:8 81:3	18:16 47:18	42:16	testified 5:6
107:8 109:9	82:20 85:6	58:12 77:17	techniques	138:20
subsequently	90:8 94:1	79:15 82:2	49:7,12	testify 5:21
92:15	120:18	95:20 100:1	113:6 129:4	71:15
substantially	125:12	107:2 108:18	technologies	testimony
79:8 107:6	126:11,20	122:9 124:1	12:7 15:22	71:4,19 72:2
108:22	surface 55:8	125:11 134:8	125:8	72:9 73:8
128:14	60:19 128:18	134:9,10	technologist	80:21 81:1,5
substitute	131:8 137:10	135:3 139:5	13:16 14:19	81:7 135:18
112:9 124:20	141:9	142:19	15:1	143:10,11
substrate	surfaces	taken 2:7	technologists	testing 30:14
78:16 125:20	142:16	130:8 144:6	15:8	30:20 34:16
success	surprised	144:9	technology	34:21 35:1
100:21	114:5	takes 125:8	9:5,6,10	35:11,12,19
successfully	surrounding	talk 11:7 27:2	15:13,17	47:2 59:11
125:9	79:20	31:12 46:4	40:17.19	tests 31:9
suggest	survive 138:19	71:8	41:2 113:12	38:12
109:10 125:2	140:17	talking 26:19	130:2	tetra 41:13
suggested	sworn 2:5 5:5	27:6 58:17	tell 76:20	54:10
109:11	144:8	63:13 69:13	temperature	tetrahedron
suggesting	synonyms	80:5 89:4	12:2 27:1	50:20
113:18 122:7	90:4	90:14 97:3	51:22	text 82:14,17
sun 54:19	system 17:14	134:12 136:4	temperatures	96:21 126:3
super 54:19	19:9,21 20:1	136:5,6,9	51:20	TFT 14:6,17,20
supervising	20:1 21:2,9	137:5 138:3	template 90:2	Thank 68:4
33:22	21:10 22:1	talks 128:19	90:3 98:1,4	127:6,9
suppliers	26:15,20	tanks 120:10 tapered 37:1,3	118:2 119:9	theory 36:7
auphiieia	20.10,20	1	110.2 113.3	111601 y 30.1
	<u> </u>	<u> </u>	<u> </u>	<u> </u>

thermally	80:3 81:8	110:21	touched 52:8	trivial 120:16
32:21	90:11 93:22	125:11	tractor 17:3	true 116:6
Thermite	97:3,20	126:12	trade 58:8,10	143:10
40:10	104:18	144:11	TRADEMARK	144:10
thesis 49:22	108:21	timed 85:10,21	1:1	truthfully 5:22
thick 35:6,10	109:18 119:8	90:18,20	traditional	try 7:15 27:21
121:6	122:4 124:6	91:2,4,5	12:7	39:17 57:20
thicker 85:15	125:1,10	times 6:16	traditionally	58:3,5 65:10
thickness 31:3	130:7 135:16	10:20 36:22	42:18	70:2 87:16
35:7,7 36:4	136:5 138:20	45:1 89:21	transcription	102:21 122:5
60:20	thinner 37:18	timing 66:10	143:11	trying 37:22
thicknesses	thoroughly	titanium 96:7	transfer 18:17	69:9 72:18
120:15 131:8	75:11	TMB 41:20	88:7,20	85:1 102:22
thin 9:5 10:7	thought 16:1	TMP 41:20	96:18 98:1	128:8
14:6 31:5,5	74:10 125:7	today 5:19 6:5	99:2,16	TSMC 4:12
52:1	133:13	6:21,22 7:6	119:10,13	94:11 105:2
thing 9:10	thousands	64:8	121:1,15	122:19
17:20 36:12	34:2,2	tool 16:14,17	134:2	tune 55:19
87:19 90:6	three 9:13 20:3	16:22 21:21	transfering	tungsten 30:9
91:6	79:7 84:10	23:4 24:14	98:8 99:4,12	40:13
things 7:3 8:9	86:22 120:5	24:15 25:3,4	transferred	turn 26:1
19:9 22:22	128:10	27:16 39:21	93:20 94:5	82:22 83:2
26:11,16,17	132:14,19	114:20,20	99:9 119:5	83:18 94:19
27:5,21,22	137:20 138:6	tools 14:7	transfers 93:6	100:3 129:1
35:5 36:8	138:10,12	24:19 30:17	transistors	turning 100:14
37:4 38:21	141:2,13	35:7 43:19	12:11 14:7	two 3:9 8:10
43:12 44:10	threshold	63:4	44:10,11,17	13:10 20:3,7
44:20 52:6	140:22	top 36:13	transition	26:13 43:11
52:15 69:10	thrown 124:4	37:16 61:2	19:11 42:3	43:18 44:19
72:16 79:5	tied 39:3	65:9 78:11	transitioned	46:17 49:20
82:1 84:11	TIG 92:8	83:6 87:21	18:2 22:3	59:1,14
106:9 115:7	time 7:16 9:19	92:17 105:19	23:18 34:3	64:15 66:2
131:7	11:13,17	114:17,21	trench 43:22	67:2 71:5
think 10:20	12:8,16,18	115:4 116:14	tri-layer	72:16 88:2
12:3,7 14:11	13:3,21 14:5	116:15,20	129:17	91:18 95:16
15:4 16:14	14:15 17:9	117:6 118:15	130:21 131:3	97:5 109:12
29:2,10 32:3	17:10 23:21	125:1 138:2	131:4,16	117:8 127:1
41:6 43:12	24:5,21 29:8	138:16,21	132:7	130:7 131:21
46:10 50:19 50:21 51:15	30:20 33:20	139:3,12 141:4 142:17	tri-level 128:2	132:19 134:16 135:6
50:21 51:15	36:1 40:2,7		TRIAL 1:3	
58:20 72:5	41:11 60:15	total 64:21 touch 27:13	triangle 50:21 tried 15:21	136:12
74:9,20 77:15 78:5	61:14 62:15		17:22	142:12
11.1010.0	62:18 85:12	98:15,20	11.22	type 8:7 10:4
	<u> </u>	<u> </u>	<u> </u>	<u> </u>

				23
21:14 35:1	42:18 66:12	85:15	42:3	85:11,12
57:15 73:4	68:9,18 69:4	uniformity	vaporizers	91:7,7
87:13 73. 4 87:12	69:10,13	28:14	19:9	wafers 17:10
typed 73:13,21	71:2 73:11	unit 60:17	variations	18:5,15,17
types 9:21	73:12 74:6	UNITED 1:1	17:19 137:18	19:11 22:14
19:3 40:1	75:1 76:16	144:2	varied 33:20	27:13 29:16
59:15,19	80:15 81:3	university 2:8	varies 10:15	45:3 52:17
86:9 141:3	88:18 93:22	3:4 61:15	various 21:3	waive 80:15
typically 30:21	95:21 96:2,4	144:6	30:12 44:9	82:6
55:13 115:1	96:20 97:12	unload 18:16	61:19	waived 144:17
131:11	97:13 98:12	unpredictable	vary 10:13	waiver 76:22
	99:11 101:11	10:18	vast 53:8	77:10 81:14
U	106:11	upper 84:5	venture 14:10	81:17 82:4
U 66:4	107:16 117:7	123:2 127:22	14:13	walk 134:7
U.S 1:12	119:1 124:6	use 21:20	verbal 7:2	wall 38:18,19
ubiquitous	124:14	23:13 53:19	verify 49:11	walls 36:14
115:3	130:20 133:7	55:10 56:1	version 130:10	want 9:10 20:7
umbilical	135:14	56:11,19	versions 33:5	21:9 37:15
18:22	136:17 138:9	57:1 58:2	versus 9:21	49:13 58:2
umbrella 9:16	understanda	59:15 85:10	58:10	58:12 80:13
undercut	87:15	88:6 90:20	vertical 37:1	81:17 86:14
123:13	understandi	100:11	verticle 37:17	89:12 94:1
underetch	6:4 73:16	101:17 107:8	57:9 92:22	139:3
84:12	81:6 82:16	109:16	vice 15:19	wanted 30:20
underetching	83:13 87:5	113:17	view 5:17 6:20	40:16 43:11
84:17	92:4,7 95:10	usually 10:16	25:16 51:2,2	49:8,11
underlying	95:18 96:8,9	18:12 36:14	70:10 76:18	52:17 53:17
71:20 74:5,8	98:16 111:2	39:11 40:18	97:15	53:18 55:9
74:15 80:9	131:2 132:1	42:15 53:11	Virginia 3:10	55:22 56:4
82:13 85:18	132:10,13,21	66:4	virtue 111:1	56:16 59:9
98:2 110:15	133:9,12,19	00.4	volatile 63:7	132:20
111:4,8	134:1 137:11	V	volume 45:7	washes 61:10
120:22	understands	v 1:8	60:19	Washington
120:22	135:12	vaccuum	vs 70:19 75:19	3:14
underneath	understood	18:17 19:1	vs /0.19 /3.19	_
90:8 132:19		20:21 26:8	W	wasn't 16:3,8
137:1	7:22 16:16	value 59:13	wafer 17:9,13	22:2 27:19
	72:17,21	87:16	18:4 19:7	30:19 31:4
undersigned	78:1 100:17	values 46:22		52:18 80:8
144:9,18	undesired		22:4 23:12	111:12,15
understand	38:17	49:5	23:19 27:14	122:7
5:18 6:8 7:2	uneven 137:10	valves 26:1	31:2 35:9	water 26:1
7:7,8,12,13	142:16	vapor 42:4	50:17 54:7	101:21
8:1 26:3	uniform 31:3,4	vaporization	56:17 61:2,3	waves 36:17
<u> </u>				

I r				20
	wiring 01:17	124.40 122.7	22.0 42.0	Yen 64:18
way 22:8 25:2 51:1 80:8	wiring 91:17	131:18 132:7	32:8 42:9	
	96:6,10	133:5,12	46:11 50:9	yield 38:14
84:13 85:17	113:20 114:7	134:1,20	67:13 91:1	39:1,6
86:6 93:2,5	114:14	135:9 136:17	working 15:12	York 3:13
93:12 115:9	wish 97:1,6	139:2 140:5	33:16 37:16	
we'll 81:8	wishes 87:9	140:12 141:2	41:22 46:7	zilene 41:16
we're 9:14	witness 2:2,4	141:17	49:21 67:17	ziiene 4 1: 16
41:4 45:18	5:4 56:15,22	142:11 144:5	75:12	0
50:13 63:13	62:11,18	144:8,11,16	works 122:2	0033 127:21
72:15 90:14	63:17 64:11	144:19	131:3	128:22
93:18 94:3	64:13 65:17	Wolfe 66:5,5	worth 74:22	
97:2 136:9	66:16 69:17	wonder 80:8	wouldn't 21:21	0036 77:21
weakened	71:9,9 72:12	wondering	56:22 57:4	0037 79:9
61:8	72:20 73:9	111:18	58:2 84:19	0040 78:8
weakness	73:17 74:16	word 78:16	87:19 93:16	0043 141:21
91:4	76:8,21 77:6	90:1	94:7 99:11	0057 79:15
wear 8:9	77:11 79:13	words 79:21	103:4,9,18	0079 128:16
wedded 27:13	83:12 87:8	97:15 99:3	104:6 111:12	024 110:21
27:14	87:15 89:3	work 5:14,15	116:6,7	1
week 10:19	89:20 91:1	8:15,18 9:2	117:10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
65:2,3	92:7 95:13	9:21 10:11	120:21	1 1:9 4:16
weeks 74:21	97:20 98:11	10:16,18	138:21	86:11,12,19
went 20:5,10	99:6 101:2,7	11:1 24:9,18	write 73:5	99:11 144:15
24:7 25:21	101:15 102:1	25:4,9 26:18	writes 137:19	10 64:21,22
29:22 30:20	102:13,17	28:17 45:16	wrote 49:13	134:11,15
30:21 44:2	103:12,22	46:1 50:1	68:15	100,000 54:15
weren't 28:1	104:10,18	54:21 58:5		1001 4:12
wet 62:1,3,12	106:11	61:20,22	X	94:11
62:20	107:16	69:8 71:6,7	X 4:7 60:19	1005 122:19
widen 112:12	108:13	73:18 74:16	87:2 88:8,11	1018 105:2
widened 113:2	110:19	74:22 77:16	88:21 90:21	11955 3:9
widening	111:22 112:6	77:16 99:21	93:7	12 64:21,22
112:20	112:18 113:5	101:12,21		139:18
wider 100:19	114:1,16	104:20	Y	12-C 131:20
101:11 103:5	115:17 116:3	104:20	yeah 62:21	12.3C 129:20
103:19 104:1	116:10,19	100:20	79:22	130:8,10,12
104:7 113:19	117:5,13	112:21	year 10:1,1,13	130:17,20
114:2,7,13	118:7 119:8	120:16 121:9	10:15,15	132:4,7,22
116:4	119:17 121:4	121:21 124:9	20:16 66:16	133:2,20
width 37:14	121:18	124:13,15	67:5	134:7,12,14
88:14 102:2	121:10	worked 12:15	years 10:22	134:18 135:5
willy-nilly	123:17	13:18 14:20	13:1,2,4,11	137:13 140:3
124:20	123.17	16:22 20:18	16:14 21:14	13 35:9 110:20
124.20	147.11	10.22 20.10	67:2	137 83:18
	<u> </u>		<u> </u>	l

<u> </u>				21
1376 68:7	127:3 134:10	78:8	5000 17:1 23:4	657 127:22
	135:20		23:8	68 4:9
69:19,22		37CFR-14		
70:6 74:2,12	2016 11:3 68:7	71:21	506 95:6 96:14	696 4:13 67:14
75:3,6,16	2016-01376	3rd 144:19	96:15,19	73:19 74:17
77:18 79:16	68:3 69:5	4	98:2,9 99:13	89:4 94:17
82:12 83:3	2016-1376		99:17 123:2	6th 2:8 3:4
83:18 100:4	68:16	4 139:8	507 96:9	144:6
100:6 125:15	2017 1:15	40 6:18 11:5	509 95:1,7	7
129:15	66:17 67:6	78:5 94:20	96:5,11 98:7	
130:15	127:1,5	97:21	98:15,21	7 84:1 105:5
141:21	128:13	408-4000 3:14	99:1,11,15	7,126,174 1:12
1377 68:7	129:21 130:4	41.1(b) 71:22	99:21	71 130:16
1378 68:7	130:9,18	43 108:15	51 129:8,13	72 125:14
1379 68:8	144:7,20	44 109:20	510 94:22 95:7	129:16
14 10:21 26:16	2018 127:8,21	110:15,22	95:22 96:2	75 18:7
139:6,8,19	129:1 130:11	115:1	96:18,20	78 83:20
15 13:17 15:8	130:12,17,21	45 100:12,22	98:8 99:12	8
15:15 105:5	20190-5675	101:17,20	53 79:16 82:12	
106:1	3:10	102:4,6	5386 144:22	8 127:10
150 18:6	202 3:14	105:10 106:2	56 123:6 129:9	8:54 2:9 144:7
16 105:7,7	218 137:19	108:17	129:14	82 83:19
110:20,20	22-B 95:11,14	109:17,21	57 82:11	86 4:16
171 100:4,6,9	95:18,21	110:14 111:1	571)203-2700	9
103:3	96:12 97:17	111:2,13,20	3:10	
174 100:14,15	98:21	112:1,4,10	58 123:3,6	9 134:10,15
103:3	22-C 95:15,18	112:14	592 128:16	901 3:13
18 40:22 127:1	96:12 97:17	113:11,14		92 83:3,6
1900 2:8 3:4	22B 94:21	115:13,21	6	93 83:3,6
144:6	23 94:19,20	116:5,8	6 14:15	94 4:12
1987 11:11	97:4,5,16,21	123:14	60 11:5	94040 5:17
1996 46:7	240 5:16	46 97:21	61 106:1 139:6	94303 3:4
1997 8:5 11:11	25 17:10,17	49 35:9	617-4794 3:5	96 83:2,7
	54:18		62 139:6,7,18	97 83:1,2,7
2	2d 71:21	5	63 127:11	
2:06 143:2		5 4:4 123:1	139:6	
20 79:8	3	127:10,17	6321 127:12	
200 18:8	3 136:20	136:22	633 127:15	
2002 46:7	3-D 79:4	5,000 22:5	64 127:10,16	
2006 71:22	30 1:15	24:3,13	134:10,16	
2009 4:9 68:2	300 18:9	32:13	643 137:19	
68:20 69:5	30th 144:7	50 17:11 18:7	644 127:12	
69:15	355 79:21	21:5	65 136:20	
2010 126:22	36 77:18,19,21	50/50 10:2,11	650 3:5	
		10:14		
	<u> </u>	<u> </u>	<u> </u>	<u> </u>