## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

 PATENT NO.
 : 8,672,583 B1

 APPLICATION NO.
 : 12/802483

 DATED
 : March 18, 2014

 INVENTOR(S)
 : David J. Mailhot et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims:

Claim 1, col. 13, lines 35-36, "parallel to the chamber length axis;" should read --parallel to the chamber length;--.

Claim 16, col. 15, line 5, "termination points of plurality" should read --termination points of the first plurality--.

Signed and Sealed this Twelfth Day of August, 2014

Michelle K. Lee

Michelle K. Lee Deputy Director of the United States Patent and Trademark Office

Page 1 of 498 CULTEC, INC. EXHIBIT 1010

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No.: 8,672,583 B1

Inventor: David J. MAILHOT et al.

Issue Date .: March 18, 2014

For: CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

#### **REQUEST FOR CERTIFICATE OF CORRECTION**

Pursuant to 35 U.S.C. § 254, and 37 C.F.R. § 1.322, this is a request for a Certificate of

Correction in the above-identified patent. The mistake identified in the appended Form occurred

through the fault of the Patent Office, as clearly disclosed by the records of the application

which matured into this patent.

Two (2) copies of PTO Form 1050 are appended. The complete Certificate of Correction

involves three (3) pages. Issuance of the Certificate of Correction containing the correction is

earnestly requested.

Please charge any required fees not included herewith to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: June 12, 2014

By: /Daniel G. Chung/ Daniel G. Chung Reg. No. 63,553 (202) 408-4000

> Page 2 of 498 CULTEC, INC. EXHIBIT 1010

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. 8,672,583 B1

APPLICATION NO.: 12/802,483

ISSUE DATE: March 18, 2014

INVENTOR(S): David J. MAILHOT

It is hereby certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, col. 13, lines 35-36, "parallel to the chamber length axis;" should read --parallel to the chamber length;--.

Claim 16, col. 15, line 5, "termination points of plurality" should read --termination points of the first plurality--.

MAILING ADDRESS OF SENDER

Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P. 901 New York Avenue, N.W. Washington, D.C. 20001-4413

> Page 3 of 498 CULTEC, INC. EXHIBIT 1010

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. 8,672,583 B1

APPLICATION NO.: 12/802,483

ISSUE DATE: March 18, 2014

INVENTOR(S): David J. MAILHOT

It is hereby certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, col. 13, lines 35-36, "parallel to the chamber length axis;" should read --parallel to the chamber length;--.

Claim 16, col. 15, line 5, "termination points of plurality" should read --termination points of the first plurality--.

MAILING ADDRESS OF SENDER

Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P. 901 New York Avenue, N.W. Washington, D.C. 20001-4413

> Page 4 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Acknowledgement Receipt				
EFS ID:	19283848			
Application Number:	12802483			
International Application Number:				
Confirmation Number:	9389			
Title of Invention:	CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS			
First Named Inventor/Applicant Name:	David J. Mailhot			
Customer Number:	22852			
Filer:	Daniel Geewon Chung/dorne dottin			
Filer Authorized By:	Daniel Geewon Chung			
Attorney Docket Number:	07965.0150-00000			
Receipt Date:	12-JUN-2014			
Filing Date:	07-JUN-2010			
Time Stamp:	12:02:37			
Application Type:	Utility under 35 USC 111(a)			

# Payment information:

Submitted wit	Submitted with Payment no					
File Listing	<b>j</b> :					
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Request for Certificate of Correction		965_0150_00000_Request_f r_Certificate_of_Correction. pdf	41408 36afe18e7bd7076e1d4e9ff2559726b52a7ff 2b8	no	1
Warnings:				· · ·		
Information:						

Page 5 of 498 CULTEC, INC. EXHIBIT 1010

2	Miscellaneous Incoming Letter	07965_0150_00000_Certificate	70675	no	2
		_of_Correction.pdf	6f7b01b3798e37a0f986172e056f5dfdb270 f4d5		
Warnings:					
Information					
		Total Files Size (in bytes)	<b>:</b> 1 <sup>-</sup>	2083	
characterize Post Card, as <u>New Applica</u> If a new appl 1.53(b)-(d) a Acknowledg <u>National Sta</u> If a timely su U.S.C. 371 ar national stag <u>New Interna</u> If a new international and of the Im	ledgement Receipt evidences receip d by the applicant, and including pay described in MPEP 503. tions Under 35 U.S.C. 111 ication is being filed and the applican and MPEP 506), a Filing Receipt (37 CF ement Receipt will establish the filin ge of an International Application ur bmission to enter the national stage ad other applicable requirements a F ge submission under 35 U.S.C. 371 wi tional Application Filed with the USP mational application is being filed an onal filing date (see PCT Article 11 an ternational Filing Date (Form PCT/RG urity, and the date shown on this Ack on.	ge counts, where applicable. tion includes the necessary of R 1.54) will be issued in due g date of the application. <u>Inder 35 U.S.C. 371</u> of an international applicati orm PCT/DO/EO/903 indicati ill be issued in addition to the <u>PTO as a Receiving Office</u> and the international applicat d MPEP 1810), a Notification D/105) will be issued in due c	It serves as evidence components for a filin course and the date s on is compliant with ng acceptance of the e Filing Receipt, in du ion includes the nece of the International, ourse, subject to pres	of receipt s og date (see hown on th the condition e course. ssary comp Application scriptions co	imilar to a 37 CFR iis ons of 35 as a onents for Number oncerning



UNITED STATES PATENT AND TRADEMARK OFFICE

			www.uspto.gov	
APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
12/802,483	03/18/2014	8672583	07965.0150-00000	9389

22852 7590 02/26/2014 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER LLP 901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413

#### **ISSUE NOTIFICATION**

The projected patent number and issue date are specified above.

#### Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment is 446 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site http://pair.uspto.gov for additional applicants):

David J. Mailhot, Coventry, CT; Nimish Gandhi, Wethersfield, CT; Timothy J. McGrath, Arlington, MA;

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The USA offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to encourage and facilitate business investment. To learn more about why the USA is the best country in the world to develop technology, manufacture products, and grow your business, visit <u>SelectUSA.gov</u>.

IR103 (Rev. 10/09)

Page 7 of 498 CULTEC, INC. EXHIBIT 1010

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

#### **AMENDMENTS TO THE SPECIFICATION:**

Please amend the specification on page 6, line 15 as follows:

Fig. 5 comprises Fig 5(a) through Fig. 5(e) Fig. 5(f) and shows portions of sidewall cross sections at different chamber elevations, as points illustrated in Fig. 3.

/B.5.H./ Please amend the specification on page 11, line  $\frac{1}{14}$  as follows:

11/6/2013

As may be seen in Fig. 1 and Fig. 2, a second set of sub-corrugations 36 runs along the respective centers of valley corrugations 30. The sub-corrugations 36 taper to nothingness in depth and width as they run downwardly and approach the base flange. Each exemplary valley sub-corrugation [[34]] <u>36</u> runs along virtually the whole of the arch curve length of the associated valley. The direction of taper of a valley sub-corrugations corresponds in sense with the taper of the valley corrugation, i.e., each gets narrower as it approaches the elevation of the base. The width of a crest or valley sub-corrugation may alternatively be constant along part or all of the associated corrugation.

Please amend the specification on page 12, line  $\beta$  as follows:

Again with reference to Fig. 4: Each crest corrugation has a height d which is measured relative to an adjacent valley corrugation. Each crest sub-corrugation 32 has a height dp and each valley sub-corrugation [[34]] <u>36</u> has a height dv, as such are measured relative to the adjacent outer surface of the crest or valley, as applies. The maximum height dp of a crest sub-corrugation 32 is less than the locally associated height dc of the crest corrugation 28 on which it is positioned. The maximum height dv of a valley sub-corrugation 36 is less than locally associated depth dd of the valley corrugation 30 on which it is positioned. (As mentioned above, the terms height and depth are used interchangeably for the same dimension on a corrugation or sub-corrugation.)

Page 8 of 498 CULTEC, INC. EXHIBIT 1010

## Receipt date: 05/08/2013

## 12802483 - GAU: 3672

IDS Form PTO/SB/08: Substitute for form 1449A/PTO				Co	omplete if Known
				Application Number	12/802,483
INF(	DRMATION D	NSCLOSU	RE	Filing Date	June 7, 2010
STATEMENT BY APPLICANT				First Named Inventor	David J. MAILHOT
~17	SIAICINCINI DI APPLICANI			Art Unit	3672
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.
Sheet	3	of	5	Attorney Docket Number	07965.0150-00000

			U.S. PATENT APPLIC	AIIUNS
	7,156,580	01-02-2007	Suazo et al.	
	7,144,506	12-05-2006	Lombardi, II	
	7,025,532	04-11-2006	Suazo et al.	
	6,941,972	09-13-2005	Toliver et al.	
	6,860,518	03-01-2005	Krauss et al.	
	6,773,206	08-10-2004	Bradley et al.	
	6,644,357	11-11-2003	Goddard	
	6,270,287	08-07-2001	Gray	······
	6,126,209	10-03-2000	Goddard	
	5,720,577	02-24-1998	Sanders et al.	
	5,707,088	01-13-1998	Miller et al.	
	5,556,231	09-17-1996	Sidaway et al.	
	5,326,191	07-05-1994	Wilson et al.	
	5,071,173	12-10-1991	Hegler et al.	
· · · · · · · · · · · · · · · · · · ·	4,950,103	08-21-1990	Justice	
	4,930,936	06-05-1990	Hegler et al.	
	4,865,362	09-12-1989	Holden	
nge(s) applied	4,523,874	6-98-9985	Miki et al.	
ocument.	4,523,613	06-18-1985	Fouss et al.	
\. <b></b>	4,490,072	12-25-1984	Glasser	······
/2013	4,451,172	05-29-1984	Lamphier et al.	
/ 49.1.2	4,113,818	09-12-1978	Drossbach	
	4,360,042	11-23-1982	Fouss et al.	
	4,359,167	11-16-1982	Fouss et al.	
	4,322,179	03-30-1982	Lamphier et al.	
	4,140,422	02-20-1979	Crumpler, Jr., et al.	
	4,006,599	02-08-1977	Hegler et al.	
	3,958,425	05-25-1976	Maroschak	
	3,855,799	12-24-1974	Martin et al.	
	3,820,340	06-28-1974	Jenner et al.	<u></u>
	3,789,615	02-05-1974	Maroschak	

		*****	Aurenteen and a second s
Examinar I		Date	\$ <b>1</b>
1	(Developmento Eterrally /	1 0000	i antinana in
Signatura 1	/Benjamin Florello/	Considered	1 05/16/2012 3
្រូ បាចូលរលប់ ្		1 Considered	
		***************************************	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 9 of 498 CULTEC, INC. EXHIBIT 1010

## Receipt date: 05/08/2013

1280	2483	- GAI	U:	36	72

IDS Form PTO/SB/08: Substitute for form 1449A/PTO				Cc	omplete if Known
				Application Number	12/802,483
INFO	DRMATION C	NISCLOSU	IRF	Filing Date	June 7, 2010
-	TEMENT BY			First Named Inventor	David J. MAILHOT
SIA		MPPLIOM	73.48 8	Art Unit	3672
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.
Sheet	2	of	5	Attorney Docket Number	07965.0150-00000

	4,862,652	09-05-1989	Lockwood	
	4,932,184	06-12-1990	Waller	
······	4,962.622	10-16-1990	Albrecht et al	
	5,060,444	10-29-1991	Paquette	
		08-09-1994		
	5,336,017		Nichols	
	6,079,451	06-27-2000	Hegler	
	7,147,007	12-12-2006	Renaud	
	7,306,264	12-11-2007	Goddard et al.	
	7,306,399	12-11-2007	Smith	
	7,517,172	04-14-2009	Sipaila	
	7,611,306	11-03-2009	Hallahan et al.	
	7,870,700	01-18-2011	Arguelles	
	7,914,231	03-29-2011	Coppes et al.	
	2010/0059430	03-11-2010	Adams et al.	
	2010/0126616	05-27-2010	Kanao	
	2009/0295153	12-03-2009	Кларр	
	2009/0232600	09-17-2009	Kim et al	
	2009/0127853	05-21-2009	Sutton et al	
	2006/0289075	12-28-2006	Diez	
(s) applied	2003/0095838	05-22-2003	Maestro	
ment,	7,758,282	07-20-2010	Suazo	
	7,707,786	<del>- 05-0402010</del> 5-4-2010	Theophilus	
013	7,637,691	12-29-2009	DiTullio	
010	7,628,566	12-08-2009	Miskovich	
	7,517,172	04-14-2009	Sipalla	
	7,484,535	02-03-2009	Goddard et al.	
	7,470,085	12-30-2008	Suazo	
	7,451,784	11-18-2008	Goddard	
	7,357,600	04-15-2008	Suazo et al.	
	7,314,066	01-01-2008	Castillo et al.	
	7,165,914	01-23-2007	Suazo	

	vyvooooooooooooooooooooooooooooooooooo	***************************************
Examiner /Benjamin Fiorello/	Date Considered	05/16/2013
ognatore	Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 10 of 498 CULTEC, INC. EXHIBIT 1010

## Receipt date: 05/08/2013

# <u> 12802483 - GAU;</u> 3672

IDS Form PTO/SB/08: Substitute for form 1449A/PTO				Ca	omplete if Known
				Application Number	12/802,483
	ORMATION D	ISCLOSU	IRE	Filing Date	June 7, 2010
1				First Named Inventor	David J. MAILHOT
	STATEMENT BY APPLICANT			Art Unit	3672
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.
Sheet	5	of	5	Attomey Docket Number	07965.0150-00000

Examiner	Cite		Publication Date	Name of Patentee or	Pages, Columns, Lines,	Translation
Initiais	No.1	Foreign Patent Document	MM-DD-YYYY	Applicant of Cited Document	Where Relevant Passages or Relevant Figures	Tranadon
		Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>6</sup> (if known)			Appear	
		WO 2007021715	02-22-2007	Goddard et al.		
(s) appl	ied	WO 2004061249	01-22-2007 7-22-2004	Mullett et al.		
ment,		WO 2007138780	12-06-2007	Hayashi et al.		Abstract
<b>.</b> /		WO 2009102855	08-20-2009	Cobb et al.		
2013		DE 10139897	02-27-2003	Baunach et al.		Abstract
		DE 1282562	11-07-1968	Willner		Yes
		DE 202005005056	02-06-2005	Hegler		Abstract
		JP 09235828	09-09-1997	Nishyama		Abstract
		EP 1122481	08-08-2001	Tamborini et al.	•	
		JP 2005042538	02-17-2005	Kamata Toshio		Abstract
		JP 2003176564	06-24-2003	Kamata Toshio		Abstract
		JP 2002294850	10-09-2002	Kamata Toshio		Abstract
		JP 2002294849	10-09-2002	Kamata Toshio	-	Abstract
		JP 2002302995	10-18-2002	Kamata Toshio		Abstract
		JP 2003176565	06-24-2003	Kamata Toshio		Abstract
·····		JP 2005213854	08-11-2005	Terasawa Takae		Abstract
		GB 2016639	09-26-1979	Jakobsen		

	NONPATENT LITERATURE DOCUMENTS					
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation <sup>6</sup>			
		James L. Beaver et al., Structural Design of Stormwater Chambers, Transportation Research Board Annual Meeting, 22 pages (2003).				
		Infiltrator Systems, Inc. Equalizer 36 Chambers Product Brochure , 4 pages (2004).				
	******					

		*****	Annual construction of the second
Examiner	/Benjamin Ejorello/	Date	05/40/0040
Signature		Considered	05/16/2013
£	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	***************************************	hanna an

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 11 of 498 CULTEC, INC. EXHIBIT 1010

## Receipt date: 05/08/2013

# <u>12802483 - GAU:</u> 3672

IDS Form PTO/SB/08: Substitute for form 1449A/PTO					Complete if Known		
					Application Number	12/802,483	
INFORMATION DISCLOSURE					Filing Date	June 7, 2010	
STATEMENT BY APPLICANT					First Named Inventor	David J. MAILHOT	
					Art Unit	3672	
(Use as many sheets as necessary)				Examiner Name	Florello, Benjamin F.		
Sheet	Sheet 4 of 5		Attorney Docket Number	07965.0150-00000			

	3,699,684	10-24-1972	Sixt	1
	3,658,097	04-25-1972	Martin et al	
	2,259,335	10-14-1941	Carswell et al.	
	1,989,950	02-05-1935	Snyder	
	1,948,619	02-27-1934	Knutson	
······	980,442	01-03-1911	Schlafly	
	D566852	04-15-2008	Gaster et al.	
	D498815	11-23-2004	Greer	
	2006/0162799	07-27-2006	Goddard	
	2002/0025226	02-28-2002	Maestrp	
	5,716,163	02-10-1998	Nichols et al.	
	2009/0220302	09-03-2009	Cobb et al.	
	200// 0220/02			
ge(s) applied			·	
cument;				
. <del>5./</del>				
∋∕∕20+3				
			·····	
				······
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
		1		

	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Examiner	(Doniomin Elocalla)	Date	05/40/0040
Signature		Considered	05/16/2013
1 Orgitatore	L	Consideration of the second se	f

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 12 of 498 CULTEC, INC. EXHIBIT 1010

## Receipt date: 05/08/2013

# <u>12802483 - GAU:</u> 3672

IDS Form PTO/S	IDS Form PTO/SB/08: Substitute for form 1449A/PTO				Co	omplete if Known
					Application Number	12/802.483
INF	ORMATION D	DISCLOS	URE		Filing Date	June 7, 2010
STATEMENT BY APPLICANT					First Named Inventor	David J. MAILHOT
SIA	SIAICMENI DI AFFLICANI				Art Unit	3672
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.	
Sheet			Attorney Docket Number	07965.0150-00000		

Examiner	Cite	Document Number	Issue or	Name of Patentee or	Pages, Columns, Lines, Whei
Initials	No.1	Number-Kind Code <sup>2</sup> (If known)	Publication Date MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Releva Figures Appear
		3,559,692	02-02-1971	Mantelet	
		6,719,490	04-13-2004	Maestro	
		4,690,174	09-01-1987	Jarvenkyla	<u></u>
		6,131,616	10-17-2000	Tatsuta et al.	
h		4,144,369	03-13-1979	Wass	
		4,689,261	08-25-1987	Ahnstrom	· · · · · · · · · · · · · · · · · · ·
(s) appl	ed	2009/0117302	05-07-20069 2009	Kanao	
ment,		414,767	11-12-1889	Fox	
1./		3,104,681	09-24-1963	Gray Jr.	
013		3,363,799	01-16-1968	Zurcher et al.	
F		3,440,823	04-29-1969	Olsen et al.	
		4,360,042	11-23-1982	Fouss et al.	
······		4,487,232	12-11-1984	Kanao	
		4,950,103	08-21-1990	Justice	
		5,007,462	04-16-1991	Kanao	
		5,191,916	03-09-1993	Kanao	
		5,498,104	03-12-1996	Gray	
		5,573,038	11-12-1996	Kanao	
		6,129,482	10-10-2000	Di Tullio	
(s) appl	ied	6,322,288	11-27-2001	Di Tullio	
ment,		6,698,975	03-02-2004	Benecke	
5./		6,941,972	09-13-2005	Toliver	
2013		2011/0150574	06-23-2011	Semoutiuk	
		3,111,788	11-26-1963	Paul	
		3,151,947	10-6-1984	Hastings	
		3,427,767	2-18-1969	Schaefer	
		3,863,415	02-04-1975	Bott	
		4,382,435	05-10-1983	Brill-Edwards	
<u> </u>		4,776,139	10-11-1988	Lockwood	

Evaminer		Date	
1 1. Valuation 1	(Baniamin Einralla)	0515	ΔΕ/ <u>Η</u> Ω Ω ΔΑ Ω ΔΑ
Signature		Considered	00/10/2013
- Congression of		<b>O</b> dridido 100	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 13 of 498 CULTEC, INC. EXHIBIT 1010

#### PART B - FEE(S) TRANSMITTAL

	Mail Stop ISSUE FEE Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 (571)-273-2885
INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLI appropriate. All further correspondence including the Patent, advance orders and notification indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new of maintenance fee notifications.	of maintenance fees will be mailed to the current correspondence address as
	Note: A certificate of mailing can only be used for domestic mailings of the

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

 

 Certificate of Mailing or Transmission

 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER tates Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below.

 901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413

	(Depositor's name)
	(Signature)
	(Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
12/802,483	06/07/2010	David J. Mailhot	07965.0150-00000	9389

TITLE OF INVENTION: CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	UNDISCOUNTED	X\$XXXXX \$96	0 \$0	\$0	XIX8X X	01/27/2014
EXA	MINER	ART UNIT	CLASS-SUBCLASS	1	\$960	
FIORELLO	BENJAMIN F	3672	405-042000	-		
<ul> <li>1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).</li> <li>Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached.</li> <li>Tee Address 'indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.</li> </ul>			or agents OR, alternativ (2) the name of a single registered attorney or a	<ul> <li>3 registered patent attorr vely,</li> <li>a firm (having as a memb agent) and the names of u rnevs or agents. If no nam</li> </ul>	era 2 Farabow	n, Henderson , Garrett & L.L.P.
PLEASE NOTE: U	nless an assignee is ident	ified below, no assignee	THE PATENT (print or typ data will appear on the p T a substitute for filing an	atent. If an assignce is it	lentified below, the docu	ment has been filed for

(A) NAME OF ASSIGNEE (B) RESIDENCE: (CITY and STATE OR COUNTRY)

StormTech LLC

#### Wethersfield, CT

Please check the appropriate assignee category or categories (will not be printed on the patent): 🗖 Individual 🖾 Corporation or other private group entity 🗖 Government

4a. The following fee(s) are submitted:	4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above)
Issue Fee	A check is enclosed.
Publication Fee (No small entity discount permitted)	Payment by credit card. Form PAS 2038 is an acheen
Advance Order - # of Copies	The Director is hereby authorized to charge the required fee(s), any deficiency, or credit any overpayment, to Deposit Account Number $06 - 0916$ (enclose an extra copy of this form).

Page 14 of 498 CULTEC, INC. EXHIBIT 1010

5. Change in Entity Status (from status indicated above) Applicant certifying micro entity status. See 37 CFR 1.29

Applicant asserting small entity status. See 37 CFR 1.27

Applicant changing to regular undiscounted fee status.

<u>NOTE</u>: Absent a valid certification of Micro Entity Status (see form PTO/SB/15A and 15B), issue fee payment in the micro entity amount will not be accepted at the risk of application abandonment. <u>NOTE</u>: If the application was previously under micro entity status, checking this box will be taken to be a notification of loss of entitlement to micro entity status.

<u>NOTE</u>: Checking this box will be taken to be a notification of loss of entitlement to small or micro entity status, as applicable.

NOTE: The Issue Fee and Publication Fee (if required) will interact as shown by the record of the United States Patent	not be accepted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in and Trademark Office.
interest as shown by the records of the Orghed Spaces Fatent	
Authorized Signature	Date January 27, 2014
Typed or printed name Daniel G. Chur	Registration No. 63, 553

This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Page 3 of 4

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Page 15 of 498 CULTEC, INC. EXHIBIT 1010

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
David J. MAILHOT et al.	) Group Art Unit: 3672
Application No.: 12/802,483	) Examiner: Benjamin F. FIORELLO
Filed: June 7, 2010	)
For: CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) Confirmation No.: 9389 ) )

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

#### FEE ADDRESS FOR MAINTENANCE FEE PURPOSES IN ACCORDANCE WITH 37 C.F.R. § 1.363

In accordance with the provisions of 37 C.F.R. § 1.363, the fee address set forth below

is being supplied for purposes of receiving notices, receipts, and other correspondence relating

to the payment of maintenance fees:

CPI (Computer Packages, Inc.) 414 Hungerford Drive, Third Floor Rockville, Maryland 20850 Phone: 301-424-8890 Fax: 301-762-8663 Payor No.: 00204

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, LLP By: Daniel G. Chung Reg. No. 63,553 (202) 408-4000

Dated: January 27, 2014

Page 16 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Patent Application Fee Transmittal						
Application Number:	12802483					
Filing Date:	07-	-Jun-2010				
Title of Invention:	CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS					
First Named Inventor/Applicant Name:	David J. Mailhot					
Filer:	Da	niel Geewon Chung	J/Donna Beckf	ord-Harris		
Attorney Docket Number:	079	965.0150-00000				
Filed as Small Entity						
Utility under 35 USC 111(a) Filing Fees						
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)	
Basic Filing:						
Pages:						
Claims:						
Miscellaneous-Filing:						
Petition:						
Patent-Appeals-and-Interference:						
Post-Allowance-and-Post-Issuance:						
Utility Appl Issue Fee		2501	1	480	480	
Plant Issue Fee		2503	1	380	380	

Page 17 of 498 CULTEC, INC. EXHIBIT 1010

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
	Tot	al in USD:	(\$)	860

Page 18 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Acknowledgement Receipt					
EFS ID:	18038796				
Application Number:	12802483				
International Application Number:					
Confirmation Number:	9389				
Title of Invention:	CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS				
First Named Inventor/Applicant Name:	David J. Mailhot				
Customer Number:	22852				
Filer:	Daniel Geewon Chung/Donna Beckford-Harris				
Filer Authorized By:	Daniel Geewon Chung				
Attorney Docket Number:	07965.0150-00000				
Receipt Date:	27-JAN-2014				
Filing Date:	07-JUN-2010				
Time Stamp:	18:45:08				
Application Type:	Utility under 35 USC 111(a)				

## Payment information:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)		
File Listing	:						
Authorized Us	er						
Deposit Accou	nt						
RAM confirmat	tion Number	6391	6391				
Payment was s	uccessfully received in RAM	\$860					
Payment Type		Credit Card					
Submitted with Payment yes							

Page 19 of 498 CULTEC, INC. EXHIBIT 1010

1	Issue Fee Payment (PTO-85B)	07965_0150_00000_issue_fee.	116031	no	2			
		pdf	af4b74253a5a9b94d6427b52c2c3eb17b23 a25d2					
Warnings:								
Information								
2	Miscellaneous Incoming Letter	07965_0150_00000_Fee_Addr	30932	no	1			
	ess_Form.pdf		16ffc21b79a6a77dc5e31e3b80182eecefd8 2a88					
Warnings:								
Information								
3	Fee Worksheet (SB06)	fee-info.pdf	32347	no	2			
			846526427021d4f76018a5d22e1fb5815d0 dd401					
Warnings:								
Information								
		Total Files Size (in bytes)	1	79310				
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. <u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.								
National Stage of an International Application under 35 U.S.C. 371 If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. <u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of								
If a new inter an internation and of the In	rnational application is being filed an onal filing date (see PCT Article 11 an ternational Filing Date (Form PCT/RG urity, and the date shown on this Ack	nd the international applicat d MPEP 1810), a Notification D/105) will be issued in due c	of the International , ourse, subject to pres	Application scriptions c	Number oncerning			

Document code: WFEE

United States Patent and Trademark Office Sales Receipt for Accounting Date: 01/30/2014

DTERRY	ADJ #0000	0003 Ma	ilroom Dt: 01/27/2014	
	Seq No:	6391	Sales Acctg Dt: 01/28/2014	12802483
	01 F	FC : 2501	-480.00 OP	
	02 F	FC : 2503	-380.00 OP	

Page 21 of 498 CULTEC, INC. EXHIBIT 1010

Document code: WFEE

United States Patent and Trademark Office Sales Receipt for Accounting Date: 01/30/2014

DTERRY SALE #00000001 Mailroom Dt: 01/27/2014 060916 12802483 01 FC : 1501 860.00 OP 01 FC : 1501 100.00 DA

> Page 22 of 498 CULTEC, INC. EXHIBIT 1010

United States Patent and Trademark Office

ITED	Sta	TES	PATE

UNITED STATES DEPARTMENT OF COMMERCE	2
United States Patent and Trademark Office	
Address: COMMISSIONER FOR PATENTS	
P.O. Box 1450	
Alexandria, Virginia 22313-1450	
www.uspto.gov	

#### NOTICE OF ALLOWANCE AND FEE(S) DUE

22852 7590 10/25/2013 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER LLP 901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413

EXAMINER				
FIORELLO, BENJAMIN F				
ART UNIT PAPER NUMBER				
3672				

DATE MAILED: 10/25/2013

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
12/802,483	06/07/2010	David J. Mailhot	07965.0150-00000	9389	

TITLE OF INVENTION: CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	UNDISCOUNTED	\$1780	\$0	\$O	\$1780	01/27/2014

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. <u>PROSECUTION ON THE MERITS IS CLOSED</u>. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. <u>THIS STATUTORY PERIOD CANNOT BE EXTENDED</u>. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

#### HOW TO REPLY TO THIS NOTICE:

I. Review the ENTITY STATUS shown above. If the ENTITY STATUS is shown as SMALL or MICRO, verify whether entitlement to that entity status still applies.

If the ENTITY STATUS is the same as shown above, pay the TOTAL FEE(S) DUE shown above.

If the ENTITY STATUS is changed from that shown above, on PART B - FEE(S) TRANSMITTAL, complete section number 5 titled "Change in Entity Status (from status indicated above)".

For purposes of this notice, small entity fees are 1/2 the amount of undiscounted fees, and micro entity fees are 1/2 the amount of small entity fees.

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

Page 23 of 498 CULTEC, INC. EXHIBIT 1010

#### PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail Mail Stop ISSUE FEE

Commissioner for Patents P.O. Box 1450

Alexandria, Virginia 22313-1450

(571)-273-2885 or <u>Fax</u>

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

(Date)

 

 22852
 7590
 10/25/2013
 Certificate of Mailing or Transmission

 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNE Rates Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below.

 901 NEW YORK AVENUE, NW (Depositor's name WASHINGTON, DC 20001-4413 (Signatur

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
12/802,483	06/07/2010	David J. Mailhot	07965.0150-00000	9389

TITLE OF INVENTION: CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	UNDISCOUNTED	\$1780	\$0	\$0	\$1780	01/27/2014
EXAN	IINER	ART UNIT	CLASS-SUBCLASS			
FIORELLO, 1	BENJAMIN F	3672	405-042000	-		
<ul> <li>1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).</li> <li>Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached.</li> <li>"Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.</li> </ul>		or agents OR, alternativ (2) the name of a single registered attorney or a	3 registered patent attorn	er a 2		

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment. (A) NAME OF ASSIGNEE (B) RESIDENCE: (CITY and STATE OR COUNTRY)

Please check the appropriate assignee category or categories (will not be printed on the patent) : 🗖 Individual 📮 Corporation or other private group entity 📮 Government

4a. The following fee(s) are submitted:	4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above)
Issue Fee	A check is enclosed.
Publication Fee (No small entity discount permitted)	Payment by credit card. Form PTO-2038 is attached.
Advance Order - # of Copies	The Director is hereby authorized to charge the required fee(s), any deficiency, or credit any overpayment, to Deposit Account Number (enclose an extra copy of this form).

Page 24 of 498 CULTEC, INC. EXHIBIT 1010

#### 5. Change in Entity Status (from status indicated above)

Applicant certifying micro entity status. See 37 CFR 1.29

Applicant asserting small entity status. See 37 CFR 1.27
 Applicant changing to regular undiscounted fee status.

<u>NOTE:</u> Absent a valid certification of Micro Entity Status (see form PTO/SB/15A and 15B), issue fee payment in the micro entity amount will not be accepted at the risk of application abandonment. <u>NOTE:</u> If the application was previously under micro entity status, checking this box will be taken to be a notification of loss of entitlement to micro entity status.

<u>NOTE:</u> Checking this box will be taken to be a notification of loss of entitlement to small or micro entity status, as applicable.

NOTE: The Issue Fee and Publication Fee (if required) will not be accepted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in interest as shown by the records of the United States Patent and Trademark Office.

Authorized Signature

Typed or printed name

Registration No.

Date

This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Page 3 of 4

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Page 25 of 498 CULTEC, INC. EXHIBIT 1010

	ted States Pate	NT AND TRADEMARK OFFICE	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P. O. Box 1450 Alexandria, Virginia 22: www.uspto.gov	OR PATENTS
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
12/802,483	06/07/2010	David J. Mailhot	07965.0150-00000	9389
22852 75	90 10/25/2013		EXAM	IINER
FINNEGAN, HE	NDERSON, FARAE	30W, GARRETT & DUNNER	FIORELLO,	BENJAMIN F
901 NEW YORK	AVENUE, NW		ART UNIT	PAPER NUMBER
WASHINGTON, I	DC 20001-4413		3672	
			DATE MAILED: 10/25/201	3

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 164 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 164 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

Page 26 of 498 CULTEC, INC. EXHIBIT 1010

#### **Privacy Act Statement**

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- 1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- 2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Page 27 of 498 CULTEC, INC. EXHIBIT 1010

# Notices of Allowance and Fee(s) Due mailed between October 1, 2013 and December 31, 2013

#### (Addendum to PTOL-85)

If the "Notice of Allowance and Fee(s) Due" has a mailing date on or after October 1, 2013 and before January 1, 2014, the following information is applicable to this application.

If the issue fee is being timely paid on or after January 1, 2014, the amount due is the issue fee and publication fee in effect January 1, 2014. On January 1, 2014, the issue fees set forth in 37 CFR 1.18 decrease significantly and the publication fee set forth in 37 CFR 1.18(d)(1) decreases to \$0.

If an issue fee or publication fee has been previously paid in this application, applicant is not entitled to a refund of the difference between the amount paid and the amount in effect on January 1, 2014.

Page 28 of 498 CULTEC, INC. EXHIBIT 1010

	<b>Application No.</b> 12/802,483	Applicant( MAILHOT E	
Notice of Allowability	Examiner BENJAMIN FIORELLO	Art Unit 3672	AIA (First Inventor to File) Status No
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in thi 5) or other appropriate communic <b>RIGHTS.</b> This application is subj	is application. If no ation will be mailed	it included I in due course. <b>THIS</b>
<ol> <li>This communication is responsive to <u>after final filed 10/15</u></li> <li>A declaration(s)/affidavit(s) under <b>37 CFR 1.130(b)</b> was</li> </ol>			
<ol> <li>An election was made by the applicant in response to a re requirement and election have been incorporated into this</li> </ol>		ring the interview o	n; the restriction
<ol> <li>The allowed claim(s) is/are <u>1,3-14,18 and 25-31</u>. As a resuper the second secon</li></ol>	al property office for the corresp	onding application.	For more information,
4. Acknowledgment is made of a claim for foreign priority und	der 35 U.S.C. § 119(a)-(d) or (f).		
Certified copies:			
a) ☐ All b) ☐ Some *c) ☐ None of the:			
1. Certified copies of the priority documents hav			
2. Certified copies of the priority documents have			
3. Copies of the certified copies of the priority d	ocuments have been received in	this national stage	application from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. CORRECTED DRAWINGS ( as "replacement sheets") mu	MENT of this application.	eply complying wit	n the requirements
including changes required by the attached Examine Paper No./Mail Date		the Office action of	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in			(not the back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of attached Examiner's comment regarding REQUIREMENT F</li> </ol>			the
Attachment(s)			
1. 🔲 Notice of References Cited (PTO-892)	5. 🔲 Examiner's Ar		
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	6. 🔲 Examiner's St	atement of Reason	s for Allowance
3.  Examiner's Comment Regarding Requirement for Deposit	7. 🔲 Other		
of Biological Material 4.  Interview Summary (PTO-413), Paper No./Mail Date			
/BENJAMIN FIORELLO/			
Examiner, Art Unit 3672			
U.S. Patent and Trademark Office PTOL-37 (Rev. 08-13)	otice of Allowability	Part of Pap	er No./Mail Date 20131021

Page 29 of 498 CULTEC, INC. EXHIBIT 1010

OK TO ENTER: /B.F./

#### RESPONSE UNDER 37 C.F.R. § 1.116 EXPEDITED PROCEDURE REQUESTED EXAMINING GROUP 3672 PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re A	Application of:	)
Dav	id J. MAILHOT et al.	) Group Art Unit: 3672
Applic	ation No.: 12/802,483	) Examiner: Fiorello, Benjamin F
Filed:	June 7, 2010	) Confirmation No.: 9389
For:	CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	/ ) )

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

#### **AMENDMENT AFTER FINAL**

In reply to the final Office Action mailed on May 17, 2013, the period for response

extending through October 17, 2013, by a Petition for Extension of Time of Two Months

and fee payment filed concurrently herewith, and pursuant to 37 C.F.R. § 1.116,

Applicant proposes that this application be amended as follows.

Amendments to the Specification begin on page 2 of this amendment.

Amendments to the Claims begin on page 3 of this amendment.

Remarks begin on page 12 of this amendment.

Page 30 of 498 CULTEC, INC. EXHIBIT 1010

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	12802483	MAILHOT ET AL.
	Examiner	Art Unit
	BENJAMIN FIORELLO	3672

CPC- SEARCHED		
Symbol	Date	Examiner

CPC COMBINATION SETS - SEARCHED				
Symbol Date Examin				

US CLASSIFICATION SEARCHED				
Class	Subclass	Date	Examiner	
405	42, 43, 46, 49, 50, 124, 126	06/05/2012	BF	
52	220.4	06/05/2012	BF	

SEARCH NOTES					
Search Notes	Date	Examiner			
East Text Search	06/05/2012	BF			
Inventor/Assignee Search	06/05/2012	BF			
Updated Search	05/16/2013	BF			
Updated Search	10/21/2013	BF			

INTERFERENCE SEARCH					
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner		
	USPGPub Text Search	10/21/2013	BF		

U.S. Patent and Trademark Office

Part of Paper No. : 20131021

Page 31 of 498 CULTEC, INC. EXHIBIT 1010

#### **EAST Search History**

#### EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1174	405/42,43,46,49.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/10/21 00:51
L2	842	405/50,124,126.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/10/21 00:51
L3	138	52/220.4.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/10/21 00:51
L4	2018	L1 L2 L3	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/10/21 00:51
S1	1109	405/42,43,46,49.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 10:16
S2	9	"5716163".pn. "5017041".pn. "5511903".pn. "7052209".pn. "7118306".pn. "7500805".pn. "7306399".pn. "7237981".pn. "7491015".pn.	US- PGPUB; USPAT	OR	OFF	2012/06/05 12:01
<u>S</u> 3	807	405/50,124,126.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:05
S4	683	S3 not S1	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:05
S5	1068313	(david near2 mailhot).inv. (nimish near2 gandhi)".inv" (timothy near2 McGrath).inv.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:33
S6	53	(david near2 mailhot).inv. (nimish near2 gandhi).inv. (timothy near2 McGrath).inv.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:33

file:///Cl/Users/bfiorello/Documents/e-Red%20Folder/12802483/EASTSearchHistory.12802483\_AccessibleVersion.htm[10/21/2013 1:00:34 AM]

Page 32 of 498 CULTEC, INC. EXHIBIT 1010

EAST Search History

; <b>;</b>			;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;		; <b>;</b>	ç şanınınınınını
S7	3	("5072972"   "D538882"). <b>PN</b> .	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:35
S8	4	(stormtech).as.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:36
S9	104	(advanced near2 drainage near2 systems).as.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:37
S10	2358952	(culvert chamber)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S11	216891	(corrugat\$4)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S12	6038772	(sidewalls base flange)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S13	675	((sub secondary) with (corrugation\$4))	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:13
S14	76	S10 and S11 and S12 and S13	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:13
S15	134	52/220.4.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:16
S16	141	("405" "52").clas. and ((crest peak) with corrugat\$4) and (valley with corrugat\$4)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:24
S17	1124	405/42,43,46,49.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01
S18	816	405/50,124,126.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01

file:///Cl/Users/bfiorello/Documents/e-Red%20Folder/12802483/EASTSearchHistory.12802483\_AccessibleVersion.htm[10/21/2013 1:00:34 AM]

Page 33 of 498 CULTEC, INC. EXHIBIT 1010

## Page 34 of 498 CULTEC, INC. EXHIBIT 1010

 $file: ///Cl/Users/bfiorello/Documents/e-Red\% 20 Folder/12802483/EASTS earch History. 12802483\_Accessible Version.htm [10/21/2013\ 1:00:34\ AM]$ 

1

S19	135	52/220.4.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01
S20	1950	S17 S18 S19	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01
S21	7	"3559692".pn. "6719490".pn. "4690174".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2013/05/16 14:52
S22	3	"3559692".pn. "6719490".pn. "4690174".pn.	US- PGPUB; USPAT	OR	ON	2013/05/16 14:52
S23	3	("3559692" "6719490" "4690174").pn.	US- PGPUB; USPAT	OR	ON	2013/05/16 14:52
\$24	96	("6131616" "4144369" "4689261" "20090117302" "0414767" "3104681" "3363799" "3440823" "4360042" "4487232" "4950103" "5007462" "5191916" "5498104" "5573038" "6129482" "6322288" "6698975" "6941972" "20110150574" "3111788" "3151947" "3427767" "3863415" "4382435" "4776139" "4862652" "4932184" "4962622" "5060444" "5336017" "6079451" "7147007" "7306264" "7306399" "7517172" "7611306" "7870700" "7914231" "20100059430" "20100126616" "20090295153" "20090232600" "20090127853" "20060289075" "20030095838" "7758282" "7707786" "7637691" "7628566" 7517172" "7484535" "7470085" "7451784" "7357600" "7314066" "7165914" "7357600" "7314066" "7165914" "7156580" "7144506" 7025532" "6941972" "6860518" "6773206" "6644357" "6270287" "6126209" "5720577" "5707088" "5556231" "5326191" "5071173" "4950103" "4930936" "4865362" "4523874" "4523613" "4490072" "4451172" "4113816" "4360042" "4359167" "4322179" "4140422" 4006599" "3958425" "3855799" "3820340" "3789615" "3699684" "3658097" "2259335" "1989950" "1948619" "0980442" D566852 D498815 "20060162799" "20020025226" "5716163" "20090020320").pn.	US- PGPUB; USPAT	OR	ON	2013/05/16 14:59
S25	1124	405/42,43,46,49.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/17 17:15

## CASE IPR2017-00526 CULTEC, INC. v. STORMTECH LLC

#### EAST Search History

S26	816	405/50,124,126.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/17 17:15
S27	135	52/220.4.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/17 17:15
S28	1950	S25 S26 S27	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/17 17:15
S29	2	"6938689".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2013/05/17 17:16

#### EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	((chamber) and (corrugat\$5) and (crest) and (valley) and (height) and (width)).clm.	US- PGPUB	OR	OFF	2013/10/21 00:57
L6	- I S	((chamber) and (corrugat\$5) and (crest) and (valley) and (sub)).clm.	US- PGPUB	OR	OFF	2013/10/21 00:58
L7		(((chamber) (end near2 cap)) and (corrugat\$5) and (crest) and (valley) and (sub)).clm.	US- PGPUB	OR	OFF	2013/10/21 00:59
L8		(((chamber) (end near2 cap)) and (corrugat\$5) and (crest) and (valley)).clm.	US- PGPUB	OR	OFF	2013/10/21 00:59
S30		((switch) and (microprocessor processor) and (uplink) and (current) and (wellbore bore borehole) and (explos\$4) and (perforat\$3)).clm.	US- PGPUB	OR	ON	2013/05/17 17:29
S31		((switch) and (microprocessor processor) and (uplink) and (current) and (wellbore bore borehole) and (second multiple plurality)).clm.	US- PGPUB	OR	ON	2013/05/17 17:30
S32	3	((switch) and (microprocessor processor) and (uplink) and (current) and (wellbore bore borehole) and (downlink)).clm.	US- PGPUB	OR	ON	2013/05/17 17:30

10/21/2013 1:00:32 AM

C:\ Users\ bfiorello\ Documents\ EAST\ Workspaces\ 12\_802483.wsp

file:///Cl/Users/bfiorello/Documents/e-Red%20Folder/12802483/EASTSearchHistory.12802483\_AccessibleVersion.htm[10/21/2013 1:00:34 AM]

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Issue Classification	12802483	MAILHOT ET AL.
	Examiner	Art Unit
	BENJAMIN FIORELLO	3672

CPC				
Symbol		Туре	Version	

CPC Combination Sets						
Symbol	Туре	Set	Ranking	Version		

		Total Claims Allowed:		
(Assistant Examiner)	(Date)	21		
/BENJAMIN FIORELLO/ Examiner.Art Unit 3672	10/21/2013	O.G. Print Claim(s)	O.G. Print Figure	
(Primary Examiner)	(Date)	1	1	
U.S. Patent and Trademark Office		Part of Paper No. 20131021		

Page 36 of 498 CULTEC, INC. EXHIBIT 1010
	Application/Control No.	Applicant(s)/Patent Under Reexamination
ssue Classification	12802483	MAILHOT ET AL.
	Examiner	Art Unit
	BENJAMIN FIORELLO	3672

US ORIGINAL CLASSIFICATION				INTERNATIONAL CLASSIFICATION							ON				
	CLASS			SUBCLASS					С	LAIMED		NON-CLAIMED			CLAIMED
405			46			Е	0	2	В	11 / 00 (2006.01.01)					
	CI	ROSS REF	ERENCE(	S)											
CLASS	SU	BCLASS (ONI	SUBCLAS	S PER BLO	CK)										
405	42	43	49												

			ns Allowed:		
(Assistant Examiner)	(Date)	21			
/BENJAMIN FIORELLO/ Examiner.Art Unit 3672	10/21/2013	O.G. Print Claim(s)	O.G. Print Figure		
(Primary Examiner)	(Date)	1	1		

U.S. Patent and Trademark Office

1

Part of Paper No. 20131021

Page 37 of 498 CULTEC, INC. EXHIBIT 1010

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Issue Classification	12802483	MAILHOT ET AL.
	Examiner	Art Unit
	BENJAMIN FIORELLO	3672

	Claims renumbered in the same order as presented by applicant						СР		] T.D.	Γ	] R.1.	47			
Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
1	1		17												
	2	16	18												
2	3		19												
3	4		20												
4	5		21												
5	6		22												
6	7		23												
8	8		24												
7	9	12	25												
9	10	13	26												
10	11	17	27												
11	12	18	28												
14	13	19	29												
15	14	20	30												
	15	21	31												
	16														

			ns Allowed:
(Assistant Examiner)	(Date)	2	:1
/BENJAMIN FIORELLO/ Examiner.Art Unit 3672	10/21/2013	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	1

U.S. Patent and Trademark Office

Part of Paper No. 20131021

Page 38 of 498 CULTEC, INC. EXHIBIT 1010

### RESPONSE UNDER 37 C.F.R. § 1.116 EXPEDITED PROCEDURE REQUESTED EXAMINING GROUP 3672 PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
David J. MAILHOT et al.	) Group Art Unit: 3672
Application No.: 12/802,483	) Examiner: Fiorello, Benjamin F
Filed: June 7, 2010	) Confirmation No.: 9389
For: CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ) )

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

### **AMENDMENT AFTER FINAL**

In reply to the final Office Action mailed on May 17, 2013, the period for response

extending through October 17, 2013, by a Petition for Extension of Time of Two Months

and fee payment filed concurrently herewith, and pursuant to 37 C.F.R. § 1.116,

Applicant proposes that this application be amended as follows.

Amendments to the Specification begin on page 2 of this amendment.

Amendments to the Claims begin on page 3 of this amendment.

Remarks begin on page 12 of this amendment.

Page 39 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

### AMENDMENTS TO THE SPECIFICATION:

Please amend the specification on page 6, line 15 as follows:

Fig. 5 comprises Fig 5(a) through Fig. 5(e) Fig. 5(f) and shows portions of sidewall cross sections at different chamber elevations, as points illustrated in Fig. 3.

Page 40 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

### AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A molded arch shape cross section plastic chamber, for receiving and dispersing water when buried in soil, comprising:

opposing side bases running generally parallel to a chamber length a<del>xis,</del> for supporting the chamber <del>on soil during use</del>;

a chamber top;

sidewalls running upwardly and inwardly from the opposing side bases to the chamber top, wherein the combination of sidewalls and top form an arch curve which-defines an arch shape cross section arch-curve;

a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch-curve <u>arch-curve</u> of the chamber, wherein the crest corrugations decrease in width with elevation from the <u>base opposing</u>. <u>side bases</u>, and the valley corrugations increase in width with elevation from the <u>base opposing</u> side bases, as width is measured in a direction parallel to the chamber length axis; and[[,]]

a plurality of crest sub-corrugations, <u>each crest sub-corrugation</u> running upwardly from the <u>an opposing side</u> base and along a portion of the arch-curve of a crest corrugation, each <u>crest sub-corrugation</u> having a height less than [[the]] <u>a</u> local height of the crest corrugation with which the <u>crest sub-corrugation</u> is associated[[;]], each crest sub-corrugation terminating at an elevation lower than the top of the chamber, <u>wherein</u> the height of each crest <u>sub-corrugation diminishes with increasing elevation</u>.

-3-

Page 41 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

2. (Canceled)

3. (Currently Amended) The chamber of claim [[2]] <u>1</u>, wherein each crest subcorrugation has a width which diminishes with increasing elevation.

4. (Currently Amended) The chamber of claim 1, wherein the crest subcorrugations extend about one quarter to two-thirds of [[the]] <u>a</u> height of the chamber.

5. (Currently Amended) The chamber of claim 1, wherein [[the]] <u>a</u> maximum width of each crest sub-corrugation is no more than one-third of [[the]] <u>a</u> local width of the associated crest corrugation.

6. (Currently Amended) The chamber of claim 1, further comprising[[:]] a plurality of valley sub-corrugations, each valley sub-corrugation running downwardly from the top of the chamber and along part or all of the length of a valley corrugation; and, each valley sub-corrugation having a height less than [[the]] <u>a</u> depth of the valley corrugation with which the valley sub-corrugation is associated[[;]], each valley sub-corrugation terminating at an elevation lower than the top of the chamber.

7. (Currently Amended) The chamber of claim 6, wherein each valley subcorrugation terminates at an elevation above the elevation of the base opposing side bases.

-4-

Page 42 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

8. (Currently Amended) The chamber of claim 6, wherein each valley subcorrugation runs downwardly from the top of the chamber and terminates at a point on <u>each opposing side that</u> which is above the elevation of each opposing side base; and, wherein each crest sub-corrugation runs upwardly from the base an opposing side base and terminates at an elevation which is higher than the elevation of the termination points of the valley sub-corrugations.

9. (Currently Amended) The chamber of claim 7, wherein each valley subcorrugation diminishes in both height and width in proximity to the base opposing side bases, as width is measured in a direction which is parallel to the length axis of the chamber.

10. (Currently Amended) The chamber of claim 6, wherein [[the]] <u>a</u> maximum width of each valley sub-corrugation is no more than one-third of [[the]] <u>a</u> local width of the associated valley corrugation, as width is measured in a direction <del>which</del> parallel to the length <del>axis</del> of the chamber.

11. (Currently Amended) The chamber of claim 6, wherein the valley subcorrugations have lower termination ends on the sidewall sidewalls of the chamber[[;]], wherein the crest sub-corrugation sub-corrugations have upper termination ends on the sidewall; and sidewalls of the chamber, wherein the crest sub-corrugation termination ends are higher in elevation than [[the]] elevations of the valley sub-corrugation terminal ends.

-5-

Page 43 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

12. (Currently Amended) The chamber of claim [[7]] <u>1</u>, further comprising <u>a first</u> <u>plurality of valley sub-corrugations and</u> a second plurality of valley sub-corrugations, <u>each of the first plurality of valley sub-corrugations running downwardly from the top of</u> <u>the chamber and along part or all of a valley corrugation and terminating at terminal</u> <u>ends above the elevation of the opposing side bases</u>, each <u>of the second plurality of</u> <u>valley sub-corrugations</u> running within a valley corrugation upwardly from each <u>an</u> opposing side base in the direction of said terminal ends of the first plurality of valley <u>sub-corrugation sub-corrugations</u>.

13. (Currently Amended) In a <u>A</u> molded arch-shape cross section chamber, for receiving and dispersing water when buried in soil; comprising:

opposing side bases:

sidewalls running from the opposing side bases and forming an arch-curve of the chamber;

wherein the chamber is supported by flanges associated with the opposing side bases during use and configured to support the chamber;

wherein the chamber has a plurality of alternating crest corrugations and valley corrugations running transverse to [[the]] <u>a</u> length of the chamber[[,]] along the areheurve <u>arch-curve</u> of the chamber[[:]], wherein the crest corrugations decrease in width with elevation [[for]] from the base opposing side bases, and the valley corrugations increase in width with elevation from the base opposing side bases, as width is measured in a direction parallel to the chamber length axis; the improvement whichcomprises: a plurality of sub-corrugations running along at least a portion of the lengths of a plurality of one or both of the crest corrugations and valley corrugations.

-6-

Page 44 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

a first plurality of sub-corrugations running upwardly from the opposing side bases on crest corrugations to termination points which are at an elevation less than an elevation of a top of the chamber; and

a second plurality of sub-corrugations running in valley corrugations at the top of the chamber and downwardly toward the opposing side bases to an elevation which is less than the elevation of said termination points of the first plurality of sub-corrugations.

14. (Currently Amended) The improved chamber of claim 13, wherein [[the]] <u>a</u> width and <u>a</u> depth of each sub-corrugation change along part or all of the length of the subcorrugation as the width of the <u>crest</u> corrugation <u>or valley corrugation</u> with which the sub-corrugation is associated changes.

15 – 17. (Canceled)

18. (Currently Amended) The improved chamber of claim [[15]] <u>13</u>, wherein [[all]] the elevations of the termination points of <del>all of at least one of</del> the first <del>or second set</del> <u>plurality</u> of [[the]] sub-corrugations are the same.

19 – 24. (Canceled)

25. (New) The chamber of claim 1, further comprising a plurality of valley subcorrugations, each valley sub-corrugation running downwardly from the top of the chamber along a valley corrugation, wherein a width of each valley sub-corrugation is constant.

-7-

Page 45 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

26. (New) The chamber of claim 1, further comprising a plurality of valley subcorrugations, each valley sub-corrugation running along a valley corrugation, downwardly from the top of the chamber towards the opposing side bases, wherein a height of each valley sub-corrugation decreases as the valley sub-corrugation approaches the opposing side bases.

27. (New) The chamber of claim 13, wherein a width of each of the second plurality of sub-corrugations running in a valley corrugation is constant.

28. (New) The chamber of claim 13, wherein a height of each of the second plurality of sub-corrugations running in a valley corrugation decreases as the sub-corrugation approaches the opposing side bases.

29. (New) A chamber, comprising:

opposing side bases running generally parallel to a chamber length for supporting the chamber;

a chamber top;

sidewalls running from the opposing side bases to the chamber top, wherein the sidewalls and top form an arch-curve;

a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch curve of the chamber, wherein the crest corrugations decrease in width with elevation from the opposing side bases,

-8-

Page 46 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

and the valley corrugations increase in width with elevation from the opposing side bases, as width is measured in a direction parallel to the chamber length; and

a plurality of crest sub-corrugations, each sub-corrugation running upwardly from an opposing side base and along a portion of the arch-curve of a crest corrugation, each sub-corrugation having a height less than a local height of the crest corrugation with which the sub-corrugation is associated, each crest sub-corrugation terminating at an elevation lower than the top of the chamber, wherein the crest sub-corrugations extend about one quarter to two-thirds of a height of the chamber.

30. (New) A chamber, comprising:

opposing side bases running generally parallel to a chamber length for supporting the chamber;

a chamber top;

sidewalls running from the opposing side bases to the chamber top, wherein the sidewalls and top form an arch-curve;

a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch curve of the chamber, wherein the crest corrugations decrease in width with elevation from the opposing side bases, and the valley corrugations increase in width with elevation from the opposing side bases, as width is measured in a direction parallel to the chamber length; and

a plurality of crest sub-corrugations, each sub-corrugation running upwardly from an opposing side base and along a portion of the arch-curve of a crest corrugation, each sub-corrugation having a height less than a local height of the crest corrugation with which the sub-corrugation is associated, each crest sub-corrugation terminating at

-9-

Page 47 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

an elevation lower than the top of the chamber, wherein a maximum width of each crest sub-corrugation is no more than one-third of a local width of the associated crest corrugation.

31. (New) A chamber, comprising:

opposing side bases running generally parallel to a chamber length for supporting the chamber;

a chamber top;

sidewalls running from the opposing side bases to the chamber top, wherein the sidewalls and top form an arch-curve;

a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch curve of the chamber, wherein the crest corrugations decrease in width with elevation from the opposing side bases, and the valley corrugations increase in width with elevation from the opposing side bases, as width is measured in a direction parallel to the chamber length;

a plurality of crest sub-corrugations, each crest sub-corrugation running upwardly from an opposing side base and along a portion of the arch-curve of a crest corrugation, each crest sub-corrugation having a height less than a local height of the crest corrugation with which the crest sub-corrugation is associated, each crest subcorrugation terminating at an elevation lower than the top of the chamber; and

a plurality of valley sub-corrugations, each valley sub-corrugation running downwardly from the top of the chamber and along part or all of a valley corrugation, each valley sub-corrugation having a height less than a depth of the valley corrugation

-10-

Page 48 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

with which the valley sub-corrugation is associated, each valley sub-corrugation

terminating at an elevation lower than the top of the chamber.

Page 49 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

#### <u>REMARKS</u>

### I. <u>Status of the Claims</u>

Applicant respectfully submits this Amendment After Final in response to the final Office Action mailed on May 17, 2013 (the "Office Action"). By this amendment, Applicant amends the specification to correct an informality. In addition, Applicant amends claims 1, 3-14, and 17; cancels claims 2, 15-17, and 19-24, without prejudice or disclaimer; and adds new claims 25-31.<sup>1</sup> Accordingly, claims 1, 3-14, 18, and 25-31 are pending, with claims 1, 13, and 29-31 being independent. No new matter has been added.

In the Office Action, the specification is objected to due to an informality. Moreover, claims 1, 13, 14, and 19 are rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over U.S. Patent No. 4,360,042 to Fouss et al. in view of U.S. Publication No. 2005/0111915 to Moore, Jr. et al. Furthermore, claims 2-12, 15, 17, and 18 are indicated as allowable if rewritten in independent form.

Applicant thanks the Examiner for the identification of allowable subject matter and respectfully traverses the pending objection and rejections for at least the reasons set forth below.

Page 50 of 498 CULTEC, INC. EXHIBIT 1010

<sup>&</sup>lt;sup>1</sup> Applicant notes that the previous listings of claims were not correctly numbered. In particular, the listing of claims skipped from claim 15 to claim 17; there was no claim 16. In order to avoid confusion relating to the rejections and objection in the final Office Action, Applicant has not renumbered the claims. Any potential further confusion regarding the omission of claim 16 and the numbering of claims 15 and 17 has been rendered moot, however, due to Applicant's cancelation of claims 15-17.

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

### II. The Specification Objection

The Office Action objects to the specification due to a minor informality. (See Office Action at 2.) Applicant has amended the specification to address the objection and accordingly requests the objection be vacated.

### III. The § 103(a) Rejection

### A. Independent Claim 1

Applicant has amended independent claim 1 to include the features of allowable dependent claim 2, and consequently canceled that dependent claim. The amendments to independent claim 1 also address certain informalities. Accordingly, independent claim 1 is in condition for allowance.

### B. Independent Claim 13

Applicant has amended independent claim 13 to include the features of allowable dependent claim 15, and consequently canceled that dependent claim. The amendments to independent claim 13 also address certain informalities. Accordingly, independent claim 13 is in condition for allowance.

### C. Dependent Claims 3-12, 14, and 18

Claims 3-12, 14, and 18 depend from either independent claim 1 or 13 and accordingly are allowable at least due to their dependence.

### IV. The New Claims

### A. New Dependent Claims 25-28

Support for new dependent claims 25-28 may be found in, for example, page 11, lines 14-21 of the originally-filed specification. Claims 25-28 depend from either

-13-

Page 51 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

independent claim 1 or 13 and accordingly are allowable at least due to their dependence. Similarly, based on their dependence from allowable independent claim 1 or 13, a further search to determine allowability of new dependent claims 25-28 is unnecessary and these claims should be allowed.

#### B. New Independent Claims 28-30

New independent claim 29 places allowable dependent claim 4 into independent form, new independent claim 30 places allowable dependent claim 5 into independent form, and new independent claim 31 places allowable dependent claim 6 into independent form. Accordingly, independent claims 29-31 are in condition for allowance.

### IV. Conclusion

Applicant respectfully requests that this amendment under 37 C.F.R. § 1.116 be entered, placing claims 1, 3-14, 18, and 25-31 in condition for allowance. It is respectfully submitted that entering the amendment would allow the Applicant to reply to the final rejections and place the application in condition for allowance. Furthermore, Applicant respectfully points out that the Office Action presented some new arguments as to the application of the cited references against Applicant's claims. Finally, Applicant submits that the entry of the amendment would place the application in better form for appeal, should the patentability of the pending claims be disputed.

The Office Action contains characterizations of the claims and the related art with which Applicant does not necessarily agree. Unless expressly noted otherwise, Applicant declines to subscribe to any statement or characterization in the Office Action.

-14-

Page 52 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

In discussing the specification, claims, and/or drawings in this amendment, it is to be understood that Applicant is in no way intending to limit the scope of the claims to any exemplary embodiments described in the specification or abstract and/or shown in the drawings. Rather, Applicant is entitled to have the claims interpreted broadly to the maximum extent permitted by statute, regulation, and applicable case law.

Please grant any extensions of time required to enter this amendment and charge any additional required fees to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

By: Daniel G. Chung Reg. No. 63,553 (202) 408-4000

Dated: October 15, 2013

Page 53 of 498 CULTEC, INC. EXHIBIT 1010

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
David J. MAILHOT et al.	) Group Art Unit: 3672
Application No.: 12/802,483	) Examiner: Fiorello, Benjamin F.
Filed: June 7, 2010	) ) Confirmation No.: 9389
For: CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ) )

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

### PETITION FOR EXTENSION OF TIME

Applicant petitions for a two-month extension of time to respond to the final Office

Action mailed on May 17, 2013. A fee of \$600.00 is submitted electronically herewith.

Please grant any additional extensions of time required to enter the attached

paper and charge any additional required fees to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: October 15, 2013

By: Daniel G. Chung Reg. No. 63,553 (202) 408-4000

Page 54 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Patent A	<b>p</b> p	lication Fee	Transm	ittal			
Application Number:	128	802483					
Filing Date:	07-	Jun-2010					
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations						
First Named Inventor/Applicant Name:	David J. Mailhot						
Filer:	Daniel Geewon Chung/dorne dottin						
Attorney Docket Number:	079	965.0150-00000					
Filed as Large Entity							
Utility under 35 USC 111(a) Filing Fees							
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)		
Basic Filing:							
Pages:							
Claims:							
Miscellaneous-Filing:							
Petition:							
Patent-Appeals-and-Interference:							
Post-Allowance-and-Post-Issuance:							
Extension-of-Time:							
Extension - 2 months with \$0 paid		1252	1	600	600		

Page 55 of 498 CULTEC, INC. EXHIBIT 1010

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
	Tot	(\$)	600	

Electronic Acl	knowledgement Receipt
EFS ID:	17130508
Application Number:	12802483
International Application Number:	
Confirmation Number:	9389
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations
First Named Inventor/Applicant Name:	David J. Mailhot
Customer Number:	22852
Filer:	Daniel Geewon Chung/dorne dottin
Filer Authorized By:	Daniel Geewon Chung
Attorney Docket Number:	07965.0150-00000
Receipt Date:	15-OCT-2013
Filing Date:	07-JUN-2010
Time Stamp:	15:23:07
Application Type:	Utility under 35 USC 111(a)

# Payment information:

Submitted wit	n Payment	yes							
Payment Type		Credit Card							
Payment was s	uccessfully received in RAM	\$600	\$600						
RAM confirmat	ion Number	2317	2317						
Deposit Accou	nt								
Authorized Use	er								
File Listing:									
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)				

Page 57 of 498 CULTEC, INC. EXHIBIT 1010

1		07965_0150_00000_Amendme nt_After_Final.pdf	640328 fb7f5e1eb985c54e690f1435192924a6bc35 f061	yes	15
-	Multip	bart Description/PDF files in .	zip description		•
	Document Des	scription	Start	E	nd
	Response After F	inal Action	1	1	
	Specificat	ion	2		2
	Amendment Copy Claims/Respo	onse to Suggested Claims	3		11
	Applicant Arguments/Remarks	Made in an Amendment	12		15
Warnings:			11		
Information:					
2	Extension of Time	07965_0150_00000_Extension	47013		1
2	Extension of time	_of_Time.pdf	e8f7d7cfc2c621a241e359d5b45a871d2458 b72e	no	
Warnings:					
Information:		1	· · · · · · · · · · · · · · · · · · ·		
3	Fee Worksheet (SB06)	fee-info.pdf	30125	no	2
5			3a72eb4c550e834991c36bd1a7bfc46065c ea869		
Warnings:		I			
Information:					
		Total Files Size (in bytes)	71	7466	
characterized Post Card, as <u>New Applica</u> If a new appl 1.53(b)-(d) ar Acknowledge <u>National Stag</u> If a timely sul U.S.C. 371 an national stag <u>New Internat</u> If a new inter an internatio	ledgement Receipt evidences receip d by the applicant, and including pay described in MPEP 503. tions Under 35 U.S.C. 111 ication is being filed and the applica nd MPEP 506), a Filing Receipt (37 CF ement Receipt will establish the filin ge of an International Application ur bmission to enter the national stage d other applicable requirements a F ge submission under 35 U.S.C. 371 wi tional Application Filed with the USP mational application is being filed an anal filing date (see PCT Article 11 an	ge counts, where applicable. Ition includes the necessary of R 1.54) will be issued in due g date of the application. Inder 35 U.S.C. 371 orm PCT/DO/EO/903 indicati ill be issued in addition to the <u>PTO as a Receiving Office</u> nd the international applicat id MPEP 1810), a Notification	It serves as evidence components for a filin course and the date s on is compliant with t ng acceptance of the e Filing Receipt, in du ion includes the neces of the International A	of receipt s g date (see hown on th the conditi application e course. Ssary comp Applicatior	a 37 CFR a 37 CFR his ons of 35 n as a ponents fo n Number
	ternational Filing Date (Form PCT/R( urity, and the date shown on this Ack on.				

Page 58 of 498 CULTEC, INC. EXHIBIT 1010

								U.S. Patent and Tradema	PTO/SB/06 (09-11 oved for use through 1/31/2014. OMB 0651-0032 ark Office; U.S. DEPARTMENT OF COMMERCE
P/	ATENT APPL	ICATIO	N FEI		RMINATION		Applicatio	n or Docket Number 2/802,483	n unless it displays a valid OMB control number Filing Date 06/07/2010 To be Mailed
								ENTITY: 🛛 L	
				(Column 1		(Column 2)	ED – PAR	<b>ΥΤΙ</b>	
-	FOR		1	JMBER FIL	·	NUMBER EXTRA		RATE (\$)	FEE (\$)
	BASIC FEE			N/A		N/A		N/A	
	(37 CFR 1.16(a), (b), SEARCH FEE			N/A		N/A		N/A	
	(37 CFR 1.16(k), (i), (i), (i), (i), (i), (i), (i), (i	E		N/A		N/A		N/A	
	(37 CFR 1.16(o), (p), FAL CLAIMS CFR 1.16(i))	or (q))		min	us 20 = *			X \$ =	
IND	EPENDENT CLAIM CFR 1.16(h))	S		mi	nus 3 = *			X \$ =	
	APPLICATION SIZE (37 CFR 1.16(s))	FEE	of pap for sn fractio	per, the a nall entity	application size f	gs exceed 100 sl ee due is \$310 ( onal 50 sheets c . 41(a)(1)(G) and	\$155 vr		
	MULTIPLE DEPEN				477				
*lft	he difference in colu	umn 1 is le	ss than a	zero, ente	r "0" in column 2.			TOTAL	
		(Colun	ות 1)		(Column 2)	ION AS AMEN (Column 3		ART II	
١T	10/15/2013	CLAIMS REMAIN AFTER AMEND	ling		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	ADDITIONAL FEE (\$)
AMENDMENT	Total (37 CFR 1.16(i))	* 21		Minus	** 23	= 0		× \$80 =	0
END I	Independent (37 CFR 1.16(h))	* 5		Minus	***4	= 1		× \$420=	420
AM	Application Si	ize Fee (37	7 CFR 1.	16(s))					
	FIRST PRESEN	NTATION OF	MULTIP	LE DEPENI	DENT CLAIM (37 CFF	R 1.16(j))			
								TOTAL ADD'L FEI	≡ <b>420</b>
		(Colun	ın 1)		(Column 2)	(Column 3	)		
		CLAI REMAI AFT AMEND	NING ER		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EX	TRA	RATE (\$)	ADDITIONAL FEE (\$)
ENT	Total (37 CFR 1.16(i))	*		Minus	**	=		X \$ =	
ENDM	Independent (37 CFR 1.16(h))	*		Minus	***	=		X \$ =	
VEN VEN	Application Si	ize Fee (37	7 CFR 1.	16(s))					
AM				LE DEPENI	DENT CLAIM (37 CFF	R 1.16(j))			
								TOTAL ADD'L FEI	Ξ
** lf	the entry in column the "Highest Numbe f the "Highest Numb	er Previous	sly Paid I	For" IN TH	IIS SPACE is less	than 20, enter "20"		LIE /DANTE SMIT	H/
	,				. ,	-		appropriate box in colun a benefit by the public y	nn 1. which is to file (and by the USPTO to

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.** If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Document code: WFEE

United States Patent and Trademark Office Sales Receipt for Accounting Date: 10/17/2013

DSMITH SALE #00000001 Mailroom Dt: 10/15/2013 060916 12802483 01 FC : 1201 420.00 DA

> Page 60 of 498 CULTEC, INC. EXHIBIT 1010

	ED STATES PATEN	IT AND TRADEMARK OFFICE	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 22. www.uspio.gov	FOR PATENTS
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
12/802,483	06/07/2010	David J. Mailhot	07965.0150-00000	9389
	7590 05/17/201	3 BOW, GARRETT & DUNNER	EXAM	IINER
LLP	,		FIORELLO, 1	BENJAMIN F
	RK AVENUE, NW N, DC 20001-4413		ART UNIT	PAPER NUMBER
			3672	
			MAIL DATE	DELIVERY MODE
			05/17/2013	PAPER

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Page 61 of 498 CULTEC, INC. EXHIBIT 1010

	<b>Application No.</b> 12/802,483	Applicant(s MAILHOT E	
Office Action Summary	Examiner BENJAMIN FIORELLO	Art Unit 3672	AIA (First Inventor to File) Status No
The MAILING DATE of this communication app Period for Reply	bears on the cover sheet with the	corresponder	nce address
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIC 36(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS fro , cause the application to become ABANDON	DN. timely filed m the mailing date IED (35 U.S.C. § 1	of this communication. 33).
Status			
1) Responsive to communication(s) filed on <u>2 Ma</u>	<u>ay 2013</u> .		
A declaration(s)/affidavit(s) under 37 CFR 1.1	<b>30(b)</b> was/were filed on		
2a) This action is <b>FINAL</b> . 2b) This	action is non-final.		
3) An election was made by the applicant in resp			ing the interview on
<ul> <li>4) Since this application is in condition for alloward closed in accordance with the practice under E</li> </ul>	nce except for formal matters, p	rosecution as	
Disposition of Claims			
<ul> <li>5) ∑ Claim(s) <u>1-15 and 17-24</u> is/are pending in the 5a) Of the above claim(s) <u>20-24</u> is/are withdraw</li> <li>6) ☐ Claim(s) is/are allowed.</li> <li>7) ∑ Claim(s) <u>1,13,14 and 19</u> is/are rejected.</li> <li>8) ∑ Claim(s) <u>2-12,15,17 and 18</u> is/are objected to.</li> <li>9) ☐ Claim(s) are subject to restriction and/o</li> <li>* If any claims have been determined <u>allowable</u>, you may be eleparticipating intellectual property office for the corresponding a <u>http://www.uspto.gov/patents/init_events/pph/index.jsp</u> or send</li> <li>Application Papers</li> </ul>	r election requirement. igible to benefit from the <b>Patent Pr</b> pplication. For more information, pla an inquiry to <u>PPHfeedback@usptc</u>	ease see	<b>hway</b> program at a
10) The specification is objected to by the Examine		- h	
11) The drawing(s) filed on <u>07 June 2010</u> is/are: a Applicant may not request that any objection to the		-	
Replacement drawing sheet(s) including the correct			
Priority under 35 U.S.C. § 119	3(;)	- <b>,</b>	
12)       Acknowledgment is made of a claim for foreign         12)       Acknowledgment is made of a claim for foreign         Certified copies:       a)         a)       All         b)       Some * c)         None of the:       1.         Certified copies of the priority documen         2.       Certified copies of the priority documen         3.       Copies of the certified copies of the priority documen         3.       Copies of the certified copies of the priority documen         3.       Copies of the certified copies of the priority documen         splication from the International Bureau         * See the attached detailed Office action for a list of         Interim copies:         a)       All         b)       Some       Copies of the: Inter	ts have been received. ts have been received in Applica prity documents have been rece u (PCT Rule 17.2(a)). the certified copies not received.	ation No ived in this Na	ational Stage
Attachment(s)			
1) Notice of References Cited (PTO-892)	3) 🔲 Interview Summa		
<ol> <li>Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>05/08/2013</u>.</li> </ol>	Paper No(s)/Mail 4)	Date	
U.S. Patent and Trademark Office PTOL-326 (Rev. 03-13) Office Action	Summary	Part of Paper N	lo./Mail Date 20130516

Page 62 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672 Page 2

## DETAILED ACTION

### Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on 05/08/2013 was filed after the mailing date of the non-final office action on 11/02/2012. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

## Specification

2. The disclosure is objected to because of the following informalities: the

amendment to the specification dated 05/02/2013 has added "Fig. 5(f)", however the

amendment has not deleted "Fig. 5(e)".

Appropriate correction is required.

## Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation

Page 63 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672

under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1, 13-14, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fouss et al. (4,360,042) in view of Moore, Jr. et al. (2005/0111915).

With regard to claims 1, 13, and 19, Fouss discloses a chamber comprising: opposing side bases (14,16) running generally parallel to a chamber length axis

(fig. 1), for supporting the chamber on soil during use;

a chamber top (fig. 1);

sidewalls (10,12) running upwardly and inwardly from opposing side bases to the chamber top (fig. 1), wherein the combination of sidewalls and top form an arch curve which defines an arch shape cross section (fig. 1);

a plurality of alternating crest (26) corrugations and valley (28) corrugations running transverse to the length of the chamber along the arch curve of the chamber (figs. 1-2 and 4-5);

and a plurality of crest sub-corrugations (40, see figs. 4-5), running upwardly from the base and along a portion of the arch-curve of a crest corrugation (figs. 1-2, 4-5), each sub-corrugation having a height less than the local height of the crest corrugation with which it is associated (fig. 4-5); each crest sub-corrugation terminating at an elevation lower than the top of the chamber (fig. 1).

> Page 64 of 498 CULTEC, INC. EXHIBIT 1010

# Application/Control Number: 12/802,483 Art Unit: 3672

Fouss fails to disclose wherein the crest corrugations decrease in width with elevation from the base and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis.

Moore discloses a chamber wherein the crest corrugations (24) decrease in width with elevation from the base (fig. 1) and the valley corrugations (22) increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis (fig. 1).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Fouss and have the crest decrease width with elevation from the base and the valleys increase in width as taught by Moore in order to further strengthen the chamber at the base of the chamber.

With regard to claim 14, Fouss further discloses the width and depth of each subcorrugation change along part or all of the length of the sub-corrugation in as the width of the corrugation with which the sub-corrugation is associated changes (fig. 1).

### Allowable Subject Matter

6. Claims 2-12, 15, and 17-18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Page 65 of 498 CULTEC, INC. EXHIBIT 1010

Page 4

Application/Control Number: 12/802,483 Art Unit: 3672 Page 5

### Response to Arguments

7. Applicant's arguments filed 05/02/2013 have been fully considered but they are not persuasive.

In response to applicant's argument that Fouss and Moore fail to teach each and every recited limitation, the examiner disagrees. Applicant has not set forth which limitations are believed to not be taught by Fouss and Moore, however the examiner contends each limitation is taught as discussed above.

### Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN FIORELLO whose telephone number is

Page 66 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672

(571)270-7012. The examiner can normally be reached on Monday to Friday from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bagnell can be reached on (571)272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> /BENJAMIN FIORELLO/ Examiner, Art Unit 3672

BF 05/16/2013

> Page 67 of 498 CULTEC, INC. EXHIBIT 1010

Page 6

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	12802483	MAILHOT ET AL.
	Examiner	Art Unit
	BENJAMIN FIORELLO	3672

CPC- SEARCHED		
Symbol	Date	Examiner

CPC COMBINATION SETS - SEARCHED					
Symbol	Date	Examiner			

US CLASSIFICATION SEARCHED						
Class	Subclass	Date	Examiner			
405	42, 43, 46, 49, 50, 124, 126	06/05/2012	BF			
52	220.4	06/05/2012	BF			

SEARCH NOTES						
Search Notes	Date	Examiner				
East Text Search	06/05/2012	BF				
Inventor/Assignee Search	06/05/2012	BF				
Updated Search	05/16/2013	BF				

	INTERFERENCE SEARCH		
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner

U.S. Patent and Trademark Office

Part of Paper No. : 20130516

Page 68 of 498 CULTEC, INC. EXHIBIT 1010

#### **EAST Search History**

#### EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1124	405/42,43,46,49.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01
[2	816	405/50,124,126.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01
L3	135	52/220.4.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01
L4	1950	L1 L2 L3	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2013/05/16 14:01
L5	7	"3559692".pn. "6719490".pn. "4690174".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2013/05/16 14:52
L6	3	"3559692".pn. "6719490".pn. "4690174".pn.	US- PGPUB; USPAT	OR	ON	2013/05/16 14:52
L7	3	("3559692" "6719490" "4690174").pn.	US- PGPUB; USPAT	OR	ON	2013/05/16 14:52
L8	96	("6131616" "4144369" "4689261" "20090117302" "0414767" "3104681" "3363799" "3440823" "4360042" "4487232" "4950103" "5007462" "5191916" "5498104" "5573038" "6129482" 6322288" "6698975" "6941972" "20110150574" "3111788" "3151947" "3427767" "3863415" "4382435" "4776139" "4862652" "4932184" "4962622" "5060444" "5336017" "6079451" "7147007" "7306264" "7306399" "7517172" "7611306" "7870700" "7914231" "20100059430" "20100126616" "20090295153" "20090232600" "20090127853" "20060289075" "20030095838" "7758282" "7707786" "7637691" "7628566" "7517172" "7484535" "7470085" "7451784"	US- PGPUB; USPAT	OR	ON	2013/05/16 14:59

file:///Cl/Users/bfiorello/Documents/e-Red%20Folder/12802483/EASTSearchHistory.12802483\_AccessibleVersion.htm[5/16/2013 3:38:07 PM]

Page 69 of 498 CULTEC, INC. EXHIBIT 1010

EAST Search History

		"7357600" "7314066" "7165914" "7156580" "7144506" "7025532" "6941972" "6860518" "6773206" "6644357" "6270287" "6126209" "5720577" "5707088" "5556231" "5326191" "5071173" "4950103" "4930936" "4865362" "4523874" "4523613" "4490072" "4451172" "4113816" "4360042" "4359167" "4322179" "4140422" "4006599" "3958425" "3855799" "3820340" "3789615" "3699684" "3658097" "2259335" "1989950" "1948619" "0980442" D566852 D498815 "20060162799" "20020025226" "5716163" "20090020320").pn.				
S1	1109	405/42,43,46,49.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 10:16
S2	9	"5716163".pn. "5017041".pn. "5511903".pn. "7052209".pn. "7118306".pn. "7500805".pn. "7306399".pn. "7237981".pn. "7491015".pn.	US- PGPUB; USPAT	OR	OFF	2012/06/05 12:01
53	807	405/50,124,126.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:05
54	683	S3 not S1	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:05
S5	1068313	(david near2 mailhot).inv. (nimish near2 gandhi)".inv" (timothy near2 McGrath).inv.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:33
S6	53	(david near2 mailhot).inv. (nimish near2 gandhi).inv. (timothy near2 McGrath).inv.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:33
S7	3	("5072972"   "D538882"). <b>PN</b> .	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:35
<b>S</b> 8	4	(stormtech).as.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:36
S9	104	(advanced near2 drainage near2 systems).as.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:37

file:///Cl/Users/bfiorello/Documents/e-Red%20Folder/12802483/EASTSearchHistory.12802483\_AccessibleVersion.htm[5/16/2013 3:38:07 PM]

Page 70 of 498 CULTEC, INC. EXHIBIT 1010

#### EAST Search History

S10	2358952	(culvert chamber)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S11	216891	(corrugat\$4)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S12	6038772	(sidewalls base flange)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S13	675	((sub secondary) with (corrugation\$4))	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:13
S14	76	S10 and S11 and S12 and S13	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:13
S15	134	52/220.4.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:16
S16	141	("405" "52").clas. and ((crest peak) with corrugat\$4) and (valley with corrugat\$4)	US- PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:24

#### EAST Search History (Interference)

< This search history is empty>

5/16/2013 3:38:05 PM

 $\label{eq:c:loss} C: \ Users \ bfiorello \ Documents \ EAST \ Work spaces \ 12\_802483. w sp$ 

file:///Cl/Users/bfiorello/Documents/e-Red%20Folder/12802483/EASTSearchHistory.12802483\_AccessibleVersion.htm[5/16/2013 3:38:07 PM]

Page 71 of 498 CULTEC, INC. EXHIBIT 1010

_			Application/Control No.				Applie Reexa	Applicant(s)/Patent Under Reexamination						
In	dex of (	Claims	;	12802483				MAILH	MAILHOT ET AL.					
			Examiner				Art Ur	Art Unit						
				BENJAMIN FIORELLO				3672	3672					
✓ Rejected -			- c	Cancelled N Non-I		Non-E	Elected		Α	Appeal				
=	Allowed		÷ R	Restricted I Inte		Interfe	erence		0	Objected				
Claims renumbered in the same order as presented by applicant CPA T.D. R.								R.1.47						
CL	AIM						DATE							
Final	Original	10/31/201	2 05/16/20	)13										
	1	√	✓											
	2	~	0											
	3	~	0											
	4	✓	0											
	5	✓	0											
	6	~	0											
	7	~	0											
	8	✓	0											
	9	✓	0											
	10	√	0											
	11	~	0											
	12	~	0											
	13	~	~											
	14	~	~											
	15	0	0											
	16	-	-											
	17	×	0											
	18	0	0											
	19	~	✓											
	20	N	N											
	21	N	N											
	22	N	N											
	23	N	N											
	24	N	N											

U.S. Patent and Trademark Office

Part of Paper No. : 20130516

Page 72 of 498 CULTEC, INC. EXHIBIT 1010
Receipt date: 05/08/2013

## 12802483 - GAU: 3672

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re A	Application of:	)	
Dav	id J. MAILHOT et al.	)	Group Art Unit: 3672
Applic	ation No.: 12/802,483	)	Examiner: Fiorello, Benjamin F
Filed:	June 7, 2010	)	Examiner. Floreno, Denjamir (
For:	CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ))	Confirmation No.: 9389

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

## INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. § 1.97(c)

Pursuant to 37 C.F.R. §§ 1.56 and 1.97(c), Applicant brings to the attention of the Examiner the documents listed on the attached IDS Form PTO/SB/08. This Information Disclosure Statement is being filed after the events recited in Section 1.97(b) but, to the undersigned's knowledge, before the mailing date of either a Final action, a Quayle action, or a Notice of Allowance. Under the provisions of 37 C.F.R. § 1.97(c), this Information Disclosure Statement is accompanied by a fee of \$180.00 as specified by Section 1.17(p).

Copies of the listed U.S. Patents and U.S. Patent Application Publications are not

enclosed. The listed foreign patent and nonpatent literature documents are enclosed.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 73 of 498 CULTEC, INC. EXHIBIT 1010

Receipt date: 05/08/2013

12802483 - GAU: 3672 Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

English language Abstracts for WO 2007138780, DE 10139897, DE 202005005056, JP 09235828, JP 2005042538, JP 2003176564, JP 2002294850, JP 2002294849, JP 2002302995, JP 2003176565, and JP 2005213854 and an English language translation of DE 1282562 are submitted herewith to satisfy the requirement for a concise explanation of relevance.

This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that each or all of the listed documents are material or constitute "prior art." If the Examiner applies any of the documents as prior art against any claim in the application and Applicants determine that the cited documents do not constitute "prior art" under United States law, Applicants reserve the right to present to the Office the relevant facts and law regarding the appropriate status of such documents.

Applicants further reserve the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

If there is any fee due in connection with the filing of this Statement, please charge the fee to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

By: Daniel-G. Chung Reg. No. 63,553 (202) 408-4000

-2-ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

> Page 74 of 498 CULTEC, INC. EXHIBIT 1010

Dated: May 8, 2013

## Receipt date: 05/08/2013

# <u>12802483 - GAU:</u> 3672

IDS Form PTO/SI	B/08: Substitute for for	m 1449A/PTO		C	omplete if Known
				Application Number	12/802.483
INFC	ORMATION D	ISCLOSU	IRE	Filing Date	June 7, 2010
				First Named Inventor	David J. MAILHOT
0 i M	STATEMENT BY APPLICANT			Art Unit	3672
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.
Sheet	1	of	5	Attorney Docket Number	07965.0150-00000

Examiner	Cite	Document Number	Issue or	Name of Patentee or	Pages, Columns, Lines, Where
Initials	No.1	Number-Kind Code <sup>2</sup> (If known)	Publication Date MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear
		3,559,692	02-02-1971	Mantelet	
		6,719,490	04-13-2004	Maestro	
		4,690,174	09-01-1987	Jarvenkyla	
	1	6,131,616	10-17-2000	Tatsuta et al.	
		4,144,369	03-13-1979	Wass	
		4,689,261	08-25-1987	Ahnstrom	
		2009/0117302	05-07-20009	Kanao	
		414,767	11-12-1889	Fox	
		3,104,681	09-24-1963	Gray Jr.	
		3,363,799	01-16-1968	Zurcher et al.	
		3,440,823	04-29-1969	Olsen et al.	
		4,360,042	11-23-1982	Fouss et al.	
		4,487,232	12-11-1984	Kanao	
		4,950,103	08-21-1990	Justice	
		5,007,462	04-16-1991	Kanao	
		5,191,916	03-09-1993	Kanao	
		5,498,104	03-12-1996	Gray	
		5,573,038	11-12-1996	Kanao	
		6,129,482	10-10-2000	Di Tullio	
		6,322,288	11-27-2001	DI Tullio	
		6,698,975	03-02-2004	Benecke	
		6,941,972	09-13-2005	Toliver	
		2011/0150574	06-23-2011	Semoutiuk	
		3,111,788	11-26-1963	Paul	
		3,151,947	11-16-1961	Hastings	
1		3,427,767	07-21-1965	Schaefer	
		3,663,415	02-04-1975	Bott	
		4,382,435	05-10-1983	Brill-Edwards	
		4,776,139	10-11-1988	Lockwood	

		·/······
Examiner	Date	1
Benjamin Fiorello/		1 05/16/2012
Signature / Donjoinin' Fiorono/	Considered	00/10/2010
		https://www.commence

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 75 of 498 CULTEC, INC. EXHIBIT 1010

# Receipt date: 05/08/2013

1280	2483	- GAI	J:	36	72

IDS Form PTO/SB/08: Substitute for form 1449A/PTO				Complete if Known		
				Application Number	12/802,483	
INFO	DRMATION C	NSCLOSU	RE	Filing Date	June 7, 2010	
-				First Named Inventor	David J. MAILHOT	
~ IM	STATEMENT BY APPLICANT			Art Unit	3672	
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.	
Sheet	2	of	5	Attorney Docket Number	07965.0150-00000	

1	4,862,652	09-05-1989	Lockwood	
+	4,932,184	06-12-1990	Waller	
	4,962,622	10-16-1990	Albrecht et al	
1	5,060,444	10-29-1991	Paquette	
· [	5,336,017	08-09-1994	Nichols	
+	6,079,451	06-27-2000	Hegler	
<u></u>	7,147,007	12-12-2006	Renaud	
1	7,306,264	12-11-2007	Goddard et al.	
	7,306,399	12-11-2007	Smith	
1	7,517,172	04-14-2009	Sipaila	
1	7,611,306	11-03-2009	Hallahan et al.	
	7,870,700	01-18-2011	Arguelles	
-	7,914,231	03-29-2011	Coppes et al.	
1	2010/0059430	03-11-2010	Adams et al.	
+	2010/0126616	05-27-2010	Kanao	
1	2009/0295153	12-03-2009	Кларр	
1	2009/0232600	09-17-2009	Kim et al	
<u> </u>	2009/0127853	05-21-2009	Sutton et al.	
	2006/0289075	12-28-2006	Diez	······································
	2003/0095838	05-22-2003	Maestro	
	7,758,282	07-20-2010	Suazo	
1	7,707,786	05-0402010	Theophilus	······································
1	7,637,691	12-29-2009	DiTullio	
1	7,628,566	12-08-2009	Miskovich	
	7,517,172	04-14-2009	Sipaila	
	7,484,535	02-03-2009	Goddard et al.	
<u>†</u>	7,470,085	12-30-2008	Suazo	
	7,451,784	11-18-2008	Goddard	
	7,357,600	04-15-2008	Suazo et al.	
1	7,314,066	01-01-2008	Castillo et al.	
1	7,165,914	01-23-2007	Suazo	

	***	
Examiner	Date	
Additional / Devicemin Ciozelle /	i Dato	1 05/16/0010
Signature I / DEFIIdHIIII FIVIEIIV/	Considered	4 (0)/10/201.5
4 Oligophic 6	Conaldored	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 76 of 498 CULTEC, INC. EXHIBIT 1010

# Receipt date: 05/08/2013

# <u>12802483 - GAU:</u> 3672

IDS Form PTO/S	B/08: Substitute for for	m 1449A/PTO		Complete if Known		
				Application Number	12/802,483	
INF	DRMATION D	DISCLOSU	RE	Filing Date	June 7, 2010	
STATEMENT BY APPLICANT				First Named Inventor	David J. MAILHOT	
~ 17	1 8 8aar 8 19 5 8aar 8 78 8 56ar 8 9	MFFLIOM	1878 8	Art Unit	3672	
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.	
Sheet	3	of	5	Attorney Docket Number	07965.0150-00000	

	7,156,580	01-02-2007	Suazo et al.	
	7,144,506	12-05-2006	Lombardi, II	
~~~~~	7,025,532	04-11-2006	Suazo et al.	
	6,941,972	09-13-2005	Toliver et al.	
	6,860,518	03-01-2005	Krauss et al.	
	6,773,206	08-10-2004	Bradley et al.	
	6,644,357	11-11-2003	Goddard	
	6,270,287	08-07-2001	Gray	
	6,126,209	10-03-2000	Goddard	
	5,720,577	02-24-1998	Sanders et al.	
	5,707,088	01-13-1998	Miller et al.	
	5,556,231	09-17-1996	Sidaway et al.	
	5,326,191	07-05-1994	Wilson et al	
	5,071,173	12-10-1991	Hegler et al.	
	4,950,103	08-21-1990	Justice	
	4,930,936	06-05-1990	Hegler et al.	
	4,865,362	09-12-1989	Holden	
	4,523,874	06-18-874	Miki et al.	
	4,523,613	06-18-1985	Fouss et al.	
	4,490,072	12-25-1984	Glasser	
	4,451,172	05-29-1984	Lamphier et al.	
	4,113,818	09-12-1978	Drossbach	
	4,360,042	11-23-1982	Fouss et al.	
	4,359,167	11-16-1982	Fouss et al.	
	4,322,179	03-30-1982	Lamphier et al.	
	4,140,422	02-20-1979	Crumpler, Jr., et al.	
**********	4,006,599	02-08-1977	Hegler et al.	
	3,958,425	05-25-1976	Maroschak	
	3,855,799	12-24-1974	Martin et al.	
**********	3,820,340	06-28-1974	Jenner et al.	
	3,789,615	02-05-1974	Maroschak	

	· · · · · · · · · · · · · · · · · · ·	***************************************	,
E Evaminar		Date	1
	Developed a minute of the second seco	; Date	anti ata ata 🕴
1. Sincelure	I /Benjamin Florello/	1 Considered	1 06/16/0010 1
s oldusine		: Considered	1 00/10/2010
Summing the second		***************************************	based the second s

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 77 of 498 CULTEC, INC. EXHIBIT 1010

# Receipt date: 05/08/2013

# <u>12802483 - GAU:</u> 3672

IDS Form PTO/SB/08: Substitute for form 1449A/PTO					Complete if Known		
					Application Number	12/802,483	
INFC	ORMATION D	ISCLOS	JRE		Filing Date	June 7, 2010	
	TEMENT BY				First Named Inventor	David J. MAILHOT	
~ ~ ~	\$ \$mo 1978 \$mo 1 8mo 1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~		Art Unit	3672	
(Use as many sheets as necessary)				Examiner Name	Fiorello, Benjamin F.		
Sheet	4	of		5	Attorney Docket Number	07965.0150-00000	

	U.S. PATENTS 3,699,684	10-24-1972	Sixt	
	3,658,097	04-25-1972	Martin et al.	
	2,259,335	10-14-1941	Carswell et al.	
	1,989,950	02-05-1935	Snyder	
	1,948,619	02-27-1934	Knutson	
	980,442	01-03-1911	Schlafly	
	D566852	04-15-2008	Gaster et al.	
	D498815	11-23-2004	Greer	
	2006/0162799	07-27-2006	Goddard	
	2002/0025226	02-28-2002	Maestrp	
	5,716,163	02-10-1998	Nichols et al.	
	2009/0220320	09-03-2009	Cobb et al.	
	······································			
·····	: : : : :			
·····				
				· · · · · · · · · · · · · · · · · · ·
		·····		
	· · · · ·			

		*********	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Examiner	(Baniamin Fioralla)	Date	05/10/0010
Signature	/Denjannin i loreno/	Considered	00/10/2013
800000000000000000000000000000000000000			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 78 of 498 CULTEC, INC. EXHIBIT 1010

-----

# Receipt date: 05/08/2013

# <u> 12802483 - GAU;</u> 3672

IDS Form PTO/SI	3/08: Substitute for for	m 1449A/PTO		Ca	omplete if Known
				Application Number	12/802,483
INFC	DRMATION D	ISCLOSU	RE	Filing Date	June 7, 2010
	TEMENT BY			First Named Inventor	David J. MAILHOT
~ ~ ~ ~	1 5 m 189 5 m 9 4 1 f w 9	~~1~ 1~ 81 \v/m	12 78 8	Art Unit	3672
	(Use as many sheets	as necessary)		Examiner Name	Fiorello, Benjamin F.
Sheet	5	of	5	Attorney Docket Number	07965.0150-00000

		FOREI	GN PATENT	DOCUMENTS		~~~~
Examiner Initiais	Cite No.'	Foreign Patent Document Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>6</sup> ( <i>il known</i> )	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Translation <sup>6</sup>
		WO 2007021715	02-22-2007	Goddard et al.		
		WO 2004061249	07-22-2007	Mullett et al.		
		WO 2007138780	12-06-2007	Hayashi et al.		Abstract
		WO 2009102855	08-20-2009	Cobb et al.		
		DE 10139897	02-27-2003	Baunach et al.		Abstract
		DE 1282562	11-07-1968	Willner		Yes
		DE 202005005056	02-06-2005	Hegler		Abstract
		JP 09235828	09-09-1997	Nishyama		Abstract
		EP 1122481	08-08-2001	Tamborini et al.		
		JP 2005042538	02-17-2005	Kamata Toshio		Abstract
		JP 2003176564	06-24-2003	Kamata Toshio		Abstract
		JP 2002294850	10-09-2002	Kamata Toshio		Abstract
		JP 2002294849	10-09-2002	Kamata Toshio		Abstract
		JP 2002302995	10-18-2002	Kamata Toshio		Abstract
		JP 2003176565	06-24-2003	Kamata Toshio		Abstract
		JP 2005213854	08-11-2005	Terasawa Takae		Abstract
		GB 2016639	09-26-1979	Jakobsen		

		NONPATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation <sup>6</sup>
		James L. Beaver et al., Structural Design of Stormwater Chambers, Transportation Research Board Annual Meeting, 22 pages (2003).	
		Infiltrator Systems, Inc. Equalizer 36 Chambers Product Brochure , 4 pages (2004).	

Examiner Signature	/Benjamin Fiorello/	Date Considered	05/16/2013
		*******	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /B.F./

Page 79 of 498 CULTEC, INC. EXHIBIT 1010

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re A	Application of:	)	
Dav	id J. MAILHOT et al.	)	Group Art Unit: 3672
Applic	ation No.: 12/802,483	)	Examiner: Fiorello, Benjamin F.
Filed:	June 7, 2010	)	Examiner: Floreno, Denjamir r.
For:	CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ) )	Confirmation No.: 9389

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

## INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. § 1.97(c)

Pursuant to 37 C.F.R. §§ 1.56 and 1.97(c), Applicant brings to the attention of the Examiner the documents listed on the attached IDS Form PTO/SB/08. This Information Disclosure Statement is being filed after the events recited in Section 1.97(b) but, to the undersigned's knowledge, before the mailing date of either a Final action, a Quayle action, or a Notice of Allowance. Under the provisions of 37 C.F.R. § 1.97(c), this Information Disclosure Statement is accompanied by a fee of \$180.00 as specified by Section 1.17(p).

Copies of the listed U.S. Patents and U.S. Patent Application Publications are not enclosed. The listed foreign patent and nonpatent literature documents are enclosed.

> Page 80 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

English language Abstracts for WO 2007138780, DE 10139897, DE 202005005056, JP 09235828, JP 2005042538, JP 2003176564, JP 2002294850, JP 2002294849, JP 2002302995, JP 2003176565, and JP 2005213854 and an English language translation of DE 1282562 are submitted herewith to satisfy the requirement for a concise explanation of relevance.

This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that each or all of the listed documents are material or constitute "prior art." If the Examiner applies any of the documents as prior art against any claim in the application and Applicants determine that the cited documents do not constitute "prior art" under United States law, Applicants reserve the right to present to the Office the relevant facts and law regarding the appropriate status of such documents.

Applicants further reserve the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

If there is any fee due in connection with the filing of this Statement, please charge the fee to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

By: Daniel G. Chung Reg. No. 63,553 (202) 408-4000

Dated: May 8, 2013

-2-

Page 81 of 498 CULTEC, INC. EXHIBIT 1010

*****	***************************************		*****	*****	92222222222222222222222222222222222222		
IDS Form PTO/S	B/08: Substitute for for	m 1449A/PTO			C	omplete if Known	
					Application Number	12/802.483	
l info	ORMATION D	SCLOSI	URE		Filing Date	June 7, 2010	
	TEMENT BY				First Named Inventor	David J. MAILHOT	
017	2 2 Rue 1995 Sour 1992 1 Sur 1	MFF 6103	~~23.28 8		Art Unit	3672	
	(Use as many sheets	as necessary)			Examiner Name	Fiorello, Benjamin F.	
Sheet	1	of		5	Attorney Docket Number	07965.0150-00000	

Examiner	Cite	Document Number	issue or	Name of Patentee or	Pages, Columns, Lines, Where
Initials	No.1	Number-Kind Code <sup>2</sup> (If known)	Publication Date MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear
		3,559,692	02-02-1971	Mantelet	
		6,719,490	04-13-2004	Maestro	
		4,690,174	09-01-1987	Jarvenkyla	
		6,131,616	10-17-2000	Tatsuta et al.	
		4,144,369	03-13-1979	Wass	
		4,689,261	08-25-1987	Ahnstrom	
		2009/0117302	05-07-20009	Kanao	
		414,767	11-12-1889	Fox	
	ĥ	3,104,681	09-24-1963	Gray Jr.	
		3,363,799	01-16-1968	Zurcher et al.	
		3,440,823	04-29-1969	Olsen et al.	
		4,360,042	11-23-1982	Fouss et al.	
		4,487,232	12-11-1984	Kanao	
		4,950,103	08-21-1990	Justice	
		5,007,462	04-16-1991	Kanao	
		5,191,916	03-09-1993	Kanao	
		5,498,104	03-12-1996	Gray	
Ì		5,573,038	11-12-1996	Kanao	
1		6,129,482	10-10-2000	Di Tullio	
		6,322,288	11-27-2001	DI Tullio	
		6,698,975	03-02-2004	Benecke	
		6,941,972	09-13-2005	Toliver	
		2011/0150574	06-23-2011	Semoutiuk	······································
		3,111,788	11-26-1963	Paul	
		3,151,947	11-16-1961	Hastings	
1		3,427,767	07-21-1965	Schaefer	
		3,863,415	02-04-1975	Bott	
		4,382,435	05-10-1983	Brill-Edwards	
		4,776,139	10-11-1988	Lockwood	

Examiner				Date		
Signature				Considered	(	
8	******	 *****	,00000000000000000000000000000000000000		***************************************	***************************************

IDS Form PTO/S	B/08: Substitute for for	m 1449A/PTO		Cc	omplete if Known
				Application Number	12/802,483
	ORMATION D	ISCLOSU	RE	Filing Date	June 7, 2010
3	TEMENT BY			First Named Inventor	David J. MAILHOT
	13 km   ¥6 km   18 km 8 k	MFFLIOM	73.46 8	Art Unit	3672
	(Use as many sheets	as necessary)		Examiner Name	Fiorello, Benjamin F.
Sheet	2	of	5	Attorney Docket Number	07965.0150-00000

	4,862,652	09-05-1989	Lockwood	
<u>†</u>	4,932,184	06-12-1990	Waller	
+i	4,962,622	10-16-1990	Albrecht et al	
[	5,060,444	10-29-1991	Paquette	
	5,336,017	08-09-1994	Nichols	
	6,079,451	06-27-2000	Hegler	
	7,147,007	12-12-2006	Renaud	
	7,306,264	12-11-2007	Goddard et al.	
	7,306,399	12-11-2007	Smith	
	7,517,172	04-14-2009	Sipalla	
	7,611,306	11-03-2009	Hallahan et al.	
	7,870,700	01-18-2011	Arguelles	
	7,914,231	03-29-2011	Coppes et al.	
	2010/0059430	03-11-2010	Adams et al.	
	2010/0126616	05-27-2010	Kanao	
	2009/0295153	12-03-2009	Кларр	
	2009/0232600	09-17-2009	Kim et al.	
	2009/0127853	05-21-2009	Sutton et al	
	2006/0289075	12-28-2006	Diez	
	2003/0095838	05-22-2003	Maestro	
	7,758,282	07-20-2010	Suazo	
	7,707,786	05-0402010	Theophilus	
	7,637,691	12-29-2009	DiTullio	
	7,628,566	12-08-2009	Miskovich	
	7,517,172	04-14-2009	Sipáila	
	7,484,535	02-03-2009	Goddard et al.	
	7,470,085	12-30-2008	Suazo	
	7,451,784	11-18-2008	Goddard	
	7,357,600	04-15-2008	Suazo et al.	
	7,314,066	01-01-2008	Castillo et al.	
	7,165,914	01-23-2007	Suazo	

		******
Examiner	Date	
Signature	Considered	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************

IDS Form PTO/S	IDS Form PTO/SB/08: Substitute for form 1449A/PTO		Co	omplete if Known		
			Application Number	12/802,483		
	DRMATION D	ISCLOS	URE		Filing Date	June 7, 2010
	STATEMENT BY APPLICANT				First Named Inventor	David J. MAILHOT
					Art Unit	3672
(Use as many sheets as necessary)		Examiner Name	Fiorello, Benjamin F.			
Sheet	3	of	1	5	Attorney Docket Number	07965.0150-00000

	7,156,580	01-02-2007	Suazo et al.	
	7,144,506	12-05-2006	Lombardi, II	
	7,025,532	04-11-2006	Suazo et al.	
*******	6,941,972	09-13-2005	Toliver et al.	
	6,860,518	03-01-2005	Krauss et al.	
	6,773,206	08-10-2004	Bradley et al.	
	6,644,357	11-11-2003	Goddard	
	6,270,287	08-07-2001	Gray	
	6,126,209	10-03-2000	Goddard	
	5,720,577	02-24-1998	Sanders et al.	
	5,707,088	01-13-1998	Miller et al.	
	5,556,231	09-17-1996	Sidaway et al.	
	5,326,191	07-05-1994	Wilson et al.	
	5,071,173	12-10-1991	Hegler et al.	
	4,950,103	08-21-1990	Justice	
	4,930,936	06-05-1990	Hegler et al.	
	4,865,362	09-12-1989	Holden	
	4,523,874	06-18-874	Miki et al.	
	4,523,613	06-18-1985	Fouss et al.	
	4,490,072	12-25-1984	Glasser	
	4,451,172	05-29-1984	Lamphier et al.	
	4,113,818	09-12-1978	Drossbach	
	4,360,042	11-23-1982	Fouss et al.	
	4,359,167	11-16-1982	Fouss et al.	
	4,322,179	03-30-1982	Lamphier et al.	
	4,140,422	02-20-1979	Crumpler, Jr., et al.	
	4,006,599	02-08-1977	Hegler et al.	
	3,958,425	05-25-1976	Maroschak	
	3,855,799	12-24-1974	Martin et al.	
********	3,820,340	06-28-1974	Jenner et al.	·····
	3,789,615	02-05-1974	Maroschak	

***************************************			
Examiner	······	Date	1
Signature		Considered	
funning and a second se	***************************************		

200000000000000000000000000000000000000	***************************************	****	202020200000			
IDS Form PTO/S8/08: Substitute for form 1449A/PTO				Complete if Known		
				Application Number	12/802,483	
INF	INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Filing Date	June 7, 2010
1					First Named Inventor	David J. MAILHOT
U 17					Art Unit	3672
	(Use as many sheets	as necessary)			Examiner Name	Florello, Benjamin F.
Sheet	4	of		5	Attorney Docket Number	07965.0150-00000

3.656.097         04-26-1972         Martin et al.           2.259.335         10-14-1941         Carsweil et al.           1.989.950         02-05-1935         Snyder           1.946.619         02-27-1934         Knutson           980.442         01-03-1911         Schlafty           D566852         04-15-2008         Gaster et al.           D498815         11-23-2004         Greer           2006/0162799         07-27-2006         Goddard           2002/0025226         02-28-2002         Maestrp           5.716.163         02-10-1998         Nichols et al.           2009/0220320         08-03-2009         Cobb et al.	3,699,684	10-24-1972	Sixt	1
1,989,950       02-05-1935       Snyder         1,948,619       02-27-1934       Knutson         980,442       01-03-1911       Schlafly         D566852       04-15-2008       Gaster et al.         D498815       11-23-2004       Greer         2006/0162799       07-27-2006       Goddard         2002/0025226       02-28-2002       Maestrp         5,716,163       02-10-1998       Nichols et al.	 3,658,097	04-25-1972	Martin et al.	
1,948,619         02-27-1934         Knutson           980,442         01-03-1911         Schlafly           D566852         04-15-2008         Gaster et al.           D498815         11-23-2004         Greer           2006/0162799         07-27-2006         Goddard           2002/0025226         02-28-2002         Maestrp           5,716,163         02-10-1998         Nichols et al.	 2,259,335	10-14-1941	Carswell et al.	
980,442         01-03-1911         Schlafty           D566852         04-15-2008         Gaster et al.           D498815         11-23-2004         Greer           2006/0162799         07-27-2006         Goddard           2002/0025226         02-28-2002         Maestrp           5,716,163         02-10-1998         Nichols et al.	 1,989,950	02-05-1935	Snyder	
D566852         04-15-2008         Gaster et al.           D498815         11-23-2004         Greer           2006/0162799         07-27-2006         Goddard           2002/0025226         02-28-2002         Maestrp           5,716,163         02-10-1998         Nichols et al.	 1,948,619	02-27-1934	Knutson	<u></u>
D498815         11-23-2004         Greer           2006/0162799         07-27-2006         Goddard           2002/0025226         02-28-2002         Maestrp           5,716,163         02-10-1998         Nichols et al.	 980,442	01-03-1911	Schlafly	
2006/0162799         07-27-2006         Goddard           2002/0025226         02-28-2002         Maestrp           5,716,163         02-10-1998         Nichols et al.	 D566852	04-15-2008	Gaster et al.	
2002/0025226         02-28-2002         Maestrp           5,716,163         02-10-1998         Nichols et al.	 D498815	11-23-2004	Greer	
5,716,163 02-10-1998 Nichols et al.	 2006/0162799	07-27-2006	Goddard	
	 2002/0025226	02-28-2002	Maestrp	
2009/0220320       09-03-2009       Cobb et al.	 5,716,163	02-10-1998	Nichols et al.	
Image: Antiperson of the second se	 2009/0220320	09-03-2009	Cobb et al.	
Image: Antiperson of the second se	 			
Image: Another State St				
Image: Another State St	 			
Image: Antiperson of the second se	 			
Image: Section of the section of th				
Image: Amage:				
Image: Solution of the second of the seco	 			
Image: Section of the section of th	 			
Image: And the second secon	 			
Image: Section of the section of th	 			
Image: Section of the section of th				

	******	**********************
Examiner	Date	
Signature	Considered	
		 ***************************************

IDS Form PTO/SB/08: Substitute for form 1449A/PTO			~~~~~	Complete if Known		
				Application Number	12/802,483	
	DRMATION C	ISCLOSU	RE	Filing Date	June 7, 2010	
1	TEMENT BY			First Named Inventor	David J. MAILHOT	
	1 m 1991 m 9 % 1 % 9	~~ 1 Bull	1976 8	Art Unit	3672	
(Use as many sheets as necessary)				Examiner Name	Florello, Benjamin F.	
Sheet	5	of	5	Attorney Docket Number	07965.0150-00000	

		FOREI	GN PATENT [	DOCUMENTS		
Examiner Initiais	Cite No.1	Foreign Patent Document Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>6</sup> ( <i>it known</i> )	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Translation
		WO 2007021715	02-22-2007	Goddard et al.		
		WO 2004061249	07-22-2007	Mullett et al.	·	
		WO 2007138780	12-06-2007	Hayashi et al.		Abstract
		WO 2009102855	08-20-2009	Cobb et al.		
		DE 10139897	02-27-2003	Baunach et al.		Abstract
		DE 1282562	11-07-1968	Willner	<u></u>	Yes
		DE 202005005056	02-06-2005	Hegler		Abstract
		JP 09235828	09-09-1997	Nishyama		Abstract
		EP 1122481	08-08-2001	Tamborini et al.		
		JP 2005042538	02-17-2005	Kamata Toshio	<u>.</u>	Abstract
		JP 2003176564	06-24-2003	Kamata Toshio		Abstract
	·····	JP 2002294850	10-09-2002	Kamata Toshio		Abstract
		JP 2002294849	10-09-2002	Kamata Toshio		Abstract
		JP 2002302995	10-18-2002	Kamata Toshio		Abstract
		JP 2003176565	06-24-2003	Kamata Toshio		Abstract
		JP 2005213854	08-11-2005	Terasawa Takae		Abstract
		GB 2016639	09-26-1979	Jakobsen		

	~~~~~~	NONPATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation <sup>6</sup>
		James L. Beaver et al., Structural Design of Stormwater Chambers, Transportation Research Board Annual Meeting, 22 pages (2003).	
		Infiltrator Systems, Inc. Equalizer 36 Chambers Product Brochure , 4 pages (2004).	
·			

			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	*****	
Examiner			Date		
Signature		and the second	Considered	d	
*******	***************************************		~~~~~~		

#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau

(43) International Publication Date

20 August 2009 (20.08.2009)



- (51) International Patent Classification: E02B 11/00 (2006.01)
- (21) International Application Number:

PCT/US2009/033899

- (22) International Filing Date: 12 February 2009 (12.02.2009)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 61/028,304 13 February 2008 (13.02.2008) US
- (71) Applicant (for all designated States except US): CON-TECH STORMWATER SOLUTIONS INC. [US/US]; 9025 Centre Pointe Drive, Suite 400, West Chester, OH 45069 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): COBB, Daniel, P. [US/US]; 784 Ocean Avenue, Portland, ME 04103 (US).
  STONE, Michael, P. [US/US]; 8 Johnson Road, Falmouth, ME 04105 (US). SCHLUTER, James, C. [US/US]; 4355 Salisbury Court, Franklin, OH 45005 (US). KATONA, Michael, G. [US/US]; 2019 14th Avenue Nw, Apartment F-154, Gig Harbor, WA 98335 (US). BROCKENBROUGH, Roger, L. [US/US]; 17 Carleton Drive, Pittsburgh, PA 15243 (US).
- (74) Agents: NIEBERDING, Michael, J. et al.; Thompson Hine LLP, Post Office Box 8801, Dayton, OH 45401-8801 (US).

(10) International Publication Number WO 2009/102855 A2

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(il))
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))

#### Published:

 without international search report and to be republished upon receipt of that report (Rule 48.2(g))

(54) Title: PLASTIC DETENTION CHAMBER FOR STORMWATER RUNOFF AND RELATED SYSTEM AND METHODS



(57) Abstract: A plastic, corrugated open bottom chamber includes features such as one or more of (i) sub-corrugation features on corrugation crests and/or corrugation valleys, (ii) stiffening fingers on the bottom of chamber foot portions, (iii) a viewport configuration that intersects only a single corrugation crest and (iv) a unitary and wall. A method of producing chambers with or without a unitary end wall using a common mold tool is also provided. A method of interconnecting chambers to form a chamber rows is also provided.

Page 167 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

PCT/US2009/033899

#### PLASTIC DETENTION CHAMBER FOR STORMWATER RUNOFF AND RELATED SYSTEM AND METHODS

#### **CROSS-REFERENCES**

[0001] This application claims the benefit of U.S. Provisional Application Serial No. 61/028,304, filed February 13, 2008, the entirety of which is incorporated herein by reference.

#### TECHNICAL FIELD

[0002] This application relates generally to molded chambers for water detention and, more particularly to molded plastic chambers that are buried in the ground and receive stormwater runoff from developed sites.

#### BACKGROUND

[0003] Molded plastic detention chambers for burial in the earth for use in temporary stormwater detention are known. It would be desirable to provide an improved chamber and related system and method.

#### SUMMARY

[0004] In one aspect, an apparatus for receiving and dispersing water includes a plastic arch-shaped corrugated chamber having a generally open bottom and a plurality of corrugation crests and valleys distributed along a length of the chamber. The corrugation crests and valleys extend transverse to a lengthwise axis of the chamber. Each one of a multiplicity of the corrugation crests includes a respective crest sub-corrugation feature thereon.

[0005] Each one of a multiplicity of the corrugation valleys may include a valley sub-corrugation feature thereon.

[0006] Each crest sub-corrugation feature may be an external raised subcorrugation feature and each valley sub-corrugation feature may be an external raised subcorrugation feature.

[0007] Each crest sub-corrugation feature may be substantially centered along a width of its respective corrugation crest, and each valley sub-corrugation feature may be substantially centered along a width of its respective corrugation valley.

[0008] The chamber may include a first end corrugation crest at one chamber end and second end corrugation crest at an opposite chamber end, each of the first and second end corrugation crests lacking any sub-corrugation feature, and a first end corrugation valley adjacent the first end corrugation crest and a second end corrugation valley adjacent

Page 168 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

#### PCT/US2009/033899

the second end corrugation crest, each of the first and second end corrugation valleys lacking any sub-corrugation feature.

[0009] Each crest sub-corrugation feature may be located along at least a top portion of its respective crest, and each crest sub-corrugation feature may have a crest subcorrugation height, relative to its corrugation crest, that is less than 10% of a height of the corrugation crest relative to its adjacent corrugation valley. Each valley sub-corrugation feature located along at least a top portion of its respective valley, and each valley subcorrugation feature may have a valley sub-corrugation height, relative to its corrugation valley, that is less than 10% of a height of the adjacent corrugation crest relative to the corrugation valley.

[0010] A width of each of the multiplicity of corrugation crests may be greater toward the bottom of the chamber than at a top of the chamber. A width of each crest subcorrugation feature may be greater toward the bottom of the chamber than at the top of the chamber. A width of each of the multiplicity of corrugation valleys may be less toward the bottom of the chamber than at the top of the chamber. A width of each valley subcorrugation feature may be less toward the bottom of the chamber than at the top of the chamber.

[0011] Each crest sub-corrugation feature may be located along at least a top portion of its respective corrugation crest, and each crest sub-corrugation feature may have a crest sub-corrugation height, relative to its corrugation crest, that is no more than about three times a thickness of the plastic defining the corrugation crest. Each valley subcorrugation feature may located along at least a top portion of its respective corrugation valley, and each valley sub-corrugation feature may have a valley subcorrugation height, relative to its corrugation feature may have a valley subcorrugation height, relative to its corrugation feature may have a valley subcorrugation height, relative to its corrugation valley, that is no more than about three times a thickness of the plastic defining the corrugation valley.

[0012] Each crest sub-corrugation feature may be located along at least a top portion of its respective crest, and each crest sub-corrugation feature may have a crest subcorrugation height, relative to its corrugation crest, that is less than 10% of a height of the corrugation crest relative to its adjacent corrugation valley.

[0013] A width of each of the multiplicity of corrugation crests may be greater toward the bottom of the chamber than at a top of the chamber, and a width of each crest sub-corrugation feature may be greater toward the bottom of the chamber than at the top of the chamber.

2

Page 169 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

[0014] Each crest sub-corrugation feature may be located along at least a top portion of its respective corrugation crest, and each crest sub-corrugation feature may have a crest sub-corrugation height, relative to its corrugation crest, that is no more than about three times a thickness of the plastic defining the corrugation crest.

[0015] Each crest sub-corrugation feature may have at least one opening therein, the opening located toward the bottom of the chamber and offset toward one side of the sub-corrugation feature.

[0016] The corrugation crests and valleys may extend from side to side of the chamber between spaced apart lengthwise extending foot portions of the chamber, wherein each foot portion includes a bottom portion with a plurality of downwardly facing stiffening fingers.

[0017] Each foot portion may include first and second end parts at opposite lengthwise ends of the chamber, and an intermediate part between the first and second end parts, the stiffening fingers located on the intermediate part, bottom surfaces of the first and second end parts being substantially planar.

[0018] At least one viewport structure may be provided on the chamber, the viewport structure configured to intersect only a single corrugation crest.

[0019] The single corrugation crest may connect to adjacent corrugation valleys via respective opposed webs, and the viewport structure may includes outer curved wall portions, each outer curved wall portion intersects and provides structural continuity between respective portions of one of the opposed webs.

[0020] At least one end of the chamber may include an inwardly domed end wall. [0021] In another aspect, a method is provided for producing plastic arch-shaped corrugated chambers having generally open bottoms, including an end wall chamber type having at least one closed end with a unitary end wall, and a open chamber type having opposite ends that are both open. The method includes: providing a mold tool including a mold core part and a mold cavity part, when located in respective mold positions the mold core part and mold cavity part define a chamber end wall formation space at one end of a chamber body formation space; when producing the end wall chamber type, placing the mold core part and mold cavity part in the respective mold positions such that the chamber body formation space is in communication with the end wall formation space and injecting plastic into the mold tool such that plastic in the end wall formation space forms unitary with plastic in the chamber body formation space; and when producing the open chamber

Page 170 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

type, placing the mold core part and mold cavity part in the respective mold positions and injecting plastic into the mold tool, and providing a shutoff to prevent plastic flow from the chamber body formation space to the end wall formation space.

[0022] Providing the shutoff may involve placing at least one open chamber insert member within the mold tool, the at least one open chamber insert member blocking plastic flow from the chamber body formation space to the end wall formation space.

[0023] When producing the end wall chamber type, the method may include placing at least one end wall chamber insert member within the mold tool, the end wall chamber insert member sized to permit communication between the chamber body formation space and the end wall formation space.

[0024] When producing the end wall chamber type, the injecting may include injecting plastic directly into the end wall formation space, and the at least one end wall chamber insert member includes at least one sprue formation structure for producing a sprue on the end wall of the end wall chamber type.

[0025] When producing the open chamber type, the at least one open chamber insert member may include structure to block direct injection of plastic into the end wall formation space.

[0026] The at least one open chamber insert member may be secured to the mold core part.

[0027] The at least one open chamber insert member may be positioned along an intersection location of an end wall portion of the mold core part and a chamber body portion of the mold core part.

[0028] The end wall formation space may define a plurality of generally vertically extending end wall corrugation formation spaces and/or at least two end wall hand-hold formation spaces.

[0029] In another aspect, an apparatus for receiving and dispersing water includes plastic arch-shaped corrugated chamber having a generally open bottom and including a plurality of corrugation crests and valleys distributed along a length of the chamber, the corrugation crests and valleys extending from side to side of the chamber between spaced apart lengthwise extending foot portions of the chamber and transverse to a lengthwise axis of the chamber. Each foot portion includes a bottom portion with a plurality of downwardly facing stiffening fingers.

[0030] Each foot portion may extend laterally outward from lower ends of the

Page 171 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

corrugation crests and valleys, and the stiffening fingers of each foot portion may have lengthwise axes that extend from a lateral side edge of the foot portion toward the corrugation crests and valleys.

[0031] The stiffening fingers of each foot portion may terminate short of the corrugation valleys, and the bottom of each foot portion may be substantially planar in a valley region located between the corrugation crests. The top surface of the foot portion in the valley region may be recessed relative to the top surface of at least an intermediate lateral part the foot portion.

[0032] The stiffening fingers of each foot portion have thicknesses that extend downward from a continuous upper part of the foot portion.

[0033] The bottom surfaces of the stiffening fingers of each foot portion may lie in substantially the same plane.

[0034] Each foot portion may include first and second end parts at opposite lengthwise ends of the chamber, and an intermediate part between the first and second end parts, the stiffening fingers are located on the intermediate part, bottom surfaces of the first and second end parts are substantially planar.

[0035] The bottom surface of the first end part of each foot portion may be substantially co-planar with bottom surfaces of the stiffening fingers, and the bottom surface of the second end part of each foot portion may be elevated relative to the bottom surfaces of the stiffening fingers.

[0036] A top surface of the first end part of each foot portion may be recessed relative to a top surface of the intermediate part to facilitate overlap by the bottom surface of the second end part of another chamber.

[0037] When the spaced apart foot portions of the chamber support the chamber on a gravel or stone sub-base material, a spacing between the stiffening fingers of each foot portion may be smaller than a size of the gravel or stone so as to prevent the sub-base material from entering the spacing between the stiffening fingers, thereby providing a projected bearing surface for the foot portion that is substantially the same as if the bottom of the foot portion were planar.

[0038] The stiffening fingers of each foot portion may have a varying width that is narrower at lateral side edge of the foot portion than at the finger end located toward the corrugation crests and valleys.

[0039] Each foot portion may include first and second end parts at opposite

Page 172 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

lengthwise ends of the chamber, and an intermediate part between the first and second end parts, the stiffening fingers located on the intermediate part. The stiffening fingers of the intermediate part of each foot portion may have thicknesses that extend downward, the thickness of each stiffening finger being substantially the same as a thickness of the first and second end parts.

[0040] Each foot portion may include multiple lengthwise extending stacking blocks thereon.

[0041] Each stacking block may extend from one side of a corrugation crest toward an adjacent corrugation crest and may have a terminal end that stops short of the adjacent corrugation crest.

[0042] In a further aspect, an apparatus for receiving and dispersing water includes a plastic arch-shaped corrugated chamber having a generally open bottom and including a plurality of corrugation crests and valleys distributed along a length of the chamber, the corrugation crests and valleys extending transverse to a lengthwise axis of the chamber, wherein at least one viewport structure is provided on the chamber, the viewport structure configured to intersect only a single corrugation crest.

[0043] The single corrugation crest may connect to adjacent corrugation valleys via respective opposed webs, and the viewport structure may include outer curved wall portions, each outer curved wall portion intersects and provides structural continuity between respective portions of one of the opposed webs.

[0044] Each curved wall portion may include a top surface that connects with the single corrugation crest at each end of the curved wall portion, each end of the curved wall portion further including a raised stiffening ridge that extends onto the adjacent portion of the single corrugation crest.

[0045] In yet another aspect, a method is provided for interconnecting a series of a plastic arch-shaped corrugated chambers end to end to form an elongated chamber row. The method involves the steps of:

[0046] (a) providing first and second end wall chambers each having a closed end with a unitary end wall and an opposite open end having a small end corrugation;

[0047] (b) providing multiple open end chambers each having first and second open ends, the first end having a small end corrugation and the second end having a end corrugation that is larger than the small end corrugation;

Page 173 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

[0048] (c) placing the first end wall chamber in a first lengthwise

orientation;

[0049] (d) connecting a first open end chamber to the first end wall chamber by overlapping the small end corrugation of the first end wall chamber with the end corrugation at the second end of the first open end chamber;

[0050] (e) connecting one or more additional open end chambers in the chamber row by overlapping the small end corrugation of each open end chamber with the end corrugation at the second end of a next open end chamber;

[0051] (f) connecting the second end wall chamber to a last open end chamber of the chamber row by either:

[0052] (i) cutting the last open end chamber of the chamber row to remove at least its small end corrugation, and placing the second end wall chamber in a lengthwise orientation that is opposite the lengthwise orientation of the first end wall chamber, and overlapping the small end corrugation of the second end wall chamber with an intermediate corrugation of the last open end chamber; or

[0053] (ii) cutting the second end wall chamber to remove at least its small end corrugation, and placing the second end wall chamber in a lengthwise orientation that is opposite the lengthwise orientation of the first end wall chamber, and overlapping the small end corrugation of the last open end chamber of the chamber row with an intermediate corrugation of the second end wall chamber.

[0054] The cutting step of either (f)(i) or (f)(i) may involve cutting to achieve a specified chamber row length.

[0055] In another aspect, an apparatus for receiving and dispersing water includes a plastic arch-shaped corrugated chamber having a generally open bottom and including a plurality of corrugation crests and valleys distributed along a length of the chamber, the corrugation crests and valleys extending transverse to a lengthwise axis of the chamber, wherein at least one end of the chamber includes an inwardly domed end wall.

[0056] When the chamber is buried and the inwardly domed end wall acts in membrane tension.

[0057] The inwardly domed end wall may be unitary with or formed separate from the chamber.

[0058] When formed separate from the chamber the unitary end wall may include a perimeter structure that externally overlaps with at least a portion of an end corrugation of

Page 174 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

the chamber. [0059] The inwardly domed end wall may lack any ribs or corrugations. BRIEF DESCRIPTION OF THE DRAWINGS [0060] Fig. 1 shows a perspective of one embodiment of a chamber with a unitary end wall at one end: [0061] Fig. 2 shows a perspective of one embodiment of a chamber with two open ends; [0062] Fig. 3 shows a top plan view of the chamber of Fig. 1; Fig. 4 shows a top plan view of the chamber of Fig. 2; [0063] [0064] Figs. 5 and 6 show schematic depictions for two possible chamber connecting configuration techniques; [0065] Figs. 7-9 show mold tool insert embodiments for production of chambers having end walls; 100661 Fig. 10 shows a partial perspective of a mold tool cavity part having inserts from Figs. 8 and 9 located therein; 100671 Fig. 11 shows a partial perspective of a mold tool core part having inserts from fig. 7 located therein; Fig. 12 shows a partial perspective view of the inside of a unitary end wall; [0068] [0069] Fig. 13 shows a partial perspective view of the end wall end of a chamber; [0070] Figs. 14-16 show mold tool insert embodiments for production of chambers without a unitary end wall; [0071] Fig. 17 shows a partial perspective view of the mold tool cavity part with inserts from Figs. 15 and 16 located therein; [0072] Fig. 18 shows a partial perspective view of the mold too core part with inserts from Fig. 14 located therein; [0073] Fig. 19 shows a partial corrugation cross-section illustrating sub-corrugation features: [0074] Fig. 20 shows a partial side elevation of a chamber with sub-corrugation features; [0075] Fig. 21 shows a partial perspective of one side of a chamber and associated foot portion; [0076] Figs. 22-24 illustrate certain foot portion features according to one embodiment;

Page 175 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

[0077]	Fig. 25 shows a partial perspective of one embodiment of a chamber
viewport;	
[0078]	Fig. 26 shows a cross-section of the view port of Fig. 25 taken along line A-
А;	

[0079] Figs. 27 and 28 show an alternative chamber arrangement and associated inwardly domed end wall.

#### DETAILED DESCRIPTION

**[0080]** Referring to Figs. 1-4, perspective views and top plan views of two archshaped, corrugated plastic detention chambers 10 and 12 useful in connection with a buried stormwater detention system are shown. Chamber 10 is formed with an integral and unitary end wall 14 at one end and an opposite, open end 16. Chamber 12 is formed with two open ends 18 and 20. Each chamber includes respective spaced apart foot portions 22 and 24 (labeled only in Figs. 2 and 4) and a plurality of arch-shaped corrugations 26 distributed along the length of the chamber and running substantially perpendicular to the lengthwise axis 28. As will be described in greater detail below, end corrugations 30, 32 are of a smaller size to allow overlap by, for example, the opposite end corrugation 34 of an adjacent chamber when a system of chambers is linked together. End corrugation 34 may also be different than the corrugations 26 extending between the ends.

[0081] Referring to the schematics of Figs. 5 and 6, different installation options are described. In both cases, a given row of chambers are connected together end to end to form a continuous, clongated chamber row. The row is formed by respective unitary end wall chambers 10 at the ends, but facing opposite directions, with any number of openended chambers 12 positioned therebetween. However, a row might also be formed by just two unitary end wall chambers without any intervening open-ended chambers. Moving from left to right, the smaller end corrugation of 30 of the left end chamber is overlapped by a end corrugation 34 of the following chamber 12. The small end corrugation of each intermediate chamber is overlapped by the end corrugation of the next following chamber 12 until the right end chamber 10 is reached. In the case of Fig. 5, the chamber 12 adjacent to the right end chamber 10 may be cut at a desired location 40 so that the end corrugation 30 of the right end chamber can be fitted under one of the intermediate corrugations 26 of the adjacent chamber 12. In the case of Fig. 6, the right end chamber 10 can be cut at a desired location 42 so that the end corrugation 30 of the rightmost chamber 12 can be fitted under the intermediate corrugation 26 of the right end chamber 10. In

Page 176 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

either manner, a continuous row of overlapping chambers of almost any desired length may be formed.

[0082] Advantageously, the two different chamber configurations 10 and 12 can be produced by the same mold tool. Specifically, the mold tool is configured to utilize a flow shut off feature within the tooling mold to prevent plastic flow from reaching the end wall space/gap within the closed tool. During molding of an integral end wall chamber 10, plastic is injected into the tool in a manner that facilitates flow into the end wall formation space. During molding of an open-ended chamber 12, the mold is fitted with structure that prevents flow into the end wall formation space and plastic and gas injection may also be modified. In one example, different mold core and mold cavity inserts are used for formation of the integral end wall chamber 10 verses the open-ended chamber 12. [0083] In this regard, referring to Figs. 7-11, the inserts, cavity and core are shown for formation of an integral end wall chamber 10. The core includes two mirror image inserts 50, 50' that are secured (e.g., using fasteners) to the core along the region of the core that defines where chamber body and end wall will meet. Each insert 50, 50' includes a corresponding sprue flow formation structure 52, 52'. The upper ends of the inserts 50, 50' are structured such that the location where they are positioned adjacent each other is also adapted to provide a sprue formation structure 54. A central insert 60 and side inserts 62. 62' (which are mirror images of each other) are provided for the cavity. The central cavity insert 60 includes a generally frusto-conical recess or cutout 64 which fits over the sprue formation structure 54 when the mold is closed for molding, providing a sprue formation space and flow path there between. The insert 60 also includes an injection opening 66 and flow path 68 leading to the cutout 64 for flowing plastic (or gas) into the mold during molding. The side inserts 62 include respective recesses or cutouts 70 that are configured to align with and be spaced around the sprue formation structure S2 when the mold is closed for molding, providing a sprue formation space and flow path there between. The side insert also includes an opening 72 and flow path 74 leading to the cutout 70 for flowing plastic into the mold during molding. The thickness of the inserts 50, 50' is set such that when the mold is closed, a continuous flow space or gap from the main body side 76 to the end wall side 78 is provided, such that the end wall will be unitary with the main chamber body.

[0084] Referring to Figs. 12 and 13, the resulting end wall structure is generally shown from inside and outside views respectively, with central sprue 80 and side sprues 82,

Page 177 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

#### PCT/US2009/033899

82' shown. As shown, the end wall also includes bottom sprues 84, 84', which result from additional plastic injection locations from the mold structure. The end wall 14 also includes vertically extending corrugations 86 for increased end wall strength. Lift handles 88, 88' at the base of the end wall are also provided.

**[0085]** Referring to Figs. 14-18, the inserts, cavity and core are shown for formation of the open-ended chamber 12. The core includes two mirror image side inserts 90, 90' and the cavity includes a central insert 92 and mirror image side inserts 94, 94'. Inserts 92 and 94, 94' are configured to block or prevent flow from entering through the cavity injection points. The thickness of the inserts 90, 90' is set such that when the mold is closed, the inserts engage with the internal surface of the cavity so that there is no flow space or gap from the main body side 76 to the end wall side 78. Additionally, the mold injection process may be modified to avoid any attempt to inject plastic at end wall locations. In this manner, a chamber without the end wall can be produced.

[0086] Referring to Fig. 19, an advantageous corrugation crest and valley profile is shown, with cross-section taken along a plane that runs parallel to the longitudinal axis of the chamber. Specifically, the corrugation crest 100, valleys 102 and webs 104 are illustrated. The corrugation crest 100 includes a central raised sub-corrugation feature 106 and the valleys 102 include a central raised sub-corrugation feature 108. The sub-corrugation features can be used to increase the effective wall properties (area, moment of inertia and section modulus) that in turn increases the chamber wall's load carrying strength, stiffness and moment strength. The sub-corrugations keep more wall material, that otherwise would have been wide flat areas on the crests and in the valleys, structurally functional. Otherwise such areas, being wide and flat, would have a greater tendency to buckle locally under compression strain. It is recognized that the sub-corrugations could alternatively be recessed regions, as opposed to the illustrated raised regions. Moreover, a sub-corrugation feature including one or more raised portions and/or one or more recessed portions could be provided.

[0087] In one embodiment, (i) all corrugations crests, with the exception of the crest of smaller end corrugations 30 and 32, include the sub-corrugation feature 106 and (ii) all corrugation valleys, with the exception of the valley immediately adjacent end corrugations 30 and 32 and the valleys immediately adjacent end corrugation 34 include the sub-corrugation feature 108. The illustrated sub-corrugation features are centered on the respective corrugation crests and valleys.

11

Page 178 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

#### PCT/US2009/033899

[0088] The height, thickness and width of the sub-corrugation features may be established so that the sub-corrugations are stiff enough (e.g., high enough moment of inertia about their horizontal axis) to keep as much of the rearning of the corrugation crest/valley stable in local buckling as practicable when considered in view of added material cost etc. For a substantially fixed sidewall thickness, as a general rule the sub-corrugations can be less deep (shorter height  $H_{SCC}$  or  $H_{SCV}$ ) as the crest/valley gets more narrow. The sub-corrugations could also stay the same depth and get more narrow.

[0089] With respect to crest sub-corrugation feature 106, in one example the height  $H_{SCC}$  of the sub-corrugation feature is less than 10% of the overall height  $H_C$  of the corrugation crest (e.g., within a range of about 3 – 7%), at least along portions of the corrugation crest that extend from the top of the chamber downward to side locations that are at elevations of about 1/3 of the overall chamber height H. The sub-corrugation feature 106 may have a height  $H_{SCC}$  that is no more than about three times the thickness T of the plastic defining the corrugation crest (e.g., no more than twice the thickness T or less than 1.25 times the thickness T).

[0090] With respect to valley sub-corrugation feature 108, in one example the height  $H_{SCV}$  of the sub-corrugation feature is less than 10% of the overall height  $H_C$  of the corrugation crest (e.g., within a range of about 3 - 7%), at least along portions of the corrugation crest that extend from the top of the chamber downward to side locations that are at elevations of about 2/3 of the overall chamber height H. In this regard, and referring to the partial side elevation of Fig. 20, the valley sub-corrugation feature 108 may remain relatively uniform when moving from the top of the chamber downward in elevation until a valley transition height  $H_{TV}$  is reached, at which elevation the sub-corrugation feature 108 begins to gradually fade out (e.g., width (relative to side elevation view, where width of the sub-corrugation is measured in the lengthwise axis of direction of the chamber) of the feature decreases and cross-sectional height of the feature decreases) when moving further downward along the chamber sidewall. In one example, the transition height  $H_{TV}$  is about 2/3 the overall chamber height H (e.g., between about 55% and 70% of the overall chamber height H). The sub-corrugation feature 108 may have a height H<sub>SCV</sub> that is no more than about three times the thickness T of the plastic defining the corrugation crest (e.g., no more than twice the thickness T or less than 1.25 times the thickness T).

[0091] As an alternative to the sub-corrugation features, an intermediate rib could be provided on the crest and/or in the valley. Placement of suitable gas channels on the

Page 179 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

crest or in the valley could also provide suitable stability and resistance to global buckling. [0092] As suggested in Fig. 20, the overall width of the corrugation crest may be relatively uniform when moving from the top of the chamber downward to a transition height  $H_{TC}$ . From that elevation downward the corrugation crest width may increase as shown. This results in a corresponding decrease in the width of the corrugation valley as is also shown. In one example, the transition height  $H_{TC}$  is about 2/3 the overall chamber height H (e.g., between about 55% and 75% of the overall chamber height H). A vertically elongated slot 120 is shown on each corrugation crest and valley. A single row of such slots may be provided on each side of the chamber. In another implementation, the width of the corrugation crest may change when moving from the top of the chamber to the bottom of the chamber so as to provide a side elevation view in which the crest width changes constantly with elevation (i.e., for each unit change in elevation there is a constant unit change in crest width). Likewise, the corrugation width where the web meets the valley may also be established so as to provide a side elevation view in which the corrugation base width changes constantly with elevation.

[0093] Referring to Fig. 21, a partial perspective shows a sprue ledge configuration 130, particularly suited for injection locations that intersect with the webs, and facilitate ease of sprue trimming. Sprue locations that are on corrugation crests can be more easily trimmed to the near flush configurations 132 and 134 as shown.

[0094] Also shown in Fig. 21 are stacking blocks or plates 140 that extend outward from the sides of each corrugation crest (with the exception of the small end corrugation 30 or 32 and the opposite end corrugation 34) where the crest meets the foot portion 22. Each stacking plate 140 may extend generally parallel to the longitudinal axis of the chamber. As shown the stacking plate extending from one side of a given corrugation crest extends toward, but does not meet the plate extending from the opposite side of the adjacent corrugation crest, resulting in a gap between the two plates. The stacking plates assist in proper stacking of chambers atop each other in a nested and stable manner for the purpose of chamber transport, with the foot portion of an upper chamber resting on the stacking plate of the chamber immediately below it.

[0095] Referring to the foot portion 22 as shown in Figs. 22 and 23, in the illustrated embodiment the foot portion 22 includes an end part 150 proximate the small end corrugation 30, 32, followed by an intermediate part 152 that extends along the length of the chamber to an opposite end part 154. The end part 150 is generally planar and of

Page 180 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

#### PCT/US2009/033899

uniform thickness and its upper surface is recessed relative to the upper surface of intermediate part 152. The intermediate part has increased thickness with a series of bottom stiffening fingers 156, each of which may extend generally perpendicular to the longitudinal axis of the chamber (though other directions are possible). The end part 154 is generally planar and of uniform thickness and has its bottom surface raised relative to the bottom of intermediate part 152 and end part 150. In this manner, end part 154 will easily accommodate end part 150 beneath it when two chambers are connected by overlapping opposite ends. Referring again to intermediate part 152, the vertical thickness of the stiffening fingers 156 may generally be about the same vertical thickness as the end parts 150 and 154 (though variations are possible). The lateral thickness of the stiffening fingers may be about the same as the vertical thickness (though variations are possible). The spacing between the stiffening fingers can vary, but should generally be selected to provide a projected bearing surface the same as if the bottom surface where planar. This thickness may vary depending upon the sub-base material (e.g., the size of the gravel or stone) upon which the chamber foot portion will rest when installed. By selecting the stiffening finger spacing small enough to prevent the sub-base material from fitting within the spacing, such a projected bearing surface can be maintained. The width and spacing of the fingers also provides stiffness to the foot portion while facilitating efficient moldability by reducing cooling time as compared to a chamber having a foot portion in which the vertical thickness of portion 152 is uniform along its length and the same as the vertical thickness in the region of a finger of the illustrated embodiment.

**[0096]** In one embodiment, the stiffening fingers extend only from the side edges of the side portion toward the corrugation crests and stiffening plates 140, and do not extend into the foot portions 160 (see Fig. 21) that are located between the corrugation crests. In these foot portions 160, the foot material is generally planar on top and bottom, and has a top surface that is recessed relative to the top surface of intermediate part 152 (e.g., similar to the end part 150). Thus, the overall bearing surface of each foot portion is made up of both continuously planar bottom surface portions (e.g., the bottom of end part 150 and foot portions 160) and bottom surface part 152). Notably however, the bottom surface portions of the stiffening fingers 156 all lie in generally the same plane.

[0097] In one implementation, in order to reduce plastic in the chamber, the thickness of each foot portion may be reduced slightly when moving from the corrugation

Page 181 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

crests outward to the lateral side edge of the foot portion, resulting in a foot portion upper surface that tapers downward slightly when moving from the corrugation crests outward to the lateral side edge of the foot portion.

[0098] Referring to Figs. 2, 25 and 26, the chamber may include one or more viewports (or cleanouts) 170 located atop one or more corrugations. In the illustrated embodiment, a single viewport is provided in one of the corrugations near the longitudinal mid-portion of the chamber. As best seen in Figs. 25 and 26, where Fig. 26 is a cross-section along line A-A of Fig. 25, the viewport is formed in the corrugation in a manner to maintain cross-sectional properties of the chamber. Specifically, the viewport intersects only a single corrugation crest and its associated webs. Moreover, the outer curved walls 172 and 174 forming the viewport intersect with and provide structural continuity between the webs portions 176, 178 and 180, 182 on opposite sides of the viewport. Raised stiffening ridges 186 may also be provided atop the crest and viewport walls for increased structural integrity, and to establish planar contact with a horizontal flat surface positioned tangent to adjacent corrugation crests, which facilitates distribution of forces into the corrugation with the cutout under parallel plate load testing. Vent holes 188 in the top of the corrugation crests are also shown.

[0099] Referring now to the schematic side elevation of another chamber embodiment in Fig. 27 and the end cap view of Fig. 28, an inverted domed end cap could be used to close off the ends of chambers. Such an inverted dome-shaped end cap would operate in membrane tension (instead of bending) in response to forces F exerted on the outwardly facing surface of the cap by the bury material (e.g., soil or gravel). The end cap can therefore be formed thinner, without the need for ribs etc., reducing material usage. Moreover, such an end cap configuration would not be subjected to any direct soil pressure from above. The end cap could be formed with a perimeter structure configured to overlap with part or all of the end corrugation of a chamber.

[00100] Referring to Figs. 1 and 13, the end wall may be formed with circular indicants for facilitating cutting of holes in the end wall to receive multiple specific pipe sizes. In this regard, the indicants may be formed by external raised areas of plastic on the wall. Moreover, upper and lower cutout starting holes could be provided in the end wall to facilitate insertion of a cutting tool in the field for cutting along the indicants. The starting holes could be formed by providing a mold tool in which the mold core part and mold cavity part engage each other in the region where the cutout starting hole is to be provided.

Page 182 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

In an alternative implementation, the circular indicants could be applied after the fact, as by a printing, painting or screening operation.

[00101] It is to be clearly understood that the above description is intended by way of illustration and example only, is not intended to be taken by way of limitation, and that other changes and modifications are possible. Where specific or relative dimensions are provided, such dimensions are not considered limiting unless specifically set forth in any claims.

[00102] What is claimed is:

Page 183 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899

#### <u>Claims</u>

An apparatus for receiving and dispersing water, the apparatus comprising:

 a plastic arch-shaped corrugated chamber having a generally open bottom and
 including a plurality of corrugation crests and valleys distributed along a length of the
 chamber, the corrugation crests and valleys extending transverse to a lengthwise axis of the
 chamber, wherein each one of a multiplicity of the corrugation crests includes a respective
 crest sub-corrugation feature thereon.

2. The apparatus of claim 1 wherein each one of a multiplicity of the corrugation valleys includes a valley sub-corrugation feature thereon.

3. The apparatus of claim 2 wherein each crest sub-corrugation feature comprises an external raised sub-corrugation feature and each valley sub-corrugation feature comprises an external raised sub-corrugation feature.

4. The apparatus of claim 2 wherein each crest sub-corrugation feature is substantially centered along a width of its respective corrugation crest, each valley sub-corrugation feature is substantially centered along a width of its respective corrugation valley.

5. The apparatus of claim 2 wherein:

the chamber includes a first end corrugation crest at one chamber end and second end corrugation crest at an opposite chamber end, each of the first and second end corrugation crests lacks any sub-corrugation feature,

the chamber includes a first end corrugation valley adjacent the first end corrugation crest and a second end corrugation valley adjacent the second end corrugation crest, each of the first and second end corrugation valleys lacks any sub-corrugation feature.

6. The apparatus of claim 4 wherein:

each crest sub-corrugation feature is located along at least a top portion of its respective crest,

each crest sub-corrugation feature has a crest sub-corrugation height, relative to its

Page 184 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

corrugation crest, that is less than 10% of a height of the corrugation crest relative to its adjacent corrugation valley,

each valley sub-corrugation feature is located along at least a top portion of its respective valley,

each valley sub-corrugation feature has a valley sub-corrugation height, relative to its corrugation valley, that is less than 10% of a height of the adjacent corrugation crest relative to the corrugation valley.

7. The apparatus of claim 6 wherein:

a width of each of the multiplicity of corrugation crests is greater toward the bottom of the chamber than at a top of the chamber,

a width of each crest sub-corrugation feature is greater toward the bottom of the chamber than at the top of the chamber,

a width of each of the multiplicity of corrugation valleys is less toward the bottom of the chamber than at the top of the chamber,

a width of each valley sub-corrugation feature is less toward the bottom of the chamber than at the top of the chamber.

8. The apparatus of claim 2 wherein:

each crest sub-corrugation feature is located along at least a top portion of its respective corrugation crest,

each crest sub-corrugation feature has a crest sub-corrugation height, relative to its corrugation crest, that is no more than about three times a thickness of the plastic defining the corrugation crest,

each valley sub-corrugation feature is located along at least a top portion of its respective corrugation valley,

each valley sub-corrugation feature has a valley sub-corrugation height, relative to its corrugation valley, that is no more than about three times a thickness of the plastic defining the corrugation valley.

9. The apparatus of claim 1 wherein:

each crest sub-corrugation feature is located along at least a top portion of its respective crest,

Page 185 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

#### PCT/US2009/033899

each crest sub-corrugation feature has a crest sub-corrugation height, relative to its corrugation crest, that is less than 10% of a height of the corrugation crest relative to its adjacent corrugation valley.

10. The apparatus of claim 9 wherein:

a width of each of the multiplicity of corrugation crests is greater toward the bottom of the chamber than at a top of the chamber,

a width of each crest sub-corrugation feature is greater toward the bottom of the chamber than at the top of the chamber.

11. The apparatus of claim 1 wherein:

each crest sub-corrugation feature is located along at least a top portion of its respective corrugation crest,

each crest sub-corrugation feature has a crest sub-corrugation height, relative to its corrugation crest, that is no more than about three times a thickness of the plastic defining the corrugation crest.

### 12. The apparatus of claim 1 wherein:

each crest sub-corrugation feature has at least one opening therein, the opening located toward the bottom of the chamber and offset toward one side of the sub-corrugation feature.

13. The apparatus of claim 3 wherein:

the corrugation crests and valleys extend from side to side of the chamber between spaced apart lengthwise extending foot portions of the chamber, wherein each foot portion includes a bottom portion with a plurality of downwardly facing stiffening fingers.

14. The apparatus of claim 13 wherein:

each foot portion includes first and second end parts at opposite lengthwise ends of the chamber, and an intermediate part between the first and second end parts, the stiffening fingers are located on the intermediate part, bottom surfaces of the first and second end parts are substantially planar.

Page 186 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

#### 15. The apparatus of claim 14 wherein:

at least one viewport structure is provided on the chamber, the viewport structure configured to intersect only a single corrugation crest.

16. The apparatus of claim 15 wherein:

the single corrugation crest connects to adjacent corrugation valleys via respective opposed webs,

the viewport structure includes outer curved wall portions, each outer curved wall portion intersects and provides structural continuity between respective portions of one of the opposed webs.

17. The apparatus of claim 16 wherein:

at least one end of the chamber includes an inwardly domed end wall.

18. A method of producing plastic arch-shaped corrugated chambers having generally open bottoms, including an end wall chamber type having at least one closed end with a unitary end wall, and a open chamber type having opposite ends that are both open, the method comprising:

providing a mold tool including a mold core part and a mold cavity part, when located in respective mold positions the mold core part and mold cavity part define a chamber end wall formation space at one end of a chamber body formation space;

when producing the end wall chamber type, placing the mold core part and mold cavity part in the respective mold positions such that the chamber body formation space is in communication with the end wall formation space and injecting plastic into the mold tool such that plastic in the end wall formation space forms unitary with plastic in the chamber body formation space;

when producing the open chamber type, placing the mold core part and mold cavity part in the respective mold positions and injecting plastic into the mold tool, and providing a shutoff to prevent plastic flow from the chamber body formation space to the end wall formation space.

19. The method of claim 18 wherein providing the shutoff involves placing at least one open chamber insert member within the mold tool, the at least one open chamber insert

Page 187 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

member blocking plastic flow from the chamber body formation space to the end wall formation space.

20. The method of claim 19 wherein:

when producing the end wall chamber type, the method includes placing at least one end wall chamber insert member within the mold tool, the end wall chamber insert member sized to permit communication between the chamber body formation space and the end wall formation space.

21. The method of claim 20 wherein the injecting includes injecting plastic directly into the end wall formation space, and the at least one end wall chamber insert member includes at least one sprue formation structure for producing a sprue on the end wall of the end wall chamber type.

22. The method of claim 21 wherein:

when producing the open chamber type, the at least one open chamber insert member includes structure to block direct injection of plastic into the end wall formation space.

23. The method of claim 19 wherein the at least one open chamber insert member is secured to the mold core part.

24. The method of claim 23 wherein the at least one open chamber insert member is positioned along an intersection location of an end wall portion of the mold core part and a chamber body portion of the mold core part.

25. The method of claim 19 wherein the end wall formation space defines a plurality of generally vertically extending end wall corrugation formation spaces.

26. The method of claim 25 wherein the end wall formation space defines at least two end wall hand-hold formation spaces.

27. An apparatus for receiving and dispersing water, the apparatus comprising:

Page 188 of 498 CULTEC, INC. EXHIBIT 1010
#### WO 2009/102855

#### PCT/US2009/033899

a plastic arch-shaped corrugated chamber having a generally open bottom and including a plurality of corrugation crests and valleys distributed along a length of the chamber, the corrugation crests and valleys extending from side to side of the chamber between spaced apart lengthwise extending foot portions of the chamber and transverse to a lengthwise axis of the chamber, wherein each foot portion includes a bottom portion with a plurality of downwardly facing stiffening fingers.

28. The apparatus of claim 27 wherein:

each foot portion extends laterally outward from lower ends of the corrugation crests and valleys,

the stiffening fingers of each foot portion have lengthwise axes that extend from a lateral side edge of the foot portion toward the corrugation crests and valleys.

29. The apparatus of claim 28 wherein:

the stiffening fingers of each foot portion terminate short of the corrugation valleys, the bottom of each foot portion is substantially planar in a valley region located between the corrugation crests, the top surface of the foot portion in the valley region is recessed relative to the top surface of at least an intermediate lateral part the foot portion.

30. The apparatus of claim 29 wherein:

the stiffening fingers of each foot portion have thicknesses that extend downward from a continuous upper part of the foot portion.

31. The apparatus of claim 30 wherein:

bottom surfaces of the stiffening fingers of each foot portion lie in substantially the same plane.

32. The apparatus of claim 28 wherein:

each foot portion includes first and second end parts at opposite lengthwise ends of the chamber, and an intermediate part between the first and second end parts, the stiffening fingers are located on the intermediate part, bottom surfaces of the first and second end parts are substantially planar.

Page 189 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

33. The apparatus of claim 32 wherein:

the bottom surface of the first end part of each foot portion is substantially coplanar with bottom surfaces of the stiffening fingers,

the bottom surface of the second end part of each foot portion is elevated relative to the bottom surfaces of the stiffening fingers.

34. The apparatus of claim 33 wherein:

a top surface of the first end part of each foot portion is recessed relative to a top surface of the intermediate part to facilitate overlap by the bottom surface of the second end part of another chamber.

#### 35. The apparatus of claim 28 wherein:

the spaced apart foot portions of the chamber support the chamber on a gravel or stone sub-base material, a spacing between the stiffening fingers of each foot portion is smaller than a size of the gravel or stone so as to prevent the sub-base material from entering the spacing between the stiffening fingers, thereby providing a projected bearing surface for the foot portion that is substantially the same as if the bottom of the foot portion were planar.

#### 36. The apparatus of claim 28 wherein:

the stiffening fingers of each foot portion have a varying width that is narrower at lateral side edge of the foot portion than at the finger end located toward the corrugation crests and valleys.

37. The apparatus of claim 28 wherein:

each foot portion includes first and second end parts at opposite lengthwise ends of the chamber, and an intermediate part between the first and second end parts, the stiffening fingers are located on the intermediate part,

the stiffening fingers of the intermediate part of each foot portion have thicknesses that extend downward, the thickness of each stiffening finger is substantially the same as a thickness of the first and second end parts.

38. The apparatus of claim 27 wherein:

Page 190 of 498 CULTEC, INC. EXHIBIT 1010

#### WO 2009/102855

#### PCT/US2009/033899

each foot portion includes multiple lengthwise extending stacking blocks thereon.

39. The apparatus of claim 38 wherein:

each stacking block extends from one side of a corrugation crest toward an adjacent corrugation crest and has a terminal end that stops short of the adjacent corrugation crest.

40. An apparatus for receiving and dispersing water, the apparatus comprising:

a plastic arch-shaped corrugated chamber having a generally open bottom and including a plurality of corrugation crests and valleys distributed along a length of the chamber, the corrugation crests and valleys extending transverse to a lengthwise axis of the chamber, wherein at least one viewport structure is provided on the chamber, the viewport structure configured to intersect only a single corrugation crest.

41. The apparatus of claim 40 wherein:

the single corrugation crest connects to adjacent corrugation valleys via respective opposed webs,

the viewport structure includes outer curved wall portions, each outer curved wall portion intersects and provides structural continuity between respective portions of one of the opposed webs.

42. The apparatus of claim 41 wherein:

each curved wall portion includes a top surface that connects with the single corrugation crest at each end of the curved wall portion, each end of the curved wall portion further includes a raised stiffening ridge that extends onto the adjacent portion of the single corrugation crest.

43. A method of interconnecting a series of a plastic arch-shaped corrugated chambers end to end to form an elongated chamber row, the method comprising the steps of:

(a) providing first and second end wall chambers each having a closed end with a unitary end wall and an opposite open end having a small end corrugation;

(b) providing multiple open end chambers each having first and second open ends, the first end having a small end corrugation and the second end having a end corrugation that is larger than the small end corrugation;

Page 191 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

#### PCT/US2009/033899

(c) placing the first end wall chamber in a first lengthwise orientation;

(d) connecting a first open end chamber to the first end wall chamber by overlapping the small end corrugation of the first end wall chamber with the end corrugation at the second end of the first open end chamber;

(e) connecting one or more additional open end chambers in the chamber row by overlapping the small end corrugation of each open end chamber with the end corrugation at the second end of a next open end chamber;

(f) connecting the second end wall chamber to a last open end chamber of the chamber row by either:

(i) cutting the last open end chamber of the chamber row to remove at least its small end corrugation, and placing the second end wall chamber in a lengthwise orientation that is opposite the lengthwise orientation of the first end wall chamber, and overlapping the small end corrugation of the second end wall chamber with an intermediate corrugation of the last open end chamber; or

(ii) cutting the second end wall chamber to remove at least its small end corrugation, and placing the second end wall chamber in a lengthwise orientation that is opposite the lengthwise orientation of the first end wall chamber, and overlapping the small end corrugation of the last open end chamber of the chamber row with an intermediate corrugation of the second end wall chamber.

44. The method of claim 43 wherein the cutting step of either (f)(i) or (f)(i) involves cutting to achieve a specified chamber row length.

45. An apparatus for receiving and dispersing water, the apparatus comprising:

a plastic arch-shaped corrugated chamber having a generally open bottom and including a plurality of corrugation crests and valleys distributed along a length of the chamber, the corrugation crests and valleys extending transverse to a lengthwise axis of the chamber, wherein at least one end of the chamber includes an inwardly domed end wall.

46. The apparatus of claim 45 wherein the chamber is buried and the inwardly domed end wall acts in membrane tension.

47. The apparatus of claim 45 wherein the inwardly domed end wall is unitary with

Page 192 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899

chamber.

48. The apparatus of claim 45 wherein the inwardly domed end wall is formed separate from the chamber and includes a perimeter structure that externally overlaps with at least a portion of an end corrugation of the chamber.

49. The apparatus of claim 45 wherein the inwardly domed end wall lacks any ribs or corrugations.

Page 193 of 498 CULTEC, INC. EXHIBIT 1010

PCT/US2009/033899

WO 2009/102855



Page 194 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855



WO 2009/102855

PCT/US2009/033899



Page 196 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899





Page 197 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899









Page 198 of 498 CULTEC, INC. EXHIBIT 1010

PCT/US2009/033899

WO 2009/102855



Page 199 of 498 CULTEC, INC. EXHIBIT 1010

# CASE IPR2017-00526 CULTEC, INC. v. STORMTECH LLC PCT/US2009/033899

WO 2009/102855

7/17



Page 200 of 498 CULTEC, INC. EXHIBIT 1010

# WO 2009/102855

PCT/US2009/033899



Page 201 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899



Page 202 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899



Page 203 of 498 CULTEC, INC. EXHIBIT 1010

PCT/US2009/033899



WO 2009/102855

Page 204 of 498 CULTEC, INC. EXHIBIT 1010

# WO 2009/102855



Page 205 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899





CULTEC, INC. EXHIBIT 1010

14/17

PCT/US2009/033899

WO 2009/102855



Fig. 21

Page 207 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899







Fig. 22





Fig. 24B

Page 208 of 498 CULTEC, INC. EXHIBIT 1010

# CASE IPR2017-00526 CULTEC, INC. v. STORMTECH LLC PCT/US2009/033899

WO 2009/102855

16/17



Page 209 of 498 CULTEC, INC. EXHIBIT 1010

WO 2009/102855

PCT/US2009/033899









Page 210 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Patent Application Fee Transmittal					
Application Number:	12	12802483			
Filing Date:	07.	07-Jun-2010			
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations				
First Named Inventor/Applicant Name:	David J. Mailhot				
Filer:	Daniel Geewon Chung/dorne dottin				
Attorney Docket Number:	07965.0150-00000				
Filed as Large Entity					
Utility under 35 USC 111(a) Filing Fees					
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:					
Pages:					
Claims:					
Miscellaneous-Filing:					
Petition:					
Patent-Appeals-and-Interference:					
Post-Allowance-and-Post-Issuance:					
Extension-of-Time:					

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
Submission- Information Disclosure Stmt	1806	1	180	180
	Tot	al in USD	) (\$)	180

Electronic Acknowledgement Receipt				
EFS ID:	15720743			
Application Number:	12802483			
International Application Number:				
Confirmation Number:	9389			
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations			
First Named Inventor/Applicant Name:	David J. Mailhot			
Customer Number:	22852			
Filer:	Daniel Geewon Chung/dorne dottin			
Filer Authorized By:	Daniel Geewon Chung			
Attorney Docket Number:	07965.0150-00000			
Receipt Date:	08-MAY-2013			
Filing Date:	07-JUN-2010			
Time Stamp:	11:44:47			
Application Type:	Utility under 35 USC 111(a)			

# Payment information:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)		
File Listing:							
Authorized Us	er						
Deposit Accou	nt						
RAM confirmation Number		8920	8920				
Payment was successfully received in RAM		\$180	\$180				
Payment Type		Credit Card	Credit Card				
Submitted with Payment		yes	yes				

Page 379 of 498 CULTEC, INC. EXHIBIT 1010

1 Information Disclosure Statement (IDS) Form (SB08) 07965_0150_00000_Information n_Disclosure_Statement.pdf 558211 no   Warnings:   Information:   This is not an USPTO supplied IDS fillable form	7
Warnings: Information:	
Information:	1
This is not an USPTO supplied IDS fillable form	
2669739	
2 Foreign Reference 021715.pdf 07965_0130_00000_W0_2007 no	41
Warnings:	1
Information:	
07965_0150_00000_WO_2004	12
3 Foreign Reference 061249.pdf 061249.pdf 061249.pdf	13
Warnings:	- 1
Information:	
4 Foreign Reference 07965_0150_00000_WO_2007	26
4 Foreign Reference 138780.pdf house	20
Warnings:	
Information:	
5 Foreign Reference 07965_0150_00000_WO20091 2836369 no	44
5 Foreign Reference 02855.pdf no	44
Warnings:	·
Information:	
6 Foreign Reference 07965_0150_00000_DE_10139 962574 no	14
897.pdf	
Warnings:	·
Information:	
7 Foreign Reference 07965_0150_00000_DE_12825 321928 no	5
62.pdf	
Warnings:	·
Information:	
8 Foreign Reference 07965_0150_000000_DE_2020 679252 no	9
o     Foreign Reference     05005056.pdf     10       c272058bc53ea22cbb60e592d4ff487a85c5     13ca     13ca	
Warnings:	
Information:	
9 Foreign Reference 07965_0150_00000_JP_092358 637415 no	8

Page 380 of 498 CULTEC, INC. EXHIBIT 1010

Warnings:					
Information:					
10	Foreign Reference	07965_0150_00000_EP_11224	424540	no	7
	81.pdf		557e409892de2d3bf3cf077e2d9c02ad7b9 ac724		
Warnings:				·	
Information:					
11	Foreign Reference	07965_0150_00000_JP_200504	2145402	no	28
	2330.DUI		2e898303524ae85df16f89d151124c6dcc3c 8754		
Warnings:					
Information:					
12	Foreign Reference	07965_0150_00000_JP_200317 6564.pdf	921222	no	12
		0304.pul	a6adc44617b218e9f22b31b186e553fc8f90 f54b		
Warnings:					
Information:					
		07965_0150_00000_JP_200229	1192001		14
13	Foreign Reference	4850.pdf	80b3861e61d09ceddeb90c0fac42731ca75 cff16	no	
Warnings:			<b>I</b>	•	
Information:					
14	Foreign Reference	07965_0150_00000_JP_200229	1402488	no	17
	5	4849.pdf	897f6eabe326fb40c50508cd714fa08241c1 536e		
Warnings:			<b>I</b>	•	
Information:					
15 Foreign Reference	07965_0150_00000_JP_200230	1351435	no	15	
		2995.pdf	a10df9025cc441aee2939fecb9eba607d058 f3fe		
Warnings:			·		
Information:					
16	Foreign Reference	07965_0150_00000_20031765	1040238	no	12
	65.pdf		1c3ac23803019da0fe2707b00e698e6bfaa3 7130		
Warnings:					
Information:					
		07965_0150_00000_JP_200521	1305902	no	10
17	Foreign Reference	reign Reference		no	18
Warnings:			•	·	
Information:					
18	18 Foreign Reference 07965_0150_00000_GB_20166 39.pdf	713138	no	7	
		39.pdf	079c51e9d087d8f488cb0becb4950f6a9d6 ae7c3		, í

Page 381 of 498 CULTEC, INC. EXHIBIT 1010

Warnings:						
Information:						
19	Non Patent Literature	07965_0150_00000_NPL_Refer	1125328	no	22	
		ence1.pdf	2a8f6cd7d5a6ff7a2fbe0cf52e0299cacca6d 4a6			
Warnings:						
Information:		1	· · · · · · · · · · · · · · · · · · ·	i		
20	Non Patent Literature	07965_0150_00000_NPL_Refer	443789	no	4	
		ence2.pdf	4f3d382d53047b9ecb0b28d388170682920 04125			
Warnings:						
Information:		1	1			
21 Fee Worksheet (SB06)	fee-info.pdf	29931	no	2		
			bb6d6f2995e7cb617fc7121847cb1e0fde5f b4f3			
Warnings:						
Information:						
		Total Files Size (in bytes)	: 2287	6515		
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.       New Applications Under 35 U.S.C. 111       If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.       National Stage of an International Application under 35 U.S.C. 371       If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.						
<u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.						

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
David J. MAILHOT et al.	) ) Group Art Unit: 3672
Application No.: 12/802,483	) Examiner: Fiorello, Benjamin F.
Filed: June 7, 2010	) ) Confirmation No.: 9389
For: CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ) )

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

#### **REPLY TO OFFICE ACTION**

In reply to the Office Action mailed on November 2, 2012, the period for response extending through May 2, 2013, by a petition for a three-month extension of time and fee payment submitted concurrently herewith, Applicant requests that this application be amended as follows.

Amendments to the Specification begin on page 2 of this reply.

Amendments to the Claims begin on page 3 of this reply.

Remarks/Arguments begin on page 10 of this reply.

Page 383 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

#### **AMENDMENTS TO THE SPECIFICATION:**

Please amend the specification on page 6, line 15 as follows:

Fig. 5 comprises Fig 5(a) through Fig. 5(e) <u>Fig. 5(f)</u> and shows portions of sidewall cross sections at different chamber elevations, as points illustrated in Fig. 3.

Please amend the specification on page 11, line 17 as follows:

As may be seen in Fig. 1 and Fig. 2, a second set of sub-corrugations 36 runs along the respective centers of valley corrugations 30. The sub-corrugations 36 taper to nothingness in depth and width as they run downwardly and approach the base flange. Each exemplary valley sub-corrugation [[34]] <u>36</u> runs along virtually the whole of the arch curve length of the associated valley. The direction of taper of a valley sub-corrugations corresponds in sense with the taper of the valley corrugation, i.e., each gets narrower as it approaches the elevation of the base. The width of a crest or valley sub-corrugation may alternatively be constant along part or all of the associated corrugation.

Please amend the specification on page 12, line 6 as follows:

Again with reference to Fig. 4: Each crest corrugation has a height d which is measured relative to an adjacent valley corrugation. Each crest sub-corrugation 32 has a height dp and each valley sub-corrugation [[34]] <u>36</u> has a height dv, as such are measured relative to the adjacent outer surface of the crest or valley, as applies. The maximum height dp of a crest sub-corrugation 32 is less than the locally associated height dc of the crest corrugation 28 on which it is positioned. The maximum height dv of a valley sub-corrugation 36 is less than locally associated depth dd of the valley corrugation 30 on which it is positioned. (As mentioned above, the terms height and depth are used interchangeably for the same dimension on a corrugation or sub-corrugation.)

Page 384 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

#### **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A molded arch shape cross section plastic chamber, for receiving and dispersing water when buried in soil, comprising:

opposing side bases running generally parallel to a chamber length axis, for supporting the chamber on soil during use;

a chamber top;

sidewalls running upwardly and inwardly from opposing side bases to the chamber top, wherein the combination of sidewalls and top form an arch curve which defines an arch shape cross section;

a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch curve of the chamber, wherein the crest corrugations decrease in width with elevation from the base and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis; and,

a plurality of crest sub-corrugations, running upwardly from the base and along a portion of the arch-curve of a crest corrugation, each sub-corrugation having a height less than the local height of the crest corrugation with which [[it]] <u>the sub-corrugation</u> is associated; each crest sub-corrugation terminating at an elevation lower than the top of the chamber.

-3-

Page 385 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

2. (Original) The chamber of claim 1 wherein each crest sub-corrugation has a height which diminishes with increasing elevation.

3. (Original) The chamber of claim 2 wherein each crest sub-corrugation has a width which diminishes with increasing elevation.

4. (Original) The chamber of claim 1 wherein the crest sub-corrugations extend about one quarter to two-thirds of the height of the chamber.

5. (Original) The chamber of claim 1 wherein the maximum width of each crest sub-corrugation is no more than one-third of the local width of the associated crest corrugation.

6. (Currently Amended) The chamber of claim 1 further comprising: a plurality of valley sub-corrugations, each <u>valley</u> sub-corrugation running downwardly from the top of the chamber and along part or all of the length of a valley corrugation; and, each <u>valley</u> sub-corrugation having a height less than the depth of the valley corrugation with which [[it]] <u>the valley sub-corrugation</u> is associated; each [[crest]] <u>valley</u> sub-corrugation terminating at an elevation lower than the top of the chamber.

7. (Currently Amended) The chamber of claim 6 wherein each valley subcorrugation terminates at an elevation [[aboe]] <u>above</u> the elevation of the base.

-4-

Page 386 of 498 CULTEC, INC. EXHIBIT 1010

#### Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

8. (Original) The chamber of claim 6 wherein each valley sub-corrugation runs downwardly from the top of the chamber and terminates at a point which is above the elevation of each opposing side base; and, wherein each crest sub-corrugation runs upwardly from the base and terminates at an elevation which is higher than the elevation of the termination points of the valley sub-corrugations.

9. (Original) The chamber of claim 7 wherein each valley sub-corrugation diminishes in both height and width in proximity to the base, as width is measured in a direction which is parallel to the length axis of the chamber.

10. (Original) The chamber of claim 6 wherein the maximum width of each valley sub-corrugation is no more than one-third of the local width of the associated valley corrugation, as width is measured in a direction which parallel to the length axis of the chamber.

11. (Original) The chamber of claim 6 wherein the valley sub-corrugations have lower termination ends on the sidewall of the chamber; wherein the crest subcorrugation have upper termination ends on the sidewall; and, wherein the crest subcorrugation termination ends are higher in elevation than the elevations of the valley sub-corrugation terminal ends.

12. (Original) The chamber of claim 7 further comprising a second plurality of valley sub-corrugations, each running within a valley corrugation upwardly from each opposing

-5-

Page 387 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

side base in the direction of said terminal ends of the first plurality of valley subcorrugation.

13. (Original) In a molded arch shape cross section chamber, for receiving and dispersing water when buried in soil; wherein the chamber is supported by flanges associated with opposing side bases during use; wherein the chamber has alternating crest corrugations and valley corrugations running transverse to the length of the chamber, along the arch curve of the chamber; wherein the crest corrugations decrease in width with elevation for the base and the valley corrugations increase in width with elevation for the base and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis; the improvement which comprises: a plurality of sub-corrugations running along at least a portion of the lengths of a plurality of one or both of the crest corrugations and valley corrugations.

14. (Currently Amended) The improved chamber of claim 13 wherein the width and depth of each sub-corrugation change along part or all of the length of the sub-corrugation in the same sense as does as the width of the corrugation with which the sub-corrugation is associated <u>changes</u>.

15. (Original) The improved chamber of claim 13 having one or both of a first set of sub-corrugations running upwardly from the opposing side bases on crest corrugations to termination points which are at an elevation which less than the elevation of the top of the chamber, and a second set of sub-corrugations running in valley corrugations at the top of the chamber and downwardly toward the opposing side bases to an elevation

-6-

Page 388 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

which is less than the elevation of said termination points of the first set of subcorrugations.

17. (Currently Amended) The improved chamber of claim 15 wherein the width and depth of each sub-corrugation changes along part or all of the length of the sub-corrugation in the same sense as does as the width of the corrugation with which the sub-corrugation is associated <u>changes</u>.

18. (Original) The improved chamber of claim 15 wherein all the elevations of the termination points of all of at least one of the first or second set of the sub-corrugations are the same.

19. (Currently Amended) The method of increasing the strength of a corrugated molded chamber adapted for receiving and dispersing water when buried in soil, wherein the chamber comprises opposing side bases running generally parallel to a chamber length axis, for supporting the chamber on soil during use; a top; opposing sidewalls which run upwardly from opposing side bases to the chamber top, wherein the combination of sidewalls and top form an arch curve which defines an arch shape cross section; a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch curve of the chamber, wherein the crest corrugations decrease in width and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis; which comprises: providing a plurality of sub-corrugations which run along part or all of the arch curve of the chamber on either or both the crest corrugations and

-7-

Page 389 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

the valley corrugations, wherein each sub-corrugation has a depth less than the depth of the corrugation with which [[it]] the sub-corrugation is associated.

20. (Withdrawn) An end cap for closing off the end of an arch shape cross section chamber adapted to receive and disperse water when buried in soil, comprising:

an attachment end, defining an arch shape opening, for mating with the end of an arch shape cross section chamber, the end having downwardly extending terminal ends;

an arch shape base for supporting the end cap on soil, having horizontally extending terminal ends connected to the terminal ends of said attachment end;

a compound convex shape wall connecting the said attachment end and said base;

a plurality of alternating crest corrugations and valley corrugations running upwardly along the convex shape wall from the points along said arch shape base to points along said arch shape attachment end, wherein the corrugations run along approximately vertical paths, when the paths are projected into a vertical plane which runs through the points at which said terminal ends are connected.

21. (Withdrawn) The end cap of claim 20 further comprising a plurality of subcorrugations, each sub-corrugation running upwardly from the elevation of the base on a plurality of crest corrugations or valley corrugations or both, each sub-corrugation having a depth less than the depth of the corrugation with which it is associated.

-8-

Page 390 of 498 CULTEC, INC. EXHIBIT 1010
Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

22. (Withdrawn) The end cap of claim 21 wherein each sub-corrugation terminates at an elevation which is less than the elevation of the said attachment end at the location of the corrugation with which the sub-corrugation is associated.

23. (Withdrawn) The end cap of claim 21 wherein the sub-corrugations terminate at an elevation which is no more than about 60 percent of the overall height of the end cap.

24. (Withdrawn) The end cap of claim 21 wherein each sub-corrugation of said plurality diminishes in width and depth with elevation.

Page 391 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

#### **REMARKS**

### I. Status of the Claims

Applicant submits this reply in response to the Office Action mailed on November 2, 2012 (the "Office Action"). By this reply, Applicant has amended the specification to correct certain informalities. In addition, Applicant has amended claims 1, 6, 7, 14, 17, and 19. Claims 1-15 and 17-19 are pending (and not withdrawn), with claims 1, 13, and 19 being independent. No new matter has been added.

In the Office Action, the drawings were objected to as allegedly failing to comply with 37 C.F.R. § 1.84(p)(5). In addition, the specification and claim 7 were objected to due to informalities. Moreover, claims 1-12 were rejected under 35 U.S.C. § 112, second paragraph, as allegedly being indefinite. Furthermore, claims 1, 13, 14, and 19 were rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over U.S. Patent No. 4,360,042 to Fouss et al. ("Fouss") in view of U.S. Publication No. 2005/0111915 to Moore, Jr. et al. ("Moore"); and claims 2-12, 15, 17 and 18 were indicated as including allowable subject matter.

Applicant respectfully traverses the above objections and rejections for at least the following reasons.

#### II. <u>The Drawings Objection</u>

The Office Action objected to the drawings for failing to include the reference sign "34" disclosed in the specification. (See Office Action at 2.) Applicant has amended the specification to address the drawings objection and accordingly respectfully requests the drawings objection be vacated.

-10-

Page 392 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

#### II. <u>The Specification Objection</u>

The Office Action objected to the specification due to a minor informality. (See <u>id.</u> at 3.) Applicant has amended the specification to address the specification objection and accordingly respectfully requests the specification objection be vacated.

### III. The Claim Objection

The Office Action objected to claim 7 due to a minor informality. (See <u>id.</u>) Applicant has amended the specification to address the claim objection and accordingly respectfully requests the claim objection be vacated.

## IV. The § 112, Second Paragraph, Rejections

The Office Action rejected claims 1-12, 14, and 17 as allegedly being indefinite under § 112, second paragraph. (See id. at 3-4.) Without necessarily acquiescing to the Office Action's assertions and characterizations, and solely in the interest of expediting the prosecution of this application, Applicant has made certain amendments to claims 1, 6, 14, and 17 to address the § 112, second paragraph, rejections. Accordingly, Applicant respectfully requests that the § 112, second paragraph, rejections be vacated.

### V. The § 103(a) Rejections

#### A. The independent claims

The Office Action rejected independent claims 1, 13, and 19 based on a combination of alleged teachings of <u>Fouss</u> and <u>Moore</u>. The proposed combination of <u>Fouss</u> and <u>Moore</u>, however, does not teach each and every element recited in each of

-11-

Page 393 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

independent claims 1, 13, and 19. Accordingly, for at least these reasons, independent claims 1, 13, and 19 are allowable over <u>Fouss</u> and <u>Moore</u>.

#### B. The dependent claims

Claims 2-12, 14, 15, 17, and 18 depend from either independent claim 1 or 13 and accordingly are allowable at least due to their dependence.

#### VI. Conclusion

In view of the foregoing remarks, Applicant respectfully requests reconsideration and reexamination of the application, and the timely allowance of the pending claims.

The Office Action contains characterizations of the claims and the related art, with which Applicant does not necessarily agree. Unless expressly noted otherwise, Applicant declines to subscribe to any statement or characterization in the Office Action.

In discussing the specification, claims, and/or drawings, it is to be understood that Applicant is in no way intending to limit the scope of the claims to an exemplary embodiment described in the specification or abstract and/or shown in the drawings. Rather, Applicant is entitled to have the claims interpreted broadly to the maximum extent permitted by statute, regulation, and applicable case law.

> Page 394 of 498 CULTEC, INC. EXHIBIT 1010

Application No. 12/802,483 Attorney Docket No. 07965.0150-00000

Please grant any extensions of time required to enter this reply and charge any

additional required fees to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

By: Daniel G. Chung

Dated: May 2, 2013

Daniel G. Chung Reg. No. 63,553 (202) 408-4000

> Page 395 of 498 CULTEC, INC. EXHIBIT 1010

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
David J. MAILHOT et al.	) Group Art Unit: 3672
Application No.: 12/802,483	) Examiner: Fiorello, Benjamin F
Filed: June 7, 2010	) ) Confirmation No.: 9389
For: CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ) )

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

### PETITION FOR EXTENSION OF TIME

Applicant petitions for a three-month extension of time to reply to the Office

Action mailed on November 2, 2012. A fee of \$1,400.00 is submitted electronically

herewith.

Please grant any additional extensions of time required to enter the attached

reply and charge any additional required fees to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,

By:\_ Daniel G Chung Reg. No. 63,553 (202) 408-4000

Dated: May 2, 2013

Page 396 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Patent Application Fee Transmittal							
Application Number: 12802483							
Filing Date:	07-	Jun-2010					
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations						
First Named Inventor/Applicant Name:	Da	vid J. Mailhot					
Filer:	Da	niel Geewon Chung	g/dorne dottin				
Attorney Docket Number:	079	965.0150-00000					
Filed as Large Entity							
Utility under 35 USC 111(a) Filing Fees							
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)		
Basic Filing:							
Pages:							
Claims:							
Miscellaneous-Filing:							
Petition:							
Patent-Appeals-and-Interference:							
Post-Allowance-and-Post-Issuance:							
Extension-of-Time:							
Extension - 3 months with \$0 paid		1253	1	1400	1400		

Page 397 of 498 CULTEC, INC. EXHIBIT 1010

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
	Total in USD (\$)			1400

Electronic Acknowledgement Receipt							
EFS ID:	15676662						
Application Number:	12802483						
International Application Number:							
Confirmation Number:	9389						
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations						
First Named Inventor/Applicant Name:	David J. Mailhot						
Customer Number:	22852						
Filer:	Daniel Geewon Chung/dorne dottin						
Filer Authorized By:	Daniel Geewon Chung						
Attorney Docket Number:	07965.0150-00000						
Receipt Date:	02-MAY-2013						
Filing Date:	07-JUN-2010						
Time Stamp:	15:53:40						
Application Type:	Utility under 35 USC 111(a)						

# Payment information:

Submitted with	ו Payment	yes	yes						
Payment Type		Credit Card							
Payment was s	uccessfully received in RAM	\$1400							
RAM confirmat	ion Number	2502							
Deposit Accou	nt								
Authorized Use	2r								
File Listing	File Listing:								
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)				

Page 399 of 498 CULTEC, INC. EXHIBIT 1010

		i	· · · · · · · · · · · · · · · · · · ·		1
1		07965_0150_00000_Reply_to_	425289	yes	13
		Office_Action.pdf	07c2a2863c3ab0268dc5a59aa1bbe55aac5 6aa5b		
	Multip	oart Description/PDF files in .	zip description		-
	Document De	Start	E	nd	
	Amendment/Req. Reconsiderati	1		1	
	Specificat	2		2	
	Amendment Copy Claims/Respo	3		9	
	Applicant Arguments/Remarks	Made in an Amendment	10		13
Warnings:					
Information:					
2	Extension of Time	07965_0150_00000_Extension	26593	no	1
		_of_Time.pdf	09a587c2133e07f4b0deea5e487d94f8a59 be6e4		
Warnings:					
Information:		Γ			
3	Fee Worksheet (SB06)	fee-info.pdf	30076	no	2
			8b9377386045f1eb4874e5767774d60e693 a1cc8		
Warnings:					
Information:			1		
		Total Files Size (in bytes)	<b>:</b> 48	31958	
Post Card, as <u>New Applicat</u> If a new appl 1.53(b)-(d) ar Acknowledge <u>National Stag</u> If a timely sul U.S.C. 371 an national stag <u>New Internat</u> If a new inter an internatio	d by the applicant, and including page described in MPEP 503. tions Under 35 U.S.C. 111 ication is being filed and the applica and MPEP 506), a Filing Receipt (37 CF ement Receipt will establish the filin ge of an International Application ur bmission to enter the national stage d other applicable requirements a F le submission under 35 U.S.C. 371 wi cional Application Filed with the USF national application is being filed an nal filing date (see PCT Article 11 an ternational Filing Date (Form PCT/Re	tion includes the necessary of R 1.54) will be issued in due g date of the application. nder 35 U.S.C. 371 of an international applicati orm PCT/DO/EO/903 indicati ill be issued in addition to the <u>PTO as a Receiving Office</u> nd the international applicat d MPEP 1810), a Notification	components for a filin course and the date s on is compliant with ng acceptance of the e Filing Receipt, in du ion includes the nece of the International J	g date (see hown on th the conditi application e course. ssary comp Application	37 CFR nis ons of 35 n as a ponents for Number
	ırity, and the date shown on this Ack				

Page 400 of 498 CULTEC, INC. EXHIBIT 1010

	Under the Pa	perwork Reductio	n Act of 19	95, no persons are	required to respor		ind Trademark Off	fice; U.S	. DEPARTME	PTO/SB/06 (07-06) 007. OMB 0651-0032 NT OF COMMERCE OMB control number.
P/	ATENT APPL	Substitute for			N RECORD		Docket Number )2,483		ing Date 07/2010	To be Mailed
	A	PLICATION	AS FILE	D – PART I					ОТІ	HER THAN
			(Column	l) (	Column 2)	SMALL	ENTITY	OR	SMA	LL ENTITY
	FOR NUMBER FILED NUMB					RATE (\$)	FEE (\$)		RATE (\$)	FEE (\$)
	BASIC FEE (37 CFR 1.16(a), (b),	or (c))	N/A		N/A	N/A			N/A	
	SEARCH FEE (37 CFR 1.16(k), (i), (	or (m))	N/A		N/A	N/A			N/A	
	EXAMINATION FE (37 CFR 1.16(o), (p),		N/A		N/A	N/A			N/A	
	TAL CLAIMS CFR 1.16(i))		mir	nus 20 = *		X \$ =		OR	X \$ =	
	EPENDENT CLAIM CFR 1.16(h))	S	m	inus 3 = *		X \$ =			X \$ =	
	APPLICATION SIZE (37 CFR 1.16(s))	FEE is \$2 add	ets of pap 250 (\$125 tional 50	ation and drawing er, the applicatio for small entity) sheets or fraction a)(1)(G) and 37	n size fee due for each n thereof. See					
	MULTIPLE DEPEN	IDENT CLAIM PR	RESENT (3	7 CFR 1.16(j))						
* If I	he difference in colu	umn 1 is less thar	i zero, ente	r "0" in column 2.		TOTAL			TOTAL	
	APPI	LICATION AS	AMEN	)ED – PART II					OTH	ER THAN
		(Column 1)	-	(Column 2)	(Column 3)	SMALL ENTITY OR SMALL ENT			LL ENTITY	
AMENDMENT	05/02/2013	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE (\$)	ADDITIONAL FEE (\$)		RATE (\$)	ADDITIONAL FEE (\$)
DME	Total (37 CFR 1.16(i))	* 23	Minus	** 23	= 0	X \$ =		OR	X \$80=	0
ΕN	Independent (37 CFR 1.16(h))	* 4	Minus	***4	= 0	X \$ =		OR	X \$420=	0
AM	Application Si	ze Fee (37 CFR	1.16(s))							
-	FIRST PRESEN	TATION OF MULT	PLE DEPEN	DENT CLAIM (37 CF	R 1.16(j))			OR		
						TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	0
		(Column 1)		(Column 2)	(Column 3)					
Т		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE (\$)	ADDITIONAL FEE (\$)		RATE (\$)	ADDITIONAL FEE (\$)
ENT	Total (37 CFR 1.16(i))	*	Minus	**	=	X \$ =		OR	X \$ =	
IMO	Independent (37 CFR 1.16(h))	*	Minus	***	=	X \$ =		OR	X \$ =	
AMENDMI	Application Si	ze Fee (37 CFR	1.16(s))							
AM		FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))						OR		
		d in la on them th	<b>1</b>	0	a human Q	TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	
** If *** I The	the entry in column the "Highest Numbe f the "Highest Numb "Highest Number P	er Previously Paid per Previously Pa reviously Paid Fo	l For" IN Th d For" IN T r" (Total or	IIS SPACE is less HIS SPACE is less Independent) is th	than 20, enter "20" s than 3, enter "3".	· /JAME:		mn 1.		

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.** 

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Page 401 of 498 CULTEC, INC. EXHIBIT 1010

	ED STATES PATEN	T AND TRADEMARK OFFICE	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 22. www.usplo.gov	FOR PATENTS	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
12/802,483	06/07/2010	David J. Mailhot	07965.0150-00000	9389	
	7590 11/02/201 IENDERSON EARAE	2 30W, GARRETT & DUNNER	EXAMINER		
LLP	,	Jow, GARRELLE & DONNER	FIORELLO, 1	3ENJAMIN F	
	RK AVENUE, NW N, DC 20001-4413		ART UNIT	PAPER NUMBER	
			3672		
			MAIL DATE	DELIVERY MODE	
			11/02/2012	PAPER	

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Page 402 of 498 CULTEC, INC. EXHIBIT 1010

		Application No.	Applicant(s)	
		12/802,483	MAILHOT ET AL.	
	Office Action Summary	Examiner	Art Unit	
		BENJAMIN FIORELLO	3672	
	The MAILING DATE of this communi	cation appears on the cover sheet	with the correspondence addr	ess
Period fo	or Reply			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FC CHEVER IS LONGER, FROM THE MA nsions of time may be available under the provisions or SIX (6) MONTHS from the mailing date of this commu- period for reply is specified above, the maximum stat re to reply within the set or extended period for reply w reply received by the Office later than three months af ed patent term adjustment. See 37 CFR 1.704(b).	ALLING DATE OF THIS COMMUN of 37 CFR 1.136(a). In no event, however, may inication. utory period will apply and will expire SIX (6) MC will, by statute, cause the application to become	IICATION. a reply be timely filed DNTHS from the mailing date of this comr ABANDONED (35 U.S.C. § 133).	
Status				
1)🖂	Responsive to communication(s) filed	d on <u>20 August 2010</u> .		
		b) $\boxtimes$ This action is non-final.		
3)	An election was made by the application	nt in response to a restriction requ	uirement set forth during the i	nterview on
	; the restriction requirement an	d election have been incorporated	d into this action.	
4)	Since this application is in condition f	or allowance except for formal ma	utters, prosecution as to the m	nerits is
	closed in accordance with the practic	e under <i>Ex parte Quayle</i> , 1935 C	.D. 11, 453 O.G. 213.	
Disposit	ion of Claims			
5)🕅	Claim(s) <u>1-15 and 17-24</u> is/are pendi	ng in the application.		
-)	5a) Of the above claim(s) $20-24$ is/are			
6)	Claim(s) is/are allowed.			
	Claim(s) <u>1-14, 17, 19</u> is/are rejected.			
·	Claim(s) 15 and 18 is/are objected to			
	Claim(s) are subject to restrict			
Applicat	on Papers			
10) 🕅	The specification is objected to by the	Examiner.		
•	The drawing(s) filed on <u>07 June 2010</u>		iected to by the Examiner.	
/	Applicant may not request that any object			
	Replacement drawing sheet(s) including			1.121(d).
12)	The oath or declaration is objected to			
	under 35 U.S.C. § 119			
-	Acknowledgment is made of a claim f	or foreign priority under 35 U.S.C.	8.119(a)-(d) or (f)	
	Acknowledgment is made of a claim r	shoroign phonty under 00 0.0.0.	$\mathcal{S}$ is total (a) of (i).	
a)		documents have been received.		
	2. Certified copies of the priority c		Application No	
	3. Copies of the certified copies of			202
	application from the Internation	· ·		aye
* (	See the attached detailed Office action		nt received	
· · · ·				
Attachmen	t(s)			
	e of References Cited (PTO-892)		Summary (PTO-413)	
	e of Draftsperson's Patent Drawing Review (PT		o(s)/Mail Date f Informal Patent Application	
3)     Infor	mation Disclosure Statement(s) (PTO/SB/08)	6) 🗌 Other: _		
· —	r No(s)/Mail Date		,	

Page 403 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672 Page 2

### DETAILED ACTION

#### Election/Restrictions

1. Applicant's election without traverse of claims 1-15 and 17-19 in the reply filed on 08/20/2012 is acknowledged.

#### Information Disclosure Statement

2. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609.04(a) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered.

#### Drawings

3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: "34". Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top

Page 404 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672 Page 3

margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

## Specification

4. The disclosure is objected to because of the following informalities: the brief description of drawings states "Fig 5(a) through 5(e)", however the drawings portray drawings 5(a) through 5(f).

Appropriate correction is required.

## **Claim Objections**

5. Claim 7 is objected to because of the following informalities: it appears "aboe" should state "above". Appropriate correction is required.

## Claim Rejections - 35 USC § 112

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claims 1-12 rejected under 35 U.S.C. 112, second paragraph, as being indefinite

for failing to particularly point out and distinctly claim the subject matter which applicant

regards as the invention.

With regard to claim 1, in line 16, it is unclear what "it" is referring to.

Page 405 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672

With regard to claim 6, line 3, it is unclear what applicant is intending to claim by

"each sub-corrugation". It is unclear if applicant is referring to the valley sub-

corrugations or crest sub-corrugations. Furthermore, in line 4, it is unclear what

applicant is referring to by the term "it".

With regard to claims 14 and 17, it is unclear what applicant is attempting to

claim by the phrase "in the same sense".

## Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

9. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

10. Claims 1, 13-14, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fouss et al. (4,360,042) in view of Moore, Jr. et al. (2005/0111915).

Page 406 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672

With regard to claims 1, 13, and 19, Fouss discloses a chamber comprising: opposing side bases (14,16) running generally parallel to a chamber length axis (fig. 1), for supporting the chamber on soil during use;

a chamber top (fig. 1);

sidewalls (10,12) running upwardly and inwardly from opposing side bases to the chamber top (fig. 1), wherein the combination of sidewalls and top form an arch curve which defines an arch shape cross section (fig. 1);

a plurality of alternating crest (26) corrugations and valley (28) corrugations running transverse to the length of the chamber along the arch curve of the chamber (figs. 1-2 and 4-5);

and a plurality of crest sub-corrugations (40, see figs. 4-5), running upwardly from the base and along a portion of the arch-curve of a crest corrugation (figs. 1-2, 4-5), each sub-corrugation having a height less than the local height of the crest corrugation with which it is associated (fig. 4-5); each crest sub-corrugation terminating at an elevation lower than the top of the chamber (fig. 1).

Fouss fails to disclose wherein the crest corrugations decrease in width with elevation from the base and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis.

Moore discloses a chamber wherein the crest corrugations (24) decrease in width with elevation from the base (fig. 1) and the valley corrugations (22) increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis (fig. 1).

Page 407 of 498 CULTEC, INC. EXHIBIT 1010

Page 5

Application/Control Number: 12/802,483 Art Unit: 3672

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Fouss and have the crest decrease width with elevation from the base and the valleys increase in width as taught by Moore in order to further strengthen the chamber at the base of the chamber.

With regard to claim 14, Fouss further discloses the width and depth of each subcorrugation change along part or all of the length of the sub-corrugation in the same sense as does the width of the corrugation with which the sub-corrugation is associated (fig. 1).

#### Allowable Subject Matter

11. Claims 2-12 and 17 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

12. Claims 15 and 18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892.

Page 408 of 498 CULTEC, INC. EXHIBIT 1010

Page 6

Application/Control Number: 12/802,483 Art Unit: 3672

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN FIORELLO whose telephone number is (571)270-7012. The examiner can normally be reached on Monday to Friday from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bagnell can be reached on (571)272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> /BENJAMIN FIORELLO/ Examiner, Art Unit 3672

BF 10/31/2012 Page 7

Page 409 of 498 CULTEC, INC. EXHIBIT 1010

		Notice of Defense	- 04		Application/0 12/802,483	Control No.	Applicant(s)/F Reexaminatic MAILHOT ET	on
		Notice of Reference	s Cited		Examiner   Art Unit     BENJAMIN FIORELLO   3672			Page 1 of 1
				U.S. P	ATENT DOCUM	ENTS		
*		Document Number Country Code-Number-Kind Code	Date MM-YYYY			Name		Classification
*	A	US-3,789,615 A	02-1974	Maroso	hak, Ernest J.			405/49
*	В	US-4,360,042 A	11-1982	Fouss				138/119
*	С	US-4,523,613 A	06-1985	Fouss	et al.			138/121
*	D	US-4,962,622 A	10-1990	Albrech	nt et al.			52/630
*	Е	US-5,375,943 A	12-1994	McCav	our et al.			405/126
*	F	US-2005/0111915 A1	05-2005	Moore	et al.			405/046
*	G	US-2008/0240859 A1	10-2008	Sipaila,	Jonas Z.			405/46
*	н	US-2009/0067929 A1	03-2009	Brochu	et al.			405/49
*	Ι	US-2011/0200391 A1	08-2011	Mailhot	et al.			405/42
	J	US-						
	к	US-						
	L	US-						
	М	US-						
				OREIGN	PATENT DOC	UMENTS	-	
*		Document Number Country Code-Number-Kind Code	Date MM-YYYY		Country	Name	e	Classification
	Ν							
	0							
	Р							
	Q							
	R							
	S							
	Т							
*		la alto						
		Inclue	ue as applicable	. Author,	Tille Dale, Publi	sher, Edition or Volume	e, Perlinent Pages)	
	U							
	V							
	W							
	х							
		is reference is not being furnished with th			0 707 05( ) )			

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

#### Notice of References Cited

Part of Paper No. 20121031

Page 410 of 498 CULTEC, INC. EXHIBIT 1010

#### **EAST Search History**

#### EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1109	405/42,43,46,49.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 10:16
S2	9	"5716163".pn. "5017041".pn. "5511903".pn. "7052209".pn. "7118306".pn. "7500805".pn. "7306399".pn. "7237981".pn. "7491015".pn.	US-PGPUB; USPAT	OR	OFF	2012/06/05 12:01
S3	807	405/50,124,126.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:05
S4	683	S3 not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:05
S5	1068313	(david near2 mailhot).inv. (nimish near2 gandhi)".inv" (timothy near2 McGrath).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:33
S6	53	(david near2 mailhot).inv. (nimish near2 gandhi).inv. (timothy near2 McGrath).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:33
S7	3	("5072972"   "D538882").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:35
S8	4	(stormtech).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:36
S9	104	(advanced near2 drainage near2 systems).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 12:37
S10	2358952	(culvert chamber)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S11	216891	(corrugat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12
S12	6038772	(sidewalls base flange)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:12

 $file:///Cl/Users/bfiorello/Documents/e-Red\%20Folder/12802483/EASTSearchHistory. 12802483\_AccessibleVersion.htm [10/31/2012\ 2:17:17\ PM]$ 

Page 411 of 498 CULTEC, INC. EXHIBIT 1010

#### EAST Search History

S13	675	((sub secondary) with (corrugation\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:13
S14	76	S10 and S11 and S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:13
S15	134	52/220.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:16
S16			US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2012/06/05 14:24

#### EAST Search History (Interference)

< This search history is empty>

10/ 31/ 2012 2:17:02 PM C:\ Users\ bfiorello\ Documents\ EAST\ Workspaces\ 12\_802483.wsp

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	12802483	MAILHOT ET AL.
	Examiner	Art Unit
	BENJAMIN FIORELLO	3672

SEARCHED							
Class	Subclass	Date	Examiner				
405	42, 43, 46, 49, 50, 124, 126	06/05/2012	BF				
52	220.4	06/05/2012	BF				

SEARCH NOTES							
Search Notes	Date	Examiner					
East Text Search	06/05/2012	BF					
Inventor/Assignee Search	06/05/2012	BF					

	INTERFERENCE SEARCH		
Class	Subclass	Date	Examiner

U.S. Patent and Trademark Office

Part of Paper No. :

Page 413 of 498 CULTEC, INC. EXHIBIT 1010

Page 1 of 1



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Bax, 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

# BIB DATA SHEET

CONF	IRMA	TION	NO.	9389

SERIAL NUM	RER	FILING or	371(c)		CLASS	GB		GROUP ART UNIT ATTORNEY			
12/802,48		<b>DATE</b> 06/07/2010			405		3672	UNIT	NO.		
12/002,40	0				405		0072		07965.0150-00000		
		RULI	2								
APPLICANTS David J. Mailhot, Coventry, CT; Nimish Gandhi, Wethersfield, CT; Timothy J. McGrath, Arlington, MA;											
	** CONTINUING DATA **********************************										
** FOREIGN A	PPLICA	TIONS *****	********	******	*						
	** IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** 06/21/2010										
Foreign Priority claime		Yes No			STATE OR	SF	IEETS	тот		INDEPENDENT	
35 USC 119(a-d) con			Met af Allowa		COUNTRY	DRA	WINGS	CLAII	MS	CLAIMS	
	BENJAMII FIORELLC Examiner's	V I	BF Initials		СТ		7	23		4	
Acknowledged ADDRESS	Examiner 5	Signature	Initiais								
FINNEG/ LLP 901 NEW WASHIN	FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER										
TITLE											
Corrugate	ed Stori	nwater chaml	ber having	g sub-c	corrugations						
							🗅 All Fe	es			
							🖵 1.16 F	- ees (Fil	ing)		
		Authority has				UT.	<b>1.17</b> F	- ees (Pr	ocessi	ing Ext. of time)	
								<u> </u>			
			Ũ				Other		,		

			Application/Control No.				Applie Reexa	Applicant(s)/Patent Under Reexamination					
Index of Claims				12802483					MAILHOT ET AL.				
				F	Examiner				Art U	nit			
					BENJAMIN	FIOR	ELLC	)	3672				
✓	Rejected		-	С	Cancelled N Non-Elected A			Α	Appeal				
=	Allowed		÷	R	Restricted I Inte			Interf	erence	ence O Ob			cted
Claim:	s renumbered	in the s	the same order as presented by applicant						R.1.47				
CL	AIM.							DATE					
Final	Original	10/31/2	2012										
	1	✓											
	2	✓											
	3	~											
	4	✓											
	5	√											
	6	✓											
	7	✓											
	8	✓											
	9	✓											
	10	✓											
	11	~											
	12	✓											
	13	~											
	14	✓											
	15	0											
	16	-											
	17	✓											
	18	0								ļ			
	19	~											
	20	N											
	21	N											
	22	N											
	23	N											
	24	N											

U.S. Patent and Trademark Office

Part of Paper No. :

Page 415 of 498 CULTEC, INC. EXHIBIT 1010

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

David J. MAILHOT et al.

Application No.: 12/802,483

Filed: June 7, 2010

For: CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

#### **RESPONSE TO RESTRICTION REQUIREMENT**

)

)

)

In a restriction requirement dated June 20, 2012, the Examiner required

restriction under 35 U.S.C. § 121 between the claims covering a first species (claims 1-

15 and 17-19) and an allegedly distinct species (claims 20-24). Applicant provisionally

elects to prosecute the first species, including claims 1-15 and 17-19, covering a

molded chamber. Please grant any extensions of time required to enter this response

and charge any additional required fees to our deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: August 20, 2012

By: <u>/Christopher K. Agrawal/</u> Christopher K. Agrawal Reg. No. 63,482

Page 416 of 498 CULTEC, INC. EXHIBIT 1010

Group Art Unit: 3672

) Examiner: Fiorello, Benjamin F.

Confirmation No.: 9389

PATENT Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
David J. MAILHOT et al.	) ) Group Art Unit: 3672
Application No.: 12/802,483	) ) Examiner: Fiorello, Benjamin F.
Filed: June 7, 2010	) ) Confirmation No.: 9389
For: CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ) )
Commissioner for Patents	

Commissioner:

Alexandria, VA 22313-1450

P.O. Box 1450

### PETITION FOR EXTENSION OF TIME

Applicant petitions for a one month extension of time to file a reply to the Office

Action of June 20, 2012. The required fee of \$150.00 is submitted electronically

herewith.

Please grant any additional extensions of time required to enter the attached

reply and charge any additional required fees to Deposit Account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: August 20, 2012

By: /Christopher K. Agrawal/

Christopher K. Agrawal Reg. No. 63,482 (202) 408-4000

> Page 417 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Patent Application Fee Transmittal							
Application Number:	128	302483					
Filing Date:	07-	Jun-2010					
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations						
First Named Inventor/Applicant Name:	David J. Mailhot						
Filer:	Christopher K. Agrawal/LaVonnia Brown						
Attorney Docket Number:	079	965.0150-00000					
Filed as Large Entity							
Utility under 35 USC 111(a) Filing Fees							
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)		
Basic Filing:							
Pages:							
Claims:							
Miscellaneous-Filing:							
Petition:							
Patent-Appeals-and-Interference:							
Post-Allowance-and-Post-Issuance:							
Extension-of-Time:							
Extension - 1 month with \$0 paid		1251	1	150	150		

Page 418 of 498 CULTEC, INC. EXHIBIT 1010

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)		
Miscellaneous:						
	Total in USD (\$) 1					

Electronic Acknowledgement Receipt						
EFS ID:	13537516					
Application Number:	12802483					
International Application Number:						
Confirmation Number:	9389					
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations					
First Named Inventor/Applicant Name:	David J. Mailhot					
Customer Number:	22852					
Filer:	Christopher K. Agrawal/LaVonnia Brown					
Filer Authorized By:	Christopher K. Agrawal					
Attorney Docket Number:	07965.0150-00000					
Receipt Date:	20-AUG-2012					
Filing Date:	07-JUN-2010					
Time Stamp:	16:39:29					
Application Type:	Utility under 35 USC 111(a)					

# Payment information:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)	
File Listing	:					
Authorized Use	P.					
Deposit Accou	nt					
RAM confirmation Number		3261	3261			
Payment was successfully received in RAM		\$150	\$150			
Payment Type		Credit Card	Credit Card			
Submitted with Payment		yes	yes			

Page 420 of 498 CULTEC, INC. EXHIBIT 1010

1	Response to Election / Restriction Filed	Response_To_Restriction_Requ	34008	no	1
		irement.pdf 3dc7887a3107faf9f657dc7384f96be69f26a 3fb			
Warnings:					
Information:					
2	Extension of Time	Petition_For_Extension_Of_Ti	29426	no	1
2		me.pdf	8c8f50d2bac12e80df6f634cbe32b7d7bd66 7569	110	
Warnings:					
Information:					
3	Fee Worksheet (SB06)	fee-info.pdf	30214	no	2
-			b20cd7ba390b736761d09fd78f2fb06dc35 0269d		_
Warnings:					
Information:					
		Total Files Size (in bytes)	9	3648	
characterize	ledgement Receipt evidences receip d by the applicant, and including pag described in MPEP 503.				
lf a new appl 1.53(b)-(d) a	tions Under 35 U.S.C. 111 ication is being filed and the applica nd MPEP 506), a Filing Receipt (37 CF ement Receipt will establish the filin	R 1.54) will be issued in due			
lf a timely su U.S.C. 371 an	ge of an International Application ur bmission to enter the national stage id other applicable requirements a F ge submission under 35 U.S.C. 371 wi	of an international applicati orm PCT/DO/EO/903 indicati	ng acceptance of the	application	
lf a new inter an internatio and of the In	tional Application Filed with the USP mational application is being filed an onal filing date (see PCT Article 11 an ternational Filing Date (Form PCT/RC urity, and the date shown on this Ack on.	nd the international applicat d MPEP 1810), a Notification D/105) will be issued in due c	of the International , ourse, subject to pres	Application scriptions co	Number oncerning

	ED STATES PATEN	T AND TRADEMARK OFFICE	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 22. www.uspto.gov	FOR PATENTS	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
12/802,483	06/07/2010	David J. Mailhot	07965.0150-00000	9389	
22852 7590 06/20/2012 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER		EXAMINER			
LLP			FIORELLO, BENJAMIN F		
901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413		ART UNIT	PAPER NUMBER		
	,		3672		
			MAIL DATE	DELIVERY MODE	
			06/20/2012	PAPER	

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Page 422 of 498 CULTEC, INC. EXHIBIT 1010

	Application No.	Applicant(s)
	12/802,483	MAILHOT ET AL.
Office Action Summary	Examiner	Art Unit
	BENJAMIN FIORELLO	3672
The MAILING DATE of this communication a	ppears on the cover sheet with	h the correspondence address
Period for Reply		
<ul> <li>A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING</li> <li>Extensions of time may be available under the provisions of 37 CFR - after SIX (6) MONTHS from the mailing date of this communication.</li> <li>If NO period for reply is specified above, the maximum statutory perio</li> <li>Failure to reply within the set or extended period for reply will, by statt Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).</li> </ul>	DATE OF THIS COMMUNIC, 1.136(a). In no event, however, may a rep will apply and will expire SIX (6) MONTH ute, cause the application to become ABA	ATION. bly be timely filed HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on $\underline{07}$	June 2010.	
	nis action is non-final.	
3) An election was made by the applicant in res		ment set forth during the interview on
; the restriction requirement and election	on have been incorporated in	to this action.
4) Since this application is in condition for allow	ance except for formal matter	rs, prosecution as to the merits is
closed in accordance with the practice under	<i>Ex parte Quayle</i> , 1935 C.D.	11, 453 O.G. 213.
Disposition of Claims		
5) Claim(s) <u>1-15 and 17-24</u> is/are pending in the	e application.	
5a) Of the above claim(s) is/are withdr		
6) Claim(s) is/are allowed.		
7) Claim(s) is/are rejected.		
8) Claim(s) is/are objected to.		
9)X Claim(s) <u>1-15 and 17-24</u> are subject to restri	ction and/or election requirem	nent.
Application Papers		
10) The specification is objected to by the Examin	ner.	
11) The drawing(s) filed on is/are: a) a		y the Examiner.
Applicant may not request that any objection to th		
Replacement drawing sheet(s) including the corre	ection is required if the drawing(s	) is objected to. See 37 CFR 1.121(d).
12) The oath or declaration is objected to by the I	Examiner. Note the attached	Office Action or form PTO-152.
Priority under 35 U.S.C. § 119		
13) Acknowledgment is made of a claim for foreig	gn priority under 35 U.S.C. §	119(a)-(d) or (f).
a) All b) Some * c) None of:		
1. Certified copies of the priority docume	nts have been received.	
2. Certified copies of the priority docume	nts have been received in Ap	plication No
3. Copies of the certified copies of the pr	iority documents have been r	eceived in this National Stage
application from the International Bure	au (PCT Rule 17.2(a)).	
* See the attached detailed Office action for a list	st of the certified copies not re	eceived.
Attachment(s)		(57.0.440)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> </ol>		ımmary (PTO-413) /Mail Date
		ormal Patent Application
<ol> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> </ol>	6) 🔲 Other:	

Page 423 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672 Page 2

### DETAILED ACTION

#### Election/Restrictions

1. This application contains claims directed to the following patentably distinct species: A molded chamber (claims 1-15 and 17-19) and an end cap (claims 20-24). It should be noted that claim 16 appears to have been mistakenly skipped. The species are independent or distinct because the chambers claims limitations of opposing bases running generally parallel not required by the end cap while the end cap claims limitations of an attachment end not required by the molded chamber. In addition, these species are not obvious variants of each other based on the current record.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species, or a single grouping of patentably indistinct species, for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims appear to be generic.

There is a search and/or examination burden for the patentably distinct species as set forth above because at least the following reason(s) apply:

The species are classified in different subclasses.

Applicant is advised that the reply to this requirement to be complete <u>must</u> include (i) an election of a species or a grouping of patentably indistinct species to be examined even though the requirement <u>may</u> be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected species or grouping of patentably indistinct species, including any claims subsequently added. An argument

> Page 424 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672

that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

The election may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the election of species requirement, the election shall be treated as an election without traverse. Traversal must be presented at the time of election in order to be considered timely. Failure to timely traverse the requirement will result in the loss of right to petition under 37 CFR 1.144. If claims are added after the election, applicant must indicate which of these claims are readable on the elected species or grouping of patentably indistinct species.

Should applicant traverse on the ground that the species, or groupings of patentably indistinct species from which election is required, are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing them to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the species unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other species.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141.

Page 3

Page 425 of 498 CULTEC, INC. EXHIBIT 1010

Application/Control Number: 12/802,483 Art Unit: 3672

2. A telephone call was made to Christopher Agrawal on 06/13/2012 to request an oral election to the above restriction requirement, but did not result in an election being made.

3. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN FIORELLO whose telephone number is (571)270-7012. The examiner can normally be reached on Monday to Friday from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bagnell can be reached on (571)272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 4

Page 426 of 498 CULTEC, INC. EXHIBIT 1010
Application/Control Number: 12/802,483 Art Unit: 3672

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> /BENJAMIN FIORELLO/ Examiner, Art Unit 3672

BF 06/18/2012 Page 5

Page 427 of 498 CULTEC, INC. EXHIBIT 1010



### NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 05/06/2011.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

/mnguyen/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

page 1 of 1

Page 428 of 498 CULTEC, INC. EXHIBIT 1010

PATENT Customer No. 22,852 Attorney Docket No. 07965.0150-00000

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)
David MAILHOT et al.	) Group Art Unit: 3672
Application No.: 12/802,483	) Examiner: Not yet assigned
Filed: June 7, 2010	) Confirmation No.: 9389
For: CORRUGATED STORMWATER CHAMBER HAVING SUB- CORRUGATIONS	) ) )

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

### REVOCATION OF POWER OF ATTORNEY STATEMENT UNDER 37 C.F.R. § 3.73(b) AND GRANT OF NEW POWER OF ATTORNEY

The undersigned, a representative authorized to sign on behalf of the assignee owning all of the interest in this patent application, hereby revokes all previous powers of attorney or authorization of agent granted in this application before the date of execution hereof.

As required by 37 C.F.R. § 3.73(b), the undersigned verifies that Stormtech LLC is the assignee of the entire right, title, and interest in the patent application identified above by virtue of an assignment from the inventor recorded in the U.S. Patent and Trademark Office at Reel 024802, Frame 0653.

The undersigned representative of the Assignee hereby grants its power of attorney to the patent practitioners associated with **FINNEGAN**, **HENDERSON**,

### FARABOW, GARRETT & DUNNER, L.L.P., Customer Number 22,852, to prosecute

this application and to transact all business in the Patent and Trademark Office

connected therewith, and to receive the Letters Patent.

Please send all future correspondence concerning this application to Finnegan,

Henderson, Farabow, Garrett & Dunner, L.L.P., Customer No. 22,852.

The undersigned representative is authorized to act on behalf of Stormtech LLC.

Dated: 4/26/11

By:

Jeffrey, J. Bresenberger / Director of New Product and Process Development Advanced Drainage Systems, Inc., on behalf of Stormtech LLC

Page 430 of 498 CULTEC, INC. EXHIBIT 1010

Electronic Acknowledgement Receipt						
EFS ID:	10037496					
Application Number:	12802483					
International Application Number:						
Confirmation Number:	9389					
Title of Invention:	Corrugated Stormwater chamber having sub-corrugations					
First Named Inventor/Applicant Name:	David J. Mailhot					
Customer Number:	28152					
Filer:	Christopher K. Agrawal/LaVonnia Brown					
Filer Authorized By:	Christopher K. Agrawal					
Attorney Docket Number:	NN2					
Receipt Date:	06-MAY-2011					
Filing Date:	07-JUN-2010					
Time Stamp:	14:25:04					
Application Type:	Utility under 35 USC 111(a)					

# Payment information:

Submitted with I	Payment		no						
File Listing:									
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)			
1	Power of Attorney	Re	vocation_Of_POA_And_Gra	54834	no	2			
	r ower of Attorney		nt_Of_New_POA.pdf	0b00422112a9cacff2b8a98d66e43145f1d9 9dfa	110	2			
Warnings:									
Information:									

#### Total Files Size (in bytes):

54834

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

#### New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

#### National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

#### New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Applicant(s)

David J. Mailhot, Coventry, CT; Nimish Gandhi, Wethersfield, CT; Timothy J. McGrath, Arlington, MA; Assignment For Published Patent Application Stormtech, LLC, Wethersfield, CT

Power of Attorney: None

Domestic Priority data as claimed by applicant

This appln claims benefit of 61/217,905 06/05/2009

**Foreign Applications** 

If Required, Foreign Filing License Granted: 06/21/2010

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US 12/802,483** 

Projected Publication Date: Request for Non-Publication Acknowledged

Non-Publication Request: Yes

Early Publication Request: No

page 1 of 3

Page 433 of 498 CULTEC, INC. EXHIBIT 1010

Title

#### Corrugated Stormwater chamber having sub-corrugations

#### **Preliminary Class**

405

### PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at http://www.uspto.gov/web/offices/pac/doc/general/index.html.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, http://www.stopfakes.gov. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4158).

### LICENSE FOR FOREIGN FILING UNDER

### Title 35, United States Code, Section 184

### Title 37, Code of Federal Regulations, 5.11 & 5.15

#### GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as

page 2 of 3

Page 434 of 498 CULTEC, INC. EXHIBIT 1010

set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign AssetsControl, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

#### NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

page 3 of 3

Page 435 of 498 CULTEC, INC. EXHIBIT 1010



Date Mailed: 06/22/2010

#### NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

#### FILED UNDER 37 CFR 1.53(b)

#### Filing Date Granted

#### **Items Required To Avoid Abandonment:**

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given **TWO MONTHS** from the date of this Notice within which to file all 'required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

• The oath or declaration is missing.

A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.

Note: If a petition under 37 CFR 1.47 is being filed, an oath or declaration in compliance with 37 CFR 1.63 signed by all available joint inventors, or if no inventor is available by a party with sufficient proprietary interest, is required.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121(d) are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 1-12.

Applicant is cautioned that correction of the above items may cause the specification and drawings page count to exceed 100 pages. If the specification and drawings exceed 100 pages, applicant will need to submit the required application size fee.

The applicant needs to satisfy supplemental fees problems indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

• To avoid abandonment, a surcharge (for late submission of filing fee, search fee, examination fee or oath or declaration) as set forth in 37 CFR 1.16(f) of \$130 for a non-small entity, must be submitted with the missing items identified in this notice.

page 1 of 2

08/25/2010 CCHAU1 00000025 12802483

01 FC:1051 130.00 0P

Page 436 of 498 CULTEC, INC. EXHIBIT 1010

#### SUMMARY OF FEES DUE:

.

.

Total additional fee(s) required for this application is \$130 for a non-small entity • \$130 Surcharge.

Replies should be mailed to:

Mail Stop Missing Parts Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Registered users of EFS-Web may alternatively submit their reply to this notice via EFS-Web. <u>https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html</u>

For more information about EFS-Web please call the USPTO Electronic Business Center at **1-866-217-9197** or visit our website at <u>http://www.uspto.gov/ebc.</u>

If you are not using EFS-Web to submit your reply, you must include a copy of this notice.

/jmilani/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

page 2 of 2

Page 437 of 498 CULTEC, INC. EXHIBIT 1010



### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re: Application of David Mailhot et al.

Date: August 23, 2010

Examiner:

Filed: June 7, 2010

Serial No. 12/802,483

Atty Docket No. NN2

Art Group: 3672

For: Stormwater chamber having strengthened corrugations

#### RESPONSE TO NOTICE OF MISSING PARTS & TRANSMITTAL OF DECLARATION

Response to the notice dated June 22, 2010, applicants enclose

- (a) the signed declaration, comprising four sheets;
- (b) seven sheets of replacement drawing; and

(c) a check for \$130.

Please charge any deficiency to deposit account No. 14 0711 with a reference number of 2834

In the drawings, applicants have made the following change: In Fig. 2, an artifact number 4 at the top right has been removed.

Respectfully submitted, DAVID MAILHOT ET AL.

By

Charles G. Nessler Reg. No. 27825 Box H Chester, CT 06412 (860) 526 9149 Fax (860) 526 9149

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner of Patents, Box 1450, Alexandria VA 22313 on August 23, 2010

Inster C. G. Nessler

1

Page 438 of 498 CULTEC, INC. EXHIBIT 1010

Doc Code: Oath

.

Document Description: Oath or declaration filed		PTO/SB/01 (04-09)						
Under the Paperwork Reduction Act of 1995, no persons are required to	U.S. Patent and Trade	oved for use through 06/30/2010. OMB 0651-0032 mark Office; U.S. DEPARTMENT OF COMMERCE tion unless it contains a valid OMB control number						
OP A DECLARATION FOR UTILITY OR	Attorney Docket Number	2834						
DESIGN PATENT APPLICATION	First Named Inventor	MAILHOT, DAVID						
AUG 2 5 2010 (37 CFR 1.63)	СОМ	PLETE IF KNOWN						
	Application Number	12)802483						
Declaration Declaration Submitted After Initial Filing (surcharge (37 CFR 1.16(f))	Filing Date	06107 12010						
Fund	Art Unit							
(required)	Examiner Name	. ,						
I hereby declare that: (1) Each inventor's residence, mailing ad and (2) I believe the inventor(s) named below to be the original for which a patent is sought on the invention titled: CORRVGHTED STORMWATER	and first inventor(s) of the CHAMBER HA	subject matter which is claimed and						
SUB-CORRUGATION	-							
	> Invention)							
the application of which								
is attached hereto								
OR								
X was filed on (MM/DD/YYYY) 66/07 2010 a	as United States Application	on Number or PCT International						
Application Number 12-802 483 and was an	nended on (MM/DD/YYYY	)(if applicable)						
I hereby state that I have reviewed and understand the contents amended by any amendment specifically referred to above.	s of the above identified a	pplication, including the claims, as						
I acknowledge the duty to disclose information which is materic continuation-in-part applications, material information which beca and the national or PCT international filing date of the continuation	ame available between the							
Authorization To Permit Access To Application by Pa	articipating Offices							
If checked, the undersigned hereby grants the USPTO Japan Patent Office (JPO), the Korean Intellectual Property Offic any other intellectual property offices in which a foreign applicati filed access to the above-identified patent application. See 37 C applicant does not wish the EPO, JPO, KIPO, WIPO, or other int priority to the above-identified patent application is filed to have a	ce (KIPO), the World Intell on claiming priority to the CFR 1.14(c) and (h). This tellectual property office in	ectual Property Office (WIPO), and above-identified patent application is box should not be checked if the which a foreign application claiming						
In accordance with 37 CFR 1.14(h)(3), access will be provided to a copy of the above-identified patent application with respect to: 1) the above-identified patent application-as-filed; 2) any foreign application to which the above-identified patent application claims priority under 35 U.S.C. 119(a)-(d) if a copy of the foreign application that satisfies the certified copy requirement of 37 CFR 1.55 has been filed in the above-identified patent application; and 3) any U.S. application-as-filed from which benefit is sought in the above-identified patent application.								
In accordance with 37 CFR 1.14(c), access may be provided to i Permit Access to Application by Participating Offices.	information concerning the	e date of filing the Authorization to						
	1 of 27 4-							
This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C complete, including gathering, preparing, and submitting the completed applicat comments on the amount of time you require to complete this form and/or suggest	. 122 and 37 CFR 1.11 and 1.14 fion form to the USPTO. Time w	. This collection is estimated to take 21 minutes to fill vary depending upon the individual case. Any						

comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

 $\mathcal{O}$ 

### Best Available Copy

.

PTO/SB/01 (04-0
-----------------

Approved for use through 06/30/2010. OMB 0651-003/ U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application									
Direct all The address correspondence to: Customer Nur Name		152	OR		Correspondence address below				
Address									
City	Sta	e	r	Zip					
ORY									
Country	Telephone		Email						
Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO. Petitioner/applicants should consider redacting such personal information is available to the public after publication of the uSPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available. Petitioner/applicant is advised that documents which form the record of a patent application (such as the PTO/SB/01) are placed into the Privacy Act system of records DEPARTMENT OF COMMERCE, COMMERCE-PAT-7, System name: <i>Patent Application Files</i> . Documents not retained in an application file (such as the PTO-2038) are placed into the Privacy Act system of COMMERCE PAT-TM-10, System name: <i>Deposit Accounts and Electronic Funds Transfer Profiles</i> .									
Given Name (first and middle [if any]) DAVID $J$ .		Iy Name or Suma MAIL							
Inventor's Signature Maria & Mari	that	Date	July 6	, e	2010				
COVENTRZY C	Л	Country しいしん		C	Citizenship MS				
Mailing Address 120 GRANT	HILL	RD.							
CUVENTIZY State	LT	Zip 06	238	C	Country NS				
Additional inventors or a legal representative	-	e <u>1</u> supplem: 1530[3] Z/4		)/SB/02A c	or 02LR attached hereto				

Page 440 of 498 CULTEC, INC. EXHIBIT 1010

2.5 Under the Paperwork Reduction Act of 1995, no persons DECLARATION		ADDITIO Supplemen	NAL INVENTOR(S) tal Sheet	Page of		
Name of Additional Joint Inventor, if any	:	A peti	tion has been filed for this u	nsigned inventor		
Given Name (first and middle (if any))		Family Nam	e or Surname			
NIMISH		G	ANDH I			
Inventor's Manual Signature		an da si sa manana an		Date		
WE'MERS FIELD	State	τ	Country	Citizenship		
67 VILLAGE LO	<del>ନ</del> ,			<b></b>		
City WETHERSFIELD	State	CT	Zip 06109	Country M.J		
Name of Additional Joint Inventor, if any	:	A pet	ition has been filed for this u	insigned inventor		
Given Name (first and middle (if any))		Family Name or Surname				
TIMOTHY J.			MCGRATH			
Inventor's Signature		·		Date		
Residence: City	State	na		US Citizenship		
Mailing Address 99 BEVERLY	RD		·			
City ARLINGTON	State	NA	zip 02474	Country U.S.		
Name of Additional Joint Inventor, if any	r:	A per	tition has been filed for this	unsigned inventor		
Given Name (first and middle (if any))			Family Name or S	Surname		
Inventor's Signature		<u> </u>		Date		
Residence: City	State		Country	Citizenship		
Mailing Address	<u></u>					
City	State		Zip	Country		

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

3/4-

Page 441 of 498 CULTEC, INC. EXHIBIT 1010

#### Best Available Copy

. *		U.S. Pat	ent and Trademark Office: U	I.S. DEPARTME	PTO/SB/02A (07-07) 010. OMB 0651-0032 ENT OF COMMERCE	
Under the Paperwork Reduction Act of 1995, no persons a	are required to res	spond to a collect	tion of information unless it of NAL INVENTOR(S)	contains a valid	OMB control number.	
Name of Additional Joint Inventor, if any:		A petil	tion has been filed for this	s unsigned inv	/entor	
Given Name (first and middle (if any))		Family Name	e or Surname	•		
NIMISH		GA	NDHI			
Inventor's Signature				Date		
WETHERS FIELD	C 1		US -	Citizensl	nip	
67 PHILLIPS LA	•					
City WETHERSFIELD	State C	Г	zip 06109	Country	45	
Name of Additional Joint Inventor, if any:		A peti	tion has been filed for thi	s unsigned in	ventor	
Given Name (first and middle (if any))		Family Name or Surname				
TIMOTHY J.		MCGRATH				
Inventor's Signature	•			ر هار Date	יי ריד	
ARLING TON Residence: City	M# State	ł	0 Country		Citizenship	
99 BEVERLY J Mailing Address	ZD.					
City ATZLINGTON	State	A	0241 a	Country	us	
Name of Additional Joint Inventor, if any:		A peti	tion has been filed for thi	s unsigned in	ventor	
Given Name (first and middle (if any))		antinikun panan (1979) - 1	Family Name o	r Sumame	<u> </u>	
Inventor's Signature	<b>]</b>			Date		
Residence: City	State		Country		Citizenship	
Mailing Address				<b>/</b>		
	Chota		7	0		
City State City City City City City City City City	State 37 CER 1 63 Th	e information is	Zip required to obtain or retain	Country	nublic which is to file	

This collection of information is required by 35 U.S.C. 115 and 37 CFR 1.63. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 21 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

4/4

Page 442 of 498 CULTEC, INC. EXHIBIT 1010

.

.

REPLACEMENT SHEET SN 12/802483 1/1







FIG. 2

Page 443 of 498 CULTEC, INC. EXHIBIT 1010

REPLACEMENT SHEET SN 12/8021483 MAILHOT ET, AL



FIG. 3



FIG. 4

Page 444 of 498 CULTEC, INC. EXHIBIT 1010



Page 445 of 498 CULTEC, INC. EXHIBIT 1010

. • REPLACEMENT SHEET SN 12/8021483 MAILHOT ET, AL



32B

FIG. 7

26B

32B

Page 446 of 498 CULTEC, INC. EXHIBIT 1010

.

• ,

a •

REPLACEMENT SHEET SN 12/802 1483 MAILHOT ET, AL











Page 447 of 498 CULTEC, INC. EXHIBIT 1010

REPLACEMENT SHEET SN 12/8021483 MAILHOT ET, AL



FIG. 11

Page 448 of 498 CULTEC, INC. EXHIBIT 1010

. .

.

# REPLACEMENT SHEET SN 12/8021483 MAILHOT ET. AL



FIG. 12

Page 449 of 498 CULTEC, INC. EXHIBIT 1010



Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Applicant(s)

David Mailhot, Coventry, CT; Nimesh Gandhi, Wethersfield, CT; Timothy McGrath, Arlington, MA; Assignment For Published Patent Application Stormtech, LLC, Wethersfield, CT

Power of Attorney: None

Domestic Priority data as claimed by applicant

This appln claims benefit of 61/217,905 06/05/2009

**Foreign Applications** 

If Required, Foreign Filing License Granted: 06/21/2010

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US 12/802,483** 

Projected Publication Date: Request for Non-Publication Acknowledged

Non-Publication Request: Yes

Early Publication Request: No

page 1 of 3

Page 450 of 498 CULTEC, INC. EXHIBIT 1010

Title

#### Corrugated Stormwater chamber having sub-corrugations

#### **Preliminary Class**

405

### PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at http://www.uspto.gov/web/offices/pac/doc/general/index.html.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, http://www.stopfakes.gov. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4158).

### LICENSE FOR FOREIGN FILING UNDER

### Title 35, United States Code, Section 184

### Title 37, Code of Federal Regulations, 5.11 & 5.15

#### GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as

page 2 of 3

Page 451 of 498 CULTEC, INC. EXHIBIT 1010

set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign AssetsControl, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

#### NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

page 3 of 3

Page 452 of 498 CULTEC, INC. EXHIBIT 1010



P.O. BOX H CHESTER, CT 06412

### Date Mailed: 06/22/2010

### NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

#### FILED UNDER 37 CFR 1.53(b)

#### Filing Date Granted

#### Items Required To Avoid Abandonment:

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given TWO MONTHS from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

. The oath or declaration is missing.

A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.

Note: If a petition under 37 CFR 1.47 is being filed, an oath or declaration in compliance with 37 CFR 1.63 signed by all available joint inventors, or if no inventor is available by a party with sufficient proprietary interest, is required.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121(d) are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 1-12.

Applicant is cautioned that correction of the above items may cause the specification and drawings page count to exceed 100 pages. If the specification and drawings exceed 100 pages, applicant will need to submit the required application size fee.

The applicant needs to satisfy supplemental fees problems indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

 To avoid abandonment, a surcharge (for late submission of filing fee, search fee, examination fee or oath or declaration) as set forth in 37 CFR 1.16(f) of \$130 for a non-small entity, must be submitted with the missing items identified in this notice.

page 1 of 2

Page 453 of 498 CULTEC, INC. EXHIBIT 1010

#### SUMMARY OF FEES DUE:

Total additional fee(s) required for this application is 130 for a non-small entity  $\ \cdot\ 130$  Surcharge.

Replies should be mailed to:

Mail Stop Missing Parts Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Registered users of EFS-Web may alternatively submit their reply to this notice via EFS-Web. <u>https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html</u>

For more information about EFS-Web please call the USPTO Electronic Business Center at **1-866-217-9197** or visit our website at <u>http://www.uspto.gov/ebc.</u>

If you are not using EFS-Web to submit your reply, you must include a copy of this notice.

/jmilani/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

page 2 of 2

Page 454 of 498 CULTEC, INC. EXHIBIT 1010

.

						nplete if Knov	s a valid OMB control num
	he Consolidated Appropri			Application Nu	mber		
- FEE	TRANS	SMII I	AL	Filing Date			
	Γ			First Named I	nventor N	AHLHOT,	۵.
Annilcant d	aims small entity statu	See 37 CER	1.27	Examiner Nan	ne		
	~~~~ <u>~</u>			Art Unit	·		
	T OF PAYMENT (\$	1,568		Attorney Dock	et No.	2834	
METHOD OF	PAYMENT (check a	I that apply)					
Check	Credit Card	Money Order		e Other	(please identify	v):	
C Deposit A	count Deposit Accou						SG. NESSLER
	bove-identified deposit						· · · · · · · · · · · · · · · · · · ·
Псы	arge fee(s) indicated b	elow			me fee(s) indi	cated below, ex	cept for the filing fee
	arge any additional fee		yments of fe		lit any overpa		
ری لیکیا WARNING: Inform	der 37 CFR 1.16 and 1 ation on this form may b	.17 ecome public. C	redit card Inf			•	rovide credit card
	thorization on PTO-203						
	ATION (All the fees			ling or may b	e subject to	a surcharge.	.)
I. BASIC FILI	NG, SEARCH, AND FILING	FEES		CH FEES	EXAMIN/	ATION FEES	
Application '	Type Fee (\$)	Small Entity Fee (\$)	<u>Fee (\$</u>	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fees Paid (\$)
Utility	350	150	540	250	T20	100	1040
Design	200	100	100	50	130	65.	
Plant	200	100	300	150	160	80	·····
Reissue	300	1 <b>50</b>	500	250	600	300	
Provisional	200	100	0	0	• 0	0	·
2. EXCESS C Fee Descripti						Fee (\$)	Small Entity Fee (\$)
	over 20 (including l	Reissues)				5852	25
	endent claim over 3	(including Re	issues)			200 234	
Total Claims	pendent claims Extra Clai	ms Fee (	5) Fee	Paid (\$)		360 Multiple Di	180 ependent Claims
24	20 or HP = 🔜 🐇	x	2	.08		Fee (\$)	Fee Paid (\$)
HP = highest nu indep. Claims	mber of total claims paid f Ext <u>rá C</u> lai			Paid (\$)	Repln. Ref:	06/22/2010 Mane/Number	NGUYEN 0007130400
4 .3	or HP =	x 220	2 = 2	20	DA#:140711 FC: 9204	NGREVNARDEL	\$52.00 CR
3. APPLICATI	nber of independent claim ON SIZE FEE		· · ·				-
If the specific	ation and drawings						
	der 37 CFR 1.52(e) fraction thereof. See					ian entity) for	each additional 50
Total Shee	<u>- 100 =</u>	ets <u>Nu</u> / 50 =	mbér of eac	h additional 50 (round up to a	or fraction ti		(\$) <u>Fee Paid (\$)</u>
. OTHER FEE	(S)						Fees Paid (
•	•	130 fee (no si	mall entity	discount)			
Other (e.g.,	late filing surcharg	e):					
UBMITTED BY				Oppletention No.			
gnature		herden		Registration No. (Attorney/Agent)	2782		0000-011
ame (Print/Type)	CHARUP		DESSL			Date	7 Sume 2010
SPTO to process) a	mation is required by 37 ( n application, Confidentia	lity is governed b	y 35 U.S.C. 12	22 and 37 CFR 1.1	4. This collecti	on is estimated to	take 30 minutes to compl
the emount of time	you pouring to complete t	his form and/or s	unnestions for	reducino this burg	len, should be s	ent to the Chief In	idividual case. Any comm formation Officer, U.S. Pa
d Trademark Office	U.S. Department of Con O: Commissioner for	imerce, P.O. Box	1450, Alexan	drla. VA 22313-14	50. DO NOT SI	END FEES OR CO	OMPLETED FORMS TO T
JUREDO, DENU I	If you need as	istance in com	pleting the fo	orm, call 1-800-F	PTO-9199 and	I select option 2	
late: 06/22/20	010 MNGUYEN						
FKURAY1 00000	004 12802483						
LINDHIL VVVV	-208.00 OP		•				•

Page 455 of 498 CULTEC, INC. EXHIBIT 1010 . .

•

,

.

.

. .

U.S. PTO	
12/802483	
06/07/2010	

0		O N Junder the Paperwork Reduction Ac	t of 1995, no p	ersons are	required to res	U.S. Patent an spond to a collection of	i Trademark	Office.		1/2006. ON MENT OF	COMMERCE
607	É	c UTIL	ITY			Attorney Docket N	o.	283	34		
10		PATENT API		ION		First Inventor	۲	MAILHOT, D.			
191133		TRANSI	ЛІТТАL	•		Title	c	orr	VGATED	STOR	WATER
		O (Only for new nonprovisional appl	i3(b))	Express Mail Labe	I No.	EH	990778	113	us J		
		APPLICATION See MPEP chapter 600 concerning	utility patent ap	plication co	ontents.	ADDRESS TO	: P.	O. Box	sioner for P x 1450 Iria VA 2231		
	1.) 2.[	(Submit an original and a duplic	cate for fee pro			ACCOM	PANYIN	G AF	PLICATIO	ON PAF	RTS
		Applicant claims small en See 37 CFR 1.27. Specification	-	26		9. 🗌 Assignn	nent Paper	s (cov	er sheet & do	cument(	s))
	3. L	Both the claims and abstract m (For information on the preferred and	rangement, see M	ew page	I	-	of Assigned				
	<b>4</b> . [)	-	•		71						
			lication (37 C	FR 1.63(d			3.73(b) Sta there is an			Power of Attorne	
	Ι.	(for continuation/division i. DELETION OF INVE	ENTOR(S)	•	ted)	11. 🔲 English	Translatio	n Doc	ument (if ap)	olicable)	
	54	Signed statement attach name in the prior applic 1.63(d)(2) and 1.33(b).				12. Information Disclosure Statement (PTO/SB/08 or PTO-1449) Copies of foreign patent documents, publications, & other information					or PTO-1449)
	6.[		See 37 CFR 1	.76		13. Preliminary Amendment					
•	7.L	CD-ROM or CD-R in duplic Computer Program (Apper Landscape Table on CD	ndix)	ole or		14. Return Receipt Postcard (MPEP 503)					۰ ا
	8.	Nucleotide and/or Amino Acia ( <i>if applicable, items a.</i> – a. Computer Readable Form i. [] Computer Read	d Sequence c. are requi (CRF)	red)	ion	(Should be specifically itemized) 15. Certified Copy of Priority Document(s) (if foreign priority is claimed)					
		ii. 🔲 Transfer Reques				16. Nonpublication Request under 35 U.S.C. 122(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or equivalent.					
		b. Specification Sequence Lis i. CD-ROM or CD- ii. Paper		; or		17 Other.					<u></u>
		c. Statements verifying ide	ntity of above	copies							
		. If a CONTINUING APPLICATIOn actification following the title, or in					mation be	low ar	nd in the first	sentence	of the
		Continuation	Divisional			tion-in-part (CIP)	of prior a	pplicati	on No.:		
	Pric	or application information: Examiner		19 00	PRESPON		c				
	K	The address associated with Cust	2815	DENCE ADDRES	OR		Corresponde	nce addres	s below		
	Na	me						<u> </u>			
	Ad	dress				· · · · · · · · · · · · · · · · · · ·					
	Cit	·		State			Zip Cod				
				phone			Email Add	ress		<b>m</b> - 1 /	
	Na	me		coppe			Date	<u></u> Renie	Stration No.		
		me int/Type) C Hith אנו וול לאולי	ES 6.1	NESS	LER			(Atto	mey/Agent)	218	25

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

6

Under the Paperw	ork Reduction Act of	1995 no persons	are required to re		nt and Trade	emark Office; U.S	S. DEPAR	PTO/SB/17 (01-06) /31/2006. OMB 0651-0032 RTMENT OF COMMERCE valid OMB control number
(					C	omplete if K	nown	
· · · · · · · · · · · · · · · · · · ·	he Consolidated App			Application Nu	umber			
FEE	TRAN	ISMII	IAL	Filing Date				
	Γ			First Named I				
	nime email estitue	San 27 C		Examiner Nar	ne			
	aims small entity s	Г <sup>.</sup>		Art Unit				· · · ·
TOTAL AMOUN	T OF PAYMENT	(\$) 1,56	8	Attorney Dock	tet No.	2834	-	
METHOD OF I	AYMENT (chec	k all that apply	/)					
1		Money Or			(please iden			
	COunt Deposit Ad						LES	s. NESSLER
	ove-identified dep		e Director is hei	reby authorized	to: (check	all that apply)		ν.
	arge fee(s) indicate	d below		Cha	rge fee(s) i	indicated belov	v, excep	ot for the filing fee
	arge any additiona ter 37 CFR 1.16 a		rpayments of fe	e(s) 🔀 Crea	dit any ove	rpayments		
WARNING: Information and au	tion on this form m thorization on PTO-	ay become public 2038.	-					de credit card
FEE CALCUL	ATION (All the f	ees below are	e due upon fi	ling or may b	e subject	to a surcha	rge.)	
1. BASIC FILI	<b>IG, SEARCH, A</b> FILI	NG FEES	SEAR	CH FEES	EXAM	INATION FE		
Application 1	Type Fee (	<u>Small Entity</u> <u> Fee (\$)</u>	L <u>Fee (\$</u>	Small Entity Fee (\$)	Fee (	<u>Small Entit</u> <u> \$)</u> Fee (\$)	X	Fees Paid (\$)
Utility	380	150	540	250	224			1040
Design	200	100	100	50	130	65		
Plant	200	100	300	150	160	80		
Reissue	300	150	500	250	600	300		
Provisional	200	100	0	0	0	0		
2. EXCESS CI Fee Description Each claim		ng Reissues)		-		Fee (1 50	51	nall Entity Fee (\$) 25
	ndent claim ove	• •	Reissues)				220	100
• •	pendent claims					360		180
Total Claims	0 or HP =			<u>Paid (\$)</u>			-	ndent Claims
	0 or HP =					<u>Fee (</u>	হা	Fee Paid (\$)
Indep. Claims	Extra			Paid (\$)				
	or HP =			.20				
3. APPLICATI	ON SIZE FEE							
If the specific	ation and drawin	igs exceed 100	0 sheets of pa	per (excluding	electroni	ically filed se	quence	or computer
	der 37 CFR 1.52 raction thereof.					small entity)	for eac	ch additional 50
Total Shee	s Extra	Sheets		h additional 50	or fráctio		<u>Fee (\$)</u>	Fee Paid (\$)
	100 =	/ 50 =	<b></b>	_ (round up to a	a whole nui	noer) x _		· =
4. OTHER FEE Non-Englis	<b>S)</b> h Specification,	\$130 fee (no	small entity	discount)				Fees Paid (\$)
, v	late filing surch							
SUBMITTED BY								
Signature	(	gherder		Registration No (Attorney/Agent)	278	325 Tele	ephone	8605269149
Name (Print/Type)	CHAR	WES G.		ER		Date	<b>A</b>	Sume 2010
This collection of infor USPTO to process) a	application. Confid	entiality is governe	ed by 35 U.S.C. 1:	22 and 37 CFR 1.1	14. This coll	ection is estimate	ed to take	

including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

.

U.S. PTO	
12/802483	
06/07/2010	

		0 25 Vinder t	he Paperv	work Reduction	on Act of 1995	no persons	are required to r	U.S. Pate	int and ion of ir	Approved Trademark	for use Office	e through 07/3 U.S. DEPART it displays a va	1/2006. C MENT O	0/SB/05 (05-05) 0MB 0651-0032 F COMMERCE control number.	
607		- -		U	TILITY			Attorney Doc	ket No		283	34			
10		S.	PAT		PPLIC	ATION	J	First Inventor			MAILHOT, D.				
101111		(Only for new nonprovisional applications under 37 CFR 1.53(b))						Title		c	CORRUGATED STORANDATER				
	Ċ							Express Mail	Express Mail Label No.				= H990778113 US		
		See MPI			ION ELEN		on contents.	ADDRESS	: TO:	P.C	). Boy	sioner for P x 1450 ria VA 2231			
	1. <u> </u> 2. [	(Su App Se	<i>bmit an or</i> D <b>icant c</b> e 37 CFF	riginal and a laims sma R 1.27.	(e.g., PTO/S duplicate for fe Il entity stat	e processing US.						PLICATIO			
	3. [ 4. [	Bot (For	r information	ns and abstra n on the preferr	[Total Pa act must start of ed arrangement, 113) [Tota	on a new pay see MPEP 60	8.01(=1)	9. Solution 9. Sector Street & document(s)) Name of Assignee							
	5.	Oathor a.	A copy fi	xecuted (or rom a prior tinuation/div	[70 iginal or cop application ( <i>risional with I</i> INVENTOR(	37 CFR 1.0 Box 18 con		10. 37 CFR 3.73(b) Statement Power of Attorney							
			Signed name 1.63(d	d statement a in the prior a d)(2) and 1.3	attached deleti application, sec 3(b).	ng Inventor( 37 CFR	5)	11.       English Translation Document (if applicable)         12.       Information Disclosure Statement (PTO/SB/08 or PTO-1449)         Copies of foreign patent documents, publications, & other information							
			•		et. See 37 C			13. Preliminary Amendment							
•	7.1		omputer l	r CD-R in d Program (A cape Table o		je table or		14. Return Receipt Postcard (MPEP 503) (Should be specifically itemized)							
	8.	a. Co i.	(if applic) mputer F	cable, items Readable Fo Computer R	leadable For	required) m (CRF)		15. Certified Copy of Priority Document(s) (if foreign priority is claimed)							
		ii. b. Sr	(manadaning)		quest (37 C ce Listing on:		2))	16. Nonpublication Request under 35 U.S.C. 122(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or equivalent.							
		i	. 匚 여		CD-R (2 co)			17. • Other:							
	L				identity of a										
	18 Spi	l. If a CO ecificatio	NTINUIN n followir	NG APPLIC ng the title,	ATION, cheo or in an Appi	ck appropri lication Dat	ate box, and si a Sheet under	pply the requisit 37 CFR 1.76:	e infon	mation bel	ow an	nd in the first	sentenc	e of the	
			continuatio		Division	nal	Contin	nuation-in-part (CIP) of prior application No.:							
	Prior application information: Examiner Art Unit: 19. CORRESPONDENCE ADDRESS														
	Þ	C The ad	ldress ass	ociated with	Customer Nun		281								
	Name														
	Ad	Address													
	Cit	<u> </u>		· , ·		State				Zip Code					
		untry			· · /	Telephon			E	Email Addr	ess				
		gnature					ressler			Date	<u> </u>	June			
		ime rint/Type	)	ርዝዋነ	ries c	S. NE	SSLER	··· <del>··································</del>				stration No. ney/Agent)	21	825	

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

6

Under the Paperv	vork Reduction Act	of 1995	no persons are requir	ed to res		and Trad	emark Office	; U.S. DEPA	PTO/SB/17 (01-06) 7/31/2006. OMB 0651-0032 RTMENT OF COMMERCE valid OMB control number	
		Complete if Known								
Fees pursuant to	Application Num	iber								
FEE	Filing Date									
i	First Named Inv	entor	MAIL	ALHOT, D.						
Applicant cl		Examiner Name								
		- T		[	Art Unit					
TOTAL AMOUN	T OF PAYMEN	「 (\$)	1,568		Attorney Docket	No.	28	34		
METHOD OF	PAYMENT (ch	eck all t	hat apply)					_		
			•		•					
			Number: 140						S. NESSUER	
1 <u></u>			ccount, the Director	r is here	eby authorized to:	(check	all that app	oly)	s,	
	arge fee(s) indic					e fee(s) i	indicated b	elow, exce	pt for the filing fee	
	arge any additio der 37 CFR 1.16		<li>or underpayment 7</li>	s of fee	e(s) 🔀 Credit	any ove	rpayments	i		
WARNING: Information and au	ation on this form	may bec	ome public. Credit c	ard info	mation should no	ot be incl	uded on thi	s form. Prov	ride credit card	
			elow are due up	oon fili	ing or may be	subiec	t to a sur	charge.)	•	
			XAMINATION FI					<u> </u>		
		LING F	EES :		CH FEES	EXAM	INATION			
Application	Type Fe	- (*)	nall Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fee (	(\$) <u>Small</u>		Fees Paid (\$)	
Utility	39			540	250	Z24			1040	
Design	20	0		100	50	130		-		
Plant	20	00	100	300	150	160		-		
Reissue	30	0	150	500	250	600	30	0	·	
Provisional	20	00	100	0	0	0		0		
2. EXCESS C							_		mall Entity	
Fee Descripti	on over 20 (inclue	ling Re	issues)				E	<u>88 (\$)</u> 5852	<u>Fee (\$)</u> 25	
	•		ncluding Reissue	s)				200 220	100	
	pendent claims			.,				360	180	
Total Claims Extra Claims Fee (\$) Fee Paid (\$) Multiple Dependent Claims										
	20 or HP =	the second s	if greater than 20.	= <u> </u>	०४		E	<u>'ee (\$)</u>	Fee Paid (\$)	
Indep. Claims		a Claim	<u>s Fee (\$)</u>		Paid (\$)					
	3 or HP =	1 at claime i	x 220 =		20					
3. APPLICATI	ON SIZE FEE									
If the specific	ation and drav		ceed 100 sheets							
			the application s				small en	tity) for ea	ach additional 50	
Total Shee		r. See . a Sheet	35 U.S.C. 41(a)(1 <u>s Number</u>		additional 50 o	r fractio		<u>Fee (\$</u>	) Fee Paid (\$)	
	100 =		/ 50 =		(round up to a w	whole nu	mber) x		<u> </u>	
	4. OTHER FEE(S) Fees Paid (\$) Non-English Specification, \$130 fee (no small entity discount)									
Other (e.g., late filing surcharge):										
SUBMITTED BY Signature		Can	nder	F	Registration No	278	325	Telephone	8605269149	
Name (Print/Type)	CHAI	RUE	S G. NES	V	Austricy/Agenty			Date 7	Sime 2010	
This collection of info	rmation is required	- by 37 CF	R 1.136. The informat	tion is re	quired to obtain or r	retain a be	enefit by the	public which	is to file (and by the	
USPTO to process) a	n application. Con	fidentiality	y is governed by 35 U	.S.C. 122	2 and 37 CFR 1.14.	This coll	lection is est	timated to tak	te 30 minutes to complete,	

including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

.

v

•

.

· · · ·

Under the Paperwork Reduction Act of 1995, no persons are requir		Approved for use through 10/31/2002, OMB rademark Office; U. S. DEPARTMENT OF CC	MMERCE							
REQUEST AND CERTIFICATION	First Named Inventor	MAICHOT, DAVID								
UNDER	Title STORMU	NATER CHAMBER								
35 U.S.C. 122(b)(2)(B)(i)	Atty Docket Number	2834	J							
I hereby certify that the invention disclosed in the attached application has not and will not be the subject of an application filed in another country, or under a multilateral agreement, that requires publication at eighteen months after filing. I hereby request that the attached application not be published under 35 U.S.C. 122(b).										
7 JVNE 2010 Date		Chessler								
Date										
	CH	ARLES G. NESSLEI	<u> </u>							
		Typed or printed name REG NO 21 82	5							
This request must be signed in complia application <b>upon filing.</b>	nce with 37 CFR	1.33(b) and submitted with	n the							
Applicant may rescind this nonpublication request that an application not be publish scheduled for publication at eighteen more benefit is claimed.	ned under 35 U.S.C	. 122(b), the application wi	ill be							
If applicant subsequently files an application directed to the invention disclosed in the attached application in another country, or under a multilateral international agreement, that requires publication of applications eighteen months after filing, the applicant <b>must</b> notify the United States Patent and Trademark Office of such filing within forty-five (45) days after the date of the filing of such foreign or international application. Failure to do so will result in abandonment of this application (35 U.S.C. 122(b)(2)(B)(iii)).										
Surden Hour Statement: This collection of information is required by 37 C hublished under 35 U.S.C. 122(b) (and the PTO to process that request) take 6 minutes to complete. This time will vary depending upon the n omplete this form should be sent to the Chief Information Officer, U.S. OMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commit	. Confidentiality is governed by 3 eeds of the individual case. Any 5. Patent and Trademark Office,	5 U.S.C. 122 and 37 CFR 1 14 This form is e comments on the amount of time you are re Washington, DC 20231, DO NOT SEND FI	estimated ouired to							
	v									
· · ·		,								
		,								

Page 460 of 498 CULTEC, INC. EXHIBIT 1010

### APPLICATION DATA SHEET

#### Title of Application: Corrugated Stormwater chamber having sub-corrugations

Atty Docket No. 2834

#### **Applicants:**

۲

2 mile

David Mailhot 120 Grant Hill Rd. Coventry Connecticut 06238

Nimesh Gandhi 67 Phillips La. Wethersfield, CT 06109

Timothy McGrath 99 Beverly Rd Arlington, MA 02474

### **Priority Information**

This application claims benefit of Provisional Patent Application No. 61/217905 filed June 5, 2009.

Parent Application Information: None

Assignee: Stormtech, LLC, Wethersfield, CT 06109

#### Representative

Charles G. Nessler Reg. No. 27825 PO Box H, Chester, CT 06412 (860) 526 9149 Fax (860) 526-9149

Correspondence Address: Customer No. 28152

1

Page 461 of 498 CULTEC, INC. EXHIBIT 1010

#### **APPLICATION DATA SHEET - CONTINUED**

Charge any deficiency in fee now and in future to: Deposit account 14 0711 in name of undersigned attorney, Charles G. Nessler

#### Enclosures

w.

Utility application transmittal Fee transmittal with check Utility application Non-publication request Return post card

Respectfully submitted,

Charles G. Nessler, Afforney/Representative Rg # 21825 672010

Page 462 of 498 CULTEC, INC. EXHIBIT 1010
Atty. No. 2834

#### CORRUGATED STORMWATER CHAMBER HAVING SUB-CORRUGATIONS

This application claims benefit of Provisional Patent Application No. 61/217905 filed June 5, 2009.

#### **TECHNICAL FIELD**

2

ŧ,

The present invention relates to systems for receiving and dispersing water beneath the surface of the earth, in particular to molded plastic chambers having arch shape cross section and corrugations.

#### BACKGROUND

Arch shape cross section commercial thermoplastic storm chambers are familiar in commerce. They have been made by injection molding and thermoforming. Before more tailored products were developed, wastewater leaching chambers had been used as storm chambers. Typically, an interconnected array of chambers is buried within permeable soil to create large void spaces. Stormwater, such as results from rainfall on a paved parking lot, is flowed to the chambers. The water is detained, and over time either controllably flowed to a discharge point, and or allowed to dissipate through the earth.

A type of chamber relevant to the present invention has a curved arch shape cross section and spaced apart crest corrugations and valley corrugations running transverse to the length. (Crest corrugations have been referred to as peak corrugations in numerous patents relating to chambers.) The corrugations strengthen the chamber and are differentiated from what is called ribs or ribbing, which is the name given to relatively narrow plastic structures, also used for strengthening, and often found running lengthwise. See U.S. Pat. No. 5,716,163 of Nichols et al. for information about ribbing.

Prior art commercial storm chambers have had various sizes. Smaller chambers have been about 3 feet wide and 8-10 feet long. The SC-310 chamber and SC-740 chamber of

Page 463 of 498 CULTEC, INC. EXHIBIT 1010

4

Stormtech LLC, Wethersfield, Connecticut, exemplify current chambers. As an example, the SC-740 chamber is about 85 inches long, 51 inches wide and 30 inches high, and weighs about 74 pounds.

There has been market place opportunity for larger dimension chambers in the belief they would provide more favorable cost per unit volume of water contained within the chamber, and a smaller footprint for a given capacity stormwater system. Any new large chamber desirably will not have such weight as to prevent installers from handling it manually during installation. It is essential that a new chamber be sufficiently strong, in resisting the weight of overlying soil (typically largely crushed stone), any pavement surfacing and any motor vehicles or the like which traverse the pavement.

Buried corrugated plastic pipe has been used for a longer time than storm chambers and there is a developed technology for engineering design and analysis of such. See Section 12.12 "Thermoplastic Pipes" in "AASHTO LRFD Bridge Design Specifications - U.S. Units, 2003 Interim Revisions," published by Amer. Assoc. of State Highway and Transportation Officials (AASHTO), Washington, D.C., Code LRFDUS 2-15 (April 2003). See also NCHRP Report 438 "Recommended LRFD Specification for Plastic Pipe and Culverts" published by Transportation Research Board of National Research Council, National Academy Press, Washington, D.C. (2000). However, whereas pipes have circumferentially continuous cross sections, chambers have open bottoms and free opposing side bases. Thus, chambers behave differently and the specifications, design criteria and modes of evaluating behavior which have been developed for pipe have to be adapted to chambers. An objective of the present invention is to provide large stormwater chambers which have performance and safety factors consistent with those achieved with corrugated plastic pipe.

Another criterion that is important for old and new chambers relates to economical shipping and storage. For that, chambers must nest well one within the other. Thus, for example, a desire for certain strengthening features, such as ribs or such as corrugations which are closely spaced with steep sides, can conflict with the need for good nesting.

Page 464 of 498 CULTEC, INC. EXHIBIT 1010

As is well known, engineers have to be careful when scaling up the size of products, since what previously might have been minor design factors can become critical factors. Obviously, if chamber width is increased, more overlying weight is supported by the chamber, and strength must be sufficient. One way of increasing strength in a chamber is to increase the thickness of the chamber sidewalls, sufficient to reduce stress so it is within design criteria. But doing that has substantial disadvantages, as follows.

Commercially feasible chambers have to be fabricable by economic mass production means. Injection molding is the only practical way to fabricate a chamber with carefully controlled thickness dimensions. However, if an injected molded chamber is made with substantially varying wall thickness, problems arise with respect to mold filling and distortion of the part during cooling after removal from the mold. Thus, experience has shown that a practicallymanufactured chamber should have substantially uniform wall thickness. But if wall thickness is uniformly increased to provide sufficient capability to the strength-limited regions of the chamber, the resultant chamber may have an undesirably increased weight and attendant material cost. Furthermore, the injection capacity limits of commercially available injection molding machines may be reached, limiting choice of vendors or making injection molding impossible. Thermoforming is an alternative way for forming chambers, but the nature of the process is such that unwanted thin areas will be present in the product, due to the stretching of the sheet being formed into the chamber. That can mean that, in order to achieve a minimum required dimension at a particular point, a larger than needed thickness has to be accepted in other less-stretched areas, with resultant uneconomic use of material.

In the alternative, internal or external ribbing can provide good strength. However, such ribbing tends to increase the stacking height, that is, the vertical spacing between two nested chambers. Ribbing can also introduce molding problems. In recent years, commercial favor has been given to stormwater and leaching chamber designs have smooth curve cross sections and which avoid significant ribbing.

Thus, there can be complicated tradeoffs in the design of a chamber, necessary to best attain all the competing aims. Any new larger chamber must be economical to make in terms of the amount and cost of plastic, the cost of manufacturing, and cost of shipping. In such context,

Page 465 of 498 CULTEC, INC. EXHIBIT 1010

there is a need for chambers which are larger than heretofore, which are practically fabricated, transported, and stored, and which in use have good strength on a short term and long term basis. Chambers are typically interconnected as strings. The ends of the strings must be closed off by end caps to prevent the surrounding crushed stone aggregate or other medium from entering the concave space under the chamber. Heretofore caps used with storm chambers and with leaching chambers have comprised flat plate and dome shape closures, typically with heavy ribbing. There is a need for improvements in end caps in the same general way as there is need for improved chambers.

#### SUMMARY

An object of the invention is to provide strength to molded plastic continuous curve arch shape cross section chambers, in particular stormwater chambers having large dimensions. A further object is to improve the strength without using features which compromise the injection moldability of a chamber. Another objective is to provide chambers which perform comparably to corrugated plastic pipe, in accord with the aforementioned AASHTO related specifications.

In accord with the invention, a chamber has an arch shape cross section and corrugations comprised of alternating crests and valleys which run along the arch curve of the chamber, transverse to the length of the chamber and across the arch-curve of the chamber. Corrugations run from one opposing side base, up over the top of the chamber and down to the other opposing side base of the chamber. With increasing elevation, the crest corrugations diminish in width, and the valley corrugations increase in width.

In embodiments of the invention, either or both of the crest corrugations and valley corrugations have sub-corrugations. That is, there are smaller or secondary corrugations which are superimposed on the corrugations. Sub-corrugations may run along part or all of the arch-curve length of a corrugation. Exemplary sub-corrugations have widths which are substantially less than the widths of the associated corrugations, for instance, the sub-corrugation width is one-third of the local width of the associated corrugation. A sub-corrugation may desirably have a tapered width along part or all of the sub-corrugation length,

Page 466 of 498 CULTEC, INC. EXHIBIT 1010

and the taper or change in width and or depth is in the same sense as the width of the associated corrugation. Alternately, sub-corrugations may have constant width.

In some embodiments, sub-corrugations run upwardly from the base of the chamber along the crest corrugations and terminate at an elevation which is lower than the height of the top of the chamber. For instance, they may terminate at a height which is between one-quarter and two-thirds of the chamber height. Sub-corrugations may terminate by dying out, that is, the width and or depth of the corrugation may decrease gradually to nothingness at the terminal end of the sub-corrugations. Alternately, the terminal ends may be abrupt.

In other embodiments, a chamber may have sub-corrugations in the valley corrugations, with or without the presence of crest sub-corrugations. Valley sub-corrugations may run over the top of the chamber and downwardly toward the opposing side bases. In some embodiments, the valley sub-corrugations terminate, by ending bluntly or tapering into nothingness, at or just above the elevation of the base of the chamber; alternately, at a higher elevation.

In other embodiments, there are both crest and valley sub-corrugations, and the terminal lower ends of the valley sub-corrugations are at an elevation which is less than the elevation at which are the terminal ends of the upward-running crest sub-corrugations. In still other embodiments, the terminal ends of sub-corrugations may terminate abruptly, rather than tapering to nothing.

The presence of the sub-corrugations improves to a surprising degree the strength of a chamber side wall. The load bearing capacity per unit length of side wall, and thus the capacity of the chamber to resist failure, is increased by as much as 45 percent compared to the same wall thickness corrugated chamber having no sub-corrugations. Yet the weight increase attributable to the sub-corrugations may be as a little as one percent.

Thus, a chamber of the present invention having sub-corrugations may have good strength without the disadvantages of having wholly greater chamber wall thickness, or of having selectively thickened walls, or having ribbing, which alternatives diminish in varying extents manufacturability, nesting and cost effectiveness. The invention may be applied to chambers

Page 467 of 498 CULTEC, INC. EXHIBIT 1010

made of thermoplastics such a polypropylene or polyethylene, which are injection molded. rotationally molded, thermoformed, laid up, or made by any commercial plastic forming process.

The foregoing and other objects, and the features and advantages of the present invention will become more apparent from the following description of preferred embodiments and accompanying drawings. This summary states in simplified form things which are described more fully in the Description which follows, and it is not intended to identify all key features of the invention, or to be a limitation on the scope of the claimed subject matter.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is perspective view of a stormwater chamber having crest and valley corrugations with associated sub-corrugations.

Fig. 2 a side elevation view of a portion of the chamber shown in Fig. 1.

Fig. 3 is a vertical plane transverse cross section of the chamber shown in Fig. 1.

Fig. 4 is a cross section through a portion of the sidewall of the chamber shown in Fig. 1.

Fig. 5 comprises Fig 5(a) through Fig. 5(e) and shows portions of sidewall cross sections at different chamber elevations, as points illustrated in Fig. 3.

Fig. 6 is a partial side view of a chamber having three different styles of sub-corrugations.

Fig. 7 is a partial side view of a chamber having sub-corrugations with terminal ends which are blunt.

Fig. 8 is a partial side view of a chamber having sub-corrugations only on crest corrugations.

Fig. 9 is a fragmentary side view of a chamber having crest and valley sub-corrugations which run over the top of the chamber, from one base flange to the other.

Page 468 of 498 CULTEC, INC. EXHIBIT 1010

Fig 10, is an end view of an end cap suited for closing the open end of a chamber.

Fig. 11 is a side view of the end cap of Fig. 10.

Fig. 12 is a portion of a horizontal plane cross section view of the end cap of Fig. 11.

#### DESCRIPTION

An embodiment of stormwater chamber 20, shown in Fig. 1, 2 and 3, has a curved arch shape cross section. The opposing side walls 44 rise upwardly from opposing side bases 26 and curve inwardly to top 24. The opposing side bases 26 comprise horizontal flanges 46 which provide bearing area upon the soil upon which the chamber rests. The base of a chamber is sometimes referred to as the foot. In the chamber embodiments which are detailed below, the arch curve of the chamber cross section is smooth and continuously curving. Chambers within the invention may have other arch shape cross sections. For example, the arch curve may comprise interconnected flat portions; or the cross section may be nominally trapezoidal, as shown for instance in U.S. Pats. No. 5,017,041 and 5,511,903. Thus, the term "arch curve" and analogous verbiage of the description and claims which follows shall encompass the contour of the chamber arch as seen in a chamber end view, regardless the shape is not truly a curve.

Chambers of the present invention may have cross sections which preferably are truncated semi-ellipses as described in U.S. Pat. No. 7,052,209 of Kruger et al. Alternately, the cross section may have the shape of a parabola, a truncated semi-circle, or approximations those and other regular geometric shapes, as well as irregular and asymmetrical shapes.

For strength chamber 20 has alternating crest corrugations 28 and valley corrugations 30 which run over the arc shape cross section. More information about the design and shape and use of corrugated chambers of the present invention is disclosed in U.S. Pat. No. 7,052,209 and Pat. No. 7,118,306 both of Kruger et al., the disclosures of which are hereby incorporated

Page 469 of 498 CULTEC, INC. EXHIBIT 1010

by reference. The disclosure of provisional patent application No. 61/217905 filed June 5, 2009, from which this application claims benefit, is also hereby incorporated by reference.

Stormwater chambers are typically buried within crushed stone aggregate or other water permeable granular medium that typically has 20-40 percent or more void space. The medium which overlies, underlies or surrounds a chamber may vary in character according to its location, and according to the material which extends to the surface of the earth. The medium within which a chamber is buried during use is generally referred to here as soil. That term should be understood to comprehend the commonly used crushed stone aggregate, as well as other manufactured media.

A simple description of some of the complex load-related phenomena associated with a chamber buried in soil is as follows: With reference to the transverse cross section of chamber 20 shown in Fig. 3, there is a vertical unit area load Fv, as a result of the weight of overlying soil and any transient load (e.g., a motor vehicles). The load is applied to the upper surface of the chamber by the soil which is in contact with the chamber. There is a resultant upward reaction force P at the opposing side bases 26 of the chamber, according to the total downward force on the chamber. The applied vertical load creates in the curved chamber sidewalls 44 compressive stresses Fp and shear stresses Fn. The compressive stress direction in a stable chamber is nominally in a direction which is tangent to the local mean curve of the chamber wall. The shear stresses are nominally perpendicular to the local mean curve of the wall. The soil load also creates bending stresses in the chamber sidewall. The stresses in the chamber base. For example, compressive stress increases with proximity to the base.

When the load bearing capacity of a chamber is exceeded, the chamber sidewall can fail on a short term or long term basis. Typically, failure occurs when the chamber wall is crushed under soil load. Prior to failure by wall crushing, elements of the corrugation wall may buckle in a local manner thus reducing the load capacity of the buckled elements and causing the stable elements of the corrugation to be more highly stressed. As mentioned in the Background, stresses can be reduced, and the strength and stability of a chamber can be

Page 470 of 498 CULTEC, INC. EXHIBIT 1010

٠

increased, by increasing wall thickness. But that is undesirable; and the invention provides an effective alternative way of strengthening the chamber.

With reference again to Fig. 1 through Fig. 3, an exemplary embodiment chamber 20 has a curved top 24 (also referred to as the crown) and sidewalls 44 which run upwardly to the top from opposing side bases 26. The bases comprise horizontal flange portions 46 bearing on soil during use. Extending upwardly from the base flanges are a multiplicity of spaced apart fins 38, commonly called stacking lugs, the use of which is well known. The lugs 38 support the base flange of an overlying nested chamber, to stop nested chambers from jamming during shipment or storage. Generally, the height of the stacking lugs is chosen so that the corrugations of nested chambers may come very close, or into light contact with each other, without wedging together. See Brochu et al. U.S. Pat. No. 7,500,805 for information about how chambers nest, the disclosure of which is hereby incorporated by reference. An outer fin 29 runs lengthwise along the outer end of each base flange, to add lengthwise bending strength to the flange.

Chamber 20 has a multiplicity of corrugations which run transverse to the chamber length axis CL. The corrugations are comprised of crest corrugations 28 and valley corrugations 30; they are spaced apart along the length axis CL of the chamber with a period (also called pitch) P.

Each corrugation and sub-corrugation (i.e., the corrugations generally) has a width which is measured in a first plane which is parallel to the length axis of the chamber. Each corrugation has a depth which is measured a plane perpendicular to the length axis, typically normal to a tangent to the surface of the chamber/corrugation at the point of measurement. The depth of a corrugation is sometimes also referred to as the height of the corrugation. The length of a corrugation is a reference to the dimension of the corrugation as it runs along the arch-curve of the chamber. For brevity, crest corrugations are sometimes referred to as crests, and valley corrugations are sometimes referred to valleys. In prior patents, crest corrugations have been referred to as peak corrugations.

Page 471 of 498 CULTEC, INC. EXHIBIT 1010

As seen from Fig. 2, each crest corrugation becomes narrow in width with elevation; and each valley corrugation increases in width with elevation. That shaping facilitates compact nesting. See Brochu et al. U.S. Pat. No. 7,306,399 the disclosure of which is hereby incorporated by reference. The corrugation dimensions and associated sub-corrugation dimensions are selected to provide a desired chamber strength, in context of the properties of the plastic material and the basic wall thickness of the chamber. Basic wall thickness is the nominal thickness of the chamber wall and top, as distinguished for example from possible locally thicker regions involving flow channels, bosses, openings, etc.

In chamber 20 and other embodiments the corrugations may comprise smaller corrugations 36, 32 which run lengthwise of along the corrugations. The smaller corrugations are called here sub-corrugations. In embodiments of the invention, a sub-corrugation has a height which is substantially less than the local height/depth of the corrugation with which the sub-corrugation is associated. Sub-corrugations alternately may be referred to as secondary corrugations or mini-corrugations. Preferably, a sub-corrugation is centered within or on its associated corrugation. Sub-corrugations of the present invention are contours of the wall of the chamber; that is, both the inner and outer surfaces of the chamber are contoured and the wall thickness across the width of the sub-corrugation typically does not change greatly.

Sub-corrugations are distinguished from flow channels that aid injection molding. Flow channels are relatively small thickened bands on the chamber wall that aid the flow of plastic during injection molding. They may project inwardly, outwardly, or both inwardly and outwardly from the wall on which they are positioned. See U.S. Pat. No. 7,500,805 of Brochu et al. Sub-corrugations are also distinguished from ribs, which in the lexicon used here are upstanding solid or hollow fin-like members which project inwardly or outwardly from the chamber wall.

In a chamber of the present invention, a sub-corrugation is present on one or more of the crest corrugations or valley corrugations. Typically, a plurality, and most often all, crest corrugations will have sub-corrugations. Likewise, when valley sub-corrugations are present they will be present in a plurality, most often all, of valley corrugations along the length of the

Page 472 of 498 CULTEC, INC. EXHIBIT 1010

chamber. In the generality of the invention, sub-corrugations may be present in only some of the valley corrugations or crest corrugations.

In embodiments of the invention, a sub-corrugation runs along at least a portion of the length of an associated corrugation; and it may run along the entire length. With reference to Fig. 1 and Fig. 2, a first set of sub-corrugations 32 runs upwardly in the center of the crest corrugations 28 from the elevation of the base. The sub-corrugations 32 taper in depth and width, and approach nothingness, as they reach an elevation hp, which in some embodiments of the invention, is between one-third and half of the height h of the chamber. In some other embodiments, the crest sub-corrugations may reach a height hp which is from one-quarter to two-thirds of the chamber height h. The direction of taper of a sub-corrugations 32 corresponds in sense with the taper of the crest corrugation, i.e., they both get narrower in width as they run upwardly. Dimensions of exemplary corrugations and sub-corrugations are given in Fig. 5 and are discussed below.

As may be seen in Fig. 1 and Fig. 2, a second set of sub-corrugations 36 runs along the respective centers of valley corrugations 30. The sub-corrugations 36 taper to nothingness in depth and width as they run downwardly and approach the base flange. Each exemplary valley sub-corrugation 34 runs along virtually the whole of the arch curve length of the associated valley. The direction of taper of a valley sub-corrugations corresponds in sense with the taper of the valley corrugation, i.e., each gets narrower as it approaches the elevation of the base. The width of a crest or valley sub-corrugation may alternatively be constant along part or all of the associated corrugation.

Fig. 4 is a cross section of a portion of the sidewall 44 chamber 20. As illustrated, crests and valleys share webs 76. Each crest corrugation 28 has a portion, running between the webs, with a width wc, and each crest sub-corrugation 32 has a width wp. The maximum dimension of wp is about one-quarter of the locally associated dimension wc. Each valley has a portion between webs with a width ww, and each valley sub-corrugation 36 has a width wv. The maximum dimension of wv is about is about one-fifth of locally associated valley dimension ww. The portion of a crest corrugation or valley corrugation which lies between the opposing side webs is sometimes referred to as the "flat" (portion) of the corrugation. Of course, in

Page 473 of 498 CULTEC, INC. EXHIBIT 1010

other embodiments of the invention, the corrugation cross section shape may vary. For example, the outermost part of the crest corrugation may bulge outwardly. In such instance, the portion referred to as the flat will be curved.

Again with reference to Fig. 4: Each crest corrugation has a height d which is measured relative to an adjacent valley corrugation. Each crest sub-corrugation 32 has a height dp and each valley sub-corrugation 34 has a height dv, as such are measured relative to the adjacent outer surface of the crest or valley, as applies. The maximum height dp of a crest sub-corrugation 32 is less than the locally associated height dc of the crest corrugation 28 on which it is positioned. The maximum height dv of a valley sub-corrugation 36 is less than locally associated depth dd of the valley corrugation 30 on which it is positioned. (As mentioned above, the terms height and depth are used interchangeably for the same dimension on a corrugation or sub-corrugation.)

The cross sections of Fig. 5(a) through (f) show how the shape of the sidewall varies, in particular the shapes of corrugations and sub-corrugations, with elevation from the base. As reference to Fig. 3 will show, the Fig. 5 cross sections are as follows: Fig. 5(a) is at the peak of the chamber; Fig. 5(b) is at about two thirds elevation, from the base; Fig. 5(c) is at a point just above the crest sub-corrugation terminal end; Fig. 5(d) is at about one third elevation (and is the same section which is pictured in Fig. 4); Fig. 5(e) is near the base and the point where the valley sub-corrugation is diminishing to nothingness; and Fig. 5(f) is just above the upper surface of the base flange and thus the cross sections of stacking lugs 38 are present.

The cross section shapes of sub-corrugations may be vary from those which are pictured here. For instance, they may be characterized by greater or lesser included angle in cross-section, or they may have flattened tops or bottoms, etc. In embodiments of the invention, the shape of the sub-corrugations are preferably chosen so that the stacking height, or vertical separation between nested chambers, is not adversely affected, compared to a chamber having the same configuration but lacking sub-corrugations.

In an injection molded chamber, the precision of the process means that wall thickness of the chamber at the location of a sub-corrugation may be made substantially the same as the

Page 474 of 498 CULTEC, INC. EXHIBIT 1010

thickness of the adjacent corrugation portions, as visually evident in Fig. 5. When the invention is applied to products made by thermoforming or another comparatively less precise dimension-producing process the thickness of a sub-corrugation may be somewhat thinner (or thicker) than the adjacent corrugation wall.

Despite the small increase in cross sectional area, a surprisingly large benefit in strength is realized through use of sub-corrugations, despite the sidewall weight being increased by a very modest amount. This is shown by the test data in Table 1. Short, straight polyethylene segments representative of portions of the chamber wall were subjected to compressive loading. The specimen behavior was measured to determine load bearing capacity up to the point of failure. Each segment comprised a valley with two adjacent crests.

Specimen	Description	Wall area per unit width of specimen (inch <sup>2</sup> /inch)	Load capacity per unit width of specimen (lb/inch)	Relative weight	Relative Strength	
<u>A</u>	0.25 inch thick wall	0.255	240	1	1	
D	0.375 inch thick wall	0.413	579	1.62	2.41	
В	0.25 inch thick wall with sub-corrugations	0.258	349	1.01	1.45	

Table 1. Corrugated specimen test data

With reference to the table, Specimen A represented a baseline chamber wall which was nominally 0.250 inch thick and had no sub-corrugations. Specimen D was similarly shaped but had a nominal 0.375 inch thickness. Specimen B was nominally 0.250 inch thick; it had the same shape as Specimen A, with the addition of a sub-corrugation at each of the valley corrugation and the two crest corrugations.

The first data column shows the cross sectional area per unit width of the specimen, in a plane perpendicular to the direction of the applied load. (The width of the specimen corresponds with the lengthwise direction of a chamber wall.) The weight of plastic material in the

Page 475 of 498 CULTEC, INC. EXHIBIT 1010

specimen is of course proportional to the cross sectional area of the specimen. The third data column gives the normalized relative weight of the specimen. The second data column shows the load capacity of the specimen; those data are normalized as relative strength, in the last data column.

As might be expected, the thicker 0.375 inch thick Specimen D has a substantially greater load bearing capacity than does the baseline specimen A. However, the weight is increased by somewhat more than 50 percent; and, the disadvantages mentioned in the Background arise -- namely increased material cost, reduced injection molding manufacturability, and reduced ability for installers to manually handle.

The performance of Specimen B is surprising. The addition of sub-corrugations provides about 45 percent increase in load capacity with only about one percent increase in weight. The behavior of the specimens is qualitatively reflective of the behavior of walls in actual chambers, where the mechanics are more complex.

Specimens having the same configurations as the specimens A and B were subjected to beam flexure testing based on ASTM D 6272 Procedure B. The result was that the specimens B, with sub-corrugations, were somewhat stiffer, but were not substantially stronger at flexure failure, than were the comparable thickness specimens A, which lacked sub-corrugations.

Referring again to the chamber 20 shown in Fig. 1 through Fig. 5, it is both feasible and desirable to reduce the size of a crest sub-corrugation, as by the tapering down to nothingness, with increasing elevation. Generally, a sub-corrugation can be diminished or reduced to nothingness in chamber regions where structural analysis and or testing show that a sub-corrugation would not be of much value. Simply put, if the "flat" portion of the crest becomes become sufficiently small, so that the local buckling resistance is good, then the sub-corrugation need not be present. The same approach and rationale apply to the tapering in size and or presence of sub-corrugations in valleys. When a sub-corrugation is reduced in size, or not present, less plastic is used in making the chamber. Nonetheless, in the generality of the invention, a crest sub-corrugation, or a valley sub-corrugation, may run along the whole arch curve of a chamber.

Page 476 of 498 CULTEC, INC. EXHIBIT 1010

Typically a chamber of the present invention will be made of commercial grade polyethylene or polypropylene, virgin or recycled, or some other polyolefin or combination thereof. Alternatively, the chamber may be made of any of a variety of other plastics, including fiberglass reinforced plastic, or other materials. The invention chambers are preferably made by injection molding but may be also made by rotational molding, thermoforming, by layering or lay-up (as with certain fiberglass reinforced plastics), and by other plastic molding methods.

An exemplary polypropylene chamber like chamber 20 may be about 90 inches long, about 77 inches wide at the base, about 45 inches high at the top, and will weigh about 120-130 pounds. It will have a typical wall thickness of about one-quarter inch. The depth of corrugation (i.e., the difference in elevation between a crest and adjacent valley) is about three inches. The period P of the crest corrugations is about 12 inches.

Another exemplary chamber may be about 52 inches long, about 100 inches wide at the base, about 60 inches high at the top, and will weigh about 120 to 130 pounds. It will have a typical wall thickness of about 0.25 to 0.30 inches. The depth of corrugation (difference in elevation between a crest and adjacent valley) is about 5 inches. The period P of the crest corrugations is about 15 inches.

Another exemplary chamber may be about 90 inches long, about 51 inches wide at the base, about 30 inches high at the top, and will weigh about 75 to 80 pounds. It will have a typical wall thickness of about 0.175 to 0.20 inches. The depth of corrugation (difference in elevation between a crest and adjacent valley) is about 2.5 inches. The period P of the crest corrugations is about 7 inches. The sub-corrugations are along the lines of those shown in Fig. 8, discussed below. In this chamber embodiment, the calculated load bearing capacity of the chamber is increased by about 30 percent through the use of sub-corrugations, while the weight is only increased by about one percent.

Sometimes, for providing increased strength to a chamber design, the wall thickness of a corrugated chamber will be increased somewhat in combination with adding sub-corrugations,

Page 477 of 498 CULTEC, INC. EXHIBIT 1010

notwithstanding the disadvantages which have been mentioned in connection with using more weight of plastic. The dimensions of the chamber corrugations, and the period of the corrugations, may vary substantially in other embodiments of the invention. The invention may be used with chamber designs known in the prior art. Exemplary chambers meet performance requirements related to the AASHTO specifications and NCHRP Report mentioned in the Background.

Fig. 6 shows in chamber 20A in side elevation. The numbered features of chamber 20A, and chamber 20B, etc., correspond with those of chamber 20, with addition of the suffix. The overall shape and corrugations of exemplary chambers 20A and 20B are like those of chamber 20. In chamber 20A of Fig. 6, the sub-corrugations 32A on the crest corrugations are nominally the same as previously described. But the valley corrugations are different. Valley corrugations 36A run downwardly in the valleys to somewhat blunt-end termination points 42, which points are at an elevation hv that is lower than the elevation hp at which the upper ends of the crest corrugations 32A terminate. Thus the crest and valley sub-corrugations complement each other in strengthening the chamber. In addition, there is an optional second set of valley corrugations 40 which run upwardly from the base.

Fig. 7 shows chamber 20B in side elevation. The sub-corrugations 32B and 36B have approximately constant width and approximately constant depth. Instead of tapering down to nothingness, they have blunt ends.

Fig. 8 is a fragmentary side view of exemplary chamber 20C which has crest corrugations 28C that have sub-corrugations 32C which taper to nothingness part way up the chamber, and valley corrugations 30C which are free of sub-corrugations.

Fig. 9 is a fragmentary side view of exemplary chamber 20D which has crest corrugations 28D that have sub-corrugations 32D, and valley corrugations 30C which have sub-corrugations 36D. Both of the sub-corrugations run up and over the top of the chamber and down to about the elevation of the flange on the opposing side of the chamber.

Page 478 of 498 CULTEC, INC. EXHIBIT 1010

.

Thus, in the embodiments shown and in the invention in general, the sub-corrugations may alternately have tapered ends or blunt ends; or they may run all the way along the arch curve. Sub-corrugations which taper or diminish to nothingness, may do that by way of the height only diminishing or the width only diminishing, or both dimensions diminishing simultaneously. Sub-corrugations may alternately have taper along their lengths, or they may have constant widths. When the sub-corrugations do not go the whole length of associated valleys or crests, the elevations at which sub-corrugations terminate may be the same for all sub-corrugations; or the elevations may differ. A chamber may have a combination constant dimension sections and tapering dimension sections.

Other chamber embodiments of the invention may have sub-corrugations only in crest corrugations or only in valley corrugations. As mentioned, a chamber may have subcorrugations in only some of the crests and or in only some of the valleys or in only some both crests and valleys.

Use of sub-corrugations compares favorably with other alternatives for obtaining better strength in a chamber, including increasing wall thickness or applying ribs to the interior or exterior. An associated benefit of sub-corrugations is that there is a small but desirable increase in interior volume of the chamber, thus increasing its capacity to store stormwater.

In use, chambers of the present invention are placed on a graded surface, and connected end to end to form a string of chambers. After suitable end caps or closures are placed at the ends of the strings, and desired piping is installed, the chambers are back-filled with soil. Sometimes chambers are set on a geotextile covered surface and sometimes they are covered in geotextile. Chambers of the present invention may have features like those associated with prior art chambers, including that they may have a multiplicity of relatively small sidewall ports, spaced apart along the sidewalls, to allow lateral water flow out of the chambers, providing strength is not unacceptably compromised by the ports.

While the invention has been presented primarily in terms of chambers for receiving stormwater, the invention will also be useful in arch shape cross section corrugated chambers

Page 479 of 498 CULTEC, INC. EXHIBIT 1010

which are useful for other purposes, such as receiving wastewater, or for providing arch shape cross section enclosures for creating spaces in soils and storing or protecting things.

#### End Caps

Typically, end caps are placed on the outermost ends of strings of interconnected chambers, to keep the surrounding medium, e.g., stone aggregate, from intruding into the interiors of the chambers. End caps which have outwardly bulging dome shape contours. Those shapes may also be referred to as presenting as compoundly concave shapes. Prior art end caps of such type are described in U.S. Pat. No. 7, 237,981 of Vitarelli et al., 7,118,306 of Kruger et al., and 7,491,015 of Coppes et al., the disclosures of all of which are hereby incorporated by reference. As reference to the foregoing patents will show, typical prior art end caps have had a multiplicity of ribs on the concave interior side.

In embodiments of the present invention, an end cap has a plurality of upward running crest corrugations and valley corrugations. In one embodiment there are sub-corrugations in the valleys and crests, and there is an absence of interior ribbing. Fig. 10 is an end view and Fig. 11 is a side view of and an exemplary end cap 50 of the present invention. In Fig. 10, the end cap is illustrated a portion of a chamber 20, shown in phantom, to indicate how it is used to close off the end of the chamber. Fig. 13 is a partial horizontal cross section view of the cap, at an elevation somewhat above the elevation of the base. The line CP in the Figures indicates the vertical axis of the cap. The cap body has a nominal maximum height H and a nominal maximum depth D, as indicated in Fig. 10 and Fig. 11.

End cap 50 an attachment end 54 which defines an arch shape opening for mating with the arch shape cross section of a chamber. Preferably, the end 54 comprises a flange as pictured, for overlapping or underlapping the end of a chamber. End cap 50 has an arch shape base 52. The base preferably comprises a flange as shown, to provide bearing area for better supporting the cap on soil. End 54 has downwardly extending terminal ends; and base 52 has horizontally extending terminal ends. The terminal ends are connected to each other at points 72.

Page 480 of 498 CULTEC, INC. EXHIBIT 1010

End cap 50 comprises a compound convex shape wall 62, which connects the arc of the attachment end 54 with the arch of the base 52. In prior patents the wall may have been referred to as an outward bulging dome or a dome-shape body. End cap wall 62 is comprised of a plurality of alternating crest corrugations 56 and valley corrugations 58 which run upwardly from the base flange. The corrugations curve inwardly along the contour of wall 62. As seen in Fig. 10, the corrugations may be characterized as running substantially vertically, as may be seen when they are projected into a vertical plane which runs through the connection points 72 of the terminal ends and parallel to vertical axis CP. Within the meaning of substantially vertical, the corrugations may have a tilt or curve, for instance as appears in Fig. 10.

Sub-corrugations 60 run upwardly within each valley corrugation 58. Crest corrugations 56 have corresponding sub-corrugations 68. In the center portion of the body, the sub-corrugations run up to a maximum height of about 60 percent of the total or maximum height H of the peak of the end cap, as such heights are projected into an aforesaid vertical plane. Near the left-right outer edges, as seen in Fig. 10, the sub-corrugations run up to about 25 percent of the peak height.

The principles of the chamber inventions which involve sub-corrugations, described above, can be applied in end caps; and the foregoing disclosure with respect to chamber corrugations and sub-corrugations is hereby incorporated by reference. In brief, the corrugations provide stiffness and structural strength to the body of the end cap, and the sub-corrugations increase the strength and buckling resistance of the end cap body structure. The benefit is that a strong end cap can be made in an efficient way with less weight of material than would otherwise be required.

An embodiment of end cap comprises corrugations having a plurality of sub-corrugations, where each sub-corrugation runs upwardly from the elevation of the base on a plurality of either or both crest corrugations or valley corrugations. Each sub-corrugation has a depth less than the depth of the corrugation with which it is associated. Preferably, in an exemplary cap, each sub-corrugation diminishes in width and depth with elevation. In another exemplary end cap, each sub-corrugation terminates at an elevation which is less than the elevation of

Page 481 of 498 CULTEC, INC. EXHIBIT 1010

attachment end at the location of the particular corrugation with which the sub-corrugation is associated. In another embodiment exemplary cap, the sub-corrugations terminate at an elevation which is no more than about 60 percent of the overall height of the end cap.

In alternate embodiments of the cap invention, some valley corrugations and or some crest corrugations may not have sub-corrugations; or some or all of the sub-corrugations may run all the way up the respective crests or valleys, from the base to the attachment end.

End caps may be fabricated of materials and in ways which are described above for the chambers. An exemplary end cap for a large chamber may have a height of about 57 inches, a base flange width of about 98 inches, and a depth D of about 33 inches, as measured at about the elevation of the base flange. Such a chamber may be made of polyethylene or polypropylene by rotational molding, and it may have a basic wall thickness of about 0.35 inches. Rotational molding materials as a class have lower strength than comparable composition injection molding or thermoforming materials. They are also less reliable in producing uniform thickness or repeatable dimension. Thus, the use of sub-corrugations can be advantageous beyond the reasons already given. In another alternative, it may be practical to form from sheet metal an end cap of the present invention.

Although the inventions have been described and illustrated with respect to several embodiments, those embodiments should be considered illustrative and not restrictive. Any use of words, such as "preferred" and variations thereof, is intended to suggest a combination of features which is desirable but which is not necessarily mandatory; and, embodiments lacking any such preferred features or combination may be within the scope of the claims which follow. Persons skilled in the art may make various changes in form and detail without departing from the spirit and scope of the claimed invention.

Attorney No. 2834

What is claimed is:

1. A molded arch shape cross section plastic chamber, for receiving and dispersing water when buried in soil, comprising:

opposing side bases running generally parallel to a chamber length axis, for supporting the chamber on soil during use;

a chamber top;

sidewalls running upwardly and inwardly from opposing side bases to the chamber top, wherein the combination of sidewalls and top form an arch curve which defines an arch shape cross section;

a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch curve of the chamber, wherein the crest corrugations decrease in width with elevation from the base and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis; and,

a plurality of crest sub-corrugations, running upwardly from the base and along a portion of the arch-curve of a crest corrugation, each sub-corrugation having a height less than the local height of the crest corrugation with which it is associated; each crest sub-corrugation terminating at an elevation lower than the top of the chamber.

2. The chamber of claim 1 wherein each crest sub-corrugation has a height which diminishes with increasing elevation.

3. The chamber of claim 2 wherein each crest sub-corrugation has a width which diminishes with increasing elevation.

21

Page 483 of 498 CULTEC, INC. EXHIBIT 1010

4. The chamber of claim 1 wherein the crest sub-corrugations extend about one quarter to twothirds of the height of the chamber.

5. The chamber of claim 1 wherein the maximum width of each crest sub-corrugation is no more than one-third of the local width of the associated crest corrugation.

6. The chamber of claim 1 further comprising: a plurality of valley sub-corrugations, each subcorrugation running downwardly from the top of the chamber and along part or all of the length of a valley corrugation; and, each sub-corrugation having a height less than the depth of the valley corrugation with which it is associated; each crest sub-corrugation terminating at an elevation lower than the top of the chamber.

7. The chamber of claim 6 wherein each valley sub-corrugation terminates at an elevation aboe the elevation of the base.

8. The chamber of claim 6 wherein each valley sub-corrugation runs downwardly from the top of the chamber and terminates at a point which is above the elevation of each opposing side base; and, wherein each crest sub-corrugation runs upwardly from the base and terminates at an elevation which is higher than the elevation of the termination points of the valley sub-corrugations.

9. The chamber of claim 7 wherein each valley sub-corrugation diminishes in both height and width in proximity to the base, as width is measured in a direction which is parallel to the length axis of the chamber.

10. The chamber of claim 6 wherein the maximum width of each valley sub-corrugation is no more than one-third of the local width of the associated valley corrugation, as width is measured in a direction which parallel to the length axis of the chamber.

11. The chamber of claim 6 wherein the valley sub-corrugations have lower termination ends on the sidewall of the chamber; wherein the crest sub-corrugation have upper termination ends

22

Page 484 of 498 CULTEC, INC. EXHIBIT 1010

on the sidewall; and, wherein the crest sub-corrugation termination ends are higher in elevation than the elevations of the valley sub-corrugation terminal ends.

12. The chamber of claim 7 further comprising a second plurality of valley sub-corrugations, each running within a valley corrugation upwardly from each opposing side base in the direction of said terminal ends of the first plurality of valley sub-corrugation.

13. In a molded arch shape cross section chamber, for receiving and dispersing water when buried in soil; wherein the chamber is supported by flanges associated with opposing side bases during use; wherein the chamber has alternating crest corrugations and valley corrugations running transverse to the length of the chamber, along the arch curve of the chamber; wherein the crest corrugations decrease in width with elevation for the base and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis; the improvement which comprises: a plurality of sub-corrugations running along at least a portion of the lengths of a plurality of one or both of the crest corrugations and valley corrugations.

14. The improved chamber of claim 13 wherein the width and depth of each sub-corrugation change along part or all of the length of the sub-corrugation in the same sense as does the width of the corrugation with which the sub-corrugation is associated.

15. The improved chamber of claim 13 having one or both of a first set of sub-corrugations running upwardly from the opposing side bases on crest corrugations to termination points which are at an elevation which less than the elevation of the top of the chamber, and a second set of sub-corrugations running in valley corrugations at the top of the chamber and downwardly toward the opposing side bases to an elevation which is less than the elevation of said termination points of the first set of sub-corrugations.

17. The improved chamber of claim 15 wherein the width and depth of each sub-corrugation changes along part or all of the length of the sub-corrugation in the same sense as does the width of the corrugation with which the sub-corrugation is associated.

Page 485 of 498 CULTEC, INC. EXHIBIT 1010

18. The improved chamber of claim 15 wherein all the elevations of the termination points of all of at least one of the first or second set of the sub-corrugations are the same.

19. The method of increasing the strength of a corrugated molded chamber adapted for receiving and dispersing water when buried in soil, wherein the chamber comprises opposing side bases running generally parallel to a chamber length axis, for supporting the chamber on soil during use; a top; opposing sidewalls which run upwardly from opposing side bases to the chamber top, wherein the combination of sidewalls and top form an arch curve which defines an arch shape cross section; a plurality of alternating crest corrugations and valley corrugations running transverse to the length of the chamber along the arch curve of the chamber, wherein the crest corrugations decrease in width and the valley corrugations increase in width with elevation from the base, as width is measured in a direction parallel to the chamber length axis; which comprises: providing a plurality of sub-corrugations which run along part or all of the arch curve of the chamber on either or both the crest corrugations and the valley corrugations, wherein each sub-corrugation has a depth less than the depth of the corrugation with which it is associated.

20. An end cap for closing off the end of an arch shape cross section chamber adapted to receive and disperse water when buried in soil, comprising:

an attachment end, defining an arch shape opening, for mating with the end of an arch shape cross section chamber, the end having downwardly extending terminal ends;

an arch shape base for supporting the end cap on soil, having horizontally extending terminal ends connected to the terminal ends of said attachment end;

a compound convex shape wall connecting the said attachment end and said base ;

a plurality of alternating crest corrugations and valley corrugations running upwardly along the convex shape wall from the points along said arch shape base to points along said arch shape attachment end, wherein the corrugations run along approximately vertical paths, when the

Page 486 of 498 CULTEC, INC. EXHIBIT 1010

.

paths are projected into a vertical plane which runs through the points at which said terminal ends are connected.

21. The end cap of claim 20 further comprising a plurality of sub-corrugations, each subcorrugation running upwardly from the elevation of the base on a plurality of crest corrugations or valley corrugations or both, each sub-corrugation having a depth less than the depth of the corrugation with which it is associated.

22. The end cap of claim 21 wherein each sub-corrugation terminates at an elevation which is less than the elevation of the said attachment end at the location of the corrugation with which the sub-corrugation is associated.

23. The end cap of claim 21 wherein the sub-corrugations terminate at an elevation which is no more than about 60 percent of the overall height of the end cap.

24. The end cap of claim 21 wherein each sub-corrugation of said plurality diminishes in width and depth with elevation.

Page 487 of 498 CULTEC, INC. EXHIBIT 1010

Attorney No. 2834

#### ABSTRACT

A plastic arch-shape cross section corrugated stormwater chamber has a multiplicity of crest corrugations and valley corrugations which run transverse to its length. Sub-corrugations run along part or all of the arch-curve lengths of either crest corrugations or valley corrugations, or along both of them. A sub-corrugations are smaller in dimension than an associated crest corrugation or valley corrugation. Sub-corrugations may taper in width and depth and may taper to nothingness. A compound convex shape end cap, useful for closing off the ends of stormwater chambers, has substantially vertical corrugations with analogous sub-corrugations.

Page 488 of 498 CULTEC, INC. EXHIBIT 1010

.





<u>FIG. 2</u>

Page 489 of 498 CULTEC, INC. EXHIBIT 1010





.

Page 490 of 498 CULTEC, INC. EXHIBIT 1010



Page 491 of 498 CULTEC, INC. EXHIBIT 1010



Page 492 of 498 CULTEC, INC. EXHIBIT 1010



L

Page 493 of 498 CULTEC, INC. EXHIBIT 1010

6 [7





ſ

Page 494 of 498 CULTEC, INC. EXHIBIT 1010

FIG. 11

7.17





4

Page 495 of 498 CULTEC, INC. EXHIBIT 1010

**ÿ**. . .

## PATENT APPLICATION SERIAL NO.

#### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE <u>FEE RECORD SHEET</u>

#### 06/10/2010 EEKUBAY1 00000004 12802483

01 FC:1011	330.00 OP
02 FC:1111	540.00 OP
03 FC:1311	220.00 OP
04 FC:1202	208.00 OP
05 FC:1201	220.00 OP

# PTO-1556 (5/87)

\*U.S. Government Printing Office: 2002- 489-267/69033

Repin. Ref: 06/10/2010 EEKUBAY1 0014282000 DAH:140711 Name/Number:12802483 FC: 9204 \$50.00 CR

> Page 496 of 498 CULTEC, INC. EXHIBIT 1010

#### PTO/SB/06 (12-04)

	ng Date: Inder the Paper	060710 work Reduction	E Act of 19	995, no person:	s are required to resp			Trademark O	ffice; U.S	. DEPA	RTMENT (	OMB 0651-0032 OF COMMERCE control number.
	PATE			FEE DETE te for Form PT	RMINATION RE	CORD			12/	802	2,483	}
APPLICATION AS FILED – PART I (Column 1) (Column 2)						SMALL ENTITY			OTHER THAN SMALL ENTITY			
FOR				IBER FILED	ILED NUMBER EXTRA		ATE (\$)	FEE (\$)		R	ATE (\$)	FEE (\$)
BASIC FEE												330
	CFR 1.16(a), (b), o RCH FEE	r (c))			——————————————————————————————————————							
(37 (	CFR 1.16(k), (i), or	(m))										540
	MINATION FEE CFR 1.16(0), (p), 0	r (q))										220
	AL CLAIMS		24		4	x	26 =		1	x	52 =	208
	CFR 1.16(i)) EPENDENT CLAIN	AS		minus 20 =			440 -		OR			222
(37 (	CFR 1.16(h))		4	minus 3 =	1	x	110 =			×	220 =	220
APPLICATION SIZE FEE (37 CFR 1.16(s))			If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$270 (\$135 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).									
MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j))							N/A				N/A	
* If the difference in column 1 is less than zero, enter "0" in column 2. TOTAL									т	OTAL	1518	
APPLICATION AS AMENDED – PART II (Column 1) (Column 2) (Column 3) SMALL ENTITY OR SMALL EN												
AMENDMENT A		CLAIMS		HIGHEST				ADDI-	1			ADDI-
		REMAINING AFTER AMENDMENT		NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RA	ATE (\$)	TIONAL FEE (\$)		R/	ATE (\$)	TIONAL FEE (\$)
	Total (37 CFR 1.16(i))	*	Minus	**	=	×	=		OR	x	=	
	Independent (37 CFR 1.16(h))	*	Minus	***	=	x	=		OR	x	=	
A	Application Siz	e Fee (37 CFR	1.16(s))									
	FIRST PRESENT	TATION OF MULT	IPLE DEP	PENDENT CLAIN	1 (37 CFR 1.16(j))		N/A		OR		N/A	
TOTAL ADD'T FEE OR ADD'T FEE												
		(Column 1)		(Column 2)	(Column 3)	<b></b>			OR			
ENT B		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RA	ATE (\$)	ADDI- TIONAL FEE (\$)		R/	ATE (\$)	ADDI- TIONAL FEE (\$)
IDME	Total (37 CFR 1.16(i))	*	Minus	**	=	×	=		OR	x	=	
AMENDM	Independent (37 CFR 1.16(h))	* .	Minus	***	=	x	=		OR	x	=	
<		e Fee (37 CFR										
	FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16())				N/A		OR		N/A			
•						TOTAL ADDT			OR	TOTA ADD'T		
This	<ul> <li>If the entry in column 1 is less than the entry in column 2, write "0" in column 3.</li> <li>If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20".</li> <li>If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3". The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1.</li> <li>This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTQ to process) an application. Confidentiality is governed by 35 LIS C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete</li> </ul>											

USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Page 497 of 498 CULTEC, INC. EXHIBIT 1010

PTO/SB/06 (12-04) Date: 06/07/10 Approved for use through 7/31/2006. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. PATENT APPLICATION FEE DETERMINATION RECORD Application or Docket Number Substitute for Form PTO-875 12/802.483 **APPLICATION AS FILED - PART I** OTHER THAN (Column 1) (Column 2) SMALL ENTITY OR SMALL ENTITY NUMBER FILED NUMBER EXTRA RATE (\$) FEE (\$) RATE (\$) FEE (\$) FOR BASIC FEE N/A 330 N/A N/A N/A (37 CFR 1.16(a), (b), or (c)) SEARCH FEE N/A N/A N/A N/A 540 (37-CFR 1.16(k), (i), or (m)) EXAMINATION FEE N/A N/A N/A N/A 220 (37 CFR 1.16(o), (p), or (q)) TOTAL CLAIMS 23 156 3 x\$26 x\$52 (37 CFR 1.16(i)) minus 20 **OR** INDEPENDENT CLAIMS 4 x\$110 x\$220 220 1 (37 CFR 1.16(h)) minus 3 If the specification and drawings exceed 100 APPLICATION SIZE sheets of paper, the application size fee due is \$270 (\$135 for small entity) for each additional FFF 50 sheets or fraction thereof. See (37 CFR 1.16(s)) 35 U.S.C. 41(a)(1)(G) and 37 CFR MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j)) 195 390 TOTAL TOTAL 1466 "If the difference in column 1 is less than zero, enter "0" in column 2. APPLICATION AS AMENDED - PART II OTHER THAN SMALL ENTITY (Column 3) OR (Column 1) (Column 2) SMALL ENTITY CLAIMS HIGHEST ADDI-REMAINING NUMBER PRESENT RATE (\$) RATE (\$) TIONAL TIONAL < AFTER PREVIOUSLY EXTRA FEE (\$) FEE (\$) AMENDMENT AMENDMENT PAID FOR Tota OR Minus = = х X (37 CFR 1.16(i)) Independent = х = Minus = X (37 CFR 1.16(h)) OR Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) N/A OR N/A TOTAL TOTAL OR ADD'T FEE ADD'T FEE (Column 1) (Column 2) (Column 3) OR HIGHEST CLAIMS ADDI-ADDI-REMAINING NUMBER PRESENT RATE (\$) TIONAL RATE (\$) TIONAL ۵ PREVIOUSLY EXTRA AFTER FEE (\$) FEE (\$) AMENDMENT AMENDMENT PAID FOR Total OR Minus = x X \_ (37 CFR 1.16(i)) Independent Minus = x = x = (37 CFR 1.16(h)) OR Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) N/A OR N/A TOTAL TOTAL OR ADD'T FEE ADD'T FEE If the entry in column 1 is less than the entry in column 2, write "0" in column 3. If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20". If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3". The Highest Number Previously Paid For (Total or Independent) is the highest number found in the appropriate box in column 1 This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the

USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Paten and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Page 498 of 498 CULTEC, INC. EXHIBIT 1010