UTILITY
PATENT APPLICATION
TRANSMITTAL

Attorney Docket No.			3358.2.1	
First Inventor Lyma			nan O. Nielson	
Title	AFTER EMER	-HOL	GE LIGHTING APPARATUS FOR S IRS LIGHTING REQUIREMENTS, IY LIGHTING REQUIREMENTS, AND JIREMENTS	
Evarage Mail Lahel No			EV343632600LIS	<u>, r</u>

(Only for new nonprovisional applications under 37 C.F.R. 1.53(b))					Express Mail Label No. EV343632609US				
APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.					Mail Stop Patent Application Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450				
Tee Transmittal Form (e.g., PTO/SB/17) Submit an original and a duplicate for fee processing) Applicant claims small entity status. See 37 CFR 1.27. Specification Total Pages 22 1					 7. □ CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix) 8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. □ Computer Readable Form (CRF) b. Specification Sequence Listing on: i. □ CD-ROM or CD-R (2 copies); or ii. □ paper c. □ Statements verifying identity of above copies ACCOMPANYING APPLICATIONS PARTS 9. □ Assignment Papers (cover sheet & document(s)) 10. □ 37 C.F.R.§3.73(b) Statement □ Power of (when there is an assignee) Attorney 11. □ English Translation Document (if applicable) 12. □ Information Disclosure □ Copies of IDS Statement (IDS)/PTO-1449 Citations 13. □ Preliminary Amendment 14. □ Return Receipt Postcard (MPEP 503) (Should be specifically itemized) 15. □ Certified Copy of Priority Document(s) (if foreign priority is claimed) 16. □ Nonpublication Request under 35 U.S.C. 122 (b)(2)(B)(i). Applicant must attach form PTO/SB/35 or its equivalent. 17. □ Other: Express Mail Certificate 				
18. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76: Continuation Divisional Continuation-in-part (CIP) Of prior application No: For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.									
19. CORRESPONDENCE ADDRESS									
□ Customer Number 21552					or Correspondence address below				
Name			-						
Address									
City			State			Zip Code			
Country			Telephone			Fax			
Name (Pr	rint/Type)	Crajg J. Má	dsan /	Registrat	ion No. (Atto	omey/Agent)	29,407		
Signature Math				<u> </u>	Date	12/11/2003			

This collection of information is required by 37 CFR 163(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing this form, call 1-800-PTO-9199 and selection option 2.

Docket No.: 3358.2.1

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

"Express Mail" Mailing Label No.: EV343632609US

Date of Deposit: December 11, 2003

I hereby certify that this patent application in the name of Lyman O. Nielson et al. for LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS, together with drawings are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above in an envelope addressed to Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Respectfully submitted,

Crarg J. Madson' Reg. No. 29,407

Attorney for Applicant

Date: December 11, 2003

MADSON & METCALF Gateway Tower West 15 West South Temple, Suite 900 Salt Lake City, Utah 84101 Telephone: 801/537-1700

UNITED STATES PATENT APPLICATION

of

and
NORMAN B. HESS

for

LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

RELATED APPLICATIONS

[01] This application is related to and claims priority from U.S. Patent Application Serial No. 60/432,562, filed December 11, 2002, for "Low-Voltage Lighting Apparatus," with inventors Lyman O. Nielson and Norman B. Hess, which is incorporated herein by reference.

TECHNICAL FIELD

[02] The present invention relates generally to lighting apparatus for use in buildings. More specifically, the present invention relates to lighting apparatus that provide sufficient illumination to satisfy after-hours lighting requirements, emergency lighting requirements, and low light requirements.

BACKGROUND

[03] There are many types of light fixtures. Light fixtures may utilize incandescent lamps, fluorescent lamps, metal halide lamps, and others. One of the most widely used light fixtures for large buildings, stores, warehouses, manufacturing facilities, and the like is the fluorescent light fixture. Fluorescent light fixtures are efficient to operate and are capable of illuminating relatively large areas.

[04] A typical fluorescent light fixture has an elongated housing, usually made of metal or plastic with a downwardly opening elongated cavity in which is carried one or more tubular fluorescent lamps for emitting light below the fixture. The central element in a fluorescent lamp is a sealed glass tube. The tube contains a small amount of mercury and an inert gas, typically argon, kept under very low pressure. The tube also contains a phosphor powder. The phosphor powder is coated along the inside of the glass tube. The tube has two electrodes, one at each end, which are wired to an electrical circuit. The electrical circuit is connected to an alternating current (AC) source. When a fluorescent lamp is turned on, the current flows through the

electrical circuit to the electrodes. The current stimulates the mercury atoms, causing them to release ultraviolet photons. These photons in turn stimulate the phosphor, which emits visible light photons.

- [05] In most commercial buildings, it is not necessary to keep all of the light fixtures illuminated after normal business hours. Indeed, it is generally desirable to keep after-hours lighting to the minimum necessary for maintenance and security personnel to be able to effectively perform their duties. Presently, this is accomplished by turning on only a few of the available light fixtures.
- [06] Emergency lighting is utilized in most buildings to provide light for egress and to direct occupants toward the exits in case of a loss of main power to a building. This is generally accomplished by installing exit and emergency lighting fixtures at various locations, such as corridors, stairwells, ramps, escalators, aisles, exit passageways, and the like. The exit and emergency lighting fixtures are generally self-contained and may utilize small batteries which are kept charged in case of main power failure.
- [07] In some situations, it is desirable to have only a minimal amount of light within a room. For example, when a person is giving a presentation that includes the display of pictures and/or video, it is typically desirable for the room to be somewhat dim but not completely dark. As another example, some individuals like to reduce the amount of light within their office when they are working on a computer, in order to maximize the contrast between their computer monitor and the surrounding area. There are numerous other examples of situations where it may be desirable for the light fixtures in a particular area to be able to satisfy low light requirements, i.e., to provide only a minimal amount of light.
- [08] In view of the foregoing, benefits may be realized by improved light fixtures that are capable of satisfying after-hours lighting requirements more efficiently and conveniently than presently known light fixtures. Additional benefits may be realized if such improved light fixtures were also capable of providing emergency lighting in situations where power to a building has been lost. Yet additional benefits may be realized if such improved light fixtures were also capable of satisfying low light requirements.

SUMMARY OF THE INVENTION

- [09] An energy-efficient lighting apparatus is disclosed. The lighting apparatus includes a ballast cover. The ballast cover includes a plurality of ballast cover holes. The lighting apparatus also includes a circuit board comprising a plurality of light-emitting diodes. The circuit board is positioned adjacent the ballast cover so that the plurality of light-emitting diodes protrude through the plurality of ballast cover holes in the ballast cover. The lighting apparatus may also include a battery for supplying power to the plurality of light-emitting diodes.
- [10] The lighting apparatus may also include a switching circuit for controlling illumination of the plurality of light-emitting diodes. The switching circuit may include a first portion for placing the switching circuit in communication with a wall switch. The switching circuit may also include a second portion for coupling the switching circuit to the battery. The switching circuit may also include a third portion for coupling the switching circuit to the plurality of light-emitting diodes.
- [11] In some embodiments, the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is not receiving AC voltage from an AC voltage source that is coupled to the wall switch. The switching circuit does not couple the battery to the plurality of light-emitting diodes if the switching circuit is receiving the AC voltage from the AC voltage source.
- [12] Alternatively, the switching circuit may additionally include a fourth portion for receiving an alarm signal from an alarm device. The switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is receiving the alarm signal.
- [13] The lighting apparatus may also include a battery charging circuit for charging the battery. The battery charging circuit may include a first portion for coupling the battery charging circuit to an AC voltage source. The battery charging circuit may also include a second portion for coupling the battery charging circuit to the battery.
- [14] In some embodiments, the circuit board additionally includes a battery test light coupled to the battery. The battery test light may protrude through one of the plurality of ballast cover holes.

- [15] An energy-efficient lighting apparatus for retrofit with an existing light fixture having a ballast cover is also disclosed. The lighting apparatus includes a housing having an attachment surface and an illumination surface. The illumination surface includes a plurality of illumination surface holes. The lighting apparatus also includes a circuit board comprising a plurality of light-emitting diodes. The circuit board is positioned adjacent the housing so that the plurality of light-emitting diodes protrude through the plurality of illumination surface holes in the illumination surface. The lighting apparatus also includes a fastening mechanism for securing the attachment surface of the lighting apparatus to the ballast cover.
- [16] The lighting apparatus may also include a connector in the attachment surface of the housing that snaps into a ballast cover hole in the ballast cover. Wires may be provided for connecting the circuit board to the battery through the connector. In some embodiments, the fastening mechanism may include an adhesive strip having a protective cover.
- [17] A method for providing illumination to an area in an energy-efficient manner is also disclosed. The method involves providing a ballast cover. The ballast cover is attachable to a light fixture. The ballast cover has a plurality of ballast cover holes. The method also involves providing a circuit board that includes a plurality of light-emitting diodes. The method additionally involves positioning the circuit board adjacent the ballast cover so that the plurality of light-emitting diodes protrude through the plurality of ballast cover holes in the ballast cover.
- [18] In some embodiments, the method additionally involves illuminating the plurality of light-emitting diodes when a light bulb within the light fixture is not illuminated. Alternatively, the method may involve not illuminating the plurality of light-emitting diodes when the light bulb within the light fixture is illuminated. Alternatively still, the method may involve receiving an alarm signal from an alarm device, and, in response to receiving the alarm signal, illuminating the plurality of light-emitting diodes.
- [19] A method for retrofitting a light fixture with an energy-efficient lighting apparatus is also disclosed. The light fixture includes a ballast cover. The method involves providing a housing having an attachment surface and an illumination surface. The illumination surface includes a plurality of illumination surface holes. The method also involves providing a circuit board comprising a plurality of light-emitting diodes. The method also involves positioning the circuit

board adjacent the housing so that the plurality of light-emitting diodes protrude through the plurality of illumination surface holes in the illumination surface. The method also involves securing the attachment surface of the housing to the ballast cover.

BRIEF DESCRIPTION OF THE DRAWINGS

- [20] The present embodiments will become more fully apparent from the following description and appended claims, taken in conjunction with the accompanying drawings. Understanding that these drawings depict only typical embodiments and are, therefore, not to be considered limiting of the invention's scope, the embodiments will be described with additional specificity and detail through use of the accompanying drawings in which:
- [21] Figure 1 is a top plan view of an embodiment of a lighting apparatus that provides sufficient illumination to satisfy after-hours lighting requirements, emergency lighting requirements, and low light requirements;
- [22] Figure 2 is a side plan view of the plurality of light-emitting diodes in the lighting apparatus of Figure 1 coupled to a circuit board;
- [23] Figure 3 is a block diagram illustrating various components in an embodiment of the lighting apparatus as well as several additional components that are used with the lighting apparatus in typical operation;
- [24] Figure 4 is a block diagram illustrating various components in another embodiment of the lighting apparatus as well as several additional components that are used with the lighting apparatus in typical operation;
- [25] Figure 5 is a side plan view of another embodiment of a lighting apparatus; and
- [26] Figure 6 is a top plan view of the embodiment of the lighting apparatus shown in Figure 5.

DETAILED DESCRIPTION

- [27] Various embodiments of the invention are now described with reference to the Figures, where like reference numbers indicate identical or functionally similar elements. It will be readily understood that the components of the present invention, as generally described and illustrated in the Figures herein, could be arranged and designed in a wide variety of different configurations. Thus, the following more detailed description of several exemplary embodiments of the present invention, as represented in the Figures, is not intended to limit the scope of the invention, as claimed, but is merely representative of the embodiments of the invention.
- [28] The word "exemplary" is used exclusively herein to mean "serving as an example, instance, or illustration." Any embodiment described herein as "exemplary" is not necessarily to be construed as preferred or advantageous over other embodiments. While the various aspects of the embodiments are presented in drawings, the drawings are not necessarily drawn to scale unless specifically indicated.
- [29] Figure 1 is a top plan view of an embodiment of a lighting apparatus 100 installed in a light fixture housing 101. In the illustrated embodiment, the lighting apparatus 110 includes a ballast cover 110. The ballast cover 110 includes a plurality of notches 115 that hold the ballast cover 110 in place within the light fixture housing 101. The lighting apparatus 100 also includes a plurality of light-emitting diodes (LEDs) 104, which protrude through holes in the ballast cover 110.
- [30] In addition to the lighting apparatus 100, a pair of fluorescent lights 102 are also installed in the light fixture housing 101. As shown in Figure 1, when the lighting apparatus 100 and the fluorescent lights 102 are installed in the light fixture housing 101, the fluorescent lights 102 and the LEDs 104 are visible when looking at the finished side of the light fixture housing 101.
- [31] The fluorescent lights 102 and the LEDs 104 may be turned on at different times to accomplish different purposes. For example, the fluorescent lights 102 may be turned on in a building during normal business hours. The LEDs 104 may be turned on at night to satisfy afterhours lighting requirements. The LEDs 104 may also be turned on to provide emergency lighting when power to a building has been lost. The LEDs 104 may also be turned on at various times to satisfy low light requirements.

- [32] The use of LEDs 104 to satisfy after-hours lighting requirements, emergency lighting requirements, and/or low light requirements may result in significant power savings. Typically, LEDs 104 consume significantly less power than fluorescent lights 102. For example, the power consumption of an average fluorescent light bulb 102 is 77-96 watts. In contrast, the power consumption of 80 LEDs 104 is only approximately 8 watts.
- [33] Power is supplied to the fluorescent lights 102 from an AC source by means of a ballast (not shown). The ballast cover 110 covers the primary wiring to the fixture 101, including the ballast. In some contexts, the ballast cover 110 may be referred to as a raceway cover. The ballast is coupled to an AC voltage source by means of a wall switch (not shown), i.e., a switch that is mounted to a wall within a room where the light fixture housing 101 is installed. The wall switch is accessible to individuals within the room, and allows individuals to turn the fluorescent lights 102 on and off. When the wall switch is in a closed position, the AC voltage source supplies AC voltage to the ballast. The ballast maintains a desired current through the fluorescent lights 102 so that the fluorescent lights 102 are illuminated. When the wall switch is in an open position, the AC voltage source does not supply AC voltage to the ballast. Consequently, the ballast does not maintain any current through the fluorescent lights 102, and the fluorescent lights 102 are not illuminated.
- Figure 2 is a side plan view of the plurality of light-emitting diodes 104 in the lighting apparatus 100 of Figure 1 coupled to a circuit board 211. The circuit board 211 holds the LEDs 104 in place. The circuit board 211 is shown without the ballast cover 110 in Figure 2. However, at some point during installation of the lighting apparatus 100, the circuit board 211 is positioned adjacent the ballast cover 110 so that the LEDs 104 protrude through holes in the ballast cover 110. In some embodiments, the circuit board 211 may be secured to the ballast cover 110. As used herein, the term "secured" includes but does not require direct contact. That is, the circuit board 211 may be directly touching the ballast cover 110. Alternatively, the circuit board 211 may not be directly touching the ballast cover 110. When the lighting apparatus 100 is installed in a light fixture housing 101, the circuit board 211 is part of the ballast compartment, or raceway.

- [35] The lighting apparatus 100 includes a battery 212 for supplying DC voltage to the LEDs 104. The lighting apparatus 100 may also include circuitry 213 for accomplishing various functionality. The battery 212 and the circuitry 213 are coupled to the circuit board 211. Connectors may be used to couple the battery 212 and the circuitry 213 to the circuit board 211. In alternative embodiments, wires may be used.
- [36] The circuitry 213 may include a switching circuit that controls when DC voltage from the battery 212 is supplied to the LEDs 104. The circuitry 213 may also include a battery charging circuit that charges the battery 212. The switching circuit and the battery charging circuit are not specifically shown in Figure 2. However, these circuits will be discussed below.
- [37] The embodiment of the lighting apparatus 100 shown in Figures 1-2 and discussed in connection therewith may be used to replace existing ballast covers. Alternatively, or in addition, the lighting apparatus 100 may be used in new installations of light fixtures.
- [38] Figure 3 is a block diagram illustrating various components in an embodiment of the lighting apparatus 300. Figure 3 also illustrates several components that are used with the lighting apparatus 300 in typical operation.
- [39] The components that are used with the lighting apparatus 300 include a wall switch 316, an AC voltage source 318, and a ballast 320. The wall switch 316 couples the AC voltage source 318 to the ballast 320. As discussed above, when the wall switch 316 is in the closed position, the AC voltage source 318 supplies AC voltage to the ballast 320. The ballast 320 maintains a desired current through the fluorescent lights 102, so that the fluorescent lights 102 are illuminated. When the wall switch is in the open position, the AC voltage source does not supply AC voltage to the ballast 320, and the fluorescent lights 102 are not illuminated.
- [40] The lighting apparatus 300 includes a switching circuit 322. In general terms, the switching circuit 322 performs the function of controlling the illumination of the LEDs 304. More specifically, the switching circuit 322 couples the battery 312 to the LEDs 304 under some circumstances. However, under other circumstances, the switching circuit 322 does not couple the battery 312 to the LEDs 304. If the battery 312 is coupled to the LEDs 304, DC voltage from the battery 312 is provided to the LEDs 304, and the LEDs 304 are illuminated. If the battery

- 312 is not coupled to the LEDs 304, DC voltage from the battery 312 is not provided to the LEDs 304, and the LEDs 304 are not illuminated.
- [41] The switching circuit 322 is in communication with the wall switch 316. In some embodiments, the switching circuit 322 is directly coupled to the wall switch 316. In other embodiments, the switching circuit 322 is not directly coupled to the wall switch 316, but is in electronic communication with the wall switch 316. For example, the wall switch 316 and the switching circuit 322 may communicate via a wireless protocol. In typical operation, the wall switch 316 controls the behavior of the switching circuit 322. For example, in some embodiments if the wall switch 316 is in a first position, the switching circuit 322 couples the battery 312 to the LEDs 304. If the wall switch 316 is in a second position, the switching circuit 322 does not couple the battery 312 to the LEDs 304. As discussed above, the wall switch 316 is typically operated by individuals in the room where the lighting apparatus 300 is installed.
- [42] In the illustrated embodiment, the switching circuit 322 couples the battery 312 to the LEDs 304 whenever the switching circuit 322 is not receiving AC voltage from the AC voltage source 318. Conversely, the switching circuit 322 does not couple the battery 312 to the LEDs 304 whenever the switching circuit 322 is receiving AC voltage from the AC voltage source 318. Those skilled in the art will recognize that there are numerous ways to implement a switching circuit 322 that performs the described functions. In some embodiments, the switching circuit 322 may include one or more relays.
- [43] In the illustrated embodiment, the switching circuit 322 is coupled to the AC voltage source 318 via the wall switch 316. Consequently, the switching circuit 322 receives AC voltage from the AC voltage source 318 if two conditions are satisfied: first, the AC voltage source 318 is supplying AC voltage; and second, the wall switch 316 is in the closed position. Conversely, the switching circuit 322 does not receive AC voltage from the AC voltage source 318 if the wall switch 316 is in the open position. The switching circuit 322 also does not receive AC voltage from the AC voltage source 318 if the AC voltage source 318 is not supplying AC voltage (i.e., if power to the building has been lost).
- [44] One implication of the switching circuit 322 configuration discussed above is that as long as the battery 312 is supplying DC voltage, the LEDs 304 are illuminated whenever the

fluorescent lights 102 are turned off. To see why, note that the fluorescent lights 102 are turned off when the wall switch 316 is in the open position. When the wall switch 316 is in the open position, AC voltage from the AC voltage source 318 is not supplied to the switching circuit 322. Because the switching circuit 322 is not receiving AC voltage, the switching circuit 322 couples the battery 312 to the LEDs 304. Consequently, DC voltage from the battery 312 is provided to the LEDs 304 and the LEDs 304 are illuminated.

- [45] Another implication of the switching circuit 322 configuration discussed above is that the LEDs 304 are not illuminated when the fluorescent lights 102 are turned on. To see why, note that the fluorescent lights 102 are turned on when the wall switch 316 is in the closed position. When the wall switch 316 is in the closed position, AC voltage from the AC voltage source 318 is supplied to the switching circuit 322. Because the switching circuit 322 is receiving AC voltage, the switching circuit 322 does not couple the battery 312 to the LEDs 304. Consequently, the battery 312 is not coupled to the LEDs 304, and DC voltage from the battery 312 is not provided to the LEDs 304. The LEDs 304, therefore, are not illuminated.
- [46] Yet another implication of the switching circuit 322 configuration discussed above is that as long as the battery 312 is supplying DC voltage, the LEDs 304 are illuminated whenever the AC voltage source 318 is not supplying AC voltage (i.e., when power is lost). To see why, note that if the AC voltage source 318 is not supplying AC voltage, the switching circuit 322 is not receiving AC voltage. Because the switching circuit 322 is not receiving AC voltage, the switching circuit 322 couples the battery 312 to the LEDs 304. Consequently, DC voltage from the battery 312 is provided to the LEDs 304 and the LEDs 304 are illuminated.
- [47] Another component of the lighting apparatus 300 that is shown in Figure 3 is a battery charging circuit 324. The battery charging circuit 324 is coupled to the battery 312 and performs the function of charging the battery 312. In the illustrated embodiment, the battery charging circuit 324 is coupled to the AC voltage source 318. As long as the AC voltage source 318 is supplying AC voltage, the battery charging circuit 324 is charging the battery 312. Those skilled in the art will recognize that there are numerous ways to implement a battery charging circuit 324 that performs the described functions.

- [48] Advantageously, the battery charging circuit 324 allows the battery 312 to be charging even while the battery 312 is supplying DC voltage to the LEDs 304. This is because the battery charging circuit 324 is coupled directly to the AC voltage source 318, not to the wall switch 316. Thus, even when the wall switch 316 is in the open position (which, as discussed above, causes the LEDs 304 to be illuminated), AC voltage is being supplied to the battery charging circuit 324. Consequently, illuminating the LEDs 304 generally does not drain the battery 312. Another advantage of the battery charging circuit 324 is that the battery 312 is ordinarily fully charged when an emergency situation occurs and power to a building is lost.
- [49] In some embodiments, a separate battery 312 and battery charging circuit 324 may be provided for each lighting apparatus 300. In such embodiments, if something causes the battery 312 within a particular lighting apparatus 300 to stop supplying DC voltage, only that lighting apparatus 300 is affected. This might be advantageous where more than one lighting apparatus 300 is installed in the same building, particularly if the lighting apparatus 300 are used to provide emergency lighting. In contrast, in some known emergency lighting systems all of the emergency lights within the building are all dependent on the same battery. In those systems, if the battery stops functioning, this causes all of the emergency lights in the building to stop functioning.
- [50] As described above, the LEDs 304 are generally coupled to and held in place by a circuit board (not shown) that is positioned adjacent the ballast cover 110. In some embodiments, the battery 312, the switching circuit 322, and the battery charging circuit 324 may be coupled to the circuit board by means of connectors. Advantageously, this eliminates the necessity of connecting the different components by means of wires. Of course, in some embodiments the different components may be connected by means of wires.
- [51] The configuration shown in Figure 3 is exemplary only. In some embodiments, the battery 312 may be coupled to the LEDs 304 at all times. In this configuration, the LEDs 304 would always be on, regardless of whether the fluorescent lights 102 are turned on or not.
- [52] In some embodiments, a strobe effect may be used to sequence light emitted from the LEDs 304 to direct people to an exit in an emergency situation. This may be done with the white LEDs 304. Alternatively, another color may be used, such as green lights.

- [53] Figure 4 is a block diagram illustrating various components in another embodiment of the lighting apparatus 400. Figure 4 also illustrates several components that are used with the lighting apparatus 400 in typical operation. The embodiment of the lighting apparatus 400 shown in Figure 4 is similar in many respects to the embodiment of the lighting apparatus 300 shown in Figure 3 and described in connection therewith. Those components of the lighting apparatus 400 that are similar to components in the lighting apparatus 300 shown in Figure 3 are labeled with corresponding reference numbers. For example, the wall switch 416 corresponds to the wall switch 316 in Figure 3, the ballast 420 corresponds to the ballast 320 in Figure 3, and the battery charging circuit 424 corresponds to the battery charging circuit 324 in Figure 3. These components will not be discussed again in connection with Figure 4.
- [54] In the illustrated embodiment, the switching circuit 422 is in electronic communication with an alarm device 426. Some examples of alarm devices 426 include a fire alarm, a smoke alarm, etc. The alarm device 426 generates an alarm signal under certain circumstances, typically in an emergency situation. The switching circuit 422 is configured to receive the alarm signal from the alarm device 426. In some embodiments, the electronic communication between the alarm device 426 and the switching circuit 422 is wireless. For example, the alarm signal may be a radio signal, and the switching circuit 422 may include an antenna for receiving the radio signal. In other embodiments, the switching circuit 422 may be electronically coupled to the alarm device 426 by means of wires or other physical connectors.
- [55] The switching circuit 422 shown in Figure 4 couples the battery 412 to the LEDs 404 when either of two conditions occur. First, as before, the switching circuit 422 couples the battery 412 to the LEDs 404 when the switching circuit 422 is not receiving AC voltage from the AC voltage source 418. Second, the switching circuit 422 couples the battery 412 to the LEDs 404 when the switching circuit 422 receives an alarm signal from the alarm device 426. The switching circuit 422 does not couple the battery 412 to the LEDs 404 if the switching circuit 422 is received an alarm signal from the AC voltage source 418, unless the switching circuit 422 receives an alarm signal from the alarm device 426.
- [56] One implication of the switching circuit 422 configuration shown in Figure 4 is that the LEDs 404 may be illuminated when the fluorescent lights 102 are turned on. Specifically, if the

switching circuit 422 receives an alarm signal from the alarm device 426 when the fluorescent lights 102 are turned on, the switching circuit 422 couples the battery 412 to the LEDs 404 so that the LEDs 404 are also illuminated. Such a configuration may be advantageous if an emergency situation occurs (e.g., a fire) when the fluorescent lights 102 are illuminated. In such a situation, the LEDs 404 would also be illuminated to provide additional emergency lighting.

- [57] Figure 5 is a side plan view of another embodiment of a lighting apparatus 500. As will be described in greater detail below, the lighting apparatus 500 illustrated in Figure 5 may easily and inexpensively be secured to existing light fixtures. Thus, existing light fixtures may be retrofit with the lighting apparatus 500 in order to achieve the energy savings described above without incurring significant expense. In the illustrated embodiment, the lighting apparatus 500 is configured to be secured to the ballast cover (not shown) within a light fixture.
- The lighting apparatus 500 includes a housing 528. In some embodiments, the housing 528 is made of plastic, although the housing 528 may be made of other materials. The housing 528 is dimensioned so that it may be installed to an existing ballast cover. The housing 528 includes an attachment surface 530 and an illumination surface 532. In typical operation, the attachment surface 530 is secured to the ballast cover. The illumination surface 532 is opposite the attachment surface 530. As used herein, the terms "securing" and "secured" do not require direct contact. In other words, the attachment surface 530 of the housing 528 may be directly touching the ballast cover. Alternatively, the attachment surface 530 of the housing 528 may not be directly touching the ballast cover.
- [59] A section of the housing 528 is illustrated as being cut away from the housing 528 shown in Figure 5 in order to expose a circuit board 511. As before, the lighting apparatus 500 includes a plurality of LEDs 504. The LEDs 504 are coupled to the circuit board 511. The circuit board 511 holds the LEDs 504 in place. The circuit board 511 is positioned adjacent the housing 528 so that the LEDs 504 protrude through a plurality of holes in the illumination surface 532 of the housing 528. The circuit board 511 may be positioned either partially or wholly inside the housing 528.
- [60] The attachment surface 530 of the housing 528 includes a fastening mechanism 534. The fastening mechanism 534 performs the function of securing the attachment surface 530 of the

housing 528 to the ballast cover. In the illustrated embodiment, the fastening mechanism 534 is an adhesive strip 534 having a protective cover. The protective cover may be easily removed to expose the adhesive strip 534. One side of the adhesive strip 534 may be attached to the attachment surface 530 of the housing 528. The other side of the adhesive strip 534 may be attached to the ballast cover (not shown) to which the lighting apparatus 500 is to be installed. Of course, in alternative embodiments many different types of fastening mechanisms 534 may be used. For example, in some embodiments the fastening mechanism 534 may use a magnet, clips, screws, etc.

- [61] As before, a battery 512 is included for supplying DC voltage to the LEDs 504. A connector 536 is included in the attachment surface 530 of the housing 528 to facilitate connection of the LEDs 504 to the battery 512. One type of connector 536 that may be used is referred to as a chase nipple. Of course, other connectors 536 that may be used will be readily apparent to those skilled in the art in view of the teachings contained herein.
- [62] Advantageously, the embodiments of the low-voltage lighting apparatus 500 described in connection with Figures 5 and 6 may easily and inexpensively be secured to existing light fixtures. To install the lighting apparatus 500 to a ballast cover within a light fixture, a hole is drilled into the ballast cover. The connector 536 snaps into the hole and locks into place. Wires 514 from the circuit board 511 may then be connected to the battery 512 through a hole in the connector 536. Accordingly, existing light fixtures may be easily and inexpensively retrofit with the lighting apparatus 500.
- [63] As with the embodiments discussed previously, the lighting apparatus 500 shown in Figure 5 may be used to provide emergency lighting. In many cases, retrofitting existing light fixtures with the lighting apparatus 500 may be less expensive than installing a large backup system for providing emergency lighting.
- [64] The lighting apparatus 500 shown in Figure 5 may include various additional components that are not shown in Figure 5. For example, the lighting apparatus 500 may also include a switching circuit and a battery charging circuit, as described above in connection with Figures 3 and 4.

- [65] In the illustrated embodiment, one of the LEDs 504 coupled to the circuit board 511 is a battery test light 504a. The battery test light 504a indicates whether the battery 512 is charged, i.e., capable of supplying DC voltage. The battery test light 504a is directly coupled to the battery 512. Thus, the battery test light 504a is illuminated whenever the battery 512 is capable of supplying DC voltage, even if the other LEDs 504 are not illuminated.
- [66] Figure 6 is a top plan view of the embodiment of the lighting apparatus 500 shown in Figure 5. The illumination surface 532 of the housing 528 is shown. The plurality of LEDs 504 protruding through the holes in the illumination surface 532 are also shown. The battery test light 504a is also shown.
- [67] While specific embodiments and applications of the present invention have been illustrated and described, it is to be understood that the invention is not limited to the precise configuration and components disclosed herein. Various modifications, changes, and variations which will be apparent to those skilled in the art may be made in the arrangement, operation, and details of the methods and systems of the present invention disclosed herein without departing from the spirit and scope of the invention.
- [68] What is claimed is:

- 1. An energy-efficient lighting apparatus, comprising:
 - a ballast cover;

ţ

- a plurality of ballast cover holes in the ballast cover;
- a circuit board comprising a plurality of light-emitting diodes, wherein the circuit board is positioned adjacent the ballast cover so that the plurality of light-emitting diodes protrude through the plurality of ballast cover holes in the ballast cover.
- 2. The lighting apparatus of claim 1, further comprising a battery for supplying power to the plurality of light-emitting diodes.
- 3. The lighting apparatus of claim 2, further comprising a switching circuit for controlling illumination of the plurality of light-emitting diodes.
- 4. The lighting apparatus of claim 3, wherein the switching circuit comprises:

 a first portion for placing the switching circuit in communication with a wall switch;

 a second portion for coupling the switching circuit to the battery; and

 a third portion for coupling the switching circuit to the plurality of light-emitting diodes.
- 5. The lighting apparatus of claim 4, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is not receiving AC voltage from an AC voltage source that is coupled to the wall switch, and wherein the switching circuit does not couple the battery to the plurality of light-emitting diodes if the switching circuit is receiving the AC voltage from the AC voltage source.
- 6. The lighting apparatus of claim 4, wherein the switching circuit further comprises a fourth portion for receiving an alarm signal from an alarm device.
- 7. The lighting apparatus of claim 6, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is receiving the alarm signal.

- 8. The lighting apparatus of claim 2, further comprising a battery charging circuit for charging the battery.
- 9. The lighting apparatus of claim 8, wherein the battery charging circuit comprises: a first portion for coupling the battery charging circuit to an AC voltage source; and a second portion for coupling the battery charging circuit to the battery.
- 10. The lighting apparatus of claim 2, wherein the circuit board further comprises a battery test light coupled to the battery.
- 11. The lighting apparatus of claim 13, wherein the battery test light protrudes through one of the plurality of ballast cover holes.
- 12. An energy-efficient lighting apparatus for retrofit with an existing light fixture having a ballast cover, comprising:
 - a housing having an attachment surface and an illumination surface;
 - a plurality of illumination surface holes in the illumination surface;
 - a circuit board comprising a plurality of light-emitting diodes, wherein the circuit board is positioned adjacent the housing so that the plurality of light-emitting diodes protrude through the plurality of illumination surface holes in the illumination surface; and
 - a fastening mechanism for securing the attachment surface of the lighting apparatus to the ballast cover.
- 13. The lighting apparatus of claim 12, further comprising a battery for supplying power to the plurality of light-emitting diodes.
- 14. The lighting apparatus of claim 13, further comprising a switching circuit for controlling illumination of the plurality of light-emitting diodes.

- 15. The lighting apparatus of claim 14, wherein the switching circuit comprises:

 a first portion for placing the switching circuit in communication with a wall switch;

 a second portion for coupling the switching circuit to the battery; and

 a third portion for coupling the switching circuit to the plurality of light-emitting diodes.
- 16. The lighting apparatus of claim 15, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is not receiving AC voltage from an AC voltage source that is coupled to the wall switch, and wherein the switching circuit does not couple the battery to the plurality of light-emitting diodes if the switching circuit is receiving the AC voltage from the AC voltage source.
- 17. The lighting apparatus of claim 15, wherein the switching circuit further comprises a fourth portion for receiving an alarm signal from an alarm device.
- 18. The lighting apparatus of claim 17, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is receiving the alarm signal.
- 19. The lighting apparatus of claim 13, further comprising a battery charging circuit for charging the battery.
- 20. The lighting apparatus of claim 19, wherein the battery charging circuit comprises: a first portion for coupling the battery charging circuit to the AC voltage source; and a second portion for coupling the battery charging circuit to the battery.
- 21. The lighting apparatus of claim 13, wherein the circuit board further comprises a battery test light coupled to the battery.
- 22. The lighting apparatus of claim 21, wherein the battery test light protrudes through one of the plurality of illumination surface holes.
- 23. The lighting apparatus of claim 12, further comprising:

a connector in the attachment surface of the housing that snaps into a ballast cover hole in the ballast cover; and

wires connecting the circuit board to the battery through the connector.

- 24. The lighting apparatus of claim 12, wherein the fastening mechanism comprises an adhesive strip having a protective cover.
- 25. A method for providing illumination to an area in an energy-efficient manner, comprising:

cover.

providing a ballast cover, the ballast cover having a plurality of ballast cover holes, the ballast cover being attachable to a light fixture; providing a circuit board comprising a plurality of light-emitting diodes; and positioning the circuit board adjacent the ballast cover so that the plurality of light-emitting diodes protrude through the plurality of ballast cover holes in the ballast

- 26. The method of claim 25, further comprising illuminating the plurality of light-emitting diodes when a light bulb within the light fixture is not illuminated.
- 27. The method of claim 25, further comprising not illuminating the plurality of lightemitting diodes when a light bulb within the light fixture is illuminated.
- 28. The method of claim 25, further comprising:
 receiving an alarm signal from an alarm device; and
 in response to receiving the alarm signal, illuminating the plurality of light-emitting
 diodes.
- 29. A method for retrofitting a light fixture with an energy-efficient lighting apparatus, the light fixture having a ballast cover, the method comprising:

providing a housing having an attachment surface and an illumination surface, wherein the illumination surface comprises a plurality of illumination surface holes; providing a circuit board comprising a plurality of light-emitting diodes; positioning the circuit board adjacent the housing so that the plurality of light-emitting diodes protrude through the plurality of illumination surface holes in the illumination surface; and securing the attachment surface of the housing to the ballast cover.

- 30. The method of claim 29, further comprising illuminating the plurality of light-emitting diodes when a light bulb within the light fixture is not illuminated.
- 31. The method of claim 29, further comprising not illuminating the plurality of lightemitting diodes when a light bulb within the light fixture is illuminated.
- 32. The method of claim 29, further comprising:
 receiving an alarm signal from an alarm device; and
 in response to receiving the alarm signal, illuminating the plurality of light-emitting
 diodes.

LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING

REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

ABSTRACT OF THE DISCLOSURE

An energy-efficient lighting apparatus is disclosed. The lighting apparatus includes a ballast cover. The ballast cover includes a plurality of ballast cover holes. The lighting

apparatus also includes a circuit board comprising a plurality of light-emitting diodes. The

circuit board is positioned adjacent the ballast cover so that the plurality of light-emitting diodes

protrude through the plurality of ballast cover holes in the ballast cover. The lighting apparatus

may also include a battery for supplying power to the plurality of light-emitting diodes.

Docket No.: 3358.2.1

This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.








F16. 3



BEST AVAILABLE COPY



F16.6

Application or Docket Number

PATENT APPLICATION FEE DETERMINATION RECORD

Effective October 1, 2003

10733853

						·					<u> </u>	
CLAIMS AS FILED - PART I (Column 1) (Column 2)					SMALL ENTITY TYPE		OR	OTHER THAN R SMALL ENTITY				
TOTAL CLAIMS			32	31				RATE	FEE	7	RATE	FEE
FOR			NUMBER	FILED	NUMBER EXTRA			BASIC FEE		OR	BASIC FEE	
T	OTAL CHARGE	ABLE CLAIMS	32 min	nus 20= '	* 12			X\$ 9=	108	OR	X\$18=	
IN	DEPENDENT C	LAIMS	۲ minus 3 = * ۱		1			X43=	43	OR	X86=	
M	JLTIPLE DEPE	NDENT CLAIM P	RESENT				+145=		OR	+290=		
* 11	the difference	e in column 1 is	less than ze	ero, enter "	'0" in c	olumn 2	ı	TOTAL	536	OR	TOTAL	
	C	CLAIMS AS A	MENDED			(2) a)		SMALL		OR	OTHER SMALL E	
	T	(Column 1)	.,	(Columi		(Column 3)	ہم ا	SIMPE		On .	- 3111/1LL -	
AMENDMENT A	·	CLAIMS REMAINING AFTER AMENDMENT	.	HIGHES NUMBE PREVIOU PAID FO	ER JSLY	PRESENT EXTRA		RATE	ADDI- TIONAL FEE		RATE	ADDI- TIONAL FEE
NOW	Total	*	Minus	**		=		X\$ 9=		OŖ	X\$18=	
AME	Independent	*	Minus	***		=		X43=		OR	X86=	
<u> </u>	FIRST PHESE	NTATION OF MU	JLTIPLE DE	, ENDENT (CLAIM			+145=		OR	+290=	
		•					L	TOTAL		Į l	TOTAL ADDIT. FEE	j.
		(Column 1)		(Columr	n 2)	(Column 3)	,-	ODIT. FEE			AUUII. FEE.	
AMENDMENT B		CLAIMS REMAINING AFTER AMENDMENT		HIGHES NUMBE PREVIOU PAID FO	ST ER JSLY	PRESENT EXTRA		RATE	ADDI- TIONAL FEE	\ <u>-</u>	RATE	ADDI- TIONAL FEE
NOW	Total	*	Minus	**		=		X\$ 9=		OR	X\$18=	
AME	Independent	*	Minus	***		=		X43=		OR	X86=	
	HINST PHESE	NTATION OF MU	JETIPLE DEF	'ENDENT C	JLAIM		'	+145=		OR	+290=	
							· L	TOTAL DDIT. FEE			TOTAL ADDIT. FEE	
		(Column 1)		(Column	n 2)	(Column 3)	•			-		
C C		CLAIMS REMAINING AFTER		HIGHES NUMBE PREVIOU	ST ER	PRESENT EXTRA		RATE	ADDI- TIONAL		RATE	ADDI- TIONAL
ME		AMENDMENT		PAID FO	AC		-		FEE			FEE
AMENDMENT	Total		Minus	**		=		X\$ 9=		OR	X\$18=	
AM	Independent	* NTATION OF MU	Minus	***				X43=		OR	X86=	
	ringi FNESEI	NTATION OF INO	CHPLE DEF	ENDENT	ALA(IIVI			+145=		OR	+290=	
***!	the "Highest Num the "Highest Num	nn 1 is less than the nber Previously Pai nber Previously Pai ber Previously Paid	id For* IN THIS id For* IN THIS	S SPACE is le S SPACE is le	ess than ess than	i 20, enter "20.∜ i 3, enter "3."	71	TOTAL ODIT. FEE	·	OR A	TOTAL ADDIT. FEE	



CERTIFICATE OF MAILING

dereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Petition, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on December _____, 2003.

Thomas M. Hardner
Attorney for Applicants

PATENT Docket No. 3358.2.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Nielson et al. 10,7-33853)	
Serial No.:	not yet assigned)	Crown Aut
Filed:	December 11, 2003	•	Group Art Unit: not yet assigned
For:	LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS)))	usorgiiou

PETITION TO MAKE SPECIAL UNDER 37 C.F.R. § 1.102(c)

Mail Stop Petition Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

not yet assigned

Dear Sir:

Examiner:

Applicants hereby petition to make the above-identified patent application special under the provisions of 37 C.F.R. § 1.102(c) and MPEP 708.02.

The invention in the above-identified patent application materially contributes to the more efficient utilization and conservation of energy resources. The invention relates to an energy-efficient lighting apparatus that provides sufficient illumination to satisfy after-hours lighting requirements, emergency lighting requirements, and/or low light requirements.

Embodiments of the lighting apparatus disclosed in the above-identified patent application utilize light-emitting diodes (LEDs). The use of LEDs to satisfy after-hours lighting requirements, emergency lighting requirements, and/or low light requirements may result in significant power savings as compared to presently available technology. For example, fluorescent lights are presently used to provide some or all of the aforementioned lighting. However, LEDs consume significantly less power than fluorescent lights. For example, the power consumption of an average fluorescent light bulb is 77-96 watts. In contrast, the power consumption of 80 LEDs is only approximately 8 watts. Accordingly, the LEDs in the disclosed lighting apparatus may be powered by a relatively small and inexpensive battery.

Some embodiments of the lighting apparatus disclosed in the above-identified application may easily and inexpensively be attached to existing light fixtures. Thus, existing light fixtures may be retrofit with the disclosed lighting apparatus in order to achieve the energy savings described above without incurring significant expense.

In view of the foregoing, Applicants submit that the requirements set forth in 37 C.F.R. § 1.102(c) and MPEP 708.02 have been satisfied. Applicants respectfully request that this application be granted special status for the purpose of accelerating examination.

Respectfully submitted,

homas M. Hardman

Thomas M. Hardman Reg. No. 51,777

Attorney for Applicant

Date: December 11, 2003

MADSON & METCALF Gateway Tower West 15 West South Temple, Suite 900 Salt Lake City, Utah 84101 Telephone: 801/537-1700 MAR 2 5 2004 8

CERTIFICATE OF MAILING

Phereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on March _22_, 2004.

Attorney for Applicant(s)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/733,853

Applicant

Lyman O. Nielson et al.

Title

LOW-VOLTAGE LIGHTING APPARATUS FOR

SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING

REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

Filed

•

December 11, 2003

(not yet assigned)

TC/A.U.

(not yet assigned)

Examiner

:

Docket No.

3358.2.1

Customer No.

21552

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

TRANSMITTAL OF INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Transmitted herewith is an Information Disclosure Statement disclosing information which has come to the attention of applicants and/or their attorneys and is being submitted so as to comply with the duty of disclosure set forth in 37 C.F.R. § 1.56. In accordance with 37 C.F.R. § 1.97(b), the enclosed Statement is being filed within three (3) months of the filing date of the above-identified application or before the mailing date of a first Action on the merits.

Neither applicants nor their attorneys make any representation that any information disclosed herein may be "prior art" within the meaning of that term under 35 U.S.C. § 102 or § 103. Moreover, pursuant to 37 C.F.R. § 1.97, the filing of this Information Disclosure Statement

shall not be construed as a representation that a search has been made or as an admission that the

information cited herein is, or is considered to be, material to patentability as defined in 37

C.F.R. § 1.56(b).

Accordingly, we are not enclosing copies of the references.

In accordance with 37 C.F.R. § 1.98, transmitted herewith are:

1. A completed copy of Forms PTO/SB/08a and PTO/SB08b "Information

Disclosure Statement by Applicant" listing the patents, publications and other information being

submitted for consideration; and

2. A legible copy of each patent, publication and other item of information in written

form listed on the enclosed Forms PTO/SB/08a and PTO/SB/08b (for applications filed after

June 30, 2003), except for copies of U.S. patents and published U.S. patent applications which

are not required for applications filed after June 30, 2003.

As this application was filed after June 30, 2003, copies of the U.S. patents and published

U.S. patent applications listed on the enclosed Form PTO/SB/08a are not required and, therefore,

not included herewith.

Respectfully submitted,

Craig J. Madson

Reg. No. 29,407

Attorney for Applicant(s)

Date: March 22, 2004

MADSON & METCALF
Gateway Tower West

15 West South Temple, Suite 900

Salt Lake City, Utah 84101

Telephone: 801/537-1700

MAR 2 5 2004 8

PTO/SB/08a (08-03)
Approved for use through 06/30/2006. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid QMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet

Of

Complete if Known					
Application Number	10/733,853				
Filing Date	December 11, 2003				
First Named Inventor	Lyman O. Nielson				
Group Art Unit					
Examiner Name					
Attorney Docket Number	3358.2.1				
		_			

	U.S. PATENT DOCUMENTS						
Examiner Initials *	Cite No.1	Document Number Number - Kind Code ^{2 (f known)}	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant		
	U1	US-4,255,746	Mar. 10, 1981	Johnson et al.	Figures Appear		
	U2	US-4,419,658	Dec. 6, 1983	Jarosz et al.			
	U3	US-4,454,452	Jun. 12, 1984	Feldstein			
	U4	US-4,617,561	Oct. 14, 1986	Brown			
	U5	US-D290,406	Jun. 16, 1987	Brown			
~ ~~~~~~~	U6	US-4,945,280	Jul. 31, 1990	Beghelli			
	U7	US-4,977,351	Dec. 11, 1990	Bavaro et al.	-		
	U8	US-5,130,909	Jul. 14, 1992	Gross			
	U9	US-5,146,209	Sep. 8, 1992	Beghelli	1.1.1		
	U10	US-5,145,247	Sep. 8, 1992	Mandy			
	U11	US-5,365,145	Nov. 15, 1994	Fields			
	U12	US-5,416,384	May 16, 1995	Bavaro			
	U13	US-5,587,705	Dec. 24, 1996	Morris			
	U14	US-5,731,759	Mar. 24, 1998	Finucan			
	U15	US-5,739,639	Apr. 14, 1998	Johnson			
	U16	US-5,786,767	Jul. 28, 1998	Severino			
	U17	US-5,936,532	Aug. 10, 1999	Peralta			
•	U18	US-6,133,839	Oct. 17, 2000	Ellul, Jr. et al.			
	U19	US-6,249,221	Jun. 19, 2001	Reed			
	U20	US-6,384,724	May 7, 2002	Landais			
	U21	US-6,420,973	Jul. 16, 2002	Acevedo			
	U22	US-6,609,804	Aug. 26, 2003	Nolan et al.			
	U23	US-6,624,750	Sep. 23, 2003	Marman et al.			

Signature Date Considered	Examiner Signature	Date Considered
---------------------------	-----------------------	--------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/08b (08-03)
Approved for use through 06/30/2006. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet	1	Of	1

Complete if Known					
Application Number	10/733,853				
Filing Date	December 11, 2003				
First Named Inventor	Lyman O. Nielson				
Group Art Unit					
Examiner Name					
Attorney Docket Number	3358.2.1				

	NON PATENT LITERATURE DOCUMENTS				
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²		
	01	ARPAD A. BERGH, "A View on The Future of Solid State Lighting"			
	O2	"Egress Aisles – Exit Signs – Egress Lighting Requirements"			
	О3	"Down Light / Night Light Strip"			
	04	"Super Energy Efficient Solid-State Egress/Night Lighting"			
	O5 -	"GTD Generator Transfer Device For Generator-Supplied Lighting"			
	O6	"LED Light Strip Illuminator Module"			
	07	STEVE JOHNSON, "The Solid State Lighting Initiative: An Industry/DOE Collaborative Effort," Architectural Lighting, Nov./Dec. 2000, pp. 1-5			
	08	"Surviv Lite Emergency Egress Lighting"			
	O9	MARK KENDALL and MICHAEL SCHOLAND, "Energy Savings Potential of Solid State Lighting in General Lighting Applications," April 2001			
-	O10	"The LED Advantage"			
	011	"Homeowners Insurance – Rising Cost of Homeowners Insurance"			
•	012	"School, college, and university dormitory, fraternity, and sorority house fires"			
	O13	"Light Emitting Diodes for Lighting Applications"			
	014	"Super Energy Efficient Solid-State Egress/Night Lighting"			
	O15	"Kidde Ionization Smoke Alarm w/ Exit Light"			
	016	"3 in 1 LED Emergency Light"			
	017	"PowerFailure Night Light," User's Manual			
	O18	"Gas and Smoke Detector - ESM-768 Semiconductor / Ionisation Technology"			
•	O19	"SA358: Smoke Alarm with Emergency Light"			
	O20	"Sage Lighting Ltd. LED Lighting Products"			

Examiner Signature	Date Considered	

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional) . ² Applicant is to place a check mark here if English language Translation is attached.



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P.O. BOX 1450 Alexandria, Virginia 22313-1450

APPLICATION NUMBER FILING OR 371 (c) DATE FIRST NAMED APPLICANT ATTORNEY DOCKET NUMBER

 3358.2.1

21552 MADSON & METCALF GATEWAY TOWER WEST SUITE 900 15 WEST SOUTH TEMPLE SALT LAKE CITY, UT 84101 CONFIRMATION NO. 9007
FORMALITIES LETTER
OC000000012704995

Date Mailed: 05/18/2004

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

FILED UNDER 37 CFR 1.53(b)

Filing Date Granted

Items Required To Avoid Abandonment:

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given **TWO MONTHS** from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The statutory basic filing fee is missing.
 Applicant must submit \$ 385 to complete the basic filing fee for a small entity.
- The oath or declaration is missing.
 A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(e) of \$65 for a small entity in compliance with 37 CFR 1.27, must be submitted with the missing items identified in this letter.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 4.

The applicant needs to satisfy supplemental fees problems indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

• Additional claim fees of \$151 as a small entity, including any required multiple dependent claim fee, are required. Applicant must submit the additional claim fees or cancel the additional claims for which fees are due.

SUMMARY OF FEES DUE:

Total additional fee(s) required for this application is \$601 for a Small Entity

- \$385 Statutory basic filing fee.
- \$65 Late oath or declaration Surcharge.
- Total additional claim fee(s) for this application is \$151
 - \$43 for 1 independent claims over 3.
 - \$108 for 12 total claims over 20.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Pattent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/733,853

12/11/2003

Lyman O. Nielson

3358.2.1

CONFIRMATION NO. 9007

FORMALITIES LETTER

OC000000012704995

21552 MADSON & METCA GATEWAY TOWER SUITE 900 15 WEST SOUTH TE SALT LAKE CITY, UT 8

Date Mailed: 05/18/2004

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

08/24/2004 DTESSEM1 00000034 10733853

01 FC:2001 385.00 OP 02 FC:2202 108.00 DP 03 FC:2201 43.00 DP 65.00 DP 04 FC:2051

FILED UNDER 37 CFR 1.53(b)

Filing Date Granted

Items Required To Avoid Abandonment:

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given TWO MONTHS from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The statutory basic filing fee is missing. Applicant must submit \$ 385 to complete the basic filing fee for a small entity.
- The oath or declaration is missing. A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(e) of \$65 for a small entity in compliance with 37 CFR 1.27, must be submitted with the missing items identified in this letter.


The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 4.

The applicant needs to satisfy supplemental fees problems indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:



SUMMARY OF FEES DUE:

Total additional fee(s) required for this application is \$601 for a Small Entity

- \$385 Statutory basic filing fee.
- \$65 Late oath or declaration Surcharge.
- Total additional claim fee(s) for this application is \$151
 - \$43 for 1 independent claims over 3.
 - **\$108** for **12** total claims over 20.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

Upper the Paperwork Reduction Act of 1995, no persons are required to respond

FEE TRANSMITTAL for FY 2004

ective 10/01/2003. Patent fees are subject to annual revision.

Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT

(\$)	656.00
------	--------

Complete if Known					
Application Number	10/733,853				
Filing Date	December 11, 2003				
First Named Inventor	Lyman O. Nielson				
Examiner Name					
Group / Art Unit	2875				
Attorney Docket No.	3358.2.1				

METHOD OF PAYMENT (check all that apply)				FEE CALCULATION (continued)					
				3. AD	DITIONA	L FEES			
☐ Check ☐ Credit card ☐ Money ☐ Other ☐ None Order ☐ Deposit Account:				Large	Entity	Small E	ntity		
Deposit					Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
Account	13-0763			1051	130	2051	65	Surcharge - late filing fee or oath	65 .
Number				1052	50	2052	25	Surcharge - late provisional filing fee or cover sheet.	
Deposit				1053	130	1053	130	Non-English specification	
Account	Madson & Met	tcalf		1812	2,520	1812	2,520	For filing a request for reexamination	
Name The Commissioner is authorized to: (check all that apply)					920*	1804	920*	Requesting publication of SIR prior to Examiner action	
Charge fee(s) in Charge any add	ndicated below 🛛 (ditional fee(s) during	Credit any overp the pendency o	ayments f this application	1805	1,840*	1805	1,840*	Requesting publication of SIR after Examiner action	
	ndicated below, exce		j fee	1251	110	2251	55	Extension for reply within first month	55
to the above-id	entified deposit acco			1252	420	2252	210	Extension for reply within second month	
1. BASIC FILI	ING EEE			1253	950	2253	475	Extension for reply within third month	
Large Entity S	Small Entity	> -		1254	1,480	2254	740	Extension for reply within fourth month	
	ee Fee <u>Fee D</u> ode (\$)	<u>Description</u>	Fee Paid	1255	2,010	2255	1,005	Extension for reply within fifth month	
		filing fee	385.00	1401	330	2401	165	Notice of Appeal	
1	•	n filing fee		1402	330	2402	165	Filing a brief in support of an appeal	
1003 530 2	-	filing fee		1403	290	2403	145	Request for oral hearing	
1 1	004 385 Reiss	sue filing fee		1451	1,510	1451	1,510	Petition to institute a public use proceeding	
1005 160 2	005 80 Provis	sional filling fee		1452	110	2452	55	Petition to revive - unavoidable	
	SUBTOTAL (1)		\$ 385.00	1453	1,330	2453	665	Petition to revive - unintentional	
				1501	1,330	2501	665	Utility issue fee (or reissue)	
2. EXTRA CLAIM				1502	480	2502	240	Design issue fee	
	Extra Clair		m Fee Paid	1503	640	2503	320	Plant issue fee	
Total Claims 32			= 108	1460	130	1460	130	Petitions to the Commissioner	
Independent				1807	50	1807	50	Processing fee under 37 CFR 1.17 (q)	
Claims 4	- 3** = 1	X 43	= 43	1806	180	1806	180	Submission of Information Disclosure Stmt	
Multiple Dependent Large Entity	Small Entity	X 145	= 0	8021	40	8021	40	Recording each patent assignment per property (times number of properties)	
Fee Fee Code (\$)	Foo Foo	ee Description		1809	770	2809	385	Filing a submission after final rejection (37 CFR § 1.129(a))	
1202 18		Claims in excess of	of 20	1810	770	2810	385	For each additional invention to be	
1201 86	2201 43 lr	ndependent claim	is in excess of 3		1			examined (37 CFR § 1.129(b))	
1203 290	2203 145 M	Aultiple depender	t claim, if not paid	1801	770	2801	385	Request for Continued Examination (RCE)	
1204 86		* Reissue indepe original patent	ndent claims over	1802	900	1802		Request for expedited examination	
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent								of a design application	
		TAL (2)	\$ 151.00	Other fe	e (speci	fy)			
**or number previously paid, if greater; For Reissues, see above				*Reduc	ed by Ba	asic Filing	Fee Pa	id SUBTOTAL (3) \$ 12	20.00
, , , , , , , , , , , , , , , , , , , ,									

SUBMITTED BY				Cor	nplete (if applicable)
Name (Print/Type)	Craig J. Madson	Registration No. Attorney/Agent)	29,407	Telephone	801-537-1700
Signature	/way	Aladson		Date	August 18, 2004

WARIUMS: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. 1450, Alexandria, VA 22313-1450.

CERTIFICATE OF MAILING

rreby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/733,853

Applicant

Title

Lyman O. Nielson et al.

LOW-VOLTAGE LIGHTING APPARATUS FOR

SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING

REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

Filed

December 11, 2003

TC/A.U.

Examiner

2875

(not yet assigned)

Docket No.

3358.2.1

Customer No.

21552

Mail Stop Missing Parts Commissioner for Patent P.O. Box 1450 Alexandria, VA 22313-1450

RESPONSE TO NOTICE TO FILE MISSING PARTS OF **APPLICATION--FILING DATE GRANTED**

Dear Sir:

In response to the Notice to File Missing Parts of Nonprovisional Application mailed May 18, 2004, enclosed please find the following items for filing in the United States Patent and Trademark Office in connection with the above-identified patent application:

- (1) Declaration, and Petition;
- (2) Power of Attorney by Assignee
- (3) Letter to Official Draftsperson;



5 Sheets of Drawings

Fee Transmittal Form;

- Petition for Extension of Time, 1 month;
- (7) Credit Card Payment Form in the amount of \$601.00 to cover the utility application filing fee; the surcharge fee pursuant to 37 C.F.R. § 1.16(e);
- (8) Credit Card Payment Form in the amount of \$55.00 for 1 Month Extension

 Petition Fee; and
- (9) a copy of the Notice to File Missing Parts of Application Filing Date Granted.

Please debit any additional fees, or credit any over payment, to Deposit Account No. 13-0763. A duplicate copy of this sheet is enclosed.

Please address all future correspondence in connection with this application to the attention of the undersigned.

Respectfully submitted,

Craig J. Madsøn

Reg. No. 29.407

Attorney for Applicant(s)

Date: August 18, 2004

MADSON & METCALF Gateway Tower West 15 West South Temple, Suite 900 Salt Lake City, Utah 84101 Telephone: 801/537-1700

CERTIFICATE OF MAILING

by certify that this correspondence is being deposited with the United States Postal Service as first class mail

oplicant(s

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

:

10/733,853

Applicant

Lyman O. Nielson et al.

Title

LOW-VOLTAGE LIGHTING APPARATUS FOR

SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING

REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

Filed

December 11, 2003

TC/A.U.

2875

Examiner

(not yet assigned)

Docket No.

3358.2.1

Customer No.

21552

Mail Stop Missing Parts Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

LETTER TO OFFICIAL DRAFTSPERSON

Dear Sir:

In response to the Notice to File Missing Parts dated May 18, 2004, issued in connection with the above-referenced case, Applicant submits herewith substitute Figures 1-6 (5 sheets) making the changes required by the draftsperson.

Respectfully submitted,

Reg. No. 29.

Attorney for Applicant(s)

Date: August 18, 2004 MADSON & METCALF Gateway Tower West 15 West South Temple, Suite 900 Salt Lake City, Utah 84101 Telephone: 801/537-1700

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PETITION FOR EXTENSION OF	TIME UNDER 37 C	FR 1.136(a)	Docket Number (Optional) 3358.2.1		
OF 45	In re Application of Lyman O. Nielson				
(Land	Application Number	10/733,853	Filed December 11, 2003		
Mile 5 3 July RAP	HOURS LIGHTING	REQUIREMENTS	PARATUS FOR SATISFYING AFTER S, EMERGENCY LIGHTING RECLUREMENTS		
This is a request under the provision	Group Art Unit 2875	Examiner			
Time to a request strast and provide	-	a) to extend the pe	eriod for filing a		
response in the above identified ap		h. faa am aa falla.			
The requested extension and appro- (check time period desired):	ppnate non-small-enti	ty lee are as follo	ws		
	1.17(a)(1))		\$ <u>110.00</u>		
☐ Two months (37 CFf)	R 1.17(a)(2))		\$ <u>420.00</u>		
☐ Three months (37 C	FR 1.17(a)(3))		\$ <u>950.00</u>		
Four months (37 CF	R 1.17(a)(4))		\$ <u>1480.00</u>		
Five months (37 CF	R 1.17(a)(5))		\$ <u>2010.00</u>		
Applicant claims small entity			, the fee amount shown		
above is reduced by one-ha	-	ée is: \$ <u>55.00</u> .			
Payment by credit card. Fo		ched.			
☐ The Commissioner has alre			this		
application to a Deposit Acc	count.				
The Commissioner is hereb	y authorized to charg	e any underpaym	ent of the above fees,		
or credit any overpayment,	•	Number <u>13-0763</u> .			
I have enclosed a duplicate I am the applicant/inventor.	e copy of this sheet.				
□ assignee of record of th	a antire interest. Sec	37 CED 3 71			
Statement under 37 C			R/96)		
attorney or agent of rec			TESSEN1 00000034 10733853		
attorney or agent under		05 FC:2251	55.00 OP		
	ting under 37 CFR 1.34(a).	•	33. W UP		
	•				
WARNING: Information on this f included on this form. Provide of	orm may become pi credit card informati	ublic. Credit car on and authoriz	d information should not be ation on PTO-2038.		
August 18, 2004			they Hadson		
Date			Signature		
(801) 537-1700		Cı	aig J Madson		
Telephone Number		Турес	or printed name		
NOTE: Signatures of all the inventors or assignee	s of record of the entire inte	rest or their represent	alive(s) are required. Submit multiple forms if		
more than one signature is required, see below*. *Total of 1 forms are submitted.	_ _		-		

This collection of information is required by 37 CFR 1.136(a). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 6 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PATENT APPLICATION

Docket No.: 3358.2.1

DECLARATION AND PETITION

We, Lyman O. Nielson and Norman B. Hess, whose residences, post office addresses, and citizenships are as stated below next to our names; verily believe we are the original, first, and joint inventors of the subject matter of the invention or discovery entitled LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS, the specification of which was filed on December 11, 2003 as United States Application Number 10/733,853; that we have reviewed and understand the contents of the above-identified specification, including the claims; and that we acknowledge the duty to disclose all information known to us to be material to patentability as defined in Section 1.56 of Title 37 of the Code of Federal Regulations.

We declare further that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful, false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful, false statements may jeopardize the validity of the application or any patent issuing thereon.

Wherefore, we pray that Letters Patent be granted to us for the invention or discovery described and claimed in the foregoing specification and claims, declaration and this petition.

this 30 H day of Signed at Bou (State)

THI Q TU

Notary Public State of Utah ommission Expires April 7, 2007 West 500 North, Salt Lake City, UT 84116

Inventor

Zyman O. Nielson 1241 East 960 South

Fruit Heights, Utah 84037 Nationality: United States

Signed at Fruit Heights July (City), 2004	
Notary Public JEFFREY DESPAIN 180 SOUTH STATE Classifield, UT, 84018 Bly Commission Expires JANUARY 28, 2007 State of Utah	Norman B. Hess 1073 East Pheasant View Drive Fruit Heights, Utah 84037 Nationality: United States
exp.ns 1/26/07	All Del UEIS FAMO 7/26/04

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE pplication of: PATENT APPLICATION Inventors: Nielson et al. Serial No.: 10/733,853 Attorney Docket No. Filed: December 11, 2003 3358.2.1 For: LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

POWER OF ATTORNEY BY ASSIGNEE

SAFEexits, Inc., a corporation of the State of Utah, Assignee of the entire right, title and interest in and to the above-identified patent application, hereby appoints those individuals associated with U.S. Patent and Trademark Office Customer No. 21552, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. All correspondence and telephonic communications should be directed to Craig J. Madson at the address associated with Customer No. 21552.

Pursuant to 37 C.F.R. §3.73(b) the undersigned submits herewith a copy of an assignment document from the inventors to Assignee. The assignment document has previously been submitted to the Patent and Trademark Office for recordation. The assignment has been reviewed and, to the best of the undersigned's knowledge and belief,

title is in the Assignee. The undersigned, whose title is supplied below, is empowered to sign this Power of Attorney on behalf of the Assignee.

Assignee:

SAFEexits, Inc.

By:

Norman B. Hess

Title:

President

Date:

e: 26 July 04

Metary Public

JEFFREY DESPAIN

180 SOUTH STATE

Gherfield, UT, 84015

My Commission Expires

JANUARY 26, 2007


State of Utah


expires 1/26/07

Jeffy DAL Wells Fargo

7/26/04












Fig. 3





Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	45	US-4255746-\$.DID. OR US-4419658-\$.DID. OR US-4454452-\$.DID. OR US-4617561-\$.DID. OR US-D290406-\$.DID. OR US-4945280-\$.DID. OR US-4977351-\$.DID. OR US-5130909-\$.DID. OR US-5146209-\$.DID. OR US-5145247-\$.DID. OR US-5365145-\$.DID. OR US-5365145-\$.DID. OR US-5731759-\$.DID. OR US-5739639-\$.DID. OR US-5739639-\$.DID. OR US-5739639-\$.DID. OR US-5736532-\$.DID. OR US-6133839-\$.DID. OR US-6133839-\$.DID. OR US-6249221-\$.DID. OR US-6384724-\$.DID. OR US-6420973-\$.DID. OR US-6609804-\$.DID. OR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:17
S2	421	ballast and circuit adj board and (light adj emitting adj diode\$2 or led\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 11:32
S3	332	ballast and circuit adj board and (light adj emitting adj diode\$2 or led\$2) and @ad<"20021211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 11:49
S4	143	ballast and circuit adj board and (light adj emitting adj diode\$2 or led\$2) and cover and @ad<"20021211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 11:49
S5	24	("20020060526" "2713629" "3714414" "3755663" "4152618" "4521835" "4581687" "4665470" "4748545" "4901207" "4941072" "4943900" "5032960" "5515253" "5688042" "5810463" "6068383" "6139174" "6283612" "6331915" "6388393" "6583550" "6682205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:27

S6	6	("6158882" "6283612" "6354714" "6394623" "6478449" "6565251").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:28
S7	221	(light adj emitting adj diode\$2) and ballast and circuit adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 13:31
S8 .	166	(light adj emitting adj diode\$2) and ballast and circuit adj board and @ad<"20021211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 13:31
S9	0	nielson-lyman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 13:32
S10	0	hess-norman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 13:31
S11	22	hess.in. and "362".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 13:32
S12	6	nielson.in. and "362".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/05 13:32
S13	33	("2476517" "2715197" "2946903" "3032688" "3422309" "3500455" "3659179" "3935505" "4349863" "4727291" "4733335" "4985661" "5655830" "5734229" "5752766" "5848837" "6016038" "6149283" "6163038" "6203180" "6218785" "6220722" "6227679" "6250774" "6268801" "6367949" "6431728").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:38
S14	5	("4673844" "5023521" "5111115" "5854542" "6043615").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:40

	r 			Γ		
S15	30	362/20.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:51
S16	165	362/249.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:51
S17	3	362/249.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board and ballast	US-PGPUB; USPAT; USOCR	OR	OFF -	2005/04/05 13:52
S18	7	362/183.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board and ballast	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:52
S19	8	362/276.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board and ballast	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:54
S20	1	362/394.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board and ballast	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:54
S21	1	362/147-148.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board and ballast	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:54
S22	2	362/559.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2) and circuit adj board and ballast	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:54

					Т		<u>.</u>	
S23	117		"3863075"		US-PGPUB;	OR	OFF	2005/04/05 13:56
i		"3889147"	"4149111"		USPAT;			
		"4189720"	"4243985"		USOCR			
		"4283657"	"4298806"					
		"4301461"	"4319306" İ					
		,	"4390931"					·
			" 44 22069"					
			"4489308"					
			"4531114"					
			"4612535"					
	1	,	"4617555"					
		,	"4630183"	·				·
,			"4649376"					·
		"4654629"	" 4 703219"					
		"4716296"	"4720835"					
	ļ ·,	"4763115"	"4799135"					
1		"4801928" I	"4918497"					
		"4929866" i	•					
		"4954822"	•					
		"4966862"	•					
		"5027168"						
		"5050055"	•					
			"5097612"					
		"5101326"						
			"5177461"					
			"5220235"	ľ	1	:		
			"5235498"					
			"5313187"					
		•	"5357123"					
			"5359255"					
		"5362971"	"5 4 03916"					·
		"5406095"	"5419065"					
		"5420444"	"5475241"					
	,	"5482896" ["5491350"		•			•
		"5498883"	"5514627" İ	1				
		•	"5519720"	ļ			1	
		"5526237"	•					
		"5567036"	•					
		1	"5580156" [
			"5593223"					
		"5612231"	•					
			•					,
			"5631474"					
		"5632551"	•					
		"5636916"	•					
		"5661742"	•					
	1	"5694112"	•					
		"57050 4 7"	•					
		"5739552" 						
		"5758947"	•					
	1	"5785418"	"5789768"	•				·
	1	"5793062"	"5804822" İ					
			"5838024"					
1		"5838247"						
		"5929788"	•					
		"5975714"						
		"6018899"	•					
		"6005661"	00200 94 ."6102696" 					
Search I	listory 4/18	"6095661" /05 6:43:49 PI ttings19911 M	1,6 Page 40" 1					
C:\Docu	ments and Sel	ttin igstig äääädd	'"6177678" y.Documents\E :PN:	AST\Worksp	aces\10733853	.wsp		
	L	D324351_)	.FIN.					

.

. -

S24	1380	ballast same cover same (hole\$2 or aperture\$2 or opening\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:56
S25	10	ballast same cover same (hole\$2 or aperture\$2 or opening\$2) and light adj emitting adj diode\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:57
S26	2	("6167648").URPN.	USPAT	OR	OFF	2005/04/05 13:58
S27	11	("1761120" "2519302" "3309806" "3783542" "5459955" "5697175" "5722760" "6042248").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:58
\$28	2	("6167648").URPN.	USPAT	OR	OFF	2005/04/05 13:59
S29	14	("1875956" "3535506" "4177500" "4357648" "4432043" "4590543" "4611264" "4631649" "4682078" "4782432" "4977489" "5467258").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 13:59
S30	1	("RE36696").URPN.	USPAT	OR	OFF	2005/04/05 14:00
S31	54	("0844087" "0859199" "2915844" "3309806" "3324290" "3560729" "3864861" "4139957" "4211955" "4234914" "4254453" "4259800" "4271408" "4298869" "4345530" "4383382" "4425604" "4435743" "4443835" "4630183" "4682147" "4720709" "4724629" "4727289" "4768300" "4782429" "4849864" "4884178" "4929866" "4951406" "4965457" "4967317"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 14:00
		"5012157" "5014167" "5018290" "5020252" "5036248" "5105568" "5136483" "5160201" "5186537" "5253151" "5268828" "5276591" "5299109" "5303124" "5365411" "5416679" "5448843").PN.				
S32	19	("5526236").URPN.	USPAT	OR	OFF	2005/04/05 14:02

					1	
S33	49	("0844087" "0859199" "2915844" "3309806" "3324290" "3560729" "3864861" "4139957" "4211955" "4234914" "4254453" "4259800" "4271408" "4298869" "4345308" "4383382" "4435743" "4443835" "4630183" "4682147" "4720709" "4724629" "4727289" "4768300" "4782429" "4849864" "4884178" "4929866" "4951406" "4965457" "4967317" "4991063" "5012157" "5018290" "5020252" "5036248" "5105568" "5136483" "5160201" "5268828" "5276591" "5299109" "5303124" "5410453").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 14:03
S34	10	("0739845" "0849574" "4953067" "4965457" "5018290" "5160201" "5268828" "5303124").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 14:05
S35	25	("5416679").URPN.	USPAT	OR	OFF	2005/04/05 14:05
S36	19	("20020191386" "2089226" "2597680" "3604916" "4092528" "4386391" "4654629" "4814667" "4943900" "5057985" "5103382" "5416679" "5642934" "5934798" "6158882" "6347880" "6582103").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 14:06
S37	. 52	("4254453").URPN.	USPAT	OR	OFF	2005/04/05 14:08
S38	221	fluorescent and (light adj emitting diode\$2) and ballast and circuit adj board	USPAT	OR .	OFF -	2005/04/05 14:08
S39	3	"2001184933"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:18
S40	1276	ballast and light adj emitting adj diode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:25

S42	82	ballast and light adj emitting adj diode\$2 and @ad<"20021211" and "362".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:25
S43	166	ballast and light adj emitting adj diode\$2 and @ad<"20021211" and circuit adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:25
S44	148	ballast same light adj emitting adj diode\$2 and @ad<"20021211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:26
S45	1071	ballast and light adj emitting adj diode\$2 and @ad<"20021211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 12:49
S46	308	ballast and light adj emitting adj diode\$2 and @ad<"20021211" and ("313".clas. or "315".clas. or "362".clas. or "259".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 12:50
S47	319	ballast and light adj emitting adj diode\$2 and @ad<"20021211" and ("313".clas. or "315".clas. or "362".clas. or "257".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 12:50
S48	30	("3156841" "3772559" "4229780" "4271621" "4554619" "4650265" "4924368" "4991070" "5020252" "5063486" "5105568" "5291379" "5349508" "5388357" "5394314" "5410454" "5459955" "5469347" "5485145" "5510965" "5539623" "5585694" "5588738" "5608288" "5649759" "5742497" "5814938" "5847550" "6135620").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 13:01
S49	255	362/227-229.ccls. and @ad<"20021211"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 13:02
S50	92	362/227-229.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 14:07

S51	60	262/20 cdc and	US-PGPUB;	OR	OFF	2005/04/19 14:09
221	60	362/20.ccls. and @ad<"20021211" and (light adj emitting adj diode\$2 or led\$2)	USPAT; USOCR	OR	OFF	2005/04/18 14:08
S52	4	US-5548494-\$.DID. OR US-6158868-\$.DID. OR US-5573328-\$.DID. OR US-5043855-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 14:10
S53	2	US-6045232-\$.DID. OR US-6158868-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 14:10
S54	11	("2863038" "3739226" "4177500" "4461974" "4514789" "4631649" "4977351" "5132596" "5336977" "5473517").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 14:13
S55	6	("6000807").URPN.	USPAT	OR	OFF	2005/04/18 14:13
S56	47	(US-20040100787-\$).did. or (US-4216410-\$ or US-4254453-\$ or US-4255746-\$ or US-4419658-\$ or US-4454452-\$ or US-4617561-\$ or US-4945280-\$ or US-4977351-\$ or US-5130909-\$ or US-5145247-\$ or US-5146209-\$ or US-5365145-\$ or US-5410453-\$ or US-5416384-\$ or US-5416679-\$ or US-5459955-\$ or US-5526236-\$ or US-5731759-\$ or US-5587705-\$ or US-5731759-\$ or US-5739639-\$ or US-5731759-\$ or US-6167648-\$ or US-6249221-\$).did. or (US-6367949-\$ or US-6384724-\$ or US-6420973-\$ or US-6570346-\$ or US-6609804-\$ or US-6624750-\$ or US-6682205-\$ or US-6726348-\$ or US-6762562-\$ or US-6860628-\$ or US-7290406-\$ or US-833350-\$ or US-6106126-\$ or US-6000807-\$ or US-5574423-\$).did. or (EP-1215735-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2005/04/18 14:20
S57	36	S56 and switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:23
S58	34	S56 and switch\$4 and batter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:25

				T		
S59	21	S56 and switch\$4 and batter\$4 and light adj emitting adj diode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:25
S60	12	362/800.ccls. and 362/260.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:26
S62	215	(362/240.ccls. or 362/545.ccls.) and (light adj emitting adj diode\$2) and @ad<"20021211" and circuit adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:28
S63	48	(US-20040100787-\$).did. or (US-4216410-\$ or US-4254453-\$ or US-4255746-\$ or US-4419658-\$ or US-4454452-\$ or US-4617561-\$ or US-4945280-\$ or US-4977351-\$ or US-5130909-\$ or US-5145247-\$ or US-5146209-\$ or US-5365145-\$ or US-5410453-\$ or US-5416384-\$ or US-5416679-\$ or US-5459955-\$ or US-5526236-\$ or US-5731759-\$ or US-5587705-\$ or US-5731759-\$ or US-5739639-\$ or US-5731759-\$ or US-6167648-\$ or US-6249221-\$).did. or (US-6367949-\$ or US-6384724-\$ or US-6420973-\$ or US-6570346-\$ or US-6682205-\$ or US-6726348-\$ or US-6762562-\$ or US-6860628-\$ or US-D290406-\$ or US-RE36696-\$ or US-5276591-\$ or US-5594433-\$ or US-6367179-\$ or US-5833350-\$ or US-5574423-\$ or US-4206493-\$).did. or (EP-1215735-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2005/04/18 14:32
S64	11	S63 and switch\$4 and batter\$4 and light adj emitting adj diode\$2 and circuit adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:35
S65	10	S63 and switch\$4 and batter\$4 and light adj emitting adj diode\$2 and circuit adj board and wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:36

666		000 - 1 - 2 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4	110 000110		055	2005/04/50 55
S66	0	S63 and switch\$4 and batter\$4 and light adj emitting adj diode\$2 and circuit adj board and wall and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 14:36
S67	10	S63 and switch\$4 and batter\$4 and light adj emitting adj diode\$2 and circuit adj board and wall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 16:18
S68	13	S63 and switch\$4 and (noise or sound or alarm or audible) and (test or indicator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 16:23
S69	3	S63 and switch\$4 and (noise or sound or alarm or audible) and (test or indicator) adj light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 16:25
S71	3	S63 and switch\$4 and (noise or sound or alarm or audible) and (test or indicator) adj light and batter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 16:29
S72	1	S63 and switch\$4 and (test or indicator) adj light same batter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/18 16:29
S73	14	("1875956" "3535506" "4177500" "4357648" "4432043" "4590543" "4611264" "4631649" "4682078" "4782432" "4977489" "5467258").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 17:12
S74	4	"362".clas. and wire with circuit adj board with battery with connector	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 17:22
S75	19	"362".clas. and adhesive adj (strip or tape) same protect\$4 adj (cover or film or layer)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/18 17:23



UNITED STATES PATENT AND TRADEMARK OFFICE

lh

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/733,853	12/11/2003	Lyman O. Nielson	3358.2.1	9007		
21552 7:	590 04/27/2005		EXAMINER			
MADSON & GATEWAY TO			HAN, JASON			
SUITE 900	OWER WEST		ART UNIT	PAPER NUMBER		
15 WEST SOU			2875			
SALT LAKE (CITY, UT 84101		DATE MAILED: 04/27/2005	5		

Please find below and/or attached an Office communication concerning this application or proceeding.

	,	
	Application No.	Applicant(s)
	10/733,853	NIELSON ET AL.
Office Action Summary	Examiner	Art Unit
	Jason M. Han	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).		
Status		
1) Responsive to communication(s) filed on 11 December 2003.		
	action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.		
Disposition of Claims		
4) ☐ Claim(s) 1-32 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-32 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement.		
Application Papers		
9) ☐ The specification is objected to by the Examiner. 10) ☑ The drawing(s) filed on 11 December 2003 is/are: a) ☑ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.		
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 		
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)
 Notice of References Cited (PTO-692) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 3/25/2004 	Paper No(s)/Mail Da	ate eatent Application (PTO-152)

DETAILED ACTION

The following claims have been rejected in light of the specification, but rendered the broadest interpretation as construed by the examiner [MPEP 2111].

Claim Objections

1. Claim 11 is objected to because of the following informalities: Claim dependency is incorrect and should be depended upon Claim 10. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-5 and 8-9 are rejected under 35 U.S.C. 102(b) as being anticipated by Ruskouski (U.S. Patent 5410453).
- 3. With regards to Claim 1, Ruskouski discloses a lighting apparatus including:
 - A ballast cover [Figure 10: (38A)];
 - A plurality of ballast cover holes [Figure 10: (40A)] in the ballast cover;
 - A circuit board [Figure 10: (42A)] having a plurality of light emitting diodes [Figure 10: (44A)], wherein the circuit board is positioned adjacent the ballast cover so that the plurality of light emitting diodes protrude through the plurality of ballast cover holes in the ballast cover [Figure 10].

Application/Control Number: 10/733,853

Art Unit: 2875

4. With regards to Claim 2, Ruskouski discloses a battery [Figure 10: (62A)] for supplying power to the plurality of light emitting diodes.

Page 3

- 5. With regards to Claim 3, Ruskouski discloses a switching circuit [Figure 10: (60A); Column 4, Lines 53-59] for controlling illumination of the plurality of light emitting diodes.
- 6. With regards to Claim 4, Ruskouski discloses the switching circuit including:
 - A first portion for placing the switching circuit in communication with a wall switch/electrical junction box [Column 4, Lines 42-47];
 - A second portion for coupling the switching portion to the battery [Column 4,
 Lines 48-50]; and
 - A third portion for coupling the switching circuit to the plurality of light emitting diodes [Column 4, Lines 42-47].
- 7. With regards to Claim 5, Ruskouski discloses the switching circuit coupling the battery to the plurality of light emitting diodes if the switching circuit is not receiving AC voltage from an AC voltage source that is coupled to the wall switch, and wherein the switching circuit does not couple the battery to the plurality of light emitting diodes if the switching circuit is receiving the AC voltage from the AC voltage source [Column 4, Lines 60-65].
- 8. With regards to Claim 8, Ruskouski discloses a battery charging circuit for charging the battery [Column 4, Lines 48-50].
- 9. With regards to Claim 9, Ruskouski discloses the battery charging circuit including a first portion for coupling the battery charging circuit to an AC voltage source.

Application/Control Number: 10/733,853 Page 4

Art Unit: 2875

and a second portion for coupling the battery charging circuit to the battery [Column 4, Lines 48-53].

- 10. Claims 12-16 and 19-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Ruskouski (U.S. Patent 5410453).
- 11. With regards to Claim 12, Ruskouski discloses a lighting apparatus with a ballast cover including:
 - A housing having an attachment surface [Figure 10: (72)] and an illumination surface [Figure 10: (66)];
 - A plurality of illumination surface holes [Figure 10: (40A)] in the illumination surface;
 - A circuit board [Figure 10: (42A)] having a plurality of light emitting diodes [Figure 10: (44A)], wherein the circuit board is positioned adjacent the housing so that the plurality of light emitting diodes protrude through the plurality of illumination surface holes in the illumination surface [Figure 10]; and
 - A fastening mechanism [Figure 10: (70, 72)] for securing the attachment surface of the lighting apparatus to the ballast cover [Figure 10: (66, 68)].
- 12. With regards to Claim 13, Ruskouski discloses a battery [Figure 10: (62A)] for supplying power to the plurality of light emitting diodes.
- 13. With regards to Claim 14, Ruskouski discloses a switching circuit [Figure 10: (60A); Column 4, Lines 53-59] for controlling illumination of the plurality of light emitting diodes.

Application/Control Number: 10/733,853 Page 5

Art Unit: 2875

14. With regards to Claim 15, Ruskouski discloses the switching circuit including:

- A first portion for placing the switching circuit in communication with a wall switch/electrical junction box [Column 4, Lines 42-47];
- A second portion for coupling the switching portion to the battery [Column 4,
 Lines 48-50]; and
- A third portion for coupling the switching circuit to the plurality of light emitting diodes [Column 4, Lines 42-47].
- 15. With regards to Claim 16, Ruskouski discloses the switching circuit coupling the battery to the plurality of light emitting diodes if the switching circuit is not receiving AC voltage from an AC voltage source that is coupled to the wall switch, and wherein the switching circuit does not couple the battery to the plurality of light emitting diodes if the switching circuit is receiving the AC voltage from the AC voltage source [Column 4, Lines 60-65].
- 16. With regards to Claim 19, Ruskouski discloses a battery charging circuit for charging the battery [Column 4, Lines 48-50].
- 17. With regards to Claim 20, Ruskouski discloses the battery charging circuit including a first portion for coupling the battery charging circuit to an AC voltage source, and a second portion for coupling the battery charging circuit to the battery [Column 4, Lines 48-53].

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2875

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

18. Claims 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453) as applied to Claim 4 above, and further in view of Johnson et al. (U.S. Patent 4255746).

Ruskouski discloses the claimed invention as cited above, but does not specifically teach the switching circuit including a fourth portion for receiving an alarm signal from an alarm device (re: Claim 6), nor teaches the switching circuit coupling the battery to the plurality of light emitting diodes in response to receiving the alarm signal (re: Claim 7).

Johnson teaches, "Fire detector system 47 is connected across the terminals of battery 46. Upon detection of a fire condition, it provides a signal to alarm switch 48 which activates audible alarm 49. At the same time, a signal is provided to emergency light switch 45, causing auxiliary light 12 to be illuminated [Column 4, Lines 17-22]."

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the alarm device of Johnson so as to ensure greater safety to a user during emergency situations [e.g., fire].

19. Claims 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453) as applied to Claim 2 above, and further in view of Blackman (U.S. Patent Re. 36696).

Art Unit: 2875

Ruskouski discloses the claimed invention as cited above, but does not specifically teach the circuit board including a battery test light coupled to the battery (re: Claim 10), nor teaches said battery test light protruding through one of the plurality of ballast cover holes (re: Claim 11).

Blackman teaches a circuit board [Figures 11-12: (310)] including a battery test light [Figures 11-12: (320)] coupled to the battery, and that protrudes through a hole [Figures 11-12: (308a, 308b)] in a cover.

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the battery test light of Blackman to help indicate to a user that the device is charging. Such indicator lights are commonly known in the art in warning a user of certain statuses of a device.

20. Claims 17-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453) as applied to Claim 15 above, and further in view of Johnson et al. (U.S. Patent 4255746).

Ruskouski discloses the claimed invention as cited above, but does not specifically teach the switching circuit including a fourth portion for receiving an alarm signal from an alarm device (re: Claim 17), nor teaches the switching circuit coupling the battery to the plurality of light emitting diodes in response to receiving the alarm signal (re: Claim 18).

Johnson teaches, "Fire detector system 47 is connected across the terminals of battery 46. Upon detection of a fire condition, it provides a signal to alarm switch 48

Art Unit: 2875

which activates audible alarm 49. At the same time, a signal is provided to emergency light switch 45, causing auxiliary light 12 to be illuminated [Column 4, Lines 17-22]."

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the alarm device of Johnson so as to ensure greater safety to a user during emergency situations [e.g., fire].

21. Claims 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453) as applied to Claim 13 above, and further in view of Blackman (U.S. Patent Re. 36696).

Ruskouski discloses the claimed invention as cited above, but does not specifically teach the circuit board including a battery test light coupled to the battery (re: Claim 10), nor teaches said battery test light protruding through one of the plurality of illumination surface holes (re: Claim 11).

Blackman teaches a circuit board [Figures 11-12: (310)] including a battery test light [Figures 11-12: (320)] coupled to the battery, and that protrudes through a hole [Figures 11-12: (308a, 308b)] in a cover.

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the battery test light of Blackman to help indicate to a user that the device is charging. Such indicator lights are commonly known in the art in warning a user of certain statuses of a device.

Art Unit: 2875

22. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453) as applied to Claim 12 above, and further in view of Leveraus (U.S. Patent 4216524).

Ruskouski discloses the claimed invention as cited above, but does not specifically teach a connector in the attachment surface of the housing that snaps into a ballast cover hole in the ballast cover, wherein wires connect the circuit board to the battery through the connector. The examiner makes note that Ruskouski teaches both the circuit board and battery within the ballast cover, and that it would have been obvious to one ordinarily skilled in the art to separate the two components.

Leveraus teaches, "System battery 9 is connected to circuit board through external wire to terminal pin 20 of integral connector 110 [Column 5, Lines 27-29]."

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the remote connection of the battery and circuit board, as taught by Leveraus, in order to facilitate easier replacement/services to the separated components.

23. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over

Ruskouski (U.S. Patent 5410453) as applied to Claim 12 above, and further in view of

Kim (U.S. Patent 4204272).

Ruskouski discloses the claimed invention as cited above, but does not specifically teach the fastening mechanism being an adhesive strip with a protective cover.

Art Unit: 2875

Kim teaches a fastening mechanism [Figure 2: (66)] being an adhesive strip with a protective cover [Figure 2: (68)].

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the adhesive strip with protective cover of Kim in order to provide strong, inexpensive attachment means between the attachment surface and the ballast cover.

- 24. Claims 25-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453).
- 25. With regards to Claim 25, Ruskouski discloses an illuminating apparatus providing:
 - A ballast cover [Figure 10: (66, 68)], wherein the cover has a plurality of ballast cover holes [Figure 10: (40A)] and is attachable to a light fixture [Figure 10: (48A)]; and
 - A circuit board [Figure 10: (42A)] including a plurality of light emitting diodes [Figure 10: (44A)], whereby the circuit board is positioned adjacent the ballast cover so that the plurality of light emitting diodes protrude through the plurality of ballast cover holes in the ballast cover [Figure 10].

Though Ruskouski does not specifically teach the method for providing illumination, it has been held that a method claim would have been obvious to one ordinarily skilled in the art provided the prior art teaches all cited structural limitations.

Art Unit: 2875

- 26. With regards to Claim 26, Ruskouski discloses an apparatus illuminating a plurality of light emitting diodes when a light bulb within the light fixture is not illuminated [Column 1, Lines 17-43].
- 27. With regards to Claim 27, Ruskouski discloses an apparatus not illuminating a plurality of light emitting diodes when a light bulb within the light fixture is illuminated [Column 1, Lines 17-43].
- 28. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453) as applied to Claim 25 above, and further in view of Johnson et al. (U.S. Patent 4255746).

Ruskouski discloses the claimed invention as cited above, but does not specifically teach providing reception of an alarm signal from an alarm device, and in response to receiving said signal, illuminating the plurality of light emitting diodes.

Johnson teaches, "Fire detector system 47 is connected across the terminals of battery 46. Upon detection of a fire condition, it provides a signal to alarm switch 48 which activates audible alarm 49. At the same time, a signal is provided to emergency light switch 45, causing auxiliary light 12 to be illuminated [Column 4, Lines 17-22]."

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the alarm device of Johnson so as to ensure greater safety to a user during emergency situations [e.g., fire].

29. Claims 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453).

- 30. With regards to Claim 29, Ruskouski discloses an illuminating apparatus providing:
 - A ballast cover [Figure 10: (66, 68)];
 - A housing having an attachment surface [Figure 10: (72)] and an illumination surface [Figure 10: (66)], wherein the illumination surface has a plurality of illumination surface holes [Figure 10: (40A)]; and
 - A circuit board [Figure 10: (42A)] including a plurality of light emitting diodes [Figure 10: (44A)], whereby the circuit board is positioned adjacent the housing so that the plurality of light emitting diodes protrude through the illumination surface holes in the illumination surface [Figure 10], and where the attachment surface of the housing is secured [Figure 10: (70, 72)] to the ballast cover.

Though Ruskouski does not specifically teach the method for providing illumination, it has been held that a method claim would have been obvious to one ordinarily skilled in the art provided the prior art teaches all cited structural limitations.

- With regards to Claim 30, Ruskouski discloses an apparatus illuminating a plurality of light emitting diodes when a light bulb within the light fixture is not illuminated [Column 1, Lines 17-43].
- 32. With regards to Claim 31, Ruskouski discloses an apparatus not illuminating a plurality of light emitting diodes when a light bulb within the light fixture is illuminated [Column 1, Lines 17-43].

Art Unit: 2875

33. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ruskouski (U.S. Patent 5410453) as applied to Claim 29 above, and further in view of Johnson et al. (U.S. Patent 4255746).

Ruskouski discloses the claimed invention as cited above, but does not specifically teach providing reception of an alarm signal from an alarm device, and in response to receiving said signal, illuminating the plurality of light emitting diodes.

Johnson teaches, "Fire detector system 47 is connected across the terminals of battery 46. Upon detection of a fire condition, it provides a signal to alarm switch 48 which activates audible alarm 49. At the same time, a signal is provided to emergency light switch 45, causing auxiliary light 12 to be illuminated [Column 4, Lines 17-22]."

It would have been obvious to one ordinarily skilled in the art at the time the invention was made to modify the lighting apparatus of Ruskouski to incorporate the alarm device of Johnson so as to ensure greater safety to a user during emergency situations [e.g., fire].

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following references are cited to further show the state of art pertinent to the current application, but are not considered exhaustive:

US Patent 4206493 to Towne et al;

US Patent 5406724 to Lin;

US Patent 5574423 to Vosika et al;

US Patent 5833350 to Moreland;

US Patent 6726348 to Gloisten;

US Publication 2004/0100787 to Harris;

Art Unit: 2875

US Publication 2004/0100787 to Harris:

US Patent 6784357 to Wang.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M. Han whose telephone number is (571) 272-2207. The examiner can normally be reached on 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JMH (4/18/2005)

Application/Control Number: 10/733,853 Page 15

Art Unit: 2875

Information Disclosure Statement

The information disclosure statement filed March 25, 2004 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because the Non Patent Literature was not in appropriate format (please note the highlighted area). It has been placed in the application file, but the information referred to therein has not been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609 ¶ C(1).

MAR 2 5 2004 & Substitute

PTO/SB/08a (08-03)
Approved for use through 06/30/2006. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 Of

Complete if Known				
Application Number	10/733,853			
Filing Date	December 11, 2003			
First Named Inventor	Lyman O. Nielson			
Group Art Unit				
Examiner Name				
Attorney Docket Number	3358.2.1			

U.S. PATENT DOCUMENTS							
Examiner	Cite No.1	Document Number	Publication Date	Name of Patentee or Applicant of	Pages, Columns, Lines, Where Relevant		
tnitials *		Number - Kind Code ^{2 (Fanowa)}	MM-DD-YYYY	Cited Document	Passages or Relevant Figures Appear		
HMT	U1	US-4,255,746	Mar. 10, 1981	Johnson et al.			
JMH	U2	US-4,419,658	Dec. 6, 1983	Jarosz et al.			
HMT	U3	US-4,454,452	Jun. 12, 1984	Feldstein			
JMH	U4	US-4,617,561	Oct. 14, 1986	Brown			
JMH	U5	US-D290,406	Jun. 16, 1987	Brown			
HMT	U6	US-4,945,280	Jul. 31, 1990	Beghelli			
TMH	U7	US-4,977,351	Dec. 11, 1990	Bavaro et al.			
JMH	U8	US-5,130,909	Jul. 14, 1992	Gross			
TMH	U9	US-5,146,209	Sep. 8, 1992	Beghelli			
JMH	U10	US-5,145,247	Sep. 8, 1992	Mandy			
JMH	U11	US-5,365,145	Nov. 15, 1994	Fields			
JMH	U12	US-5,416,384	May 16, 1995	Bavaro			
JMH	U13	US-5,587,705	Dec. 24, 1996	Morris			
JMH	U14	US-5,731,759	Mar. 24, 1998	Finucan			
-7 / 4H	U15	US-5,739,639	Apr. 14, 1998	Johnson			
TMH	U16	US-5,786,767	Jul. 28, 1998	Severino			
TMH	U17	US-5,936,532	Aug. 10, 1999	Peralta			
TMH	U18	US-6,133,839	Oct. 17, 2000	Ellul, Jr. et al.			
HMC	U19	US-6,249,221	Jun. 19, 2001	Reed	* * * * * * * * * * * * * * * * * * * *		
JMH	U20	US-6,384,724	May 7, 2002	Landais			
JMH	U21	US-6,420,973	Jul. 16, 2002	Acevedo	1		
JMH	U22	US-6,609,804	Aug. 26, 2003	Nolan et al.	· /		
JMH	U23	US-6,624,750	Sep. 23, 2003	Marman et al.	ı		

		\mathbb{Z}				
Examiner Signature	Joon		^	Date Considered	0	Yaril 5, 2005

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO-Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/08b (08-03) Approved for use through 06/30/2006. OMB 0851-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

ond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet

Complete if Known				
Application Number	10/733,853			
Filing Date	December 11, 2003			
First Named Inventor	Lyman O. Nielson			
Group Art Unit				
Examiner Name				
Attorney Docket Number	3358.2.1			

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-Issue number(s), publisher, city and/or country where published.	T²
	01	ARPAD A. BERGH, "A View on The Future of Solid State Lighting"	
	02	"Egress Aisles – Exit Signs – Egress Lighting Requirements"	
	О3	*Down Light / Night Light Strip*	
• • • • • • • • • • • • • • • • • • • •	04	*Super Energy Efficient Solid-State Egress/Night Lighting*	_
	05	"GTD Generator Transfer Device For Generator-Supplied Lighting"	
	06	"LED Light Strip Illuminator Module"	
	07	STEVE JOHNSON, "The Solid State Lighting Initiative: An Industry/DOE Collaborative Effort," Architectural Lighting, Nov./Dec. 2000, pp. 1-5	_
	08	"Surviv Lite Emergency Egress Lighting"	
	09	MARK KENDALL and MICHAEL SCHOLAND, "Energy Savings Potential of Solid State Lighting in General Lighting Applications," April 2001	
	010	"The LED Advantage"	
	011	"Homeowners Insurance – Rising Cost of Homeowners Insurance"	
	012	"School, college, and university dermitory, fratemity, and sorority house fires"	
	013	"Light Emitting Diodes for Lighting Applications"	-
••	014	"Super Energy Efficient Solid-State Egress/Night Lighting"	
	O15	*Kidde Ionization Smoke Alarm w/ Exit Light*	
***	016	"3 in 1 LED Emergency Light"	
	017	"PowerFailure Night Light," User's Manual	
*******	018	Gas and Smoke Detector - ESM-768 Semiconductor / Ionisation Technology	
	019	"SA358: Smoke Alarm with Emergency Light"	
	O20	"Sage Lighting Ltd. LED Lighting Products"	

			1		
Examiner Signature	1	4	m	Date Considered	april 5, 2005

EXAMINER: Initial in reference considered whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

Notice of References Cited Application/Control No. | Applicant(s)/Patent Under Reexamination | NIELSON ET AL. | Examiner | Art Unit | Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	Α	US-5,410,453	04-1995	Ruskouski, Charles R.	362/20
	В	US-RE36,696	05-2000	Blackman, Stephen E.	362/20
	С	US-4,216,524	08-1980	Leveraus, James E.	362/464
	۵	US-4,204,272	05-1980	Kim, Sunyong P.	362/200
	Е	US-4,206,493	06-1980	Towne et al.	362/240
	F	US-5,406,724	04-1995	Lin, Wen-Tsung	36/137
	G	US-5,574,423	11-1996	Vosika et al.	340/333
	Н	US-5,833,350	11-1998	Moreland, Gregory B.	362/95
	ı	US-6,726,348	04-2004	Gloisten, Jennifer L.	362/372
	J	US-2004/0100787	05-2004	Harris, William F.	362/020
	κ	US-6,784,357	08-2004	Wang, Chao Hsiang	136/244
	L	US-			
	М	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	Q				·	
	R					
	S					
	T					,

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	٧	
	w	
	x	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vigoria 22313-1450 www.uspto.gov



Bib Data Sheet

CONFIRMATION NO. 9007

SERIAL NUMBER 10/733,853	FILING DATE 12/11/2003 RULE	CLASS 362	GROI	UP ART 2875	「 UNIT	L .	ATTORNEY OOCKET NO. 3358.2.1		
APPLICANTS									
Lyman O. Nie	elson, Fruit Heights, UT;								
Norman B. He	ess, Fruit Heights, UT;	HMC							
This appln cla	** CONTINUING DATA **********************************								
IF REQUIRED, FOR ** 05/18/2004	REIGN FILING LICENSE	GRANTED ** SMALL	ENTITY	**					
Foreign Priority claimed 35 USC 119 (a-d) condition	ns one of the second of the se	STATE OR	SHE	ETS	тот	AL	INDEPENDENT		
met Verified and	Allowards for JA	er 선원 COUNTRY itials UT		WING 5	CLAII 32		CLAIMS 4		
ADDRESS	7 / 1						7		
21552	·								
MADSON & METCA GATEWAY TOWER									
SUITE 900 15 WEST SOUTH T									
SALT LAKE CITY , 84101	UT								
TITLE Low-voltage lighting									
				□ AII	Fees				
				□ 1.1	6 Fees (Filing])		
FILING FEE FE	ES: Authority has been g	jiven in Paper		1.17 Fees (Processing Ext. of					

Application/Control No.

Index of Claims

Applicant(s)/Patent under

Reexamination

Search Notes

Application/Control No.	Applicant(s)/Patent under Reexamination	
10/733,853	NIELSON ET AL.	
Examiner	Art Unit	
Jason M. Han	2875	

SEARCHED								
Class	Subclass	Date	Examiner					
362	20	4/18/2005	ЈМН					
362	228	4/18/2005	ЈМН					
362	240	4/18/2005	ЈМН					
. 362	260	4/18/2005	ЈМН					
362	545	4/18/2005	ЈМН					
362	555	4/18/2005	ЈМН					
· 362	800	4/18/2005	ЈМН					
			_					

INT	INTERFERENCE SEARCHED		
Class	Subclass	Date	Examiner
· · · · · · · · · · · · · · · · · · ·			
	<u> </u>		
	ļ		

SEARCH NO (INCLUDING SEARCH)
	DATE	EXMR
Search History	4/18/2905	JMH
P.E. Stephen Husar	4/18/2005	ЈМН
STIC Search provided by Michael Obinna	4/13/2005	ЈМН

1FW/

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on October _______, 2005.

Attorney for Applicants

/

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Äppl. No.:

10/733,853

Applicant:

Lyman O. Nielson, et al.

Title:

LOW-VOLTAGE LIGHTING APPARATUS FOR

SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING

REQUIREMENTS, AND LOW LIGHT

REQUIREMENTS

Filed:

December 11, 2003

TC/A.U.:

2875

Examiner:

Jason Han

Docket No.:

3358.2.1

Customer No.:

21552

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE TO OFFICE ACTION

Dear Sir:

In response to the Office action mailed April 27, 2005, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 8 of this paper.

The appropriate "Petition for an Extension of Time" under 37 CFR 1.136(a) to extend the deadline for responding to this Office Action (including the corresponding fee) accompanies this paper.

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): An energy-efficient lighting apparatus, comprising: a ballast cover:

a plurality of ballast cover holes in the ballast cover;

a circuit board comprising a plurality of light-emitting diodes, wherein the circuit board is positioned adjacent the ballast cover so that the plurality of light-emitting diodes protrude through the plurality of ballast cover holes in the ballast cover, wherein the lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch.

Claim 2 (Original): The lighting apparatus of claim 1, further comprising a battery for supplying power to the plurality of light-emitting diodes.

Claim 3 (Original): The lighting apparatus of claim 2, further comprising a switching circuit for controlling illumination of the plurality of light-emitting diodes.

Claim 4 (Original): The lighting apparatus of claim 3, wherein the switching circuit comprises:

a first portion for placing the switching circuit in communication with a wall switch;

a second portion for coupling the switching circuit to the battery; and

a third portion for coupling the switching circuit to the plurality of light-emitting diodes.

Claim 5 (Original): The lighting apparatus of claim 4, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is not receiving

AC voltage from an AC voltage source that is coupled to the wall switch, and wherein the switching circuit does not couple the battery to the plurality of light-emitting diodes if the switching circuit is receiving the AC voltage from the AC voltage source.

Claim 6 (Original): The lighting apparatus of claim 4, wherein the switching circuit further comprises a fourth portion for receiving an alarm signal from an alarm device.

Claim 7 (Original): The lighting apparatus of claim 6, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is receiving the alarm signal.

Claim 8 (Original): The lighting apparatus of claim 2, further comprising a battery charging circuit for charging the battery.

Claim 9 (Original): The lighting apparatus of claim 8, wherein the battery charging circuit comprises:

a first portion for coupling the battery charging circuit to an AC voltage source; and a second portion for coupling the battery charging circuit to the battery.

Claim 10 (Original): The lighting apparatus of claim 2, wherein the circuit board further comprises a battery test light coupled to the battery.

Claim 11 (Currently Amended): The lighting apparatus of claim 10 13, wherein the battery test light protrudes through one of the plurality of ballast cover holes.

Claim 12 (Currently Amended): An energy-efficient lighting apparatus for retrofit with

Appl. No. 10/733,853 Amdt. dated October 6, 2005 Reply to Office Action of April 27, 2005

an existing light fixture having a ballast cover, comprising:

- a housing having an attachment surface and an illumination surface;
- a plurality of illumination surface holes in the illumination surface;
- a circuit board comprising a plurality of light-emitting diodes, wherein the circuit board is positioned adjacent the housing so that the plurality of light-emitting diodes protrude through the plurality of illumination surface holes in the illumination surface; and
- a fastening mechanism for securing the attachment surface of the lighting apparatus to the ballast cover, wherein the lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch.

Claim 13 (Original): The lighting apparatus of claim 12, further comprising a battery for supplying power to the plurality of light-emitting diodes.

Claim 14 (Original): The lighting apparatus of claim 13, further comprising a switching circuit for controlling illumination of the plurality of light-emitting diodes.

Claim 15 (Original): The lighting apparatus of claim 14, wherein the switching circuit comprises:

- a first portion for placing the switching circuit in communication with a wall switch;
- a second portion for coupling the switching circuit to the battery; and
- a third portion for coupling the switching circuit to the plurality of light-emitting diodes.

Claim 16 (Original): The lighting apparatus of claim 15, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is not receiving

AC voltage from an AC voltage source that is coupled to the wall switch, and wherein the switching circuit does not couple the battery to the plurality of light-emitting diodes if the switching circuit is receiving the AC voltage from the AC voltage source.

Claim 17 (Original): The lighting apparatus of claim 15, wherein the switching circuit further comprises a fourth portion for receiving an alarm signal from an alarm device.

Claim 18 (Original): The lighting apparatus of claim 17, wherein the switching circuit couples the battery to the plurality of light-emitting diodes if the switching circuit is receiving the alarm signal.

Claim 19 (Original): The lighting apparatus of claim 13, further comprising a battery charging circuit for charging the battery.

Claim 20 (Original): The lighting apparatus of claim 19, wherein the battery charging circuit comprises:

a first portion for coupling the battery charging circuit to the AC voltage source; and a second portion for coupling the battery charging circuit to the battery.

Claim 21 (Original): The lighting apparatus of claim 13, wherein the circuit board further comprises a battery test light coupled to the battery.

Claim 22 (Original): The lighting apparatus of claim 21, wherein the battery test light protrudes through one of the plurality of illumination surface holes.

Claim 23 (Original): The lighting apparatus of claim 12, further comprising:

Appl. No. 10/733,853 Amdt. dated October 6, 2005 Reply to Office Action of April 27, 2005

a connector in the attachment surface of the housing that snaps into a ballast cover hole in the ballast cover; and

wires connecting the circuit board to the battery through the connector.

Claim 24 (Original): The lighting apparatus of claim 12, wherein the fastening mechanism comprises an adhesive strip having a protective cover.

Claim 25 (Currently Amended): A method for providing illumination to an area in an energy-efficient manner, comprising:

providing a ballast cover, the ballast cover having a plurality of ballast cover holes, the ballast cover being attachable to a light fixture;

providing a circuit board comprising a plurality of light-emitting diodes; and positioning the circuit board adjacent the ballast cover so that the plurality of light-emitting diodes protrude through the plurality of ballast cover holes in the ballast cover, wherein the light fixture is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch.

Claim 26 (Original): The method of claim 25, further comprising illuminating the plurality of light-emitting diodes when a light bulb within the light fixture is not illuminated.

Claim 27 (Original): The method of claim 25, further comprising not illuminating the plurality of light-emitting diodes when a light bulb within the light fixture is illuminated.

Claim 28 (Original): The method of claim 25, further comprising: receiving an alarm signal from an alarm device; and

in response to receiving the alarm signal, illuminating the plurality of light-emitting diodes.

Claim 29 (Currently Amended): A method for retrofitting a light fixture with an energyefficient lighting apparatus, the light fixture having a ballast cover, the method comprising:

providing a housing having an attachment surface and an illumination surface, wherein
the illumination surface comprises a plurality of illumination surface holes;
providing a circuit board comprising a plurality of light-emitting diodes;
positioning the circuit board adjacent the housing so that the plurality of light-emitting
diodes protrude through the plurality of illumination surface holes in the
illumination surface; and

securing the attachment surface of the housing to the ballast cover, wherein the lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch.

Claim 30 (original): The method of claim 29, further comprising illuminating the plurality of light-emitting diodes when a light bulb within the light fixture is not illuminated.

Claim 31 (Original): The method of claim 29, further comprising not illuminating the plurality of light-emitting diodes when a light bulb within the light fixture is illuminated.

Claim 32 (Original): The method of claim 29, further comprising: receiving an alarm signal from an alarm device; and in response to receiving the alarm signal, illuminating the plurality of light-emitting diodes.

REMARKS/ARGUMENTS

Claims 1-32 are pending in the present application. In the Office Action mailed April 27, 2005, the Examiner rejected claims 1-32 under either 35 U.S.C. § 102(b) or 35 U.S.C. § 103(a). Claim 11 was also objected to as containing an informality.

As a result of this paper, claims 1, 11, 12, 25, and 29 have been amended. In light of these changes and the following remarks, reconsideration and allowance of the present claims is respectfully requested.

I. Objection to Claim 11

In the Office Action, the Examiner objected to claim 11 as containing an informality. More particularly, the Examiner objected to claim 11 as having incorrect claim dependency. The amendment to claim 11 in the present paper corrects this issue. Accordingly, withdrawal of this claim objection is respectfully requested.

II. Rejection of Claims 1-5, 8-9, 12-16, and 19-20 Under 35 U.S.C. § 102(b)

In the Office Action, the Examiner rejected claims 1-5, 8-9, 12-16, and 19-20 under 35 U.S.C. § 102(b) as being anticipated by U.S. Patent No. 5,410,453 issued to Ruskouski (hereinafter "Ruskouski"). These rejections are respectfully traversed.

As explained by the MPEP, "[a] claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference." M.P.E.P. § 2131 (citing Verdegaal Bros. v. Union Oil Co. of California, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987)). "The identical invention must be shown in as complete detail as is contained in the ... claim." Id. (citing Richardson v. Suzuki Motor Co., 9 USPQ2d 1913, 1920 (Fed. Cir. 1989)). In addition, "the reference must be enabling and describe the applicant's claimed invention sufficiently to have placed it in possession of a person of ordinary skill in the field of the invention." In re Paulsen, 31 USPQ2d 1671, 1673 (Fed. Cir. 1994).

Independent claims 1 and 12 have been amended to recite that the "the lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch." Support for this limitation is found in paragraphs 39-47, and more particularly in paragraphs 44-45, of Applicants' specification.

Applicants submit that this limitation is not disclosed by Ruskouski. Specifically, Ruskouski teaches a lighting system that is used to illuminate an "EXIT" sign. "EXIT" signs are constantly-illuminated signs that are commonly found in theaters, office buildings, restaurants, commercial buildings, etc. as a means of indicating to building occupants how they may safely exit the building in the event of an emergency, in the event that the building loses power, etc. *See* Ruskouski, Col. 1, lines 8-16. To the extent that the illuminated "EXIT" signs taught by Ruskouski may be interpreted as comprising the "lighting apparatus" of claim 1 and 12, Ruskouski does not teach that that the illumination of light-emitting diodes within Ruskouski's "EXIT" signs "is controllable based upon the position of the wall switch." Rather, Ruskouski (like other types of "EXIT" signs known in the art) teaches a system in which the "EXIT" signs will be constantly illuminated and will not be controlled by a user turning a wall switch on or off.

Thus, because Ruskouski fails to disclose the above-recited claim elements outlined by independent claims 1 and 12, this reference does not operate to anticipate these claims under 35 U.S.C. § 102(b). Withdrawal of this rejection is respectfully requested.

With respect to dependent claims 2-5 and 8-9, these claims depend either directly or indirectly from independent claim 1. Likewise, claims 13-16 and 19-20 depend either directly or indirectly from independent claim 12. Accordingly, Applicants respectfully request that the rejection of dependent claims 2-5, 8-9, 13-16 and 19-20 be withdrawn for at least the same reasons as those presented above in connection with claims 1 and 12.

III. Rejection of Claims 6-7, 17-18, 28, and 32 Under 35 U.S.C. § 103(a)

In the Office Action, the Examiner rejected claims 6-7, 17-18, 28, and 32 under 35 U.S.C. § 103(a) as being unpatentable over Ruskouski in view of U.S. Patent No. 4,255,746 issued to Johnson *et al.* (hereinafter "Johnson"). This rejection is respectfully traversed.

The M.P.E.P. states that

To establish a *prima facie* case of obviousness, three basic criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Finally, the prior art reference (or references when combined) must teach or suggest all the claim limitations. The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure.

The initial burden is on the examiner to provide some suggestion of the desirability of doing what the inventor has done. To support the conclusion that the claimed invention is directed to obvious subject matter, either the references must expressly or impliedly suggest the claimed invention or the examiner must present a convincing line of reasoning as to why the artisan would have found the claimed invention to have been obvious in light of the teachings of the references.

M.P.E.P. § 2142.

Applicants respectfully submit that the claims at issue are patentably distinct from the cited references in that these claims contain limitations that are not taught or suggested by the prior art.

With respect to claims 6, 7, 17, 18, and 32, these dependent claims all include the limitation that the "lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch." As explained above in greater detail, this limitation is not taught or suggested by Ruskouski. Likewise, Applicants can find no teaching or disclosure in Johnson (nor has the Examiner cited

to any such teaching) that would make up for the deficiencies of Ruskouski. Accordingly, because all of the limitations found in claims 6, 7, 17, 18, and 32 are not taught by either Ruskouski and Johnson, and as such, this combination of references does not operate to render claims 6, 7, 17, 18, and 32 *prima facie* obvious under 35 U.S.C. § 103(a). Withdrawal of this rejection is respectfully requested.

Further, dependent claim 28 depends from claim 25 and thus recites the limitation that "the light fixture is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch." As with the limitations previously discussed, this limitation is likewise not taught or suggested by Ruskouski or Johnson. Accordingly, because Ruskouski and Johnson fail to teach or suggest this limitation, this claim may not be rejected as being obvious in light of these references. Withdrawal of this rejection is respectfully requested.

IV. Rejection of Claims 10-11 and 21-22 Under 35 U.S.C. § 103(a)

In the Office Action, the Examiner rejected claims 10-11 and 21-22 under 35 U.S.C. § 103(a) as being unpatentable over Ruskouski in view of U.S. Patent Reissue No. 36,696 issued to Blackman (hereinafter "Blackman"). This rejection is respectfully traversed.

As explained above, a claim cannot properly be rejected under 35 U.S.C. § 103(a) unless all of the claim limitations are taught or suggested by the cited references. *See e.g.*, M.P.E.P. § 2143.03. Applicants respectfully submit that all of the limitations of claims 10, 11, 21, 22 are not found in the prior art references. Specifically, dependent claims 10, 11, 21, and 22 all include the limitation that the "the lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch." As explained above in greater detail, this limitation is not taught or suggested by Ruskouski. Likewise, Applicants can find no teaching or disclosure in Blackman (nor has the Examiner cited to any such teaching) that would make up for the deficiencies of Ruskouski.

Accordingly, Applicants submit that all of the limitations found in claims 10, 11, 21, and 22 are not taught by Ruskouski and Blackman, and as such, this combination of references does not render these claims *prima facie* obvious under 35 U.S.C. § 103(a). Withdrawal of this rejection is respectfully requested.

V. Rejection of Claim 23 Under 35 U.S.C. § 103(a)

In the Office Action, the Examiner rejected claim 23 under 35 U.S.C. § 103(a) as being unpatentable over Ruskouski in view of U.S. Patent No. 4,216,524 issued to Leveraus (hereinafter "Leveraus"). This rejection is respectfully traversed.

As explained above, a claim cannot properly be rejected under 35 U.S.C. § 103(a) unless all of the claim limitations are taught or suggested by the cited references. *See* M.P.E.P. § 2143.03. Applicants respectfully submit that all of the limitations of claim 23 are not found in the prior art references. Specifically, claim 23 depends from claim 12 and thus includes the limitation that the "lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch." As explained above in greater detail, this limitation is not taught or suggested by Ruskouski. Likewise, Applicants can find no teaching or disclosure in Leveraus (nor has the Examiner cited to any such teaching) that would make up for the deficiencies of Ruskouski. Accordingly, because the combined teachings of Ruskouski and Leveraus do not teach or suggest all of the limitations found in claim 23, this claim cannot properly be rejected under 35 U.S.C. § 103(a). Withdrawal of this rejection is respectfully requested.

VI. Rejection of Claim 24 Under 35 U.S.C. § 103(a)

In the Office Action, the Examiner rejected claim 24 under 35 U.S.C. § 103(a) as being unpatentable over Ruskouski in view of U.S. Patent No. 4,204,272 issued to Kim (hereinafter "Kim"). This rejection is respectfully traversed.

As explained above, a claim cannot properly be rejected under 35 U.S.C. § 103(a) unless all of the claim limitations are taught or suggested by the cited references. *See* M.P.E.P. § 2143.03. Applicants respectfully submit that all of the limitations of claim 24 are not found in the prior art references. Specifically, claim 24 depends from claim 12 and thus includes the limitation that the "lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch." As explained above in greater detail, this limitation is not taught or suggested by Ruskouski. Likewise, Applicants can find no teaching or disclosure in Kim (nor has the Examiner cited to any such teaching) that would make up for the deficiencies of Ruskouski. Accordingly, because the combined teachings of Ruskouski and Kim do not teach or suggest all of the limitations found in claim 24, this claim cannot properly be rejected under 35 U.S.C. § 103(a). Withdrawal of this rejection is respectfully requested.

VII. Rejection of Claims 25-27 and 29-31 Under 35 U.S.C. § 103(a)

In the Office Action, the Examiner rejected claims 25-27 under 35 U.S.C. § 103(a) as being unpatentable over Ruskouski. This rejection is respectfully traversed.

As explained above, a claim cannot properly be rejected under 35 U.S.C. § 103(a) unless all of the claim limitations are taught or suggested by the cited references. See M.P.E.P. § 2143.03. With respect to claims 29-31, these claims all recite the limitation that the "lighting apparatus is coupled to a wall switch and wherein the illumination of the light-emitting diodes is controllable based upon the position of the wall switch." As explained above, this limitation is not taught or suggested by Ruskouski, and thus, Ruskouski may not be used to reject these claims under 35 U.S.C. § 103(a). Withdrawal of this rejection is respectfully requested.

Claims 25-27 also have limitations that are not taught or suggested by Ruskouski. Specifically, claims 25-27 recite the limitation that the "light fixture is coupled to a wall switch" and that the "illumination of the light-emitting diodes is controllable based upon the position of

the wall switch." As with the limitations previously discussed, this limitation is not taught or suggested by Ruskouski. Specifically, there is no teaching in Ruskouski that the light-emitting diodes will illuminate when the wall switch is turned to an open position. Accordingly, because this limitation is not taught or suggested by Ruskouski, this reference cannot render claims 25-27 prima facie obvious under 35 U.S.C. § 103(a). Withdrawal of this rejection is respectfully requested.

VIII. Information Disclosure Statement

The Examiner objected to the "Non-Patent Publications" section of the Information Disclosure Statement ("IDS") that the Applicants filed on March 25, 2004. Applicants note that they have addressed the concerns raised by the Examiner with respect to this IDS and have resubmitted an IDS with the present submission. The appropriate fee as required by 37 C.F.R. 1.97(e) also accompanies this submission.

IX. Conclusion

Given the foregoing amendments and remarks, Applicants respectfully assert that all pending claims are patentably distinct from the cited references. As such, Applicants respectfully request that a timely Notice of Allowance be issued in this case. If there are any remaining issues preventing allowance of the pending claims that may be clarified by telephone, the Examiner is requested to call the undersigned. Likewise, with respect to any of the fees/charges associated with the present application, the Commissioner is instructed to credit any overpayments or charge any deficiencies to Deposit Account 13-0763.

Appl. No. 10/733,853 Amdt. dated October 6, 2005 Reply to Office Action of April 27, 2005

Respectfully submitted,

Craig J. Madson

Reg. No. 29,407

Attorney for Applicant

Date: October 6, 2005

MADSON & METCALF Gateway Tower West 15 West South Temple, Suite 900 Salt Lake City, Utah 84101

Telephone: 801/537-1700

S:\ALLCLIENTS\3358 Hess & Nielson\3358.2.1\OA 4-27-05\Responseto27Apr05OfficeAction.doc

PTO/SB/22 (12-04)

Approved for use through 7/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE ed to respond to a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a) Docket Number (Optional) 3358.2.1 (fees effective on or after October 1, 2004) Filed December 11, 2003 Application Number 10/733,853 For LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS Examiner Jason Han Group Art Unit 2875 This is a request under the provisions of 37 CFR 1.136(a) to extend the period for filing a response in the above identified application. The requested extension and appropriate non-small-entity fee are as follows (check time period desired): Small Entity Fee <u>Fee</u> One month (37 CFR 1.17(a)(1)) \$120 \$60 Two months (37 CFR 1.17(a)(2)) \$450 \$225 \$510.00 ∑ Three months (37 CFR 1.17(a)(3)) \$1020 \$510 Four months (37 CFR 1.17(a)(4)) \$1590 \$795 Five months (37 CFR 1.17(a)(5)) \$2160 \$1080 Applicant claims small entity status. Sée 37 CFR 1.27. A check in the amount of the fee is enclosed. 囟 Payment by credit card. Form PTO-2038 is attached. The Commissioner has already been authorized to charge fees in this application to a Deposit Account. 図 The Commissioner is hereby authorized to charge any underpayment of the above fees, or credit any overpayment, to Deposit Account Number 13-0763. I have enclosed a duplicate copy of this sheet. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038. I am the applicant/inventor. assignee of record of the entire interest. See 37 CFR 3.71 Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96). attorney or agent of record. Registration Number: 29,407 attorney or agent under 37 CFR 1.34(a). Registration number if acting under 37 CFR 1.34(a). October 6, 2005 Date Crang J. Madson (801) 537-1700 Name Telephone Number

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

Total of forms are submitted.

This collection of information is required by 37 CFR 1.136(a). The information is required to obtain or retain a benefit by the public which is to file (and the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOTE SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing this form, call 1-800-PTO-9199 and selection option 2.

음

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

11140

E NOTICE TO Applic

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

661. No.

:

10/733,853

Applicants

: Lyman O. Nielson et al.

Title :

LOW-VOLTAGE LIGHTING APPARATUS

FOR SATISFYING AFTER-HOURS

LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW

LIGHT REQUIREMENTS

Filed

•

December 11, 2003

TC/A.U.

2875

Examiner

Jason Han

Docket No.

3358.2.1

Customer No.

21552

Mail Stop Amendment Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

TRANSMITTAL OF SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Transmitted herewith is an Information Disclosure Statement disclosing information which has come to the attention of applicants and/or their attorneys and is being submitted so as to comply with the duty of disclosure set forth in 37 C.F.R. § 1.56. In accordance with 37 C.F.R. § 1.97(c), the enclosed Statement is being filed before the mailing date of either a final action or a notice of allowance and is accompanied by credit card payment form in the amount of One

Hundred Eighty Dollars (\$180.00) to cover the fee set forth in 37 C.F.R. § 1.17(p).

10/12/2005 WASFAW1 00000042 10733853

02 FC:1806

180.00 OP

Neither applicants nor their attorneys make any representation that any information disclosed herein may be "prior art" within the meaning of that term under 35 U.S.C. § 102 or § 103. Moreover, pursuant to 37 C.F.R. § 1.97, the filing of this Information Disclosure Statement shall not be construed as a representation that a search has been made or as an admission that the

information cited herein is, or is considered to be, material to patentability as defined in 37

C.F.R. § 1.56(b).

In accordance with 37 C.F.R. § 1.98, transmitted herewith are:

1. A completed copy of Form PTO/SB08b "Information Disclosure Statement by Applicant" listing the patents, publications and other information being submitted for

consideration; and

2. A legible copy of each patent, publication and other item of information in written form listed on the enclosed Form PTO/SB/08b, except for copies of U.S. patents and published U.S. patent applications which are not required for applications filed after June 30, 2003.

Respectfully submitted,

Hadson

Crafg J. Madson

Reg. No. 29,407

Attorney for Applicants

Date: October 6, 2005

MADSON & METCALF Gateway Tower West 15 West South Temple, Suite 900 Salt Lake City, Utah 84101 Telephone: 801/537-1700

PTO/SB/08b (08-03)
Approved for use through 06/30/2006. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 Of 2

Complete if Known		
Application Number	10/733,853	
Filing Date	December 11, 2003	
First Named Inventor	Lyman O. Nielson	
Group Art Unit	2875	
Examiner Name	Jason Han	
Attorney Docket Number	3358.2.1	

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	01	DIMANGO, "Power Failure Night Light: Model HS9610", March 5, 2003, 2 pages, http://www.eztone.com/hs9610.htm.	
	O2	FIRST ALERT, "Night Lights", March 5, 2003, 2 pages, http://www.firstalert.com/home_safety/night_lights/night_light_catalog.htm.	
	О3	SAGE LIGHTING LTD., "LED Lighting Products", February 6, 2004, 3 pages.	
	04	AUTHOR UNKNOWN, "SA358: Smoke Alarm with Emergency Light", February 6, 2004, 1 page.	
	O5	PRIMATECH SRL, "Gas and Smoke Detector: ESM-768 Semiconductor/Ionisation Technology", February 6, 2004, 2 pages, http://www.romgaz.com .	
	O6	STAR BATTERIES, "3 in 1 LED Emergency Light: Nexstar 3 in 1 Power Failure LED Emergency Light + LED Flashlight + Night Light", February 6, 2004, 3 pages.	
	07	SAFE & SOUND, "Kidde Ionization Smoke Alarm w/Exit Light", February 6, 2004, 1 page.	
	08	GLOBAL INFORMATION, INC., "Light Emitting Diodes for Lighting Applications", February 6, 2004, 3 pages, http://www.the-infoshop.com.	
	O9	NATIONAL FIRE PROTECTION ASSOCIATION, "NFPA Fact Sheets: School, College, and University Dormitory, Fraternity and Sorority House Fires", February 6, 2004, 2 pages.	
	O10	AUTHOR UNKNOWN, "Homeowners Insurance: Rising Cost of Homeowners Insurance," February 6, 2004, 8 pages.	
	011	NORLUX CORPORATION, "The LED Advantage", February 6, 2004, 2 pages.	
	O12	MARK KENDALL and MICHAEL SCHOLAND, "Energy Savings Potential of Solid State Lighting in General Lighting Applications" (Final Report), April 2001, 33 pages (Cover pages, pg. i-ii, pg. 3-31),	
	013	STEVE JOHNSON, "The Solid State Lighting Initiative: An Industry/ DOE Collaborative Effort", October 2000, 6 pages (cover, pg.1-5), Nov./Dec. 2000 Issue, Architectural Lighting.	
	014	LEDTRONICS, INC., "Energy Efficient, High Powered Accent & Area Lighting LED Light Strip Illuminator Module", October 2000, 1 page, http://www.ledtronics.com .	
	O15	FIREFLY TECHNOLOGY CORPORATION, "World's First! Super Energy Efficient Solid-State Egress/Night Lighting", Copyright 2000, 2001, 2002 and 2003, 1 page, http://www.firefly-technology.com .	
	016	OXLEY DEVELOPMENTS COMPANY, "Way Guidance Lighting Surviv Lite Emergency Egress Lighting", October 1999, 2 pages, http://www.oxleygroup.com .	
	017	FIRST ALERT, "PowerFailure Night Light" (User Manual), Copyright 1997, 6 pages, http://www.firstalert.com .	
	O18	ARPAD A. BERGH, "A View on the Future of Solid State Lighting", IODA Optoelectronics Industry Development Association, Date Unknown, 6 pages.	
	O19	THE BODINE COMPANY, INC., "GTD™ Generator Transfer Device for Generator-Supplied Lighting", Date Unknown, 2 pages, http://www.bodine.com .	

Examiner Signature	Date Considered	

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

Approved for use through 06/30/2006. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Substitute for form 1449B/PTO Complete if Known Application Number 10/733,853 INFORMATION DISCLOSURE Filing Date December 11, 2003 STATEMENT BY APPLICANT First Named Inventor Lyman O. Nielson 2875 Group Art Unit (use as many sheets as necessary) Jason Han **Examiner Name** Sheet Of 3358.2.1 Attorney Docket Number

ſ	O20	FIREFLY TECHNOLOGY CORPORATION, "Down Light/ Night Light Strip", Date Unknown, 1 page.	
	O21	FIREFLY TECHNOLOGY CORPORATION, "Super Energy Efficient Solid-State Egress/ Night Lighting", Date Unknown, 1 page.	
		AUTHOR UNKNOWN, "Egress Aisles-Exit Signs- Egress Lighting Requirements, Date Unknown, 2 pages.	

I	Examiner Signature	Date Considered	-

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional) . 2 Applicant is to place a check mark here if English language Translation is attached.

Approved for use through 7/31/2006, OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

	PAT	ENT APPI		N FEE DETE		N RECORD		Applic	ation or Docket No	
	Α		ON AS FILE	ED – PART I (Co	lumn 2)	SMALL E	ENTITY	OR -	OTHER SMALL	
	FOR	NU	MBER FILED	NUMBI	ER EXTRA	RATE (\$)	FEE (\$)	1	RATE (\$)	FEE (\$)
	SIC FEE	/						1		
SEA	CFR 1.16(a), (b), or one ARCH FEE CFR 1.16(k), (i), or (i									
EXA	MINATION FEE CFR 1.16(o), (p), or									
TOT	AL CLAIMS CFR 1.16(i))		minus 2	0 = .		x 25 =		OR	x 50 =	
IND	EPENDENT CLA	IMS	minus 3			× /00 =		1	x 200 =	1
APF FEE	PLICATION SIZE	sheets is \$25 additio	of paper, to 0 (\$125 for sonal 50 sheet	and drawings one application s small entity) for ets or fraction th)(G) and 37 CF	ize fee due each ereof. See					
MUL	TIPLE DEPEND	ENT CLAIM PF	RESENT (37 (CFR 1.16(j))		4180		}	+365	
. 11 (he difference in c	olumn 1 is less	than zero, er	nter "0" in column	2.	TOTAL			TOTAL	
	APPL	.ICATION A	S AMEND	ED – PART II	(Column 3)	SMALL E	-NITITY	OR	OTHER	
	7.7	CLAIMS	7	HIGHEST	(0010111110)	SIVIACE	214 11 1 1	1	SMALL	ENTITY
AMENDMENT A	11/19/25	REMAINING AFTER AMENDMEN		NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE (\$)	ADDI- TIONAL FEE (\$)		RATE (\$)	ADDI- TIONAL FEE (\$)
MEI	Total (37 CFR 1.16(i))	۔ حو '	Minus	 32	=	x 2.5 =		OR	x=50==	
Q	Independent (37 CFR 1.16(h))	٠ ح	Minus	Y	=	× / (V) =		OR-	_x_2000 =	
ME	Application Size	e Fee (37 CFR	1.16(s))	· · · · · · · · · · · · · · · · · · ·	I			1		
Α.	FIRST PRESENT	ATION OF MULT	IPLE DEPENDI	ENT CLAIM (37 CF	R 1.16(j))	+180		OR	+ 360	
						TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	
		(Column 1)		(Column 2)	(Column 3)	•				
ENT B		CLAIMS REMAINING AFTER AMENDMEN	1 1	HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE (\$)	ADDI- TIONAL FEE (\$)		RATE (\$)	ADDI- TIONAL FEE (\$)
	Total (37 CFR 1.16(i))	•	Minus	••	=	x 25 =		OR	x 50 =	
AMENDA	Independent (37 CFR 1,16(h))	•	Minus	***	=	x (0) =		OR	× 200 =	
Ĭ,	Application Size	e Fee (37 CFR	1.16(s))			The state of the s				
	FIRST PRESENT	ATION OF MULT	IPLE DEPENDE	ENT CLAIM (37 CF	R 1.16(j))	+180		OR	4360	
}		•				TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	
	" If the "Highest I " If the "Highest N	Number Previou Number Previou	usly Paid For usly Paid For	y in column 2, writ IN THIS SPACE IN THIS SPACE I	is less than 20, is less than 3, e	enter "20".	the generalist	a havin	aaluma 4	

The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1.

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

	•.							`			•	•		•••		•											Cla	ım l				Dat	e				•	
	•		•									(Cla	alm	١.		·		DAI	e_						1	1			٠							
,	Ck	ılm	<u> </u>			<u>.</u>	UAT	e		·					·						- 1	. }	1	· [.	Original					i - 1		-		Ì	
٠.		-			. 1					٠. ا	1		١.		Ortginal	ļ	1				1	1	- 1				Final	Ë			ľ		ا . ا		1		: }	
•	78	Orginal						-	· ·				1	Final	동									[<u>u</u>		 		_							
	E	18	Ν.			· '									51	 	}	<u> </u>				Ì					_	101										
	-	1	ナ								_		l		52	ļ											_	102	-									
	 	2	Υ	 -			-			_			ļ			-			ب		-					1		103		[_]					
فري	 -	3					<u> </u>								53											ĺ	-	104										
•		1			<u> </u>		ļ	<u> </u>	-			•	}		54				-	-			-	\dashv			-	105	_		_							
	<u> </u>	4	<u> </u>			-							1		55			<u> </u>		<u>.</u>				\dashv				106					}					
	Ŀ	5			<u> </u>	·				1-	-		1		56	l							{		··-		<u> </u>	107	1		·					\Box		
	i	6					<u> </u>		<u> </u>	-		_	1		57						\dashv		_			İ	-	108	1									
•		7					لـنـا		-		\vdash	-	1	<u> </u>	58						_		_	_			-	109	 									
	<u>-</u>	8	ŀ					<u></u>			-			<u> </u>	69				,			_	_	_					 	-	-	_						
•	_	B	•								-		l		60	-							\sqcup				ļ	110	·	-	-		-			-	-	
	 	10												-	67	1-	-											111	 	-						7		
		11										_		<u> </u>	62	 ÷		-			\exists	$\overline{\cdot}$						112	 		_	-	-		-		\dashv	
	-	12	-					-				_		_	63					_	\neg	\neg					_	113	-				-			_	\dashv	
•		13		-	-								ŀ						\vdash		-	_	\neg		•			114				_				\dashv	-	٠
•					 	-									64			<u>-</u> -					1	7				115	1_							-		١.
4.	<u> </u>	14										:	'		65	_	<u>. </u>		┞╌┤		\dashv		ᅱ	-1				116										•
	_	15		<u>-</u>	-	-	-	· ·				•			66	_	_	_				{	\dashv	-1	_			117						_		_	_	
		16			_		-	-	-	_		\cdot		٠	67			اسنا					\dashv	-	-		_	118							ᆜ		_	
• .		17									٠.				68			٠				-		-			-	119								_	_	
·	Ŀ	18													6.9								{	-1	-			120						_		\perp		
		18		_		_			-						70						_	_			-		-	121	1						-	\Box		
•		20		·							М	-		\vdash	71		•	·		\Box	\bot		4	-	_			122	-						٠,	\Box		
		21		•						_	-	-		-	72						_	_	4		_			123	-	-						\Box		
•		22									-				78						_	_	_	_			<u> </u>	124	-				\neg	\neg		\Box		
	•	22 23	•	,		:			_		-				74		•		7		_	_}	_1	4	\dashv			125		-	ì		\neg			\prod_{i}		
		24							-	_	-				75						\perp		_		\dashv		-	126	-							1	_	
	7	2/5	7 .	·	٠	- ;						-			76							_					-	127	1		1					_	_	
	-	26								_	\vdash	-			77							_	, .		ᆜ			128									_] `	
		27							_		-				78						_		_					129	1-									
•	-	28					`	·				-			79							_		}				130	1-			_	\Box					
•		29)-											-	80						_	_	_	_	_				-		-						_	
		30										-		-	81		-				ك		_	_	_			131	+-	<u> </u>	-						_].	
_		31									_				62						·		_	_					┼	-	 	-				\Box		
•	~	82	•								_		ŀ	-	83	-	-							_				133	╁─		 	-			\neg			
	-	83								_					84				П			٠.			_			194	╂-	 	 	-			7			•
	-	34							_,				1		85	-	-	_							_		<u> </u>	135	┨		├		H		_			
	-	3 5		-		$\overline{\cdot}$			•			<u> </u>	· .		86	-		<u> </u>			•						_	136	 		<u> </u>	-	-	-	_		7	•
		36	-	٠									1	 			-	-		_							<u>. </u>	197	-	-	∤	-		1	_			
	-	37	_	-		_							·		87	-	<u></u>										_	198	1_	ļ	 —	-	H	1-1		1	\neg	
	-	38						-	l	1			-		88		_	_	-			-				1	ا ن	139	1_	<u> </u>	 	<u> </u>	-		-	1	-	
		39			-		_		_	15	Ţ		11.0	_	69	<u> </u>				-	-	_						140				ا				-	\dashv	
•	_		_		-	_	-	_	 	1	1	17	1		80		_	ــــٰ								١	<u> </u>	141	1	1	١_	_			ابـــا	-	-1	•
		40		*		-	<u> </u>			-	┪一	-	1		91	٠ <u>٠</u>				٠.,			\vdash	\vdash			-	142	1-	1-	1							
٠.		41	نــا			<u>.</u>	<u> </u>		!	-	 -	-	1	-	92	_	Ī							$\mid - \mid$	_		 	143	1	1-	1	1			أنب	\perp	1	
		42								 	 —		l ·	-	B 3	!	1		<u> </u>			<u> </u>	Ш	\sqcup	-		-		1-	1-	1	1					_	
		48		ا		<u>ا</u> نا	سا			 	 -	 	ł	-	84	1	1											144	 	+-	1-	1-			$\overline{}$		_	
•	_	44	7				[1_	_	1	-	95		1-	-	1-	1						ŀ	<u></u>	145		 	 	 	 					
		45		<u> </u>	_	Ţį	<u> </u>					1_	1.	}			-	1	1-	1		1			·	١ .	1	146	1_	 	╁—				7	\Box		
		46		_	-		1		1	1				1	86		 		1-	-	_	—		\Box			[147		1_	1_	-		1		-1	7	
		_		>	}	-	1-	· · ·	t-	1	1		١.	L	97	 	 		-	-		-				·		148			Ŀ	1_	∤ :¦	[- -i			7	
٧,	<u> </u>	47					-	 	-	1	1-	1	1		98		Ļ	<u>:</u>	 	ļ	-	-				1		149	1			1_		-		-1	7	•
•		4	_			<u></u>	<u> </u> -		<u> </u>	-4-	1	1-1	1	1	98			<u> </u>	1.5	 			\vdash			l .	-	150	1			Ŀ	<u></u>	لــا				
: .		49							-	 	 —	1	1		100		<u>_</u>	L	<u>L.</u>	ــــــــــــــــــــــــــــــــــــــ	L	ــــا	لـــا	لنبا		' .					-							
•	لــا	60				اـــــا	L	ـــــا	I	1			•		•	`. ·			•			•			٠													

If more than 160 claims or 10 actions staple additional sheet here

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S76	1716	(circuit adj board or PCB) and (light adj emitting or LED) and wall with switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 18:41
S77	790	(circuit adj board or PCB) same (light adj emitting or LED) and wall with switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 19:18
S78	80	(circuit adj board or PCB) same (light adj emitting or LED) and wall adj switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 19:24
S81	110	("40".clas. or "362".clas.) and wall with switch\$4 and (circuit adj board or PCB) with (light adj emitting or LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 19:32
S80	1127	("40".clas. or "362".clas.) and switch\$4 and (circuit adj board or PCB) with (light adj emitting or LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 19:32
S79	349	(362/20.ccls. or 362/228.ccls. or 362/240.ccls. or 362/249.ccls. or 362/800.ccls.) and switch\$4 and (circuit adj board or PCB) with (light adj emitting or LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/12 19:32
L14	34	("2476517" "2715197" "2946903" "3032688" "3422309" "3500455" "3659179" "3935505" "4349863" "4727291" "4733335" "4985661" "5655830" "5734229" "5752766" "5848837" "6016038" "6149283" "6163038" "6203180" "6218785" "6220722" "6227679" "6250774" "6268801" "6367949" "6431728").PN. OR ("6609804"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 11:36

Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L21	0	((PCB or circuit adj board) with (LED or light adj emitting) same wall adj switch).CLM.	US-PGPUB	OR	ON	2006/01/13 11:57
L22	80	((PCB or circuit adj board) with (LED or light adj emitting) same switch\$4).CLM.	US-PGPUB	OR	ON	2006/01/13 11:58

7

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspio.gov

NOTICE OF ALLOWANCE AND FEE(S) DUE

21552

7590

01/25/2006

MADSON & AUSTIN
GATEWAY TOWER WEST
SUITE 900
15 WEST SOUTH TEMPLE
SALT LAKE CITY, UT 84101

EXAMINER

HAN, JASON

ART UNIT

PAPER NUMBER

2875

DATE MAILED: 01/25/2006

1	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
	10/733.853	12/11/2003	Lyman O. Nielson	3358.2.1	9007

TITLE OF INVENTION: LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS

APPLN. TYPE	SMALL ENTITY	ISSUE FEE	PUBLICATION FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	YES	\$700	\$300	\$1000	04/25/2006

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE REFLECTS A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE APPLIED IN THIS APPLICATION. THE PTOL-85B (OR AN EQUIVALENT) MUST BE RETURNED WITHIN THIS PERIOD EVEN IF NO FEE IS DUE OR THE APPLICATION WILL BE REGARDED AS ABANDONED.

HOW TO REPLY TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

- A. If the status is the same, pay the TOTAL FEE(S) DUE shown above.
- B. If the status above is to be removed, check box 5b on Part B Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and twice the amount of the ISSUE FEE shown above, or

If the SMALL ENTITY is shown as NO:

- A. Pay TOTAL FEE(S) DUE shown above, or
- B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above.
- II. PART B FEE(S) TRANSMITTAL should be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). Even if the fee(s) have already been paid, Part B Fee(s) Transmittal should be completed and returned. If you are charging the fee(s) to your deposit account, section "4b" of Part B Fee(s) Transmittal should be completed and an extra copy of the form should be submitted.
- III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail

Mail Stop ISSUE FEE Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

or Fax (571) 273-2885

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where

appropriate. All further con indicated unless corrected b maintenance fee notification	respondence including the loelow or directed otherwise is.	Patent, advance or in Block I, by (a)	ders and not) specifying	ification of maintenance fees a new correspondence addres	will be mailed to the current ss; and/or (b) indicating a sep	correspondence address as arate "FEE ADDRESS" for			
CURRENT CORRESPONDENCE	E ADDRESS (Note: Use Block 1 for 90 01/25/2006	any change of address)		Fee(s) Transmittal. 1	of mailing can only be used in this certificate cannot be used nal paper, such as an assignmate of mailing or transmission.	for any other accompanying ent or formal drawing, must			
MADSON & AU GATEWAY TOWI SUITE 900 15 WEST SOUTH	STIN ER WEST			C	ertificate of Mailing or Tran this Fee(s) Transmittal is bein e with sufficient postage for fin ail Stop ISSUE FEE address SPTO (571) 273-2885, on the	smission			
SALT LAKE CITY	', UT 84101					(Depositor's name)			
						(Signature)			
					·	(Date)			
APPLICATION NO.	FILING DATE	1	FIRST NAME	D INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.			
10/733,853	12/11/2003		Lyman O). Nielson	3358.2.1	9007			
TITLE OF INVENTION: L REQUIREMENTS, AND LO			FOR SATISI	FYING AFTER-HOURS LIG	GHTING REQUIREMENTS,	EMERGENCY LIGHTING			
APPLN. TYPE	SMALL ENTITY	ISSUE FE	EE	PUBLICATION FEE	TOTAL FEE(S) DUE	DATE DUE			
nonprovisional	YES	\$700		\$300	\$1000	04/25/2006			
EXAM	INER	ART UN	IT	CLASS-SUBCLASS	٠				
HAN, J	ASON	2875		362-020000	362-020000				
"Fee Address" indicati PTO/SB/47; Rev 03-02 o Number is required. 3. ASSIGNEE NAME AND PLEASE NOTE: Unless	37 CFR 3.11. Completion of	tion form of a Customer E PRINTED ON T llow, no assignee of this form is NOT	or agents (2) the naregistered 2 registered listed, no 1 THE PATENT data will app Γ a substitute	pear on the patent. If an assi	s a member a 2	document has been filed for			
Please check the appropriate 4a. The following fee(s) are a I Issue Fee Publication Fee (No sr		4b	Payment of A check Payment	Fee(s): in the amount of the fee(s) is by credit card. Form PTO-20	38 is attached.				
Advance Order - # of	Copies		The Dire	ector is hereby authorized by	charge the required fee(s), or (enclose an extra e	credit any overpayment, to			
5. Change in Entity Status ()			· · · · · · · · · · · · · · · · · · ·				
	MALL ENTITY status. See 3				ALL ENTITY status. See 37 C	(2) ()			
The Director of the USPTO i NOTE: The Issue Fee and Pu interest as shown by the reco	s requested to apply the Issu ablication Fee (if required) w rds of the United States Pate	e Fee and Publicat vill not be accepted nt and Trademark	ion Fee (if an from anyone Office.	ny) or to re-apply any previous other than the applicant; a re	sly paid issue fee to the applic gistered attorney or agent; or t	ation identified above. the assignee or other party in			
Authorized Signature	A. W			Date		halinka, annih liwanning tre ser			
Typed or printed name				Registratio	on No.				
This collection of information an application. Confidentiality submitting the completed applications.	n is required by 37 CFR 1.3 ty is governed by 35 U.S.C. plication form to the USPTO	11. The information 122 and 37 CFR 1 D. Time will vary	n is required 1.14. This col depending u	to obtain or retain a benefit by llection is estimated to take 1 pon the individual case. Any	y the public which is to file (an 2 minutes to complete, includi comments on the amount of to	nd by the USPTO to process) ng gathering, preparing, and ime you require to complete			

this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandra, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILI	ING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/733,853 12/11/2003		12/11/2003 Lyman O. Nielson		3358.2.1	9007
21552	7590	01/25/2006		EXAM	INER
MADSON &		_		HAN, J	ASON
GATEWAY TO SUITE 900	OWER WES	ST		ART UNIT	PAPER NUMBER
15 WEST SOU		_		2875	
SALT LAKE C	CITY, UT 84	101		DATE MAILED: 01/25/2000	6

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 0 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 0 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571) 272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at (703) 305-8283.

	Application No.	Applicant(s)
	10/733,853	NIELSON ET AL.
Notice of Allowability	Examiner	Art Unit
	Jason M. Han	2875
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to amendment filed 11 COO. 2. The allowed claim(s) is/are 1-32. 3. Acknowledgment is made of a claim for foreign priority until a) All b) Some* c) None of the:	(OR REMAINS) CLOSED in this application or other appropriate communication GHTS. This application is subject to and MPEP 1308. October 2005 and telephone interview of the subject of the subject to and MPEP 1308. Detail the subject to and telephone interview of the subject of this application in the subject of this application. In the subject to the subject of this application. In the subject to the subject of this application. In the subject to the subject of this application. In the subject to the subject of this application. In the subject to the subject of this application. In the subject to the subject of this application. In the subject to the subject of the subject of this application.	plication. If not included will be mailed in due course. THIS o withdrawal from issue at the initiative www.amendment on 19 January 2006. Inational stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF tion is deficient.
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.	84(c)) should be written on the drawin	one in the front (not the back) of
each sheet. Replacement sheet(s) should be labeled as such in the		
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT		
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 20051011 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ⊠ Interview Summary Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	te <u>20060119</u> .

Application/Control Number: 10/733,853 Page 2

Art Unit: 2875

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Craig J. Madson on January 19, 2006.

The application has been amended as follows in order to resolve 112 issues:

- a. Claim 12, Line 10: Delete "ballast cover" and replace with -- illumination surface --
- b. Claim 23, Line 2: Delete "a ballast" and replace with -- an illumination --
- c. Claim 23, Line 3: Delete "ballast cover" and replace with -- illumination surface --
- d. Claim 29, Line 9: Delete "ballast cover" and replace with -- illumination surface --

Allowable Subject Matter

- 2. Claims 1-32 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

With regard to Independent Claims 1, 12, 25, and 29, the Applicant has sufficiently amended and narrowly defined a lighting apparatus or method therefor, wherein a circuit board with a plurality of light emitting diodes is positioned adjacent a ballast cover/housing so that the plurality of light emitting diodes protrude through a plurality of cover/surface holes in the ballast cover/housing, and whereby the lighting apparatus is coupled to a wall switch so that the illumination of the light emitting diodes is controllable based upon the position of said switch. The prior art of record fails to teach or suggest the combination of structural elements, specifically the ballast/housing with a plurality of LEDs protruding therethrough being controllable by a wall switch, claimed herein, and all subsequent dependent claims are allowed.

Application/Control Number: 10/733,853 Page 3

Art Unit: 2875

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M. Han whose telephone number is (571) 272-2207. The examiner can normally be reached on 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JMH (1/13/2006)

	Application No.	Applicant(s)
Examiner-Initiated Interview Summa	10/733,853	NIELSON ET AL.
Examiner-initiated interview Summa	Examiner	Art Unit
	Jason M. Han	2875
All Participants:	Status of Application	n: <u>After Non-Final</u>
(1) <u>Craig J. Madson</u> .	(3)	
(2) <u>Jason M. Han</u> .	(4)	
Date of Interview: 19 January 2006	Time: 5pm EST	
Type of Interview: ☐ Telephonic ☐ Video Conference ☐ Personal (Copy given to: ☐ Applicant Exhibit Shown or Demonstrated: ☐ Yes ☐ Yes, provide a brief description:		
Part I.		
Rejection(s) discussed: None		
Claims discussed: 12, 23, 29		
Prior art documents discussed: None		
Part II.		
SUBSTANCE OF INTERVIEW DESCRIBING THE Applicant agreed to amend the abovementioned claims to		WAS DISCUSSED:
Part III.		
 ☑ It is not necessary for applicant to provide a sedirectly resulted in the allowance of the applicate of the interview in the Notice of Allowability. ☐ It is not necessary for applicant to provide a sedid not result in resolution of all issues. A brief sediment. 	ion. The examiner will provide a parate record of the substance of	written summary of the substance of the interview, since the interview
•		
(Examiner/SPE Signature) (A	pplicant/Applicant's Representati	ve Signature – if appropriate)

Sheet

PTO/SB/08b (08-03)
Approved for use through 06/30/2006. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

1 Of 2

U

TO THE CASE OF THE PROPERTY OF						
	Complete if Known					
Application Number	10/733,853					
Filing Date	December 11, 2003					
First Named Inventor	Lyman O. Nielson					
Group Art Unit	2875					
Examiner Name	Jason Han					
Attorney Docket Number	3358.2.1					

	NON PATENT LITERATURE DOCUMENTS										
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-Issue number(s), publisher, city and/or country where published.	Т2.								
HMC	01	DIMANGO, "Power Failure Night Light: Model HS9610", March 5, 2003, 2 pages, http://www.eztone.com/hs9610.htm.									
JHH	02	FIRST ALERT, "Night Lights", March 5, 2003, 2 pages, http://www.firstalert.com/home_safety/night_lights/night_light_catalog.htm.									
JMH	03	SAGE LIGHTING LTD., "LED Lighting Products", February 6, 2004, 3 pages.									
JMH	O4	AUTHOR UNKNOWN, "SA358: Smoke Alarm with Emergency Light", February 6, 2004, 1 page.									
JMH	O5	PRIMATECH SRL, "Gas and Smoke Detector: ESM-768 Semiconductor/Ionisation Technology", February 6, 2004, 2 pages, http://www.romgaz.com .									
5MH	O6	STAR BATTERIES, "3 in 1 LED Emergency Light: Nexstar 3 in 1 Power Failure LED Emergency Light + LED Flashlight + Night Light", February 6, 2004, 3 pages.									
SMM	07	SAFE & SOUND, "Kidde tonization Smoke Alarm w/Exit Light", February 6, 2004, 1 page.									
JMH	O8	GLOBAL INFORMATION, INC., "Light Emitting Diodes for Lighting Applications", February 6, 2004, 3 pages, http://www.the-infoshop.com.									
JMH	09	NATIONAL FIRE PROTECTION ASSOCIATION, "NFPA Fact Sheets: School, College, and University Dormitory, Fraternity and Sorority House Fires", February 6, 2004, 2 pages.									
JMH	O10	AUTHOR UNKNOWN, "Homeowners Insurance: Rising Cost of Homeowners Insurance," February 6, 2004, 8 pages.									
JMH	011	NORLUX CORPORATION, "The LED Advantage", February 6, 2004, 2 pages.									
HMC	012	MARK KENDALL and MICHAEL SCHOLAND, "Energy Savings Potential of Solid State Lighting in General Lighting Applications" (Final Report), April 2001, 33 pages (Cover pages, pg. i-ii, pg. 3-31),									
JMM	013	STEVE JOHNSON, "The Solid State Lighting Initiative: An Industry/ DOE Collaborative Effort", October 2000, 6 pages (cover, pg.1-5), Nov./Dec. 2000 Issue, Architectural Lighting.									
JMH	014	LEDTRONICS, INC., "Energy Efficient, High Powered Accent & Area Lighting LED Light Strip Illuminator Module", October 2000, 1 page, http://www.ledtronics.com.									
SMH	O15	FIREFLY TECHNOLOGY CORPORATION, "World's First! Super Energy Efficient Solid-State Egress/Night Lighting", Copyright 2000, 2001, 2002 and 2003, 1 page, http://www.firefly-technology.com .									
JMH	O16	OXLEY DEVELOPMENTS COMPANY, "Way Guidance Lighting Surviv Lite Emergency Egress Lighting", October 1999, 2 pages, http://www.oxleygroup.com .									
JMY	017	FIRST ALERT, "PowerFailure Night Light" (User Manual), Copyright 1997, 6 pages, http://www.firstalert.com.									
JMH	O18	ARPAD A. BERGH, "A View on the Future of Solid State Lighting", IODA Optoelectronics Industry Development Association, Date Unknown, 6 pages.									
DMM	O19	THE BODINE COMPANY, INC., "GTD TM Generator Transfer Device for Generator-Supplied Lighting", Date Unknown, 2 pages, http://www.bodine.com .									

Examiner Signature	Lame	You	Date Considered		January 13, 2006
			itation is in conformance with MPEP	509. Ofa	aw line through citation if not in conformance

1 Applicant's unique citation designation number (optional) . 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 08/30/2006. OMB 0851-0031

U.S. Patent end Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitut	e for form 1449B/	PTO		Complete If Known
			Application Number	10/733,853
INFC	RMATIO	N DISCLOSURE	Filing Date	December 11, 2003
STA	TEMENT	BY APPLICANT	First Named Inventor	Lyman O. Nielson
			Group Art Unit	2875
	(use as many s	heets as necessary)	Examiner Name	Jason Han
Sheet	2	Of 2	Attorney Docket Number	3358.2.1

HMG	O20	FIREFLY TECHNOLOGY CORPORATION, "Down Light/ Night Light Strip", Date Unknown, 1 page.	
SMH	021	FIREFLY TECHNOLOGY CORPORATION, "Super Energy Efficient Solid-State Egress/ Night Lighting", Date Unknown, 1 page.	
JMH	022	AUTHOR UNKNOWN, "Egress Aisles-Exit Signs- Egress Lighting Requirements, Date Unknown, 2 pages.	

Examiner Signature Date Considered Lanuary 13, 2006

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this forty with next communication to applicant.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

¹ Applicant's unique citation designation number (optional) . 2 Applicant is to place a check mark here if English language Translation is attached.



Ap	plica	tion/	Con	trol	No.

10/733,853 Examiner

Jason M. Han

Applicant(s)/Patent	under
Reexamination	

NIELSON ET AL.

Art Unit

2875

	ISSUE CLASSIFICATION																			
			OR	GINAL										REFERE			•		,	
C	CLAS	SS		SUBCLA	SS	С	LASS				SI	JBCLAS	S (ONE	SUBCLA	ASS PE	R BLO	CK)	٠		
	36	2		20			362	2:	28	25	1			***************************************		:				
IN'	TER	NAT	ONA	L CLASSIFICA	ATION	1		†				***			_				†	:
F	2	1	V	23/0	4			 				.	\dashv				_		+	
┝	-	<u>'</u>	•	25/0	· .			ļ						•					-	: :
						 		ļ	i	ļ							- 		ļ	
		ļ		1.				ļ	··········			<u></u>							ļ	
	: 1			. 1								•								- 1
				A^{*}		: 1	in dim		. ::		. : [ų.				i :				
w da	γ(((Le	(As	sista	n Han 1/1 nt Examiner) C(4 mekts Exam	(Dat	e) / ひ・	6		(Fy	AL PRIM mary Exa	aminer)		(Date)			Print	Claim O.G. Claim(s	s).	O Prin	.G. t Fig.
	7																	<u>::</u> -	·	
	7 C		s re	numbered		sam	e orde		resen	ited by		cant	c	T T		<u> </u>			□ R	
		reuibino			31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48		Final	61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77		Final	91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107		Final	121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137		Final	151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167		Final	181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197
		18 19			48 49			78 79			108 109			138 139			168 169			198 199
	\downarrow	20	-		50			80			110			140			170			200
	_	21	\dashv		51	}		81			111			141			171			201
	-	22 23	\dashv		52 53	ŀ		82 83			112 113			142 143		-	172 173			202 203
-	+	24	-	-	54	ł	 	84			114			144			174	ŀ		203
	+	25	1	 	55	ŀ		85			115			145			175			205
	\dashv	26	7		56	ŀ		86			116			146			176			206
	一	27			57	Ì		87			117			147			177		***************************************	207
	\Box	28			58]		88			118			148			178			208
	_	29	4		59	[89			119			149			179			209
		30			60			90			120			150			180			210

Index of Claims

A	ppl	lica	tion	/Cor	itrol	No.
---	-----	------	------	------	-------	-----

10/733,853

Examiner Jason M. Han Applicant(s)/Patent under Reexamination

NIELSON ET AL.

Art Unit

2875

Rejected Allowed

(Through numeral) Cancelled

Restricted

Non-Elected N Interference

Appeal Α 0 Objected

Cla	aim.	_				Dat						lair	n					ate				_	ſ	Cla	im	Γ				Date				
010		-			Т	7	Ť	$\overline{}$	Τ	\vdash	<u> </u>	\top		П		\neg	Ť	7		7		\dashv									Ī			\Box
Final	Original	1/13/06									Final		Original											Final	Original									
1	1	=				Γ	П	Π	Π	П		T	51		\Box			П	П	П	T		ſ		101									
2	2	=											52												102									
3	3	=				Π	Т	Т	Τ			7	53				\neg	\neg	\neg		\neg				103									
4	4	=				Ī		Τ		П			54					T					Γ		104									П
5	5	=				Ī	1	Τ	1				55												105									
6	6	=				Π	Т		1	П		T	56					\neg	T		T		Γ		106									
7	7	=				Π			Π				57										Γ		107									
8	8	=				Т	Π	Γ		\Box			58										ſ		108									
9	9	=											59												109									
10	10	=						Γ					60												110									
11	11	22											61												111									
12	12	=				L				Ш			62									_]			112									
13	13	=					L			\Box			63			\Box									113									
14	14	u								\Box			64												114									
15	15	=			L	L	L	\perp					65	\perp									L		115									
16	16	=			$oxed{oxed}$	\perp	┖	\perp		Ш			66						_				L		116									
17	17	=				L	\perp	$oldsymbol{ol}}}}}}}}}}}}}}}}}$					67		_		_		\perp						117									
18	18	=											68				_						L		118									
19	19	=				L							69										L		119	L								
20	20	=			L	L	<u> </u>	<u> </u>	L	Ш			70	$ \bot $	\perp		_	_							120				_					
21	21	=			┖		ļ	╙					71	_	_	_	_		_			_	L		121									
22	22	=			<u> </u>		<u> </u>	_					72							_					122									
23	23	=			_	_	_	_					73		_		_			_			L		123	ļ								
24	24	=			<u> </u>	<u> </u>	↓_	↓_	<u> </u>				74	_	_	_	4	4	_	4	4	_	L		124				_					
25	25	=					\perp	_	1	Ш			75	_	_		_	_		_		_	L		125	_								Ш
26	26	=			ļ	<u> </u>	ļ	ļ	<u> </u>	1			76	_ļ	_		_	_	_	_	_	_	Ļ		126							\Box		Ш
27	27	=			_	_	<u> </u>	_	-	Щ			77	_	_	_	_	_	4	_	_	_	-		127				┕				_	Ш
28	28	=			↓	_			<u> </u>	-			78	_	_	_	_	_	_	_	_		-		128					ļ	ļ			
29	29	=	_		├_	 	↓_	-	↓_				79			_		_	\dashv	-		_	-		129	_	$oxed{oxed}$				Щ	Ц	_	
30	30	=		_	<u> </u>	ļ	↓_		 _	\vdash			во						4	4	_	4	-		130		<u> </u>		<u> </u>	ļ		\Box	_	$\vdash \vdash$
31	31	=	_		ļ	-	┼			1			81	-	-			-	-	-	-	-	-		131	ļ	_		_		_			\vdash
32	32	=			ļ		 		╂				B2		-		-	-+	\dashv	-	-	\dashv	-		132	<u> </u>	-		<u> </u>	<u> </u>	_	\square		\vdash
	33				├		┼-		<u> </u>	-			83	-	-			-	-	-			-		133		-		-		-	-		\vdash
	34				 		┼	-		-	-		84	-	-		-	-	-	\dashv	\dashv		⊢		134	┝	H	_	H	\vdash	H		\dashv	\vdash
	35 36				 	 	+-	+	┼	\vdash		-	85 86								-+		-		135	 		ļ	 		-	-		
	37				├	-	+-	⊹	├	\vdash	-		86 87	-					-	\dashv	\dashv	\dashv	-		136 137		 		 	-	-	\vdash		\vdash
	38		\vdash		├	+	+	+	┼	\vdash	-		88	\dashv				+			-+	\dashv	-		138		 		 			-		\vdash
	39	-	Н		╁	\vdash	+	+	\vdash	Н	-	_	89	+	-	\dashv	-				-+	\dashv	ŀ		138	\vdash	-	-	-		-	\vdash	\dashv	Н
	40	-	Н		┼─	\vdash	╁	+	+-	\vdash	-		90	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	H		140	-	-	-	-	 	-	\vdash		
	41	 	\vdash		┼	\vdash	+	+-	 	\vdash	-	+	91	-	+	-	-+	-+	\dashv	\dashv	\dashv	\dashv	H		141	 	 		 	-	-	-		
	42		-		├	 	+	+-	 	\vdash	-		92		-+		+	-+	\dashv	\dashv	\dashv	-	H		142	 	-	-	 	-			-	-
	43				+-	1-	+	+-	+		-		93	-	\dashv	ᅱ		+	ᆉ	\dashv		\dashv	H		143	\vdash	-	_	\vdash	\vdash	H	\vdash	-	H
	43	\vdash	H		 	\vdash	+-	\vdash	+	\vdash	H-		93	-	+	\dashv	+	\dashv	-+	-+	-+	\dashv	 -		144	 	-		-	-	\vdash	\dashv	\dashv	\vdash
	45	_	\vdash		\vdash	\vdash	+	\vdash	+	\vdash		+	95	\dashv	\dashv	\dashv	\dashv	+	\dashv	\dashv	\dashv	-	\ 		145	-		-		-	 			
	46		-		 	†	+-	+-	†	\vdash	<u> </u>		96	-	-	-		-	-+	\dashv	\dashv		<u> </u>		146	<u> </u>				-	- -			
	47	-	\vdash		 	t	+-	+	t	\vdash	-		97	-	\dashv	\dashv	-	\dashv	-+	-+	\dashv	-	-		147	 	 	-			-			-
	48		H		-	t^-	+	t	t	Н			98	+	\dashv	\dashv	\dashv	+	+	\dashv	-+		H	- 	148		-	-	-		-			
	49	_	-		 	\vdash	1	+-	-	\vdash	-		99	-	-+	-	-	-	-	\dashv	\dashv		-		149	-	-	_	-	-	\vdash	\dashv	\dashv	\vdash
	50	-	H		Н	t	T	t	1	Н	-	1	00	\dashv	\dashv	-+	+	-+	\dashv	\dashv	\dashv	\dashv	 	$\overline{}$	150	h	-		-	_	\vdash	\vdash	\neg	\dashv
	50	L	L		L	<u></u>			ــــــــــــــــــــــــــــــــــــــ		L		22					1					L		100	L	L	L	L	L	Ц			

Search Notes

Application/Control No.	Applicant(s)/Patent under Reexamination	
10/733,853	NIELSON ET AL.	
Examiner	Art Unit	
Jason M. Han	2875	

	SEARCHED									
Class	Subclass	Date	Examiner							
362	20	1/13/2006	HML							
362	228	1/13/2006	JMH							
362	240	1/13/2006	JMH							
362	249	1/13/2006	JMH							
362	251	1/13/2006	ЈМН							
362	800	1/13/2006	JMH							

INT	INTERFERENCE SEARCHED											
Class	Subclass	Date	Examiner									
EAST (US See Interfere		1/13/2006	JMH									

SEARCH NOTES (INCLUDING SEARCH STRATEGY)					
	DATE	EXMR			
Search Update - EAST (US-PGPUB, USPAT, USOCR, EPO, JPO, DERWENT) - See Printout	1/13/2006	ЈМН			
P.E. Alan Cariaso	1/13/2006	JMH			
STIC Search - Michael Obinna	4/13/2005	JMH			
Inventor Search	1/13/2006	JMH			
		-			

PART B - FEE(S) TRANSMITTAL Complete and sendants form, together Mail Stop IS E FEE h applicable fee(s), to: <u>Mail</u> Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 or Fax (571) 273-2885 INSTRUCTIONS: This form solud be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate appropriate of further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unterpression of maintenance fees will be mailed to the current correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee health and so the current correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee health and so the current correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee health and so the current correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee health and so the current correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee health and so the current correspondence address; and so the current correspondence address as indicated unterpression of the current correspondence address as indicated unterpression of the current correspondence address and so the current correspondence address as indicated unterpression of the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and so the current correspondence address and current correspondence address and current correspondence address and current correspondence address and current correspo CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address) Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must 01/25/2006 have its own certificate of mailing or transmission. 21552 Certificate of Mailing or Transmission MADSON & AUSTIN I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below. **GATEWAY TOWER WEST** SUITE 900 15 WEST SOUTH TEMPLE Madson SALT LAKE CITY, UT 84101 (Signature) 2006 (Date arch FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE 10/733.853 12/11/2003 Lyman O. Nielson 3358.2.1 9007 TITLE OF INVENTION: LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURY LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS APPLN, TYPE SMALL ENTITY ISSUE FEE **PUBLICATION FEE** TOTAL FEE(S) DUE DATE DUE nonprovisional YES \$700 \$1000 04/25/2006 **EXAMINER** ART UNIT CLASS-SUBCLASS HAN, JASON 2875 362-020000 2. For printing on the patent front page, list 1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363). IMADSON & AUSTIN (1) the names of up to 3 registered patent attorneys or agents OR, alternatively, ☐ Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached. (2) the name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is ☐ "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required. listed, no name will be printed. 3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type) PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment. (B) RESIDENCE: (CITY and STATE OR COUNTRY) EAYALEH2 00000083 10733853 (A) NAME OF ASSIGNEE Fruit Heights, Utah 02 FC:8001 SAFEexit, Inc. 30.00 OP ☐ Individual ☐ Corporation or other private group entity ☐ Government Please check the appropriate assignee category or categories (will not be printed on the patent): 4a. The following fee(s) are enclosed: 4b. Payment of Fee(s): Issue Fee A check in the amount of the fee(s) is enclosed. ☐ Publication Fee (No small entity discount permitted) A Payment by credit card. Form PTO-2038 is attached. \square The Director is hereby authorized by charge the required fee(s), or credit any overpayment, to Deposit Account Number 13-0763 (enclose an extra copy of this form). Advance Order - # of Copies 10 5. Change in Entity Status (from status indicated above) ☐ b. Applicant is no longer claiming SMALL ENTITY status. See 37 CFR 1.27(g)(2). ☐ a. Applicant claims SMALL ENTITY status. See 37 CFR 1.27. The Director of the USPTO is requested to apply the Issue Fee and Publication Fee (if any) or to re-apply any previously paid issue fee to the application identified above.

NOTE: The Issue Fee and Publication Fee (if required) withnot be accepted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in interest as shown by the records of the United States Patent and Trademark Office. Date March 7, 2006 Authorized Signature Registration No. 29,407 Typed or printed name Craig J Madson

This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Electronic Acknowledgement Receipt				
EFS ID:	4495923			
Application Number:	10733853			
International Application Number:				
Confirmation Number:	9007			
Title of Invention:	LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS			
First Named Inventor/Applicant Name:	Lyman O. Nielson			
Customer Number:	21552			
Filer:	Craig J. Madson			
Filer Authorized By:				
Attorney Docket Number:	3358.2.1			
Receipt Date:	19-DEC-2008			
Filing Date:	11-DEC-2003			
Time Stamp:	17:50:45			
Application Type:	Utility under 35 USC 111(a)			

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

			Message Digest	Part /.zip	(if appl.)
1	Power of Attorney	3358_2_1_NewPOA.pdf	482945 3947486516c6d8004e7e287ccd31dce2164 ee408	no	1

Warnings:

Information:

Assignee showing of ownership per 37 CFR 3.73(b).	3358 2 1 Stmt37CFR.pdf	476389	no	1	
		11fc0b15e129adbf74b52b1d2d8aa211502 581f0	***		
Warnings:					
Information:					
		Total Files Size (in bytes):	9:	59334	

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Approved for use through 11/30/2011, OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY OR REVOCATION OF POWER OF ATTORNEY WITH A NEW POWER OF ATTORNEY AND CHANGE OF CORRESPONDENCE ADDRESS

30 to respond to a conection of imo	mation unless it displays a valid Own Control Inditibet
Application Number	10/733,853
Filing Date	12/11/2003
First Named Inventor	Lyman O. Nielson
Title	LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFT
Art Unit	2875
Examiner Name	Jason M. Han
Attorney Docket Number	3358.2.1

I hereby revoke all previous powers of attorney given in the above-identified application.						
A Power of Attorney is submitted herewith.						
OR I hereby appoint Practitioner(s) associated with the following Customer Number as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent						
and Trademar	and Trademark Office connected therewith:					
I hereby appoint Practitioner(s) named below as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith:						
	Practitioner(s) Name		Registration Number			
			·			
X The address a	nange the correspondence address for the above- esociated with the above-mentioned Customer Nu	• •	cation to:			
OR						
The address associated with Customer Number: OR						
Firm or Individual Name						
Address						
City		State	Zip			
Country Telephone		Email	<u> </u>			
I am the:		Email				
,	Applicant/Inventor.					
Assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) (Form PTO/SB/96) submitted herewith or filed on						
	SIGNATURE of Applican	t or Assignee o	of Record			
Signature	/VVI		Date 18.0% COS			
Name	cNorman B. Hess	*** ***	Telephone 801 (+(1-18") 3			
Title and Company NOTE: Signatures of all ti	President, SURETEC Energy Innovations, Inc. (fka SAFEExi te inventors or assignees of record of the entire interest		tative(s) are required. Submit multiple forms if more than one			
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.						
× *Total of 2 forms are submitted.						

This collection of information is required by 37 CFR 1.31, 1.32 and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

STATEMENT UNDER 37 CFR 3.73(b)
Applicant/Patent Owner: SURETEC Energy Innovations, Inc. (fka SAFEexits, Inc.)
Application No./Patent No.: 7,086,747 Filed/Issue Date: 08/08/2006
Entitled: LOW-VOLTAGE LIGHTING APPARATUS FOR SATISFYING AFTER-HOURS LIGHTING REQUIREMENTS, EMERGENCY LIGHTING REQUIREMENTS, AND LOW LIGHT REQUIREMENTS
SAFEExits, Inc, acorporation
(Name of Assignee) (Type of Assignee, e.g., corporation, partnership, university, government agency, etc.)
states that it is:
1. the assignee of the entire right, title, and interest; or
2. an assignee of less than the entire right, title and interest (The extent (by percentage) of its ownership interest is%)
in the patent application/patent identified above by virtue of either:
A. An assignment from the inventor(s) of the patent application/patent identified above. The assignment was recorded in the United States Patent and Trademark Office at Reel 015192, Frame 0966, or for which a copy therefore is attached.
B. A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as follows:
1. From: To:
The document was recorded in the United States Patent and Trademark Office at Reel, Frame, or for which a copy thereof is attached.
2. From: To:
The document was recorded in the United States Patent and Trademark Office at
Reel, Frame, or for which a copy thereof is attached.
3. From:To:
The document was recorded in the United States Patent and Trademark Office at
Reel, Frame, or for which a copy thereof is attached.
Additional documents in the chain of title are listed on a supplemental sheet.
As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the assignee was, or concurrently is being, submitted for recordation pursuant to 37 CFR 3.11.
[NOTE: A separate copy (i.e., a true copy of the original assignment document(s)) must be submitted to Assignment Division in accordance with 37 CFR Part 3, to record the assignment in the records of the USPTO. See MPEP 302.08]
The undersigned (whose title is supplied below) is authorized to act on behalf of the assignee.
Signature Date
Somether in the second of the
Printed or Typed Name Printed or Typed Name Telephone Number
President, SURETEC Energy Innovations, Inc. (fka SAFEexits, Inc.)
Title

This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, Including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA. 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER FILING OR 371(C) DATE FIRST NAMED APPLICANT ATTY. DOCKET NO./TITLE

10/733,853 12/11/2003 Lyman O. Nielson 3358.2.1

84138 MADSON IP Old Shepard Commons, Suite 230 1466 North Highway 89 Farmington, UT 84025



Date Mailed: 01/02/2009

CONFIRMATION NO. 9007

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 12/19/2008.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

/atesfai/			

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NUMBER FILING OR 371(C) DATE FIRST NAMED APPLICANT ATTY. DOCKET NO./TITLE

10/733,853 12/11/2003 Lyman O. Nielson 3358.2.1

21552 AUSTIN RAPP & HARDMAN 15 WEST SOUTH TEMPLE SUITE 900 SALT LAKE CITY, UT 84101 CONFIRMATION NO. 9007
POWER OF ATTORNEY NOTICE



Date Mailed: 01/02/2009

NOTICE REGARDING CHANGE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 12/19/2008.

• The Power of Attorney to you in this application has been revoked by the assignee who has intervened as provided by 37 CFR 3.71. Future correspondence will be mailed to the new address of record(37 CFR 1.33).

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

♠ AO 120 (Rev. 3/04)

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK

8/17/2016

In Compliance with 35 U.S.C. § 290 and/or 15 U.S.C. § 1116 you are hereby advised that a court action has been filed in the U.S. District Court on the following X Patents or Delaware Trademarks: DOCKET NO. DATE FILED U.S. DISTRICT COURT 1/20/2015 DISTRICT OF DELAWARE 15cv53-RGA PLAINTIFF DEFENDANT Blackbird Tech LLC Service Lighting and Electrical Supplies, Inc., et al. PATENT OR DATE OF PATENT HOLDER OF PATENT OR TRADEMARK OR TRADEMARK TRADEMARK NO. 8/8/2006 US 7,086,747 B2 Blackbird Technologies 2 3 5 In the above—entitled case, the following patent(s)/ trademark(s) have been included: DATE INCLUDED INCLUDED BY ☐ Amendment ☐ Other Pleading ☐ Answer ☐ Cross Bill DATE OF PATENT PATENT OR HOLDER OF PATENT OR TRADEMARK TRADEMARK NO. OR TRADEMARK 3 4 In the above—entitled case, the following decision has been rendered or judgement issued: DECISION/JUDGEMENT See attached Order CLERK (BY) DEPUTY CLERK DATE

JOHN A. CERINO, CLERK OF COURT

♠ AO 120 (Rev. 3/04)

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK

8/17/2016

In Compliance with 35 U.S.C. § 290 and/or 15 U.S.C. § 1116 you are hereby advised that a court action has been filed in the U.S. District Court on the following X Patents or Delaware Trademarks: DOCKET NO. DATE FILED U.S. DISTRICT COURT 1/20/2015 **DISTRICT OF DELAWARE** 15cv61-RGA PLAINTIFF DEFENDANT Blackbird Tech LLC Home Ever, Inc. PATENT OR DATE OF PATENT HOLDER OF PATENT OR TRADEMARK OR TRADEMARK TRADEMARK NO. 8/8/2006 US 7,086,747 B2 Blackbird Technologies 2 3 5 In the above—entitled case, the following patent(s)/ trademark(s) have been included: DATE INCLUDED INCLUDED BY ☐ Amendment ☐ Other Pleading ☐ Answer ☐ Cross Bill DATE OF PATENT PATENT OR HOLDER OF PATENT OR TRADEMARK TRADEMARK NO. OR TRADEMARK 3 4 In the above—entitled case, the following decision has been rendered or judgement issued: DECISION/JUDGEMENT See attached Order CLERK (BY) DEPUTY CLERK DATE

JOHN A. CERINO, CLERK OF COURT

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

In Compliance filed in the U.S. Distr		5 U.S.C. § 1116 you are hereby advised that a court for the District of Delaware	t action has been on the following
	Patents. (the patent action		on the following
DOCKET NO.	DATE FILED 10/19/2016	U.S. DISTRICT COURT for the District of De	laware
PLAINTIFF		DEFENDANT	
BLACKBIRD TECH LLC TECHNOLOGIES	d/b/a BLACKBIRD	HYPERIKON, INC.	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR T	FRADEMARK
1 US 7,086,747 B2	8/8/2006	Blackbird Technologies	
2			
3			
4			
5			
		following patent(s)/ trademark(s) have been include	ed:
DATE INCLUDED	INCLUDED BY	adment Green Bill	
	☐ Ame	ndment Answer Cross Bill	Other Pleading
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR T	-
	DATE OF PATENT		-
TRADEMARK NO.	DATE OF PATENT		-
TRADEMARK NO.	DATE OF PATENT		-
TRADEMARK NO. 1 2	DATE OF PATENT		-
TRADEMARK NO. 1 2 3	DATE OF PATENT		-
TRADEMARK NO. 1 2 3 4 5	DATE OF PATENT OR TRADEMARK		-
TRADEMARK NO. 1 2 3 4 5	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR T	
TRADEMARK NO. 1 2 3 4 5 In the above	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR T	
TRADEMARK NO. 1 2 3 4 5 In the above	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR T	-
TRADEMARK NO. 1 2 3 4 5 In the above	DATE OF PATENT OR TRADEMARK re—entitled case, the following of	HOLDER OF PATENT OR T	-

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

_	e with 35 U.S.C. § 290 and/or			rised that a court ac	
filed in the U.S. Distr			t of Delaware		on the following
☐ Trademarks or ☑	Patents. (the patent act	ion involves 35 U.S	S.C. § 292.):		
DOCKET NO.	DATE FILED 10/19/2016	U.S. DISTRICT		District of Dela	ware
PLAINTIFF		DEFE	NDANT		
BLACKBIRD TECH LLC TECHNOLOGIES	d/b/a BLACKBIRD	EIK	O GLOBAL, LL	.C	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	,	HOLDER OF	PATENT OR TR	ADEMARK
1 US 7,086,747 B2	8/8/2006	Blackbird 1	Technologies		
2					
3					
4					
5					
	In the above—entitled case, the	e following patent(s	s)/ trademark(s) h	ave been included:	:
DATE INCLUDED	INCLUDED BY ☐ Am	endment \square	Answer	Cross Bill	☐ Other Pleading
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK		HOLDER OF	PATENT OR TR	
1					
2					
3					
4					
5					
In the above	e—entitled case, the following	decision has been	rendered or judge	ment issued:	
DECISION/JUDGEMENT					
CV DDV	1	N DEDUKE STEEL	.,		In a mp
CLERK	(BY	Y) DEPUTY CLER	K		DATE

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

In Compliance filed in the U.S. Distr		5 U.S.C. § 1116 you are hereby advised that a court ac for the District of Delaware	etion has been on the following
	Patents. (the patent action		on the following
DOCKET NO.	DATE FILED 10/19/2016	U.S. DISTRICT COURT for the District of Delay	ware
PLAINTIFF	,	DEFENDANT	
BLACKBIRD TECH LLC TECHNOLOGIES	d/b/a BLACKBIRD	REMPHOS TECHNOLOGIES LLC	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR TRA	ADEMARK
1 US 7,086,747 B2	8/8/2006	Blackbird Technologies	
2			
3			
4			
5			
		following patent(s)/ trademark(s) have been included:	
DATE INCLUDED	INCLUDED BY	ndment	☐ Other Pleading
PATENT OR	DATE OF BATTOME	HOLDER OF PATENT OR TRA	
TRADEMARK NO.	DATE OF PATENT OR TRADEMARK		ADEMARK
		1332211311112111311	ADEMARK
TRADEMARK NO.			ADEMARK
TRADEMARK NO.			ADEMARK
TRADEMARK NO. 1 2			ADEMARK
TRADEMARK NO. 1 2 3			ADEMARK
TRADEMARK NO. 1 2 3 4 5	OR TRADEMARK	decision has been rendered or judgement issued:	ADEMARK
TRADEMARK NO. 1 2 3 4 5	OR TRADEMARK		ADEMARK
TRADEMARK NO. 1 2 3 4 5 In the above	OR TRADEMARK		ADEMARK
TRADEMARK NO. 1 2 3 4 5 In the above	OR TRADEMARK		ADEMARK
TRADEMARK NO. 1 2 3 4 5 In the above	OR TRADEMARK The matter of the control of the cont		DATE

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

In Compliance filed in the U.S. Distr		or 15 U.S.C. § 1116 you are hereby advised that a court act for the District of Delaware	tion has been on the following
☐ Trademarks or ☑	Patents. (the patent a	action involves 35 U.S.C. § 292.):	
DOCKET NO.	DATE FILED 10/19/2016	U.S. DISTRICT COURT for the District of Delaw	/are
PLAINTIFF		DEFENDANT	
BLACKBIRD TECH LLC TECHNOLOGIES	d/b/a BLACKBIRD	DAMAR WORLDWIDE 4 LLC	
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR TRA	DEMARK
1 US 7,086,747 B2	8/8/2006	Blackbird Technologies	
2			
3			
4			
5			
		the following patent(s)/ trademark(s) have been included:	
DATE INCLUDED	INCLUDED BY ☐ A	amendment ☐ Answer ☐ Cross Bill ☐	Other Pleading
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT OR TRA	DEMARK
1			
2			
3			
4			
5			
In the above	e—entitled case, the following	ng decision has been rendered or judgement issued:	
DECISION/JUDGEMENT			
CLERK	(E	BY) DEPUTY CLERK	DATE

♠ AO 120 (Rev. 3/04)

TO:

2

3

5

2

3

4

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR **TRADEMARK**

10/28/2016

In Compliance with 35 U.S.C. § 290 and/or 15 U.S.C. § 1116 you are hereby advised that a court action has been X Patents or filed in the U.S. District Court Delaware ____ on the following Trademarks: DOCKET NO. DATE FILED U.S. DISTRICT COURT 15cv64-RGA 1/20/2015 DISTRICT OF DELAWARE PLAINTIFF DEFENDANT Blackbird Tech LLC d/b/a Blackbird Technologies Kobi Electric, Inc. PATENT OR DATE OF PATENT HOLDER OF PATENT OR TRADEMARK OR TRADEMARK TRADEMARK NO. 8/8/2006 US 7,086,747 B2 Blackbird Technologies In the above—entitled case, the following patent(s)/ trademark(s) have been included: DATE INCLUDED INCLUDED BY ☐ Amendment ☐ Answer ☐ Cross Bill ☐ Other Pleading PATENT OR DATE OF PATENT HOLDER OF PATENT OR TRADEMARK TRADEMARK NO. OR TRADEMARK

In the above—entitled case, the following decision has been rendered or judgement issued:

DECISION/JUDGEMENT		
See attached Order		
CLERK	(BY) DEPUTY CLERK	DATE

Copy 1—Upon initiation of action, mail this copy to Director Copy 3—Upon termination of action, mail this copy to Director

Copy 2—Upon filing document adding patent(s), mail this copy to Director Copy 4—Case file copy

JOHN A. CERINO, CLERK OF COURT