* This claim chart applies to all Respondents Apple Inc. ("Apple"), AT&T Inc., and AT&T Mobility LLC (together, "AT&T"). The activities of Respondents all involve the same Apple products detailed in this chart.



Claim Language Apple iPhones 3D Touch. The next generation of Multi-Touch. iPhone 6s introduces an entirely new way to interact with your phone. For the first time, iPhone senses how much pressure you apply to the display. In addition to familiar Multi-Touch gestures like Tap, Swipe, and Pinch, 3D Touch introduces Peek and Pop. This brings a new dimension of functionality to the iPhone experience. And when you use 3D Touch, your iPhone responds with subtle taps. So not only will you see what a press can do --- you'll feel it. Ex. 12 at 98 (downloaded from http://www.apple.com/iphone-6s/3d-touch/). All-new Taptic Engine iPhone 6s gives you real-time feedback both onscreen and in the form of subtle taps from the Taptic Engine. These responses correspond to how deeply you're pressing the display, and they let you know what actions you're performing and what you can expect to happen. Ex. 12 at 136 (downloaded from http://www.apple.com/iphone-6s/technology/). To the extent the preamble is found to be a limitation, each of the Apple iPhones satisfy the limitation(s) of this claim element literally and/or under the doctrine of equivalents.

U.S. Patent No. 8,581,710

8685093

- 2 -

The Apple iPhones include a sensor, including, for example, sensors for detecting touch location as well as pressure. <i>See, e.g.</i> :
The Apple iPhones include a touch screen with 3D Touch capability.
A:7/// Betina HD display F Retina HD display with 3D Touch Retina HD display with 3D Touch A:7-inch (diagonal) LED-backlit widescreen 5.5-inch (diagonal) LED-backlit widescreen 1334-by-750-pixel resolution at 326 ppl 1920-by-1080-pixel resolution at 401 ppl 1400:1 contrast ratio (typical) 1300:1 contrast ratio (typical) Ex. 12 at 77 (downloaded from http://www.apple.com/iphone-6s/specs).

- 3 -



8685093

- 4 -

Claim Language	Apple iPhones
	3D Touch.
	The next generation of Multi-Touch.
	iPhone 6s introduces an entirely new way to interact with your phone. For the first time, iPhone senses how much pressure you apply to the display. In addition to familiar Multi-Touch gestures like Tap, Swipe, and Pinch, 3D Touch introduces Peek and Pop. This brings a new dimension of functionality to the iPhone experience. And when you use 3D Touch, your iPhone responds with subtle taps. So not only will you see what a press can do — you'll feel it.
	Ex. 12 at 98 (downloaded from http://www.apple.com/iphone-6s/3d-touch/).
	The innovation beneath 3D Touch.
	Using 3D Touch to do more with your iPhone is as simple as pressing the display. But what's happening underneath the surface is a sophisticated process. To provide the nuanced effect of force being gradually applied and removed, 3D Touch detects a dynamic range of pressure to a microscopic degree. It even accounts for changes in gravity as you hold your phone.
	Ex. 12 at 135 (downloaded from http://www.apple.com/iphone-6s/technology/).
	"Tapping, swiping and pinching have forever changed the way we navigate and experience our digital world. Until now, these gestures had been defined by a singular plane in two dimensional space. For iPhone 6s and 6s Plus we're introducing an entirely new interaction and a whole new dimension to the way you experience your iPhone. It's made possible by a technology called 3-D Touch. This is the next generation of Multi-touch. For the first time, along with recognizing familiar gestures, iPhone also recognizes faults, enabling new

8685093

- 5 -



8685093

- 6 -

Claim Language	Apple iPhones
	"With each press, these sensors measure microscopic changes in the distance between the cover glass and the backlight." Ex. 16, video at 2:31 (downloaded from <u>http://www.apple.com/iphone-6s/#product-demo</u>).
	"These measurements are then combined with signals from the touch sensor and accelerometer to provide fast, accurate, and continuous response to finger pressure." Ex. 16, video at 2:37 (downloaded from <u>http://www.apple.com/iphone-6s/#product-demo</u>).
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.
[b] a housing configured to be contacted by a user;	The Apple iPhones include a housing configured to be contacted by a user. <i>See, e.g.</i> ,

8685093

Г

- 7 -

Claim Language	Apple iPhones
	Ex. 12 at 98 (downloaded from http://www.apple.com/iphone-6s/3d-touch/).
	Ex. 12 at 98 (downloaded from <u>http://www.apple.com/iphone-6s/3d-touch/</u>).

8685093

- 8 -

Claim Language	Apple iPhones
	Retina HD display with 3D Touch The technology behind 3D Touch starts with the display, which recognizes the pressure you apply in addition to the familiar Multi-Touch gestures you already use.
	Capacitive sensors Designed to measure microscopic changes in pressure, capacitive sensors are integrated into the backlight of the insultant form the touch sensor and accelerometer to provide fast, accounts, and continuous responses using a series of complex algorithms.
	All-new Taptic Engine Phone & gives you real-time feedback both onscreen and in the form of you real-time feedback both onscreen and in the form of your performing and what you can expect to happen.
	Ex. 12 at 135-36 (downloaded from http://www.apple.com/iphone-6s/technology/).
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.
[c] an actuator configured to output a haptic effect to the housing; and	The Apple iPhones have an actuator configured to output a haptic effect to the housing. <i>See, e.g.,</i>

8685093

- 9 -

Claim Language	Apple iPhones	
		Retina HD display with 3D Touch The technology behind 3D Touch starts with the display, which recognizes the pressure you apply in addition to the familiar Multi-Touch gestures you already use.
		Capacitive sensors Designed to measure microscopic changes in pressure, capacitive sensors are integrated into the backlight of the display. These measurements are then combined with signals from the touch sensor and accelerometer to mended for the touch sensor and accelerometer
		to provide fast, accurate, and continuous responses using a series of complex algorithms. All-new Taptic Engine
	50-00	IPhone 6s gives you real-time feedback both onscreen and in the form of subtle taps from the Taptic Engine. These responses correspond to how deeply you're pressing the display, and they let you know what actions you're performing and what you can expect to happen.
	Ex. 12, at 135-36 (downloaded from	http://www.apple.com/iphone-6s/technology/).
	It also works inside applications the content. Continue pressing and it po display read how hard you are press system, deeply integrated into iOS 9	en, giving you short cuts to the things you do frequently. mselves. Press lightly and it gives you a peek at the ops you into the content itself. Sensors embedded in the ing and react in a smooth, linear way. This is a dynamic 9. You can dip in and out of where you are without losing distinct, tactile feedback for your actions, letting you

8685093

- 10 -

Claim Language	Apple iPhones
	know exactly what you've done and what to expect."
	Ex. 16, video (downloaded from http://www.apple.com/iphone-6s/#product-demo).

8685093

- 11 -

- thereite	Claim Language	Apple iPhones
"For a truly communicative experience, we had to develop a more precise level of haptic feedback." Ex. 16, video at 2:50 (downloaded from http://www.apple.com/iphone- 6s/#product-demo).		feedback." Ex. 16, video at 2:50 (downloaded from http://www.apple.com/iphone-

8685093

- 12 -

Claim Language	Apple iPhones

8685093

- 13 -



8685093

- 14 -



8685093

- 15 -

Claim Language	Apple iPhones
	between the cover glass and the backlight. iOS uses these measurements to provide fast, accurate, and continuous response to finger pressure, which could only happen with deep integration between software and hardware. iPhone 6s also provides you with responsive feedback in the form of subtle taps, letting you know that it's sensing the pressure you're applying." Ex. 12, at 117. (downloaded from http://www.apple.com/iphone-6s/3d-touch/).
	The innovation beneath 3D Touch.
	Using 3D Touch to do more with your iPhone is as simple as pressing the display. But what's happening underneath the surface is a sophisticated process. To provide the nuanced effect of force being gradually applied and removed, 3D Touch detects a dynamic range of pressure to a microscopic degree. It even accounts for changes in gravity as you hold your phone.
	Ex. 12, at 141 (downloaded from http://www.apple.com/iphone-6s/technology/).
	All-new Taptic Engine
	iPhone 6s gives you real-time feedback both onscreen
	and in the form of subtle taps from the Taptic Engine.
	These responses correspond to how deeply you're
	pressing the display, and they let you know what
	actions you're performing and what you can expect
	to happen.
	Ex. 12, at 136 (downloaded from http://www.apple.com/iphone-6s/technology/).

8685093

- 16 -

Claim Language	Apple iPhones
	Using 3D Touch is simple. But the engineering behind it is incredibly advanced. When you press the display, capacitive sensors instantly measure microscopic changes in the distance between the cover glass and the backlight. iOS uses these measurements to provide fast, accurate, and continuous response to finger pressure, which could only happen with deep integration between software and hardware. iPhone 6s also provides you with responsive feedback in the form of subtle taps, letting you know that it's sensing the pressure you're applying.
	Ex. 12, at 117 (downloaded from http://www.apple.com/iphone-6s/3d-touch/).
[d] a processor in communication with the sensor and the actuator, the processor configured to:	The Apple iPhones include a processor in communication with the sensor and the actuator. For example, the iPhone 6s and 6s Plus include an A9 processor and co-processor, touch-screen controller (e.g., Analog Devices 343S00014), display controller (A9 APL0898), among others. <i>See, e.g.</i> :

8685093

Г

- 17 -

Claim Language	Apple iPhones
	A9. The most advanced chip ever in a smartphone. The 40 chip brings a new level of performance and efficiency to Phone 66. Not only a faster experience, but a better one. The 40 chip is capable of gaming console-class graphics performance that makes games and other apps much richer and more immersive.
	<image/>

8685093

- 18 -

Claim Language	Apple iPhones
	Chip A9 chip with 64-bit architecture Embedded M9 motion coprocessor
	Ex. 12 at 77-78 (downloaded from http://www.apple.com/iphone-6s/specs).
	Ex. 13, at 12-13 (photographs from teardown of iPhone 6s).
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.
[e] receive, from the sensor, a sensor	The Apple iPhones include a processor that receives, from the sensor, a sensor signal associated with a user input. <i>See, e.g.</i> ,
signal associated with	The processor receives the touch position and pressure associated with a user input from the

8685093

- 19 -

Claim Language	Apple iPhones
a user input;	touchscreen sensor.
	3D Touch.
	The next generation of Multi-Touch.
	iPhone 6s introduces an entirely new way to interact with your phone. For the first time, iPhone senses how much pressure you apply to the display. In addition to familiar Multi-Touch gestures like Tap, Swipe, and Pinch, 3D Touch introduces Peek and Pop. This brings a new dimension of functionality to the iPhone experience. And when you use 3D Touch, your iPhone responds with subtle taps. So not only will you see what a press can do — you'll feel it.
	Ex. 12 at 98 (downloaded from http://www.apple.com/iphone-6s/3d-touch/).
	The innovation beneath 3D Touch.
	Using 3D Touch to do more with your iPhone is as simple as pressing the display. But what's happening underneath the surface is a sophisticated process. To provide the nuanced effect of force being gradually applied and removed, 3D Touch detects a dynamic range of pressure to a microscopic degree. It even accounts for changes in gravity as you hold your phone.
	Ex. 12 at 135 (downloaded from http://www.apple.com/iphone-6s/technology/).
	"Tapping, swiping and pinching have forever changed the way we navigate and experience our digital world. Until now, these gestures had been defined by a singular plane in two dimensional space. For iPhone 6s and 6s Plus we're introducing an entirely new interaction and a whole new dimension to the way you experience your iPhone. It's made possible by a technology called 3-D Touch. This is the next generation of Multi-touch. For the first time, along with recognizing familiar gestures, iPhone also recognizes faults, enabling new gestures, peek and pop."

8685093

- 20 -



8685093

- 21 -

Claim Language	Apple iPhones
	http://www.apple.com/iphone-6s/#product-demo).
	"These measurements are then combined with signals from the touch sensor and accelerometer to provide fast, accurate, and continuous response to finger pressure." Ex. 16, video at 2:37 (downloaded from <u>http://www.apple.com/iphone-6s/#product-demo</u>).
	The iOS operating system tracks an object contacting the iPhone touch screen by, for example, creating UITouch data structures and passing them to an application's UIResponder interface.

8685093

- 22 -

Claim Language	Apple iPhones
	Implementing the Touch-Event Handling Methods in
	Your Subclass
	iOS recognizes touches as part of a multitouch sequence. During a multitouch sequence, the app sends a series of event messages to the target responder. To receive and handle these messages, the responder object's class must implement the following UIResponder methods:
	- (void)touchesBegan: (NSSet *)touches withEvent: (UIEvent *)event;
	<pre>- (void)touchesMoved:(NSSet *)touches withEvent:(UIEvent *)event;</pre>
	- (void)touchesEnded: (NSSet *)touches withEvent: (UIEvent *)event;
	- (void) touchesCancelled: (NSSet *) touches withEvent: (UIEvent *) event;
	Note: These methods have the same signature as the methods you override to create a custom gesture recognizer, as discussed in Creating a Custom Gesture Recognizer. Each of these touch methods correspond to a touch phase: Began, Moved, Ended, and Canceled.
	When there are new or changed touches for a given phase, the app object calls one of these methods. Each method takes two parameters: a set of touches and an event.
	The set of touches is a set (NSSet) of UITouch objects, representing new or changed touches for that phase. For example, when a touch transitions from the Began phase to the Moved phase, the app calls the touchesMoved:withEvent: method. The set of touches passed in to the touchesMoved:withEvent: method will now include this touch and all other touches in the Moved phase. The other parameter is an event (UIEvent object) that includes all touch objects for the event. This differs from the set of touches because some of the touch objects in the event may not have changed since the previous event message.
	Ex. 12 at 174 (downloaded from https://developer.apple.com/library/ios/documentation/EventHandling/Conceptual/EventHan dlingiPhoneOS/multitouch_background/multitouch_background.html).

8685093

- 23 -

Claim Language	Apple iPhones		
	A UITouch data structure contains data about the object contacting the iPhone touch screen, including data about location, radius, and force of the contact.		
	UITouch		
	Inherits From NS0bject UTTouch	Conforms To NSObject	Import Statement objective.c @import urkit; Availability Available in IOS 2.0 and later
		on, size, movement, and force of a finger le starting in iOS 9 on devices that suppo	on the screen for a particular
	You access touch objects through utevent objects passed into responder objects for event handling. A touch object includes accessors for:		
	The view or window in which the	e touch occurred	
	The location of the touch within		
	The approximate radius of the touch The force of the touch (on devices that support 3D Touch)		
	A touch object also contains a timestamp indicating when the touch occurred, an integer representing the number of times the user tapped the screen, and the phase of the touch in the form of a constant that describes whether the touch began, moved, or ended, or whether the system canceled the touch.		
	To learn how to work with swipes, rea	d Handling Swipe and Drag Gestures in	Event Handling Guide for iOS.
		nulti-touch sequence. Never retain a touc n about a touch from one touch phase to	
		touch contains the gesture recognizers c ce of a concrete subclass of UIGestureReco	
	Ex. 12 at 215 (downloaded from		
		e.com/library/ios/docum c/instp/UITouch/force).	nentation/UIKit/Reference/UITouch_Class/inde
			ntact can be retrieved by inspecting the force

8685093

- 24 -

U.S.	Patent	No.	8,581,710
0.0.	1 atem	110.	0,501,710

Claim Language	Apple iPhones
	property of the UITouch data structure.
	force Property
	The force of the touch, where a value of 1.0 represents the force of an average touch (predetermined by the system, not user-specific). (read-only)
	Declaration
	SWIFT
	<pre>var force: CGFloat { get }</pre>
	OBJECTIVE-C
	<pre>@property(nonatomic, readonly) CGFloat force</pre>
	Discussion
	This property is available on devices that support 3D Touch. To check at runtime if a device supports 3D
	Touch, read the value of the forceTouchCapability property on the trait collection for any object in your app
	with a trait environment. For more information, see <i>UITraitEnvironment Protocol Reference</i> and the UIForceTouchCapability enumeration in <i>UITraitCollection Class Reference</i> .
	or porce four head of the of the four formation and the formation of the f
	Availability
	Available in iOS 9.0 and later.
	See Also
	See Also maximumPossibleForce
	Ex. 12 at 216 (downloaded from
	https://developer.apple.com/library/ios/documentation/UIKit/Reference/UITouch_Class/inde
	x.html#//apple_ref/occ/instp/UITouch/force).
	Apple provides example code showing the reception of the sensor signals.

- 25 -

Claim Language	Apple iPhones		
	<pre>// An array of the touch properties that may be of interest. let touchProperties: [UITouchProperties] = [.Altitude, .Azimuth, .Force, .Location]</pre>		
	<pre>// Iterate through possible properties. for expectedProperty in touchProperties { // If an update to this property is not expected, continue to the next property. guard !estimatedPropertiesExpectingUpdates.contains(expectedProperty) else { continue }</pre>		
	<pre>// Update the value of the point with the value from the touch's property. // Update the value of the point with the value from the touch's switch expectedProperty { case UITouchProperties.Force: force = touch.force case UITouchProperties.Azimuth: azimuthAngle = touch.azimuthAngleInView(touch.view) case UITouchProperties.Altitude: altitudeAngle = touch.altitudeAngle case UITouchProperties.Location: location = touch.locationInView(touch.view) preciseLocation = touch.preciseLocationInView(touch.view) default:</pre>		
	Ex. 12 at 213-14 (downloaded from <u>https://developer.apple.com/library/ios/samplecode/TouchCanvas/Listings/TouchCanvas_Lin</u> <u>e_swift.htm</u>). "Multi-Touch screen		
	A few simple gestures—tap, drag, swipe, and pinch—are all you need to use iPhone and its apps.		

8685093

- 26 -



U.S. Patent No. 8,581,710

8685093

- 27 -



8685093

- 28 -

Claim Language	Apple iPhones	
	Press to see the Quick Actions menu.	
	Tako Settie	
	Record Video	
	Record Sla-mo	
	Take Photo	
	3D Touch lets you vary the pressure when you draw to change the quality of your lines (in some apps). For example, press as you draw in Notes to make a line darker. You can also use 3D Touch to turn your keyboard into a trackpad and select text when typing.	
	Among other things, you can use 3D Touch to:	
	• View or get information about a location by pressing a pin or an address in Maps.	
	• View the contents of a playlist in Music by pressing the playlist.	
	• Preview a webpage by pressing a link.	
	• Preview a specific note's content within a list by pressing the note in Notes.	
	• Preview a video by pressing a thumbnail in Photos.	
	Make a Live Photo come to life by pressing it in Photos.	

8685093

- 29 -

Claim Language	Apple iPhones		
	 Access your default card, relevant pass, or last transaction by pressing Wallet on the Home screen. Get more information about movies, TV shows, and music videos in the Videos app by pressing a thumbnail. Learn how far you've read in a book in iBooks by pressing its cover. Call, send a message to, or email a contact by pressing his or her phone number in Contacts. See a list of recommended games by pressing Games in Game Center. 		
	Change 3D Touch sensitivity. Go to Settings > General > Accessibility > 3D Touch, then set 3D Touch sensitivity to Light, Medium, or Firm."		
	Ex. 15 at 3-6, iPhone User Guide for iOS 9.2, at 4-6 (downloaded from <u>http://help.apple.com/iphone/9/</u>).		
	In particular, with the Quick Actions functionality on the Apple iPhones, the processor receives the touch position and pressure associated with a user input from the touchscreen sensor when a user attempts to trigger Quick Actions for an app.		
	Quick Actions. A shortcut to the things you do the most.	Quick Actions let you do the things you do most often faster and in fewer steps. You can start a message to your favorite contacts. Or instantly bring up the camera to snap a selfie. Or immediately get directions home. Many of these actions can even be done with a single press, right from the Home screen.	

8685093

- 30 -



8685093

- 31 -



8685093

- 32 -



8685093

- 33 -

Claim Language	Apple iPhones	
input and determine a	command associated with the user input. See, e.g.,	
command associated with the user input;	The Apple iPhones have many apps (e.g., phone, text, music, safari, camera, photo, etc.) that include Quick Actions. A command corresponding to an attempt to invoke Quick Actions may be determined.	
	Ex. 15 at 3-6, iPhone User Guide for iOS 9.2, <u>http://help.apple.com/iphone/9/</u>).	at 4-6 (downloaded from
	Quick Actions. A shortcut to the things you do the most.	Quick Actions let you do the things you do most often faster and in fewer steps. You can start a message to your favorite contacts. Or instantly bring up the camera to snap a selfie. Or immediately get directions home. Many of these actions can even be done with a single press, right from the Home screen.

- 34 -



8685093

- 35 -



U.S. Patent No. 8,581,710

8685093

- 36 -

Claim Language A	Apple iPhones
(Quick Actions
ti c s c s	Quick Actions let users do the things they do most often, faster and in fewer steps. Many of these actions can even be done with a single press, right from the Home screen.
E	Fx. 12, at 150. (downloaded from http://www.apple.com/iphone-6s/3d-touch/).

8685093

- 37 -

Claim Language	Apple iPhones
	Home Screen Quick Actions A user has always been able to tap an app icon to launch it, or touch and hold any app to edit the Home screen. Now, by pressing an app icon on an iPhone 6s or iPhone 6s Plus, the user obtains a set of <i>quick</i> <i>actions</i> . When the user selects a quick action, your app activates or launches and your app delegate object receives the quick action message.
	Directions Hore Image: Construction Wark My Location Image: Construction Sourd My Location Image: Construction Search Nearby Q
	Ex. 12, at 153. (downloaded from http://www.apple.com/iphone-6s/3d-touch/).
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.
[g] if the user input is recognized and the command is determined:	If the app supports Quick Actions: (see citations for element [f] above)

8685093

- 38 -

Claim Language	Apple iPhones
[h] generate a first actuator signal configured to cause the actuator to output a first haptic effect; and	The Apple iPhones include a processor that generates a first actuator signal configured to cause the actuator to output a first haptic effect if the user input is recognized. For example, a first haptic effect is output when sufficient pressure is applied to an application that has Quick Action functionality. <i>See, e.g.</i> :
	3D Touch.
	The next generation of Multi-Touch.
	iPhone 6s introduces an entirely new way to interact with your phone. For the first time, iPhone senses how much pressure you apply to the display. In addition to familiar Multi-Touch gestures like Tap, Swipe, and Pinch, 3D Touch introduces Peek and Pop. This brings a new dimension of functionality to the iPhone experience. And when you use 3D Touch, your iPhone responds with subtle taps. So not only will you see what a press can do — you'll feel it.
	Ex. 12, at 98. (downloaded from http://www.apple.com/iphone-6s/3d-touch/).
	"Using 3D Touch is simple. But the engineering behind it is incredibly advanced. When you press the display, capacitive sensors instantly measure microscopic changes in the distance between the cover glass and the backlight. iOS uses these measurements to provide fast, accurate, and continuous response to finger pressure, which could only happen with deep integration between software and hardware. iPhone 6s also provides you with responsive feedback in the form of subtle taps, letting you know that it's sensing the pressure you're applying." Ex. 12, at 104. (downloaded from http://www.apple.com/iphone-6s/3d-touch/).

8685093

- 39 -

Claim Language	Apple iPhones	
	All-new Taptic Engine	
	iPhone 6s gives you real-time feedback both onscreen	
	and in the form of subtle taps from the Taptic Engine.	
	These responses correspond to how deeply you're	
	pressing the display, and they let you know what	
	actions you're performing and what you can expect	
	to happen.	
	Ex. 12, at 136 (downloaded from <u>http://www.apple.com/iphone-6s/technology/</u>).	{
	Using 3D Touch is simple. But the engineering behind it is	
	incredibly advanced. When you press the display, capacitive	
	sensors instantly measure microscopic changes in the distance	
	between the cover glass and the backlight. iOS uses these	
	measurements to provide fast, accurate, and continuous response	
	to finger pressure, which could only happen with deep integration	
	between software and hardware. iPhone 6s also provides you with	
	responsive feedback in the form of subtle taps, letting you know	
	that it's sensing the pressure you're applying.	
	Ex. 12, at 104. (downloaded from http://www.apple.com/iphone-6s/3d-touch/).	
	"While the vibrating system on a typical phone requires 10 or more oscillations to reach full power, the Taptic Engine in the iPhone 6s reaches peak output in just one cycle and stops just as quickly. This allows us to create shorter more distinct feedback events like a mini-tap lasting just 10 milliseconds (video shows peek feature) and a full tap which lasts 15 milliseconds (video shows pop feature)."	

8685093

- 40 -

Field



8685093

- 41 -



U.S. Patent No. 8,581,710

8685093

- 42 -

Claim Language	Apple iPhones
	<u>6s/#product-demo</u>).

8685093

- 43 -

Claim Language	Apple iPhones
	"While the vibrating system on a typical phone requires 10 or more oscillations to reach full power, the Taptic Engine in iPhone 6s reaches peak output in just one cycle and stops just as quickly." Ex. 16, video at 2:57 (downloaded from <u>http://www.apple.com/iphone-6s/#product-demo</u>).
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.
[i] transmit the first actuator signal to the actuator;	The Apple iPhones include a processor to transmit the first actuator signal to the actuator. <i>See</i> citations for element [h] above.
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.
[j] otherwise:	If the app does not support Quick Actions (see citations for element [f] above):
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.

8685093

- 44 -

Claim Language	Apple iPhones
[k] generate a second actuator signal configured to cause the actuator to output a second haptic effect; and	The Apple iPhones include a processor that generates a second actuator signal configured to cause the actuator to output a second haptic effect, if the user input is not recognized. For example, if an app does not have Quick Action functionality, a second haptic effect (several quick taps) will be output. <i>See</i> citations for element [h] above. Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.
[1] transmit the second actuator signal to the actuator.	Apple's iPhone 6s and 6s Plus include a processor that transmits the second actuator signal to the actuator. <i>See</i> citations for element [h] above.
	Each of the Apple iPhones satisfies the limitation(s) of this claim element literally and/or under the doctrine of equivalents.

- 45 -