



www.archive.org

415.561.6767

415.840-0391 e-fax

Internet Archive

300 Funston Avenue

San Francisco, CA 94118

AFFIDAVIT OF CHRISTOPHER BUTLER

1. I am the Office Manager at the Internet Archive, located in San Francisco, California. I make this declaration of my own personal knowledge.

2. The Internet Archive is a website that provides access to a digital library of Internet sites and other cultural artifacts in digital form. Like a paper library, we provide free access to researchers, historians, scholars, and the general public. The Internet Archive has partnered with and receives support from various institutions, including the Library of Congress.

3. The Internet Archive has created a service known as the Wayback Machine. The Wayback Machine makes it possible to surf more than 450 billion pages stored in the Internet Archive's web archive. Visitors to the Wayback Machine can search archives by URL (i.e., a website address). If archived records for a URL are available, the visitor will be presented with a list of available dates. The visitor may select one of those dates, and then begin surfing on an archived version of the Web. The links on the archived files, when served by the Wayback Machine, point to other archived files (whether HTML pages or images). If a visitor clicks on a link on an archived page, the Wayback Machine will serve the archived file with the closest available date to the page upon which the link appeared and was clicked.

4. The archived data made viewable and browseable by the Wayback Machine is compiled using software programs known as crawlers, which surf the Web and automatically store copies of web files, preserving these files as they exist at the point of time of capture.

5. The Internet Archive assigns a URL on its site to the archived files in the format `http://web.archive.org/web/[Year in yyyy][Month in mm][Day in dd][Time code in hh:mm:ss]/[Archived URL]`. Thus, the Internet Archive URL `http://web.archive.org/web/19970126045828/http://www.archive.org/` would be the URL for the record of the Internet Archive home page HTML file (`http://www.archive.org/`) archived on January 26, 1997 at 4:58 a.m. and 28 seconds (1997/01/26 at 04:58:28). A web browser may be set such that a printout from it will display the URL of a web page in the printout's footer. The date assigned by the Internet Archive applies to the HTML file but not to image files linked therein. Thus images that appear on a page may not have been archived on the same date as the HTML file. Likewise, if a website is designed with "frames," the date assigned by the Internet Archive applies to the frameset as a whole, and not the individual pages within each frame.

6. Attached hereto as Exhibit A are true and accurate copies of printouts of the Internet Archive's records of the HTML files for the URLs and the dates specified in the footer of the printout.

7. I declare under penalty of perjury that the foregoing is true and correct.

DATE: 12/8/16

Christopher Butler

3GPP Specification series

[Back to numbering scheme page](#)

Click on spec number for details

TS 23.002	Network architecture	+
TS 23.003	Numbering, Addressing and Identification	+
TS 23.007	Restoration procedures	+
TS 23.008	Organisation of subscriber data	+
TS 23.009	Handover procedures	+
TS 23.010	GSM Public Land Mobile Network (PLMN) Connection Types	SPECIFICATION WITHDRAWN
TS 23.011	Technical realization of Supplementary Services	+
TS 23.012	Location management procedures	+
TS 23.014	Support of Dual Tone Multi Frequency (DTMF) signalling	+
TS 23.015	Technical realization of Operator Determined Barring (ODB)	+
TS 23.016	Subscriber data management; Stage 2	+
TS 23.018	Basic Call Handling; Technical realization	+
TS 23.01U	UMTS Network principles	SPECIFICATION WITHDRAWN
TS 23.022	Functions related to Mobile Station (MS) in idle mode and group receive mode	SPECIFICATION WITHDRAWN
TS 23.031	Fraud Information Gathering System (FIGS); Service description; Stage 2	+
TS 23.032	Universal Geographical Area Description (GAD)	+
TS 23.034	High Speed Circuit Switched Data (HSCSD); Stage 2	+
TS 23.035	Immediate Service Termination (IST); Stage 2	+
TS 23.038	Alphabets and language-specific information	+
TR 23.039	Interface Protocols for the Connection of Short Message Service Centers (SMSCs) to Short Message Entities (SMEs)	+
TS 23.040	Technical realization of Short Message Service (SMS)	+
TS 23.041	Technical realization of Cell Broadcast Service (CBS)	+
TS 23.042	Compression algorithm for SMS	+
TS 23.043	Support of Videotex	SPECIFICATION WITHDRAWN
TS 23.044	Support of Teletex	SPECIFICATION WITHDRAWN
TS 23.045	Technical Realization of Facsimile Group 3 Service - transparent	SPECIFICATION WITHDRAWN
TS 23.046	Technical realisation of facsimile Group 3 service - non-transparent	SPECIFICATION WITHDRAWN
TS 23.048	Security mechanisms for the (U)SIM application toolkit; Stage 2	+
TS 23.053	Tandem Free Operation (TFO); Service description; Stage 2	+
TS 23.054	Shared Interworking Functions (SIWF); Stage 2	SPECIFICATION WITHDRAWN
TS 23.057	Mobile Execution Environment (MExE); Functional description; Stage 2	+
TS 23.05U	UMTS Network principles	SPECIFICATION WITHDRAWN
TS 23.060	General Packet Radio Service (GPRS) Service description; Stage 2	+
TS 23.066	Support of GSM Mobile Number Portability (MNP) stage 2	+
TS 23.067	Enhanced Multi-Level Precedence and Pre-emption Service (eMLPP); Stage 2	+
TS 23.069	Voice Broadcast service (VBS); Stage 2	SPECIFICATION WITHDRAWN
TS 23.070	Routing of calls to/from Public Data Networks (PDN) and the GSM Public Land Mobile Network (PLMN)	SPECIFICATION WITHDRAWN
TS 23.071	Location Services (LCS); Functional description; Stage 2	SPECIFICATION WITHDRAWN
TS 23.072	Call Deflection Supplementary Service; Stage 2	+
TS 23.073	Support of Localised Service Area (SoLSA); Stage 2	SPECIFICATION WITHDRAWN

TS 23.078	customized Applications for Mobile network Enhanced Logic (CAMEL); Stage 2	-
TS 23.079	Support of Optimal Routeing (SOR); Technical realization; Stage 2	-
TS 23.081	Line Identification supplementary services; Stage 2	-
TS 23.082	Call Forwarding (CF) Supplementary Services; Stage 2	-
TS 23.083	Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2	-
TS 23.084	MultiParty (MPTY) Supplementary Service; Stage 2	-
TS 23.085	Closed User Group (CUG) Supplementary Service; Stage 2	-
TS 23.086	Advice of Charge (AoC) Supplementary Service; Stage 2	-
TS 23.087	User-to-User Signalling (UUS) supplementary service; Stage 2	-
TS 23.088	Call Barring (CB) Supplementary Service; Stage 2	-
TS 23.090	Unstructured Supplementary Service Data (USSD); Stage 2	-
TS 23.091	Explicit Call Transfer (ECT) Supplementary Service; Stage 2	-
TS 23.093	Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2	-
TS 23.094	Follow Me Stage 2	-
TS 23.096	Name Identification Supplementary Service; Stage 2	-
TS 23.097	Multiple Subscriber Profile (MSP) Phase 1; Stage 2	-
TS 23.101	General UMTS Architecture	-
TS 23.107	Quality of Service (QoS) concept and architecture	-
TS 23.108	Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures)	-
TS 23.10U	UMTS Access Stratum; Services and Functions	SPECIFICATION WITHDRAWN
TS 23.110	UMTS Access Stratum Services and Functions	-
TS 23.116	Super-Charger technical realization; Stage 2	-
TS 23.119	Gateway Location Register (GLR); Stage2	-
TS 23.121	Architectural requirements for Release 1999	-
TS 23.122	Non-Access-Stratum functions related to Mobile Station (MS) in idle mode	-
TS 23.127	Virtual Home Environment (VHE) / Open Service Access (OSA); Stage 2	-
TS 23.135	Multicall supplementary service; Stage 2	-
TS 23.140	Multimedia Messaging Service (MMS); Functional description; Stage 2	-
TS 23.141	Presence service; Architecture and functional description; Stage 2	-
TS 23.146	Technical realization of facsimile Group 3 service - non-transparent	-
TS 23.153	Out of Band Transcoder Control; Stage 2	-
TS 23.167	(reserved for: Internet Protocol (IP) based IP Multimedia Subsystem (IMS) emergency sessions; Stage 2)	-
TS 23.171	Location Services (LCS); Functional description; Stage 2 (UMTS)	-
TS 23.172	Technical realization of Circuit Switched (CS) multimedia service; UDI/RDI fallback and service modification; Stage 2	-
TS 23.174	Push service; stage 2	-
TS 23.178	customized Applications for Mobile network Enhanced Logic (CAMEL) - IP Multimedia System (IMS) interworking; Stage 2	SPECIFICATION WITHDRAWN
TS 23.195	Provision of User Equipment Specific Behaviour Information (UESBI) to network entities	-
TS 23.205	Bearer-independent circuit-switched core network; Stage 2	-
TS 23.207	End-to-end Quality of Service (QoS) concept and architecture	-
TS 23.209	Policy control over Gq interface	-
TS 23.20U	Evolution of the GSM platform towards UMTS	SPECIFICATION WITHDRAWN
TS 23.218	IP Multimedia (IM) session handling; IM call model; Stage 2	-
TS 23.221	Architectural requirements	-

TS 23.226	Global text telephony (GTT); Stage 2: Architecture	
TS 23.227	Application and user interaction in the UE; Principles and specific requirements	
TS 23.228	IP Multimedia Subsystem (IMS); Stage 2	
TS 23.234	3GPP system to Wireless Local Area Network (WLAN) interworking; System description	
TS 23.236	Intra-domain connection of Radio Access Network (RAN) nodes to multiple Core Network (CN) nodes	
TS 23.240	3GPP Generic User Profile (GUP) requirements; Architecture (Stage 2)	
TS 23.241	3GPP Generic User Profile (GUP) ; Stage 2; Data description method	
TS 23.246	Multimedia Broadcast/Multicast Service (MBMS); Architecture and functional description	
TS 23.271	Location Services (LCS); Functional description; Stage 2	
TS 23.278	customized Applications for Mobile network Enhanced Logic (CAMEL) - IP Multimedia System (IMS) interworking; Stage 2	
TS 23.340	(reserved for: "" IP Multimedia Subsystem (IMS) messaging; Stage 2""")	SPECIFICATION WITHDRAWN
TS 23.40U	UMTS Network Aspects; Relationship with UPT	SPECIFICATION WITHDRAWN
TS 23.50U	UMTS Network Aspects; IN and B-ISDN concepts in a UMTS environment	SPECIFICATION WITHDRAWN
TS 23.60U	UMTS Network Aspects; UMTS data organization	SPECIFICATION WITHDRAWN
TS 23.70U	UMTS Network Aspects; UMTS operations and procedures	SPECIFICATION WITHDRAWN
TS 23.80U	UMTS Network Aspects; Signalling requirements for UMTS	SPECIFICATION WITHDRAWN
TR 23.814	Separating RR and MM specific parts of the MS Classmark	
TR 23.815	Charging implications of IMS architecture	
TR 23.821	Architecture Principles for Release 2000	SPECIFICATION WITHDRAWN
TR 23.825	Overall architecture aspects of IP flow based bearer level charging; Stage 2	
TR 23.835	Study into applicability of Galileo in Location Services (LCS)	
TR 23.841	Presence service architecture	
TR 23.846	Multimedia Broadcast/Multicast Service (MBMS); Stage 2	
TS 23.851	Network sharing; Architecture and functional description	
TR 23.864	Commonality and interoperability between IP Multimedia System (IMS) core networks	
TR 23.867	Internet Protocol (IP) based IP Multimedia Subsystem (IMS) emergency sessions	
TR 23.871	Enhanced support for user privacy in Location Services (LCS)	
TR 23.873	Feasibility study for transport and control separation in the PS CN domain	
TR 23.874	Feasibility study of architecture for network requested PDP context activation with User-ID	SPECIFICATION WITHDRAWN
TR 23.875	Support of Push service	
TR 23.876	Push architecture	SPECIFICATION WITHDRAWN
TR 23.877	Architectural aspects of speech-enabled services	
TR 23.878	Impacts of speech-enabled services on IMS, PS and CS domains	SPECIFICATION WITHDRAWN
TR 23.881	Interworking aspects and migration scenarios for IPv4-based IP Multimedia Subsystem (IMS) implementations	
TR 23.895	Provision of UE specific behaviour information to network entities	
TR 23.907	Quality of Service (QoS) concept	SPECIFICATION WITHDRAWN
TR 23.908	Technical report on Pre-Paging	
TR 23.909	Technical report on the Gateway Location Register	
TS 23.90U	UMTS Network Aspects; Network performance requirements	SPECIFICATION WITHDRAWN
TR 23.910	Circuit switched data bearer services	
TR 23.911	Technical report on Out-of-band transcoder control	
TR 23.912	Technical report on Super-Charger	
TR 23.913	UMTS Turbo-Charger	SPECIFICATION WITHDRAWN

Cisco 1047

U.S. Pat. 8,531,971

Page 4

TR 23.915	Charging implications of IMS architecture	SPECIFICATION WITHDRAWN
TR 23.917	Dynamic policy control enhancements for End to end Quality of Service (QoS)	-
TS 23.920	Evolution of the GSM platform towards UMTS	SPECIFICATION WITHDRAWN
TR 23.922	Architecture for an All IP network	SPECIFICATION WITHDRAWN
TR 23.923	Combined GSM and Mobile IP mobility handling in UMTS IP CN	-
TR 23.925	UMTS Core network based ATM transport	SPECIFICATION WITHDRAWN
TR 23.927	VHE, Open Service Architecture (OSA)	SPECIFICATION WITHDRAWN
TR 23.930	Iu Principles	-
TR 23.934	3GPP system to Wireless Local Area Network (WLAN) interworking; Functional and architectural definition	-
TR 23.955	Virtual Home Environment (VHE) concepts	SPECIFICATION WITHDRAWN
TS 23.95U	UMTS Network Aspects; Network functions relevant to satellites	SPECIFICATION WITHDRAWN
TR 23.960	Framework of network functions to support multimedia services	SPECIFICATION WITHDRAWN
TR 23.964	Commonality and interoperability between IP Multimedia System (IMS) core networks	SPECIFICATION WITHDRAWN
TR 23.972	Circuit switched multimedia telephony	-
TR 23.974	Support of push service	SPECIFICATION WITHDRAWN
TR 23.976	Push architecture	-
TR 23.977	Bandwidth and resource savings (BARS) and speech enhancements for Circuit Switched (CS) networks	-
TR 23.979	3GPP enablers for Push-to-taks over Cellular (PoC) services; Stage 2	-

page generated from database: 2003-12-05 16:04:04