

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
11/103,777	04/12/2005	Michael C. Vincent	34955.55	7817
	7590 02/27/2007 (NES AND BOONE, LLP			IINER
901 MAIN STE	REET, SUITE 3100		JACKSON, MONIQUE R	
DALLAS, TX	75202		ART UNIT	PAPER NUMBER
			1773	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MO	NTHS	02/27/2007	PAI	DEB

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

			<u> </u>	سنا			
Office Action Summary		Application No.	Applicant(s)				
		11/103,777	VINCENT, MICHAEL C.				
		Examiner	Art Unit	-			
		Monique R. Jackson	1773				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHIC - Exter after: - If NO - Failur Any r	CRTENED STATUTORY PERIOD FOR REPLY THEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA: 36(a). In no event, however, may a reply vill apply and will expire SIX (6) MONTHS cause the application to become ABANI	TION. be timely filed From the mailing date of this communication. DONED (35 U.S.C. § 133).	5,			
Status							
1)🖂	Responsive to communication(s) filed on <u>07 De</u>	ecember 2006.					
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
4)🖂	Claim(s) 9-17,32,34,35,39,41-44,48-54,57 and	62-73 is/are pending in the	application.				
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	Claim(s) is/are allowed.						
6)⊠	6)⊠ Claim(s) <u>9-17,32,34,35;39,41-44,48-54,57 and 62-73</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and/or	r election requirement.					
Applicati	on Papers						
9)□.	The specification is objected to by the Examine	· r.					
	10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	nder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). 							
* S	ee the attached detailed Office action for a list	of the certified copies not rec	ceived.				
Attachment	• •	_	· ·				
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) 🔲 Inform	nation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date		mal Patent Application				

Application/Control Number: 11/103,777 Page 2

Art Unit: 1773

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/7/06 has been entered. Claims 1-8, 18-31, 33, 36-38, 40, 45-47, 55-56, and 58-61 have been cancelled. New Claims 65-73 have been added. Claims 9-17, 32, 34, 35, 39, 41-44, 48-54, 57, and 62-73 are pending in the application.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102

3. Claims 9-17, 32, 34, 35, 39, 41-44, 48-54, 57, and 62-64 are rejected under 35 U.S.C. 102(a) as being anticipated by Nguyen et al (US 2004/0023818A1), or under 35 U.S.C. 102(b) wherein the Examiner notes that the instant claims do not appear to be supported by the provisional application 60/561,486, and hence are not provided the benefit of the earlier filing date.

Nguyen et al teach particles coated with a water-repellant organo-silicon material including polyalkysiloxanes such as polymethysiloxanes and polydimethylsiloxane as well as other silicon resins, wherein the treated particles are then pumped downhole to the fractures to function as a proppant in a carrier fluid or to the wellbore-screen annuls to function as a gravel pack, greatly enhancing the conductivity or permeability, respectively (Abstract; Paragraphs 0004-0006 and 0010.) Nguyen et al teach that the organo-silicon compound can be applied to

Application/Control Number: 11/103,777 Page 3

Art Unit: 1773

the particles by dissolving an oil-soluble organo-silicon compound in a solvent, admixing or spraying the resultant solution on the particles, and then evaporating the solvent to form a thin film of siloxane or silane encapsulating the particles, thereby dry coating the particles (Paragraph 0007; Claims 1 and 25.) Nguyen et al further teach that if the particles are coated when the particles are flowing, then the solvent should be readily miscible in the water-based gel carrier fluid, and that as a non-limiting example, approximately 0.01% to 3% of organo-silicon by weight of particles can be used to coat onto the particles (hence no drying step and the coated particles are wet upon mixing with the carrier fluid; Paragra 0008; Claims 63 and 75.) Nguyen et al teach that the proppant particles can be sand, bauxite, and ceramic, and generally have a particle size in the range from about 2 to about 400 mesh, with preferred particles being sand having a particle size of about 10 to about 70 mesh, hence inherently having a surface porosity (Paragraph 0016.) Though Nguyen et al do not specifically teach the bulk density, crush strength and apparent specific gravity of the particles, the Examiner takes the position that the particles taught by Nguyen et al would inherently possess the same properties considering the particles are formed from the same materials.

4. Claims 9-13, 15, 32, 34, 35, 39, 41, 42, 48-52, 57, and 62-64 are rejected under 35 U.S.C. 102(e) as being anticipated by Sinclair et al (USPN 7,135,231.) Sinclair et al teach coated proppants for oil and gas well hydraulic fracturing wherein the spheroidal proppants comprise a particulate substrate, generally sand or lightweight ceramic or bauxite, incrementally coated with several different particle microlayers that completely encapsulate the particulate substrate (Abstract; Col. 6, lines 58-Col. 7, line 9; Figure 3.) The particulate substrate are particles typically utilized as propping agents in the art, such as sand, having a particle size in the range of

Application/Control Number: 11/103,777 Page 4

Art Unit: 1773

minus 20 mess to plus 40 mesh with suitable mesh sizes recited at Col. 8, lines 9-10 but the generally 20/40 mesh proppants are used (Col. 7, line 10-Col. 8, line 11.) Sinclair et al teach that the particles are sprayed with a powdered or liquid form resin in an amount from about 0.5 to about 5% by weight of the substrate, with suitable resins including siloxanes such as methyl siloxanes (Col. 8, line 60-Col. 9, line 21.) Sinclair et al further teach that the permeability of the treated propping agents decreases less rapidly than does the permeability of the control proppants (Col. 27, lines 15-25.) Sinclair et al also generally teach the method of fracturing a subterranean formation by injecting a fluid comprising proppants (Col. 1-2.) Though Sinclair et al do not specifically teach the bulk density, crush strength and apparent specific gravity of the particles, the Examiner takes the position that the particles taught by Sinclair et al would inherently possess the same properties considering the particles are formed from the same materials.

Claims 65-73 are rejected under 35 U.S.C. 102(b) as being anticipated by Palmer et al (USPN 4,993,491.) Palmer et al teach a method of fracturing a subterranean formation comprising injecting a fracturing fluid into a fracture, wherein the fluid comprises a plurality of essentially spherical particles such as sand and sintered bauxite having a particle size preferably ranging from 40/70 mesh to 12/20 mesh, and the fracturing fluid may be non-aqueous fracturing fluids such as gelled oil and diesel fluids (*reads upon the claimed hydrophobic hydrocarbon*) (Col. 3-Col. 4, line 44.) The Examiner takes the position that the sand or bauxite particles inherently have a surface porosity which would inherently be covered by the fracturing fluid, namely the diesel fluid, upon blending and hence anticipates the claimed invention. With respect to Claims 66, 69 and 71, the Examiner notes that plant oils are not positively recited considering the parent claims recite plant oils in the alternative.

Application/Control Number: 11/103,777

Art Unit: 1773

Response to Arguments

Page 5

6. Applicant's arguments filed 12/7/06 have been considered but are most in view of the

new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Monique R. Jackson whose telephone number is 571-272-1508.

The examiner can normally be reached on Mondays-Thursdays, 8:00AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Carol Chaney can be reached on 571-272-1284. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Monique R. Jackson

Primary Examiner

Technology Center 1700

February 20, 2007