CONFIDENTIAL - DEAN NEIKIRK, PH.D. UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE PATENT TRIAL AND APPEAL BOARD CASE IPR 2020-00475 U.S. Patent No. 9,186,052 SAMSUNG ELECTRONICS CO., LTD, and SAMSUNG ELECTRONICS AMERICA, INC., Petitioners, v. CELLECT, LLC, Patent Owner. CONFIDENTIAL DEPOSITION VIA ZOOM VIDEOCONFERENCING OF DEAN NEIKIRK, PH.D. Thursday, October 8, 2020 Reported By:

AMG Reporting LLC 917-969-4493

LINDA J. GREENSTEIN

JOB NO. 1040

1	CONFIDENTIAL - DEAN NEIKIRK, PH.D.		
2	UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE PATENT TRIAL AND APPEAL BOARD		
3	CASE IPR 2020-00475		
4	U.S. Patent No. 9,186,052		
5	SAMSUNG ELECTRONICS CO., LTD, and SAMSUNG ELECTRONICS AMERICA, INC.,		
6	Petitioners,		
7	V.		
8	CELLECT, LLC,		
9	Patent Owner.		
10			
11	CONFIDENTIAL DEPOSITION		
12	VIA ZOOM VIDEOCONFERENCING		
13	OF		
14	DEAN NEIKIRK, PH.D.		
15	Thursday, October 8, 2020		
16			
17			
18			
19			
20			
21			
22			
23	Reported By:		
24	LINDA J. GREENSTEIN		
25	JOB NO. 1040		

```
Page 2
                                                                                                        Page 3
       CONFIDENTIAL - DEAN NEIKIRK, PH.D.
                                                               CONFIDENTIAL - DEAN NEIKIRK, PH.D.
                                                           APPEARANCES:
2
                    October 8, 2020
                                                           (All parties appearing via Zoom
3
                     10:59 A.M. EST
                                                           Videoconferencing)
4
5
                                                        6
6
                                                           ROPES & GRAY, L.L.P.
7
                                                           Counsel for Petitioners
              Confidential Deposition held via
                                                                   1900 University Avenue
8
    Zoom Videoconferencing of Dean Neikirk,
                                                                   6th Floor
9
    Ph.D., taken by Respective Parties, before
                                                                   East Palo Alto, California
                                                                   94303-2284
    Linda J. Greenstein, a Certified Shorthand
10
                                                                   JAMES L. DAVIS, JR., ESQ.
                                                           BY:
11
    Reporter and Notary Public of the State of
                                                                   650.617.4794
12
                                                       11
                                                                   james.l.davis@ropesgray.com
13
                                                       12
                                                       13
14
                                                           KRAMER LEVIN NAFTALIS & FRANKEL, L.L.P.
15
                                                       14
                                                           Counsel for Patent Owner Cellect, LLC
                                                                   1177 Avenue of the Americas
16
                                                                   New York, New York 10036
                                                       15
17
                                                       16
                                                           BY:
                                                                   JONATHAN S. CAPLAN, ESQ.
18
                                                                   212.715.9488
                                                                   icaplan@kramerlevin.com
19
                                                       18
20
                                                       19
21
                                                       2.0
                                                           Also Present:
                                                           ROPES & GRAY, L.L.P.
22
                                                           Carolyn Redding, Esq.
2.3
                                                       22
24
                                                       23
                                                       24
25
                                                       25
                                                                                                        Page 5
1
      CONFIDENTIAL - DEAN NEIKIRK, PH.D.
                                                        1
                                                              CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2
           THE COURT REPORTER: Good
                                                        2
                                                                  So just a couple kind of
   morning.
3
                                                        3
                                                           administrative matters similar to when we
4
          We're here in the Matter of
                                                           went through this last week a little bit.
                                                        5
5
   Samsung versus Cellect.
                                                                  We'll generally go for about an
6
          Today is Thursday, October 8,
                                                           hour. If you need a break at any time --
7
   2020.
                                                           obviously we will break about every hour,
8
          Counsel, do you agree that the
                                                           but if something comes up in between, just
9
   witness will be sworn today remotely?
                                                       9
                                                          let me know.
10
           MR. CAPLAN: Yes, we do.
                                                       10
                                                                   Just when you're answering your
11
           Jonathan Caplan on behalf of
                                                       11
                                                           questions, do give your counsel a chance to
12 Cellect.
                                                           object and so that the court reporter can
13
           MR. DAVIS: Yes. This is Jim
                                                       13
                                                           get it all down so we don't talk over each
14
    Davis on behalf of petitioners.
                                                       14
                                                           other.
15
           THE COURT REPORTER: Thank you.
                                                       15
                                                                   MR. CAPLAN: And, Jim, I assume
16
           You may proceed.
                                                       16
                                                           it's okay with you, but since Dr. Neikirk's
17
           DEAN NEIKIRK, PH.D.,
                                                           background I assume hasn't changed since
18 having been first duly sworn, was examined
                                                           last week, I'll just forego those questions
    and testified as follows:
                                                       19
                                                           because we've covered that already, so
   EXAMINATION BY
20
                                                       20
                                                           we'll just move on from that.
    MR. CAPLAN:
21
                                                       21
                                                                   Okav?
22
                                                       22
       Q. Good morning, Dr. Neikirk.
                                                                   MR. DAVIS: That's fine on our
23
           Nice to see you this morning.
                                                       23 end.
24
            Good morning.
                                                       24
                                                                  MR. CAPLAN: Okay. Great.
25
            Good morning.
                                                       25 BY MR. CAPLAN:
       Q.
```

Page 6 Page 7 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 Q. Okay, Dr. Neikirk, today we're 2 in the record. 3 going to be talking about the IPR, it's --3 I will identify the particular I'm trying to get the right number -- it is exhibit numbers for the record. IPR 2020-00475, and it involves U.S. Patent 5 THE WITNESS: Yes. That's fine. 9.186.052. BY MR. CAPLAN: 7 Does that sound familiar? 7 Q. So, Dr. Neikirk, if you just 8 A. Yes, I understand that. pull out the '052 patent, Exhibit 1001, 9 Q. I believe you have your papers just so we'll have that, we'll be referring 10 that you put in your declaration and the to it periodically. 10 petition and the related references and 11 A. I have it in front of me. 12 exhibits? 12 (Exhibit 1001 for 13 A. Yes. 13 identification, U.S. Patent 9,186,052, 14 Q. Okay. 14 shown to witness.) 15 Α. Yes, I did. BY MR. CAPLAN: So certainly we're going to use Q. And the '052 patent, 16 16 17 Exhibit -- I think it's 1001. Let me just 17 Exhibit 1001, that is the subject of your 18 make sure. Yes, Exhibit 1001. Actually, declaration in this IPR proceeding; right? 18 19 the '052 patent, so we're making some 19 A. Yes, it is. 20 reference to that so you may want to pull 20 Okay. In particular, your 21 that out and then we'll go through a couple 21 testimony was made in connection with 22 of the other references. Claims 1, 3 and 7 of the '052 patent; is 23 MR. CAPLAN: And, Linda, I know 23 that right? 24 we did this last week, but we will be using 24 A. So I did one declaration and so 25 the exhibit numbers from the IPR which are I could keep track of which was in which 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. petition. understanding of what is shown in the 3 Q. I understand, sure. Suzuki patent, which is used -- which you A. My declaration covered Claims 1, used in connection with your testimony in this IPR. 3, 7 and 2. I believe 2 is the other MR. DAVIS: Objection to form. petition, though, if that's correct. 6 So, yes, 1, 3 and 7 are 7 So I considered Suzuki only in 7 combination with Swift and Ricquier for 8 certainly covered by my declaration. Claim 2, so I'd have to -- I would actually 9 Q. Great. Okay. go to my discussions under Claim 2 in terms 10 Now, I'm also going to be making of I have a background discussion of -- of 11 reference to -- we'll start off today with 12 Suzuki there. That's in my declaration. 12 Exhibit 1015, that's the Suzuki patent, so 13 if you can pull --13 Q. Okay. Before we do that, I just 14 A. And I do have that in front of 14 want to make sure. Why don't you pull out 15 me as well. 15 your declaration, which I'm assuming you 16 MR. CAPLAN: Just for the have there, Exhibit 1004. We'll be 17 record, the Suzuki patent, it's 17 referring to that as well today. That's 18 Exhibit 1015 from the IPR, and it's U.S. your declaration. 19 Patent 5,233,426. (Exhibit 1004 for 19 20 20 identification, Declaration of Dean (Exhibit 1015 for 21 identification, U.S. Patent 5,233,426, 21 Neikirk, Ph.D., shown to witness.) BY MR. CAPLAN: 22 shown to witness.) 22 23 BY MR. CAPLAN: 23 Q. Do you have that? 24 Q. Okay. To start generally, Dr. 24 Α. I do. 25 Neikirk, can you describe kind of your 25 And I believe -- and I'm looking

24 the Suzuki patent, Exhibit 1015, do you see

25 there's some boxes on the top left?

Pages 10..13 Dean Neikirk October 08, 2020 Confidential Page 10 Page 11 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 at the table of contents, but there is a 2 solid-state image pickup device," so 3 Ground -- Ground 1. certainly in terms of the area of the Is Ground 1, which you have, and patent, that is I think a reasonable it says -- I'm looking at page 3 of 256 of 5 description of it. 6 Exhibit 1004. If we go to page -- the page 7 A. Yes. numbers in my declaration, the table of 8 Q. You do rely on Suzuki in contents lists the page numbers from the -combination with Wakabayashi and Ackland. from the document and not the exhibit 10 Do you see that? numbers, so there's -- but there's no page 11 A. Yes. That is correct. I number at the bottom, so let me find them, 12 misspoke. I was looking down to Section B. 12 so they're off just a little bit. 13 But, yes, for the table of 13 So it's supposed to be page 96 14 contents, it's labeled under Section B, and of the document, but that's actually page 15 its Claim 1 and it's Wakabayashi in view of 15 99 of the exhibit number. 16 Ackland and Suzuki, that is correct. So if we went to page 99, you 16 17 17 can see there in paragraph 150, for Q. Okay. And, again, if you can 18 just provide your understanding of what the instance, I pointed out that Suzuki 18 19 Suzuki patent is describing as it relates 19 discloses this compact camera head of a 20 to you using it in this IPR. 20 given size, and I discussed that further on 21 MR. DAVIS: Objection to form. 21 the next page, page 100 in paragraph 152, 22 A. If we look at Suzuki itself, so and, in particular, noting that the 23 Exhibit 1015, page 1, as the first sentence solid-state image pickup chip is 24 in the abstract says that "the invention 8.5 millimeters and that the outer diameter 25 provides a compact camera head for of the camera head is 10 millimeters. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 So in terms of what Suzuki 2 There's a box 22 and a box 30. 3 3 taught that is relevant for Claim 1, he Do you see those? taught sizes of chips, sizes of boards that 4 A. I'm sorry, which page are you have to fit inside camera heads. looking at? Q. Do you know what kind of 6 Q. The first page of Suzuki. 6 7 7 solid-state imaging device is described by A. Okay. I'm there. 8 Suzuki; in other words, the particular type And the question concerned? 9 of solid-state imager? 9 Q. Do you see on the top left 10 MR. DAVIS: Objection to form. there's some numbered boxes and you see one A. So Suzuki refers to a 11 box says "22" in it in brackets, and it 12 solid-state image pickup chip in Column 2 12 says "Filed." 13 at line -- what is that -- line 38. 13 Do you see that? 14 Flipping further, I think Suzuki 14 A. I see that. 15 generally refers simply to a solid-state 15 Q. Okay. And then underneath that 16 image pickup device and does not further you see there's a bracketed number 30. 17 narrow that. 17 Do you see that? 18 Q. It doesn't say the particular 18 A. I do. 19 type of solid-state imager technology it 19 Q. So is it your understanding that 20 uses, does it? 20 the Suzuki patent was originally filed in 21 A. No. It says that it's a Japan on December 28th of 1990? 21 22 solid-state image pickup device. 22 Is that your understanding? 23 23 Q. If you look at the first page of A. That would be how I would read

25

24 that line, ves.

Q. And it was filed -- the Suzuki

24 harder than the visible wavelengths.

25 That's why we were working on them.

Page 14 Page 15 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 patent, as an application, before it became 2 the cameras were not. 3 a patent, was then filed in the U.S. 3 Q. Well, what were you using those 4 December 12th of 1991. Nikon microscopes for? 5 5 A. To examine, inspect and take Is that your understanding? 6 A. I believe that's what that line 6 pictures of integrated circuits. would mean, yes. 7 7 Q. Were those Nikon cameras kind of 8 Q. All right. 8 high-end or high-quality imaging devices? 9 And earlier you explained or you 9 I assume you needed a quality 10 had pointed to the abstract also on page 1 10 image; is that right? of Suzuki, where you said it relates -- the 11 A. They were Nikon cameras. I've 12 Suzuki patent relates to a compact camera 12 forgotten honestly what brand they were. 13 head for a solid-state image pickup device. They were aftermarket attachments, and they 14 Do you recall that? were I think of typical quality. 15 A. Yes, that's what I said. 15 I don't know whether they were Q. Were you familiar with the classified as high-performance or not. 16 16 camera head market in 1991? 17 17 Q. And for that purpose, you just 18 MR. DAVIS: Objection. 18 were purchasing cameras to work with those 19 19 Nikon devices? 20 A. In a broad sense, I was 20 A. That's correct. 21 purchasing cameras to put on microscopes in 21 Q. Were you studying the particular my teaching lab and research laboratories. cameras you were purchasing at that time? 23 Q. What kind of microscopes were 23 A. Well, I was certainly aware -- I 24 those? 24 was certainly well-aware of a lot of the 25 A. The microscopes were Nikons, but technical material in the general area 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. because I was working in focal point 2 But, yes, I was concentrating on 3 arrays. 3 infrared as opposed to visible. 4 4 Again, as I think I've described Q. Okay. And when you were in my background, about my background, I acquiring these cameras to -- let me just was primarily interested in the infrared as go back here and make sure -- when you were 7 opposed to the visible, but in order to purchasing cameras to put on your understand how people were building focal microscope at that time, we're talking point arrays, I made myself generally aware about 19 -- I think I said 1991 was the 10 of both visible and infrared technologies. time frame -- the cameras you purchased at Q. So the focus of your study was that time, do you know what type of image 12 or your research was infrared, which is not 12 sensor they used? 13 visible; is that right? 13 A. I don't recall. 14 MR. DAVIS: Objection to form. 14 Q. Okay. Is that the sort of thing 15 A. So at the time, of course in a 15 you would have looked at, though? 16 research environment, typically we're 16 A. No, honestly not. 17 trying to do the problems that industry is 17 We wanted to make sure it would 18 not yet ready to tackle. The problems that 18 interface with the microscope and that the 19 they knew as, at least at the time, price was acceptable to our research 19 20 insurmountable. That's what we do in a 20 grants. 21 laboratory research -- university research 21 Q. Uh-huh. So as you sit here 22 laboratory. 22 today, you can't recall if it was a CCD 23 The infrared wavelengths were image array in the cameras that you

24

25

purchased, can you?

A. No. I don't recall.

22 from the Sazuki patent, but in paragraph

23 152, you quote the part that says: "The

25 to the chip connecting board 226."

24 solid-state image pickup chip 221 is bonded

Pages 18..21 Dean Neikirk October 08, 2020 Confidential Page 18 Page 19 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 Q. And you can't remember if it was 2 then, what was the -- kind of the standard 3 a CMOS image array in those cameras either type of pixel array that was used in the camera you would have bought at that time? then? 5 A. As I said, I don't recall what 5 MR. DAVIS: Objection to form. 6 A. Well, again, I don't recall 6 kind of sensor it was. 7 Q. And I assume you didn't have an exactly what was commercially available. understanding the year earlier, in December 8 In terms of what was being of 1990, as to what was the state of the 9 discussed in the literature at the time, 10 camera head market at that point; is that certainly CCDs were well-established and CMOS pixels were becoming established at 11 right? 12 MR. DAVIS: Objection to form. that time, but in the -- in 1990, I don't 13 A. I don't think I'd characterize really recall what was commercially 14 14 it that way. available. 15 Again, as I explained, I was 15 Q. In Suzuki -- I'll use your 16 broadly familiar, and in some cases in some declaration. I'm looking at paragraph 152 17 greater detail, about how people were of your declaration where you're describing 17 18 making focal point arrays for use both in Suzuki. 18 19 the infrared and the visible wavelengths. 19 A. I have that in front of me. 20 As to what was inside the camera 20 Q. Okay, great. 21 head that I bought -- that we bought for 21 In paragraph 152, you walk 22 those microscopes, as I just told you, I 22 through some of the components in Suzuki. 23 wasn't paying attention to that, but that 23 A. That's correct. 24 doesn't mean I wasn't aware of the field. 24 Q. Okay. So I just want to go 25 Q. If you were aware of the field through some of these and make sure we 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. understand. 2 What is the function of the chip 3 So there's reference to a 3 connecting board 226? 4 4 MR. DAVIS: Objection to form. solid-state image pickup chip 221. 5 Do you see that in paragraph A. Well, I wasn't relying on any 152? functionality of 226 from Suzuki in my 6 A. I do. discussion of Claim 1. 7 Q. Okay. So what is your 8 8 I believe that if you look at 9 understanding of that component in Suzuki? Suzuki itself, it describes 226 as a chip 9 10 MR. DAVIS: Objection to form. connecting board. 10 11 A. Exactly what you said. It's a 11 I don't know that it further 12 solid-state image pickup chip. That would 12 describes what circuitry is or is not 226. 13 be a focal point array that's just 13 It simply describes it as a chip 14 fabricated and uses solid-state devices to 14 connecting board. 15 convert light to an electronic signal. 15 Q. Do you have an understanding of 16 Q. And so that focal point array, 16 what circuitry would be on that chip 17 that's where the array of pixels would be 17 connecting board 226? 18 located; right? 18 MR. DAVIS: Objection to form. 19 A. Yes, that's correct. 19 A. I think it's merely a design Q. Okay. Then there is -- and 20 20 choice for the designer. There may be -- I really -- I think they can put what they 21 you're quoting, I understand you're quoting 21

22

23

want there.

I wasn't relying on the

or may not be in that board, but I think

teachings of Suzuki, though, as to what may

Page 23

```
Page 22
     CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 one of ordinary skill in the art would
3 recognize they can place a variety of
   circuits on that board.
5
      Q. What type of circuits go on that
6
```

- board?
- 7 A. Any kind I suspect that they needed in the camera. I didn't certainly R 9 try to make a list.
- Q. As you sit here today, can you 11 identify any circuits that would go on that 12 circuit board 226?

13

3

7

17

MR. DAVIS: Objection to form.

14 A. As I pointed out, I was not 15 relying on Suzuki in terms of any 16 particular functionality on any particular 17 board.

18 I was looking more at dimensions 19 that it gave and just generalities of 20 boards. Inasmuch as this is a design 21 choice, I believe it would depend on what 22 circuitry the designer wanted to use.

23 I think they can put it pretty 24 much on any of those boards they wanted. I 25 think that would be just a simple design

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 choice.

1

11

3 Q. Then you also identify in your same paragraph 152, and you were talking about 3a and 3d in Figure 2, and you list a number of components, and we talked about 7 chip 221 and board 226, and then you make reference to a circuit board 227. 9

Do you know what's the function 10 of circuit board 227?

MR. DAVIS: Objection to form.

12 A. So Suzuki says in column 2 --13 let's see if it's right here in this 14 particular location.

15 I'm not sure it's right there in my discussion in my declaration, but if you look at column 2 of Suzuki at line 52, it 17 says: "A circuit board 27 including a 18 19 circuit for driving the solid-state image 20 pickup chip 221 and a circuit for 21 amplifying the video signal from solid-state image pickup 221." That's what 23 it says. 24

But, again, I did not rely on those teachings in terms of any of my

1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 analysis.

Again, as I've just said, I think those are design choices. Those happen to be design choices that Suzuki made, but there could have been others, other design choices equally obvious.

Q. Okay. Let me just take a look 9 -- I'm going to talk to you a little bit 10 more about the part in Suzuki you just identified in column 2 between lines 50 and 12 55.

13 And as you read, it says, 14 "circuit board 227, including a circuit for 15 driving the solid-state image pickup 221." 16

Do you see that?

A. I do.

18 Q. So what is a circuit -- why does 19 it need a circuit for driving the 20 solid-state image pickup 221?

A. Well, there are many sorts of 21 22 driving circuitries.

23 Driving circuitry, sometimes 24 people use that phrase to describe timing. Sometimes they use that phrase to describe

1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** control. Sometimes they simply use -- they use that phrase to describe providing power. All of those things are, broadly speaking, referred to as driving circuitry. I don't think that in -- this 7 disclosure is not really saying anything in particular. It just says driving circuitry for the solid-state image pickup chip. 10 That's all it says. 11 Q. And what is your understanding

12 of what Suzuki says and what we're looking at? What is the function of the driving circuit in Suzuki that's described in column 2 there?

MR. DAVIS: Objection to form.

A. Exactly what he's said. It's 18 driving circuitry. I just gave you some examples. There's undoubtedly others, but I don't think Suzuki is providing any 21 specific requirements there. It's a broad-based statement

about putting driving circuitry on circuit board 227 -- yes. Yes, 227, circuit board 227. 25

13

14

15

16

17

19

20

22

22 types of driving circuits: One for power

Those would be two separate

23 and another for timing and control.

25 circuits; is that right?

24

Pages 26..29 Dean Neikirk October 08, 2020 Confidential Page 26 Page 27 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 Q. So it's your testimony that a 2 given the context of what's described in 3 driving circuit could do anything a Suzuki, there's no particular constraint on designer wanted it to do? There's no the options for the driving circuit and the constraint based on what Suzuki says; is functions that it would perform in Suzuki; that right? 6 is that right? 7 MR. DAVIS: Objection to form. 7 MR. DAVIS: Objection. A. No, it's not. That is not what 8 8 Form. I said. I gave you specific examples of 9 A. I don't think that's how I 10 things that are sometimes referred to as phrased it. I think that Suzuki says what 11 driving. Power supply can be referred to they say. That there is driving circuitry 12 as driving. Timing and control could be -- a circuit for driving solid-state image 13 referred to as driving circuitry. pickup 221. That could be many different 14 Other types of access signals, things. I gave you several examples. I 15 reset signals, all those things, broadly think it's a design choice. 16 speaking, are in the category of driving Q. Now, a driving circuit that 16 provides power, is directed to power, that 17 circuitry. 17 18 So, no, I didn't say that no one would be a different circuit than a driving 18 19 has any idea what they are. There are a 19 circuit that is directed to timing control. 20 lot of examples, though, and Suzuki has not 20 Would you agree with that? further narrowed it or said what kind. 21 A. I think each of those, there 22 It's just a broad general statement. 22 would be a number of circuits that could 23 What you put where is an option fulfill that function. But, yes, I believe 24 available to the -- to a designer. 24 those are different functions. 25 Q. So it's your testimony that 25 Q. So those would be different 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. circuits for -- you identified timing, 2 MR. DAVIS: Objection. 3 control and power, right, those were the Form. 4 A. I would expect that circuitry three options you identified? 5 MR. DAVIS: Objection to form. used for providing power would be of a different sort of circuitry than one that 6 A. I identified timing and control, would be broadly referred to as providing 7 I identified power as examples, not that that's an exhaustive list of things that timing or as providing control signals. 9 some people might refer to as driving 9 Q. Okay. And you previously testified that -- I believe it was board 10 circuitry. 10 11 I mentioned a couple of other for the pickup chip 221 -- that's where the 12 examples -- reset signals -- but those --12 pixel array would be located; right? 13 sometimes people refer to those as control 13 A. I'm just trying -- yes, 221. 14 signals. 14 I'm just trying to make sure I've got my 15 There's a lot of different names 15 numbers right. 16 for similar functions and many circuits 16 Yes, that's correct. 17 that can provide those functions. 17 Q. Okay. And with respect to 221, 18 Q. So the timing and control 18 circuit board 227 in Suzuki would be 19 circuit would be different from a power characterized as off-chip then; is that 19 20 circuit -- let me rephrase that. 20 right? We're talking about at least two A. Well, the circuit board 227 and 21 21

22

24

25

off-chip.

circuits made on that board, I would say

yes, that's not on the chip; and, hence, is

Q. And there's also reference in

array would use an off-chip driving circuit

MR. DAVIS: Objection to form.

A. Well, a CCD, as well as every

19 solid-state imaging device I know, requires

20 power. That power is -- unless the battery

21 is somehow integrated into the chip and

22 that power is off-chip and has to be

23 provided to the chip, and any circuitry

24 involved in that power supply might be

18 other or pretty much every other

15 for power, wouldn't you?

25 located off-chip.

16

17

```
Page 30
                                                                                             Page 31
      CONFIDENTIAL - DEAN NEIKIRK, PH.D.
                                                        CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 your declaration to connector board 228.
                                                  2 some components mounted on the surface of
3
                                                     it, but I don't know that that's what they
         Again, I'm referring to
                                                  3
  paragraph 152.
                                                  4
                                                     are.
5
                                                  5
         Do you see that?
                                                            But if you look at what emerges
6
      A. Yes, on page 100 of my
                                                  6
                                                     from the right, you see 228P, which he
7
   declaration, I quoted the section where
                                                     describes as external lead pins. And at
   they're talking about chip connecting board
                                                     column 2 at line 60, he says the external
   226, circuit board 227 and then connector
                                                     lead pins 228 are mounted on the connector
10 board 228 are arranged in such a manner,
                                                     board 228 and are adapted to be connected
11 and then from there it goes on to talk
                                                      to the plug 4 so as to send the signals to
12 about an arrangement, yes, that's correct.
                                                  12
                                                      the camera control unit 3.
13
       Q. What's your understanding of the
                                                  13
                                                            Other than that, I assume he
14 term "connector board"? What does that
                                                  14
                                                     refers to the connector board because it
15 mean?
                                                     has pins designed to connect to something
          MR. DAVIS: Objection.
                                                      externally as discussed in that section.
16
                                                  16
                                                  17
                                                            The sketch that he shows, I
17
          Form
18
       A. So Suzuki refers to 228 I
                                                      don't know what those other boxes are on
                                                  18
19
   believe that one time and provides no other
                                                  19
                                                      the other side of 228. Whether that's
   particular discussion as to what other
                                                  20
                                                      circuitry, not circuitry, he doesn't say.
   circuitry may or may not be on that board,
                                                  21
                                                         Q. Now, a CCD pixel array -- let me
22 that it is a connector board.
                                                 22
                                                     rephrase it.
23
          If you look at page -- at Figure
                                                 23
                                                            A CCD pixel array would require
24 2, for instance, of Suzuki, and you see
                                                  24
                                                      an external driving circuit for power,
25 228, it contains what would appear to be
                                                  25
                                                      wouldn't it?
1
                                                  1
     CONFIDENTIAL - DEAN NEIKIRK, PH.D.
                                                        CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2
         MR. DAVIS: Objection to form.
                                                  2
                                                            I suppose it could be located
3
      A. Every solid-state imaging device
                                                  3
                                                     on-chip, but it wouldn't be unusual to
4
  I know requires a power supply, and so a
                                                     locate it off-chip.
   CCD would, a CMOS would, a microbolometer
                                                        Q. A CMOS pixel array would not
   would, a photo diode would.
6
                                                     require an off-chip driving circuit for
7
         They all require some source --
                                                     power, would it?
                                                  7
   well, with the possible exception of the
                                                  8
                                                            MR. DAVIS: Objection to form.
                                                        A. No. No, that's not correct.
9
   simplest photo diode, which generates a
                                                  9
10 photo current, all of them typically
                                                  10
                                                            The transistors in a CMOS pixel,
   require bias; in other words, a power
                                                  11
                                                      in order to operate, require power
12 supply.
                                                  12
                                                      supplies. They don't operate in the
13
      Q. You would agree that a CCD pixel
                                                  13
                                                      absence of power. They don't operate.
```

A. It depends on how it's designed.
If it's CMOS, you need more than

MR. DAVIS: Objection to form.

Q. Right. But a CMOS pixel array

line could run off the same voltage for the

So a CMOS pixel array certainly

that's manufactured on a CMOS manufacturing

23 one bias, because the N channel transistors

24 operate one way and the P channel

also requires a power supply.

whole device; isn't that correct?

transistors operate another, so you need

14

15

16

17

19

20

21

22

Q. But you wouldn't require an

off-chip driving circuit for power for a

CMOS pixel array device, would you?

2 two voltages at a minimum.

14 but they both require it.

16 between CCD and CMOS?

3

6

7

8

15

17

18

19

21

22

23

24

25

6

7

24

25

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

MR. DAVIS: Objection to form.

They require off-chip supplies

A. No, I wouldn't agree with that.

of power and inasmuch as that is driving

10 the transistors on-chip, that might well be

11 characterized as driving circuitry, and

12 that's required for a CMOS just like it is

13 for a CCD. The details might be different,

Q. How are the details different

A. It depends on the chip. It

voltages it's designed to operate on.

depends on the technology node.

the CMOS, when -- 5 volts, 3.3 volts. It

MR. DAVIS: Objection to form.

depends on what logic levels were used for

CCDs, similarly, it just depends

on the design of the chip in terms of what

Page 35 CONFIDENTIAL - DEAN NEIKIRK, PH.D. array device requires higher voltage to 2 operate than a CMOS pixel array device, wouldn't you? MR. DAVIS: Objection to form. A. I don't think that's -- excuse me -- I don't know that that's universally

true. It would not be unusual for them to use different voltages, but I couldn't say that there is no CCD in existence that could not operate from, for instance, a 5-volt power supply.

Q. Are you aware of any?

15 A. I haven't done the research on that. There was no need for this -- for the purposes of this declaration, that was 17 not a relevant topic for me so I haven't 18 19 looked.

Q. Going back to the mid '90s, let's just talk about 1997, in particular, was it your understanding that a CCD imager device or -- strike that.

24 In 1997, was it your

understanding that a CCD pixel array device

1 3

Page 34

5

6

7

R

9

10

13

14

20

21

23

12

15

16

17

19

23

24

25

CONFIDENTIAL - DEAN NEIKIRK, PH.D. had the same power requirement as a CMOS 3 pixel array device?

Q. You would agree that a CCD pixel

A. In terms of their power 4 5 requirements or voltage requirements?

I'm sorry, power requirements, I honestly don't know which was lower power or higher power. I think CMOS was generally viewed as being lower power 10 consumption than CCD in terms of the 11 voltage levels that were required. 12

I honestly don't know what was 13 available for the CCDs at that particular point in time, standard CMOS logic -- '97 15 -- I don't know whether we dropped the 16 3.3 volts yet or not or whether it was 17 still 5 volts. I honestly don't recall.

18 Q. But in 1997, the way you would 19 read out a CCD pixel array, sometimes 20 referred to as a bucket brigade, but you had to push the charge across all of the 22 pixels and the CCD array to get the image 23 data out; is that correct?

MR. DAVIS: Objection to form.

A. So depending on how the CCD was

CONFIDENTIAL - DEAN NEIKIRK, PH.D. designed, whether it was -- you can design so that there's some parallelism, but, typically, yes, you have to push them at least across everything in one row or one column. That's true. 7

Q. Okay. And in 1997, a CCD pixel array to be read out in the way you just described required more voltage than what a readout of a CMOS pixel array at that time; 11 is that right?

A. I don't know that that was a 13 requirement. I'm sure you can find examples that were higher voltage, but I don't know that there aren't examples where they were similar. I honestly don't know. Q. Do you have an understanding of

18 how the camera head -- let's talk about the solid-state image pickup device in Suzuki. What's your understanding of how

20 that device would have been manufactured in 21 22 1991?

MR. DAVIS: Objection to form.

A. I don't think Suzuki cares. It just says it's a solid-state

AMG Reporting LLC 917-969-4493

23 terms of the number of pixels that would

25 image pickup chip of that size?

24 fit into -- what could be generated with an

Pages 38..41 Dean Neikirk October 08, 2020 Confidential Page 38 Page 39 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 image pickup head. In terms --2 for instance, substrate requirements for CCDs that are different than for CMOS. 3 Q. I'm asking you -- I'm sorry. A. In 1991, I'm sure it was done And, yes, the processes were 4 5 with integrated circuit techniques. probably optimized for one or the other. Q. Do you know what kind would have 6 So, yes, I think the fabrication 7 been used at that time, what kind of 7 process for a CCD is different than for a manufacturing technique would have been CMOS chip. used to manufacture the image pickup device 9 Q. Do you know what was the average 10 221 at that time? 10 size of a CCD pixel in 1997? 11 MR. DAVIS: Objection. 11 MR. DAVIS: Objection to form. 12 Form. 12 A. No, not for CCD specifically. 13 A. I imagine it involved oxidation, 13 In terms of general IC 14 diffusion, ion implantation, fabrication in '97, I honestly don't recall photolithography, metal and potentially what technology node we were at -- '97. 16 polysilicon depositions, etching. I think in '97 we were probably 16 17 All of those manufacturing steps under one micron for lithographic feature 17 18 would have been used. sizes, but that doesn't determine the pixel 18 19 Q. That would have been a process 19 sizes and I don't know. I don't recall. 20 that was tailored to manufacturing that 20 Q. And do you have an understanding 21 particular chip; right? 21 of what was the pixel size -- and micron, 22 MR. DAVIS: Objection. it sounds like what you were using, for a 23 Form. 23 CMOS active pixel sensor at that time, in 24 24 A. So I think that as we discussed 1997? 25 before other articles, there are certain --25 MR. DAVIS: Same objection. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. A. I don't recall with any great 2 A. No, I did not. 3 specificity. I think it was on the order Q. Do you have an understanding of of a few microns, but I don't really recall how many -- the number of pixels that could with any more specificity than that. be generated with an image pickup sensor or an image pickup chip of that size? Q. In your declaration, in A. I wasn't counting pixels, and 7 paragraph 153, you talk about some of the 7 size measurements that are provided or the so, no, I haven't done any -- any size details provided in Suzuki. calculation of that. 9 9 10 Do you see that? 10 Q. Do you have an understanding of 11 A. I do. 11 how many pixels do you think would fit in an image sensor of that size in 1991? 12 Q. I'm sorry, do you see that, 12 MR. DAVIS: Objection to form. 13 paragraph 153? 13 14 A. Yes, I do. 14 A. So for an 8.5-millimeter size 15 Q. Okay. And then you highlight a 15 chip, no, I don't know. 16 portion of Suzuki where it talks about the 16 Q. If you could determine the solid-state imager pickup chip being 17 number of pixels that would fit or could be 18 one-third of an inch, which is generated by an image pickup chip at that 19 8.5 millimeters as used. time, would it be different for CCD pixel 19 20 Do you see that? 20 array versus a CMOS pixel array in terms of 21 the number of pixels? A. I do. 21 Q. Did you do any calculations in 22 22 A. I don't know.

23

24

25

MR. DAVIS: Object to form. A. Perhaps, but I don't know.

It's not -- it was not an issue

Page 43

```
Page 42
     CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 in my inquiry. Nowhere in the claims that
3 were considered was there any limitation
 related to number of pixels, so I didn't
5
 look at that.
```

Q. What's your understanding of how many pixels you would have needed in 1997 to have an image of acceptable quality generated by this image pickup chip?

MR. DAVIS: Objection. Form.

10

11

21

22

12 A. I think it very much depend on 13 who was defining acceptable.

14 I don't know. No number in 15 particular is in my head.

Q. We previously spoke about the 16 17 consumer camera market. We talked about 18 the Wakabayashi reference.

19 Do you have an understanding of 20 what would be acceptable for a consumer 21 camera like it's described in Wakabayashi?

22 MR. DAVIS: Objection to form.

23 A. I don't think Wakabayashi 24 indicated a particular array per pixel

25 count. And, again, that was not something

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 that I looked into. I don't recall off the

3 top of my head. It certainly has changed over the years, but what it was considered to be

in '90 or '95 or '97, I don't recall 7 precisely.

8 Q. And so it's your testimony that 9 the Suzuki reference is really only used by you in this IPR for the size of the -- this pickup, the image pickup chip; is that 12 right?

13 A. So for Claim 1, as I've 14 discussed starting on page 99, my declaration, the teachings that I thought were relevant -- first, that it's for a miniature -- to use his words, a compact 17 camera head for a solid-state image pickup 18 19 device.

All of these references I've looked at are for solid-state imaging devices and they all are interested in size.

Suzuki I think shows one of ordinary skill that using available

```
CONFIDENTIAL - DEAN NEIKIRK, PH.D.
1
   knowledge at the time that a size of -- and
3 to use the claim language was between 2 and
4 12 millimeters. Suzuki illustrates a chip
5 that's 8.5 millimeters and that they want
6 this to fit inside a camera head. They
7 specify the outer diameter as being
8 10 millimeters, I believe.
         Which means all of the
9
```

10 components that go inside have to be 11 smaller than 10. And the chip is given as 12 8-1/2. That's bigger than 2 millimeters. So I think what Suzuki teaches

13 14 one of ordinary skill is that having a chip 15 between 2 and 12 millimeters was known at 16 the time.

17 So your testimony, at least in 18 connection with Suzuki, isn't based on the particular type of pixel array that's in 20 Suzuki; is that right?

> MR. DAVIS: Objection. Form.

23 A. Suzuki discloses a camera head 24 that uses a solid-state image pickup 25 device. Very clearly. That's all he

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. restricted it to, which could be many different things. He gives sizes. 4

Beyond that, no, I don't -- I'm not looking to Suzuki for any more details about the imager itself because he's open. He says it's solid state. He didn't say 8 what kind.

9 Q. So it's your testimony that Suzuki could be any type of solid state -any kind of solid-state pixel array, it 12 doesn't matter.

> That's your testimony; right? MR. DAVIS: Objection to form.

A. I don't think that's how I said it.

Suzuki simply requires a --18 let's see -- to use an image pickup, so a solid-state image pickup chip.

20 In terms of what that would teach to one of ordinary skill in the art, 21

that could encompass a number of different

types. That's what's Suzuki teaches and I 24 believe that's what one of ordinary skill

25 in the art would take away.

20

21

23

24

13

14

15

16

17

19

Page 46 Page 47 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 Q. And what types could it be then? 2 That the outer diameter of the A. Well, it could be, as examples, 3 housing is 10 millimeters. That everything an active pixel CMOS device. It could be a could fit inside a 10-millimeter space. CCD pixel device. It could be a photo That's what this teaches. It is obvious based on this that diode pixel device. 7 Actually, it could be a a size between 2 and 12 millimeters would 8 microbolometer pixel. That's a solid-state have been available to one of ordinary skill. 9 device too. 9 10 Suzuki doesn't limit it. 10 Q. So in terms of the size then, if 11 So it doesn't matter what kind 11 -- strike that. Q. 12 of solid-state imager device it is in 12 Why don't we move onto the next connection with your testimony in this case 13 reference I want to talk about, which is 14 on Suzuki? 14 the Ricquier reference. 15 MR. DAVIS: Objection. 15 I think it's going to be 16 Form. 16 Exhibit 1033. 17 A. Yes, I wouldn't -- Suzuki says 17 (Discussion held off the 18 -- Suzuki teaches sizes. In terms of what 18 record.) 19 one of ordinary skill in the art would 19 THE WITNESS: My exhibit number 20 learn, be taught by reading this, they 20 is labeled 1038. I'm not sure whether I 21 would be shown that something in the size 21 heard the right exhibit number. 22 range of 2 to 10 -- 12 millimeters, and MR. CAPLAN: There's actually 23 more specifically around 8-1/2 millimeters, 23 two Ricquiers. There's 1033 and 1038. 24 the chip itself was something that could be 24 Did you have both of those, Dr. 25 done. That's what this teaches. 25 Neikirk? 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 THE WITNESS: I have 1038. I'm 307 and 308 on page 196, it seems to going to have to dig for 1033. indicate they were both in the same volume. MR. CAPLAN: Why don't we take a 4 I don't have 1033 in my -- in my stack of short break here and let Dr. Neikirk look documents. for that, and then we'll come back in Q. Okay. Well, I do have a couple 7 10 minutes or so. 7 of questions -- let me just back up. 8 Is that all right? 8 So the article itself, the THE WITNESS: That's fine. Ricquier reference itself I believe is the 9 9 10 same in both of those. (A recess was taken.) 10 11 BY MR. CAPLAN: 11 There's just the kind of 12 qualifiers or -- not qualifiers, but 12 Q. Dr. Neikirk, we were about to 13 switch to the Ricquier reference, to move 13 information about access and publication, 14 our discussion onto that. 14 which is different. 15 And there are two exhibits, 15 So I'll ask you a couple of 16 Exhibit 1033 and Exhibit 1038. 16 questions on things that are in 1033 and 17 Do you have both of those? we'll see how it goes, but I understand 18 A. I do not. I have 1038. 18 that you don't have the reference. 19 19 MR. CAPLAN: Is that something Q. Okay. 20 A. And I was looking at my 20 we can get over to Dr. Neikirk? Can we --21 declaration at page 194, is I think the MR. DAVIS: I think it was sent 21 22 only place where I mention 1033, and that 22 to Dr. Neikirk, but we can talk about that 23 was just in whether it was publicly 23 at our next break. 24 available. 24 MR. CAPLAN: All right.

But reading that at paragraphs

25

MR. DAVIS: It --

Page 51

```
Page 50
      CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2
          MR. CAPLAN: I don't think it's
3 going to be an issue. We'll see how it
  goes.
5
   BY MR. CAPLAN:
      Q. If you can pull out then
   Exhibit 1038, that is what's been referred
   to as the Ricquier reference.
9
              (Exhibit 1038 for
10 identification, Ricquier reference, shown
```

- 11 to witness.) 12 BY MR. CAPLAN:
- 13 A. Yes, I have it.
- 14 Q. So I'm going to ask you some 15 questions about that.

16 But beforehand, or as a start, 17 if you go to, it's page 3 of 16. I believe 18 that's kind of the first cover page. 19 And this is -- it talks about --

20 it's proceedings from -- I don't know if it's "SPIE" or "SPEE," I don't know how you 21

22 pronounce it, the International Society for 23 Optical Engineering.

24

9

10 11

14

A. Yes, that's correct. 25

So first question is, what's

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 your understanding of the SPIE organization?

 A. Well, I was a member of the SPIE starting in probably the mid '80s and up through perhaps the mid 2000s. I don't recall when my membership lapsed.

But it was a technical society, as its name implies, it was for the -- the "P" actually stands for photo optical engineers. The original SPIE was Society of Photo -- I think actually it was Photo 13 Instrumentation Engineers.

As you can see by that page you just referenced, the name -- the SPIE was still the initials, but they just wrote it as "International Society for Optical Engineering." 18

It was a technical society where 20 research and a variety of material was presented at conferences and published in conference proceedings, very broadly related to all sorts of optical systems.

- 24 Q. Was it focused on research work?
 - Not necessarily. There were

5

7

R

9

14

15

17

19

23

25

9

12

13

14

15

16

17

19

20

22

23

24

1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** people from industry, many people from industry, as well as from academia. 4

It usually was about things that were considered at least at the time to be cutting edge, so if it was a commercial product, it would have typically been a new one. Not something that had been available for five or 10 or 20 years usually.

Q. You testified you were a member of the organization for a time period.

12 Did that time period include the 13 1990s?

A. As I recall, yes. I was a 15 member for I think over 20 years off and 16 on. I may have let my membership lapse 17 occasionally, so in any given year I 18 couldn't tell you for sure.

19 Q. Sure. And was it a source --20 were the SPIE publications a source of 21 information that you regularly looked at, 22 reviewed, considered?

23 Yes, it was. A fairly large 24 fraction of my conference publications were 25 published -- were presented at and then

CONFIDENTIAL - DEAN NEIKIRK, PH.D. published -- presented at SPIE conferences 3 and then published in SPIE conferences' Proceedings. So, yes, that was a very -in fact, probably more common for myself and my research group than the other professional society, the IEEE. 7

I also attended and made presentations there, but I'd say I did at least as much or more at SPIE. Q. Okay. And it's called, at least

the title or heading, is "Proceedings." Is that just like a summary of articles? I just want to make sure -- I'm not sure exactly what that is describing.

A. So in order to present at an SPIE conference, you had to submit an abstract and that would be reviewed by the program committee. I was on several program committees over the years, for 21 instance.

The abstracts were reviewed for technical content and relevance to the session. There would typically be many sessions.

7

8

12

19

25

10

15

24

25

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

If you were accepted, then you

also submit a Conference Proceedings Paper,

which would contain a written record of the

Frequently, given that many of

things that you were going to present on.

the oral presentations were limited to 10 to 15 minutes, the Conference Proceedings

10 Papers usually had much greater detail than

But the Proceedings were

13 published then. It was fairly common that

14 your -- you had to submit the Conference

16 conference occurred, and when attendees

17 arrived, they would be given a copy of the

20 years when they shifted to more electronic

21 submission, then I think you usually got it

22 after, but the Proceedings was the written

23 documentation that went along with the

Q. You testified about your

That's -- that changed over the

15 Proceedings Paper before the actual

11 the oral presentation did.

18 Proceedings.

24 conference talks.

3 would attend and present, but you would

Pages 54..57 Page 55 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 involvement with the organization. Did your colleagues in academia

3 kind of across the country also have a similar level of interest in SPIE. certainly at that time?

7 Yes. Again, the two -- really, there were only two societies that covered a lot of these kind of systems and devices. One was the IEEE and the other was the 11 SPIE.

12 Q. So those skilled in the art at 13 the time would likely be looking at those two organizations and their publications about developments in the field for image arrays, the pixel arrays that we've been talking about; is that right? 17

18 A. Yes. I think that is a -- you 19 would look -- the IEEE publishes a number of what are frequently called archival 21 journals that are not necessarily associated with oral presentation at 23 conferences.

24 And the SPIE, although I think they had a monthly proceedings journal, but

1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** mostly their publications were connected to the oral presentations at conferences.

Q. Now, I'm going to ask you a 4 question, and this is from Exhibit 1033, which I understand you don't have. We'll work on trying to get you one, but I'll ask you the question anyway since we're here 9 and we're on the topic.

In Exhibit 1033, and I'm looking 11 at page 8 of 18, there's a page that talks 12 about a conference committee, and it 13 identifies a conference chair and then a 14 program committee.

And one of the -- on the program 16 committee is one Joseph Carbone. I don't 17 know if that's a name that you recognize. 18 It says "CID Technologies."

19 A. No. I don't -- don't recall the 20 name.

21 Q. And how about CID Technologies, 22 is that a company that you were aware of at 23 the time?

A. Again, I don't recall it, no.

Then there's also a James S. Q.

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

1 Flores on the program committee from Ball

3 Aerospace Systems Group.

4 Are you familiar with Mr.

5 Flores?

6

7

9

Page 54

1

A. I don't recall Mr. Flores. I certainly do recall Ball

8 Aerospace.

Q. What is Ball Aerospace?

10 A. One of many, many defense contractors. They were very active in 11 12 imaging systems. 13

Q. What kind of imaging systems?

14 A. Imaging systems ranging from the 15 far infrared to the ultraviolet, so lots of 16 different kinds of imaging systems.

17 Q. Did you do work with Ball 18 Aerospace?

19 A. I don't think I did any work 20 with Ball, no.

21 Q. But it's your testimony that 22 that was a known company with expertise in the imager art; is that right?

24 MR. DAVIS: Objection to form. 25

A. I couldn't say off the top of my

AMG Reporting LLC 917-969-4493

Page 58 Page 59 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 head what their primary expertise was in. 2 A. And I have an overview. 3 The title of his article was: 3 It wouldn't surprise me, but I just don't 4 "The CIVIS sensor: A Flexible Smart Imager recall. 5 So turning back to Exhibit 1038, with Programmable Resolution." Q. The first sentence in his 6 the Ricquier article. abstract says: "For time critical 7 (Previously marked industrial machine vision applications, a 8 Exhibit 1038 for identification shown to dedicated imager has been developed." witness.) 10 BY MR. CAPLAN: 10 And then he goes on to describe Q. You can turn to the start of the 11 "a square 256-by-256 imager was fabricated 11 12 in the standard 1.5 CMOS technology." 12 article, which should be on page 8 of 16 13 for Exhibit 1038. 13 So this was for a solid-state 14 A. So in my document for 1038, the imager made using the CMOS technology with 15 start of the article itself is on page 8 of some specific characteristics that he found 16 16. or his group was particularly interested 17 Q. Correct. Okay. 17 I think he identified their 18 So let's start with, what is 18 19 your understanding of what's being 19 group as IMEC, which is in Belgium, and if described in the Ricquier article? I recall, IMEC is an academic as opposed to 21 MR. DAVIS: Objection to form. an industry laboratory, if I remember 22 A. Well, so as -- so I will -- my 22 correctly. 23 discussion in my declaration begins on page 23 Q. Just going back to the title of 24 24 the article that you read, it talks about 108. 25 Q. Okay. 25 this -- or the CIVIS sensors, the CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. C-I-V-I-S, and that's defined at the machine vision applications at this time, bottom, it looks like page 8 of 16, 3 which is -- what are we talking about -computer-integrated vision system. 4 1994? 5 5 Are you familiar with that CIVIS MR. DAVIS: Objection to form. BY MR. CAPLAN: 6 project or system? 6 A. I'II --7 A. So this was a project that was 7 funded -- co-funded, it says, by the 8 Q. Go ahead. I'm sorry. Commission of the European Union. 9 9 Go ahead. Q. I'll reframe the question just 10 I don't recall this specific 10 11 one. There were, I'm sure, many, and this 11 so it's clear. 12 particular name, I don't recall. 12 So in 1994, what's your 13 Q. And then it also mentions in 13 understanding of industrial vision machine 14 that same line at the bottom the Espry II 14 applications? MR. DAVIS: Objection. 15 Project (ph.) 15 16 Does that have any meaning to 16 A. So "machine vision" is a term --17 you? 17 was a term and still is a term that broadly 18 No, I don't recall that meaning. refers to acquiring, and then, in some Α. 19 So you were looking at the cases, further processing images by 19 20 abstract when we first started talking 20 machines as opposed to people. about it, and in those first couple of Here he says "industrial machine 21 22 lines -- let's start with the beginning. 22 vision," so I assume the applications that 23 he was more interested in -- or this It talks about "industrial 24 machine vision applications." particular project -- this was a European Union-funded project, which is similar to 25 What's your understanding of

Page 63

```
CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 the National Science Foundation.
3
         Usually funding programs have
4 some broad theme, and then under that theme
 a lot of specific work is done.
```

Page 62

7

8

13

22

24

3

4

7

8

10

11

13

14

15

16

17

18

I would assume that the broad 7 theme probably for this was to look at 8 focal plane arrays, solid-state devices 9 that would be suitable for use in capturing 10 images, so that makes it machine vision, 11 and I assume that they were interested in 12 using that in industrial rather than 13 scientific applications, so presumably not 14 for a telescope, but for a robot or a part 15 recognition tool or any number of things.

Q. And so your testimony where you 17 were talking about you're assuming the 18 applications they were interested in and 19 the broad theme, those are your personal 20 assumptions; right? That's not based on 21 any express description of that in 22 Ricquier, is it?

16

9

13

19

20

21

23 MR. DAVIS: Objection to form. 24 A. Well, in the third paragraph of 25 the introduction, so on page 8 of

```
CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 Exhibit 1038, the second sentence -- what
  is it -- third sentence: "This is a
3
  valuable asset because speed is important
  in a lot of industrial applications."
6
```

So he identifies it, industrial applications.

If you go on to page 9, the first -- well, it's a continuation of a sentence that started on page 8: "Imitating human visual functions using 11 12 analog CMOS structures."

He's discussing -- there's more 14 background. There's a lot of references here. So he's identifying things that were of interest to the research community and the industry at the time. 17

Q. I just want to make sure I see 18 19 the part on page 8 that you were just 20 referring to. 21

A. If you look at the third paragraph under "Introduction."

23 Q. I got it. Okay.

A. And the third sentence.

25 Got it.

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 A. The next sentence gives a 3 specific example, and he's talking about inspection tasks, which was a -- certainly of great interest to industry at the time, were ways of inspecting parts that usually or might well come by very quickly. Many parts passing by the vision system.

Q. Going back to the abstract, if

10 you look at the second line, I believe it's 11 the third sentence, it talks -- well, I'll 12 just go through it from the beginning: "For time critical industrial 14 machine vision applications, dedicated 15 imagers were developed. A camera can be 16 programmed to operate in several 17 resolutions. This is done by binning the 18 signal charges of neighboring pixels on the

Do you see that last sentence?

A. I do.

sensor plane itself."

22 Q. What is meant by that term 23 "binning" or "binning the signal charges"?

24 Let me look forward to see if he 25 explains how he was using it.

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2

So if you look -- this refers to neighboring pixels, so let's see.

Q. Do you have an understanding of binning in general, and then I'll ask you in the context of the Ricquier reference? 6 MR. DAVIS: Objection.

A. Binning can be used in a number of different ways. That's why I was looking to see how he used it.

You can -- sometimes people refer to storing signals -- storing signals as binning. Storing them temporarily in groups sometimes is referred to as binning.

Another use is where you only collect data from a small subset of all of your data. Sometimes that's referred to as binning.

19 And given that he's doing a 20 number of these things, I was trying to determine if he's -- he talks about making 21 the readout window programmable, and if you look at page 13, he shows you some different zooms, if you will, and he's

talking about collecting data that

AMG Reporting LLC 917-969-4493

22 phrase you read and it's in the

24 driving unit."

25

23 parenthetical, "realized in an off-chip

Do you see that?

Dean Neikirk October 08, 2020 Confidential Pages 66..69 Page 66 Page 67 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 potentially changes quickly. 2 altered." 3 So if you only collect data from 3 So this is examples of 4 a subset of all of the pixels, you can collecting subsets of data, and although I usually do that more quickly than if you don't think he uses binning there, I would try to collect all. think that that's, broadly speaking, part 7 Again, binning can be used in a 7 of what he's thinking. 8 lot of different ways, so I was trying to 8 Q. Is binning a function that's determine how he was using it. 9 implemented in commercial products that 10 So if you look on page 10 of 10 have pixel arrays? 11 Exhibit 1038. 11 A. So as I just discussed, it can 12 Q. Okay. 12 be used in many different ways. A. And you look at the second full 13 13 And commercial products when? 14 paragraph on the page that begins: 14 At this time or --15 "By using the K reset switches 15 Q. 19 -- we'll talk in the mid 16 and the G reset switch in an appropriate '90s; in particular, 1997. 16 A. So I honestly don't recall 17 way..." 17 Q. Yes. 18 18 whether there were commercially available 19 Α. "...it is possible to accumulate 19 sensors that allowed you to select a subset 20 charge packets of different pixels or 20 of pixels and only acquire data from those 21 different column amplifiers on the 21 while ignoring all the rest. It might have 22 integration capacitors according to been. I don't know. 23 different patterns." And then he talks 23 To complete an earlier answer 24 about "by controlling the clocking scheme, 24 about binning, that same paragraph I was 25 the resolution of the imager can be reading on page 10, if you go to that 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 second full paragraph, last sentence, he 3 talks about: "To limit the complexity of 3 Q. And I believe it's referring to 4 the timing controller realized in an the timing controller that's realized in an off-chip driving unit, only timing off-chip driving unit. configurations of some common patterns are Is that your understanding? That's what it says, "the timing provided, apart from the normal resolution 7 8 1 star 1. controller (realized in an off-chip driving "Also, the addition of pixel 9 9 unit.)" 10 charges in 2 star 2, 4 star 4 and 8 star 8 10 Q. So what is the timing controller 11 neighborhoods was foreseen." 11 in Ricquier? 12 I believe what he's referring to 12 MR. DAVIS: Objection. Form. 13 there is the ability to either collect the 13 14 data from each pixel individually, that's 1 14 A. Well, the function he's 15 star 1; or add together the signals on 2 15 discussing in the rest of that sentence are 16 star 2. So four pixels. And then collect 16 functions that relate to addressing and 17 that, if you will, average signal over the 17 timing of acquiring data from pixels. 18 four and so on. That is a form of binning 18 So it's timing and control; 19 as well. 19 "timing controller" specifically is what he 20 Q. So in that sentence you were 20 called it. Controller because it impacts which pixels you look at. Timing, because 21 just reading on page 10 of 16, there was a

AMG Reporting LLC 917-969-4493

22

23

24

data.

it impacts the timing of when you collect

There are many circuits that

25 could do that, although the general

Page 71

```
Page 70
     CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 function would be clear I think to one of
3 ordinary skill by looking at, for instance,
4 Figure 1 of Ricquier, which is shown on
5
  page 9.
6
```

Q. And what does Figure 1 show in connection with the timing control?

A. So Figure 1 is labeled --MR. DAVIS: Objection. Form. Sorry, go ahead.

11 A. Figure 1 on page 9 is labeled: 12 "Schematic Representation of the Sensor 13 Architecture."

14 You see his pixels illustrated 15 above. He happens to have drawn four. And 16 then he indicates certain control signals, 17 K reset and G reset, which he mentioned on 18 page 10 in the sentence I read to you, 19 which are used to both time and determine 20 which pixels to read data from.

21 Q. Okay. So it's your testimony 22 that looking at Figure 1 of Ricquier on 23 page 9 of 16 that there are four pixels 24 shown at the top portion of Figure 1; is

25 that right?

1

5

6

17

18

19

7

8

9

10

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1

2 A. He's illustrated four on the 3 top, yes.

Q. Okay. And then at the bottom of Figure 1, the lower portion of Figure 1, there's a K reset and a G reset and you 7 referred to those as control signals; correct? 8 9

A. He describes on page 10 that 10 using -- I think it's in that paragraph. Let me find it. 11

So it's actually at the 13 beginning of that paragraph. Second full paragraph on page 10:

15 "By using the K reset switches and the G reset switch in an appropriate way, it is possible to accumulate charge 17 packets of different pixels or of different 19 column amplifiers on the integration 20 capacitors according to different 21 patterns."

So those are control. They have 23 to be timed as well. These are not only 24 things you just simply set and never change ever again.

12

14

22

1

3

7

8

9

10

15

20

21

23

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

micron CMOS technology. The schematic circuit diagram figure he showed is the classic presumably single pole, single throw switch.

Well, that's not implemented as a light switch with a mechanical flip in CMOS.

This would be either a or several transistors on the actual chip.

11 Q. And this Figure 1 is the same 12 Figure 1 that you've used in a highlighted 13 form in your declaration on page 109; is 14 that correct?

A. That is correct.

16 Q. Okay. In particular, in 17 paragraph 163, which actually starts on 18 page 108, you talk about the Ricquier's 19 CMOS photo diode array.

Do you see that?

A. Yes, I talk about his array is 22 256-by-256 square array, yes.

Q. And then you also say in that paragraph 163 "using the timing controller implemented on an off-chip driving

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 Q. And is the timing shown in that 3 Figure 1 on page 9? 4

MR. DAVIS: Objection.

Form. A. Well, on Figure 1 on page 9, the

circuitry to provide G reset and K reset is 7 not illustrated at all, so neither -- the circuitry necessary to do timing and 9 10 control is not actually illustrated. He's illustrating where the

11 12 control signals are applied to the focal 13 point array.

14 Q. So in that Figure 1 that we're 15 talking about, let's just talk about the K reset. There's an arrow under the K reset. Do you see that?

A. I do.

Q. And what is that arrow pointing 20 to?

21 That's the input to the switch, 22 so that's the control signal. So he

23 illustrates these as simple switches. Well, you don't build in -- he 24

25 says that this was done in standard 1-1/2

AMG Reporting LLC 917-969-4493

	Neikirk October 08, 2020 Confidential		Pages 7477
١,	Page 74		Page 75
1	CONFIDENTIAL - DEAN NEIKIRK, PH.D.	1	CONFIDENTIAL - DEAN NEIKIRK, PH.D.
1	circuit."	2	Form.
3	Right?	3	A. Ricquier, as I read to you on
4	A. That is correct.	4	page 10, specifies that the timing
5	Q. Okay. Now, what is the "driving	5	controller is realized in an off-chip
6	circuit" that you're referring to there?	6	driving unit.
7	MR. DAVIS: Objection to form.	7	He identifies things it does,
8	A. So Ricquier refers to a timing	8	such as provide K reset and operate K
9	controller. The claim language is "timing	9	reset switch and G reset switches, so he
10	and control circuitry."	10	gives a functional description, but he
11	So from the '052 patent, the	11	doesn't give a specific circuit.
12	claim language is "timing and control	12	Again, one of ordinary skill
13	circuitry." Ricquier uses the phrase	13	would understand there are numerous ways to
14	"timing controller."	14	implement a circuit with that function.
15	In neither situation is a	15	Q. So the timing controller
16	specific circuit given. It's a general, I	16	function described by name in Ricquier, if
17	think one of ordinary skill would	17	that's how you pronounce it, is a
18	understand there are many ways to	18	well-known feature that a person of skill
19	implement. They'd understand the function,	19	in the art would know how to implement
		20	based on what Ricquier or "Ricquier"
21	function, timing and control.	21	says?
22	Q. Is it your testimony that	22	MR. DAVIS: Objection.
23	Ricquier does not describe the actual	23	Form.
24	timing controller?	24	A. So they would understand that
25	MR. DAVIS: Objection.	25	the functions of the timing controller that
	<u> </u>		
1	Page 76 CONFIDENTIAL - DEAN NEIKIRK, PH.D.	1	CONFIDENTIAL - DEAN NEIKIRK, PH.D.
	are needed. Ricquier describes those.	2	which one. They might.
3	They would also understand there	3	I think they have options, yes.
	are numerous different circuits that could	4	Q. So if they understood it could
	be used to provide that.	5	be several and they understood the
6	Q. So it's your it's your	6	differences between the several options,
1	testimony that the description and function	7	they could implement any one of them as
1	provided in Ricquier for the timing	8	they desired.
	controller is sufficient for a person of	9	Is that your testimony?
1	skill in the art to understand and	10	MR. DAVIS: Objection.
11	implement that feature; is that right?	11	Form.
1 1 1			
	MR DAVIS: Objection	17	Δ YOU KNOW IN the context of my
12	MR. DAVIS: Objection.	12	A. You know, in the context of my
12 13	Form.	13	declaration and examining this claim
12 13 14	Form. A. I don't I think one of	13 14	declaration and examining this claim language, the plain and ordinary meaning,
12 13 14 15	Form. A. I don't I think one of ordinary skill in the art would recognize	13 14 15	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to
12 13 14 15 16	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could	13 14 15 16	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that.
12 13 14 15 16 17	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that.	13 14 15 16 17	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through
12 13 14 15 16 17	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that. Q. So	13 14 15 16 17 18	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through all of the possibilities related to that so
12 13 14 15 16 17 18 19	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that. Q. So A. Numerous different circuits.	13 14 15 16 17 18 19	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through all of the possibilities related to that so I couldn't say as I sit here right now.
12 13 14 15 16 17 18 19 20	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that. Q. So A. Numerous different circuits. Q. And so a person of skill in the	13 14 15 16 17 18 19 20	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through all of the possibilities related to that so I couldn't say as I sit here right now. Q. In Figure 1 that we've been
12 13 14 15 16 17 18 19 20 21	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that. Q. So A. Numerous different circuits. Q. And so a person of skill in the art could implement one of them; is that	13 14 15 16 17 18 19 20 21	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through all of the possibilities related to that so I couldn't say as I sit here right now. Q. In Figure 1 that we've been looking at in Ricquier, would you agree
12 13 14 15 16 17 18 19 20 21 22	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that. Q. So A. Numerous different circuits. Q. And so a person of skill in the art could implement one of them; is that right?	13 14 15 16 17 18 19 20 21 22	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through all of the possibilities related to that so I couldn't say as I sit here right now. Q. In Figure 1 that we've been looking at in Ricquier, would you agree that the circuitry that's all shown in
12 13 14 15 16 17 18 19 20 21 22 23	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that. Q. So A. Numerous different circuits. Q. And so a person of skill in the art could implement one of them; is that right? MR. DAVIS: Objection.	13 14 15 16 17 18 19 20 21 22 23	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through all of the possibilities related to that so I couldn't say as I sit here right now. Q. In Figure 1 that we've been looking at in Ricquier, would you agree that the circuitry that's all shown in Figure 1 is all on the same chip; is that
12 13 14 15 16 17 18 19 20 21 22	Form. A. I don't I think one of ordinary skill in the art would recognize there are many structures that could provide a function like that. Q. So A. Numerous different circuits. Q. And so a person of skill in the art could implement one of them; is that right?	13 14 15 16 17 18 19 20 21 22	declaration and examining this claim language, the plain and ordinary meaning, that's not something I've tried to to I have not rendered an opinion on that. I haven't really thought through all of the possibilities related to that so I couldn't say as I sit here right now. Q. In Figure 1 that we've been looking at in Ricquier, would you agree that the circuitry that's all shown in

22

21 C load. Not K reset.

The structure that's on-chip is

K reset is a signal line that's

23 provided from the off-chip timing

24 controller. That's clearly discussed on

25 page 10 of Ricquier in the second full

Dean Neikirk October 08, 2020 Confidential Pages 78..81 Page 78 Page 79 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 Figure 1, I don't know that he explicitly 2 So the component shown in Figure 3 states -- well, let's see. He has some 3 1 that correspond to those, he is clearly 4 amplifiers illustrated. Let's see if he saying that they use the second poly layer 5 explicitly states those amplifiers are of the chip to do that -- that circuitry. on-chip. 6 So that would indicate it is 7 So he talks about his actual --7 on-chip. 8 what he called practical realization, 8 Q. You've already testified that starting on page 11. the timing controller that is referred --10 He clearly discusses the pixels that is identified on page 10 of 16 is not 11 themselves and he does talk about actually described or illustrated in 12 integration capacitors at the output 12 Ricquier. 13 amplifier. 13 MR. DAVIS: Object to form. 14 Q. I'm sorry, just where are you 14 A. So I don't believe Ricquier has 15 reading from? 15 a figure with a circuit diagram. A. I'm sorry. It's the second full He has a functional description 16 16 17 paragraph from the bottom. 17 in that paragraph we were discussing 18 He states in the -- I believe earlier, and he identifies the timing 18 19 it's the fourth sentence: 19 controller as being realized in an off-chip 20 "The second poly layer was used 20 driving unit. 21 exclusively for the realization of the 21 Q. In the same Figure 1 that you've 22 compact linear capacitors, the integration 22 illustrated in your declaration at page 109 23 capacitors at the output amplifier, the and you've highlighted, you've highlighted 24 coupled capacitors, C couple, and the load in yellow information that corresponds to 25 capacitors, C load." signals from a circuit board, including CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. timing and control circuitry thereon; is paragraph. 3 3 that right? K reset is a signal being 4 applied. It's not on the chip. Α. That's how I labeled them, yes. So it's your testimony that the Q. I'm going to come back to that, K reset signal coming into the structure but just something about the pixels shown on Figure 1 is part of the timing and themselves in that Figure 1. 7 control circuitry: correct? 8 Are those passive pixels or A. That's exactly what Ricquier 9 9 active pixels? 10 teaches, yes. 10 A. In Ricquier, he uses a photo 11 Q. Okay. 11 diode, and I think these would generally be 12 Α. He calls it timing controller. considered to be passive pixels because So all that structure we just there is no amplifier located in each 13 13 went over, you just testified, is all 14 pixel. 15 on-chip; correct? 15 Q. There's an amplifier for the 16 MR. DAVIS: Objection. 16 whole column; is that right? 17 Form. 17 A. Yes, there are two amplifiers 18 A. No, that's not at all what I 18 that he shows. He has column amplifiers 19 said. 19 and then he has a global amplifier.

20

21

22

24

23 this section before.

Q. Okay. So we were talking about

On page 10, which we've been

the K reset and the G reset and those

25 talking about, in that second full

signals, and I think we were talking about

Page 82 Page 83 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 paragraph, in fact, you even read this into 2 Is that your testimony? 3 the record before, it makes reference to 3 MR. DAVIS: Objection. 4 the K reset switches and the G reset 4 switch. 5 A. No, absolutely that is not what 6 Do you see that in the first 6 I said. 7 line? 7 Ricquier says that he used 8 A. I do. 8 standard 1-1/2 micron CMOS technology. Q. That is the structure shown on 9 9 All I was pointing out is the 10 or in Figure 1; correct? symbol he shows in Figure 1 is a schematic 11 MR. DAVIS: Objection to form. circuit diagram signal. That is not a 12 A. The switch is shown and the 12 physical object. 13 control signal has a name: K reset or G 13 The implementation of that in CMOS would be done with CMOS transistors. 14 reset. 15 The control signal is provided 15 Not with an electromechanical switch. 16 by the timing controller, which Ricquier Q. All right. 16 17 states is realized in an off-chip driving 17 But then just to wrap up this 18 unit. line of questioning then, that the K reset 18 19 So the switches are certainly 19 switch and the G reset switch, in contrast 20 shown as a structure in Figure 1, although to the K reset signal and the G reset 21 it's a schematic circuit diagram and isn't 21 signal, but those switches are on-chip with 22 implemented in CMOS as an electromechanical the pixel ring; is that correct? 23 switch. 23 MR. DAVIS: Objection to form. 24 Q. So what's shown in Ricquier in 24 A. Given the description of the 25 this Figure 1 is not implemented in CMOS. fabrication on page 11, yes, I believe that 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 the implementation of that switch is addressability, yes. 3 3 on-chip. Q. And that was understood -- so 4 The control signals, and hence let's talk about the time in '97 -- to be a the signals generated by timing and control feature of a CMOS pixel array; correct? circuitry as described by Ricquier as a MR. DAVIS: Objection. 6 timing controller, are provided from an 7 I think, broadly speaking, yes, off-chip location. 8 that was seen as an -- a feature that was Q. If you turn back to page 8 of 16 easily implemented in CMOS. 9 10 in Ricquier -- and I apologize if I'm Q. And it was also understood at 10 mispronouncing -- but on page 8 of 11 that time -- and let's talk about in the 12 Exhibit 1038 in the -- it's the fourth '90s, but, in particular, 1997 -- that 13 paragraph on the page, the last line. 13 another benefit of using CMOS technology 14 It says: "A CMOS technology was for pixel arrays was to have co-integration 15 chosen because it offers the selective 15 of electronics on the same chip with the 16 addressability together with the 16 pixel array; isn't that right? possibility of further co-integration of 17 MR. DAVIS: Objection. 18 processing electronics on the same chip." 18 Form. 19 Do you see that sentence? 19 A. So I can't -- the way Ricquier 20 A. I do. 20 phrased it, which is a good way to phrase it, "the possibility of further 21 Q. A CMOS pixel array was 21 22 understood to be addressable, the pixels co-integration." It is an option. It's a 22 23 were addressable; isn't that right? 23 possibility. You might choose to do it. A. The way Ricquier's design and 24 You might choose to not do it. It's a

design choice.

25 many others were set up using rogue column 25

25

A. Again, you used the phrase

Page 87 Page 86 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 Q. But, in fact, that was the trend because you're using standard CMOS you have 2 the opportunity to build other CMOS 3 in 1997, was to have integration of all the components on a chip for the CMOS pixel circuitry on-chip. I think that was widely recognized. array devices; right? 6 MR. DAVIS: Objection. 6 In terms of the design choices 7 Form. as to how much to put on-chip versus 8 A. I don't think I'd agree that it off-chip, I believe that was viewed as a was necessarily the trend to integrate all. design choice. Depends on what you mean by "all." 10 And some people might try to 10 11 Some? Certainly. I don't know 11 integrate more. Some people might choose 12 what -- you said "all electronics." I 12 to integrate less. So I don't really know 13 don't know what you mean to include in all. 13 what you meant by "many." 14 Q. You would agree to -- I'll 14 Some? You know, there are many 15 rephrase it. 15 pixels, obviously, so there are many transistors on there. 16 Then you would agree in 1997 it 17 I think it was recognized that 17 was the trend in the industry to integrate you had the option to add other circuitry many circuitry components on the CMOS pixel array all on-chip with the array; is that 19 on-chip, but you also had the option to 20 right? 20 leave it off. 21 21 Q. And you were aware of the term MR. DAVIS: Objection. 22 22 "camera-on-a-chip" back in the mid '90s and Form. 23 23 '97, in particular, weren't you? A. Again, I don't think I could 24 24 agree to that. You said "many." A. I think camera-on-a-chip has 25 25 been a term that's been used for quite a That it was recognized that 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. "all." There are frequently components while, and certainly at that particular used. I believe the '052 illustrates the time. I don't think it had a precise 3 4 definition. components that they use for doing 5 Dr. Fossum often wrote about conversion to video that were not Q. camera-on-a-chip in his articles when he compatible with CMOS integration, and I was describing his work with CMOS pixel believe those skilled in the art at the 8 array devices, didn't he? time, those working in the field recognize 9 MR. DAVIS: Objection. that some things were relatively easy to 10 Form. 10 put on on-chip, other things were not. 11 A. I think he frequently used that 11 And, again, it's a design 12 term. I don't know who introduced it to 12 choice. Once you start realizing that you 13 the -- to the world, but I think he did, 13 probably are going to have to place some yes, frequently use that in his components in different places, then you 15 publications. 15 start looking at whether you want to put 16 Q. And one of the reasons that it 16 more in one place or less. 17 was of interest is because if you have a 17 Would you agree, though, that 18 CMOS manufacturing fab, facility, and you 18 the cost would be lowered if you could put 19 can integrate all of the components on the more components on a particular chip that's 19 20 same production line, that would be a manufactured in a CMOS process than if you benefit in terms of reducing costs for 21 had to separate out the functions across 22 manufacturing; is that right? 22 multiple chips? 23 MR. DAVIS: Objection. 23 MR. DAVIS: Objection.

24

25

Form.

A. Not necessarily.

8

17

25

1

2

10

22 that.

23

24

Page 91

```
CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2
```

As long as there are some 3 components you have to have -- then let's call it your component count. At some level, you reduce it. You not going to go to one, perhaps. Then it starts to become a design choice.

It may very well be that some of 9 the components that you wish to use are 10 commodity items and are very low cost. You 11 might choose to put it on-chip. There 12 would be some costs associated with it 13 because the dye size goes up. You might 14 choose to put it off-chip. There would be 15 a different set of costs associated with 16 that. Purchase component mounting.

But I don't think it's -- it's 18 not simple -- as simple as saying "put as 19 many things as you can on-chip." It's 20 actually never that simple.

21 Q. What's the impact of having the 22 timing controller either on-chip or 23 off-chip on the operation of the pixel 24 array?

MR. DAVIS: Objection to form.

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 A. Well, I think in Ricquier's 3 example, apparently there was no deleterious consequence of putting it off-chip because they put it off-chip.

It is worth noting one of his objectives was to operate -- for instance, on page 10 he said that he wanted to do row selection at 2-1/2 megahertz. I think he mentioned some speed information. Where else does he do that.

On page 14, he talks about 13 getting -- the last paragraph -- 125 full images per second, data rates of 10 megahertz and so on.

So I think his -- I think in the 17 introduction -- I'm trying to find where he mentioned this. In the abstract he talks 18 about "imager operated at data rates up to 10 megahertz providing about 125 full frames per second."

In the middle of the fourth full paragraph on page 8 he talks about "a valuable asset because speed is important 25 in a lot of industrial applications."

Page 90

1

7

11

12

15

16

19

20

21

22

23

1

11

12

13

14

15

16

17

18

19

20

21

22

23

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

I think in his example he was 3 concerned about speed. It's clear that placing the timing controller off-chip did not have a negative impact apparently in achieving high speeds as he desired, so 7 there's an example of trying to see whether moving something off caused anything bad to 9 happen.

But to do these trade-offs you 11 have to pick a metric. For Ricquier, I 12 think he was identifying speed as a 13 potential metric and then evaluate pros and 14 cons.

15 Q. Is there any portion of Ricquier 16 that you can identify where there was a 17 comparison between an on-chip timing 18 controller versus an off-chip? Because you 19 testified that there was no deleterious 20 effect from having it off-chip, but I'd 21 like to understand what your basis is for

MR. DAVIS: Objection to form.

A. He achieved the speeds he 25 apparently desired. In particular, he

CONFIDENTIAL - DEAN NEIKIRK, PH.D. identified speeds of, in his abstract, 125 full frames per second, data rates up to 10 megahertz. He did that with an off-chip controller.

If the off-chip controller was causing it to be operate too slowly to achieve what he stated, it might be possible that putting it on-chip would improve it. It might not. I don't know. 10

But clearly he was able to do it with off-chip controller.

Q. It doesn't say why they did not have an on-chip timing controller, does it?

A. No. It says that he was able to realize it in an off-chip driving circuit.

 Q. Does the location of the timing controller have an impact on the integration period for the pixel array? MR. DAVIS: Objection.

Form.

A. Well, the integration period that some of the timing and control information necessary to determine that is provided by the timing and control

22 that's describing all the circuitry for the

24 a single chip; right?

25

23 CMOS pixel array and imager device being on

MR. DAVIS: Objection.

Dean Neikirk October 08, 2020 Confidential Page 94 Page 95 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 2 circuitry. Whether it's on-chip or 2 A. I do. 3 3 off-chip, again, I think it's a design Q. Okay. So what is your understanding of what's being described 5 5 here in Ricquier? Again, in Ricquier, he could 6 achieve -- in order to get 125 full frames 6 A. Well, you didn't read the a second and a data rate of 10 megahertz, 7 previous sentence: that would suggest his integration time was 8 "In other CMOS sensors, relatively short, and accomplishing that 9 processing capacity was integrated in the 10 using an off-chip timing controller edges of the photo diode array, exploiting 11 apparently was possible. That's what he the possibility to access a whole row of 12 shows. 12 data at once." 13 Q. If you turn to page 9 of 13 So he's indicating that it was 14 Exhibit 1038. -- it would be possible in CMOS, as we 15 A. I'm there. discussed, to choose to put some circuitry Q. Okay. It's the first paragraph, 16 16 on. 17 it's not the first full paragraph, but it 17 They're dealing with one row. 18 talks about -- let me see -- in the middle He didn't talk about what specifically they 18 19 of that paragraph, it talks about "our work 19 were going to do with that. 20 is closely related to this research, 20 I don't really think it's saying 21 emphasizing the development of a 21 much other than what it did. There's an 22 multi-purpose flexible sensor architecture interest in multipurpose flexible sensor 23 that can be used as a module in further 23 architectures. 24 sensor systems on a single chip." 24 Well, he's illustrating a 25 Do you see that? 25 flexible sensor in that he built the CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 256-by-256 imager, but if in a given 2 Form. 3 application he only needed 4-by-4, he could 3 A. I would take this to indicate do it. That's a flexible sensor that that might be a possibility. I don't architecture. He did that without placing think it says -- and I think that anybody building these recognizes that you can 6 the timing and controller on-chip, for rarely put everything in the same place. 7 instance. 7 8 So flexible sensor architecture If you need to process an analog 9 is a very broad phrase. It depends on how 9 signal into video and you need a band-pass 10 you're going to use it. filter, for instance, certainly at this 11 Do you want to be able to do time frame you are not going to put that 12 high-speed subframes, do you want to be 12 band-pass filter on-chip. 13 able to do just -- do you want to be able 13 On-chip inductors were very poor 14 to average 4 pixels together because the 14 in performance. People built their 15 scene you're viewing is in some sense low 15 band-pass filters off-chip, so one in the 16 resolution, so you might as well average 6 16 art would recognize that almost certainly 17 -- that's what he means by flexible sensor you are going to have some components 18 architecture, I think. elsewhere. But it becomes a design choice 18 19 You do have choices. 19 as to how much you put where. Q. But on a single chip doesn't 20 Q. And when he talks about a module 20 21 in further sensor systems on a single chip, 21 mean on a single chip in Ricquier? MR. DAVIS: Objection.

22 23

24

Form.

A. He was talking about a

25 multipurpose flexible sensor architecture,

21 manifests itself as variations of the

23

22 output signal of one particular pixel."

24 talk about that. He talks down below a 25 little bit further about the spectral

So he defines what he's going to

Dean Neikirk October 08, 2020 Confidential Pages 98..101 Page 98 Page 99 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 so I don't think he's saying that every 2 certainly can't pronounce it properly. 3 single component necessary, for instance, 3 Q. It sounded certainly very 4 to produce a video output that you could elegant when you did it with an accent, so 5 connect to a TV set was going to I'm unnerved but... necessarily be all on one chip. 6 So we were talking about the 7 This is -- this is not a location of the timing controller, which necessity. It's certainly indicating that you've testified Ricquier or Ricquier says 8 9 because you're using standard CMOS you have is off-chip. 10 options that are easier than they might 10 And one question I have, there's 11 otherwise have been, but it's not something a Section 4.6 in Ricquier, which I believe 11 12 you have to exercise all of those on a is on page 14, and you've kind of looked at 13 single chip. this before, but on page 14, Section 4.6. A. Yes, I see that. 14 MR. CAPLAN: Can we take a 14 15 15-minute break here. 15 Q. Does the location of the timing 16 (A recess was taken.) controller, whether it's on-chip or 17 BY MR. CAPLAN: off-chip, affect the speed or the readout 17 that is referred to in Section 4.6? 18 Q. We are talking about the 18 19 Ricquier reference, or the "Ricquier." I'm 19 A. Well, these are the rates that going to have to find out how to pronounce 20 he achieved using an off-chip timing 21 it. 21 controller, so I think this certainly 22 Do you have happen to know that demonstrates it doesn't decrease the time 23 individual? Have you ever meet him? 23 below these speeds. 24 A. No, I have not, and I don't know 24 Whether it would be different, I 25 how to pronounce it properly either. I 25 don't know, depending on where he might put CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 1 it, but it worked for this. distribution of the noise, which is talking 3 Q. Is it your understanding that 3 about the frequencies at which different the location of the timing controller types, amplitudes, are present. 5 on-chip versus off-chip would affect the In that sense, it's temporal. 6 speed? If you make the measurements in the 7 MR. DAVIS: Object to the form. frequency domain then it's not really A. I don't know. I haven't done 8 8 temporal. any kind of analysis for that. But if you're looking at a time 9 9 10 That wasn't an issue in my varying signal, then you can do a --11 examination of any of the claim terms or transform into the frequency domain. I 12 the art. 12 think he shows response -- that's Figure 4. 13 Q. Okay. Also on page 14, the 13 Actually, I don't think he shows 14 Section 4.5 under the heading "Temporal 14 any graphs for this. But he does talk 15 Noise," do you see that? 15 about doing the spectral distribution, to 16 A. I do. 16 try to determine whether there's 1 over F 17 Q. What is temporal noise, so we 17 noise or not. 18 understand? 18 Q. And in that same section, 4.5, 19 A. Well, his first sentence says, 19 in the second paragraph, the last sentence 20 under that section: "This type of noise 20 in that paragraph, it says:

AMG Reporting LLC 917-969-4493

21

22

25

"To obtain the same

resolution, the parasitic capacitance always present at the output amplifier

signal-to-noise ratio for the 1-to-1

should be further reduced."

25 important.

Page 102 Page 103 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 What's your understanding of 2 discussing about. I really haven't looked 3 that sentence and what's it describing here at this carefully. 3 in the context of Ricquier? Q. So as you sit here today, you 5 A. I have not looked at this. don't have any further understanding of 6 It was, again, not relevant to that, that portion of Ricquier; is that 7 my analysis. It says what it says, that 7 right? 8 there's a parasitic capacitance at the 8 MR. DAVIS: Objection. 9 9 output amplifier. Form. The last paragraph says: 10 10 A. Again, it had no relevance to my 11 "The dominant noise source was analysis. I really haven't tried to parse 11 12 related to column amplifiers." 12 this out, no. 13 So look at that entire 13 Q. If you turn back to page 12 of 14 paragraph. He talks about "best results Exhibit 1038, there's a heading 4.2: 15 for the 2-by-2 resolution." "Behavior Under High Illumination It says, "this lies in the 16 Conditions." 16 17 availability of an optimal capacitance 17 Do you see that? 18 value at the output amplifier," but these 18 A. I do. 19 four resolutions are 1-by-1, 2-by-2, 4-by-4 19 Q. In the first sentence it says: 20 and 8-by-8. 20 "When increasing the 21 So presumably he's suggesting 21 illumination more and more, a smear effect 22 that it was -- well, he says there's an can be seen on columns that contain highly 23 optimal capacitance value at, and depending illuminated parts. These columns turn 24 on how you group these, their capacitance completely white," including the second 25 changes. I assume that's what he's sentence there. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 What is the "smear effect," and 2 Again, it's not -- was not part 3 if you're familiar with the smear effect, 3 of my analysis. I think it says what it what is it? 4 4 says. 5 A. Well, I think he's explaining 5 So it's describing that when you what it is. The multiple pixels may -get more illumination on the CMOS pixel there may be signals on some pixels that array that Ricquier is describing, you run are not representative of light falling on into a problem with the smear effect; isn't those pixels. 9 9 that right? 10 Q. And at the end of 4.2, the 10 MR. DAVIS: Objection. 11 next-to-last sentence, it says that: 11 Form. 12 "Measurements have shown that 12 A. Well, he -- earlier in the paragraph he discusses general 13 with a spot illumination exceeding five 13 times the dynamic range, the smear effect characteristics of devices in the pixels, 15 becomes prominent." 15 and that if you have enough photon-induced 16 Do you see that? 16 charges that those charges can diffuse, and 17 A. I do. that will affect what happens -- the 18 Q. What's your understanding of electrical signal that you can see in other 18 19 that part of the Ricquier description in pixels. That's what I think he's 19 20 4.2? 20 discussing. I think that's true for many 21 A. Exactly what it says. 21 solid-state image sensors. 22 If the spot illumination is by 22 Q. But it's the case for the CMOS 23 dynamic range, I assume that says maximum, 23 pixel array that is described in 24 5 times larger, then the smear is Exhibit 1038 that the more illumination you

25 get, the greater problem you have with this

A. I may very well has used that

Page 106 Page 107 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 smear effect; right? 2 a location you don't want them in. 3 MR. DAVIS: Objection. 3 Q. Is there a term for that in the industry or in the field? 5 A. Well, I think he's -- he states 5 A. I don't know whether there's 6 that it's when it's five times the dynamic only one term for that. I don't know. 7 range, so if it's big enough, there's a 7 Q. If you turn to page 15 of 16 of 8 smear effect. 8 Exhibit 1038 in the "Conclusion" section, 9 You -- typically below some 9 heading 5. 10 threshold, there is none. 10 A. I have it in front of me. Q. Are you familiar -- besides from 11 Q. Okay. The last sentence, it 11 12 its use in this article, are you familiar 12 says: "Compared to CCD imagers, the S/N is 13 with that term "smear effect"? quite bad, but for the intended industrial 14 A. Well, the physics that he's applications, it is sufficient." 15 describing, which is that photo-generated 15 Do you see that? 16 charges in one location can affect 16 A. I do. 17 electrical properties of devices at another 17 Q. And "S/N" is referring to 18 location, I am certainly familiar with signal-to-noise; right? 18 19 that, and that is a common problem in all 19 A. Yes, that stands for 20 solid-state imaging devices. 20 signal-to-noise ratio. 21 Depending on how they're laid 21 Q. So the conclusion from 22 out and in what intensities, the number of Exhibit 1038 is that there is -- well, let 23 photo-generated carriers you generate, 23 me rephrase it. 24 there's always some risk if you generate 24 What is your understanding of 25 enough that those carriers will diffuse to that statement in the conclusion of CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 1 Exhibit 1038? phrase. 3 3 A. Exactly what it says. Q. Okay. Is a --Compared to CCD imagers, the 4 4 MR. DAVIS: My objection got cut signal-to-noise ratio is quite bad. But off again. Objection to form. Thank you. for the intended industrial application, it BY MR. CAPLAN: 7 is sufficient. 7 Q. Let me just rephrase the 8 In other words, whether a given 8 auestion. 9 signal-to-noise ratio is bad or not depends 9 A consumer camera is not an 10 on whether you care. industrial application that's contemplated Here he's saying it was worse 11 11 in Exhibit 1038, is it? 12 than CCD, but it wasn't so bad that it made 12 MR. DAVIS: Objection. 13 the sensor not useful for its intended 13 Form 14 application. 14 A. I don't know. The context of 15 Q. And that intended application 15 the high-speed discussion he's given, I'd 16 was machine vision; right? say that he was looking at things that were 17 MR. DAVIS: Objection. 17 a lot harder than consumer cameras. 18 Form. 18 Q. A lot harder how? 19 A. So earlier in the discussion, he 19 A. Well, he identifies a frame rate 20 was talking about a machine vision 20 of 125 full images per second and a data 21 application, yes. 21 rate of 10 megahertz. 22 Q. And we previously talked about 22 I don't think that's -- that 23 the Wakabayashi reference, which you 23 would be something I would not necessarily 24 referred to as a consumer camera; right? expect to be required for a consumer video

camera in the mid '90s.

24 objection to form. Thanks.

A. He didn't say which ones. I

25

Pages 110..113 Dean Neikirk October 08, 2020 Confidential Page 110 Page 111 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 Q. Is that really based on the 2 Q. You don't have any basis in 3 speed or the frequency, the 10 megahertz 3 Exhibit 1038 for the particular requirements for the image quality for 4 and 125 images per second, that's what you're talking about? It's a higher their industrial applications, do you? requirement than a consumer camera based on 6 MR. DAVIS: Objection. 7 that frequency? 7 Form. R A. Yes. Standard video is 30 8 A. He specified that it was sufficient for intended industrial 9 frames per second. He's achieving about 10 four times that. applications. That's all he said. Q. And what about the quality of 11 And I didn't -- certainly didn't 11 12 the image in terms of the clarity of the 12 do any independent inquiry. It's not 13 image, or I guess in the past you've talked relevant to any claim language and I didn't 14 about in the context of signal-to-noise? -- there's nothing I looked at for my 15 A. I don't know that he's specified 15 declaration. 16 other than that his signal-to-noise was, 16 Q. So you don't have a basis in 17 for the intended application, sufficient. Exhibit 1038 to say that one of the 17 18 I don't know, you know -- many industrial applications is a consumer 18 19 industrial applications are fairly 19 camera, do you? 20 stringent, I guess, in terms of image 20 MR. DAVIS: Objection. quality, trying to tell one small part from 21 Form. 22 another small part, but I don't know. It's 22 A. I -- whether it could or could 23 not something I've considered. 23 not include something that could be used 24 Again, it was not related to any for a consumer camera, I don't know. 24 25 claims that I've analyzed. 25 I think what he shows is CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 something that, at least with respect to don't know. Again, not part of my inquiry. 3 frame rate, would exceed the performance of 3 Q. You didn't investigate what were what I would expect to be a consumer the overall signal-to-noise qualities of camera. But, again, I don't see that CCD imagers in 1997 versus CMOS imagers in that's a relevant -- I did not conduct any 6 1997, did you? inquiry based on that because consumer 7 MR. DAVIS: Same objection. 8 camera is not claim language. A. There was no claim language 9 Q. And what does it mean in that 9 related to noise at all. There was nothing 10 conclusion language that we talked about to suggest that that was an inquiry I needed to conduct, so, no, I did not. that the signal-to-noise is guite bad for 12 the Exhibit 1038 imager compared to a CCD 12 My general knowledge is -- we've 13 imager? 13 discussed before that generally CCDs were 14 MR. DAVIS: Objection. 14 usually viewed as being lower noise than 15 15 CMOS, but that's a generic or general 16 A. Only what it says. I don't know 16 statement. Given applications require 17 what else he means by that. Quite bad. 17 different things. 18 That's all he said. 18 Q. How big is the imager device that's described in Exhibit 1038? 19 Q. It's worse than a CCD imager of 19 20 that era; correct? 20 A. So here it says it's a square 256-by-256 imager. I don't believe -- I'm 21 A. Well, he didn't actually say 21 22 which CCD imagers -- excuse me. 22 trying to see whether he actually gives a 23 pixel size. MR. DAVIS: I just said 23

24

I'm not sure he gives the

25 overall dimensions, but he calls it a

A. No, no, I was going -- that's

25 discussed on page 110 of my declaration,

Page 114 Page 115 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 square imager. That much, he does state. 2 So the claim language, I 3 Q. He does call it a square imager? 3 believe, is "generally square," and, again, 4 Where does he say that? I was using plain and ordinary. I've not 5 A. On page 8 in the abstract. done a claim construction inquiry. "This square 256 star 256 imager 6 I think one of ordinary skill in was fabricated." 7 7 the art would recognize that square is Q. Do you know if it was perfectly 8 R certainly within the category of generally 9 9 square. square? Q. Okay. I want to turn now to --10 A. Well, he described it --10 MR. DAVIS: Objection to form. 11 I guess, I don't know, it feels ironic, but 11 12 A. Ricquier described it as square. 12 the next reference, the -- I'm not sure how 13 As one of ordinary skill in the to pronounce that one either. It's 14 art reading what he said, I think one would Exhibit 1041. I don't know if anybody else 15 take it as it's stated. That it is square. knows how to pronounce it: "Dierickx," Q. So it would be approximately 16 16 D-i-e-r-i-c-k-x. 17 square, at least? 17 Did you know Mr. "Dierick" or "Dierickx," Dr. Neikirk? 18 MR. DAVIS: Objection. 18 19 19 A. No, I do not. 20 A. Well, there is claim language 20 Q. How do you pronounce it? 21 related to something being -- let's see --21 A. I've been saying "Deerix." 22 I want to get the modifier correct. 22 Q. Good enough for me. 23 There's a dependant claim to 23 Do you have a copy of that 24 that effect -- actually, it's faster if I 24 Exhibit 1041? 25 A. I do. It's in front of me. 25 just look at the patent. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. (Exhibit 1041 for paragraphs 166 through 168. 3 3 identification, Dierickx reference, shown Q. Okay. Just going back to the title when you read it, part of it refers to witness.) BY MR. CAPLAN: to fixed-pattern noise. Q. Dierickx is describing a --6 6 What is fixed-pattern noise? 7 7 well, why don't I ask you. A. So Dierickx itself -- again, I'm What is the Exhibit 1041 just looking through the first page, 8 paragraph 6 and following, to see if he 9 describing? 10 describes it. 10 A. Well, the title --11 MR. DAVIS: Objection to form. 11 So I think there are line A. The title is "Circuit Pixel 12 12 numbers -- it's in paragraph 6. Q. Okav. 13 Device and Method for Reducing 13 A. About two-thirds of the way 14 Fixed-Pattern Noise in Solid-State Imaging 14 15 Devices," so, once again, this is about 15 down, and he discusses, for MOS image 16 solid-state imaging devices, and there are sensors, the applications requiring high 17 many teachings in Dierickx, but among them 17 image quality, that their output signal has 18 is having an amplifier in each pixel, so, an additional nonuniformity caused by the 19 for instance, as illustrated, I believe, in statistical spread on the characteristics 20 Figure 6. of the electronic components composing the 20 active pixel." 21 Q. Okay. Are you all set? I 21 22 22 didn't know if you were looking for So I think down a little bit 23 something. 23 later, the last sentence:

24

"If no precautions are taken,

this nonuniformity called fixed-pattern

Form.

Page 118 Page 119 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 noise or FPN is seen as a snow-like shape 2 describing -- just kind of turn to I guess 3 over the image being taken with a CMOS or page 1, we'll use the paragraph numbers. MOS image sensor with active pixels." In paragraph 2, it says that 5 So I think I described it the Dierickx "relates to a solid-state imaging other day when we were discussing this, is device manufactured using CMOS or MOS if you uniformly illuminated all pixels in 7 technology." Right? Do you agree with that? the array, the apparent signal would not be 8 9 9 the same at every pixel in the array. That's what it says, yes. 10 That's fixed-pattern noise. 10 Q. What's the difference between --Q. Well, in Dierickx, it's it says "CMOS or MOS." 11 11 12 describing an active pixel sensor, isn't 12 What's the difference between 13 it? 13 the two? 14 A. So certainly the embodiment 14 I know there's a "C" that's 15 illustrated in Figure 6, where there's an 15 different, but what is the difference in 16 amplifier in the box labeled "1 pixel," meaning between those two? 16 17 that's certainly an active pixel. A. In CMOS, you build both P 17 18 I think everywhere -- certainly channel and N channel transistors on the 18 19 there are other figures where he draws a 19 same chip, in the same chip. 20 box and says it is an active pixel. 20 And in MOS, without the "C," you 21 So I'm just looking -- I don't 21 either build all P channel or all N 22 know whether he ever discloses one that is 22 channel. 23 not, but certainly with most of them, if 23 Q. In paragraph 5, it talks about 24 not all, are active pixels, yes. 24 CCDs compared to CMOS. 25 Q. So this is -- Dierickx is 25 Do you see that? 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 A. I do. 2 A. I don't know that it would 3 Q. And do you agree that at least 3 necessarily be right in every possible at the time of Dierickx, CCD-based camera video application in the world or every systems provided a better image quality possible still camera application. 6 than CMOS-based camera systems? Certainly in high-performance 7 MR. DAVIS: Objection to form. 7 situations, scientific ones, astronomy, there's no question in my mind that CCD was 8 A. Well, more specifically, what he 9 said is that CCD-based camera systems have 9 superior. 10 less noise fluctuation in the image 10 For a video camera used for 11 compared to CMOS or MOS-based camera 11 teleconferencing or something like that, I 12 systems, and then the following, the next don't know whether I would necessarily 13 sentence, "Therefore, CCD-based camera 13 agree or disagree. 14 systems are nowadays preferred in 14 Q. So in Dierickx, it says that 15 applications wherein a high image quality 15 CCD-based camera systems are preferred for 16 is required," and he gives two examples, 16 video applications. 17 "such as video or still camera 17 Do you agree with that or not? 18 applications." 18 A. He says "a high image quality is 19 So he's certainly identifying 19 required such as video or still camera 20 some -- under certain circumstances, CCD 20 applications." So I would read that as 21 can have advantages. 21 22 Q. Do you agree with that at the 22 indicating that in a video or still camera 23 time, 1996-1997? application where a high image quality is 24 MR. DAVIS: Objection. required, and he doesn't define how high is

25

high.

question about that.

Page 122 Page 123 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 But if it has to be the highest 2 A. And I believe I answered. I 3 possible, I think he's saying that CCD 3 don't know what Dierickx means. would be a potentially better choice. Q. Okay. How about, what's your Q. What's your understanding of understanding of a high image quality for a 6 high image quality as it's used in still camera application as described in 7 Dierickx? 7 Dierickx? A. I don't think he ever says 8 8 MR. DAVIS: Objection. anything further and I haven't tried to do 9 Form. 10 any -- I can't read behind -- between the 10 A. Well, again, I don't know what 11 lines. he's thinking. I told you about one camera 11 12 You know, I can only speak to 12 application that I can think of, which was 13 applications that I was familiar with. I for astronomy, astronomical purposes, 14 think I've used astronomy on many occasions 14 that's a very highly specialized one. 15 where low light noise is critical. So, in But Dierickx doesn't say -- he 16 fact, in that application, a cooled CCD was doesn't give an example, I don't believe, 17 the best choice and not even room 17 of what he considers to be high image 18 temperature, but actually cooled. 18 quality. 19 Q. But my question is, what's your 19 Q. Is there anything in Dierickx 20 understanding of a high image quality for 20 that leads you to believe that the Dierickx 21 -- let me rephrase that. 21 reference is referring to cameras used for 22 What's your understanding of a astronomy purposes? 23 high image quality for a video application 23 MR. DAVIS: Objection. 24 24 as used in Dierickx? 25 MR. DAVIS: Object to form. 25 A. No, I don't think there's 1 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. anything one way or the other, although its 2 Q. But as you've testified before, general objective is to improve performance there are a lot of different of CMOS or MOS technologies. That's the implementations of solid-state imaging whole point, is to reduce one of things he devices; right? identifies as a problem. 6 A. That's correct, and one of 7 Q. Is a still camera application 7 ordinary skill in the art would be aware of something akin to the Wakabayashi patent the literature, the patents on all of 9 that we've been talking about? 9 those. 10 MR. DAVIS: Objection. 10 Q. But if you were holding a device 11 11 which has a CCD imager pixel array in it, 12 A. Wakabayashi describes outputting you wouldn't call that a device with a CMOS 13 video. Video is not generally what you'd 13 pixel array imager, would you? call a still camera output. 14 MR. DAVIS: Objection. 15 Q. Okay. Is Wakabayashi an example 15 Form. 16 of a video application that Dierickx is 16 A. So if I understand your 17 describing? 17 question, you're asking me if I would call 18 MR. DAVIS: Objection. 18 a CMOS device a CCD? 19 19 Q. Correct. Form 20 A. No, I would not. A. I have no idea whether it's the 20 Q. In Dierickx -- or "Dierickx," I 21 type that Dierickx is describing. 21 22 22 don't remember how I'm saying it -- in Q. Okay. 23 It is -- they are both related Exhibit 1041, where is the timing and 24 to solid-state imaging devices. There's no control circuitry with regard to the pixel

25

array?

Page 126 Page 127 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 A. I certainly didn't look to 2 the Dierickx description? 3 Dierickx or any teachings related to timing 3 MR. DAVIS: Objection. and control in my analysis, as set forth, 4 for instance, on page 110 of my 5 A. So as I just testified, I was declaration. I don't know that he not relying on Dierickx for that so I discusses timing and control specifically. 7 really didn't examine it. I have not looked to that. 8 8 There is one discussion of 9 You would agree that Dierickx 9 timing sequence in paragraph 66 on page 5, 10 describes a CMOS image array with active referencing Figure 7, but I see nothing in pixel sensor -- with active pixels; right? that discussion that would indicate whether 12 A. I'm sorry, could you repeat the 12 that timing sequence would be on-chip or 13 question again? 13 off-chip. 14 14 Q. Sure. You would agree that Q. Okay. If you please look at 15 Dierickx describes a CMOS image array with 15 paragraph 11. It's on page 14 of 20 of 16 active pixels; right? Exhibit 1041 in paragraph 11. A. Yes. Dierickx is describing an 17 A. I'm there. 17 Q. And starting the fourth line 18 array and they are made up of active CMOS 18 19 or MOS pixels, apparently. 19 down, it says: 20 Q. Okay. And can you -- let me 20 "This device comprises a matrix 21 rephrase it. 21 of active pixels as well as electronic 22 Based on your review of the components or circuits located by 23 Dierickx application or Dierickx reference, preference at the edges or border of the 24 where is the timing and control circuitry 24 matrix of pixels." 25 that would work with those active pixels in 25 Do you see that? Page 128 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 nothing that would suggest other circuitry. Q. What's your understanding of 3 3 Maybe it is. Maybe it isn't. But the only examples he gives are 4 that description in Dierickx with regard to 4 other circuitry, and, in particular, timing amplifiers, I believe. and control circuitry relative to the pixel 6 Q. Now, active pixels versus array? 7 7 passive pixels, that's described a little 8 MR. DAVIS: Objection to form. bit in paragraph 6 of Dierickx. A. If you keep reading in the 9 9 And my question is, do you agree 10 paragraph, he says: "At the expense of that passive pixels have less functionality 11 forming an image sensor with an unusual 11 than active pixels; is that correct? 12 large area said electronic components or 12 MR. DAVIS: Objection to form. 13 circuits can also be integrated in said 13 A. No, I wouldn't agree with that 14 pixel," which would not be timing and 14 phrasing. 15 control. 15 Q. What is the difference between 16 He further says: "Said 16 passive pixels and active pixels in the 17 electronic components or circuits comprise 17 CMOS imager? 18 at least one amplifying circuit, which is 18 A. An active pixel has an amplifier 19 common to a group of pixels, such as a 19 integrated with the pixel. A passive one 20 column or row." 20 does not. 21 So he gives examples of such 21 Q. So then the active pixel, as you 22 circuitry. The circuitry that he just testified, has an additional component 22 23 specifically uses examples are amplifiers. 23 which is the amplifier with it; right?

24

And at least in the rest of that

25 paragraph, continuing onto page 2, I see

24

A. Yes. Actually, maybe more than

one component, but in some cases, in fact,

MR. DAVIS: Objection.

Page 130 Page 131 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 I believe other ones I pointed to in my 2 manufacture than a passive pixel; right? 3 declaration, it's the addition of a single 3 MR. DAVIS: Objection. 4 transistor, but, yes, additional components 4 Form. comprising an amplifier. 5 A. Not necessarily. Q. So the active pixel has 6 Manufacturing costs track more 7 additional components and functionality 7 closely dye area than transistor count. Q. But the more functionality you 8 over a passive pixel; is that right? 8 9 A. If by functionality it 9 put into the dye, the more expensive it is 10 provides --10 to manufacture. MR. DAVIS: Objection. 11 11 Isn't that the case? 12 Form. 12 MR. DAVIS: Objection. 13 THE WITNESS: Excuse me. 13 Form. 14 A. If by functionality you mean it 14 A. Not necessarily. Sometimes, but 15 provides amplification, yes, it certainly 15 it depends a lot on dye area. 16 does, and I believe I already told you Q. Is it your testimony that the 16 17 that, yes, there are additional components passive pixel would be less expensive --17 18 compared to a simple passive. strike that. 18 19 I'm not -- I suppose there could 19 So it's your testimony that an 20 be some passive pixel that had extra 20 active pixel would be less expensive to 21 components in it. But in general terms, 21 manufacture than a passive pixel? 22 I'd expect an active pixel to have more 22 A. No. I said you can't 23 components than a passive one. 23 necessarily say the active is more 24 Q. For the same reason, an active 24 expensive than the passive. That's what I 25 pixel would be more expensive to 25 said. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 2 Q. Is there a difference in the Form 3 A. What I said was is that 3 size area that's occupied by a passive 4 pixel versus an active pixel? manufacturing costs tends to track dye size A. There may or may not be. It more than it tracks transistor count. If you built a passive pixel depends on how one chooses to lay out the with a large fill factor and it had a 7 7 pixels. certain size pixel, you perhaps -- a design 8 Q. So it's completely up to the choice would be to build an equivalent size 9 designer? pixel that was active, but where the photo 10 A. Well, yes, actually. You could 11 lay out large pixels. You can't make it 11 detector has a smaller fill factor. In that case, the total dye area 12 irreducibly small because you have a line 12 13 limit to your fabrication process, but you 13 would stay the same. And then it's not 14 have choices as to, for instance, how much 14 clear that one would be more expensive than 15 of the pixel actually absorbs light, the 15 the other. 16 fill factor. You have choices as to how to 16 Q. You didn't investigate the 17 use size, the other components. So, yes, 17 relative costs between manufacturing active 18 it is largely by the designer. and passive pixels in connection with your 19 Q. So is it your testimony that the opinions in this matter, did you? 19 20 active pixels have additional components in 20 MR. DAVIS: Objection. 21 them over passive pixels, but you don't 21 Form. 22 22 know whether or not it would be more A. I have been teaching CMOS fabrication since 1985, and as an important 23 expensive to manufacture active pixels 23 part of my class, I cover -- it is about 24 versus passive pixels; isn't that right?

manufacturing, and part of what we talk

Page 134 Page 135 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 about are costs. 2 MR. DAVIS: Objection. And in the industry you usually 3 Form. 3 4 specify cost per wafer, not -- because 4 A. No claim had the word "cost" or 5 that's the manufacturing process. You anything related to cost. handle wafers, so it's called wafer starts I did analyze whether it would per week. You don't count the number of 7 have been obvious to combine the references I did. They're in the same field, chips per week. You count the number of 9 wafers. solid-state cameras. 10 10 So that's why I said the So, no, I did not render any 11 manufacturing cost tends to track the area opinion about cost because it wasn't 11 12 of the dye because on one wafer, the larger 12 relevant to my analysis. I do know about 13 the dye, the fewer you get. 13 costs. 14 It was the wafer cost that drove 14 Q. And you don't have any opinion 15 -- the wafer manufacturing cost that drove 15 about the average size of a dye for a CMOS 16 things, if you were dyeing, then each dye passive pixel array versus a CMOS active 17 is more expensive. So it's area of the dye pixel array in 1997, do you? 17 18 that tends to drive. Not the only factor 18 MR. DAVIS: Objection. 19 for sure, but it tends to be one of the 19 20 important factors. 20 A. Again, I did not perform any 21 Q. But you haven't expressed an 21 analysis concerning an average size. 22 opinion in this case about the cost to 22 I did point to a specific 23 manufacture a standard passive CMOS pixel reference that gave a size, 8-1/2 23 24 array in 1997 versus an active CMOS pixel millimeters, in particular. 24 25 But I didn't try to find an 25 array in 1997; right? 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 average size because, again, that's not AFTERNOON SESSION 3 3 relevant to my analysis. (Time Resumed: 3:00 p.m. EST) DEAN NEIKIRK, PH.D., 4 4 Q. Okay. 5 MR. CAPLAN: This is probably a 5 having been previously duly sworn, resumed good point to break for lunch, at least on and testified as follows: **CONTINUED EXAMINATION** the East Coast. I'm not sure if it's okay 8 for you. 8 BY MR. CAPLAN: Q. Dr. Neikirk, we were in 9 But you want to come back at 10 3 o'clock or noon Pacific? Exhibit 1041, the Dierickx reference, and THE WITNESS: So that would be 11 if you could turn there to page 15 of 20: 12 about 50 minutes. 12 in particular, paragraph 19. A. You said the exhibit, page 15. 13 MR. CAPLAN: Is that all right? 13 14 Okay. Great. Thank you. 14 Paragraph 19? 15 (A luncheon recess was taken 15 Q. Paragraph 19. 16 from 2:09 p.m. EST to 3:00 p.m. EST.) 16 A. I have that in front of me. 17 17 Q. If you go down, it's the fourth 18 18 line in paragraph 19, the sentence that 19 starts "an example." 19 20 20 Do you see that? A. I do. 21 21 22 22 Q. So it says: "An example of such 23 23 camera system is a video or still camera or 24 camera integrated in a multimedia device 25 such as a personal computer equipped with

Page 138 Page 139 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 video functionality or with video and 2 that was the focus of his -- his stated 3 speech functionality." 3 focus was reducing fixed-pattern noise. Do you see that? Clearly he was trying to improve 5 A. I do. 5 the image performance of CMOS or MOS 6 Q. So does that give you or what is 6 arravs. your understanding of the video or still 7 MR. DAVIS: John. I think it was camera described in Dierickx in light of 8 a transcription error. It says "in" instead of "than." what's described in paragraph 19? 10 MR. DAVIS: Objection. 10 (Discussion held off the 11 Form. 11 record.) 12 BY MR. CAPLAN: 12 A. Again, exactly what it says. 13 A multimedia device such as a 13 Q. In the same paragraph 19, Dr. 14 personal computer, and I would take it to 14 Neikirk, at the bottom of that paragraph, 15 indicate that he's stating that using his it says: "As is well-understood by a 16 inventions you can achieve something with technologist in the relevant field, for 17 high enough performance presumably at lower 17 this purpose the integrated circuit 18 cost than the CCD system. containing the pixel matrix and the 18 19 Q. I'm just not sure I understood peripheral circuits are packaged and 20 your answer because it looked like your mounted inside a camera housing with the 21 answer was in the context of CCD systems. 21 lens at the same place where a photographic 22 A. No, I said the inventions of film would be located." 23 Dierickx for MOS or CMOS provided a 23 Do you see that? 24 performance that was high enough for the 24 A. I do. 25 application he identified, and given that 25 Q. What's your understanding of Page 141 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. what's being described in this part of BY MR. CAPLAN: 3 3 Dierickx? Q. So is it your testimony that the 4 peripheral circuits referred to in this A. Again, exactly what it says. 5 Using the solid-state imaging paragraph 19 are referring to the device in a camera in the location that amplifiers that are used in the active pixels of Dierickx? normally photographic film would be placed. 7 A. So I don't think Dierickx 8 Exactly what it says. 9 Q. And it's also saying that the 9 specifies any particular details of 10 pixel array and other circuitry are all peripheral circuitry except as what you 11 located in the same location; right? might see in column -- in Figure 2, for 12 A. Well, actually what it says is instance, which related to the amplifiers, 13 that the pixel matrix and the peripheral 13 or, for instance, in Figure 5, also related 14 circuits are packaged, which doesn't 14 to amplifiers. 15 preclude the possibility that they were two 15 Other than that, I don't think 16 chips in a common package, but of course 16 he really gives much in the way of details 17 the peripheral circuitry that I believe 17 about possible examples of peripheral 18 Dierickx focuses on relates to amplifiers, 18 circuitry. 19 and he didn't really discuss other 19 Q. Well, you identified Figure 2 in 20 peripheral circuitry. Perhaps it's 20 Exhibit 1041. If you can just turn to that 21 on-chip, perhaps it's not. just so I understand on the record what's 21 22 But it certainly does say that 22 shown here. 23 the pixel matrix is packaged and mounted 23 It looks on the top -- the upper 24 inside a camera. portion of Figure 2 there are four active 25 (Reporter clarification.) pixels; is that correct?

22 I'll read it for the record:

24 image sensors are potentially less 25 sensitive to noise fluctuations than

"For this reason, active pixel

23

Pages 142..145 Dean Neikirk October 08, 2020 Confidential Page 142 Page 143 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 A. Yes, I believe that's what he's 2 Q. Just so to be complete, then 3 trying to -- yes. 3 there's additional circuitry shown on the Q. And those active pixels would lower portion of Figure 2. 5 include the amplifier that makes it an 5 Can you just describe the other active pixel; is that correct? circuitries there, and I'm talking in 7 A. They would include amplifiers in 7 particular it looks like elements 12 and 9, the pixel, but as shown below, there is in particular. another amplifier that he shows which is 9 A. So in column 41 on page 16 of 10 number 11. the exhibit he discusses Figure 2. He 11 Q. And what is the purpose of that discusses switches. He discusses that the 12 amplifier 11? output current of sub-circuit is the 13 A. So in -- so it's the exhibit 13 current source 12, and using various switches, it's used to calibrate. 14 page 16 in paragraph 33. 14 15 Q. Yes. 15 So the very first sentence in He says that: "In this figure that paragraph is another method consisting 16 17 an arbitrary array of 2-by-2 active pixels 17 of calibration of current sources. 18 is drawn with one column amplifier in this 18 Remember that his overall goal text, also referred to as the amplifying 19 is to reduce fixed-pattern noise which is 20 circuit." That's it. 20 due to variations from one region to 21 Q. Is that column amplifier the 21 another. And so, for instance, being able 22 amplifier for the active pixel? to calibrate that out is a way of trying to 23 A. No, it's a column amplifier. do that. I don't know that that's 24 Q. So it's different? 24 specifically what he's talking about here. 25 A. Yes, it's different. 25 Q. That was my next question, is CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. that other circuitry we're looking at in passive pixels." 3 Figure 2, would that be an example of the 3 Do you see that? 4 peripheral circuits that are referred to in A. I do. 5 Q. Do you agree with that? paragraph 19? A. It may be, it may not. I don't 6 A. Well, we should back up and read what the reasons were. 7 know that he used anything that explicitly 7 says that that's the only possible 8 The previous couple of 9 peripheral circuitry or that it has to be sentences, second sentence in paragraph 6, 9 10 on-chip, but it's the only example I see of "An active pixel is configured in the means 11 something that's connected to, for integrated in the pixel to amplify the charge that is collected on the light 12 instance, an entire column as opposed to 12 13 being inside individual pixels. 13 sensitive element." 14 Q. If you could turn back in 14 And then it says: 15 Dierickx, back to paragraph 6 on page 14. 15 "Passive pixels do not have said 16 A. I'm there. 16 means and require a charge sensitive 17 Q. In the middle of that paragraph amplifier that is not integrated in the 18 it talks about some of the features and pixel and is connected with a long line 19 functions of active pixels, and it says, it 19 towards the pixel." 20 starts with -- a third of the way down, the 20 So presumably -- he doesn't 21 sentence starts "for this reason," and so really identify which reason in the 21

numerous -- is it just because there's an

amplifier in the pixel? Is it because

there is a long line connected in the

pixel? I haven't really analyzed this to

25 Exhibit 1027.

Page 146 Page 147 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 try to decide what I think he's 2 A. I do. 3 3 specifically trying to address. Q. Do you agree with that Q. And as you sit here today, can 4 statement? 5 you -- my question is, do you agree with 5 A. Well, let's look at the functions he identified. the statement that active pixel sensors are potentially less sensitive to noise 7 "Said functions can include filtering operation at higher speed or 8 fluctuations than passive pixels? R 9 A. Well, he says "potentially." operation in more extreme illumination 10 Lots of things are potentially conditions." 11 less sensitive. 11 He did not identify what kind of 12 I would think it would depend on 12 circuitry he's going to add to the pixels 13 what the source of the noise fluctuation to do those things. That there might be 14 was, as to whether adding an amplifier 14 something you could add, I suppose. 15 would reduce sensitivity to that or 15 So I haven't really looked at 16 increase sensitivity to that. that, and I can think of pros and cons, so Q. In the next sentence in that I don't know whether I agree or disagree. 17 17 18 paragraph 6, it says: 18 I suspect under some circumstances I would agree. There might 19 "Due to the additional 19 20 electronics in the active pixel, an active 20 be other circumstances under which I would 21 pixel image sensor may be equipped to 21 disagree. Q. As you sit here today, you can't 22 execute more sophisticated functions which 22 23 can be advantageous for performance of the 23 say "yes, I agree with that statement in paragraph 6"; is that right? 24 camera system." 24 25 25 MR. DAVIS: Objection. Do you see that? 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 2 (Exhibit 1027 for 3 A. As I sit here today, I think 3 identification, Wakabayashi reference, that this is a very complicated topic and 4 shown to witness.) BY MR. CAPLAN: so there might be circumstances where I'd agree with it and other circumstances where 6 A. I have it. 7 I wouldn't. Q. I know we've talked about this 8 I have not done the kind of exhibit before so we'll get to some 9 analysis that would be required to try to particular new questions. 10 determine whether I would always agree or We can turn to Figure 7 of the 10 always disagree with such a statement. 11 Wakabayashi patent, just as an example. 12 Q. You were relying on Exhibit 1041 12 A. I have Figure 7 in front of me. 13 for your opinions in this matter; correct? 13 Q. Okay. Just so -- I'm jumping 14 A. For very specific teachings, of 14 off point for this discussion. 15 which this is not one. 15 Can you just explain the 16 Q. But you looked at the whole 16 functions and relationships of the imager 17 document before you relied on a portion of device 27, the camera circuit board 29 and 18 it; right? the circuit board 39 in Wakabayashi shown 18 19 A. Of course. 19 in Figure 7? MR. DAVIS: Objection to form. 20 MR. DAVIS: Objection. 20 A. Well, so as an example, I 21 Form. 21 discussed this and illustrated on 42 of my 22 BY MR. CAPLAN: 22 23 Q. Why don't we turn to the declaration, and the image sensor 27, a 24 Wakabayashi reference, which is generally square shape on first plane; 29,

a first circuit board with a length and

Page 150 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 width defining a first plane; and 39, a 3 second circuit board having a length and a width defining a second plane. 5 Those are some of the features 6 that are illustrated by Figure 7. 7 Q. And the image sensor 27 includes 8 the photo detector array; is that right? 9 A. I believe Wakabayashi always 10 refers to it as a -- I want to use his 11 words -- always refers to it as a solid 12 state -- I just want to use -- I don't want 13 to be loose about his wording. 14 He calls 27 -- I'm trying to 15 find the first spot for -- an imager 16 device. That's in column 5 at line 57. But he refers to his -- sorry, 17 18 I'm still trying to find it. He always 19 refers to it as a solid state -- and I 20 don't remember whether he calls it imager, 21 imaging device -- that's all I was trying 22 to find. 23 But element 27 is where that 24 would be present, yes. 25 Q. And we never really talked about

VIII.A, and in that particular discussion

7 discuss my opinion that it's obvious to

8 locate that circuitry on circuit board 39. 9 so that's in VIII.A. it starts at page 28.

12 of my declaration, paragraph 71 up through 13 74, and in paragraph 71, 72, 73, I try to

go over where Wakabayashi has identified

And in paragraph 74, I am -- it

17 is my opinion that it would be obvious to

19 post-video on 39, and then on page 48 give

18 put that conversion from pre-video to

20 some of the reasons why I think one of 21 ordinary skill would be motivated to do

22 that. 39 is bigger, there's more space,

25 pre-video to post-video conversion

23 easier to put it on 39 than 29 and so on.

Q. But board 39 is not where the

So really I think the 11 appropriate discussion is roughly pages 45

6 back at VIII.A, let's go there, I do

15 locations for various things.

1

10

16

24

Page 151 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 the claims yet, we'll get to that, the claims of the '052 patent, but in the claims it does talk about circuitry to 5 convert pre-video signals to post-video 6 signals. 7 Do you recall that? 8 A. Yes, I believe it may be more than one claim, yes. 10 Q. Sure. And it's your testimony in this matter that board 39 is where that 11 12 pre-video to post-video circuitry is 13 located; right? 14 A. So in my analysis in my 15 declaration, let me find that element with respect to Wakabayashi. So that is 16 discussed beginning on page 82 of my 17 18

declaration as an example, "Element 1.f" 19 is how I labeled it, and that does include 20 reference to a second circuit board 21 defining a second plane, and that circuit board including circuitry thereon to 23 convert pre-video signal to post-video. 24 In my analysis of that, which I 25 believe -- it's both here and it's earlier.

> Page 153 CONFIDENTIAL - DEAN NEIKIRK, PH.D.

CONFIDENTIAL - DEAN NEIKIRK, PH.D. circuitry is located in Wakabayashi, is it? This particular -- so if you look at 2 3 A. That's correct. paragraph 128 of my declaration, I actually point us back -- sorry, it's to Section

14

15

4 As I state in the middle of page 48, furthermore, by mounting this processing circuitry on circuit board 39 instead of circuit board 29, the size of circuit board 29 is advantageously reduced and the video unit -- video camera unit 10 that rotates is made smaller.

11 So, yes, it is -- in Wakabayashi, he shows one configuration and 13 he puts it on 29.

It's my opinion that one of ordinary skill would recognize that you can move it to 39 and that there would be advantages to do so. In fact, putting it either place is simply an obvious design choice.

19 20 Q. But board 29 in Wakabayashi is where the pre-video to post-video 22 conversion circuitry is located in your 23 opinion: correct? A. I -- so I don't think it's in my 25 opinion.

AMG Reporting LLC 917-969-4493

Page 154 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 Wakabayashi discusses the 3 various circuits. He talks about the block 4 diagram of Figure 22, for instance, and 5 based on that discussion, Wakabayashi does show an embodiment or implementation where he places the pre-video to post-video conversion circuitry, which I believe is in 9 block 102 of Figure 22, he places a dotted 10 line around 100 and 102, and I think it's 11 somewhere around column 5 -- I'm not sure 12 exactly now where it is -- he identifies 13 that those components would be both the 14 solid-state imaging chip and circuit board 15 29. 16 I think that's simply a design 17 choice. That's one obvious place to put 18 the conversion from pre-video to post-video, one obvious place to put it is

22 It's not the obvious place. 23 It's where Wakabayashi actually 24 put it; isn't that right? 25

21 is 39.

14

20 in 29. The other obvious place to put it

A. Well, I think that there are two

Page 155 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 obvious places to put it. Wakabayashi gave one embodiment and he chose to put it on 3 4

5

19

20

21

13

14

15

16

17

18

19

20

21

6 declaration why it's my opinion that one of ordinary skill would have found it obvious and been motivated to consider and, in fact, place it on 39 as opposed to to 29 because -- just because Wakabayashi showed it on 29 doesn't mean that's the only place it could be. There's got to be two places, 29 or 39. I think they're both obvious 14 choices.

I discuss in paragraph 74 of my

15 Q. Wakabayashi doesn't say alternatively, stick it, stick the circuitry that's on 29 onto board 39, does 17 it? 18

A. I don't believe he does, but he also doesn't say that he expressly limits the circuitry to be only on 29.

22 There's no express teaching that 23 says it must be on 29. That is not in 24 here.

Okay. If it's your testimony 25

CONFIDENTIAL - DEAN NEIKIRK, PH.D. that that pre-video to post-video

conversion circuitry could be on board 39,

couldn't it be on a different yet other

board or location than Wakabayashi?

A. Well, Wakabayashi only has two 6 circuit boards, 29 and 39. That 7

Wakabayashi could have chosen to have three

boards, yes, that's a possibility. 9 10 Again, I think it's just a

11 design choice. But what he does disclose 12 is two. 13

Q. If you were to put the pre- to post-video conversion circuitry on board 15 29, would that affect the cost of

16 manufacturing the Wakabayashi device? 17

A. I would not expect it to.

18 I have discussed in paragraph 74 19 a number of things that I do believe it 20 would impact. For instance, the size of circuit board 29, which would have an

22 impact on the potential size of the video

23 camera unit. That's the piece that moves.

24 Making that smaller or lighter, 25 he goes to great length talking about 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. making sure that the hinges don't have to

3 be terribly strong. He talks about a lot

of those things that relate to the size and weight of that video camera unit, which is,

if you look at Figure 2, I don't know

whether that's 5 or whether it's 17, honestly -- I think it's 5 -- but the video camera unit is the piece that moves.

10 Q. Is it your testimony that by 11 moving the pre-video to post-video -- well, 12 strike that.

If you moved the pre-video to post-video circuitry to board 39, what is the purpose of board 29 at that point?

A. Well, board 29 supports the image sensor, and board 29 can support other circuitry. For instance, it could support timing and control.

There are -- I don't remember what else -- let's see, what else does he say in his disclosure about 29.

22 23 But there could be filter

capacitors. There could be any number of components.

Page 159

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 Q. So then you would agree that if

Page 158

9

11

12

16

17

18

19

21

25

1

3 you were to move the pre-video to post-video conversion circuitry from board

29 to board 39, it would require

redesigning other aspects of the Wakabayashi device; right?

MR. DAVIS: Objection.

9 Form.

8

10 A. No, I wouldn't phrase it that 11 way. The other circuitry might very well 12 require no redesign whatsoever. The output 13 from the sensor goes into the pre-video to 14 post-video conversion circuitry. It's just 15 a question of getting that output to that 16 circuitry.

17 Well, the wiring is already 18 present on the board. Would the layout of 19 the board be different? Sure. But, again, 20 it's just a design choice.

21 Q. Did you analyze what changes 22 would need to be made to Wakabayashi if you 23 moved the pre-video to post-video circuitry

24 from board 29 to board 39? 25

A. Well, only in the general

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 context, as I've stated in my opinion, that 3 I think that is an obvious design choice, that relocating that circuitry would lead to things that would be well within the skill of one of ordinary skill with great 7 expectation of success. 8

It's just rearranging traces on a board. They had to arrange them one way. You arrange them another way. It's just a design choice.

 Q. So then you agree if it's just a design choice, you would still have to 13 change the design to accommodate that move from circuitry on board 29 to board 39; right?

A. Well --

MR. DAVIS: Objection to form.

A. Wakabayashi doesn't provide a 20 layout for board 29 to start with, so one of ordinary skill in implementing Wakabayashi, as he happened to have disclosed it, would also have to have done 23 24 a design.

In either case, one of ordinary

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.**

skill in the art reading the art has to use

3 their own knowledge and creativity. And one of those things would be Wakabayashi

doesn't identify specific circuitry or how

6 that would be represented by components 7 with a specific layout of a printed circuit

8 board. You'd have to do that design either

9 way, whether the video -- pre-video to

10 post-video conversion is done on 29,

11 whether it's done on 39.

12

25

One of ordinary skill would have 13 to do the design, yes, but they'd have to do both designs. Wakabayashi doesn't 15 provide a design, a layout, a component 16 selection process.

17 Q. So you agree, though, that 18 Wakabayashi illustrates a design where the 19 pre-video to post-video conversion is on 20 board 29; right? You agree with that?

A. So in terms of block level 21 22 functionality, Wakabayashi discloses a 23 video -- pre-video to post-video conversion 24 placed on board 29.

He doesn't provide with great

details about what those components are, how to lay out the printed circuit board, where to solder what component, but at the block level, he does identify that that circuitry would reside on 29, and in my opinion it's obvious to one of ordinary skill that could have equally well decided 9 to put it on 39.

10 Q. It's your testimony that you 11 don't know what else is on board 29 besides the pre-video to post-video conversion 13 circuitry; right? 14

MR. DAVIS: Objection to form.

15 A. I'm not sure that's exactly how 16 I said it.

I don't think Wakabayashi details -- well, he does detail a few things. Let me look.

20 So in column 9 starting at line 21 9, he's generally talking about Figure 22, and he states that the camera circuit 102 22 includes a camera signal processing

circuit, synchronization signal generator circuit and so on," generates --

17

18

19

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

Page 162

15

22

7

17

19

20

2 So he identifies in broad terms 3 two things. He also says "and so on," so whatever other components the designer felt 5 were necessary.

Q. So it's your testimony that it's obvious to move and so on from board 29 to board 39 as well; is that right?

MR. DAVIS: Objection to form.

10 A. Not and so on.

7

8

9

11

14

24

25

1

14

22

It would be obvious that you can 12 move circuitry from one to another. That's 13 a design choice.

Q. Would you agree then if you 15 start moving circuitry from one board to 16 another -- strike that.

17 Would you agree that if you 18 start with a design at the outset which has 19 certain components or circuitry on one 20 board and you want to start moving some of 21 that circuitry and components to another 22 board, that would entail redesigning the 23 overall product?

MR. DAVIS: Objection to form.

A. So if one did the design work to

Page 163 CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 place the components one place and they

have to do that, they weren't given a

design by Wakabayashi, then the design placing the components on a different board

is a different design, but in either case,

one of ordinary skill had to do the design, and it's my opinion that that design is not

substantially different. They're just two

obvious places to put it. 11

So in your hypothetical the 12 premise was you already had the design. Well, I don't agree that you already had the design. Somebody had to do that, and Wakabayashi didn't do it.

16 Q. So is it your testimony then that if you moved the pre-video to 17 post-video conversion circuitry from board 18 29 to 39, you would still have other 20 circuitry remaining on board 29 even after 21 you made that change?

A. That's not what I testified.

23 I said you might. Depends on 24 the overall design, what the requirements were for the various pieces of that design.

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

Q. Is there anything in Wakabayashi that suggests you should move some circuitry or components on board 29 onto board 39?

6 A. Well, Wakabayashi doesn't 7 actually give the circuitry details for anything that he discloses. There's no 9 question that he discloses one embodiment 10 where the video -- pre-video to post-video 11 would be on board 29. There's nothing that 12 says that you are expressly limited to 13 that.

So I think, again, it's a design 15 choice that one of ordinary skill in the 16 art would be able to make. Put it one place, put it the other. It's got to be on 18 one of the two boards.

19 Q. Would you be able to eliminate 20 board 29 all together in the design of 21 Wakabayashi?

MR. DAVIS: Objection to form.

23 A. Well, the solid-state imaging 24 device 16 would have to be mounted to 25 something, and I think the most obvious

CONFIDENTIAL - DEAN NEIKIRK, PH.D. thing to do is the way Wakabayashi did it, with 29, where you solder the device into that board. There has to be electrical and physical support for that chip.

Would it be possible in the universe of all things to come up with a way to do it without using a circuit board, sufficient such as illustrated by 29? I 10 don't know. I suppose, maybe, but I don't 11 know.

12 Q. So it's your testimony that 13 Wakabayashi would be combined with the Ackland reference? And so the record is 15 clear, Ackland, which you've spoken about 16 in the past, is Exhibit 1006.

A. Sol I have -- my testimony or my 18 opinion is that for certain of the claim limitations in the '052, that the combination of those two would render those obvious, ves.

21 22 Q. I have a question about your 23 declaration.

24 In your declaration, I believe 25 you referred to the imager -- I was looking

24

25

MR. DAVIS: Object to form.

A. As I sit here right now, I've

Page 166 Page 167 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 for something in particular. Give me one 2 while still mounting the image sensor 27 on 3 it in the same manner as Wakabayashi 3 second here. 4 Go back, actually, to what you illustrates -- what is that -- a reduction 5 were just talking about, with the move of in area of -- I don't know -- maybe a circuitry from board 29 to 39. third, I haven't put a ruler to it. 7 If you were to move the pre- to 7 Q. How do you know that? 8 post-video conversion circuitry from board 8 A. Well, I'm looking at the 29 to 39, how much would that reduce the approximate cross-sectional drawing shown size of board 29? in Figure 3. 10 11 MR. DAVIS: Objection to form. Q. But you testified that 11 12 A. Sol I have not tried to put a 12 Wakabayashi doesn't actually show you the 13 percentage reduction on it to that. components that are actually used; is that 14 It would depend on the size of 14 riaht? 15 the various components used to do that. 15 A. That's correct. And that's why 16 If we were to use Figure 7 --I said potentially as much as. Assuming 17 well, actually, cross-section would be 17 that you solder 27 to 29 in this same way 18 better. So if you look at page 74 of my it's illustrated. 18 19 declaration, I've got Figure 3 from 19 Q. Why would you have to do that? 20 Wakabayashi reproduced with some labeling, 20 Why would you have to keep it 21 the image sensor and the first circuit 21 the same way? If you change other things, 22 board 27 and 29. why keep that? Q. Okay. 23 23 A. I think I testified just a few 24 A. And with the reduction of 24 moments ago that I don't know that you 25 components necessary to be placed on 29 would have to do it that way. I haven't 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. considered that because Wakabayashi not done any such analysis. discloses the chip that 27 is mounted and 3 Q. Is there any component described soldered to 29. in Wakabayashi or needed for Wakabayashi 5 Could you come up with another that you couldn't move to board 29? way to do it? Again, I think I testified 6 MR. DAVIS: Objection to form. 7 just a few minutes ago in the universe of Well, I'm going to paragraph or column 9, where he describes circuitry all possibilities, maybe. 9 Q. Is there any component you could involved in the camera circuit 102 and 10 not move to board 39? specifies some things that it includes. 10 11 A. Again, it's not --11 And considering he said, once again, "and so on," I have not tried to do 12 MR. DAVIS: Objection to form. 13 BY MR. CAPLAN: 13 an analysis to determine whether everything 14 Q. I'm sorry, I didn't hear that. included in "and so on" could be moved or 15 I think there was an objection 15 not. I just haven't done any such 16 and I didn't hear an answer. 16 analysis. 17 A. It's not something I've 17 Q. Do you know how large the 18 considered. I haven't -- I haven't tried 18 components or the boards are in 19 to decide -- Wakabayashi discloses "and so Wakabayashi, particularly boards 29 and 39? 19 20 on." I haven't tried to establish what A. Not with any specificity other 20 "and so on" might or might not include. than the descriptions shown, the size --21 21 22 Q. So you don't know, actually, as the approximate sizing, and I have discussed in my declaration about what I 23 far as that goes?

believe one of ordinary skill in the art

would expect this -- I always forget

Pages 170..173 Page 171

Page 170 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 whether it's 5 or -- whether it's -- the 3 moveable part, approximately what its size would be.

Q. So is it your testimony -- well, let me just...

Could you do away with board 29 all together?

MR. DAVIS: Objection.

10 Form.

5

6

7

8

9

11

20

25

1

7

11

A. I have not considered that 12 situation. I don't know. I haven't done the analysis.

14 Q. Is there an optimal location of 15 the circuitry and components for boards 29 16 -- restate.

17 For board 29, is there an 18 optimal location for the circuitry and 19 components on board 29?

MR. DAVIS: Objection to form.

21 A. Again, Wakabayashi only points 22 to things such as synchronization signal generator circuit, the camera signal processing circuit and so on.

And until you have a specific

CONFIDENTIAL - DEAN NEIKIRK, PH.D. design, I don't think you can decide about 2 optimal locations. 3

I do believe, as I've stated, that it would be obvious to locate the pre-video to post-video conversion 7 circuitry to 39. I've given you a number of reasons in my declaration why one of ordinary skill in the art would consider that, and I don't see anything that would teach one of ordinary skill that they must put it on 29. 12

13 Q. But you agree that Wakabayashi gives an exemplary -- not exemplary -gives an actual arrangement for its device which has imager device 27 and circuit board 29 and circuit board 39, and it 17 explains the functions for those. That's 18 19 what Wakabayashi actually teaches. 20

Do you agree with that? MR. DAVIS: Objection to form.

A. What Wakabayashi teaches is arrangements physically of the various boards and the imager device.

He discusses circuitry in a

CONFIDENTIAL - DEAN NEIKIRK, PH.D. else" that is described in Wakabayashi, is 3 there?

A. I think it's correct that Wakabayashi does not provide any -- what's the right phrase -- any explicit restriction as to where to put components.

MR. DAVIS: Objection to form.

Q. And you have no opinion as to the optimal location of components that are 11 described in Wakabayashi, do you?

MR. DAVIS: Objection to form.

A. Well, the only component that I was considering in this case is the pre-video to post-video conversion circuitry, and in terms of optimal, deciding whether something is optimal depends on what your design goal is.

So there's an implicit assumption there which you haven't specified.

I've given a number of reasons why I believe one of ordinary skill in the art would recognize that moving it could lead to a smaller moveable camera, and that

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

block form, so he doesn't actually give any

circuitry at all. He gives a block

description. And he does identify places to locate certain of those functions either on 29 or 39.

So, yes, I would agree he does show an example. I didn't see any place where he says "this is the only way you can 10 do it."

I believe one of ordinary skill 12 in the art would recognize that these are 13 design choices. And, for instance, the 14 pre-video to post-video conversion 15 circuitry, it has to be somewhere. It's 16 either got to be on 29 or it's got to be on 17 39. There are only two choices.

18 Wakabayashi showed it on 29. 19 He taught nothing that said you cannot put 20 it on 39. I think they're both obvious 21 choices. He chose to disclose one of the 22 two.

23 Q. There's nowhere on Wakabayashi 24 that you can identify, though, that says

"put any particular component somewhere

21

22

23

24

25

4

5

9

12

13

14

15

17

18

19

20

21

22

23

Page 175

```
CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2
  given Wakabayashi, that might be desirable.
3
         I would agree that he taught --
4 Wakabayashi -- apparently he could get it
  small enough for his purposes by putting it
  on 29, but that doesn't mean someone else
7
  might not want to make it smaller still.
8
```

Page 174

1

3

7

10

11

12

13

18

19

23

24

4

17

18

19

Q. So you would agree there's nothing in Wakabayashi that says "take this 10 information that we described for our 11 device for the purposes we describe, and 12 amend it or change it further to get 13 further new aspects of any particular 14 feature," there's nothing in Wakabayashi 15 like that, is there?

MR. DAVIS: Objection to form.

A. There's nothing in Wakabayashi 18 that says "you must put it on 29." He 19 never says "you must put it on 29, you may 20 not put it anywhere else."

And by not providing an express 22 statement that says "you cannot move it," 23 one of ordinary skill should use their ordinary creativity and their ordinary 25 understandings of circuit designs and

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 lavouts.

And in my opinion, they would recognize that you could put the pre-video to post-video conversion circuitry on 39.

Wakabayashi teaches nowhere that vou are not allowed to do that.

8 Q. Wakabayashi also has a driving 9 circuit; right?

A. At least one, yes. He talks about driving circuit or circuits. I don't remember whether it was plural or not.

Q. And that's driving circuits on 14 board 29, isn't it?

15 A. So I have to find -- until I find it. I don't remember whether it's on 16 17 29 or 39.

Again, it's got to be one place or the other. So driving circuitry -let's see. I'm looking at column 9 right now, trying to see whether that's where it describes -- uses anything including the word "driver" or "driving."

Q. Well, in the same portion of 25 column 9 that we've looked at before, it

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. looks like lines 9 through 14.

A. Yes, thank you.

16

17

21

3 4 I see a sentence there that says "a camera head 100, which includes a wide receiving lens, a solid-state imager device, a circuit for driving the solid-state imager device and so on generates an optoelectrically converted 10 signal 101," and in that case he's talking 11 about functionally what he called 100, 12 which he describes there as a camera head. 13 And he does mention driving -- circuit for 14 driving, but, of course, again he says "and 15 so on," so it could be a variety of 16 different things. It could be there.

17 Q. So is that driving circuit, 18 circuitry or component you could move off 19 of board 29 based on what's shown in 20 Wakabayashi?

21 A. He certainly I don't believe 22 anywhere says "you cannot move it," and by 23 -- he gives a disclosure where in general 24 it's located on or -- on 29. 25

But I don't think -- in fact,

CONFIDENTIAL - DEAN NEIKIRK, PH.D. I'm confident he doesn't say "you must 3 place it on 29."

Now, I didn't consider, I don't believe, that it's an issue as to whether one might move it to 39. I didn't consider that issue because the circuitry at issue was the location of the video -- the pre-video to post-video conversion 10 circuitry.

11 Q. If board 29 fits in its current location in Wakabayashi, why would you --13 what's the motivation to reduce the size of 14 that board if it works as set forth in 15 Wakabayashi? 16

MR. DAVIS: Objection to form.

A. Well, I think Wakabayashi might suggest that it works. It doesn't suggest that it couldn't be better.

20 This is the embodiment he presented. He didn't say there is no other 22 embodiment that might match my claims, for instance. Now that would be claims. But I don't think this would

24 25 tell one of ordinary skill in the art to

Page 179 Page 178 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 never consider the possibility of making 2 going to be smaller than 27, the image 3 this moveable head even smaller or even sensor. So at some point making it smaller is now set by that as opposed to circuitry 4 lighter. 5 Q. But that's not what Wakabayashi on 29. I think these are simply design 5 did. Wakabayashi did what it shows; is 6 choices -that right? 7 Q. So you can --A. -- one of ordinary skill in the 8 MR. DAVIS: Objection to form. 8 9 Well, Wakabayashi disclosed what art would be capable of making. These are 10 it disclosed. It didn't limit it to that just design choices. and I don't know whether he ever did Q. So you can move any of the 11 12 anything else, but certainly in this 12 components or boards just for the sake of 13 patent, that's what he illustrates. 13 moving it; is that right? 14 Q. So if you want to reduce size, 14 MR. DAVIS: Objection to form. 15 why not just move -- if you're trying to 15 A. I did not say that you moved 16 reduce the size of a Wakabayashi device, if them just for the sake of moving them. I 17 that's your view of what you can do with gave you motivations. Making it smaller, 17 18 Wakabayashi, why not move all of the making it lighter. 18 19 circuitry off of board 29? 19 Q. Okay. 20 MR. DAVIS: Objection to form. 20 MR. CAPLAN: We've gone for 21 A. I think it's a design choice. 21 about an hour so take a break here? 22 You might choose to move some 22 15 minutes good? 23 and make it somewhat smaller. You might 23 THE WITNESS: Fine. 24 24 MR. CAPLAN: Thank you. choose to move more. 25 At some point, it probably isn't 25 (A recess was taken.) CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. BY MR. CAPLAN: 2 Q. Right. So first of all, how 3 Q. Dr. Neikirk, kind of picking up 3 much larger is board 39 than board 29? with the topic we were talking about with 4 A. I haven't tried to calculate a multiplier. I would have to figure --Wakabayashi, if you can turn in your declaration, it's page 47, Exhibit 1004, Figure 5 of Wakabayashi, in particular, I'm looking at page 33 of my declaration. and I believe it starts in paragraph 74. 7 7 8 A. I'm there. 8 Q. Page 33? A. 33. And I have added colors. 9 Q. And you were talking before the 9 10 break about some of these issues about your In particular, the color for circuit board testimony as to what's obvious or not. 39 in green, and you can see that it occupies a substantial fraction of the 12 And, in particular, paragraph 12 13 74, you're talking about motivation about 13 space in the housing. 14 how a person ordinary skill would be 14 Q. And do you know what circuitry 15 motivated, find it obvious to put that pre-15 is located on board 39? 16 to post-video conversion circuitry on board 16 A. Well, I believe that back in 17 39; right? 17 paragraph 74 on page 47 of my declaration, 18 A. That's correct. 18 I culled out from Wakabayashi, that's in 19 Q. Okay. And you give a reason 19 column 6 -- is that right -- I'm trying to 20 find -- there's a quotation there: 20 there, and one of the reasons you give is 21 because board 39 is the larger of the two "Circuit board 39 includes a 21 22 boards, and therefore there's more space. 22 signal processing circuit, a driver 23 Do you see that? circuit, a systems circuit, a power supply 24 A. Yes, that's at the top of page 24 circuit and so on." And -- let's see. Yes, so you 25 48, yes. 25

SAMSUNG ELECTRONICS vs CELLECT LLC Job 1040 Dean Neikirk October 08, 2020 Confidential Pages 182..185 Page 182 Page 183 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 larger. 2 can see that I believe the citation is in 3 column 6, lines 5 through 10 of 3 Q. But in the actual design of 4 Wakabayashi, and that discusses things on Wakabayashi or what's shown of Wakabayashi, 5 29. you don't know what limitations are -- let 6 Q. And do you know how much of me rephrase that. circuit board 39 is occupied by the 7 Is it your testimony that there is space available on board 39 to move the circuitry and components identified in 8 Wakabayashi? pre-video to post-video circuitry, and if 10 A. No -that is your position, how do you know 11 MR. DAVIS: Objection. that? 11 12 Form. 12 A. Well, as I've stated --13 A. Wakabayashi doesn't give any 13 MR. DAVIS: Objection. 14 specific actual circuitry components. He 14 Form. 15 gives general functional description. 15 A. -- it's obvious to one of 16 He provide no layout, no express ordinary skill in the art that you could 17 design for how to arrange components on a 17 relocate. 18 board, how to interconnect those components Wakabayashi doesn't provide any 18 using traces on the board and so on. It's 19 express statement that you may not. He 20 a generic description. doesn't say "you must place it on 29." 21 I think that one of ordinary 21 And similarly, he's rather vague 22 skill in the art using their ordinary skill 22 about what's on the rest of 29 and 39. He 23 would recognize that they have design 23 uses "and so on." 24 flexibility and, in fact, more with 24 One of ordinary skill in the art 25 locating components on 39 because it is 25 would have to do a design regardless. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 When looking at Wakabayashi, I the moveable camera head. 3 think it's clear that he wants the size of 3 Q. The moveable camera head is not 4 the moveable camera head -- I always think 4 a feature of the '052 patent, though, is 5 of it as being element 5, I'm not sure it? that's really quite the right element 6 No, it's not. 7 number. But if you look at most of the 7 Q. So when you're looking at figures, it's clear I'm talking about the Wakabayashi with respect to the claims of the '052 patent, the moveable camera head 9 moveable part. 10 doesn't really focus into it, does it? But that has to be small and 10 11 light to accomplish the mechanics that he 11 A. Well --12 wishes to have. The rest of the housing, 12 MR. DAVIS: Objection. 13 so I think broadly it is 2b, which contains 13 Form. 14 the circuit board 39, he places no 14 A. It factors in, as I've pointed 15 particular guidance as to whether that 15 out in paragraph 74, page 47 to 48 of my 16 might be desirably slightly larger, 16 declaration, this design would fit 17 slightly smaller. He's, I think, 17 Wakabayashi's own goals. 18 completely silent about that. 18 One of ordinary skill in the art 19 So one of ordinary skill, 19 reading Wakabayashi, I believe, it is my 20 understanding they have to do a design no opinion that they would have recognized 20 21 matter what, I think would recognize that 21 that they could go even further. They're

24

25 39.

22 they might gain design flexibility by

24 circuitry on 39, and, in particular, the

25 ability to reduce the size and weight of

23 placing the conversion, video conversion

not required to. But, again, there are two

conversion circuitry on 29, you put it on

design choices. If you put the video

23 minimally necessary parts."

A. I do.

Do you see that?

24

25

Dean Neikirk October 08, 2020 Confidential Page 186 Page 187 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 Two obvious choices, both well 2 skill in the art would normally put circuit 3 within the -- within the skill of one of on a battery. I suppose they might be able ordinary skill, and I'm simply pointing out to. That they could have added a third that if you pick the obvious choice of board. Wakabayashi I don't think says you putting it on 39, then that discloses the cannot add a third board. claim limitations of the '052, or certain 7 Again, there's no express R claim limitations. R statement that you are never allowed to add 9 Q. I think you may have broken up 9 another board. 10 10 for a minute there. Q. Why not just use a THE COURT REPORTER: Did you say camera-on-a-chip design in Wakabayashi? 11 11 12 "or certain claim limitations"? 12 MR. DAVIS: Objection to form. 13 THE WITNESS: Yes. I think I 13 A. If there was a camera-on-a-chip 14 may have said before that something like 14 design available at the time we're talking 15 "the claims of the '052." about that included video conversion Well, obviously it's not all of circuitry, I'd say that's another obvious 16 16 17 the claims. It's limitations of the '052. choice. So now -- I apologize -- there's 17 18 BY MR. CAPLAN: not just two places. Perhaps there are 18 19 Q. So it's your testimony that 19 three places you could put it. 20 there is no place in Wakabayashi other than 20 Q. And part of the reason also in board 29 or board 39 to put the pre-video 21 your paragraph 74 is, you say: "By 21 22 to post-video conversion circuitry? mounting the process and circuitry on board 23 A. Well, I think Wakabayashi 39 instead of 29, the size of the circuit 24 discloses two boards and a battery. board is advantageously reduced in the 25 video camera unit that rotates is made I don't think one of ordinary CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. smaller, number 1" -- I'm sorry -- "and the 2 Q. So that was the design of video camera unit that rotates is made 3 Wakabayashi, to have -- to use minimally 4 smaller." 4 necessary parts. 5 5 Right? Do you see that? Do you agree with that? 6 A. Yes. That's about the middle of 6 A. Well, I think that that is --7 the paragraph. It's on page -- about in again, this is all in the abstract. I 7 8 the middle of the page, yes. believe that's in the abstract. It might 9 Q. And then you cite two examples 9 have been in column 2. from or language from Wakabayashi that 10 But, again, as general goals, I 11 those were features; right? 11 think that's what he's identifying. He 12 It says: "A video camera unit hasn't given a component-by-component 13 made compact to realize reduction in 13 design anywhere. One of ordinary skill is 14 weight." 14 still going to have to do that. 15 Do you see that? 15 So the definition of "minimally 16 A. Yes, that's in his abstract. 16 necessary parts" is rather dependant on the 17 I would say that that's an 17 exact design. 18 identification by Wakabayashi of something 18 Q. But you would agree that 19 that he's trying to accomplish. Wakabayashi at the outset was interested in 19 20 Q. And then further down, you also 20 compact -- being compact to realize a reduction in weight and composed of 21 quote, and it's underlined, it says, "since 21 22 the video camera unit is composed of minimally necessary parts; right? You 22

23

24

agree with that?

A. I think what he's pointing out

25 is that he is trying to make a camera unit

22 circuitry separate from the processing

Well, in Figure 3, he shows a

25 block labeled "signal timing and control

23 circuitry?

24

Dean Neikirk October 08, 2020 Confidential Pages 190..193 Page 190 Page 191 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 made compact. He's pointing out things to says that the minimally necessary parts 2 3 trv to do. requires the video conversion circuitry. 3 I don't think he's given any He didn't define this expressly 5 express statement that you must do this and anywhere. I think that's up to the not do something else. designer to think about. 7 These are goals. I think he 7 And he showed a design where he 8 presents a design where he feels that his could accomplish at least enough of his selection satisfies the general goals to be designed and considered 10 constraints. acceptable. 11 But I don't believe that that in 11 Had he believed that the 12 any way, shape or form suggests that, for 12 minimally necessary parts required the 13 instance, moving the video conversion video conversion circuitry, then I would 14 circuitry, the pre to post-video, is have thought he would have said you must 15 precluded. place it on circuit board 29. He never In fact, minimally necessary said that. 16 16 17 parts would suggest moving it. But 17 Q. Okay. You do agree that circuit apparently he felt that his version was board 29 is where he actually put the pre-18 19 acceptable leaving it where it was. 19 to post-video conversion circuitry; right? 20 I don't think any of that is 20 A. In the discussions that he's 21 incompatible with his teachings. 21 provided about the circuit functional boxes Q. But the Wakabayashi teaching was 22 labeled in Figure 22, including 100 and 22 23 exactly what's in Wakabayashi; right? 23 102, I believe that he is showing that the 24 A. No. That was an embodiment. 24 video conversion circuitry is inside 102, 25 He provided no teaching that 25 inside that dotted box, and that includes 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** circuit board 29, yes. 190," which is separate from the pixel, obviously. 3 Q. You've talked a little bit about 3 Ackland today, the Ackland patent, 4 In Figure 6, he shows a dotted Exhibit 1006. I want to turn to that for a box labeled "active pixel imaging system" 6 little bit. and inside of that box is "timing and 7 control," and he has an arrow pointing out (Previously marked Exhibit 1006 for identification. Ackland of that that says "to processing patent, shown to witness.) 9 circuitry." 10 BY MR. CAPLAN: 10 Q. Okay. Were you done? I'm Q. On page 39 of -- not page --11 sorry, I didn't want to --12 paragraph 39 of your declaration, it's page 12 A. I reference Figure 6, and I just 13 19, if you'll turn to that. 13 described it in my text on page 20, I 14 A. I'm there. 14 pointed to Figure 6. 15 Q. The beginning of paragraph 39 15 Now, if you look at Figure 6, 16 talks about the Ackland reference, and you 16 you see timing and control, which is 17 cite Ackland for the feature of a pixel 17 separate from processing circuitry. 18 array with timing and control circuitry 18 Q. When you say it's separate from 19 separate from the processing circuitry. 19 the processing circuitry, what do you mean 20 And my question here is, where 20 by "separate from"? A. Exactly as it's shown. It's not 21 does Ackland show timing and control 21

24

25

22 the same as. It's separate from the

No, no, go ahead.

processing circuitry.

Q. Is it -- I'm sorry?

22 person of skill in the art would be able to

A. I believe that I stated my

MR. DAVIS: Objection to form.

23 implement some of them; correct?

24

25

Job 1040 Dean Neikirk October 08, 2020 Confidential Pages 194..197 Page 194 Page 195 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 Q. Is it on-chip or is the timing 2 control 20. The output signals are routed 3 and control circuitry on-chip with the to suitable processing circuitry not processing circuitry in Ackland? shown." He indicates these are output 5 A. I'm sorry, would you repeat the signals. 5 6 question? 6 I see nothing there that would 7 Q. Is the timing and control 7 suggest to me that the suitable processing circuitry that is not shown is on-chip. 8 circuitry on-chip with the processing 9 circuitry in Ackland? 9 Q. Do you see anything in Ackland 10 A. I think Ackland discloses that 10 that says that the suitable processing 11 the processing circuitry is on-chip. circuitry is off-chip? 11 12 I don't think Ackland says the 12 A. I don't know that he ever uses 13 processing circuitry is on-chip. 13 the words "on-chip" or "off-chip" in 14 Q. Does it say it's on-chip or 14 Ackland itself. 15 off-chip? 15 He does describe Figure 6 at A. I don't think it says it's column -- well, it starts at column 59, but 16 17 on-chip. Given Figure 6 -- let's see what he describes -- it says that "exemplary 17 he says. I have to look at the text for imaging system 1 shown in Figure 6." 18 19 processing circuitry. 19 Q. I'm sorry, make sure I'm in the 20 So he says in column 8 at line 20 right spot. You said --21 40 -- I think that's line 48: 21 A. Column 7. 22 "Output signals from the 22 Q. Oh. column 7. 23 amplifiers 18 are provided to the common 23 A. Column 7, sorry. And the output line 19 in serial fashion based on 24 paragraph starts at paragraph 59, where he 25 timing and control signals from timing describes a plurality of single poly 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 silicon active pixels 36. opinion that one of ordinary skill in the 3 He proceeds to say that art would recognize there are many circuits "exemplary imaging system 1 is shown in 4 that could provide this functionality. Figure 6." "System 1" -- I'm not sure he Given the specific details of ever uses the "number 1" -- but looking at the rest of the array, I believe they could Figure 6, again, as I pointed out, the "to implement it in more than one way, but they processing circuitry" is clearly separate would be capable of implementing. 9 from timing and control. Q. In Ackland itself, referring to 9 10 Q. And what are the components that Figure 6, there is a description in Ackland 11 make up the timing controller 20 that's of the operation of the pixel array, and 12 shown in Figure 6? that -- would that also inform a person of A. So I think we had this 13 13 skill in the art as to how to implement the 14 discussion the other day. 14 timing and control circuitry? 15 There are numerous circuits that 15 MR. DAVIS: Objection to form. 16 could be used for the signal timing 16 A. It would partially inform that. 17 controller. Ackland itself, this reference 17 He has a row decoder 10, which suggests a 18 doesn't give you a specific circuit. 18 bus control, the double-headed arrow. 19 Q. And it was your testimony that a 19 I don't provide -- I don't think 20 person skilled in the art would understand he says anything more than functionally 20 21 there would be a number of options and a it's a row decoder 10. Again, this could 21

AMG Reporting LLC 917-969-4493

22

23

24

be implemented I think with numerous --

The circuit choices for row

25 decoder would influence the circuit choices

many different circuits.

Page 198 Page 199 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 for the timing controller. 2 produces a single analog output on line 19. 3 Q. Okay. Anything else in Ackland 3 There would have to be circuitry that would influence the design or that interacts with the timing controller components used for the timing and control to make sure that those amplifiers are in circuitry? some sense multiplexed. They aren't all on 7 MR. DAVIS: Objection. 7 at the same time. 8 Form. 8 Q. So is it your testimony that what's described in Ackland would, in fact, 9 A. Well, influence, yes. I think 9 -- let's see. 18 are his -- what phrase provide the information a person of skill did he use for component 18 -- he describes in the art would need to implement one of 12 it as a plurality of output amplifiers. the options available to one of skill in 13 He does describe this as the art for the timing and control 14 providing a single analog output on line 14 circuitry? 15 19. 15 MR. DAVIS: Objection. Q. What column are you in? I'm 16 16 Form. 17 17 sorry? A. I think that one of ordinary 18 Oh, 19 is an amplifier that is skill in the art would have many circuit Α. 18 19 in column -- I'm sorry, I found it and now 19 choices to make for the row decoder 10, the 20 I've lost it again. Give me one moment. 20 timing controller 20 and the amplifier 21 18. I was looking for 18. 21 blocks 18, and depending on any specific 22 So if you look in Column 7 at one of those, say, choices in 10 and in 18, 23 line 65, it describes a row decoder 10 and would influence the variety of choices that a plurality of output amplifiers 18, and it 24 would work for 20. 25 further discloses somewhere that it 25 In other words, there are many Page 201 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. circuit combinations here. The block circuitry, for instance, but he is functionality I think they would recognize 3 eliminating some. generally and have numerous circuits to 4 Q. You testified previously that work with. 5 Wakabayashi, the imager device in 6 Q. There is no driving circuit 6 Wakabayashi has and requires a driving 7 described in Ackland, is there? 7 circuit. 8 8 MR. DAVIS: Objection. Do you recall that? 9 A. I don't think that's how I 9 Form. A. So one of the advantages that 10 10 phrased it. 11 Ackland specifies is discussed in a 11 Wakabayashi certainly discloses having drivers. He doesn't disclose the 12 paragraph in Column 7, and right around 20 12 13 he says: "This is effectively the same 13 specifics of those drivers because he is 14 timing if the transfer gate 113 were a open to any solid-state imaging device and 15 clock. Neither a clock nor its associated 15 the specifics of those drivers would 16 driving circuitry is required." 16 depend, among other things, on that. 17 So this is a specific part of 17 Q. But Wakabayashi, in fact, 18 operating the pixels. He's saying by going 18 describes an imager device which requires a 19 to the single polysilicon approach you driving circuit; correct? 19 20 would not need, that is not presumably the 20 A. No, I don't think -- what he said was that there were drivers. 21 only driving circuitry or the only timing 21 22 circuitry. 22 He doesn't say -- and he did 23 You have to operate the 23 say, I believe, drivers for. 24 transistor switches in the pixels that he 24 Ackland doesn't say there are no 25 illustrates. That requires driving drivers. He illustrates a specific one

Pages 202..205 Page 203

Page 202 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 that you don't need because of a single 3 polysilicon.

All circuits require some drive.

5 Q. We talked about this earlier today, but in Wakabayashi, in the Exhibit 1027, in column 9, it was at line 12, it does describe a circuit for driving a solid-state imager device. 10

Do you recall that?

11

19

A. I believe you quoted it 12 accurately. He doesn't describe it. He says it exists. And does not say what that 14 circuit is. Provided no details.

Q. Okay. You admit that 15 16 Wakabayashi describes an image device with 17 a circuit for driving the solid-state 18 imager device; right?

A. So can you point me to the 20 specific location in Wakabayashi again?

21 Q. Sure. In column 9, if you look, 22 it should be between lines 10 and 14.

23 A. Yes. What he describes is a 24 camera head 100, which includes a wide 25 receiving lens, a solid-state imager

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 device, a circuit for driving the solid-state imager device and so on generates an optoelectrically converted signal 101 which is input into camera circuit 102. That's the complete citation. 7

He certainly mentions a circuit for driving the solid-state imager, certainly. But he gives no further details as to what kind of circuits he might classify as drivers because he didn't 12 specify what the solid-state imager was.

Q. But you agree the Wakabayashi patent does describe a driving circuit for the solid-state imager; right?

A. With -- yes, without specifying 17 any details about what that driving circuit may or may not be. 18

19 Q. You also agree that the Ackland 20 reference describes a pixel array, an 21 imager, a CMOS imager pixel array that does not require a driving circuit; right?

23 MR. DAVIS: Objection to form. 24

A. No. What he said was -- let's get the whole statement. So I'm trying to

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. find -- there's more than one location that's relevant to this. Where was that --I'm sorry, I had it just a moment ago.

Q. That's all right.

5 6 A. I'm trying to find it again. There. So he specifically -- this is in 7 8 Column 7, and the paragraph starts at line 9

10 And he specifically talks about 11 biassing the transfer -- the transistor 12 gate 108 to VSS causes the transistor 113 13 to be off all the time except when 14 electrons are transferred from under the 15 photo gate 101 into the diffusion node 115.

16 So he's stating that, for 17 instance, there is a transfer for gate, 18 108, which would have to be driven by VSS, 19 but not all the time.

20 He further states that this is 21 effectively the same timing as if the 22 transfer gate 113 were clocked, "neither a 23 clock for its associated driving

24 circuitry." The clock's associated driving

25 circuitry.

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

He didn't say the driving circuitry of the pixel. He said neither a clock nor its associated driving circuitry is required.

So, in fact, that sentence is talking about the clock and the clock's driving circuitry.

The beginning of that paragraph is illustrating that, as an example, gate 108 must be driven by VSS for part of the 12 time and not by VSS at other times.

But he called out the driver, driving circuitry, but it was in reference to the clock.

Q. The Ackland CMOS pixel array does not require a driving circuit, does

No. What he said was it doesn't require a clock driving circuit. That's not the same statement at all.

Q. I'm asking you, Dr. Neikirk, is a driving circuit required for the Ackland 24 CMOS pixel array?

MR. DAVIS: Objection to form. 25

13

15

16

1

2

6

7

9

13

14

15

16

17

18

19

20

21

22

23

Page 206 Page 207 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 A. What Ackland discloses is what 2 MR. DAVIS: Objection. 3 3 Ackland discloses. Form. He discloses that there is no 4 A. I believe I just gave you an 5 driving circuitry for a clock required. example in paragraph -- in column 7, 6 He also discloses that you must paragraph beginning at line 17, he's 7 connect the transfer gate on a way to VSS 7 talking about a transfer gate 108. 8 at certain times and not to others. 8 Well, that's illustrated in 9 Applying a voltage is driving 9 Figure 3, and he discusses that it needs to 10 something. Now, he didn't call that driver be connected to VSS, but he also says not 11 circuitry, but his only reference where he all the time. He says all of the time 12 did describe something as driving circuitry 12 except when electrons are transferred. 13 was specific to a clock. Not to the pixels 13 Which means that you have to 14 at all. So I would not agree that nothing 14 have circuitry that either provides VSS or 15 in Ackland's design could possibly be turns it off, and I believe that one of 16 characterized as driving circuitry. ordinary skill in the art would recognize 17 Wakabayashi was open as to what that that falls into the general category 17 18 one might consider to be driving circuitry. of driver circuitry. 18 19 He didn't exclude one thing and include 19 Ackland provides no express 20 another. 20 statement what is and is not drivers, 21 The only thing that Ackland 21 driving circuitry, and neither does 22 excluded was clock driving circuitry. Wakabayashi. 23 Q. But you can't identify a driver 23 Q. In general, CMOS pixel array 24 circuit expressly described in Ackland, can 24 imagers do not require off-chip driving 25 you? circuits, do they? 25 1 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 MR. DAVIS: Objection. 2 One of ordinary skill in the art 3 is going to have to use their skill to Form. 3 4 A. No, I wouldn't agree with that implement any of this. Wakabayashi gives 5 at all. very generic descriptions of functional 6 Q. Do you agree that CCD pixel block circuitry with no details. He 7 array imaging devices require off-chip doesn't tell you how to build that circuit. 7 8 driving circuits? 8 One of ordinary skill in the art, I believe, could -- and Ackland 9 MR. DAVIS: Same objection. 9 10 A. Well, we haven't defined what similarly doesn't give details of how to --11 all the possibilities for driving circuitry the actual circuitry contained in his 12 is. 12 blocks 10. 20 or 18. 13 I believe that CCDs have 13 One of ordinary skill in the art 14 circuitry that would be viewed as driving 14 is going to have to use their knowledge to 15 circuitry. You probably can find an 15 implement all of that circuitry. 16 implementation where it's on -- off-chip. 16 So I couldn't point to one thing 17 I don't know that you can't find one that's 17 in Wakabayashi and say "unplug this and 18 on-chip. plug this in in Ackland." That's not the 19 What would you have to change in exercise. It requires -- design 19 20 Wakabayashi to put the Ackland CMOS pixel 20 regardless. 21 array into the Wakabayashi design? 21 (Reporter clarification.) 22 MR. DAVIS: Object to form. 22 BY MR. CAPLAN: 23 This is not an exercise in 23 Q. Is it your testimony that 24 unplugging one component and plugging 24 Wakabayashi is just essentially a blank 25 another. canvas to design a device under the general

22

Q. If you were implementing

24 to change the process for implementing

25 Wakabayashi as it's described if you were

23 Wakabayashi as it described, would you have

Dean Neikirk October 08, 2020 Confidential Pages 210..213 Page 210 Page 211 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 guidelines of Wakabayashi? 2 So it's not a question of, "oh, MR. DAVIS: Objection to form. 3 I'm going to ignore this and keep that." 3 A. I certainly never used the words It's what it teaches, what one a blank canvas. Clearly Wakabayashi is not of ordinary skill in the art would know. a blank canvas. It has numerous teachings. And, in many cases, in looking at specific 7 Q. And which of them are you claims, one of ordinary skill in the art is aware of all of this literature -- Ackland, 8 following and which of them are you not following in your combination with Wakabayashi, Swift -- all of those, because Wakabayashi and Ackland? 10 they're all in the same fields, and would 11 MR. DAVIS: Objection to form. 11 recognize that some details that are more 12 A. I don't think it's a case of not one place than another. But there's never 13 following. every detail, so they're going to have to 14 It's a case of what would be do their own design no matter what, but 15 obvious design choices to one of ordinary that's not a blank canvas. 16 skill. 16 Q. But, again, you testified 17 Wakabayashi discloses explicitly 17 previously there is nothing in Wakabayashi 18 an image sensor and two circuit boards, that says look at the teachings of 18 19 batteries, housings. Certainly he 19 Wakabayashi as a jumping off point to 20 discloses those. 20 modify the location of every component 21 Exactly how to implement those, 21 that's described in Wakabayashi, is there? 22 I believe that's -- Wakabayashi doesn't 22 MR. DAVIS: Object to the form. 23 tell you where to put a capacitor on a 23 A. I never testified -- I never 24 given board. That's within one of ordinary 24 used the word "jumping off point," so I 25 skill in the art's skill. didn't testify to that. Page 213 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. Q. So you agree that Ackland, the going to then implement Wakabayashi teachings of Ackland don't represent a 3 combined with Ackland? 4 module that you would just plug into an MR. DAVIS: Objection to form. 5 existing product that's described by Well, Wakabayashi requires Wakabayashi; is that correct? certain block functionality, and most -- in 6 MR. DAVIS: Object to form. 7 fact, I think virtually all, if not all of that block functionality is either separate 8 A. I think I said this is not an from Ackland or is also described in 9 exercise in unplugging one thing and 10 plugging it into another. Ackland in block functional form; for 11 All of these references require 11 instance, timing and control. 12 additional design to implement and one of 12 So you're doing it for both of 13 ordinary skill in the art would be capable 13 them. Neither gives you the circuit level, 14 of doing that. 14 schematic circuit diagram of every 15 It's an obvious thing to combine 15 functional block. So I'm not sure I'd say 16 and they would have the skill necessary to 16 you're necessarily modifying anything in 17 produce the rest of the functionality. 17 Wakabayashi. 18 Now, there are many circuit 18 Q. But it's your testimony, Dr. 19 choices. There's not just one, but there Neikirk, that you're not modifying an 19 20 are many. That's not an unplug one thing 20 existing Wakabayashi design to accommodate 21 and plug in another. a merger with the Ackland CMOS pixel array, 21

AMG Reporting LLC 917-969-4493

22

23

24

is it?

No, I don't think I said that.

25 type of solid-state imaging. Ackland is

Wakabayashi is silent as to the

25 when we started this session, but I

Page 215 Page 214 **CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 CMOS. preference for one type of solid-state 2 3 Now, that combination I believe 3 imager sensor with respect to another. 4 is obvious. But Ackland clearly provides Q. So is it your testimony as you 5 further information about the solid-state sit here today that there's nothing in imaging device, which Wakabayashi expresses Wakabayashi that tells you the particular no -- no preference one way or the other. type of solid-state imager device it contemplates using? 8 Never says. 8 9 Q. But Wakabayashi is not silent on 9 A. Wakabayashi describes that focal the type of solid-state imager device. 10 point array as a solid-state imaging 11 It actually shows a particular device. That's all he says. 12 structure that Wakabayashi describes, 12 Q. And there's nothing else in 13 doesn't it? There is a -- let me rephrase 13 Wakabayashi that informs you as to what 14 it. particular type of solid-state imager that 15 There is a proposed design for a would be that's contemplated for use in 16 device shown in the Wakabayashi patent, 16 Wakabayashi? 17 isn't there? A. Well, Wakabayashi indicates a 17 18 MR. DAVIS: Objection to form. pre-video output. He indicates pre-video 18 19 A. Which identifies a focal point 19 -- he indicates conversion to video format. 20 array as a solid-state imaging device. 20 So -- well, he just says that's 21 That's all it says. 21 somewhere in the camera block. 22 Q. But there are --22 I don't -- I don't know that he 23 A. There are many -- and there are 23 does. He calls it a solid-state imaging 24 many such solid-state imaging devices. device, that it has to convert optical 25 Wakabayashi did not express a signals into electrical ones. He describes 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 that. But other than that, I don't think certainly need a break now, so break now for 15 minutes. he's provided anything that would tell me 3 4 one type or another. THE WITNESS: Okay. 5 Q. So it's your opinion and it's MR. CAPLAN: Thank you. your testimony today that you don't have 6 (A recess was taken.) any further view on the actual type of 7 BY MR. CAPLAN: solid-state imager that is represented by 8 Q. Turning in your declaration to page 111. 9 Wakabayashi other than it's just 9 10 generically a solid-state imager; is that 10 A. I'm there. 11 correct? 11 Q. And under the heading for 12 MR. DAVIS: Objection to form. 12 "Motivation to Combine Wakabayashi and 13 A. So Wakabayashi discloses that 13 Ricquier." 14 it's a solid-state imager. He discloses 14 A. Yes. 15 other circuitry, but none of that circuitry 15 Q. So I want to start here. 16 tells me -- none of that circuitry -- he 16 We've been talking about the 17 only gives block functionally. He doesn't 17 Wakabayashi reference, and you agree that 18 give me a circuit. the Wakabayashi does not provide the 19 There's nothing there that 19 details -- strike that. 20 allows me to reverse engineer to a specific 20 It's your testimony that 21 type of solid-state imager. At least I see 21 Wakabayashi doesn't provide details on the type of solid-state imager that's described 22 nothing there. 22 23 Q. Okay. in Wakabayashi; isn't that right? 24 MR. CAPLAN: Well, I'm not sure 24 MR. DAVIS: Objection.

25

Form.

22 or the reason to combine Wakabayashi with

A. Well, Wakabayashi, as I've

25 stated in paragraph 169, does not expressly

23 Ricquier and its passive pixel array?

24

SAMSUNG ELECTRONICS vs CELLECT LLC Job 1040 Dean Neikirk October 08, 2020 Confidential Pages 218..221 Page 218 Page 219 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 A. I don't know that that's the way 2 be good enough for people to take pictures 3 I said it. I believe Wakabayashi was and be able to look at them and appreciate silent as to which type of solid-state imaging sensor could be used within 5 Would you agree with that? Wakabayashi. 6 6 MR. DAVIS: Objection to form. 7 That certainly includes not 7 A. You know, I certainly haven't -giving all the details because if you don't 8 in some broad sense, but I think there's an -- if you haven't even specified which enormous range that would fall into that. 10 type, you haven't given all the details. 10 Q. Well, what kind of range would Q. Now, you testified earlier that it be for a consumer camera, as you 11 11 12 Wakabayashi in your view was a consumer 12 referred to Wakabayashi? 13 camera; is that right? 13 A. Well, some photographers might 14 MR. DAVIS: Objection. 14 be exceedingly demanding. Others might be 15 Form. using a videoconference link like we are, A. It is -- I think I referred in where the quality of the video is not all 16 17 sort of general terms that it looked like that grand and -- but it still suits the 17 18 Wakabayashi was describing something that purpose. I think it just depends on what 18 19 was a consumer camera, yes, I believe I 19 that consumer wanted. 20 used that phrase. 20 Q. Now, the Ricquier reference --21 Q. Okay. And a consumer camera 21 I'll get the number. It's 1041 -- 1041. 22 would be a device that the expectation of 22 Ricquier we talked about 23 the consumer would be it would generate an 23 earlier, and you agreed that described a --24 image at a quality or a signal-to-noise 24 A. Ricquier is not Exhibit 1041. 25 level that would be worth looking at, would 25 It's Exhibit 1038. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 Q. You are right. I picked up the state that its imager device 27 includes an array of CMOS pixels. 3 wrong one, so thank you. 3 4 4 A. I'm sorry. I just didn't know One of ordinary skill looking to 5 implement, as Wakabayashi describes it, whether we were talking about Ricquier let's use -- from his title, for instance, 6 or --"Imager Apparatus with Rotatable Camera 7 Q. No, no. You were right. Head," would be clearly motivated to seek 8 We spoke earlier about it, and 9 Ricquier, or "Ricquier," whatever it is, is other information about solid-state -- it's a passive pixel array; isn't that 10 imagers, and CMOS imagers are certainly one 10 11 right? 11 Ricquier is a specific example 12 Yes, Ricquier shows photo diodes 12 that provides a number of details. I think 13 without an amplifier in each pixel. 13 14 Q. So that's referred to as a 14 they'd be aware of both Ricquier and I 15 passive pixel? 15 point out Dierickx and other references. 16 A. I think the broad classification 16 So in paragraph 170, I pointed 17 that much of the art that we're taught 17 out that Ricquier is in the same field, in 18 discussing used an active pixel is the one this field of art, image sensors for use in 19 that contains the amplifier and the passive cameras. It's pertinent to the problems of 20 is one that does not. Wakabayashi, for instance, a solid-state 20 Q. Okay. So what's the motivation image sensor. 21 21

22

23

Ricquier points out specific

advantages of this type, so that would be

addressability, multiple resolutions.

one reason to pick selective

SAMSUNG ELECTRONICS vs CELLECT LLC Job 1040 Pages 222..225 Dean Neikirk October 08, 2020 Confidential Page 222 Page 223 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 So all of those things would be 2 could look at all of them. They're all 3 reasons why one of ordinary skill in the possibilities. They're all obvious. art would look to Wakabayashi in light of It doesn't mean that you discard 5 Ricquier. one because of another. They're both obvious, or all three. I've done other Q. So the first reason you gave, or 7 one of the first reasons you gave for combinations of Wakabayashi with Ackland. combining Wakabayashi and Ricquier is that That's also an obvious combination. they're both in the same field because They're both obvious. 10 they're both solid-state imagers; is that 10 It's not exclusive. You don't 11 right? That's one of the reasons? -- it's not that you just if you have one 11 12 A. Yes. 12 you cannot have the other. They're both 13 Q. So under that rationale, you 13 obvious. 14 14 would suggest combining Wakabayashi with Q. It says in your paragraph 170, 15 any other solid-state imager; is that 15 you say that: "Like Wakabayashi, Ricquier 16 correct? is in the same field of art and is 17 analogous art to the '052 patent. All are A. There are many obvious 17 18 combinations that would lead to a variety in the same field related to active CMOS 18 19 of different features. They're all 19 image sensors for use in cameras." Is that right? 20 possibilities. 20 21 Q. And how would you decide which 21 A. Yes, that's what I said. 22 one -- which of all the possibilities that 22 Q. Okay. Now, we just established 23 would be appropriate to combine with 23 that Ricquier, in fact, is not an active 24 Wakabayashi? 24 pixel array, is it? 25 A. Well, if it's obvious -- they 25 A. No, that's correct. They're all Page 225 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. -- so Wakabayashi is also not an active testified that one reason that you could 3 pixel. 3 move from pre- to post-video signal 4 They are in the same general converting circuitry from 29 to 39 is that field. They're related to image -you could make board 29 smaller. solid-state imaging sensors for cameras. 6 Do you recall that? 7 It's analogous art to the '052 7 A. I believe I did say that both in and they are related. They're related to testimony and in my deposition -- my -- Ricquier to CMOS, Wakabayashi to declaration, excuse me. 9 10 solid-state image sensors is. Q. And how much smaller would a 10 But, you're correct, Ricquier is 11 11 person of skill in the art try to make 12 not an active CMOS device and Wakabayashi board 29 from where it's described in 13 is not limited to CMOS. It's any 13 Wakabayashi to have it then changed? 14 solid-state imaging sensor. 14 MR. DAVIS: Objection to form. 15 Q. And you go on in paragraph 170, 15 A. I think you asked me before how 16 and you say that, "Ricquier is reasonably 16 much smaller could it be. I gave you some 17 referring to the alleged problems 17 examples. 18 identified in the '052," and the first one 18 But I don't think that this is a you identify is "minimizing the size of the 19 -- a question of a precise 25 percent 20 device." 20 smaller, 10 percent. 21 Do you see that? 21 These are general goals and I

AMG Reporting LLC 917-969-4493

22

23

24

general goals.

believe that this art relates to those

I don't think the '052 specifies

that you need to make it 10 percent smaller

22

23

A. I do.

Q. Now, we were talking about this

24 a little bit earlier with Wakabayashi and

25 board 29 and 39, and I believe you

Page 227

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

Page 226

2 or 20 percent smaller either.

3 Q. And you also identify low-cost as a factor; right? That part of the problem you're trying to solve.

So how would modifying 7 Wakabayashi with Ricquier address the 8 low-cost factor? 9

A. Well, I think one of ordinary skill in the art recognize that different 11 solid-state image sensors typically had 12 different costs.

13 As we discussed at some length, 14 CMOS has the advantage of not requiring the 15 specialized fabrication lines; hence, cost 16 -- the barrier to enter the market is 17 lower. And I think people widely 18 recognized or expected that CMOS image 19 sensors would likely be lower cost than 20 other alternatives. I mean, that was 21 pretty -- a common expectation of 22 knowledge.

23 But in terms of a specific 24 amount lower, again, I don't think the '052 25 says you need to reduce the cost 10 percent

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 or 20 percent. You're just generally selecting things that you think will impact 3

5 Q. Did you determine that combining 6 Wakabayashi with Ricquier would reduce the cost of producing an imaging device as opposed to just following the initial teachings of Wakabayashi? 10

MR. DAVIS: Objection to form.

11 Wakabayashi doesn't teach not to use a CMOS sensor. Your question seems to 12 13 suggest that. 14

Following Wakabayashi you could select any solid-state image sensor.

15 16 In terms of would the choice of 17 CMOS as opposed to a gallium arsenide base focal point array, would that be expected 18 to reduce the cost. Yes, one of ordinary 20 skill in the art would expect a silicon 21 device to be less than a gallium arsenide device, but I don't think either of those 23 is failing to follow the teaching.

You are open to choices in Wakabayashi for the device.

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D.

Q. Your declaration says that Ricquier is pertinent to one of the problems that are identified in the '052 patent, one of those problems being low-cost.

6

7

My question is, what did you determine about combining Ricquier with Wakabayashi that affected the cost of the 10 resultant product?

A. And I believe I answered that 11 12 question. I pointed out that, one, it's 13 well-known to, I believe, those of ordinary 14 skill at the time. The expectation was 15 that CMOS sensors would cost less than 16 other alternatives. So selecting CMOS for 17 use in Wakabayashi would cost less than 18 other choices.

19 Most likely less than a CCD, but 20 certainly less than a gallium arsenide 21 array, which has greater optical 22 efficiency, but substantially greater 23 manufacturing costs.

24 Q. When you mentioned other 25 alternatives, and I know you identified CCD CONFIDENTIAL - DEAN NEIKIRK, PH.D.

and gallium arsenide, any other

alternatives that would be in that category

by where you would select CMOS and it would

be less expensive?

24

25

10

11

13

15

16

17

22

23

A. Mercury cadmium telluride arrays 7 were available at the time. They were very expensive because the material was very exotic and very expensive --

(Reporter clarification.)

A. -- to manufacture with, and I can't give you an exhaustive list. I didn't try to form one. I think, as I just 14 pointed out, it was pretty common knowledge that CMOS promised lower manufacturing costs than non-CMOS alternatives.

Q. One of those non-CMOS 18 alternatives would be a CCD-based device; 19 correct?

20 A. Yes, I would agree that that's a 21 non-CMOS alternative.

Q. And what in Wakabayashi suggested a combination with Ricquier? In particular, you mentioned the ability to change resolution in Ricquier.

21 put it off-chip.

24 machine vision; right?

Q. Ricquier, though, when we 23 discussed Ricquier earlier, was directed to

MR. DAVIS: Objection to form.

22

25

Dean Neikirk October 08, 2020 Confidential Pages 230..233 Page 230 Page 231 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 And my question is, what in 2 Q. But, again, you can't identify 3 Wakabayashi suggested that that was a 3 anything in Wakabayashi that suggests problem that needed to be addressed in there's a problem in the design of Wakabayashi and warranted combining it with Wakabayashi that needs to be addressed by, 6 Ricquier? 6 let's say, Ricquier? 7 MR. DAVIS: Objection to form. 7 MR. DAVIS: Objection to form. A. Yes, I think you misunderstand 8 8 A. I don't think Wakabayashi says my argument or my opinions here. one way or the other. I don't think it 10 It's not a question of what suggests that there is not a situation 11 Wakabayashi detail by detail specifically where adjustable -- let's see -- let's use 12 discloses. This is a combination that's 12 the multiple resolutions would be -- I 13 obvious to one of ordinary skill. don't think he teaches that that would not 14 The fact that Ricquier provides ever be an advantage. Neither does it say 15 other features compared to some other he would be. He just doesn't address that 16 choice for focal point array is a choice, particular feature. But I don't think that 17 and potentially one that would be means that it's not an obvious combination. 17 18 advantageous in some use. It might not be Q. You also make reference -- and 18 19 in some other. It doesn't mean it's not an 19 we're still in paragraph 170 -- about 20 obvious combination. 20 Ricquier has a timing controller that's You could select many different 21 21 located off-chip. Do you see that? It's 22 CMOS focal point arrays. They're all on page 113, but it's in paragraph 170. 23 obvious. Ricquier is an example. Ricquier 23 A. Yes, I see that. 24 Q. Why is that a factor in 24 happens to provide some advantages of their 25 CMOS over some other CMOS arrays. combining Ricquier with Wakabayashi? Page 233 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 A. Well, as I say in that sentence, 2 A. This specific example he used was developed for use in industrial machine 3 it adds flexibility and selection from several design choices for fitting the vision applications. That's what he says components into the available space and in the first -- second paragraph on page 8 placement of circuitry to allow for a more of Exhibit 1038. compact camera head. 7 7 The sponsors were clearly 8 So what this teaches is that interested in Vision Systems, that's the 9 this is a choice one of ordinary skill in name of the project that was provided 10 the art. You either put it on-chip or you funding for this, so that was the specific put it off-chip. 11 example certainly that Ricquier mentioned. 12 What Ricquier shows you is that 12 Q. So it's your testimony that 13 you can certainly put it off-chip and 13 you're not actually modifying the design of expect that it will function. That gives 14 Wakabayashi with teachings from Ricquier; 15 you a design choice. I mean, there are 15 is that right? 16 only two: On-chip or off. 16 MR. DAVIS: Objection. 17 Ricquier is showing that of the 17 18 two choices, both of which in my opinion 18 A. I don't think I said it that way 19 are obvious, Ricquier shows that you have 19 at all. 20 every reason to expect to succeed if you 20 Wakabayashi has a number of

AMG Reporting LLC 917-969-4493

21

teachings, certain block specifications and

so on. It's a question of what would be

obvious to one of ordinary skill in the art

in light of teachings of Ricquier in trying

to build a system.

23 element 27.

Q. So it's your testimony, your

25 opinion in this matter, that there's a

24

Dean Neikirk October 08, 2020 Confidential Page 234 Page 235 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 They're not trying to copy 2 the two, or even the same. 3 Wakabayashi beginning to end. But 3 I suppose that's a possibility, Wakabayashi discloses options, design but it's not an analysis I've done. 5 choices. Two circuit boards, for instance. 5 Q. And you previously testified 6 And I think it's a question of that a CCD, a pixel or a device is a type 7 these combinations show one of ordinary 7 of solid-state imager; correct? skill in the art that there are a set of --A. Yes, I did. R 8 9 9 a limited set, small collection -- of But you didn't analyze the 10 design choices at the functional block combination of Wakabayashi with any 11 level, and that it suggests to them that reference on the basis that Wakabayashi was 12 they would have a reasonable expectation of 12 a CCD or had a CCD pixel array, did you? 13 success. 13 MR. DAVIS: Objection to form. 14 Q. Now, would your opinion be 14 A. I would have had no reason to do 15 different if Wakabayashi was, in fact, a 15 such an analysis. 16 CCD, had a CCD pixel array? Wakabayashi doesn't limit it to 16 17 MR. DAVIS: Objection to form. 17 CCD and CCDs are not at issue here. CMOS 18 A. I certainly haven't done any 18 sensors are. 19 such analysis because Wakabayashi didn't 19 Q. In paragraph 171, I'm just going 20 disclose a CCD so far as I can see. 20 to pick this language, but in paragraph 21 It's a solid-state image sensor 21 171, you make a reference, it's in the 22 that one of ordinary skill in the art, 22 fourth line -- you talk about -- the third 23 given the very high level of functional and fourth line -- you talk about description in Wakabayashi, recognized that "implementing Wakabayashi's solid-state 25 the functional blocks might be similar for 25 imager device." 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 Do you see that claim language? 2 motivation to combine Wakabayashi with 3 A. I do. Ricquier, which we've been talking about in 3 4 Q. So I want to know, what are you 4 paragraphs 169 to 171; right? A. Yes, it certainly is. That's referring to when you're talking about, exactly what I stated in paragraphs 169 when you use this phrase "Wakabayashi's solid-state imager device"? What is that through 171 of my declaration. 7 8 referring to? 8 Q. Now, in paragraph 172, you start 9 MR. DAVIS: Objection. addressing a further combination, where 9 10 it's your view or it's your opinion that Form. A. Well, Wakabayashi points to 27, 11 you have a combination of Wakabayashi and 12 a device that converts optical light into Ricquier, and that combination itself, 13 an electrical signal. 13 there's a reason to further combine that Now, Wakabayashi -- and I'd have 14 14 with the Dierickx reference; is that right? 15 to go back to check -- he uses -- he uses a 15 A. That is correct. Q. So what is the shortcoming of 16 terminology to discuss the rotating camera 16 17 head. I don't recall whether he calls that 17 the combination of Wakabayashi and Ricquier 18 a camera head. that gives rise to a need to combine that combination with another reference? 19 When he refers to the 19 20 solid-state imager device, I believe he's 20 A. No, I think that's a false 21 always referring to the focal point array, premise. It's not a shortcoming. They are 21 different. 22 which he usually refers in his drawings was 22

23

Both combinations are obvious. 24 A combination of Wakabayashi with Dierickx

is obvious. The combination of Wakabayashi

21

25

I do think that those of

24 pixels could lead to certain advantages.

circumstances having amplifiers in the

They might lead to potentially

22 ordinary skill saw that under certain

Job 1040 Dean Neikirk October 08, 2020 Confidential Page 238 Page 239 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 with Ricquier and Dierickx are obvious. 2 them both. One of ordinary skill in the 3 It's not a question that one has art would recognize that combining 4 to be deficient for the other to become Wakabayashi with Ricquier would provide a obvious. They're both obvious. They do certain set of characteristics. Combining lead to different collections of features. Wakabayashi with Dierickx would provide a but all of those collections of features in 7 different set of characteristics. either case are obvious. R 8 With a combination of Dierickx, 9 Q. Before I go on from this, when you get the additional characteristic of an 10 you give an opinion that you're combining 10 active pixel. 11 Wakabayashi with Ricquier, you would agree 11 Now, would one of ordinary skill 12 that that combination does not describe an 12 in the art decide you could never use the 13 active pixel CMOS array; right? passive because you can use the active? 14 14 A. I believe I stated that with That's not what I said. 15 specificity, yes. 15 They would see that you gain Q. Okay. So if you were to combine certain features, which might well be very 16 17 Wakabayashi with Ricquier, and Ricquier has advantageous in certain circumstances, but 17 passive pixels, why would you then take Ricquier demonstrated that without the 18 19 that combination and add the Dierickx 19 amplifiers he could get desirable 20 reference to it? 20 performance in other circumstances. 21 A. So, again, you're asking me to 21 Both combinations are obvious. 22 assume that one had -- that one of ordinary One does not eliminate the other. They're 23 skill had one and not the other, and that's just both obvious combinations each leading 24 not true. 24 to separate sets of features. 25 One of ordinary skill would have 25 Each of those sets of features Page 241 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 would have its own collection of advantages other disadvantages. The reference -- yes, and disadvantages. They'd be different, it's Dierickx, for instance. 3 but it doesn't mean that one is obvious and 4 He is particularly concerned 5 the other is not. with fixed-pattern noise. The incorporation of amplifiers into each pixel 6 Q. If Ricquier -- you agree that provides more components that could 7 Ricquier describes a passive pixel CMOS 8 array; right? contribute to fixed-pattern noise if the A. Yes. That's correct. gain in each amplifier is slightly 9 10 10 different than another. Ricquier doesn't Q. And you agree that Dierickx do that. 11 describes an active pixel CMOS array: 11 12 right? 12 So one of ordinary skill in the 13 Α. Yes, that's correct. 13 art would recognize that there are pros and 14 So why would you combine an cons of each combination, but I don't 15 active and passive pixel CMOS array and an 15 believe that that means that they would 16 active pixel CMOS array? 16 dismiss one and not -- and only do the 17 A. I think I just addressed this. 17 other. 18 There's no reason not to. 18 They each have advantages, they 19 There's no teaching in one that says you 19 each have disadvantages, as every implementation does. 20 can't do the other. 20

21

22

23

24

25

apparatus.

Q. So paragraph 173 you talk about

motivation to apply Dierickx in

Do you see that?

implementing Wakabayashi's imager

25 mean by imager apparatus.

Page 242 Page 243 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 A. I do. 2 focal point array. At least Ricquier and 3 Q. Okay. So one question is, when Dierickx are providing details about the 3 4 you reference the quote-unquote "imager focal point array, which impacts how the apparatus," what are you referring to when rest of the circuitry is done. you talk about Wakabayashi's imager 6 Wakabayashi calls out certain apparatus? 7 classes of circuitry functional blocks. A. Well, so the teachings of 8 All of that acts together in arriving at a 9 Ricquier and Wakabayashi -- I mean Ricquier final actual design of a working circuit. 10 and Dierickx relate to Wakabayashi's focal 10 Q. So when -- but my question is, point array -- I'll use that phrase -- 27. when you refer to Wakabayashi's 11 quote-unquote "imager apparatus," what part 12 They also relate to, for 12 13 instance, where to place certain circuitry. of Wakabayashi are you talking about? 14 So the imager apparatus can be a 14 Is it the entirety of the 15 little bit bigger than just the focal point 15 Wakabayashi disclosure? 16 array. And I believe that, for instance, 16 MR. DAVIS: Objection. 17 in -- let's see -- well, Dierickx places 17 18 the amplifier there -- let's see --18 A. Well, it's certainly related to, 19 Ricquier -- actually, I'm thinking of a 19 and I believe I just said this, to the 20 different reference where it for instance image sensor 27 -- let me try to use the 21 pointed to -- was it timing and control -right numbers, excuse me. And I risk using 22 I think it was image processing separate different words than what Wakabayashi used. 23 from timing and control. 23 There is a solid-state image 24 24 sensor 27. There's electronics on 29 and But in any case, each of these 25 references will teach things about the 39, and the teachings in Ricquier and Page 245 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. Dierickx are -- influence what is done 2 Q. But can you identify in elsewhere; for instance, on circuit board Wakabayashi the components or the blocks that are the imager apparatus as you're 4 29. 5 So that's why I used imager using it in this declaration? apparatus. It's not just the chip 27 only. 6 MR. DAVIS: Objection to form. 7 That relates to other things in So Wakabayashi, for instance, points in Figure 22 to blocks 100 and 102 8 Wakabayashi. contained in a dotted box and specifically 9 Q. So imager apparatus, as you used 10 it in your declaration, is the disclosure says that constitutes the video camera. 10 in Wakabayashi -- I think it was Figure 7 11 So that would be a partial 12 with the imager 27, circuit board 29 and 12 example. But in that -- so I think actually the only thing missing -- the next 13 the other circuit board 39, that's what 13 14 you're referring to? thing Wakabayashi does is pre-video to 15 MR. DAVIS: Objection. 15 post-video -- no, he doesn't do that in 16 Form. 16 there. 17 A. No, I think that's -- that's 17 So I think broadly this 18 taking it to the extreme. 18 certainly impacts everything in that dotted 19 I think I am referring to line box, although it has its greatest 19 20 broadly Wakabayashi's desire to build an 20 impact on the camera head. 21 imager apparatus and his disclosures of or But circuit board -- so 102 21 22 their disclosures of certain functional 22 includes camera signal processing, 23 blocks that will be used in conjunction 23 synchronization signal generator and so on, 24 with the focal point array. That's what I and they -- those, as well as the "and so

on," which is a very broad statement, is

Dean Neikirk October 08, 2020 Confidential Pages 246..249 Page 247 Page 246 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 impacted by teachings about the focal 2 100 and camera circuit 102 are related to 3 point, which is given by Ricquier and 3 what are the teachings of Ricquier and Dierickx. Dierickx are going to provide. 5 5 Q. I'm just asking to understand Q. So the imager apparatus, it's a quoted term in the paragraph 173 of your what is the imager apparatus in Wakabayashi declaration on page 114, that is referring that you're referring to, and it sounds to the dotted line components in Figure 22 like you're focused on that dotted line in 9 of Wakabayashi. Figure 22 containing a circuit, or the box 10 That's your starting point; is 10 is 100 and 102; is that correct? 11 that correct? 11 MR. DAVIS: Objection to form. 12 A. I don't think I used that word. 12 MR. DAVIS: Objection. 13 13 I don't think I used the word 14 A. No, I wouldn't characterize that 14 "focus," but I did say that I think the 15 as necessarily a starting point. things that are largely influenced for I would say that generally that Ricquier and Dierickx would fall generally 16 17 phrasing is -- and the teachings of in that block. 17 Ricquier and Dierickx are mainly at issue Q. Okay. And in paragraph 173, you 18 18 19 in that dotted line box. 19 start off with that imager apparatus of 20 But I didn't sit down and write 20 Wakabayashi would be modified by the 21 a list that says only this is there and 21 teachings of Ricquier; correct? 22 nothing else is. 22 That's the parenthetical 23 I think that broadly the 23 statement; right? 24 components that would fall within the 24 A. Yes. 25 dotted box in 22 that include camera head 25 Q. And then you're applying CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 Dierickx on top of that; is that correct? array with Wakabayashi. A. I don't think I'd phrase it as 3 Q. But you -- I'm sorry. 3 "on top of." It's the combination of the 4 A. And one that, in terms of some general and even more specific three, yes. characteristics, are described by Ricquier 6 Q. So how are you combining and Dierickx. 7 Ricquier and Dierickx to modify There are other references that 8 Wakabayashi? 8 A. Well, I've explained how would also be obvious combinations. There 9 10 Wakabayashi doesn't provide any details are numerous obvious combinations that lead 11 about what kind of focal point array is to different sets of features. Wakabayashi and Ricquier 12 present. 12 13 together is one. Wakabayashi, Ricquier and 13 Ricquier provides details of a 14 focal point array with adjustable 14 Dierickx is another. 15 resolution, for instance. 15 Both obvious. Different 16 Dierickx points out advantages 16 features. 17 of placing an amplifier in each pixel --17 Q. What are the advantages of 18 actually points out the potential 18 active pixels -- I'm sorry -- what are the 19 disadvantages with fixed-pattern noise, but advantages of passive pixels over active 19 20 that's what he's discussing, is trying to 20 pixels? 21 mitigate against that. 21 They don't have --Α. 22 MR. DAVIS: Objection to form. 22 So one of ordinary skill in the

23

23 art reading these three references together

24 I think would see it as an obvious solution

25 to use an active pixel CMOS focal point

A. They don't have amplifiers so

you don't have to worry about amplifier

variability from pixel to pixel.

2

3

25

3

25

Pages 250..253 Page 251

CONFIDENTIAL - DEAN NEIKIRK, PH.D. They have fewer component counts per pixel, which, in principle, might lead to a smaller pixel size.

q

10

12

13

14

17

18

19

20

21

24

25

Page 250

5 There are pros and there are 6 cons.

7 Q. And what are the advantages of 8 active pixels over passive pixels?

9 A. Well, among other things, active 10 pixels have gain in the pixel, so if you have a problem where you want to overcome 12 loading of interconnects, then the 13 amplifier can help. 14

But you will also now have more 15 components in each pixel. There are pros 16 and there are cons to each of these 17 choices.

Q. And why would you modify 18 19 Wakabayashi with both, with active pixels 20 and passive pixels?

21 A. Again, it's not -- it would be 22 obvious to one of ordinary skill in the art 23 to look to CMOS and to look to active 24 pixels.

These are simply two examples of

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 art that teaches some of the things you need to know to do it. There are others. They're all obvious. 5

But just because there's one obvious combination doesn't mean the other combinations don't exist or aren't obvious. Each one leads to a different feature set.

Some of them would lead to feature sets that are different from the '052. Some of them lead to feature sets that disclose everything in various claims of the '052. Both of those were obvious.

The only question I'm addressing 15 is, is the '052 patent obvious. I'm not going to look at all of the other obvious combinations because if they don't -- that doesn't mean they're not obvious.

Q. If you can combine an active pixel sensor with a passive pixel sensor, you would lose the benefit of the passive pixels if you made that combination, 23 wouldn't you?

MR. DAVIS: Objection to form.

A. You gain certain things, you

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

1 2 Q. You can't have a pixel that is 3 Ricquier also teaches designing both passive and active at the same time,

4 can you? 5 A. No, I never --6 MR. DAVIS: Objection to form.

7 A. I never said you did.

Q. Okav. So you can't combine an active pixel array with a passive pixel 9 10 array, can you?

14

15

17

11 MR. DAVIS: Objection to form.

12 A. No, I wouldn't say it that way 13 at all.

You can modify one. Now, that means it's not a passive pixel array anymore. But that doesn't mean it's not a functional and obvious combination.

18 It's -- it's silly to say that 19 you cannot add an amplifier to a passive 20 pixel. That's exactly what an active pixel 21 is. It's a passive pixel plus an

amplifier. 22

23 Q. And how is the combination of 24 Wakabayashi with Ricquier and Dierickx a

25 low-cost -- a low-cost advantage by the

1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** lose others.

it, doing it in such a way that you have the ability to bend to use lower or higher resolution. You can implement that with active pixels. There's nothing that would stop you from doing that. The design would 9 be somewhat different, but there are other 10 things about Ricquier's teachings.

11 What you would gain from 12 Dierickx is the ability to overcome loading 13 effects due to interconnects. That's one 14 of things the amplifier does. 15

So you get some things, you have 16 more component counts, you lose those 17 things, but Ricquier has to be careful 18 about loading of interconnects.

19 Ricquier provides advantages in 20 terms of doing sub-array scanning and binning, which aren't discussed in 22 Dierickx. It doesn't mean you can't do 23 them.

24 Q. Are you done? I'm sorry.

> I'm done. Α.

24 a schematic circuit diagram.

One of ordinary skill would

25

Page 254 Page 255 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 combination? 2 sensor in Wakabayashi, you're going to have 3 A. Well, Ricquier says that he used to make other changes in Wakabayashi to 4 standard CMOS technology, which one of work with the changed image sensor; is that 5 ordinary skill in the art would expect to 5 correct? be low-cost in the sense that the 6 MR. DAVIS: Objection to form. fabrication facilities, their costs are 7 A. Well, Wakabayashi never picked amortized over many products, including R one to start with, so you suggest that products that aren't optical sensors. changing it leads to change in the 10 Dierickx is also a MOS, that for circuitry. 11 CMOS sensor, which means you could, again, That presumes there was already 11 12 use a standard CMOS process to fabricate. 12 a circuit design, which is not there in 13 That's where you would expect to Wakabayashi. Wakabayashi didn't specify 14 see potential advantages in terms of cost 14 which kind of solid-state image sensor. 15 of the imaging chips. 15 So once you pick one, you 16 Q. Wakabayashi includes more than develop the rest of your circuit design. 16 17 just an image sensor, though; right? You don't -- you're making it 17 18 The image sensor is only one sound like there already existed a complete 18 19 component of Wakabayashi; is that correct? 19 circuit design. Well, that would only 20 A. Wakabayashi certainly contains 20 exist if you pick the sensor, which more than just the device that converts 21 Wakabayashi doesn't pick. 22 light to an electrical signal. We'd want 22 Q. Wakabayashi, you would agree 23 to call that the imaging chip. Certainly 23 Wakabayashi describes a design for, as you 24 it contains more than that, yes. call it, a consumer camera that 25 Q. So if you change the image incorporates an image sensor and other Page 256 Page 257 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. circuitry and boards to work with that understand that selecting a focal point image sensor; correct? 3 array technology, that then there are a 4 MR. DAVIS: Objection to form. variety of circuits, many circuits that 5 Wakabayashi is -- Wakabayashi is could produce each of the functions presenting at the functional block level described in Wakabayashi. and at the physical level of boards, But broadly, those would all be mechanical arrangements, hinges, connecting necessary to produce the overall system means, mechanical -- he discloses all of that Wakabayashi describes. 10 these things. And that is ultimately to 10 Q. If Wakabayashi just said it was 11 lead to a complete system. 11 a camera with a solid-state imager, would 12 But, again, the choice of a 12 that change any of your opinions in this 13 specific focal point array technology would 13 matter? 14 be one that would have impacts on the exact 14 MR. DAVIS: Objection. 15 implementation of the circuitry necessary 15 Form. 16 to provide the functional blocks that 16 A. I'm not sure I understand your 17 Wakabayashi picks. 17 hypothetical. 18 He doesn't give you a circuit 18 What aspects of Wakabayashi are 19 board layout and a component list. It's 19 you suggesting would be not in the 20 not -- it's not a, you know, build it in 20 disclosure? your house -- that's a bad -- it's not a 21 Q. I'm just saying, you've 22 list at the part level and a layout level testified it's your understanding that 22 23 of the electrical layout. He doesn't give Wakabayashi appears to be a consumer

24

25

camera; right?

A. That was a rough

Q. And that's in column 9.

Page 258 Page 259 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 characterization. I don't --2 that change your opinion? MR. DAVIS: Objection to form. 3 Q. But I'm just saying if the 3 4 Wakabayashi patent itself said it's a 4 Misstates testimony. consumer -- it's just a camera and 5 A. So if -- I mean, I said that everything else was the same with the Wakabayashi is probably something like a 7 solid-state imager, would that change your 7 consumer camera, but if you're saying if he opinions in this matter? disclosed it was a consumer camera and that 8 9 MR. DAVIS: Objection to form. every other piece of the disclosure was 10 A. You said everything else is the 10 identical to what it is, I don't see that 11 same. The disclosure of two circuit that would have any impact on my -- well, 12 boards, the disclosure of the lens, all of it actually would support some of my 13 those components? arguments even more strongly because cost 14 Q. Yes. 14 would be an even -- would be an absolute 15 MR. DAVIS: Objection to form. 15 issue, but, no, I don't think it would A. And what is the change to change any of my opinions. 16 17 Q. And is it your testimony that 17 Wakabayashi that you're suggesting? I just don't understand the question. I'm sorry. there's no disclosure of what's on boards 18 18 19 Q. No, if it was just characterized 19 29 and 39 in Wakabayashi? 20 -- it's been a discussion point or it's 20 A. No, I never said that. 21 been your testimony that your view was that 21 Q. Okay. 22 Wakabayashi is a consumer camera. 22 MR. CAPLAN: Why don't we take a 23 I'm asking if Wakabayashi said, 23 break now. It's been almost an hour. 24 in fact, this is a consumer camera and the 24 15 minutes? Thank you. 25 rest of the disclosure was the same, would 25 (A recess was taken.) Page 260 Page 261 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. BY MR. CAPLAN: 2 What in particular are you 3 Q. On page 87 of your declaration 3 referring to in column 9 for the timing and 4 -- I'm sorry, paragraph 87, page 59. 4 control circuitry? 5 5 Yes, I'm there. MR. DAVIS: Objection. 6 Q. You state that Wakabayashi does 6 Form. 7 7 not detail timing and control circuitry in A. Well, he mentions 8 the imager device 27. synchronization signal generator circuit Do you see that? and so on. Flip back -- I don't recall 9 A. I do. 10 that Wakabayashi specifically used the phrase "timing and control." 11 Q. Okay. So that is your 11 12 testimony, that the timing and control 12 That's why I believe one of --13 circuitry is not described in Wakabayashi; 13 one of the reasons that one of ordinary 14 is that correct? skill would look to Ackland in terms of 15 A. What I said is that Wakabayashi 15 understanding the details -- more of the 16 does not detail. Wakabayashi refers to 16 details of how to obtain an electrical synchronization signal generating circuits, 17 signal from the focal point array as 18 refers to signal processing circuits. 18 required by Wakabayashi. 19 He refers to -- those are just 19 Q. So in combining Wakabayashi with 20 examples. Those are in column 9. 20 Ackland, is it your testimony that you 21 He doesn't provide a detailed would put the Ackland CMOS pixel array, 21 22 circuit. He describes functional block 22 including timing and control circuitry, performance, or functionality, if you will. into the design in Wakabayashi? 24 Sorry. 24 MR. DAVIS: Objection. 25 25

Form.

2

20

23

3

4

6

7

15

Page 263

CONFIDENTIAL - DEAN NEIKIRK, PH.D. A. Again, you repeatedly seem to

Page 262

6

8

9

12

13

15

18

19

20

21

23

1

5

9

13

14

15

16

17

18

19

3 suggest that you unplug something and plug something else in.

5 Wakabayashi describes sort of 6 functional level blocks. He doesn't give 7 specifics of the circuitry, as I stated at the beginning of paragraph 87. So I don't believe it's an exercise of plugging 10 Ackland into Wakabayashi or unplugging

11 something from Wakabayashi.

12 It is a combination. One of 13 ordinary skill in the art would understand 14 that they have to actually design the 15 circuitry to provide the functions

16 Wakabayashi describes. 17

They would understand that the 18 type of focal point array would influence 19 the specifics with circuitry.

Ackland provides greater detail 21 in terms of timing controls, row decoders 22 and so on. So it's not a question of plugging it into Wakabayashi.

24 You're combining the two 25 references. One of ordinary skill in the

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 art would understand they need to do an actual design of circuitry and the details provided by Ackland provide greater 5 information on how to do that.

Q. So is it your testimony then that a person who is skilled in the art or -- rephrase it.

Is it your testimony that your analysis is based on looking at Wakabayashi and Ackland for that combination and looking at both of those references and designing an imager apparatus that has particular features based on what you learn from both references?

16 MR. DAVIS: Objection. 17 Form.

A. Wakabayashi discloses certain characteristics. Two circuit boards, for instance. In order to build functional circuit boards one of ordinary skill in the art needs to go further.

Ackland provides information 24 about what that signal will look like, as well as what needs to be provided in terms

CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 of timing and control.

What is obvious is that if you combine these, you will -- you will have a collection of features.

Those features happen to be the same ones the '052 requires.

8 You could combine other 9 references, you'd get other collections of 10 features. But I still -- you seem to keep 11 asking or suggesting it's unplugging one 12 thing and plugging in another, and that's 13 not how I understand an obviousness 14 argument, for obviousness to work.

One of ordinary skill is aware 16 of all of this art plus their own skill and 17 creativity.

18 Q. So when you were talking about 19 the grounds in your declaration that you 20 rely, let's start with Wakabayashi and 21 Ackland, what is your starting point for 22 that combination? What are you looking at 23 in Wakabayashi to start your analysis?

24 MR. DAVIS: Objection. 25 Form.

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 A. Again, I'm not sure I would 3 agree with characterizing it as a starting 4 point.

However, Wakabayashi has a variety of descriptions: Boards, mechanical arrangements, electrical functionality.

And certainly in order to produce that electrical functionality, one of ordinary skill is going to have to do 12 some actual circuit design.

That circuit design will be influenced by the choice of focal point array, as I have testified repeatedly. And Ackland is a teaching about a type of focal point array.

Wakabayashi just says use a solid-state imager or solid state focal point array. You need more details.

20 I'm still not sure I would call 21 22 that the starting point, but broadly

speaking, the teachings of Wakabayashi 23

augmented by teachings from other

references are needed to build a complete

23 board feature is satisfied by element or

24 circuit board 39 in Wakabayashi; is that

25 correct?

Dean Neikirk October 08, 2020 Confidential Pages 266..269 Page 267 Page 266 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 functional circuit. That's why one of 2 A. Wakabayashi provides a variety 3 ordinary skill in the art would know to 3 of general characteristics, provides some combine these. details, illustrates that a design choice 5 would be to use two circuit boards in So then it is your testimony that you looked to the teachings of specific mechanical alignment. Wakabayashi with an imager device 27 and 7 It doesn't mean that there the two circuit boards, 29 and 39, and then aren't other obvious arrangements of to work with Ackland you're saying you circuit boards, but he does provide those. 10 would have to make certain changes to what 10 And using Ackland to inform one Wakabayashi describes; is that correct? of ordinary skill in the art about how to 11 11 12 A. That is not correct. 12 build circuitry to provide functionalities 13 MR. DAVIS: Objection to form that are discussed in Wakabayashi, that's 14 and asked and answered repeatedly. 14 not a change. 15 Counsel, we've been over this 15 Q. Let's move to your claim 16 same line of questions a number of times. analysis. We'll start with Claim 1. It's You're just repeating the same 17 17 around paragraph 103. thing over and over again. 18 A. I'm at paragraph 73. It's on 18 19 A. I never said that you changed 19 page 71 of Exhibit 1004. 20 Wakabayashi. 20 Q. Let's go to element 1.f, which I 21 Q. So you wouldn't change the 21 believe is paragraph 123. 22 design of Wakabayashi then for that 22 A. So element 1.f? 23 23 Q. Yes, paragraph 123. combination? 24 24 A. I'm there. MR. DAVIS: Objection. 25 25 Form. So for element 1.f, I just want 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. to make sure we are clear in terms of what 2 A. To be careful, it's my testimony, my statement in my declaration element in the art satisfies the -- let me 4 4 is that Wakabayashi renders this element step back. obvious. 5 Element 1.f refers to the second 6 circuit board feature. 6 For the requirements of a second 7 Do you see that? It's on page 7 circuit board electrically coupled to first 8 82 to 83. circuit board, I certainly point to 39 of Wakabayashi. For a length and a width 9 A. I see that. 10 Q. It's a second circuit board that defining a second plane, I also point to 39 11 has a length and a width that defines a of Wakabayashi. That the second plane is 12 second plane, and that second circuit board parallel to first plane, I point to 39 and 13 has the circuitry for the pre-video to 13 29 of Wakabayashi. 14 post-video conversion and is offset from 14 The last element is that it 15 the first board, and also the planes are 15 contain the conversion -- that circuitry to 16 parallel, the first and second planes, convert pre-video to post-video is also 17 right, that's element 1.f? required, as I pointed out in paragraph 18 A. Paraphrased, yes, but I believe 18 127, Wakabayashi does disclose the circuit 19 that covered all of the requirements of board include signal processing there, but 20 I refer back to Section VIII.A in paragraph 20 1.f. 128 for the discussion of why it will be 21 I just want to confirm that it's 21 22 your testimony that the second circuit obvious for one of ordinary skill to place

24

25

circuit board 39.

the pre-video to post-video circuitry on

Q. And so it is your testimony that

24 relates to the size.

And Suzuki provides information

25

Page 270 Page 271 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 2 that second circuit board element is not 2 A. Yes. Looking at Figures 5 and 3 actually shown in Wakabayashi, but it will 3 Figure 3, you could see that the second be obvious; correct? circuit board 39 is offset from the first 5 MR. DAVIS: Objection. 5 circuit board 29. 6 Form. Q. And in paragraph 126 of your 7 A. So I believe as I just tried to 7 declaration, talking about the same element go through, I pointed to all of the 1.f, it is your testimony that circuit requirements of element 1.f that are board 39 is not stacked behind circuit 10 expressly disclosed by Wakabayashi: Figure board 29; correct? 11 7, Figure 5, Figure 3. A. So stacking is not a claim term 11 However, the location of the 12 12 in this claim. It is in other claims. 13 conversion circuitry from pre-video to 13 In paragraph 126 I specifically 14 post-video is not expressly disclosed on 14 stated it is offset, which it clearly is. 15 39, but is my opinion it would be obvious 15 In the sentence that covers --16 to place it on 39. 16 that moves on to page 86, I state Q. Okay. And element 1.f requires additionally the two figures also show that 17 17 18 that the second circuit board is offset circuit board 39 -- there it does say -- is 18 19 from the first circuit board; right? 19 not stacked behind circuit board 29, but 20 A. Yes, it does require that. 20 rather is arranged in an offset position. 21 Q. Okay. And it's your testimony 21 If you look at Figure 5, for 22 that that's demonstrated by the first 22 instance, you can see that 39 is located --23 circuit board 29, or -- circuit board 29 23 there is no place where -- seen from that 24 and circuit board 39 in Wakabayashi; is 24 view. 25 that correct? 25 29 in some sense overlaps with 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 39 in this perspective, and so I think one about the size of the image pickup chip. 3 Now, Wakabayashi -- let me find of ordinary skill would not -- using plain and ordinary meaning would not view that as the claim -- the actual language. 5 being stacked. The actual language is: 6 Q. Now, for element 1.k, I want to "Wherein the largest dimension 7 actually go to paragraph starting with 149 7 of said image sensor along said first plane in your declaration. This is where you is between 2 and 12 millimeters." That would correspond to the testify about Wakabayashi with Ackland and 9 dimensions of the circuit board 29 in 10 Suzuki. 11 Do you see that? 11 Wakabayashi because that defines the first 12 A. I do. 12 plane. 13 Q. And we discussed Suzuki earlier 13 Suzuki provides disclosure of a 14 today. 14 focal plane array. In Suzuki, he labeled 15 And my question is, how do you 15 that 2 -- let me get the right one -- 221. 16 combine Wakabayashi with Ackland and 16 In Wakabayashi, that's 27. 17 Suzuki? How would a person of skill in the 17 Suzuki similarly connects that 18 to circuit boards. Wakabayashi connects it 18 art make that combination? 19 A. Well, Wakabayashi, for instance, to circuit board 29. 19 20 discloses two circuit boards, various ways 20 Suzuki is showing that it's 21 of doing things. Suzuki provides a 21 obvious that you could make the circuit 22 different arrangement. But for Claim 1, board an imager of a size of less than 23 the requirement that we're discussing 10 millimeters, and that's all the teaching

24 that I was looking for, that one of

ordinary skill in the art looking for

```
CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 further information about how big chips
3
  were and how big circuit boards were.
```

Page 274

21

6

7

13

14

15

16

17

18

19

20

21

22

23

Q. My question -- let's step back. 5 Do you agree that this section 6 of your declaration, heading B, right before paragraph 149, is directed to -- it says: "Claim 1 is Obvious Under 103 Over 9 Wakabayashi in View of Ackland and Suzuki." 10

That's the basis of your 11 testimony in this section; correct?

12

19

1

2

7

8

13

24

A. Paragraph 150 is very clear, and 13 it states that to the extent that it is 14 argued that further disclosure is required 15 with respect to the limitation 1.k reciting 16 a largest dimension, that this limitation 17 will be obvious in view of Suzuki's 18 teaching.

It is my opinion that Claim 1 is 20 already obvious with the combination of 21 Wakabayashi and Ackland.

22 I'm simply going further to 23 point out that if it were to be argued or determined that the disclosures in 25 Wakabayashi and Ackland are not sufficient

Page 275 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.**

2 to determine a size limitation for circuit board 29 -- I'm sorry -- yes, 29, that

Suzuki clearly shows that focal point arrays and associated circuit boards that

are of a size that falls in the range of between 2 and 12 millimeters.

7 That's what one of ordinary 8

skill in the art would see and understand that they could do it in that size range. 10 11 Q. And my question is that a person

12 of skill in the art having looked at Wakabayashi and Ackland, why would they further look to Suzuki to additionally

augment the combination of Wakabayashi and 16 Ackland?

17 A. So it is my opinion, as I've stated, that the size is already obvious 18 19 from just Wakabayashi in view of Ackland. 20

But if one of ordinary skill was interested in finding more information about exemplary chip -- focal point arrays and associated circuit boards and their sizes, they would find Suzuki, and Suzuki clearly discloses a size in this range.

CONFIDENTIAL - DEAN NEIKIRK, PH.D.

What I'm taking from Suzuki is 3 that it's smaller than 10 millimeters. The chip is 8-1/2 millimeters, which would tell one of ordinary skill that the circuit board is somewhere between 8-1/2 millimeters and 10 millimeters.

That makes it -- that happens to 9 fall within the range specified by the '052 10 patent. They said 2 to 12. Well, it's 11 shown in the art an example of, let's say, 12 8-1/2 to 10.

Q. Your testimony was just now that even without Suzuki, that this particular 15 element, 1.k, was obvious, and you address 16 some of that in paragraph 148?

A. That's correct.

17 18 Q. Okay. And you state in paragraph 148 that a circuit board having 20 the largest dimension between 2 and 12 millimeters were well-known at the time. 21 22 Were boards of that size known 23 for CCD imagers at that time?

A. Well, for use with image 25 sensors, I think. I mean, Suzuki shows you 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. an example.

3 Boards of size somewhat larger 4 than the image sensor chip were certainly well-known.

Image sensor chips on the order of 1 centimeter in size were well-known, so, ves. I believe that it was well-known.

9 Q. And Suzuki just says "solid-state imager"; right? Suzuki does 10 not identify the particular type of 12 solid-state imager; right?

A. Suzuki itself, I believe that is correct. Suzuki describes it as a solid-state image pickup device, although that actually -- that includes his lens, camera head and so on.

But I believe he describes it as a "solid-state image pickup chip," "solid-state image pickup semiconductor device" are phrases he uses in column 1.

Q. So I asked you just now if you were aware, again, referring to language in paragraph 148, that boards of this particular size, the 2 to 12-millimeter

Page 278 Page 279 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 size, were known for CCD, and now I want to 2 Q. So the pixel size and the pixel 3 ask you if boards of that size were known 3 count do relate to the size of the image sensor, the dimensions of the image sensor; 4 for CMOS imagers. 5 A. I think that there were chips 5 correct? that were well-known of size about 6 A. Certainly, yes. 10 millimeters or smaller, CMOS chips, and 7 Q. And is there a difference in I believe we have an example elsewhere of pixel size for active pixels versus passive 9 such a chip, and that a board would be of 9 pixels? 10 size comparable to the size of the image 10 A. There may be or there may not 11 sensor itself, again, I believe is an be. It depends on how someone decided to 11 12 obvious result. 12 lay it out. 13 Q. Do you know the size of the 13 If you wish to have a larger 14 board that's required for different size of photo sensitive area in a passive pixel, 15 pixel arrays? Like, is there a you can do that. You'll have a lower fill 16 correspondence between millimeters for the factor in the active device. It just 17 image sensor of the overall sensor and the depends on how you decide to lay it out. 17 Q. So do you have any support for 18 number of pixels in the array? 18 19 MR. DAVIS: Objection. 19 your opinions of CMOS image sensors in this 20 Form. particular -- you have in these dimensions, 21 A. You'd have to specify the pixel 21 the 2 to 12? 22 size and the pixel count to get at least an 22 MR. DAVIS: Objection to form. 23 estimate of the size of the dye. 23 A. So Suzuki gives an example of a 24 24 solid-state image sensor. Then you place that in a package 25 and mount that on a board. Q. Is it your testimony that Suzuki 25 Page 281 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** is a CMOS -- has a CMOS pixel array? 5 millimeters. 3 3 A. No, I never said that. I never Q. That's Ricquier, though; right? 4 So that's a passive array; is suggested that. 5 Suzuki is a solid-state imaging that correct? Those are passive pixels? device. That solid-state imaging device of A. That is Ricquier and that is --7 the size he identified would also include 7 that's the pixel it is. 8 CMOS devices. I believe that would be 8 I would point out Ricquier says 9 obvious to one of ordinary skill at the 9 they used a 1-1/2 micron process with 10 time. pixels on a 19-micron pitch. You could 11 I'm sorry, I'm looking to other build guite a few transistors inside that 12

12 sections of my declaration where size is 13 discussed. This was related to whether 14 it's square or not, so I'm in the wrong 15 place. 16 But Ricquier illustrates a 17 256-by-256 and gives a pixel pitch. That's 18 on page 121 of my declaration. 19 Q. Do you know what the size of 20 that array is, though, what's the size of 21 that image sensor? A. 256 times 19 microns would be 22 23 something a little bit bigger than 2 24 millimeters. It probably would be closer

25 to -- this is almost 20 times 250. That's

area. So implementing an active device, adding an amplifier consisting of only one transistor, you can fit it into that pitch. You would have less area

absorbing light. That's one of the 18 trade-offs between active and passive.

Q. But you don't have a basis in 19 20 your declaration setting forth the size of the image sensor for a CMOS pixel array 21 with active pixels, do you? 22 23

MR. DAVIS: Objection to form.

24 A. Well, paragraph 148 I stated 25 that I believe it's obvious.

13

14

15

Page 282 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 In section -- it starts on page 3 99, which is Suzuki, again, I've stated 4 that I believe it's obvious and there is 5 nothing that would suggest I think one of ordinary skill in the art that this size given by Suzuki, for instance, would preclude that that would be an active pixel 9 CMOS array.

Q. Do you have any basis to 10 11 understand that Suzuki is an active pixel 12 CMOS array?

A. I never said it was.

13

14 Suzuki says a solid-state image 15 pickup semiconductor device.

An active pixel CMOS array would 16 17 be in that category, and what I am saying 18 is that it would be obvious to one of 19 ordinary skill in the art that given the 20 technology of the time, here just being an 21 example, they would understand that pixel 22 sizes would be such that it would be 23 expected that you could build an imaging 24 chip somewhere in the range of 2 to 25 12 millimeters.

Page 283 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 Q. And it is your testimony that a 3 person of skill in the art would look at Wakabayashi along with Ackland and Suzuki to understand that teaching from the art; 6 is that correct?

 I've testified to two things. One -- and my declaration states two things. That even without Suzuki, I believe it's obvious.

11 But with Suzuki, I believe it is 12 certainly obvious because Suzuki actually gives a dimension for a solid-state imaging 14 chip.

15 Q. I'm going to move forward a little bit to paragraph 180. 16

A. I'm there.

7

17

18

19

21

25

11

12

13

Q. This is in Claim 3.

And, in particular, element 3.b, this is the image sensor on a planar substrate or an image sensor including a planar substrate, a length and a width, and that length and width defined a first plane

24 and it includes the array of CMOS pixels.

Right? That's element 3.b?

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D.

A. Yes, it includes an array of CMOS pixels thereon, yes.

Q. What is the element -- what are you relying on for the image sensor for element 3.b?

7 A. So Ricquier discloses that he built a CMOS array using standard 9 1.5 micron -- standard 1.5 micron CMOS 10 technology.

Standard 1.5 micron CMOS 11 12 technology uses a silicon substrate which 13 is plane, which is flat. It is planar.

14 It's a clear disclosure. 15 Q. Is that manufacturing technique

16 one would that be used with Wakabayashi? 17 A. It's a manufacturing technique 18 in terms of using planar semiconductor 19 substrates, it would be used for virtually 20 all semiconductor devices.

21 I have done work on non-planar 22 substrates. It is exceedingly difficult 23 and is exceedingly rare. 24

Virtually all solid-state 25 semiconductor devices are on a planar 1 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** substrate, and one of ordinary skill in the art would know that. 3

4 Q. I want to move on to 3.d, element 3.d. this talks about the first circuit board element.

So this is the first circuit board with a length and a width, it defines a second plane and this first circuit board includes timing and control circuitry thereon.

Do you see that?

A. I do.

14 Q. Okay. So what element are you relying on to meet this feature of element 15 3.d? 16 17

MR. DAVIS: Objection to form.

18 A. As I discuss, that it is my 19 opinion in Wakabayashi in view of Ricquier 20 renders this obvious.

Wakabayashi discloses image 21 22 sensors for circuit boards that have lengths and widths. 23 24 The other requirement that --

just has to have a length and a width

Page 287

```
CONFIDENTIAL - DEAN NEIKIRK, PH.D.
2 defining a second plane, and Wakabayashi
3 certainly discloses that in circuit board
```

5 Ricquier discusses off-chip 6 driving circuitry, including timing and control, because he talks about timing controller -- the time and control, the drive, row selection and count selection 10 that is coupled to the CMOS array.

And it is my opinion that it is 12 obvious that that circuitry would either be 13 -- so this timing and control circuitry is 14 what has to be thereon the first circuit 15 board.

16 If it is on-chip, then it is 17 thereon on the circuit board. If it is on 18 the board and not on-chip, it is also 19 thereon.

11

20

25

So in either -- either view, the 21 timing and control circuitry would be --22 would satisfy the limitation 3.d.

23 Q. You previously testified that 24 Wakabayashi does not provide details about 25 the timing and control circuitry; right?

Page 286 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 1

A. That is correct.

2

3

7

11

Q. So for this element 3.d, you're looking to Ricquier for the timing and

5 control circuitry; correct? 6 A. That is correct.

Q. And Ricquier -- you testified previously that Ricquier had an off-chip 8 driving unit; correct?

10 A. That is correct.

Q. I think it was a timing 12 controller that was off-chip?

13 A. Yes, that's discussed in 14 paragraph 196 of my declaration and is 15 clearly quoted on page 127.

Q. But like Wakabayashi, Ricquier 16 does not show or disclose the actual timing 17 circuits, does it? 18

19 A. Ricquier does not provide all of 20 the details of timing and control 21 circuitry. Although, as I pointed out on

22 page 196, he goes through the

23 functionalities that are necessary; for 24 instance, the row select, K reset and G

reset. That's all discussed in paragraph

1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. 196, which would provide -- he also states that he wants to be able to do one by one, two by two, four by four and eight by eight neighborhoods.

6 All of those would provide one 7 of ordinary skill greater information about how to design the circuitry. This is 9 certainly more detail than Wakabayashi 10 provides.

11 And I would observe that in 12 paragraph 198, I further discuss the 13 location of that circuitry, which Ricquier 14 discloses as being off-chip, and it is my 15 opinion it would be obvious to place that 16 on circuit board 29. That's in paragraph 17 198.

18 MR. CAPLAN: If we can take a 19 short break here and let me just go through 20 the items I have left so I can figure out 21 what we still have to get through. Okay? 22 (A recess was taken.) 23 MR. CAPLAN: Dr. Neikirk, I

24 thank you for today. I don't have any more questions 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D.

2 for today.

3

14

16

17

20

21

25

THE WITNESS: Thank you. MR. DAVIS: I have a couple of

4 questions.

EXAMINATION BY

MR. DAVIS: 7

8 Q. Dr. Neikirk, can you open up 9 Exhibit 1004 to page 115.

A. So Exhibit 1004 is -- oh, I'm 10 11 sorry, it's my declaration. I'm sorry. 12 Where in the declaration?

13 Q. To page 115.

> Α. Page 115. And I'm there.

15 Q. Do you see paragraph 174?

A. I do.

Q. In the fourth line down, do you 18 see the reference to -- a reference to

"high image quality" in quotes? 19

A. I do.

Q. And do you remember discussing

22 that quoted passage in paragraph 19

regarding high image quality with Mr.

24 Caplan?

A. I believe so, yes.

25 noise. That's part of it, yes.

Page 290 Page 291 **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 Q. How did that passage inform your 2 Dierickx is explaining that active pixels have an advantage in terms of amplifying 3 opinion in paragraph 174? MR. CAPLAN: Objection as to the charge collected on the elements and 4 5 that makes them less sensitive to noise form. 5 6 Α. So both Ricquier and, for fluctuations. 7 instance, Dierickx discussed image quality. 7 If there's more charge, you're generally less susceptible to fluctuations 8 Ricquier was talking about 9 abilities to bin and so on. in that charge. 10 Dierickx was focusing on ways of 10 Q. You cite there paragraph 6 of 11 hoping -- in active pixel sensor arrays to 11 Dierickx. 12 reduce fixed-pattern noise. 12 Do you rely on paragraph 6 of 13 As I've discussed in the rest of 13 Dierickx? 14 that paragraph, there are known advantages 14 A. So in Dierickx itself, paragraph 15 for using the amplifiers. 15 6 is in the "Background" section, 16 I think that is what would discussing CMOS, identifying active pixels 17 motivate one to combine these references to in comparison to passive pixels and their 17 18 achieve a high image quality. advantages, so, yes, I did rely on that. 18 MR. DAVIS: No further 19 Q. Later in that paragraph you 19 20 questions. 20 reference -- this is about two-thirds of 21 the way down, do you see the quoted 21 FURTHER EXAMINATION 22 language "less sensitive to noise 22 BY MR. CAPLAN: 23 fluctuations"? 23 Q. Dr. Neikirk, in Dierickx, 24 24 A. I'm just trying to find this. Exhibit 1041, the reference to the high 25 Yes. So it's a discussion -- so image quality that Mr. Davis pointed you 1 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** to, and it's in your declaration, that 2 Q. So, in fact, Dierickx provides implements a specific timing function 3 particular timing and control circuitry that's unique to its particular desired that's unique to Dierickx, doesn't it? 5 MR. DAVIS: Objection to form. feature; correct? A. I don't think I characterize it 6 6 MR. DAVIS: Objection. 7 7 A. No. He produces -- and I that way. 8 Dierickx is concerned about believe we discussed this earlier -- he 9 fixed-pattern noise. He discusses a number shows a timing diagram on Figure 7. 9 10 of different amplifier configurations, not He illustrates where the various 10 signals would be applied, but he actually 11 just those in the pixels themselves, and 11 12 ways of mitigating against offset. That's gives no details on the circuitry to 13 illustrated in Figure 2, for instance. 13 produce that timing and control. Again, 14 You asked me about the current 14 it's more of a functional description. 15 source 12 in Figure 2 earlier today, and 15 Q. But in Dierickx, including --16 that circuitry is trying to address some of 16 prior to paragraph 19 that you've been 17 these fixed-pattern noise issues, I 17 looking at and that's referenced in your 18 believe. declaration, it describes in paragraph 17 19 It's -- he does show a timing and 18 the particulars, particular details 19 20 diagram in Figure 7. I don't know that 20 about how to accomplish its goal, its that is exclusively how he's trying to amplifying circuit in adjusting the signal 21 21 22 prevent fixed-pattern noise. 22 for the fixed-pattern noise, right, so it 23 He does say that it is timing of 23 is --24 the method for eliminating fixed-pattern 24 MR. DAVIS: Objection.

25

Form. I'm not sure if there was

Page 294 Page 295 CONFIDENTIAL - DEAN NEIKIRK, PH.D. **CONFIDENTIAL - DEAN NEIKIRK, PH.D.** 2 a question. 2 function, yes. 3 A. My apologies, I jumped in. 3 Q. And Dierickx does not have a So there is a functional particular circuit diagram for the timing 5 description here of the timing and control and control. It just has that functional circuitry and the particular requirements description; right? A. That's correct. for it to accomplish what the Dierickx 7 reference is trying to describe? 8 Q. And you wouldn't use the timing 9 MR. DAVIS: Objection. and control circuitry from Ricquier with 10 Dierickx, would you? Form. 10 11 A. So -- and I think this is 11 MR. DAVIS: Objection to form. 12 exactly what I said. 12 A. Well, I haven't really looked at 13 There's a functional 13 that. I don't know. 14 14 description. Now, most of paragraph 18 is Now, Dierickx has a specific set 15 discussing not timing but control 15 of control signals for his column 16 requirements, and there is a functional amplifiers and -- I'm sorry, let me get 17 description. That's not a circuit diagram. these in the right order. 17 18 One of ordinary skill in the art Ricquier has circuit control 18 19 would know that there are numerous 19 signals called out. The switching 20 circuits, many circuits, but, yes, I would requirements in Dierickx, you know, I 21 agree that he's providing more information 21 haven't looked. 22 about the characteristics of that control 22 There are clearly some 23 circuitry, the functional requirement, that 23 similarities. There might as well be 24 will help one of ordinary skill to select differences. I haven't really tried to do 25 various circuits that provide that a one-to-one comparison. 1 CONFIDENTIAL - DEAN NEIKIRK, PH.D. CONFIDENTIAL - DEAN NEIKIRK, PH.D. 2 discussing, which is in paragraph 18, which Q. But Ricquier, you testified refers primarily to control steps. already that Ricquier has passive pixels 4 MR. CAPLAN: I don't have any 4 and Dierickx has active pixels; right? 5 further questions. 5 A. Yes, certainly. 6 Thank you, Dr. Neikirk. 6 Q. And Ricquier, you already 7 MR. DAVIS: We can go off the testified, does not disclose circuitry for 7 8 record. timing and control, does it? (Time noted: 7:30 p.m. EST) 9 MR. DAVIS: Objection. 9 10 DEAN NEIKIRK, PH.D. 10 Form. 11 Ricquier, as does Dierickx, Subscribed and sworn to before me 12 provides a functional description of what's 12 this ____ day of ____ , 2020. 13 necessary in timing and control. Neither provides a specific schematic circuit 13 15 diagram. 14 16 Q. But that FPN, right, 15 17 fixed-pattern noise issue in Dierickx, it 16 18 relies on that functional description of 17 19 the timing in Dierickx to achieve the 18 19 20 improvement or the alleged improvement in 20 21 the fixed-pattern noise; correct? 21 22 MR. DAVIS: Objection to form. 22 23 A. In part, yes. Dierickx also 23 24 discloses compensation amplifiers, as well 24 25 as the description that we were just 25

```
Page 298
                                                                                                              Page 299
        CONFIDENTIAL - DEAN NEIKIRK, PH.D.
                                                                   CONFIDENTIAL - DEAN NEIKIRK, PH.D.
                                                            2
                                                                                INDEX
2
                CERTIFICATE
3
                                                               WITNESS
                                                                               EXAMINED BY PAGE
                                                               DEAN NEIKIRK, Mr. Caplan
4
        I, Linda J. Greenstein, Professional
                                                                                                4, 291
                                                               PH.D.
5
   Shorthand Reporter and Notary Public in and
                                                                                                   289
                                                                                Mr. Davis
    for the State of New York, do hereby
    certify that, DEAN NEIKIRK, PH.D., the
                                                               ----- INFORMATION REQUESTS -----
    witness whose deposition is hereinbefore
                                                           10
                                                               RULINGS:
    set forth, was duly sworn and that such
9
                                                               TO BE FURNISHED:
                                                           11
                                                           12
                                                               REOUESTS:
    deposition is a true record of the
10
                                                               MOTIONS:
11
    testimony given by the witness to the best
                                                           14
                                                                ----- E X H I B I T S -----
12
   of my skill and ability.
                                                           15
13
      I further certify that I am neither
                                                           16
                                                                (Exhibit 1001 for identification, 7
14
   related to or employed by any of the
                                                           17
                                                                U.S. Patent 9,186,052, shown to
    parties in or counsel to this action, nor
                                                                witness.)
                                                                (Exhibit 1015 for identification, 8
16
    am I financially interested in the outcome
                                                                U.S. Patent 5,233,426, shown to
17
   of this action.
                                                           19
                                                                witness.)
18
       IN WITNESS WHEREOF, I have hereunto set
                                                                (Exhibit 1004 for identification, 9
                                                                Declaration of Dean Neikirk,
19
    my hand this 15th day of October 2020.
                                                                Ph.D., shown to witness.)
20
                                                           21
                                                                (Exhibit 1038 for identification, 50
                    Linda Greenstein
21
                                                                Ricquier reference, shown to
                                                                witness.)
                       Linda J. Greenstein
22
                                                                 (Previously marked Exhibit 1038
23
                                                                for identification shown to
   My commission expires: January 31, 2021
                                                                witness.)
                                                           24
25
                                                  Page 300
                                                                                                              Page 301
       CONFIDENTIAL - DEAN NEIKIRK, PH.D.
1
                                                                   CONFIDENTIAL - DEAN NEIKIRK, PH.D.
    CONTINUED
                                                            2
                                                                          DEPOSITION ERRATA SHEET
    INDEX:
                                                            3
                                                               Our Assignment No.: 1040
    ----- E X H I B I T S -----
4
                                                               Case Caption: Samsung v. Cellect, LLC
                                    PAGE
     (Exhibit 1041 for identification, 116
                                                                      DECLARATION UNDER PENALTY OF PERJURY
     Dierickx reference, shown to
     witness.)
                                                                         I declare under penalty of
     (Exhibit 1027 for identification, 149
                                                               perjury that I have read the entire
     Wakabayashi reference, shown to
                                                           11 transcript of my Deposition taken in the
     witness.)
     (Previously marked Exhibit 1006 192
                                                           12 captioned matter or the same has been read
9
     for identification, Ackland
                                                           13 to me, and the same is true and accurate,
     patent, shown to witness.)
                                                           14 save and except for changes and/or
10
                                                           15 corrections, if any, as indicated by me on
11
    (Exhibits retained by counsel)
                                                           16 the DEPOSITION ERRATA SHEET hereof, with
12
                                                           17 the understanding that I offer these
13
14
                                                           18 changes as if still under oath.
15
16
                                                                                    DEAN NEIKIRK, PH.D.
17
                                                               Subscribed and sworn to on the ____ day of
18
                                                               _____, 20 ____ before me.
19
                                                           23
21
                                                               Notary Public,
22
                                                               in and for the State of
23
24
25
```

1	CONFIDENTIAL - DEAN NEIKIRK, PH.D.	Page 302	CONFIDENTIAL - DEAN NEIKIRK, PH.D.	Page 303
2	DEPOSITION ERRATA SHEET	2	DEPOSITION ERRATA SHEET	
3 4	Page NoLine NoChange to:	3 4	Page NoLine NoChange to:	
5	Reason for change:	5	Reason for change:	
6	Page NoLine NoChange to:	6	Page NoLine NoChange to:	
7 8	Reason for change:	7 8	Reason for change:	
9	Page NoChange to:	9	Page NoLine NoChange to:	
10		10		
11	Reason for change:	11	Reason for change:	
12	Page NoLine NoChange to:	12	Page NoLine NoChange to:	
13	Reason for change:	13	Reason for change:	
15	Page NoLine NoChange to:	15	Page NoLine NoChange to:	
16		16		
17	Reason for change:	17	Reason for change:	
18	Page NoLine NoChange to:	18	Page NoLine NoChange to:	
19 20	Reason for change:	19	Reason for change:	
21	Page NoChange to:	21	5	
22		22		
23	Reason for change:	23	SIGNATURE:DATE:	
24 25		24	DEAN NEIKIRK, PH.D.	
25		25		

0

052 6:19 7:8,16,22 74:11 89:3 151:3 165:19 185:4,9 186:7,15,17 223:17 224:7,18 225:24 226:24 228:4 251:11, 13,15 264:7 276:9

1

- 1 7:22 8:4,7 10:3,4,15,23 12:3 14:10 21:7 43:13 68:8,14,15 70:4,6,8,11,22, 24 71:5 72:3,6,14 73:11,12 77:20,23 78:2 79:3,21 80:7 81:7 82:10,20,25 83:10 101:16 118:16 119:3 188:2 195:18 196:4,5,6 267:16 272:22 274:8,19 277:7,21
- **1-1/2** 72:25 83:8 281:9
- 1-by-1 102:19
- 1-to-1 101:22
- **1.5** 59:12 284:9,11
- **1.f** 151:18 267:20,22,25 268:5,17,20 270:9,17 271:8
- 1.k 272:6 274:15 276:15
- **10** 11:25 44:8,11 46:22 47:3 48:7 52:9 54:8 66:10 67:25 68:21 70:18 71:9,14 75:4 79:10 80:25 81:24 91:8,15,20 93:4 94:7 109:21 110:3 182:3 197:17, 21 198:23 199:19,22 202:22 209:12 225:20,25 226:25 273:23 276:3,7,12 278:7

10-millimeter 47:4

- **100** 11:21 30:6 154:10 176:5,11 191:22 202:24 245:8 247:2,10
- **1001** 6:17,18 7:8,12,17
- **1004** 9:16,19 10:6 180:6 267:19 289:9.10
- 1006 165:16 192:5.8
- **101** 176:10 203:5 204:15
- 1015 8:12,18,20 10:23 12:24
- **102** 154:9,10 161:22 169:9 191:23,24 203:6 245:8,21 247:2,10
- **1027** 148:25 149:2 202:7
- 103 267:17 274:8
- **1033** 47:16,23 48:3,16,22 49:4,16 56:5,10

- **1038** 47:20,23 48:2,16,18 50:7,9 58:5, 8,13,14 63:2 66:11 84:12 94:14 103:14 105:24 107:8,22 108:2 109:11 111:3,17 112:12 113:19 219:25 233:6
- **1041** 115:14,24 116:2,8 125:23 127:16 137:10 141:20 148:12 219:21, 24 291:24
- **108** 58:24 73:18 204:12,18 205:11 207:7
- 109 73:13 79:22
- **11** 78:9 83:25 127:15,16 142:10,12
- **110** 116:25 126:5
- **111** 217:9
- **113** 200:14 204:12,22 231:22
- 114 246:7
- 115 204:15 289:9,13,14
- **12** 44:4,15 46:22 47:7 103:13 143:7,13 202:8 273:8 275:7 276:10,21 279:21 282:25 292:15

12-millimeter 277:25

- **121** 280:18
- 123 267:21.23
- **125** 91:13.20 93:2 94:6 109:20 110:4
- **126** 271:6.13
- **127** 269:18 287:15
- **128** 152:3 269:21
- 12th 14:4
- 13 65:23
- **14** 91:12 99:12,13 100:13 127:15 144:15 176:2 202:22
- 148 276:16,19 277:24 281:24
- 149 272:7 274:7
- **15** 54:9 107:7 137:11,13 179:22 217:3 259:24

15-minute 98:15

- **150** 11:17 274:12
- **152** 11:21 19:16,21 20:6,23 23:4 30:4
- **153** 40:7,13
- **16** 50:17 58:12,16 60:3 68:21 70:23 79:10 84:9 107:7 142:14 143:9 164:24

- **163** 73:17.24
- **166** 117:2
- **168** 117:2
- **169** 220:25 237:4,6
- **17** 157:7 204:9 207:6 293:18
- **170** 221:16 223:14 224:15 231:19,22
- **171** 235:19,21 237:4,7
- **172** 237:8
- 173 241:21 246:6 247:18
- 174 289:15 290:3
- **18** 56:11 194:23 198:10,11,21,24 199:21,22 209:12 293:19 294:14 297:2
- **180** 283:16
- **19** 17:9 67:15 137:12,14,15,18 138:9 139:13 141:5 144:5 192:13 194:24 198:15,18 199:2 280:22 289:22 293:16

19-micron 281:10

- **190** 193:2
- 194 48:21
- **196** 49:2 287:14,22 288:2
- 198 288:12,17
- **1985** 133:23
- **1990** 13:21 18:9 19:12
- 1990s 52:13
- **1991** 14:4,17 17:9 37:22 38:4 41:12
- 1994 61:4,12
- **1996-1997** 120:23
- **1997** 35:21,24 36:18 37:7 39:10,24 42:7 67:16 85:12 86:3,16 113:5,6 134:24,25 135:17

2

2 8:5 9:9,10 12:12 23:5,12,17 24:11 25:15 30:24 31:8 44:3,12,15 46:22 47:7 68:10,15,16 119:4 128:25 141:11,19,24 143:4,10 144:3 157:6 189:9 273:8,15 275:7 276:10,20 277:25 279:21 280:23 282:24 292:13, 15

2-1/2 91:9

2-by-2 102:15,19 142:17

20 52:9,15 127:15 137:11 193:13 195:2 196:11 199:20,24 200:12 209:12 226:2 227:2 280:25

2000s 51:6

2020 4:7 297:12

2020-00475 6:5

22 13:2,11 154:4,9 161:21 191:22 245:8 246:8,25 247:9

221 20:4,24 23:7,20,22 24:15,20 27:13 29:11,13,17 38:10 273:15

226 20:25 21:3,6,9,12,17 22:12 23:7 30:9

227 23:8,10 24:14 25:24,25 29:18,21 30:9

228 30:2,10,18,25 31:9,10,19

228P 31:6

25 225:19

250 280:25

256 10:5 114:6 280:22

256-by-256 59:11 73:22 96:2 113:21 280:17

27 23:18 149:17,23 150:7,14,23 166:22 167:2,17 168:3 171:16 179:2 221:2 236:11,23 242:11 243:20,24 244:6,12 260:8 266:7 273:16

28 152:9

28th 13:21

29 149:17,24 152:23 153:7,8,13,20 154:15,20 155:4,9,11,13,17,21,23 156:7,15,21 157:15,16,17,22 158:5,24 159:15,20 160:10,20,24 161:6,11 162:7 163:19,20 164:4,11,20 165:3,9 166:6,9,10,22,25 167:17 168:4 169:5, 19 170:7,15,17,19 171:12,17 172:6, 16,18 174:6,18,19 175:14,17 176:19, 24 177:3,11 178:19 179:5 181:3 182:5 183:20,22 185:24 186:21 187:23 191:15,18 192:2 224:25 225:4,5,12 243:24 244:4,12 259:19 266:8 269:13 270:23 271:5,10,19,25 273:10,19 275:3 286:4 288:16

2:09 136:16

2b 184:13

3

3 7:22 8:5,7 10:5 31:12 50:17 136:10 166:19 167:10 192:24 207:9 270:11 271:3 283:18

3.3 34:20 36:16

3.b 283:19,25 284:6

3.d 285:4,5,16 286:22 287:3

30 13:2,16 110:8

307 49:2

308 49:2

33 142:14 181:7,8,9

36 196:2

38 12:13

39 149:18 150:2 151:11 152:8,19,22, 23,24 153:6,16 154:21 155:9,13,17 156:3,7 157:14 158:5,24 159:15 160:11 161:9 162:8 163:19 164:5 166:6,9 168:10 169:19 171:7,17 172:6,17,20 175:5,17 177:6 180:17,21 181:3,11,15,21 182:7,25 183:8,22 184:14,24 185:25 186:6,21 187:23 192:11,12,15 224:25 225:4 243:25 244:13 259:19 266:8 268:24 269:8,10, 12,24 270:15,16,24 271:4,9,18,22 272:2

3:00 136:16 137:3

3a 23:5

3d 23:5

4

4 31:11 68:10 96:14 101:12

4-by-4 96:3 102:19

4.2 103:14 104:10,20

4.5 100:14 101:18

4.6 99:11,13,18

40 194:21

41 143:9

42 149:22

45 152:11

47 180:6 181:17 185:15

48 152:19 153:5 180:25 185:15 194:21

5

5 34:20 36:17 104:24 107:9 119:23 127:9 141:13 150:16 154:11 157:7,8 170:2 181:6 182:3 184:5 270:11 271:2,21 281:2

5,233,426 8:19,21

5-volt 35:13

50 24:11 136:12

52 23:17

55 24:12

57 150:16

59 195:16,24 260:4

6

6 96:16 116:20 117:9,12 118:15 129:8 144:15 145:9 146:18 147:24 181:19 182:3 193:4,12,14,15 194:17 195:15, 18 196:5,7,12 197:10 291:10,12,15

60 31:8

65 198:23

66 127:9

7

7 7:22 8:5,7 127:10 149:10,12,19 150:6 166:16 195:21,22,23 198:22 200:12 204:8 207:5 244:11 270:11 292:20 293:9

71 152:12,13 267:19

72 152:13

73 152:13 267:18

74 152:13,16 155:5 156:18 166:18 180:7,13 181:17 185:15 187:21

7:30 297:9

8

8 4:6 56:11 58:12,15 60:3 62:25 63:10, 19 68:10 84:9,11 91:23 114:5 194:20 233:5

AMG Reporting LLC 917-969-4493

Job 1040 Index: 8-1/2..address

8-1/2 44:12 46:23 135:23 276:4,6,12

8-by-8 102:20

8.5 11:24 40:19 44:5

8.5-millimeter 41:14

80s 51:5

82 151:17 268:8

83 268:8

86 271:16

87 260:3.4 262:8

9

9 63:8 70:5,11,23 72:3,6 94:13 143:7 161:20,21 169:8 175:20,25 176:2 202:7,21 260:20,25 261:3

9,186,052 6:6 7:13

90 43:6

90s 35:20 67:16 85:12 87:22 109:25

95 43:6

96 11:13

97 36:14 39:14,15,16 43:6 85:4 87:23

99 11:15,16 43:14 282:3

Α

abilities 290:9

ability 68:13 184:25 229:24 252:5,12

able 93:11,15 96:11,13 143:21 164:16,19 187:3 196:22 219:3 288:3

about 5:5,7 6:3 16:5 17:9 18:17 23:5, 6 24:10 25:23 28:21 30:8,12 35:21 37:18 40:7,16 42:16,17 45:6 47:13 48:12 49:13,22 50:15,19 52:4 54:25 55:15,17 56:12,21 59:24 60:21,23 61:3 62:17 64:3 65:21,25 66:24 67:24 68:3 72:15 73:18,21 78:7,11 81:6,20, 22,25 85:4,11 88:5 91:12,19,20,23 92:3 94:18,19 95:18 96:20 97:24 98:18 99:6 100:24,25 101:3,15 102:14 103:2 108:20,22 110:5,9,11,14 112:10 116:15 117:14 119:23 123:4,11 124:9, 25 133:24 134:2,22 135:11,12,15 136:12 141:17 143:24 144:18 149:7 150:13.25 151:4 154:3 156:25 157:3. 22 161:2,21 165:15,22 166:5 169:23

171:2 175:11 176:11 179:21 180:4,10, 13 183:22 184:8,18 187:15 188:6,7 191:6,21 192:3,16 202:5 203:17 204:10 205:7 207:7 214:5 217:16 219:22 220:5,8 221:9 224:23 228:8 231:19 235:22,23 236:5 237:3 241:21 242:6,25 243:3,13 246:2 248:11 249:24 252:10,18 263:24 264:18 265:16 267:11 271:7 272:9 273:2 274:2 275:22 278:6 285:5 286:7,24 288:7 290:8,20 292:8,14 293:20 294:22

above 70:15

absence 33:13

absolute 259:14

absolutely 83:5

absorbing 281:17

absorbs 132:15

abstract 10:24 14:10 53:18 59:7 60:20 64:9 91:18 93:2 114:5 188:16 189:7,8

abstracts 53:22

academia 52:3 55:3

academic 59:20

accent 99:4

acceptable 17:19 42:8,13,20 190:19 191:10

accepted 54:2

access 26:14 49:13 95:11

accommodate 159:14 213:20

accomplish 184:11 188:19 191:8 293:20 294:7

accomplishing 94:9

according 66:22 71:20

accumulate 66:19 71:17

accurately 202:12

achieve 93:8 94:6 138:16 290:18

296:19

achieved 92:24 99:20

achieving 92:6 110:9

Ackland 10:9,16 165:14,15 192:4,8, 16,17,21 194:4,9,10,12 195:9,14 196:17 197:9,10 198:3 199:9 200:7,11

201:24 203:19 205:16,23 206:2,3,21, 24 207:19 208:20 209:9,18 210:10 211:8 212:2,3 213:3,9,10,21,25 214:4 223:7 261:14,20,21 262:10,20 263:4, 11,23 264:21 265:16 266:9 267:10 272:9,16 274:9,21,25 275:13,16,19

Ackland's 206:15

acquire 67:20

acquiring 17:5 61:18 69:17

across 36:21 37:5 55:4 89:21

active 39:23 46:4 57:11 81:9 117:21 118:4,12,17,20,24 126:10,11,16,18,25 127:21 129:6,11,16,18,21 130:6,22,24 131:20,23 132:4,20,23 133:10,17 134:24 135:16 141:6,24 142:4,6,17,22 144:19,23 145:10 146:6,20 193:5 196:2 220:18 223:18,23 224:2,12 238:13 239:10,13 240:11,15,16 248:25 249:18,19 250:8,9,19,23 251:19 252:7 253:3,9,20 279:8,16 281:13,18,22 282:8,11,16 290:11 291:2,16 296:4

acts 243:8

actual 54:15 73:10 74:23 78:7 171:15 182:14 183:3 209:11 216:7 243:9 263:3 265:12 273:4,5 287:17

actually 6:18 9:9 11:14 46:7 47:22 51:10,12 71:12 72:10 73:17 79:11 90:20 101:13 112:21 113:22 114:24 122:18 129:24 132:10,15 140:12 152:3 154:23 164:7 166:4,17 167:12, 13 168:22 171:19 172:2 191:18 214:11 233:13 242:19 245:13 248:18 259:12 262:14 270:3 272:7 277:16 283:12 293:11

adapted 31:10

add 68:15 87:18 147:12,14 187:6,8 238:19 253:19

added 181:9 187:4

adding 146:14 281:14

addition 68:9 130:3

additional 117:18 129:22 130:4,7,17 132:20 143:3 146:19 212:12 239:9

additionally 271:17 275:14

address 146:3 226:7 231:15 276:15

292:16

addressability 84:16 85:2 221:25

addressable 84:22,23

addressed 230:4 231:5 240:17

addressing 69:16 237:9 251:14

adds 232:3

adjustable 231:11 248:14

adjusting 293:21 administrative 5:3

admit 202:15

advantage 226:14 231:14 253:25

291:3

advantageous 146:23 230:18

239:17

advantageously 153:8 187:24

advantages 120:21 153:17 200:10 221:23 230:24 240:2,24 241:18 248:16 249:17,19 250:7 252:19 254:14 290:14 291:18

Aerospace 57:3,8,9,18

affect 99:17 100:5 105:17 106:16

156:15

affected 228:9

after 54:22 163:20

aftermarket 15:13

again 10:17 16:4 18:15 19:6 23:24 24:3 30:3 42:25 55:7 56:24 66:7 71:25 75:12 86:23 88:25 89:11 94:3,5 102:6 103:10 105:2 109:5 110:24 112:5 113:2 115:3 116:15 117:7 123:10 126:13 135:20 136:2 138:12 140:4 156:10 158:19 164:14 168:6,11 169:12 170:21 175:18 176:14 185:22 187:7 189:7,10 196:7 197:21 198:20 202:20 204:6 211:16 226:24 231:2 238:21 250:21 254:11 256:12 262:2 265:2 266:18 277:23 278:11 282:3 293:13

against 248:21 292:12

ago 167:24 168:7 204:4

agree 4:8 27:20 32:13 34:7,25 77:21 86:8,14,16,24 89:17 119:7 120:3,22 121:13,17 126:9,14 129:9,13 145:5 146:5 147:3,17,19,23 148:6,10 158:2 159:12 160:17,20 162:14,17 163:13 171:13,20 172:7 174:3,8 189:5,18,23

191:17 203:13,19 206:14 208:4,6 212:2 217:17 219:5 229:20 238:11 240:6,10 255:22 265:3 274:5 294:21

agreed 219:23

ahead 61:8,9 70:10 193:25

akin 124:8

alignment 267:6

alleged 224:17 296:20

allow 232:6

allowed 67:19 175:7 187:8

allows 216:20

almost 97:16 259:23 280:25

along 54:23 273:7 283:4

already 5:19 79:8 130:16 158:17 163:12,13 255:11,18 274:20 275:18 296:3,6

also 8:10 14:10 23:3 29:25 33:15 53:8 54:4 55:4 56:25 60:13 68:9 73:23 76:3 85:10 87:19 100:13 128:13 140:9 141:13 142:19 155:20 159:23 162:3 175:8 187:20 188:20 197:12 203:19 206:6 207:10 213:9 223:8 224:2 226:3 231:18 242:12 249:9 250:14 252:3 254:10 268:15 269:10,16 271:17 280:7 286:18 288:2 296:23

altered 67:2

alternative 229:21

alternatively 155:16

alternatives 226:20 228:16,25 229:3, 16,18

although 55:24 67:4 69:25 82:20 124:2 245:19 277:15 287:21

always 101:24 106:24 148:10,11 150:9,11,18 169:25 184:4 236:21

amend 174:12

among 116:17 201:16 250:9

amortized 254:8

amount 226:24

amplification 130:15

amplifier 78:13,23 81:13,15,19 101:24 102:9,18 116:18 118:16 129:18,23 130:5 142:5,9,12,18,21,22, 23 145:17,23 146:14 198:18 199:20 220:13,19 241:9 242:18 248:17 249:24 250:13 252:14 253:19,22 281:14 292:10

amplifiers 66:21 71:19 78:4,5 81:17, 18 102:12 128:23 129:5 140:18 141:6, 12,14 142:7 194:23 198:12,24 199:5 239:19 240:23 241:6 249:23 290:15 295:16 296:24

amplify 145:11

amplifying 23:21 128:18 142:19 291:3 293:21

amplitudes 101:4

analog 63:12 97:8 198:14 199:2

analogous 223:17 224:7

analysis 24:2 100:9 102:7 103:11 105:3 126:4 135:12,21 136:3 148:9 151:14,24 169:2,13,16 170:13 234:19 235:4,15 263:10 264:23 267:16

analyze 135:6 158:21 235:9

analyzed 110:25 145:25

another 28:23 33:25 65:15 85:13 106:17 110:22 142:9 143:16,21 159:10 162:12,16,21 168:5 187:9,16 206:20 208:25 211:12 212:10,21 215:3 216:4 223:5 237:19 241:10 249:14 264:12

answer 67:23 138:20,21 168:16

answered 123:2 228:11 266:14

answering 5:10

any 5:6 21:5 22:7,11,15,16,24 23:25 25:20 26:19 32:23 35:14 40:2,5,22 41:8 42:3 45:5,10,11 52:17 57:19 60:16 62:15,21 77:7 92:15 100:9,11 101:14 103:5 110:24 111:2,12,13 112:6 122:10 126:3 135:10,14,20 141:9 157:24 168:9 169:2,3,15,20 172:2,8,25 173:6,7 174:13 179:11 182:13 183:18 190:4,12,20 199:21 201:14 203:17 209:4 216:7 222:15 224:13 227:15 229:2 234:18 235:10 242:24 248:10 257:12 259:11,16 279:18 282:10 288:25 297:4

anybody 97:5 115:14

anymore 253:16

anything 25:7 26:3 92:8 122:9 123:19 124:2 135:5 144:7 164:2,8 171:10 175:22 178:12 195:9 197:20 198:3

213:16 216:3 231:3

anyway 56:8

anywhere 174:20 176:22 189:13

191:5

apart 68:7

apologies 294:3

apologize 84:10 187:17

apparatus 221:7 241:24 242:5,7,14 243:12 244:6,9,21,25 245:4 246:5 247:6,19 263:13

apparent 118:8

apparently 91:3 92:5,25 94:11

126:19 174:4 190:18

appear 30:25

appears 257:23

application 14:2 96:3 108:6,14,15,21 109:10 110:17 121:4,5,23 122:16,23 123:6,12 124:7,16 126:23 138:25

applications 59:8 60:24 61:2,14,22 62:13,18 63:5,7 64:14 91:25 107:14 110:19 111:5,10,18 113:16 117:16 120:15,18 121:16,20 122:13 233:4

applied 72:12 81:4 293:11

apply 241:22

applying 206:9 247:25

appreciate 219:3

approach 200:19

appropriate 66:16 71:16 152:11

222:23

approximate 167:9 169:22

approximately 114:16 170:3

arbitrary 142:17

architecture 70:13 94:22 96:5,8,18

97:25

architectures 95:23

archival 55:20

are 6:25 8:7 13:4 24:4,21 25:4 26:10, 16,19 27:24 30:10 31:4,9,10,18 34:15 35:14 38:25 39:3 40:8 43:21,22 48:15 49:16 55:20,21 57:4 60:5 61:3 62:19 68:6 69:15,24 70:19,23 71:22,23 72:12 74:18 75:13 76:2,4,16 78:5,14 81:8,17 82:19 83:21 84:7 87:14,15

89:2,13 90:2,9,10 97:11,17 98:10,18 99:19 101:4 102:19 104:8 106:11,12 110:19 116:16,21 117:11,24 118:19, 24 120:14 121:15 124:23 125:3 126:18 128:23 129:4 130:17 134:2 139:19 140:10,14 141:5,6,24 144:4,24 146:6,10 150:5,6 154:25 157:20 161:2 164:12 167:13 169:18 172:12,17 173:10 175:7 179:5,9 183:5 185:22 187:8,18 190:7 194:23 195:2,4 196:10,15 197:3 198:10,16 199:5,25 201:24 204:14 207:12 210:7,8 211:11 212:18,20 214:22,23 219:15 220:2 221:10 222:17 223:17 224:4,8 225:21 227:24 228:4 232:15,19 234:8 235:17, 18 236:4 237:21.23 238:2.8 239:21 241:13 242:5 243:3,13 244:2 245:4 246:18 247:2,3,4,15 248:6 249:6,8,10, 17,18 250:5,7,15,16,25 251:3,10 252:9,24 254:7 257:3,18 260:19,20 261:2 264:22 265:25 267:13 268:2,15 270:9 274:25 275:6 277:21 281:5 284:4,25 285:14 287:23 290:14 294:19 295:22

area 11:3 15:25 128:12 131:7,15 132:3 133:12 134:11,17 167:5 279:14 281:12,16

aren't 37:15 199:6 251:7 252:21 254:9 267:8

argued 274:14,23

argument 230:9 264:14

arguments 259:13

around 46:23 154:10,11 200:12

267:17

arrange 159:9,10 182:17

arranged 30:10 271:20

arrangement 30:12 171:15 272:22

arrangements 171:23 256:8 265:7

267:8

array 17:23 18:3 19:3 20:13,16,17 29:12 31:21,23 32:14 33:5,14,16 34:5 35:2,3,25 36:3,19,22 37:8,10 41:20 42:24 44:19 45:11 72:13 73:19,21,22 84:21 85:5,16 86:5,19 88:8 90:24 93:19 95:10 96:23 105:7,23 118:8,9 125:11,13,25 126:10,15,18 128:7 134:24,25 135:16,17 140:10 142:17 150:8 192:18 197:6,11 203:20,21 205:16,24 207:23 208:7,21 213:21 214:20 215:10 220:10,23 221:3

223:24 227:18 228:21 230:16 234:16 235:12 236:21 238:13 240:8,11,15,16 242:11,16 243:2,4 244:24 248:11,14 249:2 253:9,10,15 256:13 257:3 261:17,21 262:18 265:15,17,20 273:14 278:18 280:2,20 281:4,21 282:9,12,16 283:24 284:2,8 286:10

arrays 16:3,9 18:18 55:16 62:8 67:10 85:14 139:6 229:6 230:22,25 275:5,22 278:15 290:11

arrived 54:17

arriving 243:8

arrow 72:16,19 193:7 197:18

arsenide 227:17,21 228:20 229:2

art 22:2 45:21,25 46:19 55:12 57:23 75:19 76:10,15,21 89:7 97:16 100:12 114:14 115:7 125:7 160:2 164:16 169:24 171:9 172:12 173:24 177:25 179:9 182:22 183:16,24 185:18 187:2 196:20,22 197:3,13 199:11,13,18 207:16 209:2,9,13 211:5,7 212:13 220:17 221:18 222:4 223:16,17 224:7 225:11,22 226:10 227:20 232:10 233:23 234:8,22 239:3,12 241:13 248:23 250:22 251:2 254:5 262:13 263:2,7,22 264:16 266:3 267:11 268:3 272:18 273:25 275:9,12 276:11 282:6, 19 283:3,5 285:3 294:18

art's 210:25

article 49:8 58:6,12,15,20 59:3,24 106:12

articles 38:25 53:14 88:6

ask 49:15 50:14 56:4,7 65:5 116:7 278:3

asked 225:15 266:14 277:22 292:14

asking 38:3 125:17 205:22 238:21 247:5 258:23 264:11

aspects 158:6 174:13 257:18

asset 63:4 91:24

associated 55:22 90:12,15 200:15 204:23,24 205:4 275:5,23

assume 5:15,17 15:9 18:7 31:13 61:22 62:6,11 102:25 104:23 238:22

assuming 9:15 62:17 167:16

assumption 173:20 assumptions 62:20

AMG Reporting LLC 917-969-4493

Job 1040 Index: astronomical..board

astronomical 123:13

astronomy 121:7 122:14 123:13,22

attachments 15:13

attend 54:3

attended 53:8

attendees 54:16

attention 18:23

augment 275:15

augmented 265:24

availability 102:17

available 19:7,14 26:24 36:13 43:25 47:8 48:24 52:8 67:18 183:8 187:14 199:12 229:7 232:5

average 39:9 68:17 96:14,16 135:15, 21 136:2

aware 15:23 16:9 18:24,25 35:14 56:22 87:21 125:7 211:8 221:14 264:15 277:23

away 45:25 170:7

В

back 17:6 35:20 48:6 49:7 58:5 59:23 64:9 81:5 84:9 87:22 103:13 117:3 136:9 144:14,15 145:6 152:4,6 166:4 181:16 236:15 261:9 268:4 269:20 274:4

background 5:17 9:11 16:5 63:14 291:15

bad 92:8 107:13 108:5,9,12 112:11,17 256:21

Ball 57:2,7,9,17,20

band-pass 97:9,12,15

barrier 226:16

base 227:17

based 26:5 44:18 47:6 62:20 75:20 110:2,6 112:7 126:22 154:5 176:19 194:24 263:10,14

basis 92:21 111:2,16 235:11 274:10 281:19 282:10

batteries 210:19

battery 32:20 186:24 187:3

became 14:2

because 5:19 16:2 31:14 33:23 45:6 63:4 69:20,21 81:12 84:15 87:2 88:17 90:13 91:5,24 92:18 96:14 98:9 112:7 132:12 134:4,12 135:11 136:2 138:20 145:22,23 155:10 168:2 177:7 180:21 182:25 201:13 202:2 203:11 211:9 218:8 222:9 223:5 229:8 234:19 239:13 251:5,17 259:13 273:11 283:12 286:7

become 90:6 238:4

becomes 97:18 104:15

becoming 19:11

been 4:18 24:6 37:21 38:7,8,18,19 47:8 50:7 52:7,8 55:16 59:9 67:22 77:20 81:24 87:25 98:11 115:21 124:9 133:22 135:7 137:5 155:8 189:9 217:16 237:3 258:20,21 259:23 266:15 293:16

before 9:13 14:2 38:25 54:15 81:23 82:3 99:13 113:13 125:2 148:17 149:8 175:25 180:9 186:14 225:15 238:9 274:7 297:11

beforehand 50:16

beginning 60:22 64:12 71:13 151:17 192:15 205:9 207:6 234:3 262:8

begins 58:23 66:14

behalf 4:11,14

Behavior 103:15

behind 122:10 271:9,19

being 19:8 36:9 40:17 44:7 58:19 79:19 81:3 95:4 96:23 113:14 114:21 118:3 140:2 143:21 144:13 184:5 189:20 228:5 272:5 282:20 288:14

Belgium 59:19

believe 6:9 8:5 9:25 14:6 21:8 22:21 27:23 29:10 30:19 44:8 45:24 49:9 50:17 64:10 68:12 69:3 78:18 79:14 83:25 87:8 89:3,7 99:11 113:21 115:3 116:19 123:2,16,20 129:5 130:2,16 140:17 142:2 150:9 151:8,25 154:8 155:19 156:19 165:24 169:24 171:4 172:11 173:23 176:21 177:5 180:7 181:16 182:2 185:19 189:8 190:11 191:23 196:25 197:6 201:23 202:11 207:4,15 208:13 209:9 210:22 214:3 218:3,19 224:25 225:7,22 228:11,13 236:20 238:14 241:15 242:16 243:19

261:12 262:9 267:21 268:18 270:7 277:8,13,18 278:8,11 280:8 281:25 282:4 283:10,11 289:25 292:18 293:8

believed 191:11

below 99:23 100:24 106:9 142:8

bend 252:5

benefit 85:13 88:21 251:21

besides 106:11 161:11

best 102:14 122:17

better 120:5 122:4 166:18 177:19

between 5:8 24:11 34:16 44:3,15 47:7 77:6 92:17 119:10,12,16 122:10 129:15 133:17 202:22 273:8 275:7 276:6,20 278:16 281:18

Beyond 45:4

bias 32:11 33:23

biassing 204:11

big 106:7 113:18 274:2,3

bigger 44:12 152:22 242:15 280:23

bin 290:9

binning 64:17,23 65:5,8,13,14,18 66:7 67:5,8,24 68:18 252:21

bit 5:4 11:12 24:9 100:25 117:22 129:8 192:3,6 224:24 242:15 280:23 283:16

blank 209:24 210:5,6 211:15

block 154:3,9 160:21 161:5 172:2,3 192:25 200:2 209:6 213:6,8,10,15 215:21 216:17 233:21 234:10 247:17 256:6 260:22

blocks 199:21 209:12 234:25 243:7 244:23 245:3,8 256:16 262:6

board 20:25 21:3,10,14,17,25 22:4,6, 12,17 23:7,8,10,18 24:14 25:24 29:10, 18,21,22 30:2,8,9,10,14,21,22 31:10, 14 79:25 149:17,18,25 150:3 151:11, 20,22 152:8,24 153:6,7,8,20 154:14 155:17 156:3,5,14,21 157:14,15,16,17 158:4,5,18,19,24 159:9,15,20 160:8, 20,24 161:3,11 162:7,8,15,20,22 163:5,18,20 164:4,5,11,20 165:4,8 166:6,8,10,22 168:10 169:5 170:7,17, 19 171:17 175:14 176:19 177:11,14 178:19 180:16,21 181:3,10,15,21 182:7,18,19 183:8 184:14 186:21 187:5,6,9,22,24 191:15,18 192:2

210:24 224:25 225:5,12 244:3,12,13 245:21 256:19 268:6,10,12,15,23,24 269:7,8,19,24 270:2,18,19,23,24 271:4,5,9,10,18,19 273:10,19,22 275:3 276:6,19 278:9,14,25 285:6,8,9 286:3,15,17,18 288:16

boards 12:4 22:20,24 156:7,9 164:18 169:18,19 170:15 171:24 179:12 180:22 186:24 210:18 234:5 256:2,7 258:12 259:18 263:19,21 265:6 266:8 267:5,9 272:20 273:18 274:3 275:5,23 276:22 277:3,24 278:3 285:22

bonded 20:24 **border** 127:23

both 16:10 18:18 34:14 47:24 48:17 49:3,10 70:19 119:17 124:23 151:25 154:13 155:13 160:14 172:20 186:2 213:12 221:14 222:9,10 223:5,9,12 225:7 232:18 237:23 238:5 239:2,21, 23 249:15 250:19 251:13 253:3 263:12,15 290:6

bottom 11:11 60:3,14 71:4 78:17 139:14

bought 18:21 19:4

box 13:2,11 118:16,20 191:25 193:5,6 245:9,19 246:19,25 247:9

boxes 12:25 13:10 31:18 191:21

bracketed 13:16 brackets 13:11

brand 15:12

break 5:6,7 48:5 49:23 98:15 136:6 179:21 180:10 217:2 259:23 288:19

brigade 36:20

broad 14:20 26:22 62:4,6,19 96:9 162:2 219:8 220:16 245:25

broad-based 25:22

broadly 18:16 25:4 26:15 29:7 51:22 61:17 67:6 85:7 184:13 244:20 245:17 246:23 257:7 265:22

broken 186:9 **bucket** 36:20

build 72:24 87:3 119:17,21 133:9 209:7 233:25 244:20 256:20 263:20 265:25 267:12 281:11 282:23

building 16:8 97:6

built 95:25 97:14 133:6 284:8

bus 197:18

C

C-I-V-I-S 60:2

cadmium 229:6

calculate 181:4

calculation 41:9

calculations 40:22

calibrate 143:14,22

calibration 143:17

call 90:4 114:3 124:14 125:12,17 206:10 254:23 255:24 265:21

called 53:11 55:20 69:20 78:8 117:25 134:6 176:11 205:13 295:19

calls 80:12 113:25 150:14,20 215:23 236:17 243:6

camera 10:25 11:19,25 12:5 14:12,17 18:10,20 19:4 22:8 31:12 37:18 42:17, 21 43:18 44:6,23 64:15 108:24 109:9, 25 110:6 111:19,24 112:5,8 120:4,6,9, 11,13,17 121:5,10,15,19,22 123:6,11 124:7,14 137:23,24 138:8 139:20 140:6,24 146:24 149:17 153:9 156:23 157:5,9 161:22,23 169:9 170:23 173:25 176:5,12 184:4 185:2,3,9 187:25 188:3,12,22 189:25 202:24 203:5 215:21 218:13,19,21 219:11 221:7 232:7 236:16,18 245:10,20,22 246:25 247:2 255:24 257:11,24 258:5, 22,24 259:7,8 277:17

camera-on-a-chip 87:22,24 88:6 187:11.13

cameras 14:21 15:2,7,11,18,22 17:5, 7,10,23 18:3 109:17 123:21 135:9 221:19 223:19 224:6

can 5:12 8:13,25 10:17 11:17 17:24 21:21 22:3,10,23 26:11 28:17 37:2,13 49:20,22 50:6 51:14 58:11 64:15 65:8, 11 66:4,7,25 67:11 88:19 90:19 92:16 94:23 97:6 98:14 101:10 103:22 105:16,18 106:16 120:21 122:12 123:12 126:20 128:13 138:16 141:20 143:5 146:4,23 147:7,16 149:10,15 153:15 157:17 162:11 171:2 172:9,24 178:17 179:7,11 180:5 181:11 182:2 202:19 206:24 208:15 232:13 234:20

239:13 242:14 245:2 250:13 251:19 252:6 253:4,10,14 271:22 279:15 281:15 288:18,20 289:8 297:7

Job 1040

Index: boards..CCD

can't 17:22 18:2 85:19 99:2 122:10 131:22 132:11 147:22 206:23 208:17 229:12 231:2 240:20 252:22 253:2,8

cannot 172:19 174:22 176:22 187:6 223:12 253:19

canvas 209:25 210:5,6 211:15

capable 179:9 197:8 212:13

capacitance 101:23 102:8,17,23,24

capacitor 210:23

capacitors 66:22 71:20 78:12,22,23, 24,25 157:24

capacity 95:9

Caplan 4:10,11,21 5:15,24,25 6:23 7:6,15 8:16,23 9:22 47:22 48:4,11 49:19,24 50:2,5,12 58:10 61:6 98:14, 17 109:6 116:5 136:5,13 137:8 139:12 141:2 148:22 149:5 168:13 179:20,24 180:2 186:18 192:10 209:22 216:24 217:5,7 259:22 260:2 288:18,23 289:24 290:4 291:22 297:4

capturing 62:9

Carbone 56:16

care 108:10

careful 252:17 269:2

carefully 103:3

cares 37:24

carriers 106:23,25

case 46:13 105:22 131:11 133:12 134:22 159:25 163:6 173:14 176:10 210:12,14 238:8 242:24

cases 18:16 61:19 129:25 211:6

category 26:16 115:8 207:17 229:3 282:17

caused 92:8 117:18

causes 204:12

causing 93:7

CCD 17:22 31:21,23 32:5,13,17 34:13, 16,25 35:11,22,25 36:10,19,22,25 37:7 39:7,10,12 41:19 46:5 107:12 108:4,12 112:12,19,22 113:5 120:20 121:8 122:3,16 125:11,18 138:18,21

208:6 228:19,25 234:16,20 235:6,12, 17 276:23 278:2

CCD-BASED 120:4,9,13 121:15 229:18

CCDS 19:10 34:22 36:13 39:3 113:13 119:24 208:13 235:17

Cellect 4:5,12

centimeter 277:7

certain 38:25 70:16 120:20 133:8 162:19 165:18 172:5 186:7,12 206:8 213:6 233:21 239:5,16,17 240:22,24 242:13 243:6 244:22 251:25 263:18 266:10

certainly 6:16 8:8 11:3 15:23,24 19:10 22:8 33:14 43:4 55:6 57:7 64:4 82:19 86:11 88:2 97:10,16 98:8 99:2, 3,21 106:18 111:11 115:8 118:14,17, 18,23 120:19 121:6 126:2 130:15 140:22 176:21 178:12 201:11 203:7,9 210:4,19 217:2 218:7 219:7 221:10 228:20 232:13 233:11 234:18 237:5 243:18 245:18 254:20,23 265:9 269:8 277:4 279:6 283:12 286:3 288:9 296:5

chair 56:13

chance 5:11

change 71:24 159:14 163:21 167:21 174:12 208:19 212:24 229:25 254:25 255:9 257:12 258:7,16 259:2,16 266:21 267:14

changed 5:17 43:4 54:19 225:13 255:4 266:19

changes 66:2 102:25 158:21 255:3 266:10

changing 255:9

channel 33:23,24 119:18,21,22

characteristic 239:9

characteristics 59:15 105:14 117:19 239:5,7 249:6 263:19 267:3 294:22

characterization 258:2

characterize 18:13 246:14 292:6

characterized 29:19 34:11 206:16 258:19

characterizing 265:3

charge 36:21 66:20 71:17 145:12,16 291:4,7,9

charges 64:18,23 68:10 105:16 106:16

check 236:15

chip 11:23 12:12 20:4,12,24,25 21:2, 9,13,16 23:7,20 25:9 29:11,23 30:8 32:21,23 34:18,23 38:21 39:8 40:17, 25 41:6,15,18 42:9 43:11 44:4,11,14 45:19 46:24 73:10 77:23 79:5 81:4 84:18 85:15 86:4 89:19 94:24 96:21, 24 97:20,21 98:6,13 119:19 154:14 165:5 168:3 244:6 254:23 273:2 275:22 276:4 277:4,19 278:9 282:24 283:14

chips 12:4 89:22 134:8 140:16 254:15 274:2 277:6 278:5,7

choice 21:20 22:21 23:2 27:15 85:25 87:9 89:12 90:7 94:4 97:18 122:4,17 133:9 153:19 154:17 156:11 158:20 159:3,11,13 162:13 164:15 178:21 186:5 187:17 227:16 230:16 232:9,15 256:12 265:14 267:4

choices 24:4,5,7 87:6 96:19 132:14, 16 155:14 172:13,17,21 179:6,10 185:23 186:2 197:24,25 199:19,22,23 210:15 212:19 227:24 228:18 232:4, 18 234:5,10 250:17

choose 85:23,24 87:11 90:11,14 95:15 178:22,24

chooses 132:6

chose 155:3 172:21

chosen 84:15 156:8

CID 56:18,21

circuit 22:12 23:8,10,18,19,20 24:14, 18,19 25:14,23,24 26:3 27:4,12,16,18, 19 28:19,20 29:18,21 30:9 31:24 32:14 33:6 34:4 38:5 73:3 74:2,6,16 75:11,14 79:15,25 82:21 83:11 93:16 116:12 128:18 139:17 142:20 149:17, 18,25 150:3 151:20,21 152:8 153:6,7, 8 154:14 156:7,21 160:7 161:3,22,24, 25 165:8 166:21 169:9 170:23.24 171:16,17 174:25 175:9,11 176:7,13, 17 181:10,21,22,23,24 182:7 184:14 187:2,23 191:15,17,21 192:2 196:18 197:24,25 199:18 200:2,6 201:7,19 202:8,14,17 203:2,6,7,14,17,22 205:17,20,23 206:24 209:7 210:18 212:18 213:13,14 216:18 234:5 243:9 244:3,12,13 245:21 247:2,9 255:12, 16,19 256:18,24 258:11 260:22 261:8

263:19,21 265:12,13 266:2,8 267:5,9 268:6,10,12,22,24 269:7,8,18,24 270:2,18,19,23,24 271:4,5,8,9,18,19 272:20 273:10,18,19,21 274:3 275:2, 5,23 276:5,19 285:6,7,9,22 286:3,14, 17 288:16 293:21 294:17 295:4,18 296:14

Index: CCD-BASED..claim

Job 1040

circuitries 24:22 143:6

circuitry 21:12,16 22:22 24:23 25:5, 8,18,23 26:13,17 27:11 28:10 29:4,6 30:21 31:20 32:23 34:11 72:7,9 74:10, 13 77:22,25 79:5 80:2,8 84:6 86:18 87:4,18 94:2 95:15 96:22 125:24 126:24 128:5,6,22 129:2 140:10,17,20 141:10,18 143:3 144:2,9 147:12 151:4,12,22 152:8 153:2,6,22 154:8 155:17,21 156:3,14 157:14,18 158:4. 11,14,16,23 159:4,15 160:5 161:6,13 162:12,15,19,21 163:18,20 164:4,7 166:6,8 169:8 170:15,18 171:7,25 172:3,15 173:16 175:5,19 176:18 177:7,10 178:19 179:4 180:16 181:14 182:8,14 183:9 184:24 185:24 186:22 187:16,22 190:14 191:3,13,19,24 192:18,19,22,23 193:9,17,19,23 194:3,4,8,9,11,13,19 195:3,8,11 196:8 197:14 198:6 199:3,14 200:16,21,22 201:2 204:24,25 205:3,4,8,14 206:5, 11,12,16,18,22 207:14,18,21 208:11, 14,15 209:6,11,15 216:15,16 225:4 232:6 242:13 243:5,7 255:10 256:2,15 260:7,13 261:4,22 262:7,15,19 263:3 267:12 268:13 269:15,23 270:13 285:10 286:6,12,13,21,25 287:5,21 288:8,13 292:16 293:3,12 294:6,23 295:9 296:7

circuits 15:6 22:4,5,11 27:22 28:2,16, 22,25 29:22 69:24 76:4,19 127:22 128:13,17 139:19 140:14 141:4 144:4 154:3 175:11,13 196:15 197:3,23 200:4 202:4 203:10 207:25 208:8 257:4 260:17,18 287:18 294:20,25

circumstances 120:20 147:19,20 148:5,6 239:17,20 240:23

citation 182:2 203:6

cite 188:9 192:17 291:10

CIVIS 59:4,25 60:5

claim 9:9,10 10:15 12:3 21:7 43:13 44:3 74:9,12 77:13 100:11 111:13 112:8 113:8 114:20,23 115:2,5 135:4 151:9 165:18 186:7,8,12 236:2 267:15,16 271:11,12 272:22 273:4

Job 1040 Index: claims..concerned

274:8,19 283:18

claims 7:22 8:4 42:2 110:25 151:2,3,4 177:22,23 185:8 186:15,17 211:7 251:12 271:12

clarification 140:25 209:21 229:10

clarity 110:12 class 133:24 classes 243:7 classic 73:4

classification 220:16

classified 15:16 classify 203:11

clear 61:11 70:2 92:3 133:14 165:15 184:3,8 268:2 274:12 284:14

clearly 44:25 78:10 79:3 80:24 93:11 139:4 196:8 210:5 214:4 221:8 233:7 271:14 275:4,25 287:15 295:22

clock 200:15 204:23 205:4,7,15,20 206:5.13.22

clock's 204:24 205:7

clocked 204:22 **clocking** 66:24

closely 94:20 131:7

closer 280:24

CMOS 18:3 19:11 32:5 33:5,10,14,16, 17,22 34:5,12,16,20 35:3 36:2,8,14 37:10 39:3,8,23 41:20 46:4 59:12,14 63:12 73:2,8,19 82:22,25 83:8,14 84:14,21 85:5,9,13 86:4,18 87:2,3 88:7,18 89:6,20 95:8,14 96:23 98:9 105:6,22 113:5,15 118:3 119:6,11,17, 24 120:11 124:4 125:12,18 126:10,15, 18 129:17 133:22 134:23,24 135:15, 16 138:23 139:5 203:21 205:16,24 207:23 208:20 213:21 214:2 221:3,10 223:18 224:9,12,13 226:14,18 227:12, 17 228:15,16 229:4,15 230:22,25 235:17 238:13 240:7,11,15,16 248:25 250:23 254:4,11,12 261:21 278:4,7 279:19 280:2,8 281:21 282:9,12,16 283:24 284:3,8,9,11 286:10 291:16

CMOS-BASED 120:6

co-funded 60:8

co-integration 84:17 85:14,22

Coast 136:7

colleagues 55:3

collect 65:16 66:3,6 68:13,16 69:22

collected 145:12 291:4 **collecting** 65:25 67:4

collection 234:9 240:2 264:5

collections 238:6,7 264:9

color 181:10 colors 181:9

column 12:12 23:12,17 24:11 25:15 31:8 37:6 66:21 71:19 81:16,18 84:25 102:12 128:20 141:11 142:18,21,23 143:9 144:12 150:16 154:11 161:20 169:8 175:20,25 181:19 182:3 189:9 194:20 195:16,21,22,23 198:16,19,22 200:12 202:7,21 204:8 207:5 260:20, 25 261:3 277:21 295:15

columns 103:22.23

combination 9:8 10:9 165:20 210:9 214:3 223:8 229:23 230:12,20 231:17 235:10 237:9,11,12,17,19,24,25 238:12,19 239:8 241:14 248:4 251:6, 22 253:17,23 254:2 262:12 263:11 264:22 266:23 272:18 274:20 275:15

combinations 200:2 222:18 223:7 234:7 237:23 239:21,23 249:9,10 251:7,17

combine 135:7 212:15 217:12 220:22 222:23 237:2,13,18 238:16 240:14 251:19 253:8 264:4,8 266:4 272:16 290:17

combined 165:13 213:3

combining 222:8,14 227:5 228:8 230:5 231:25 238:10 239:3,5 248:6 261:19 262:24

come 48:6 64:7 81:5 136:9 165:7 168:5

comes 5:8 coming 80:6

commercial 52:6 67:9,13

commercially 19:7,13 67:18

Commission 60:9

committee 53:19 56:12,14,16 57:2

committees 53:20 commodity 90:10

common 53:5 54:13 68:6 106:19 128:19 140:16 194:23 226:21 229:14

community 63:16

compact 10:25 11:19 14:12 43:17 78:22 188:13 189:20 190:2 232:7

company 56:22 57:22

comparable 278:10

compared 107:12 108:4 112:12 119:24 120:11 130:18 230:15

comparison 92:17 291:17 295:25

compatible 89:6

compensation 296:24

complete 67:23 143:2 203:6 255:18 256:11 265:25

completely 103:24 132:8 184:18

complexity 68:3

complicated 148:4

component 20:9 79:2 90:4,16 98:3 129:22,25 160:15 161:4 168:9 169:3 172:25 173:13 176:18 198:11 208:24 211:20 250:2 252:16 254:19 256:19

component-by-component 189:12

components 19:22 23:6 31:2 44:10 86:4,18 88:19 89:2,4,14,19 90:3,9 97:17 117:20 127:22 128:12,17 130:4, 7,17,21,23 132:17,20 154:13 157:25 160:6 161:2 162:4,19,21 163:2,5 164:4 166:15,25 167:13 169:18 170:15,19 173:8,10 179:12 182:8,14, 17,18,25 196:10 198:5 232:5 241:7 245:3 246:8,24 250:15 258:13

composed 188:22 189:21

composing 117:20 comprise 128:17

comprises 127:20

comprising 130:5

computer 137:25 138:14 computer-integrated 60:4

concentrating 17:2

concerned 13:8 92:3 241:4 292:8

concerning 135:21

conclusion 107:8,21,25 112:10

conference 51:22 52:24 53:17 54:4,

conferences 51:21 53:2 55:23 56:3

CONFIDENTIAL 4:1 5:1 6:1 7:1 8:1

17:1 18:1 19:1 20:1 21:1 22:1 23:1 24:1 25:1 26:1 27:1 28:1 29:1 30:1

31:1 32:1 33:1 34:1 35:1 36:1 37:1

38:1 39:1 40:1 41:1 42:1 43:1 44:1

45:1 46:1 47:1 48:1 49:1 50:1 51:1

52:1 53:1 54:1 55:1 56:1 57:1 58:1

59:1 60:1 61:1 62:1 63:1 64:1 65:1

66:1 67:1 68:1 69:1 70:1 71:1 72:1

73:1 74:1 75:1 76:1 77:1 78:1 79:1

80:1 81:1 82:1 83:1 84:1 85:1 86:1

87:1 88:1 89:1 90:1 91:1 92:1 93:1

94:1 95:1 96:1 97:1 98:1 99:1 100:1

101:1 102:1 103:1 104:1 105:1 106:1

107:1 108:1 109:1 110:1 111:1 112:1

113:1 114:1 115:1 116:1 117:1 118:1

119:1 120:1 121:1 122:1 123:1 124:1

125:1 126:1 127:1 128:1 129:1 130:1

131:1 132:1 133:1 134:1 135:1 136:1

137:1 138:1 139:1 140:1 141:1 142:1

143:1 144:1 145:1 146:1 147:1 148:1

149:1 150:1 151:1 152:1 153:1 154:1

155:1 156:1 157:1 158:1 159:1 160:1

161:1 162:1 163:1 164:1 165:1 166:1

167:1 168:1 169:1 170:1 171:1 172:1

173:1 174:1 175:1 176:1 177:1 178:1

179:1 180:1 181:1 182:1 183:1 184:1

185:1 186:1 187:1 188:1 189:1 190:1

191:1 192:1 193:1 194:1 195:1 196:1

197:1 198:1 199:1 200:1 201:1 202:1

203:1 204:1 205:1 206:1 207:1 208:1

209:1 210:1 211:1 212:1 213:1 214:1

215:1 216:1 217:1 218:1 219:1 220:1

221:1 222:1 223:1 224:1 225:1 226:1

227:1 228:1 229:1 230:1 231:1 232:1

233:1 234:1 235:1 236:1 237:1 238:1 239:1 240:1 241:1 242:1 243:1 244:1

245:1 246:1 247:1 248:1 249:1 250:1

251:1 252:1 253:1 254:1 255:1 256:1 257:1 258:1 259:1 260:1 261:1 262:1

263:1 264:1 265:1 266:1 267:1 268:1

269:1 270:1 271:1 272:1 273:1 274:1

9:1 10:1 11:1 12:1 13:1 14:1 15:1 16:1

conditions 103:16 147:10

conduct 112:6 113:11

9,14,16,24 56:12,13

conferences' 53:3

confident 177:2

AMG Reporting LLC 917-969-4493

containing 139:18 247:9

254:20,24

contains 30:25 184:13 220:19

converts 236:12 254:21

copy 54:17 115:23 234:2

cooled 122:16,18

correct 8:6 10:11,16 15:20 19:23 20:19 29:16 30:12 33:9,19 36:23 50:24 58:17 71:8 73:14,15 74:4 80:8, 15 82:10 83:22 85:5 112:20 114:22 125:6,19 129:11 141:25 142:6 148:13 153:3,23 167:15 173:5 180:18 196:23 201:19 212:6 216:11 222:16 223:25 224:11 229:19 235:7 237:15 240:9,13 246:11 247:10,21 248:2 254:19 255:5 256:3 260:14 266:11,12 268:25 270:4, 25 271:10 274:11 276:17 277:14 279:5 281:5 283:6 287:2,5,6,9,10 293:5 295:7 296:21

correctly 59:22

correspond 79:3 273:9

correspondence 278:16

corresponds 79:24

cost 89:18 90:10 134:4,11,14,15,22 135:4,5,11 138:18 156:15 226:15,19, 25 227:7,19 228:9,15,17 254:14 259:13

costs 88:21 90:12,15 131:6 133:4,17 134:2 135:13 226:12 228:23 229:16 254:7

could 7:25 24:6 26:3,12 27:13,22 33:2,18 35:12 40:24 41:4,16,17 45:2, 10,22 46:2,3,4,5,7,24 47:4 69:25 76:4, 16,21 77:4,7 86:23 89:18 94:5 96:3 98:4 111:22,23 126:12 130:19 132:10 137:11 144:14 147:14 155:12 156:3,8 157:18,23,24 161:8 168:5,9 169:14 170:7 173:24 174:4 175:4 176:15,16, 18 183:16 185:21 187:4,19 191:8 196:16 197:4,6,21 206:15 209:9 218:5 223:2 225:2,5,16 227:14 230:21 239:12,19 240:24 241:7 254:11 257:5 264:8 271:3 273:21 275:10 281:10 282:23

couldn't 35:10 52:18 57:25 77:19 156:4 169:5 177:19 209:16

counsel 4:8 5:11 266:15

count 42:25 90:4 131:7 133:5 134:7,8 278:22 279:3 286:9

counting 41:7 country 55:4

-

counts 250:2 252:16

couple 5:2 6:21 28:11 49:6,15 60:21 78:24 145:8 289:4

coupled 78:24 269:7 286:10

course 16:15 140:16 148:19 176:14

court 4:2,15 5:12 186:11

cover 50:18 133:24

covered 5:19 8:4,8 55:8 268:19

covers 271:15

creativity 160:3 174:24 264:17

critical 59:7 64:13 122:15

cross-section 166:17

cross-sectional 167:9

culled 181:18

current 32:10 143:12,13,17 177:11

292:14

cut 109:4 cutting 52:6

D

D-I-E-R-I-C-K-X 115:16

data 36:23 65:16,17,25 66:3 67:4,20 68:14 69:17,23 70:20 91:14,19 93:3 94:7 95:12 109:20

Davis 4:13,14 5:22 9:6 10:21 12:10 14:18 16:14 18:12 19:5 20:10 21:4,18 22:13 23:11 25:16 26:7 27:7 28:5 29:2 30:16 32:2,16 33:8,20 34:6,17 35:5 36:24 37:23 38:11,22 39:11,25 41:13, 23 42:10,22 44:21 45:14 46:15 49:21, 25 57:24 58:21 61:5,15 62:23 65:7 69:12 70:9 72:4 74:7,25 75:22 76:12, 23 77:10 79:13 80:16 82:11 83:3,23 85:6,17 86:6,21 88:9,23 89:23 90:25 92:23 93:20 96:25 97:22 100:7 103:8 105:10 106:3 108:17 109:4,12 111:6, 20 112:14,23 113:7 114:11,18 116:11 120:7,24 122:25 123:8,23 124:10,18 125:14 127:3 128:8 129:12 130:11 131:3,12 132:25 133:20 135:2,18 138:10 139:7 147:25 148:20 149:20 158:8 159:18 161:14 162:9,24 164:22 166:11 168:12,24 169:6 170:9,20 171:21 173:4,12 174:16 177:16 178:8, 20 179:14 182:11 183:13 185:12 187:12 196:24 197:15 198:7 199:15 200:8 203:23 205:25 207:2 208:2,9,22 210:3,11 211:22 212:7 213:4 214:18 216:12 217:24 218:14 219:6 225:14

227:10 230:7 231:7 232:25 233:16 234:17 235:13 236:9 243:16 244:15 245:6 246:12 247:11 249:22 251:24 253:6,11 255:6 256:4 257:14 258:9,15 259:3 261:5,24 263:16 264:24 266:13, 24 270:5 278:19 279:22 281:23 285:17 289:4,7 291:19,25 292:5 293:6,24 294:9 295:11 296:9,22 297:7

Job 1040

Index: correct..Dean

day 118:6 196:14 297:12

dealing 95:17

Dean 4:1,17 5:1 6:1 7:1 8:1 9:1,20 10:1 11:1 12:1 13:1 14:1 15:1 16:1 17:1 18:1 19:1 20:1 21:1 22:1 23:1 24:1 25:1 26:1 27:1 28:1 29:1 30:1 31:1 32:1 33:1 34:1 35:1 36:1 37:1 38:1 39:1 40:1 41:1 42:1 43:1 44:1 45:1 46:1 47:1 48:1 49:1 50:1 51:1 52:1 53:1 54:1 55:1 56:1 57:1 58:1 59:1 60:1 61:1 62:1 63:1 64:1 65:1 66:1 67:1 68:1 69:1 70:1 71:1 72:1 73:1 74:1 75:1 76:1 77:1 78:1 79:1 80:1 81:1 82:1 83:1 84:1 85:1 86:1 87:1 88:1 89:1 90:1 91:1 92:1 93:1 94:1 95:1 96:1 97:1 98:1 99:1 100:1 101:1 102:1 103:1 104:1 105:1 106:1 107:1 108:1 109:1 110:1 111:1 112:1 113:1 114:1 115:1 116:1 117:1 118:1 119:1 120:1 121:1 122:1 123:1 124:1 125:1 126:1 127:1 128:1 129:1 130:1 131:1 132:1 133:1 134:1 135:1 136:1 137:1,4 138:1 139:1 140:1 141:1 142:1 143:1 144:1 145:1 146:1 147:1 148:1 149:1 150:1 151:1 152:1 153:1 154:1 155:1 156:1 157:1 158:1 159:1 160:1 161:1 162:1 163:1 164:1 165:1 166:1 167:1 168:1 169:1 170:1 171:1 172:1 173:1 174:1 175:1 176:1 177:1 178:1 179:1 180:1 181:1 182:1 183:1 184:1 185:1 186:1 187:1 188:1 189:1 190:1 191:1 192:1 193:1 194:1 195:1 196:1 197:1 198:1 199:1 200:1 201:1 202:1 203:1 204:1 205:1 206:1 207:1 208:1 209:1 210:1 211:1 212:1 213:1 214:1 215:1 216:1 217:1 218:1 219:1 220:1 221:1 222:1 223:1 224:1 225:1 226:1 227:1 228:1 229:1 230:1 231:1 232:1 233:1 234:1 235:1 236:1 237:1 238:1 239:1 240:1 241:1 242:1 243:1 244:1 245:1 246:1 247:1 248:1 249:1 250:1 251:1 252:1 253:1 254:1 255:1 256:1 257:1 258:1 259:1 260:1 261:1 262:1 263:1 264:1 265:1 266:1 267:1 268:1 269:1 270:1 271:1 272:1 273:1 274:1 275:1 276:1 277:1 278:1 279:1

Job 1040 Index: December..diameter

280:1 281:1 282:1 283:1 284:1 285:1 286:1 287:1 288:1 299:1 290:1 291:1 292:1 293:1 294:1 295:1 296:1 297:1, 10

December 13:21 14:4 18:8

decide 146:2 168:19 171:2 222:21 239:12 279:17

decided 161:8 279:11

deciding 173:17

declaration 6:10 7:18,24 8:4,8 9:12, 15,18,20 11:7 19:16,17 23:16 30:2,7 35:17 40:6 43:15 48:21 58:23 73:13 77:13 79:22 111:15 116:25 126:6 130:3 149:23 151:15,18 152:3,12 155:6 165:23,24 166:19 169:23 171:8 180:6 181:7,17 185:16 192:12 217:8 225:9 228:2 237:7 244:10 245:5 246:7 260:3 264:19 269:3 271:7 272:8 274:6 280:12,18 281:20 283:8 287:14 289:11,12 292:2 293:18

decoder 197:17,21,25 198:23 199:19

decoders 262:21 decrease 99:22

dedicated 59:9 64:14

Deerix 115:21 defense 57:10 deficient 238:4 define 121:24 191:4

defined 60:2 208:10 283:23

defines 100:23 268:11 273:11 285:8

defining 42:13 150:2,4 151:21 269:10 286:2

definition 88:4 189:15 **deleterious** 91:4 92:19 **demanding** 219:14

demonstrated 239:18 270:22

demonstrates 99:22

depend 22:21 42:12 146:12 166:14 201:16

dependant 114:23 189:16

depending 36:25 99:25 102:23 106:21 199:21

depends 33:21 34:18,19,21,22 86:10 96:9 108:9 131:15 132:6 163:23 173:18 219:18 279:11,17

deposition 225:8

depositions 38:16

describe 8:25 24:24,25 25:3 59:10 74:23 143:5 174:11 195:15 198:13 202:8,12 203:14 206:12 238:12 294:8

described 12:7 16:4 25:14 27:2 37:9 42:21 58:20 75:16 79:11 84:6 95:4 105:23 113:19 114:10,12 118:5 123:6 129:7 138:8,9 140:2 169:3 173:2,11 174:10 193:13 199:9 200:7 206:24 211:21 212:5,23,25 213:9 217:22 219:23 225:12 249:6 257:6 260:13

describes 21:9,12,13 31:7 71:9 76:2 117:10 124:12 126:10,15 169:8 175:22 176:12 195:17,25 198:11,23 201:18 202:16,23 203:20 214:12 215:9,25 221:5 240:7,11 255:23 257:9 260:22 262:5,16 266:11 277:14,18 293:18

describing 10:19 19:17 53:15 88:7 96:22 102:3 105:5,7 106:15 116:6,9 118:12 119:2 124:17,21 126:17 218:18

description 11:5 62:21 75:10 76:7 79:16 83:24 104:19 127:2 128:4 172:4 182:15,20 197:10 234:24 293:14 294:5,14,17 295:6 296:12,18,25

descriptions 169:21 209:5 265:6

design 21:19 22:20,25 24:4,5,7 27:15 34:23 37:2 84:24 85:25 87:6,9 89:11 90:7 94:3 97:18 133:8 153:18 154:16 156:11 158:20 159:3,11,13,14,24 160:8,13,15,18 162:13,18,25 163:4,6, 7,8,12,14,24,25 164:14,20 171:2 172:13 173:18 178:21 179:5,10 182:17,23 183:3,25 184:20,22 185:16, 23 187:11,14 189:2,13,17 190:8 191:7 198:4 206:15 208:21 209:19,25 210:15 211:14 212:12 213:20 214:15 231:4 232:4,15 233:13 234:4,10 243:9 252:8 255:12,16,19,23 261:23 262:14 263:3 265:12,13 266:22 267:4 288:8

designed 31:15 33:21 34:24 37:2 191:9

designer 21:20 22:22 26:4,24 132:9, 18 162:4 191:6

designing 252:3 263:13

designs 160:14 174:25 desirable 174:2 239:19

desirably 184:16

desire 244:20

desired 77:8 92:6,25 293:4

detail 18:17 54:10 161:18 211:13 230:11 260:7,16 262:20 288:9

detailed 260:21

details 34:13,15 40:9 45:5 141:9,16 161:2,18 164:7 197:5 202:14 203:9,17 209:6,10 211:11 217:19,21 218:8,10 221:13 243:3 248:10,13 261:15,16 263:3 265:20 267:4 286:24 287:20 293:12.19

detector 133:11 150:8

determine 39:18 41:16 65:21 66:9 70:19 93:24 101:16 148:10 169:13 227:5 228:8 275:2

determined 274:24

develop 255:16

developed 59:9 64:15 233:3

development 94:21 developments 55:15

device 11:2 12:7,16,22 14:13 32:3,19 33:19 34:5 35:2,3,23,25 36:3 37:19,21 38:9 43:19 44:25 46:4,5,6,9,12 96:23 113:18 116:13 119:6 125:10,12,18 127:20 137:24 138:13 140:6 149:17 150:16,21 156:16 158:7 164:24 165:3 171:15,16,24 174:11 176:7,8 178:16 201:5,14,18 202:9,16,18 203:2,3 209:25 214:6,10,16,20 215:7,11,24 218:22 221:2 224:12,20 227:7,21,22, 25 229:18 235:6,25 236:7,12,20 254:21 260:8 266:7 277:15,21 279:16 280:6 281:14 282:15

devices 15:8,19 20:14 43:22 55:9 62:8 86:5 88:8 105:14 106:17,20 116:15,16 124:24 125:5 208:7 214:24 280:8 284:20,25

diagram 73:3 79:15 82:21 83:11 154:4 213:14 256:24 292:20 293:9 294:17 295:4 296:15

diameter 11:24 44:7 47:2

did 6:15,24 7:24 23:24 40:22 41:2 47:24 52:12 53:9 54:11 55:3 57:17,19 88:13 92:4 93:4,13 95:21 96:5 99:4 112:6 113:6,11 115:17 133:19 135:6, 8,10,20,22 147:11 158:21 162:25 165:2 178:6,11 179:15 186:11 198:11 201:22 206:12 214:25 225:7 227:5 228:7 235:8,12 247:14 253:7 290:2 291:18

didn't 18:7 22:8 26:18 42:4 45:7 88:8 95:6,18 111:11,13 112:21,25 113:3 116:22 126:2 127:7 133:16 135:25 140:19 163:15 168:14,16 172:8 177:4, 6,21 178:10 191:4 193:11 203:11 205:2 206:10,19 211:25 220:4 229:13 234:19 235:9 246:20 255:13

Dierick 115:17

Dierickx 115:15,18 116:3,6,17 117:7 118:11,25 119:5 120:4 121:14 122:7, 24 123:3,7,15,19,20 124:16,21 125:21 126:3,9,15,17,23 127:2,6 128:4 129:8 137:10 138:8,23 140:3,18 141:7,8 144:15 221:15 237:14,24 238:2,19 239:6,8 240:10 241:3,22 242:10,17 243:3 244:2 246:4,18 247:4,16 248:2, 7,16 249:7,14 252:12,22 253:24 254:10 290:7,10 291:2,11,13,14,23 292:4,8 293:2,15 294:7 295:3,10,14, 20 296:4,11,17,19,23

difference 119:10,12,15 129:15 132:2 279:7

differences 77:6 295:24

different 27:13,18,24,25 28:15,19 29:6 34:13,15 35:10 39:3,7 41:19 45:3,22 49:14 57:16 65:9,24 66:8,20, 21,23 67:12 71:18,20 76:4,19 89:14 90:15 99:24 101:3 113:17 119:15 125:3 142:24,25 156:4 158:19 163:5, 6,9 176:16 197:23 222:19 226:10,12 230:21 234:15 237:22 238:6 239:7 240:3 241:10 242:20 243:22 249:11, 15 251:8,10 252:9 272:22 278:14 292:10

difficult 284:22

diffuse 105:16 106:25

diffusion 38:14 204:15

dig 48:3

dimension 273:6 274:16 276:20 283:13

dimensions 22:18 113:25 273:10 279:4,20

diode 32:6,9 46:6 73:19 81:11 95:10

diodes 220:12

directed 27:17,19 232:23 274:7

disadvantages 240:3 241:2,19 248:19

disagree 121:13 147:17,21 148:11

discard 223:4

disclose 156:11 172:21 201:12 234:20 251:12 269:18 287:17 296:7

disclosed 159:23 178:9,10 259:8 270:10,14

discloses 11:19 44:23 118:22 160:22 164:8,9 168:3,19 186:6,24 194:10 198:25 201:11 206:2,3,4,6 210:17,20 216:13,14 230:12 234:4 256:9 263:18 272:20 275:25 284:7 285:21 286:3 288:14 296:24

disclosure 25:7 157:22 176:23 243:15 244:10 257:20 258:11,12,25 259:9,18 273:13 274:14 284:14

disclosures 244:21,22 274:24

discuss 140:19 152:7 155:5 236:16 285:18 288:12

discussed 11:20 19:9 31:16 38:24 43:14 67:11 80:24 95:15 113:13 116:25 149:22 151:17 156:18 169:23 200:11 226:13 232:23 252:21 267:13 272:13 280:13 287:13,25 290:7,13 293:8

discusses 78:10 105:13 117:15 126:7 143:10,11 154:2 171:25 182:4 207:9 286:5 292:9

discussing 63:13 69:15 79:17 103:2 105:20 118:6 220:18 248:20 272:23 289:21 291:16 294:15 297:2

discussion 9:11 21:7 23:16 30:20 47:17 48:14 58:23 108:19 109:15 127:8,11 139:10 149:14 152:5,11 154:5 196:14 258:20 269:21 290:25

discussions 9:10 191:20

dismiss 241:16

distribution 101:2,15

document 11:9.14 58:14 148:17

documentation 54:23

documents 49:5

domain 101:7,11

dominant 102:11

dotted 154:9 191:25 193:4 245:9,18 246:8,19,25 247:8

Job 1040

Index: did..dynamic

double-headed 197:18

down 5:13 10:12 100:24 117:15,22 127:19 137:17 144:20 188:20 246:20 289:17 290:21

Dr 4:22 5:16 6:2 7:7 8:24 47:24 48:5, 12 49:20,22 88:5 115:18 137:9 139:13 180:3 205:22 213:18 288:23 289:8 291:23 297:6

drawing 167:9

drawings 236:22

drawn 70:15 142:18

draws 118:19

drive 134:18 202:4 286:9

driven 204:18 205:11

driver 175:23 181:22 205:13 206:10, 23 207:18

drivers 201:12,13,15,21,23,25 203:11 207:20

driving 23:19 24:15,19,22,23 25:5,8, 13,18,23 26:3,11,12,13,16 27:4,11,12, 16,18 28:9,22 31:24 32:14 33:6 34:4, 9,11 68:5,24 69:5,8 73:25 74:5 75:6 79:20 82:17 93:16 175:8,11,13,19,23 176:7,13,14,17 200:6,16,21,25 201:6, 19 202:8,17 203:2,8,14,17,22 204:23, 24 205:2,4,8,14,17,20,23 206:5,9,12, 16,18,22 207:21,24 208:8,11,14 286:6 287:9

dropped 36:15

drove 134:14,15

due 143:20 146:19 252:13

duly 4:18 137:5

dye 90:13 131:7,9,15 133:4,12 134:12,13,16,17 135:15 278:23

dyeing 134:16

dynamic 104:14,23 106:6

Job 1040 Index: earlier..exhaustive

Ε

earlier 14:9 18:8 67:23 79:18 105:12 108:19 151:25 202:5 218:11 219:23 220:8 224:24 232:23 272:13 292:15 293:8

easier 98:10 152:23

easily 85:9
East 136:7
easy 89:9
edge 52:6

edges 95:10 127:23

effect 92:20 103:21 104:2,3,14 105:8 106:2,8,13 114:24

effectively 200:13 204:21

effects 252:13 efficiency 228:22

eight 288:4

either 18:3 68:13 73:9 90:22 98:25 115:13 119:21 153:18 159:25 160:8 163:6 172:5,16 207:14 213:8 226:2 227:22 232:10 238:8 286:12,20

electrical 105:18 106:17 165:4 215:25 236:13 254:22 256:23 261:16 265:7,10

electrically 269:7

electromechanical 82:22 83:15

electronic 20:15 54:20 117:20 127:21 128:12,17

electronics 84:18 85:15 86:12 146:20 243:24

electrons 204:14 207:12

elegant 99:4

element 145:13 150:23 151:15,18 184:5,6 236:23 267:20,22,25 268:3,5, 17,23 269:4,14 270:2,9,17 271:7 272:6 276:15 283:19,25 284:4,6 285:5,6,14,15 287:3

elements 143:7 291:4 **eliminate** 164:19 239:22

eliminating 201:3 292:24

else 91:11 112:17 115:14 157:21

161:11 173:2 174:6,20 178:12 190:6 198:3 215:12 246:22 258:6,10 262:4

elsewhere 97:18 244:3 278:8

embodiment 118:14 154:6 155:3 164:9 177:20,22 190:24

emerges 31:5

emphasizing 94:21

encompass 45:22

end 5:23 104:10 234:3

engineer 216:20

Engineering 50:23 51:18

engineers 51:11,13

enormous 219:9

enough 105:15 106:7,25 115:22 138:17,24 174:5 191:8 219:2

entail 162:22 enter 226:16

entire 102:13 144:12

entirety 243:14

environment 16:16

equally 24:7 161:8

equipped 137:25 146:21

equivalent 133:9

era 112:20

error 139:8

Espry 60:14

essentially 209:24

EST 136:16 137:3 297:9

establish 168:20

established 19:11 223:22

estimate 278:23

etching 38:16

European 60:9 61:24

evaluate 92:13

even 82:2 122:17 163:20 178:3 185:21 218:9 235:2 249:5 259:13,14 276:14 283:9

ever 71:25 98:23 118:22 122:8 178:11

195:12 196:6 231:14

every 5:7 32:3,17,18 98:2 118:9 121:3,4 211:13,20 213:14 232:20 241:19 259:9

everything 37:5 47:3 97:7 169:13 245:18 251:12 258:6,10

everywhere 118:18

exact 189:17 256:14

exactly 19:7 20:11 25:17 53:15 80:9 104:21 108:3 138:12 140:4,8 154:12 161:15 190:23 193:21 210:21 237:6 253:20 294:12

examination 4:20 100:11 137:7 289:6 291:21

examine 15:5 127:7

examined 4:18

examining 77:13

example 64:3 91:3 92:2,7 123:16 124:15 137:19,22 144:3,10 149:11,21 151:18 172:8 205:10 207:5 221:12 230:23 233:2,11 245:12 276:11 277:2 278:8 279:23 282:21

examples 25:19 26:9,20 27:14 28:7, 12 37:14,15 46:3 67:3 120:16 128:21, 23 129:4 141:17 188:9 225:17 250:25 260:20

exceed 112:3

exceeding 104:13

exceedingly 219:14 284:22,23

except 141:10 204:13 207:12

exception 32:8

exclude 206:19

excluded 206:22

exclusive 223:10

exclusively 78:21 292:21

excuse 35:6 112:22 130:13 225:9 243:21

execute 146:22

exemplary 171:14 195:17 196:4 275:22

exercise 98:12 208:23 209:19 212:9 262:9

exhaustive 28:8 229:12

Job 1040 Index: exhibit..flat

exhibit 6:17,18,25 7:4,8,12,17 8:12, 18,20 9:16,19 10:6,23 11:9,15 12:24 47:16,19,21 48:16 50:7,9 56:5,10 58:5,8,13 63:2 66:11 84:12 94:14 103:14 105:24 107:8,22 108:2 109:11 111:3,17 112:12 113:19 115:14,24 116:2,8 125:23 127:16 137:10,13 141:20 142:13 143:10 148:12,25 149:2,8 165:16 180:6 192:5,8 202:7 219:24,25 233:6 267:19 289:9,10 291:24

exhibits 6:12 48:15
exist 251:7 255:20
existed 255:18
existence 35:11
existing 212:5 213:20

exists 202:13 **exotic** 229:9

expect 29:4 109:24 112:4 130:22 156:17 169:25 227:20 232:14,20 254:5.13

expectation 159:7 218:22 226:21 228:14 234:12

expected 226:18 227:18 282:23

expense 128:10

expensive 130:25 131:9,17,20,24 132:23 133:14 134:17 229:5,8,9

expertise 57:22 58:2 **explain** 149:15

explained 14:9 18:15 248:9

explaining 104:5 291:2 **explains** 64:25 171:18

explicit 173:7

explicitly 78:2,5 144:7 210:17

exploiting 95:10

express 62:21 155:22 174:21 182:16 183:19 187:7 190:5 207:19 214:25

expressed 134:21 expresses 214:6

expressly 155:20 164:12 191:4 206:24 220:25 270:10,14

extent 274:13

external 31:7,8,24

externally 31:16

extra 130:20

extreme 147:9 244:18

F

fab 88:18

fabricate 254:12

fabricated 20:14 59:11 114:7

fabrication 39:6,14 83:25 132:13 133:23 226:15 254:7

facilities 254:7 facility 88:18

fact 53:5 82:2 86:2 122:16 129:25 153:17 155:9 176:25 182:24 190:16 199:9 201:17 205:6 213:7 223:23 230:14 234:15 258:24 293:2

factor 132:16 133:7,11 134:18 226:4, 8 231:24 279:16

factors 134:20 185:14

failing 227:23

fairly 52:23 54:13 110:19

fall 219:9 246:24 247:16 276:9

falling 104:8 falls 207:17 275:6

false 237:20

familiar 6:7 14:16 18:16 57:4 60:5 104:3 106:11,12,18 122:13

fashion 194:24 **faster** 114:24

feature 39:17 75:18 76:11 85:5,8 174:14 185:4 192:17 231:16 251:8,10, 11 268:6,23 285:15 293:5

features 144:18 150:5 188:11 222:19 230:15 238:6,7 239:16,24,25 249:11, 16 263:14 264:5,6,10

feels 115:11 190:8 felt 162:4 190:18

fewer 134:13 250:2

field 18:24,25 55:15 89:8 107:4 135:8 139:16 221:17,18 222:9 223:16,18

224:5

fields 211:10

figure 23:5 30:23 70:4,6,8,11,22,24 71:5 72:3,6,14 73:4,11,12 77:20,23 78:2 79:2,15,21 80:7 81:7 82:10,20,25 83:10 101:12 116:20 118:15 127:10 141:11,13,19,24 142:16 143:4,10 144:3 149:10,12,19 150:6 154:4,9 157:6 161:21 166:16,19 167:10 181:5, 6 191:22 192:24 193:4,12,14,15 194:17 195:15,18 196:5,7,12 197:10 207:9 244:11 245:8 246:8 247:9 270:10,11 271:3,21 288:20 292:13,15, 20 293:9

figures 118:19 184:8 271:2,17

filed 13:12,20,25 14:3

fill 132:16 133:7,11 279:15

film 139:22 140:7

filter 97:10,12 157:23

filtering 147:8

filters 97:15

final 243:9

find 11:11 37:13 71:11 91:17 98:20 135:25 150:15,18,22 151:15 175:15, 16 180:15 181:20 204:2,6 208:15,17 273:3 275:24 290:24

finding 275:21

fine 5:22 7:5 48:9 179:23

first 4:18 10:23 12:23 13:6 43:16 50:18,25 59:6 60:20,21 63:9 82:6 94:16,17 100:19 103:19 117:8 143:15 149:24,25 150:2,15 166:21 181:2 222:6,7 224:18 233:5 268:15,16 269:7,12 270:19,22 271:4 273:7,11 283:23 285:5,7,9 286:14

fit 12:5 40:24 41:11,17 44:6 47:4 185:16 281:15

fits 177:11 fitting 232:4

five 52:9 104:13 106:6

fixed-pattern 116:14 117:5,6,25 118:10 139:3 143:19 241:5,8 248:19 290:12 292:9,17,22,24 293:22 296:17, 21

flat 284:13

AMG Reporting LLC 917-969-4493

Job 1040 Index: flexibility..generator

flexibility 182:24 184:22 232:3

flexible 59:4 94:22 95:22,25 96:4,8, 17 97:25

flip 73:7 261:9

Flipping 12:14

Flores 57:2,5,6

fluctuation 120:10 146:13

fluctuations 144:25 146:8 290:23 291:6.8

focal 16:2,8 18:18 20:13,16 62:8 72:12 214:19 215:9 227:18 230:16,22 236:21 242:10,15 243:2,4 244:24 246:2 248:11,14,25 256:13 257:2 261:17 262:18 265:14,16,19 273:14 275:4,22

focus 16:11 139:2,3 185:10 247:14

focused 51:24 247:8

focuses 140:18

focusing 290:10

follow 227:23

following 117:9 120:12 210:8,9,13 227:8.14

follows 4:19 137:6

forego 5:18 foreseen 68:11

forget 169:25

forgotten 15:12

form 9:6 10:21 12:10 14:19 16:14 18:12 19:5 20:10 21:4,18 22:13 23:11 25:16 26:7 27:8 28:5 29:3 30:17 32:2, 16 33:8,20 34:6,17 35:5 36:24 37:23 38:12,23 39:11 41:13,23 42:11,22 44:22 45:14 46:16 57:24 58:21 61:5 62:23 68:18 69:13 70:10 72:5 73:13 74:7 75:2,23 76:13,24 77:11 79:13 80:17 82:11 83:4,23 85:18 86:7,22 88:10,24 89:24 90:25 92:23 93:21 97:2,23 100:7 103:9 105:11 106:4 108:18 109:5,13 111:7,21 112:15,24 114:11,19 116:11 120:7,25 122:25 123:9,24 124:11,19 125:15 127:4 128:8 129:12 130:12 131:4,13 133:2, 21 135:3,19 138:11 148:2,21 149:20 158:9 159:18 161:14 162:9.24 164:22 166:11 168:12.24 169:6 170:10.20 171:21 172:2 173:4,12 174:16 177:16 178:8,20 179:14 182:12 183:14
185:13 187:12 190:12 196:24 197:15
198:8 199:16 200:9 203:23 205:25
207:3 208:3,22 210:3,11 211:22 212:7
213:4,10 214:18 216:12 217:25
218:15 219:6 225:14 227:10 229:13
230:7 231:7 232:25 233:17 234:17
235:13 236:10 243:17 244:16 245:6
246:13 247:11 249:22 251:24 253:6,
11 255:6 256:4 257:15 258:9,15 259:3
261:6,25 263:17 264:25 266:13,25
270:6 278:20 279:22 281:23 285:17
290:5 292:5 293:25 294:10 295:11

format 215:19

forming 128:11

forth 126:4 177:14 281:20

forward 64:24 283:15

Fossum 88:5

found 59:15 155:7 198:19

Foundation 62:2

four 68:16,18 70:15,23 71:2 102:19 110:10 141:24 288:4

fourth 78:19 84:12 91:22 127:18 137:17 235:22,23 289:17

FPN 118:2 296:16

fraction 52:24 181:12

frame 17:10 97:11 109:19 112:3

frames 91:21 93:3 94:6 110:9

frequencies 101:3

frequency 101:7,11 110:3,7

frequently 54:7 55:20 88:11,14 89:2

front 7:11 8:14 19:19 107:10 115:25 137:16 149:12

fulfill 27:23

full 66:13 68:2 71:13 78:16 80:25 81:25 91:13,20,22 93:3 94:6,17 109:20

function 21:2 23:9 25:13 27:23 67:8 69:14 70:2 74:19,21 75:14,16 76:7,17 232:14 292:3 295:2

functional 75:10 79:16 182:15 191:21 209:5 213:10,15 234:10,23,25 243:7 244:22 253:17 256:6,16 260:22 262:6 263:20 266:2 293:14 294:4,13, 16,23 295:5 296:12,18

functionalities 267:12 287:23

functionality 21:6 22:16 129:10 130:7,9,14 131:8 138:2,3 160:22 197:4 200:3 212:17 213:6,8 260:23 265:8,10

functionally 176:11 197:20 216:17

functions 27:5,24 28:16,17 63:11 69:16 75:25 89:21 144:19 146:22 147:6,7 149:16 171:18 172:5 257:5 262:15

funded 60:8

funding 62:3 233:10

further 11:20 12:14,16 21:11 26:21 61:19 84:17 85:21 94:23 96:21 100:25 101:25 103:5 122:9 128:16 174:12,13 185:21 188:20 198:25 203:9 204:20 214:5 216:7 237:9,13 263:22 274:2, 14,22 275:14 288:12 291:19,21 297:5

furthermore 153:5

G

gain 184:22 239:15 241:9 250:10 251:25 252:11

gallium 227:17,21 228:20 229:2

gate 200:14 204:12,15,17,22 205:10 206:7 207:7

gave 22:19 25:18 26:9 27:14 135:23 155:2 179:17 207:4 222:6,7 225:16

general 15:25 26:22 39:13 65:5 69:25 74:16 105:13 113:12,15 124:3 130:21 158:25 176:23 182:15 189:10 190:9 207:17,23 209:25 218:17 224:4 225:21,23 249:5 267:3

generalities 22:19

generally 5:5 8:24 12:15 16:9 36:9 81:11 113:13 115:3,8 124:13 149:24 161:21 200:4 227:2 246:16 247:16 291:8

generate 106:23,24 218:23

generated 40:24 41:5,18 42:9 84:5

generates 32:9 161:25 176:9 203:4

generating 260:17

generator 161:24 170:23 245:23

Job 1040 Index: generic..his

261:8

generic 113:15 182:20 209:5

generically 216:10

give 5:11 75:11 123:16 138:6 152:19 164:7 166:2 172:2 180:19,20 182:13 196:18 198:20 209:10 216:18 229:12 238:10 256:18,23 262:6

given 11:20 27:2 44:11 52:17 54:7,17 65:19 74:16 83:24 96:2 108:8 109:15 113:16 138:25 163:3 171:7 173:22 174:2 189:12 190:4 194:17 197:5 210:24 218:10 234:23 246:3 282:7,19

gives 45:3 64:2 75:10 113:22,24 120:16 128:21 129:4 141:16 171:14, 15 172:3 176:23 182:15 203:9 209:4 213:13 216:17 232:14 237:18 279:23 280:17 283:13 293:12

giving 218:8 global 81:19

goal 143:18 173:18 293:20

goals 185:17 189:10 190:7 191:9 225:21,23

good 4:2,22,24,25 85:20 115:22 136:6 179:22 219:2

grand 219:17 grants 17:20 graphs 101:14

great 5:24 8:9 19:20 40:2 64:5 136:14 156:25 159:6 160:25

greater 18:17 54:10 105:25 228:21,22 262:20 263:4 288:7

green 181:11 Ground 10:3,4 grounds 264:19

greatest 245:19

group 53:6 57:3 59:16,19 102:24 128:19

groups 65:14

guess 110:13,20 115:11 119:2

guidance 184:15 guidelines 210:2 Н

handle 134:6

happen 24:5 92:9 98:22 264:6

happened 159:22

happens 70:15 105:17 230:24 276:8

harder 16:24 109:17,18

he 12:3 31:6,8,13,17,20 44:25 45:3,7 59:10,15,18 61:21,23 63:6 64:24,25 65:10,21,23 66:9,23 67:5 68:2 69:19 70:15,16,17 71:9 72:22,24 73:4 75:7, 9,10 78:2,3,4,7,8,10,11,18 79:3,16,18 80:12 81:10,18,19 83:7,10 88:6,8,11, 13 91:8,9,11,12,17,18,23 92:2,6,12, 24,25 93:4,8,11,15 94:5,11 95:18,25 96:3,5,17,20 97:24 99:20,25 100:23, 24 101:12,13,14 102:14,22 105:12,13 106:5 108:19 109:16,19 111:8,10,25 112:17,18,21,25 113:22,24,25 114:2, 3,4,10,14 117:9,15 118:19,22 120:8, 16 121:18,24 122:8 123:15,17 124:5 126:6 128:10,16,21,22 129:4 138:25 139:4 140:19 141:16 142:9,16 143:10, 11 144:7 145:20 146:9 147:6,11 150:14,17,18,20 153:12,13 154:3,7,9, 12 155:3,19,20 156:11,25 157:3,21 159:22 160:25 161:5,18,22 162:2,3 164:8,9 169:8,11 171:25 172:2,3,4,7, 9,19,21 174:3,4,18 175:10 176:11,12, 13,14,21,23 177:2,20,21 178:11,13 182:14,16 183:19,22 184:3,11,14 189:11,25 190:7,8,18,25 191:4,7,11, 14,15,18,23 192:24 193:4,7 194:18,20 195:4,12,15,17,24 196:3,5 197:17,20 198:11,13 200:13,24 201:2,12,13,20, 22,25 202:12,23 203:7,9,10,11,24 204:7,10,20 205:2,3,13,19 206:4,6,10, 11,19 207:9,10,11 209:6 210:19 215:11,18,19,20,22,23,25 216:14,16, 17 231:13,15 233:2,4 236:15,17,19,22 239:19 241:4 245:15 254:3 256:9,18, 23 259:7 260:19,21,22 261:7 262:6 267:9 273:14 277:18,21 280:7 284:7 286:7 287:22 288:2,3 292:9,19,23 293:7,8,10,11

he's 25:17 45:6 63:13,15 64:3 65:19, 21,24 67:7 68:12 69:14 71:2 72:11 95:13,24 98:2 100:23 102:21,25 104:5 105:19 106:5,14 108:11 109:15 110:9, 15 120:19 122:3 123:11 138:15 142:2 143:24 146:2 147:12 161:21 176:10 183:21 184:17 188:19 189:11,24

190:2,4 191:20 200:18 204:16 207:6 216:3 236:20 248:20 292:21 294:21

head 10:25 11:19,25 14:13,17 18:10, 21 37:18 38:2 42:15 43:3,18 44:6,23 58:2 176:5,12 178:3 184:4 185:2,3,9 202:24 221:8 232:7 236:17,18 245:20 246:25 277:17

heading 53:12 100:14 103:14 107:9 217:11 274:6

heads 12:5

hear 168:14,16

heard 47:21

held 47:17 139:10

help 250:13 294:24

hence 29:23 84:4 226:15

here 4:4 17:6,21 22:10 23:13 48:5 56:8 61:21 63:15 77:19 95:5 98:15 102:3 103:4 108:11 113:20 141:22 143:24 146:4 147:22 148:3 151:25 155:24 166:3 168:25 179:21 192:20 200:2 215:5 217:15 230:9 235:17 282:20 288:19 294:5

high 92:6 103:15 117:16 120:15 121:18,23,24,25 122:6,20,23 123:5,17 138:17,24 234:23 289:19,23 290:18 291:24

high-end 15:8

high-performance 15:16 121:6

high-quality 15:8

high-speed 96:12 109:15

higher 35:2 36:8 37:14 110:5 147:8 252:5

highest 122:2

highlight 40:15

highlighted 73:12 79:23

highly 103:22 123:14

him 98:23

hinges 157:2 256:8

his 43:17 59:3,6,16 70:14 73:21 78:7 88:6,7,14 91:6,16 92:2 93:2 94:8 100:19 110:16 138:15 139:2 143:18 150:10,13,17 157:22 174:5 188:16 190:8,18,21 191:8 198:10 206:11 209:11 221:6 236:22 244:21 277:16

Job 1040 Index: holding..indicating

295:15

holding 125:10

honestly 15:12 17:16 36:7,12,17 37:16 39:14 67:17 157:8

hoping 290:11

hour 5:6,7 179:21 259:23

house 256:21

housing 47:3 139:20 181:13 184:12

housings 210:19 human 63:11

hypothetical 163:11 257:17

ı

IC 39:13

idea 26:19 124:20

identical 259:10

identification 7:13 8:21 9:20 50:10 58:8 116:3 149:3 188:18 192:8

identified 24:11 28:2,4,6,7 59:18 79:10 93:2 138:25 141:19 147:6 152:14 182:8 224:18 228:4,25 280:7

identifies 56:13 63:6 75:7 79:18 109:19 124:6 154:12 162:2 214:19

identify 7:3 22:11 23:3 92:16 145:21 147:11 160:5 161:5 172:4,24 206:23 224:19 226:3 231:2 245:2 277:11

identifying 63:15 92:12 120:19 189:11 291:16

IEEE 53:7 55:10,19

ignore 211:3

ignoring 67:21

II 60:14

illuminated 103:23 118:7

illumination 103:15,21 104:13,22 105:6,24 147:9

illustrated 70:14 71:2 72:8,10 77:25 78:4 79:11,22 116:19 118:15 149:22 150:6 165:9 167:18 207:8 292:13

illustrates 44:4 72:23 89:3 160:18 167:4 178:13 200:25 201:25 267:4 280:16 293:10

illustrating 72:11 95:24 205:10

image 11:2,23 12:12,16,22 14:13 15:10 17:11,23 18:3 20:4,12,24 23:19, 22 24:15,20 25:9 27:12 36:22 37:19 38:2,9 40:25 41:5,6,12,18 42:8,9 43:11,18 44:24 45:18,19 55:15 105:21 110:12,13,20 111:4 117:15,17 118:3,4 120:5,10,15 121:18,23 122:6,20,23 123:5,17 126:10,15 128:11 139:5 144:24 146:21 149:23 150:7 157:17 166:21 167:2 179:2 202:16 210:18 218:24 221:18,21 223:19 224:5,10 226:11,18 227:15 234:21 242:22 243:20,23 254:17,18,25 255:4,14,25 256:3 273:2,7 276:24 277:4,6,15,19, 20 278:10,17 279:3,4,19,24 280:21 281:21 282:14 283:20,21 284:5 285:21 289:19,23 290:7,18 291:25

imager 12:9,19 35:22 40:17 45:6 46:12 57:23 59:4,9,11,14 66:25 91:19 96:2,23 112:12,13,19 113:18,21 114:2,3,6 125:11,13 129:17 149:16 150:15,20 165:25 171:16,24 176:6,8 201:5,18 202:9,18,25 203:3,8,12,15, 21 214:10 215:3,7,14 216:8,10,14,21 217:22 221:2,7 222:15 235:7,25 236:7,20 241:23 242:4,6,14 243:12 244:5,9,12,21,25 245:4 246:5 247:6, 19 257:11 258:7 260:8 263:13 265:19 266:7 273:22 277:10,12

imagers 64:15 107:12 108:4 112:22 113:5 207:24 221:10 222:10 276:23 278:4

images 61:19 62:10 91:14 109:20 110:4

imagine 38:13

imaging 12:7 15:8 32:3,19 43:21 57:12,13,14,16 106:20 116:14,16 119:5 124:24 125:4 140:5 150:21 154:14 164:23 193:5 195:18 196:4 201:14 208:7 213:25 214:6,20,24 215:10,23 218:5 224:6,14 227:7 254:15,23 280:5,6 282:23 283:13

IMEC 59:19,20

Imitating 63:11

impact 90:21 92:5 93:18 156:20,22 227:3 245:20 259:11

impacted 246:2

impacts 69:20,22 243:4 245:18 256:14

implantation 38:14

implement 74:19 75:14,19 76:11,21 77:7 196:23 197:7,13 199:11 209:4,15 210:21 212:12 213:2 221:5 252:6

implementation 83:13 84:2 154:6 208:16 241:20 256:15

implementations 125:4

implemented 67:9 73:6,25 82:22,25 85:9 197:22

implementing 159:21 197:8 212:22, 24 235:24 241:23 281:13

implements 292:3

implicit 173:19

implies 51:9

important 63:4 91:24 104:25 133:23 134:20

improve 93:10 124:3 139:4

improvement 296:20

inch 40:18

include 52:12 86:13 111:23 142:5,7 147:7 151:19 168:21 206:19 246:25 269:19 280:7

included 169:14 187:15

includes 150:7 161:23 169:10 176:5 181:21 191:25 202:24 218:7 221:2 245:22 254:16 277:16 283:24 284:2 285:10

including 23:18 24:14 79:25 103:24 151:22 175:22 191:22 254:8 261:22 283:21 286:6 293:15

incompatible 190:21

incorporates 255:25

incorporation 241:6

increase 146:16

increasing 103:20

independent 111:12

indicate 49:3 79:6 97:3 127:11 138:15

indicated 42:24

indicates 70:16 195:4 215:17,18,19

indicating 95:13 98:8 121:22

AMG Reporting LLC 917-969-4493

Job 1040 Index: individual..labeling

individual 98:23 144:13

individually 68:14

inductors 97:13

industrial 59:8 60:23 61:13,21 62:12 63:5,6 64:13 91:25 107:13 108:6 109:10 110:19 111:5,9,18 233:3

industry 16:17 52:2,3 59:21 63:17 64:5 86:17 107:4 134:3

influence 197:25 198:4,9 199:23 244:2 262:18

influenced 247:15 265:14

inform 197:12,16 267:10 290:2

information 49:13 52:21 79:24 91:10 93:24 174:10 199:10 214:5 221:9 263:5,23 272:25 274:2 275:21 288:7 294:21

informs 215:13

infrared 16:6,10,12,23 17:3 18:19

57:15

initial 227:8 initials 51:16

input 72:21 203:5

inquiry 42:2 111:12 112:7 113:2,10 115:5

inside 12:5 18:20 44:6,10 47:4 139:20 140:24 144:13 191:24,25 193:6

inspect 15:5

281:11

inspecting 64:6

inspection 64:4

instance 11:18 30:24 35:12 39:2 53:21 70:3 91:7 96:7 97:10 98:3 116:19 126:5 132:14 141:12,13 143:21 144:12 154:4 156:20 157:18 172:13 177:23 190:13 201:2 204:17 213:11 221:6,20 234:5 241:3 242:13, 16,20 244:3 245:7 248:15 263:20 271:22 272:19 282:7 287:24 290:7 292:13

instead 139:9 153:7 187:23

Instrumentation 51:13 insurmountable 16:20

integrate 86:9,17 87:11,12 88:19

integrated 15:6 32:21 38:5 95:9 128:13 129:19 137:24 139:17 145:11, 17

integration 66:22 71:19 78:12,22 86:3 89:6 93:19,22 94:8

intended 107:13 108:6,13,15 110:17

intensities 106:22 interacts 199:4

interconnect 182:18

interconnects 250:12 252:13,18

interest 55:5 63:16 64:5 88:17 95:22

interested 16:6 43:22 59:16 61:23 62:11,18 189:19 233:8 275:21

interface 17:18

International 50:22 51:17

introduced 88:12

introduction 62:25 63:22 91:17

invention 10:24 inventions 138:16,22 investigate 113:3 133:16 involved 32:24 38:13 169:9

involvement 55:2

involves 6:5 ion 38:14

IPR 6:3,5,25 7:18 8:18 9:5 10:20 43:10

ironic 115:11 irreducibly 132:12

issue 41:25 50:3 100:10 177:5,7 235:17 246:18 259:15 296:17

issues 180:10 292:17 items 90:10 288:20

J

James 56:25 Japan 13:21 Jim 4:13 5:15 John 139:7 Jonathan 4:11 Joseph 56:16

journal 55:25

journals 55:21

jumped 294:3

jumping 149:13 211:19,24

Κ

keep 7:25 128:9 167:20,22 211:3 264:10

kind 5:2 8:25 12:6 14:23 15:7 18:6 19:2 22:7 26:21 38:6,7 45:8,11 46:11 49:11 50:18 55:4,9 57:13 99:12 100:9 119:2 147:11 148:8 180:3 203:10 219:10 248:11 255:14

kinds 57:16

knew 16:19

know 5:9 6:23 12:6 15:15 17:11 21:11 23:9 31:3,18 32:4,19 35:7 36:7,12,15 37:12,15,16 38:6 39:9,19 41:15,22,24 42:14 50:20,21 56:17 67:22 75:19 76:25 77:12 78:2 86:11,13 87:12,14 88:12 93:10 98:22,24 99:25 100:8 107:5,6 109:14 110:15,18,22 111:24 112:16 113:2 114:8 115:11,14,17 116:22 118:22 119:14 121:2,12 122:12 123:3,10 126:6 132:22 135:12 143:23 144:7 147:17 149:7 157:6 161:11 165:10,11 167:5,7,24 168:22 169:17 170:12 178:11 181:14 182:6 183:5,10 195:12 208:17 211:5 215:22 218:2 219:7 220:4 228:25 236:4 251:3 256:20 266:3 278:13 280:19 285:3 292:20 294:19 295:13,20

knowledge 44:2 113:12 160:3 209:14 226:22 229:14

known 44:15 57:22 276:22 278:2,3 290:14

knows 115:15

L

lab 14:22

labeled 10:14 47:20 70:8,11 80:4 118:16 151:19 191:22 192:25 193:5 273:14

labeling 166:20

AMG Reporting LLC 917-969-4493

Job 1040 Index: laboratories..low-cost

laboratories 14:22

laboratory 16:21,22 59:21

laid 106:21

language 44:3 74:9,12 77:14 111:13 112:8,10 113:8 114:20 115:2 188:10 235:20 236:2 273:4,5 277:23 290:22

lapse 52:16 lapsed 51:7

large 52:23 128:12 132:11 133:7 169:17

largely 132:18 247:15

larger 104:24 134:12 180:21 181:3 183:2 184:16 277:3 279:13

largest 273:6 274:16 276:20

last 5:4,18 6:24 64:20 68:2 84:13 91:13 101:19 102:10 107:11 117:23 269:14

later 117:23 290:19

lay 132:6,11 161:3 279:12,17

layer 78:20 79:4

layout 158:18 159:20 160:7,15 182:16 256:19,22,23

lavouts 175:2

lead 31:7,9 159:4 173:25 222:18 238:6 240:24,25 249:10 250:3 251:9, 11 256:11

leading 239:23

leads 123:20 251:8 255:9

learn 46:20 263:14

least 16:19 28:21 37:5 44:17 52:5 53:10,11 112:2 114:17 120:3 128:18, 24 136:6 175:10 191:8 216:21 243:2 278:22

leave 87:20 leaving 190:19

left 12:25 13:9 288:20

length 149:25 150:3 156:25 226:13 268:11 269:9 283:22,23 285:8,25

lengths 285:23

lens 139:21 176:6 202:25 258:12 277:16

less 87:12 89:16 120:10 129:10 131:17,20 144:24 146:7,11 227:21 228:15,17,19,20 229:5 273:22 281:16 290:22 291:5,8

level 55:5 90:5 160:21 161:5 213:13 218:25 234:11,23 256:6,7,22 262:6

levels 34:19 36:11

lies 102:16

light 20:15 73:7 104:8 122:15 132:15 138:8 145:12 184:11 222:4 233:24 236:12 254:22 281:17

lighter 156:24 178:4 179:18

like 34:12 39:22 42:21 53:13 60:3 76:17 92:21 121:11 138:20 143:7 174:15 176:2 186:14 218:17 219:15 223:15 247:8 255:18 259:6 263:24 278:15 287:16

likely 55:13 226:19 228:19

limit 46:10 68:3 132:13 178:10 235:16

limitation 42:3 274:15,16 275:2 286:22

limitations 165:19 183:5 186:7,8,12,

limited 54:8 164:12 224:13 234:9

limits 155:20

Linda 6:23

line 12:13 13:24 14:6 23:17 31:8 33:18 60:14 64:10 80:22 82:7 83:18 84:13 88:20 117:11 127:18 132:12 137:18 145:18,24 150:16 154:10 161:20 194:20,21,24 198:14,23 199:2 202:7 204:8 207:6 235:22,23 245:19 246:8,19 247:8 266:16 289:17

linear 78:22

lines 24:11 60:22 122:11 176:2 182:3 202:22 226:15

link 219:15

list 22:9 23:5 28:8 229:12 246:21 256:19,22

lists 11:8

literature 19:9 125:8 211:8

lithographic 39:17

little 5:4 11:12 24:9 100:25 117:22 129:7 192:3,6 224:24 242:15 280:23

283:16

load 78:24,25 80:21

loading 250:12 252:12,18

locate 33:4 152:8 171:5 172:5

located 20:18 29:12 32:25 33:2 81:13 127:22 139:22 140:11 151:13 153:2, 22 176:24 181:15 231:21 271:22

locating 182:25

location 23:14 84:8 93:17 99:7,15 100:4 106:16,18 107:2 140:6,11 156:5 170:14,18 173:10 177:8,12 202:20 204:2 211:20 270:12 288:13

locations 152:15 171:3

logic 34:19 36:14 long 90:2 145:18,24

look 10:22 12:23 21:8 23:17 24:8 30:23 31:5 42:5 48:5 55:19 62:7 63:21 64:10,24 65:2,23 66:10,13 69:21 102:13 114:25 126:2 127:14 147:5 152:2 157:6 161:19 166:18 184:7 193:15 194:18 198:22 202:21 211:18 219:3 222:4 223:2 250:23 251:16 261:14 263:24 271:21 275:14 283:3

looked 17:15 35:19 43:2,21 52:21 99:12 102:5 103:2 111:14 126:8 138:20 147:15 148:16 175:25 218:17 266:6 275:12 295:12,21

looking 9:25 10:5,12 13:5 19:16 22:18 25:12 45:5 48:20 55:13 56:10 60:19 65:10 70:3,22 77:21 89:15 101:9 109:16 116:22 117:8 118:21 144:2 165:25 167:8 175:20 181:7 184:2 185:7 196:6 198:21 211:6 218:25 221:4 263:10,12 264:22 271:2 273:24,25 280:11 287:4 293:17

looks 60:3 141:23 143:7 176:2

loose 150:13

lose 251:21 252:2,16

lost 198:20

lot 15:24 26:20 28:15 55:9 62:5 63:5, 14 66:8 91:25 109:17,18 125:3 131:15 157:3

lots 57:15 146:10

low 90:10 96:15 122:15

low-cost 226:3.8 228:6 253:25 254:6

lower 36:7,9 71:5 113:14 138:17 143:4 226:17,19,24 229:15 252:5 279:15

lowered 89:18 lunch 136:6

luncheon 136:15

М

machine 59:8 60:24 61:2,13,16,21 62:10 64:14 108:16,20 232:24 233:3

machines 61:20

made 7:21 16:9 24:6 29:22 53:8 59:14 108:12 126:18 153:10 158:22 163:21 187:25 188:3,13 190:2 251:22

mainly 246:18

make 6:18 9:14 17:6,17 19:25 22:9 23:7 29:14 53:14 63:18 101:6 132:11 164:16 174:7 178:23 189:25 195:19 196:11 199:5,19 225:5,11,25 231:18 235:21 255:3 266:10 268:2 272:18 273:21

makes 62:10 82:3 142:5 276:8 291:5

making 6:19 8:10 18:18 65:21 156:24 157:2 178:2 179:3,9,17,18 255:17

manifests 100:21 manner 30:10 167:3

manufacture 38:9 131:2,10,21 132:23 134:23 229:11

manufactured 33:17 37:21 89:20 119:6

manufacturing 33:17 38:8,17,20 88:18,22 131:6 133:4,17,25 134:5,11, 15 156:16 228:23 229:15 284:15,17

many 24:21 27:13 28:16 41:4,11 42:7 45:2 52:2 53:24 54:7 57:10 60:11 64:7 67:12 69:24 74:18 76:16 84:25 86:18, 24 87:13,14,15 90:19 105:20 110:18 116:17 122:14 197:3,23 199:18,25 211:6 212:18,20 214:23,24 222:17 230:21 254:8 257:4 294:20

marked 58:7 192:7

market 14:17 18:10 42:17 226:16

match 177:22

material 15:25 51:20 229:8

matrix 127:20,24 139:18 140:13,23

matter 4:4 45:12 46:11 133:19 148:13 151:11 184:21 211:14 236:25 257:13 258:8

matters 5:3

maximum 104:23

maybe 129:3,24 165:10 167:5 168:8

me 5:9 6:17 7:11 8:15 11:11 17:5 19:19 24:8 28:20 31:21 35:7,18 49:7 58:3 64:24 71:11 94:18 107:10,23 109:7 112:22 115:22,25 122:21 125:17 126:20 130:13 137:16 149:12 151:15 161:19 166:2 170:6 183:6 195:7 198:20 202:19 214:13 216:3,16, 18,20 225:9,15 238:21 243:20,21 268:3 273:3,15 288:19 292:14 295:16 297:11

mean 14:7 18:24 30:15 86:10,13 97:21 112:9 130:14 155:11 174:6 193:19 223:4 226:20 230:19 232:15 240:4 242:9 244:25 251:6,18 252:22 253:16 259:5 267:7 276:25

meaning 60:16,18 77:14 119:16 272:4

means 44:9 96:17 112:17 123:3 145:10,16 207:13 231:17 241:15 253:15 254:11 256:9

meant 64:22 87:13

measurements 40:8 101:6 104:12

mechanical 73:7 256:8,9 265:7 267:6

mechanics 184:11

meet 98:23 285:15

megahertz 91:9,15,20 93:4 94:7 109:21 110:3

member 51:4 52:10,15

membership 51:7 52:16

mention 48:22 176:13

mentioned 28:11 70:17 91:10,18 228:24 229:24 233:11

mentions 60:13 203:7 261:7

Mercury 229:6 merely 21:19

merger 213:21

metal 38:15

method 116:13 143:16 292:24

Job 1040

Index: lower..modified

metric 92:11,13

microbolometer 32:5 46:8

micron 39:17,21 73:2 83:8 281:9 284:9.11

microns 40:4 280:22

microscope 17:8.18

microscopes 14:21,23,25 15:4 18:22

mid 35:20 51:5,6 67:15 87:22 109:25

middle 91:22 94:18 144:17 153:4 188:6.8

might 28:9 32:24 34:10,13 64:7 67:21 77:2 85:23,24 87:10,11 90:11,13 93:8, 10 96:16 97:4 98:10 99:25 141:11 147:13,19 148:5 158:11 163:23 168:21 174:2,7 177:6,17,22 178:22,23 184:16,22 187:3 189:8 203:10 206:18 219:13,14 230:18 234:25 239:16 240:25 250:3 295:23

millimeters 11:24,25 40:19 44:4,5,8, 12,15 46:22,23 47:3,7 135:24 273:8, 23 275:7 276:3,4,7,21 278:7,16 280:24 281:2 282:25

mind 121:8

miniature 43:17

minimally 188:23 189:3,15,22 190:16 191:2,12

minimizing 224:19

minimum 34:2

minute 186:10

minutes 48:7 54:9 136:12 168:7 179:22 217:3 259:24

mispronouncing 84:11

missing 245:13

misspoke 10:12

Misstates 259:4

misunderstand 230:8

mitigate 248:21

mitigating 292:12

modified 247:20

AMG Reporting LLC 917-969-4493

Job 1040 Index: modifier..next-to-last

modifier 114:22

modify 211:20 248:7 250:18 253:14

modifying 213:16,19 226:6 233:13

module 94:23 96:20 212:4

moment 198:20 204:4

moments 167:24

monthly 55:25

more 22:18 24:10 33:22 37:9 40:5 45:5 46:23 53:5,10 54:20 61:23 63:13 66:5 87:11 89:16,19 103:21 105:6,24 120:8 129:24 130:22,25 131:6,8,9,23 132:22 133:5,14 134:17 146:22 147:9 151:8 152:22 178:24 180:22 182:24 197:7,20 204:2 211:11 232:6 241:7 249:5 250:14 252:16 254:16,21,24 259:13 261:15 265:20 275:21 288:9, 25 291:7 293:14 294:21

morning 4:3,22,23,24,25

MOS 117:15 118:4 119:6,11,20 124:4 126:19 138:23 139:5 254:10

MOS-BASED 120:11

most 118:23 164:25 184:7 213:6 228:19 294:14

mostly 56:2

motivate 290:17

motivated 152:21 155:8 180:15 221:8

motivation 177:13 180:13 217:12 220:21 237:2 241:22

motivations 179:17

mount 278:25

mounted 31:2,9 139:20 140:23 164:24 168:3

mounting 90:16 153:5 167:2 187:22

move 5:20 47:12 48:13 153:16 158:3 159:14 162:7,12 164:3 166:5,7 168:10 169:5 174:22 176:18,22 177:6 178:15, 18,22,24 179:11 183:8 225:3 267:15 283:15 285:4

moveable 170:3 173:25 178:3 184:4, 9 185:2,3,9

moved 157:13 158:23 163:17 169:14 179:15

moves 156:23 157:9 271:16

moving 92:8 157:11 162:15,20 173:24 179:13,16 190:13,17

multi-purpose 94:22

multimedia 137:24 138:13

multiple 89:22 104:6 221:25 231:12

multiplexed 199:6 multiplier 181:5

multipurpose 95:22 97:25

Ν

name 51:9,15 56:17,20 60:12 75:16 82:13 233:9

names 28:15

narrow 12:17

narrowed 26:21

National 62:2

necessarily 51:25 55:21 86:9 89:25 98:6 109:23 121:3,12 131:5,14,23 213:16 246:15

necessary 72:9 93:24 98:3 162:5 166:25 188:23 189:4,16,22 190:16 191:2,12 212:16 256:15 257:8 287:23 296:13

necessity 98:8

need 5:6 24:19 33:22,25 35:16 97:8,9 158:22 199:11 200:20 202:2 217:2 225:25 226:25 237:18 251:3 263:2 265:20

needed 15:9 22:8 42:7 76:2 96:3 113:11 169:4 230:4 265:25

needs 207:9 231:5 263:22,25

negative 92:5

neighborhoods 68:11 288:5

neighboring 64:18 65:3

Neikirk 4:1,17,22 5:1 6:1,2 7:1,7 8:1, 25 9:1,21 10:1 11:1 12:1 13:1 14:1 15:1 16:1 17:1 18:1 19:1 20:1 21:1 22:1 23:1 24:1 25:1 26:1 27:1 28:1 29:1 30:1 31:1 32:1 33:1 34:1 35:1 36:1 37:1 38:1 39:1 40:1 41:1 42:1 43:1 44:1 45:1 46:1 47:1,25 48:1,5,12 49:1,20,22 50:1 51:1 52:1 53:1 54:1

55:1 56:1 57:1 58:1 59:1 60:1 61:1 62:1 63:1 64:1 65:1 66:1 67:1 68:1 69:1 70:1 71:1 72:1 73:1 74:1 75:1 76:1 77:1 78:1 79:1 80:1 81:1 82:1 83:1 84:1 85:1 86:1 87:1 88:1 89:1 90:1 91:1 92:1 93:1 94:1 95:1 96:1 97:1 98:1 99:1 100:1 101:1 102:1 103:1 104:1 105:1 106:1 107:1 108:1 109:1 110:1 111:1 112:1 113:1 114:1 115:1,18 116:1 117:1 118:1 119:1 120:1 121:1 122:1 123:1 124:1 125:1 126:1 127:1 128:1 129:1 130:1 131:1 132:1 133:1 134:1 135:1 136:1 137:1, 4,9 138:1 139:1,14 140:1 141:1 142:1 143:1 144:1 145:1 146:1 147:1 148:1 149:1 150:1 151:1 152:1 153:1 154:1 155:1 156:1 157:1 158:1 159:1 160:1 161:1 162:1 163:1 164:1 165:1 166:1 167:1 168:1 169:1 170:1 171:1 172:1 173:1 174:1 175:1 176:1 177:1 178:1 179:1 180:1,3 181:1 182:1 183:1 184:1 185:1 186:1 187:1 188:1 189:1 190:1 191:1 192:1 193:1 194:1 195:1 196:1 197:1 198:1 199:1 200:1 201:1 202:1 203:1 204:1 205:1,22 206:1 207:1 208:1 209:1 210:1 211:1 212:1 213:1,19 214:1 215:1 216:1 217:1 218:1 219:1 220:1 221:1 222:1 223:1 224:1 225:1 226:1 227:1 228:1 229:1 230:1 231:1 232:1 233:1 234:1 235:1 236:1 237:1 238:1 239:1 240:1 241:1 242:1 243:1 244:1 245:1 246:1 247:1 248:1 249:1 250:1 251:1 252:1 253:1 254:1 255:1 256:1 257:1 258:1 259:1 260:1 261:1 262:1 263:1 264:1 265:1 266:1 267:1 268:1 269:1 270:1 271:1 272:1 273:1 274:1 275:1 276:1 277:1 278:1 279:1 280:1 281:1 282:1 283:1 284:1 285:1 286:1 287:1 288:1,23 289:1,8 290:1 291:1,23 292:1 293:1 294:1 295:1 296:1 297:1,6,10

Neikirk's 5:16

neither 72:8 74:15 200:15 204:22 205:3 207:21 213:13 231:14 296:13

never 71:24 90:20 150:25 174:19 178:2 187:8 191:15 210:4 211:12,23 214:8 239:12 253:5,7 255:7 259:20 266:19 280:3 282:13

new 52:7 149:9 174:13

next 11:21 47:12 49:23 64:2 115:12 120:12 143:25 146:17 245:13

next-to-last 104:11

Nice 4:23

Nikon 15:4,7,11,19

Nikons 14:25

node 34:21 39:15 204:15

noise 100:15,17,20 101:2,17 102:11 113:9,14 116:14 117:5,6 118:2,10 120:10 122:15 139:3 143:19 144:25 146:7,13 241:5,8 248:19 290:12,22 291:5 292:9,17,22,25 293:22 296:17, 24

non-cmos 229:16,17,21

non-planar 284:21

none 106:10 216:15,16

nonuniformity 117:18,25

noon 136:10

nor 200:15 205:4

normal 68:7

normally 140:7 187:2

noted 297:9

nothing 111:14 113:9 127:10 129:2 164:11 172:19 174:9,14,17 195:6 206:14 211:17 215:5,12 216:19,22 246:22 252:7 282:5

noting 11:22 91:6

nowadays 120:14

number 6:4 11:11,15 13:16 23:6 27:22 40:23 41:4,17,21 42:4,14 45:22 47:19,21 55:19 62:15 65:8,20 106:22 134:7,8 142:10 156:19 157:24 171:7 173:22 184:7 188:2 196:6,21 219:21 221:13 233:20 266:16 278:18 292:9

numbered 13:10

numbers 6:25 7:4 11:7,8,10 29:15 117:12 119:3 243:21

numerous 75:13 76:4,19 145:22 196:15 197:22 200:4 210:6 249:10 294:19

0

o'clock 136:10

object 5:12 41:23 79:13 83:12 100:7 122:25 168:24 208:22 211:22 212:7

objection 9:6 10:21 12:10 14:18 16:14 18:12 19:5 20:10 21:4,18 22:13 23:11 25:16 26:7 27:7 28:5 29:2 30:16 32:2,16 33:8,20 34:6,17 35:5 36:24 37:23 38:11,22 39:11,25 41:13 42:10, 22 44:21 45:14 46:15 57:24 58:21 61:5,15 62:23 65:7 69:12 70:9 72:4 74:7,25 75:22 76:12,23 77:10 80:16 82:11 83:3,23 85:6,17 86:6,21 88:9,23 89:23 90:25 92:23 93:20 96:25 97:22 103:8 105:10 106:3 108:17 109:4,5,12 111:6,20 112:14,24 113:7 114:11,18 116:11 120:7,24 123:8,23 124:10,18 125:14 127:3 128:8 129:12 130:11 131:3,12 132:25 133:20 135:2,18 138:10 147:25 148:20 149:20 158:8 159:18 161:14 162:9,24 164:22 166:11 168:12,15 169:6 170:9,20 171:21 173:4,12 174:16 177:16 178:8, 20 179:14 182:11 183:13 185:12 187:12 196:24 197:15 198:7 199:15 200:8 203:23 205:25 207:2 208:2,9 210:3,11 213:4 214:18 216:12 217:24 218:14 219:6 225:14 227:10 230:7 231:7 232:25 233:16 234:17 235:13 236:9 243:16 244:15 245:6 246:12 247:11 249:22 251:24 253:6,11 255:6 256:4 257:14 258:9,15 259:3 261:5,24 263:16 264:24 266:13,24 270:5 278:19 279:22 281:23 285:17 290:4 292:5 293:6,24 294:9 295:11 296:9,22

objective 124:3

objectives 91:7

observe 288:11

obtain 101:21 261:16

obvious 24:7 47:6 135:7 152:7,17 153:18 154:17,19,20,22 155:2,7,13 159:3 161:7 162:7,11 163:10 164:25 165:21 171:5 172:20 180:11,15 183:15 186:2,5 187:16 210:15 212:15 214:4 222:17,25 223:3,6,8,9,13 230:13,20,23 231:17 232:19 233:23 237:23,25 238:2,5,8 239:21,23 240:4 248:24 249:9,10,15 250:22 251:4,6,7, 13,15,16,18 253:17 264:3 267:8 269:5,22 270:4,15 273:21 274:8,17,20 275:18 276:15 278:12 280:9 281:25 282:4,18 283:10,12 285:20 286:12 288:15

obviously 5:7 87:15 186:16 193:3

obviousness 264:13,14

occasionally 52:17 occasions 122:14

occupied 132:3 182:7

occupies 181:12 occurred 54:16

October 4:6

off-chip 29:19,24 32:14,22,25 33:4,6 34:4,8 68:5,23 69:5,8 73:25 75:5 79:19 80:23 82:17 84:8 87:8 90:14,23 91:5 92:4,18,20 93:4,6,12,16 94:3,10 97:15 99:9,17,20 100:5 127:13 194:15 195:11,13 207:24 208:7,16 231:21 232:11,13,21 286:5 287:8,12 288:14

Job 1040

Index: Nice..one

offers 84:15

offset 268:14 270:18 271:4,14,20 292:12

on-chip 33:3 34:10 78:6 79:7 80:15, 20 83:21 84:3 86:19 87:4,7,19 89:10 90:11,19,22 92:17 93:9,14 94:2 96:6 97:12,13 99:16 100:5 127:12 140:21 144:10 194:2,3,8,11,13,14,17 195:8, 13 208:18 232:10,16 286:16,18

once 89:12 95:12 116:15 169:11 255:15

one 7:24 13:10 22:2 26:18 28:22 29:6 30:19 33:23,24 37:5 39:5,17 43:24 44:14 45:21,24 46:19 47:8 52:8 55:10 56:7,15,16 57:10 60:11 70:2 74:17 75:12 76:14,21 77:2,7 88:16 89:16 90:6 91:6 95:17 97:15 98:6 99:10 100:22 106:16 107:6 110:21 111:17 114:13,14 115:6,13 118:22 123:11,14 124:2,5 125:6 127:8 128:18 129:19,25 130:23 132:6 133:14 134:12,19 142:18 143:20 148:15 151:9 152:20 153:12,14 154:17,19 155:3,6 159:6,9, 20,25 160:4,12 161:7 162:12,15,19,25 163:2,7 164:9,15,16,18 166:2 169:24 171:8,11 172:11,21 173:23 174:23 175:10,18 177:6,25 179:8 180:20 182:21 183:15,24 184:19 185:18 186:3,25 189:13 197:2,7 198:20 199:11,12,17,22 200:10 201:25 204:2 206:18,19 207:15 208:17,24 209:2,8, 13,16 210:15,24 211:4,7,12 212:9,12, 19,20 214:7 215:2 216:4 220:3,18,20 221:4,10,24 222:3,7,11,22 223:5,11 224:18 225:2 226:9 227:19 228:3,5,12 229:13,17 230:13,17 231:9 232:9 233:23 234:7,22 238:3,22,23,25

239:2,11,22 240:4,19 241:12,16 242:3 248:22 249:4,13 250:22 251:5,8 252:13 253:14 254:4,18 255:8,15 256:14,25 261:12,13 262:12,25 263:21 264:11,15 265:10 266:2 267:10 269:22 272:2 273:15,24 275:8, 20 276:5 280:9 281:15,17 282:5,18 283:8 284:16 285:2 288:3,6 290:17 294:18,24

one-third 40:18

one-to-one 295:25

ones 112:25 121:7 130:2 215:25 264:7

only 9:7 43:9 48:22 55:8 65:15 66:3 67:20 68:5 71:23 96:3 107:6 112:16 122:12 129:4 134:18 144:8,10 155:11, 21 156:6 158:25 170:21 172:9,17 173:13 200:21 206:11,21 216:17 232:16 241:16 244:6 245:13 246:21 251:14 254:18 255:19 281:15

open 45:6 201:14 206:17 227:24 289:8

operate 33:11,12,13,24,25 34:24 35:3,12 64:16 75:8 91:7 93:7 200:23

operated 91:19

operating 200:18

operation 90:23 147:8,9 197:11

opinion 77:16 134:22 135:11,14 152:7,17 153:14,23,25 155:6 159:2 161:7 163:8 165:18 173:9 175:3 185:20 197:2 216:5 232:18 234:14 236:25 237:10 238:10 259:2 270:15 274:19 275:17 285:19 286:11 288:15 290:3

opinions 133:19 148:13 230:9 257:12 258:8 259:16 279:19

opportunity 87:3

opposed 16:7 17:3 59:20 61:20 144:12 155:9 179:4 227:8,17

optical 50:23 51:10,17,23 215:24 228:21 236:12 254:9

optimal 102:17,23 170:14,18 171:3 173:10.16.17

optimized 39:5

option 26:23 85:22 87:18,19

options 27:4 28:4 77:3,6 98:10 196:21 199:12 234:4

optoelectrically 176:9 203:4

oral 54:8,11 55:22 56:3

order 16:7 33:11 40:3 53:16 94:6 263:20 265:9 277:6 295:17

ordinary 22:2 43:25 44:14 45:21,24 46:19 47:8 70:3 74:17 75:12 76:15 77:14 114:13 115:4,6 125:7 152:21 153:15 155:7 159:6,21,25 160:12 161:7 163:7 164:15 169:24 171:9,11 172:11 173:23 174:23,24 177:25 179:8 180:14 182:21,22 183:16,24 184:19 185:18 186:4,25 189:13 197:2 199:17 207:16 209:2,8,13 210:15,24 211:5.7 212:13 221:4 222:3 226:9 227:19 228:13 230:13 232:9 233:23 234:7,22 238:22,25 239:2,11 240:22 241:12 248:22 250:22 254:5 256:25 261:13 262:13,25 263:21 264:15 265:11 266:3 267:11 269:22 272:3,4 273:25 275:8,20 276:5 280:9 282:6,19 285:2 288:7 294:18,24

organization 51:3 52:11 55:2 organizations 55:14

original 51:11

originally 13:20

other 5:14 6:22 8:5 12:8 24:7 26:14 28:11 30:19,20 31:13,18,19 32:11,18 38:25 39:5 53:6 55:10 87:3,18 89:10 95:8,21 105:18 108:8 110:16 118:6,19 124:2 128:5 129:2 130:2 132:17 133:15 140:10,19 141:15 143:5 144:2 147:20 148:6 154:20 156:4 157:18 158:6,11 162:4 163:19 164:17 167:21 169:20 175:19 177:21 186:20 196:14 199:25 201:16 205:12 214:7 216:2,9, 15 221:9,15 222:15 223:6,12 226:20 228:16,18,24 229:2 230:15,19,25 231:9 238:4,23 239:20,22 240:5,20 241:2,17 244:7,13 249:8 250:9 251:6, 16 252:9 255:3.25 259:9 264:8.9 265:24 267:8 271:12 280:11 285:24

others 24:6 25:19 84:25 206:8 219:14 251:3 252:2

otherwise 98:11

our 5:22 17:19 48:14 49:23 94:19 174:10

out 6:21 7:8 9:14 11:18 22:14 36:19, 23 37:8 50:6 83:9 89:21 98:20 103:12 106:22 132:6,11 143:22 161:3 181:18 185:15 186:4 189:24 190:2 193:7 196:7 205:13 221:15,17,22 228:12 229:14 243:6 248:16,18 269:17 274:23 279:12,17 281:8 287:21 288:20 295:19

Job 1040

Index: one-third..page

outer 11:24 44:7 47:2

output 78:12,23 98:4 100:22 101:24 102:9,18 117:17 124:14 143:12 158:12,15 194:22,24 195:2,4 198:12, 14,24 199:2 215:18

outputting 124:12

outset 162:18 189:19

over 5:13 43:4 49:20 52:15 53:20 54:19 68:17 80:14 101:16 118:3 130:8 132:21 152:14 230:25 249:19 250:8 254:8 266:15,18 274:8

overali 113:4,25 143:18 162:23 163:24 257:8 278:17

overcome 250:11 252:12

overlaps 271:25

overview 59:2

own 160:3 185:17 211:14 240:2 264:16

oxidation 38:13

Р

p.m. 136:16 137:3 297:9

Pacific 136:10

package 140:16 278:24

packaged 139:19 140:14,23

packets 66:20 71:18

page 10:5,23 11:6,8,10,13,14,16,21 12:23 13:4,6 14:10 30:6,23 43:14 48:21 49:2 50:17,18 51:14 56:11 58:12,15,23 60:3 62:25 63:8,10,19 65:23 66:10,14 67:25 68:21 70:5,11, 18,23 71:9,14 72:3,6 73:13,18 75:4 78:9 79:10,22 80:25 81:24 83:25 84:9, 11,13 91:8,12,23 94:13 99:12,13 100:13 103:13 107:7 114:5 116:25 117:8 119:3 126:5 127:9,15 128:25 137:11,13 142:14 143:9 144:15 151:17 152:9,19 153:4 166:18 180:6, 24 181:7,8,17 185:15 188:7,8 192:11, 12 193:13 217:9 231:22 233:5 246:7 260:3,4 267:19 268:7 271:16 280:18 282:2 287:15,22 289:9,13,14

AMG Reporting LLC 917-969-4493

pages 152:11Paper 54:4,15papers 6:9 54:10

paragraph 11:17,21 19:16,21 20:5,22 23:4 30:4 40:7,13 62:24 63:22 66:14 67:24 68:2 71:10,13,14 73:17,24 78:17 79:17 81:2 82:2 84:13 91:13,23 94:16,17,19 101:19,20 102:10,14 105:13 117:9,12 119:3,4,23 127:9,15, 16 128:10,25 129:8 137:12,14,15,18 138:9 139:13,14 141:5 142:14 143:16 144:5,15,17 145:9 146:18 147:24 152:3,12,13,16 155:5 156:18 169:7 180:7,12 181:17 185:15 187:21 188:7 192:12,15 195:24 200:12 204:8 205:9 207:5,6 220:25 221:16 223:14 224:15 231:19.22 233:5 235:19.20 237:8 241:21 246:6 247:18 260:4 262:8 267:17,18,21,23 269:17,20 271:6,13 272:7 274:7,12 276:16,19 277:24 281:24 283:16 287:14,25 288:12,16 289:15,22 290:3,14,19 291:10,12,14 293:16,18 294:14 297:2

paragraphs 48:25 117:2 237:4,6

parallel 268:16 269:12

parallelism 37:3

Paraphrased 268:18

parasitic 101:23 102:8

parenthetical 68:23 247:22

parse 103:11

part 20:23 24:10 62:14 63:19 67:6 80:7 104:19 105:2 110:21,22 113:2 117:4 133:24,25 140:2 170:3 184:9 187:20 200:17 205:11 226:4 243:12 256:22 292:25 296:23

partial 245:11 partially 197:16

particular 7:3,20 11:22 12:8,18 15:21 22:16 23:14 25:8 27:3 30:20 35:21 36:13 38:21 42:15,24 44:19 60:12 61:24 67:16 73:16 85:12 87:23 88:2 89:19 92:25 100:22 111:3 128:5 135:24 137:12 141:9 143:7,8 149:9 152:2,5 166:2 172:25 174:13 180:12 181:6,10 184:15,24 214:11 215:6,14 229:24 231:16 261:2 263:14 276:14 277:11,25 279:20 283:19 293:3,4,19 294:6 295:4

particularly 59:16 169:19 241:4

particulars 293:19

parts 64:6,8 103:23 188:23 189:4,16, 22 190:17 191:2,12

passage 289:22 290:2

passing 64:8

passive 81:8,12 129:7,10,16,19 130:8,18,20,23 131:2,17,21,24 132:3, 21,24 133:6,18 134:23 135:16 145:2, 15 146:8 220:10,15,19,23 238:18 239:13 240:7,15 249:19 250:8,20 251:20,21 253:3,9,15,19,21 279:8,14 281:4,5,18 291:17 296:3

past 110:13 165:16

patent 6:5,19 7:8,13,16,22 8:12,17, 19,21 9:3 10:19 11:4 12:24 13:20 14:2,3,12 20:22 74:11 114:25 124:8 149:11 151:3 178:13 185:4,9 192:4,9 203:14 214:16 223:17 228:5 251:15 258:4 276:10

patents 125:8_

patterns 66:23 68:6 71:21

paying 18:23

people 16:8 18:17 24:24 28:9,13 52:2 61:20 65:11 87:10,11 97:14 219:2 226:17

percent 225:19,20,25 226:2,25 227:2

percentage 166:13 perfectly 114:8

perform 27:5 135:20

performance 97:14 112:3 124:3 138:17,24 139:5 146:23 239:20 260:23

perhaps 41:24 51:6 90:6 133:8 140:20,21 187:18

period 52:11,12 93:19,22

periodically 7:10

peripheral 139:19 140:13,17,20 141:4,10,17 144:4,9

person 75:18 76:9,20 180:14 196:20, 22 197:12 199:10 225:11 263:7 272:17 275:11 283:3

personal 62:19 137:25 138:14

perspective 272:2

pertinent 221:19 228:3

Job 1040

Index: pages..Ph.d.

petition 6:11 8:2,6

petitioners 4:14

ph 60:15

Ph.d. 4:1,17 5:1 6:1 7:1 8:1 9:1,21 10:1 11:1 12:1 13:1 14:1 15:1 16:1 17:1 18:1 19:1 20:1 21:1 22:1 23:1 24:1 25:1 26:1 27:1 28:1 29:1 30:1 31:1 32:1 33:1 34:1 35:1 36:1 37:1 38:1 39:1 40:1 41:1 42:1 43:1 44:1 45:1 46:1 47:1 48:1 49:1 50:1 51:1 52:1 53:1 54:1 55:1 56:1 57:1 58:1 59:1 60:1 61:1 62:1 63:1 64:1 65:1 66:1 67:1 68:1 69:1 70:1 71:1 72:1 73:1 74:1 75:1 76:1 77:1 78:1 79:1 80:1 81:1 82:1 83:1 84:1 85:1 86:1 87:1 88:1 89:1 90:1 91:1 92:1 93:1 94:1 95:1 96:1 97:1 98:1 99:1 100:1 101:1 102:1 103:1 104:1 105:1 106:1 107:1 108:1 109:1 110:1 111:1 112:1 113:1 114:1 115:1 116:1 117:1 118:1 119:1 120:1 121:1 122:1 123:1 124:1 125:1 126:1 127:1 128:1 129:1 130:1 131:1 132:1 133:1 134:1 135:1 136:1 137:1,4 138:1 139:1 140:1 141:1 142:1 143:1 144:1 145:1 146:1 147:1 148:1 149:1 150:1 151:1 152:1 153:1 154:1 155:1 156:1 157:1 158:1 159:1 160:1 161:1 162:1 163:1 164:1 165:1 166:1 167:1 168:1 169:1 170:1 171:1 172:1 173:1 174:1 175:1 176:1 177:1 178:1 179:1 180:1 181:1 182:1 183:1 184:1 185:1 186:1 187:1 188:1 189:1 190:1 191:1 192:1 193:1 194:1 195:1 196:1 197:1 198:1 199:1 200:1 201:1 202:1 203:1 204:1 205:1 206:1 207:1 208:1 209:1 210:1 211:1 212:1 213:1 214:1 215:1 216:1 217:1 218:1 219:1 220:1 221:1 222:1 223:1 224:1 225:1 226:1 227:1 228:1 229:1 230:1 231:1 232:1 233:1 234:1 235:1 236:1 237:1 238:1 239:1 240:1 241:1 242:1 243:1 244:1 245:1 246:1 247:1 248:1 249:1 250:1 251:1 252:1 253:1 254:1 255:1 256:1 257:1 258:1 259:1 260:1 261:1 262:1 263:1 264:1 265:1 266:1 267:1 268:1 269:1 270:1 271:1 272:1 273:1 274:1 275:1 276:1 277:1 278:1 279:1 280:1 281:1 282:1 283:1 284:1 285:1 286:1 287:1 288:1 289:1 290:1 291:1 292:1 293:1 294:1 295:1 296:1 297:1, 10

photo 32:6,9,10 46:5 51:10,12 73:19 81:10 95:10 133:10 150:8 204:15 220:12 279:14

photo-generated 106:15,23

photographers 219:13

photographic 139:21 140:7

photolithography 38:15

photon-induced 105:15

phrase 24:24,25 25:3 68:22 74:13 85:20 88:25 96:9 109:2 158:10 173:7 198:10 218:20 236:6 242:11 248:3 261:11

phrased 27:10 85:20 201:10

phrases 277:21

phrasing 129:14 246:17

physical 83:12 165:5 256:7

physically 171:23

physics 106:14

pick 92:11 186:5 221:24 235:20

255:15,20,21

picked 220:2 255:7

picking 180:3

picks 256:17

pickup 11:2,23 12:12,16,22 14:13 20:4,12,24 23:20,22 24:15,20 25:9 27:13 29:11 37:19 38:2,9 40:17,25 41:5,6,18 42:9 43:11,18 44:24 45:18, 19 273:2 277:15,19,20 282:15

pictures 15:6 219:2

piece 156:23 157:9 259:9

pieces 163:25 pins 31:7,9,15

pitch 280:17 281:10,16

pixel 19:3 29:12 31:21,23 32:13 33:5, 10,14,16 34:5,25 35:3,25 36:3,19 37:7,10 39:10,18,21,23 41:19,20 42:24 44:19 45:11 46:4,5,6,8 55:16 67:10 68:9,14 81:14 83:22 84:21 85:5, 14,16 86:4,18 88:7 90:23 93:19 96:23 100:22 105:6,23 113:23 116:12,18 117:21 118:9,12,16,17,20 125:11,13, 24 126:11 128:6,14 129:18,19,21 130:6,8,20,22,25 131:2,17,20,21 132:4,15 133:6,8,10 134:23,24

135:16,17 139:18 140:10,13,23 142:6, 8,22 144:23 145:10,11,18,19,23,25 146:6,20,21 192:17 193:2,5 197:11 203:20,21 205:3,16,24 207:23 208:6, 20 213:21 220:10,13,15,18,23 223:24 224:3 234:16 235:6,12 238:13 239:10 240:7,11,15,16 241:6 248:17,25 249:25 250:3,4,10,15 251:20 253:2,9, 15,20,21 261:21 278:15,21,22 279:2, 8,14 280:2,17 281:7,21 282:8,11,16, 21 290:11

pixels 19:11 20:17 36:22 40:23 41:4, 7,11,17,21 42:4,7 64:18 65:3 66:4,20 67:20 68:16 69:17,21 70:14,20,23 71:18 78:10 81:6,8,9,12 84:22 87:15 96:14 104:6,7,9 105:14,19 118:4,7,24 126:11,16,19,25 127:21,24 128:19 129:6,7,10,11,16 132:7,11,20,21,23, 24 133:18 141:7,25 142:4,17 144:13, 19 145:2,15 146:8 147:12 196:2 200:18,24 206:13 221:3 238:18 240:24 249:18,19,20 250:8,10,19,20, 24 251:22 252:7 278:18 279:8,9 281:5,10,22 283:24 284:3 291:2,16,17 292:11 296:3,4

place 22:3 48:22 89:13,16 97:7 139:21 153:18 154:17,19,20,22 155:9, 11 163:2 164:17 172:8 175:18 177:3 183:20 186:20 191:15 211:12 242:13 269:22 270:16 271:23 278:24 280:15 288:15

placed 140:7 160:24 166:25

placement 232:6

places 89:14 154:7,9 155:2,12 163:10 172:4 184:14 187:18,19 242:17

placing 92:4 96:5 163:5 184:23 248:17

plain 77:14 115:4 272:3

planar 283:20,22 284:13,18,25

plane 62:8 64:19 149:24 150:2,4 151:21 268:12 269:10,11,12 273:7,12, 14 283:23 284:13 285:9 286:2

planes 268:15,16

please 127:14

plug 31:11 209:18 212:4,21 262:3

plugging 208:24 212:10 262:9,23 264:12

plural 175:12

plurality 195:25 198:12,24

plus 253:21 264:16

point 16:2,9 18:10,18 20:13,16 36:14 72:13 124:5 135:22 136:6 149:14 152:4 157:15 178:25 179:3 202:19 209:16 211:19,24 214:19 215:10 221:15 227:18 230:16,22 236:21 242:11,15 243:2,4 244:24 246:3,10,15 248:11,14,25 256:13 257:2 258:20 261:17 262:18 264:21 265:4,14,17,20, 22 269:8,10,12 274:23 275:4,22 281:8

Job 1040

Index: photo..power

pointed 11:18 14:10 22:14 130:2 185:14 193:14 196:7 221:16 228:12 229:14 242:21 269:17 270:8 287:21 291:25

pointing 72:19 83:9 186:4 189:24 190:2 193:7

points 170:21 221:22 236:11 245:8 248:16,18

pole 73:5

poly 78:20 79:4 195:25

polysilicon 38:16 200:19 202:3

poor 97:13

portion 40:16 70:24 71:5 92:15 103:6 141:24 143:4 148:17 175:24

position 183:10 271:20

possibilities 77:18 168:8 208:11 222:20.22 223:3

possibility 84:17 85:21,23 95:11 97:4 140:15 156:9 178:2 235:3

possible 32:8 66:19 71:17 93:9 94:11 95:14 121:3,5 122:3 141:17 144:8 165:6

possibly 206:15

post-video 151:5,12,23 152:19,25 153:21 154:7,19 156:2,14 157:11,14 158:4,14,23 160:10,19,23 161:12 163:18 164:10 166:8 171:6 172:14 173:15 175:5 177:9 180:16 183:9 186:22 190:14 191:19 225:3 245:15 268:14 269:16,23 270:14

potential 92:13 156:22 248:18 254:14

potentially 38:15 66:2 122:4 144:24 146:7,9,10 167:16 230:17 240:25

power 25:4 26:11 27:17 28:3,7,19,22 29:5 31:24 32:4,11,15,20,22,24 33:7,

er 08, 2020 Confidential

11,13,15 34:4,9 35:13 36:2,4,6,7,8,9 181:23

practical 78:8

pre 190:14

pre- 156:13 166:7 180:15 191:18

225:3

pre-video 151:5,12,23 152:18,25 153:21 154:7,18 156:2 157:11,13 158:3,13,23 160:9,19,23 161:12 163:17 164:10 171:6 172:14 173:15 175:4 177:9 183:9 186:21 215:18 245:14 268:13 269:16,23 270:13

precise 88:3 225:19

precisely 43:7

preclude 140:15 282:8

precluded 190:15

preference 127:23 214:7 215:2

preferred 120:14 121:15 premise 163:12 237:21

present 53:16 54:3,6 101:4,24 150:24

158:18 248:12

presentation 54:11 55:22 presentations 53:9 54:8 56:3

presented 51:21 52:25 53:2 177:21

presenting 256:6 presents 190:8

presumably 62:13 73:4 102:21 138:17 145:20 200:20

presumes 255:11

pretty 22:23 32:18 226:21 229:14

prevent 292:22

previous 95:7 145:8

previously 29:9 42:16 58:7 108:22 137:5 192:7 201:4 211:17 235:5 286:23 287:8

price 17:19

primarily 16:6 297:3

primary 58:2 principle 250:3 printed 160:7 161:3

prior 293:16

probably 39:5,16 51:5 53:5 62:7 89:13 136:5 178:25 208:15 259:6 280:24

problem 105:8,25 106:19 124:6 226:5 230:4 231:4 250:11

problems 16:17,18 221:19 224:17 228:4,5

proceed 4:16

proceeding 7:18

proceedings 50:20 51:22 53:4,12 54:4,9,12,15,18,22 55:25

proceeds 196:3

process 38:19 39:7 89:20 97:8 132:13 134:5 160:16 187:22 212:24 254:12 281:9

processes 39:4

processing 61:19 84:18 95:9 153:6 161:23 170:24 181:22 192:19,22 193:8,17,19,23 194:4,8,11,13,19 195:3,7,10 196:8 242:22 245:22 260:18 269:19

produce 98:4 212:17 257:5,8 265:10 293:13

produces 199:2 293:7

producing 227:7

product 52:7 162:23 212:5 228:10

production 88:20

products 67:9,13 254:8,9

professional 53:7

program 53:19,20 56:14,15 57:2

programmable 59:5 65:22

programmed 64:16

programs 62:3

project 60:6,7,15 61:24,25 233:9

prominent 104:15 promised 229:15

pronounce 50:22 75:17 98:20,25

99:2 115:13,15,20

properly 98:25 99:2

properties 106:17 proposed 214:15

pros 92:13 147:16 241:13 250:5,15

Job 1040

Index: practical..putting

provide 10:18 28:17 72:7 75:8 76:5, 17 159:19 160:15,25 173:6 182:16 183:18 197:4,19 199:10 217:18,21 230:24 239:4,6 247:4 248:10 256:16 260:21 262:15 263:4 267:9,12 286:24 287:19 288:2.6 294:25

provided 32:23 40:8,9 68:7 76:8 80:23 82:15 84:7 93:25 120:5 138:23 190:25 191:21 194:23 202:14 216:3 233:9 263:4,25

provides 10:25 27:17 30:19 130:10, 15 207:14,19 214:4 221:13 230:14 241:7 248:13 252:19 262:20 263:23 267:2,3 272:21,25 273:13 288:10 293:2 296:12,14

providing 25:3,20 29:5,7,8 91:20 174:21 198:14 243:3 294:21

publication 49:13

publications 52:20,24 55:14 56:2

publicly 48:23

published 51:21 52:25 53:2,3 54:13

publishes 55:19

pull 6:20 7:8 8:13 9:14 50:6

Purchase 90:16 purchased 17:10,24

purchasing 14:21 15:18,22 17:7

purpose 15:17 139:17 142:11 157:15 219:18

purposes 35:17 123:13,22 174:5,11

push 36:21 37:4

put 6:10 14:21 17:7 21:21 22:23 26:23 87:7 89:10,15,18 90:11,14,18 91:5 95:15 97:7,11,19 99:25 131:9 152:18, 23 154:17,19,20,24 155:2,3 156:13 161:9 163:10 164:16,17 166:12 167:6 171:12 172:19,25 173:8 174:18,19,20 175:4 180:15 185:23,24 186:21 187:2, 19 191:18 208:20 210:23 232:10,11, 13,21 261:21

puts 153:13

putting 25:23 91:4 93:9 153:17 174:5

Job 1040 Index: qualifiers..relate

186:6

Q

qualifiers 49:12 qualities 113:4

quality 15:9,14 42:8 110:11,21 111:4 117:17 120:5,15 121:18,23 122:6,20, 23 123:5,18 218:24 219:16 289:19,23 290:7,18 291:25

question 13:8 50:25 56:5,8 61:10 99:10 109:8 121:8 122:19 124:25 125:17 126:13 129:9 143:25 146:5 158:15 164:9 165:22 192:20 194:6 211:2 225:19 227:12 228:7,12 230:2, 10 233:22 234:6 238:3 242:3 243:10 251:14 258:18 262:22 272:15 274:4 275:11 294:2

questioning 83:18

questions 5:11,18 49:7,16 50:15 149:9 266:16 288:25 289:5 291:20 297:5

quickly 64:7 66:2,5

quite 87:25 107:13 108:5 112:11,17 184:6 281:11

quotation 181:20 quote 20:23 188:21

quote-unquote 242:4 243:12

quoted 30:7 202:11 246:6 287:15 289:22 290:21

quotes 289:19 **quoting** 20:21

R

range 46:22 104:14,23 106:7 219:9, 10 275:6,10,25 276:9 282:24

ranging 57:14 rare 284:23

rarely 97:7

rate 94:7 109:19,21 112:3

rates 91:14,19 93:3 99:19

ratio 101:22 107:20 108:5,9

rationale 222:13

read 13:23 24:13 36:19 37:8 59:24 68:22 70:18,20 75:3 82:2 95:6 117:4 121:21 122:10 144:22 145:6

reading 46:20 48:25 67:25 68:21 78:15 114:14 128:9 160:2 185:19 248:23

readout 37:10 65:22 99:17

ready 16:18

realization 78:8,21

realize 93:16 188:13 189:20

realized 68:4,23 69:4,8 75:5 79:19 82:17

realizing 89:12

really 19:13 21:21 25:7 40:4 43:9 55:7 77:17 87:12 95:20 101:7 103:2,11 110:2 127:7 140:19 141:16 145:21,25 147:15 150:25 152:10 184:6 185:10 295:12,24

rearranging 159:8

reason 130:24-144:21,23 145:21 180:19 187:20 220:22 221:24 222:6 225:2 232:20 235:14 237:13 240:18

reasonable 11:4 234:12

reasonably 224:16

reasons 88:16 145:7 152:20 171:8 173:22 180:20 222:3,7,11 261:13

recall 14:14 17:13,22,25 18:5 19:6,13 36:17 39:14,19 40:2,4 43:2,6 51:7 52:14 56:19,24 57:6,7 58:4 59:20 60:10,12,18 67:17 151:7 201:8 202:10 225:6 236:17 261:9

receiving 176:6 202:25

recess 48:10 98:16 136:15 179:25 217:6 259:25 288:22

reciting 274:15

recognition 62:15

recognize 22:3 56:17 76:15 89:8 97:16 115:7 153:15 172:12 173:24 175:4 182:23 184:21 197:3 200:3 207:16 211:11 226:10 239:3 241:13

recognized 86:25 87:5,17 185:20 226:18 234:24

recognizes 97:6

record 7:2,4 8:17 47:18 54:5 82:3

139:11 141:21 144:22 165:14 297:8

redesign 158:12

redesigning 158:6 162:22

reduce 90:5 124:5 143:19 146:15 166:9 177:13 178:14,16 184:25 226:25 227:6,19 290:12

reduced 101:25 153:8 187:24

reducing 88:21 116:13 139:3

reduction 166:13,24 167:4 188:13

refer 28:9,13 65:12 243:11 269:20

reference 6:20 8:11 20:3 23:8 29:25 42:18 43:9 47:13,14 48:13 49:9,18 50:8,10 65:6 82:3 98:19 108:23 115:12 116:3 123:21 126:23 135:23 137:10 148:24 149:3 151:20 165:14 192:16 193:12 196:17 203:20 205:14 206:11 217:17 219:20 231:18 235:11, 21 237:14,19 238:20 241:2 242:4,20 289:18 290:20 291:24 294:8

referenced 51:15 293:17

references 6:11,22 43:20 63:14 135:7 212:11 221:15 242:25 248:23 249:8 262:25 263:12,15 264:9 265:25 290:17

referencing 127:10

referred 25:5 26:10,11,13 29:7 36:20 50:7 65:14,17 71:7 79:9 99:18 108:24 141:4 142:19 144:4 165:25 218:16 219:12 220:14

referring 7:9 9:17 30:3 63:20 68:12 69:3 74:6 107:17 123:21 141:5 197:9 224:17 236:5,8,21 242:5 244:14,19 246:7 247:7 261:3 277:23

refers 12:11,15 30:18 31:14 61:18 65:2 74:8 117:4 150:10,11,17,19 236:19,22 260:16,18,19 268:5 297:3

reframe 61:10

regard 125:24 128:4

regarding 289:23

regardless 183:25 209:20

region 143:20

regularly 52:21

relate 69:16 157:4 242:10,12 279:3

Job 1040 Index: related..Rotatable

related 6:11 42:4 51:23 77:18 94:20 102:12 110:24 113:9 114:21 124:23 126:3 135:5 141:12,13 223:18 224:5,8 243:18 247:2 280:13

relates 10:19 14:11,12 119:5 140:18 225:22 244:7 272:24

relationships 149:16 relative 128:6 133:17 relatively 89:9 94:9

relevance 53:23 103:10

relevant 12:3 35:18 43:16 102:6 111:13 112:6 135:12 136:3 139:16

204:3

relied 148:17 relies 296:18

relocate 183:17 relocating 159:4

rely 10:8 23:24 264:20 291:12,18

relying 21:5,23 22:15 127:6 148:12 284:5 285:15

remaining 163:20

remember 18:2 59:21 125:22 143:18 150:20 157:20 175:12,16 289:21

remotely 4:9

render 135:10 165:20

rendered 77:16

renders 269:4 285:20

repeat 126:12 194:5

repeatedly 262:2 265:15 266:14

repeating 266:17

rephrase 28:20 31:22 86:15 107:23 109:7 122:21 126:21 183:6 214:13 263:8

reporter 4:2,15 5:12 140:25 186:11 209:21 229:10

represent 212:3

Representation 70:12 representative 104:8 represented 160:6 216:8

reproduced 166:20

require 31:23 32:7,11 33:6,11 34:3,8, 14 113:16 145:16 158:5,12 202:4 203:22 205:17,20 207:24 208:7 212:11 270:20

required 34:12 36:11 37:9 109:24 120:16 121:19,24 148:9 185:22 191:12 200:16 205:5,23 206:5 261:18 269:17 274:14 278:14

requirement 36:2 37:13 110:6 272:23 285:24 294:23

requirements 25:21 36:5,6 39:2 111:4 163:24 268:19 269:6 270:9 294:6,16 295:20

requires 32:4,19 33:15 35:2 45:17 191:3 200:25 201:6,18 209:19 213:5 264:7 270:17

requiring 117:16 226:14

research 14:22 16:12,16,21 17:19 35:15 51:20,24 53:6 63:16 94:20

reset 26:15 28:12 66:15,16 70:17 71:6,15,16 72:7,16 75:8,9 80:6,21,22 81:3,21 82:4,13,14 83:18,19,20 287:24,25

reside 161:6

resolution 59:5 66:25 68:7 96:16 101:23 102:15 229:25 248:15 252:6

resolutions 64:17 102:19 221:25 231:12

respect 29:17 112:2 151:16 185:8 215:3 274:15

response 101:12

rest 67:21 69:15 128:24 183:22 184:12 197:6 212:17 243:5 255:16 258:25 290:13

restate 170:16

restricted 45:2 restriction 173:8

result 278:12

resultant 228:10

results 102:14

resumed 137:3,5

reverse 216:20

review 126:22

reviewed 52:22 53:18,22

Ricquier 9:8 47:14 48:13 49:9 50:8, 10 58:6,20 62:22 65:6 69:11 70:4,22 74:8,13,20,23 75:3,16,20 76:2,8 77:21 79:12,14 80:9,25 81:10 82:16,24 83:7 84:6,10 85:19 92:11,15 94:5 95:5 97:21 98:19 99:8,11 102:4 103:6 104:19 105:7 114:12 217:13 219:20, 22,24 220:5,9,12,23 221:12,14,17,22 222:5,8 223:15,23 224:9,11,16 226:7 227:6 228:3,8 229:23,25 230:6,14,23 231:6,20,25 232:12,17,19,22,23 233:11,14,24 237:3,12,17 238:2,11,17 239:4,18 240:6,7 241:10 242:9,19 243:2,25 246:3,18 247:3,16,21 248:7, 13 249:6,12,13 252:3,17,19 253:24 254:3 280:16 281:3,6,8 284:7 285:19 286:5 287:4,7,8,16,19 288:13 290:6,8 295:9,18 296:2,3,6,11

Ricquier's 73:18 84:24 91:2 252:10

Ricquiers 47:23

right 6:4 7:18,23 14:8 15:10 16:13 18:11 20:18 23:13,15 26:6 27:6 28:3, 25 29:12,15,20 31:6 33:16 37:11 38:21 43:12 44:20 45:13 47:21 48:8 49:24 55:17 57:23 62:20 70:25 74:3 76:11,22 77:19,24 80:3 81:16 83:16 84:23 85:16 86:5,20 88:22 96:24 103:7 105:9 106:2 107:18 108:16,24 119:7 121:3 125:5 126:11,16 129:23 130:8 131:2 132:24 134:25 136:13 140:11 147:24 148:18 150:8 151:13 154:24 158:7 159:16 160:20 161:13 162:8 167:14 168:25 173:7 175:9,20 178:7 179:13 180:17 181:2,19 184:6 188:5,11 189:22 190:23 191:19 195:20 200:12 202:18 203:15,22 204:5 217:23 218:13 220:2,7,11 222:11 223:20 226:4 232:24 233:15 237:4,14 238:13 240:8,12 243:21 247:23 254:17 257:24 268:17 270:19 273:15 274:6 277:10,12 281:3 283:25 286:25 293:22 295:6,17 296:4,16

ring 83:22

rise 237:18

risk 106:24 243:21

robot 62:14

rogue 84:25

room 122:17

Rotatable 221:7

Job 1040 Index: rotates..sent

rotates 153:10 187:25 188:3

rotating 236:16

rough 257:25

roughly 152:11

routed 195:2

row 37:5 91:8 95:11,17 128:20 197:17,21,24 198:23 199:19 262:21 286:9 287:24

ruler 167:6 run 33:18 105:7

S

S/n 107:12,17

said 14:11,15 17:9 18:5 20:11 24:3 25:17 26:9,21 45:15 80:19 83:6 86:12, 24 91:8 111:10 112:18,23 114:14 120:9 128:12,13,16 131:22,25 133:3 134:10 137:13 138:22 145:15 147:7 161:16 163:23 167:16 169:11 172:19 186:14 191:14,16 195:20 201:21 203:24 205:3,19 212:8 213:23 218:3 223:21 233:18 239:14 243:19 253:7 257:10 258:4,10,23 259:5,20 260:15 266:19 273:7 276:10 280:3 282:13 294:12

sake 179:12,16

same 23:4 33:18 36:2 39:25 49:3,10 60:14 67:24 73:11 74:20 77:23 79:21 84:18 85:15 88:20 97:7 101:18,21 113:7 118:9 119:19 130:24 133:13 135:8 139:13,21 140:11 167:3,17,21 175:24 193:22 199:7 200:13 204:21 205:21 208:9 211:10 221:17 222:9 223:16,18 224:4 235:2 253:3 258:6, 11,25 264:7 266:16,17 271:7

Samsung 4:5

satisfied 268:23

satisfies 190:9 268:3

satisfy 286:22

saw 240:22

say 12:18 26:18 27:11 29:22 31:20 35:11 45:7 53:9 57:25 73:23 77:19 93:13 109:16 111:17 112:21,25 114:4 123:15 131:23 140:22 147:23 155:15, 20 157:22 177:2,21 179:15 183:20 186:11 187:16,21 188:17 193:18

194:14 196:3 199:22 201:22,23,24 202:13 205:2 209:17 213:15 223:15 224:16 225:7 231:6,14 232:2 246:16 247:14 253:12,18 271:18 276:11 292:23

saying 25:7 79:4 90:18 95:20 98:2 108:11 115:21 122:3 125:22 140:9 200:18 257:21 258:3 259:7 266:9 282:17

says 10:5,24 12:21 13:11,12 20:23 23:12,18,23 24:13 25:8,10,12 26:5 27:10 31:8 37:25 45:7 46:17 56:18 59:7 60:8 61:21 69:7 72:25 75:21 83:7 84:14 93:15 97:5 99:8 100:19 101:20 102:7,10,16,22 103:19 104:11,21,23 105:3,4 107:12 108:3 112:16 113:20 118:20 119:4.9.11 121:14.18 122:8 127:19 128:10,16 137:22 138:12 139:8,15 140:4,8,12 142:16 144:8,19 145:14 146:9,18 155:23 162:3 164:12 172:9,24 174:9,18,19,22 176:4,14,22 187:5 188:12,21 191:2 193:8 194:12, 16,18,20 195:10,17 197:20 200:13 202:13 207:10,11 211:18 214:8,21 215:11,20 223:14 226:25 228:2 231:8 233:4 240:19 245:10 246:21 254:3 265:18 274:8 277:9 281:8 282:14

Sazuki 20:22

scanning 252:20

scene 96:15

schematic 70:12 73:3 82:21 83:10 213:14 256:24 296:14

scheme 66:24

Science 62:2

scientific 62:13 121:7

second 63:2 64:10 66:13 68:2 71:13 78:16,20 79:4 80:25 81:25 91:14,21 93:3 94:7 101:19 103:24 109:20 110:4,9 145:9 150:3,4 151:20,21 166:3 233:5 268:5,10,12,16,22 269:6, 10,11 270:2,18 271:3 285:9 286:2

section 10:12,14 30:7 31:16 81:23 99:11,13,18 100:14,20 101:18 107:8 152:4 269:20 274:5,11 282:2 291:15

sections 280:12

see 4:23 10:10 11:17 12:24 13:3,9,10, 13,14,16,17 20:5 23:13 24:16 30:5,24 31:6 40:10,12,20 45:18 49:17 50:3 51:14 63:18 64:20,24 65:3,10 68:25

70:14 72:17 73:20 74:20 78:3,4 82:6 84:19 92:7 94:18,25 99:14 100:15 103:17 104:16 105:18 107:15 112:5 113:22 114:21 117:9 119:25 127:10, 25 128:25 137:20 138:4 139:23 141:11 144:10 145:3 146:25 157:21 171:10 172:8 175:20,21 176:4 180:23 181:11,25 182:2 188:5,15,24 193:16 194:17 195:6,9 198:10 216:21 224:21 231:11,21,23 234:20 236:2 239:15 241:25 242:17,18 248:24 254:14 259:10 260:9 268:7,9 271:3,22 272:11 275:9 285:12 289:15,18 290:21

seeing 74:20

seek 221:8

seem 262:2 264:10

seems 49:2 227:12

seen 85:8 103:22 118:2 271:23

select 67:19 227:15 229:4 230:21 287:24 294:24

selecting 227:3 228:16 257:2

selection 91:9 160:16 190:9 232:3 286:9

selective 84:15 221:24

semiconductor 277:20 282:15 284:18,20,25

send 31:11

sense 14:20 96:15 101:5 199:6 219:8 254:6 271:25

sensitive 144:25 145:13,16 146:7,11 279:14 290:22 291:5

sensitivity 146:15,16

sensor 17:12 18:6 39:23 41:5,12 59:4 64:19 70:12 94:22,24 95:22,25 96:4,8, 17,21 97:25 108:13 118:4,12 126:11 128:11 146:21 149:23 150:7 157:17 158:13 166:21 167:2 179:3 210:18 215:3 218:5 221:21 224:14 227:12,15 234:21 243:20,24 251:20 254:11,17, 18 255:2,4,14,20,25 256:3 273:7 277:4,6 278:11,17 279:4,24 280:21 281:21 283:20,21 284:5 290:11

sensors 59:25 67:19 95:8 105:21 117:16 144:24 146:6 221:18 223:19 224:6,10 226:11,19 228:15 235:18 254:9 276:25 279:19 285:22

sent 49:21

Job 1040 Index: sentence..solid-state

sentence 10:23 59:6 63:2,3,10,24 64:2,11,20 68:2,20 69:15 70:18 78:19 84:19 95:7 100:19 101:19 102:3 103:19,25 104:11 107:11 117:23 120:13 137:18 143:15 144:21 145:9 146:17 176:4 205:6 232:2 271:15

sentences 145:9

separate 28:24 89:21 192:19,22 193:2,17,18,20,22 196:8 213:8 239:24 242:22

sequence 127:9,12

serial 194:24

session 53:24 216:25

sessions 53:25

set 71:24 84:25 90:15 98:5 116:21 126:4 177:14 179:4 234:8,9 239:5,7 251:8 295:14

sets 239:24,25 249:11 251:10,11

setting 281:20

several 27:14 53:19 64:16 73:10 77:5,6 232:4

shape 118:2 149:24 190:12

shifted 54:20

short 48:5 94:9 288:19

shortcoming 237:16,21

should 58:12 101:25 145:6 164:3 174:23 202:22

show 70:6 154:6 167:12 172:8 192:21 234:7 271:17 287:17 292:19

showed 73:4 155:10 172:18 191:7

showing 191:23 232:17 273:20

shown 7:14 8:22 9:2,21 46:21 50:10 58:8 70:4,24 72:2 77:22 79:2 80:7 82:9,12,20,24 104:12 116:3 141:22 142:8 143:3 149:4,18 167:9 169:21 176:19 183:4 192:9 193:21 195:4,8,18 196:4,12 214:16 270:3 276:11

shows 31:17 43:24 65:23 81:18 83:10 94:12 101:12,13 111:25 142:9 153:12 178:6 192:24 193:4 214:11 220:12 232:12,19 275:4 276:25 293:9

side 31:19

signal 20:15 23:21 64:18,23 68:17 72:22 80:6,22 81:3 82:13,15 83:11,20,

21 97:9 100:22 101:10 105:18 117:17 118:8 151:23 161:23,24 170:22,23 176:10 181:22 192:25 196:16 203:5 225:3 236:13 245:22,23 254:22 260:17,18 261:8,17 263:24 269:19 293:21

signal-to-noise 101:22 107:18,20 108:5,9 110:14,16 112:11 113:4 218:24

signals 26:14,15 28:12,14 29:8 31:11 65:12 68:15 70:16 71:7 72:12 79:25 81:22 84:4,5 104:7 151:5,6 194:22,25 195:2,5 215:25 293:11 295:15,19

silent 184:18 213:24 214:9 218:4

silicon 196:2 227:20 284:12

silly 253:18

similar 5:3 28:16 37:16 55:5 61:25 234:25

similarities 295:23

similarly 34:22 183:21 209:10 273:17

simple 22:25 72:23 90:18,20 130:18

simplest 32:9

simply 12:15 21:13 25:2 45:17 71:24 153:18 154:16 179:5 186:4 250:25 274:22

since 5:16,17 56:8 133:23 188:21

single 73:5 94:24 96:21,24 97:20,21 98:3,13 130:3 195:25 198:14 199:2 200:19 202:2

sit 17:21 22:10 77:19 103:4 146:4 147:22 148:3 168:25 215:5 246:20

situation 74:15 170:12 231:10

situations 121:7

size 11:20 39:10,21 40:8,9,25 41:6,12, 14 43:10,23 44:2 46:21 47:7,10 90:13 113:23 132:3,17 133:4,8,9 135:15,21, 23 136:2 153:7 156:20,22 157:4 166:10,14 169:21 170:3 177:13 178:14,16 184:3,25 187:23 224:19 250:4 272:24 273:2,22 275:2,6,10,18, 25 276:22 277:3,7,25 278:2,3,6,10,13, 14,22,23 279:2,3,8 280:7,12,19,20 281:20 282:6

sizes 12:4 39:18,19 45:3 46:18 275:24 282:22

sizing 169:22

sketch 31:17

skill 22:2 43:25 44:14 45:21,24 46:19 47:9 70:3 74:17 75:12,18 76:10,15,20 114:13 115:6 125:7 152:21 153:15 155:7 159:6,21 160:2,12 161:8 163:7 164:15 169:24 171:9,11 172:11 173:23 174:23 177:25 179:8 180:14 182:22 183:16,24 184:19 185:18 186:3,4 187:2 189:13 196:22 197:2,13 199:10,12,18 207:16 209:2,3,8,13 210:16,25 211:5,7 212:13,16 221:4 222:3 225:11 226:10 227:20 228:14 230:13 232:9 233:23 234:8,22 238:23, 25 239:2,11 240:22 241:12 248:22 250:22 254:5 256:25 261:14 262:13, 25 263:21 264:15,16 265:11 266:3 267:11 269:22 272:3,17 273:25 275:9, 12,20 276:5 280:9 282:6,19 283:3 285:2 288:7 294:18,24

skilled 55:12 89:7 196:20 263:7

slightly 184:16,17 241:9

slowly 93:7

small 65:16 110:21,22 132:12 174:5 184:10 234:9

smaller 44:11 133:11 153:10 156:24 173:25 174:7 178:3,23 179:2,3,17 184:17 188:2,4 225:5,10,16,20,25 226:2 250:4 276:3 278:7

Smart 59:4

smear 103:21 104:2,3,14,24 105:8 106:2,8,13

snow-like 118:2

societies 55:8

society 50:22 51:8,11,17,19 53:7

Sol 165:17 166:12

solder 161:4 165:3 167:17

soldered 168:4

solid 45:7,10 150:11,19 265:19

solid-state 11:2,23 12:7,9,12,15,19, 22 14:13 20:4,12,14,24 23:19,22 24:15,20 25:9 27:12 32:3,19 37:19,25 40:17 43:18,21 44:24 45:11,19 46:8, 12 59:13 62:8 105:21 106:20 116:14, 16 119:5 124:24 125:4 135:9 140:5 154:14 164:23 176:6,8 201:14 202:9, 17,25 203:3,8,12,15 213:25 214:5,10, 20,24 215:2,7,10,14,23 216:8,10,14, 21 217:22 218:4 221:9,20 222:10,15

224:6,10,14 226:11 227:15 234:21 235:7,24 236:7,20 243:23 255:14 257:11 258:7 265:19 277:10,12,15,19, 20 279:24 280:5,6 282:14 283:13 284:24

solution 248:24

solve 226:5

some 6:19 12:25 13:10 18:16 19:22, 25 25:18 28:9 31:2 32:7 37:3 40:7 50:14 59:15 61:18 62:4 65:23 68:6 78:3 86:11 87:10,11,14 89:9,13 90:2, 4,8,12 91:10 93:23 95:15 96:15 97:17 104:7 106:9,24 120:20 129:25 130:20 144:18 147:18 149:8 150:5 152:20 162:20 164:3 166:20 169:10 178:22, 25 179:3 180:10 196:23 199:6 201:3 202:4 211:11 219:8,13 225:16 226:13 230:15,18,19,24,25 249:4 251:2,9,11 252:15 259:12 265:12 267:3 271:25 276:16 292:16 295:22

Somebody 163:14

somehow 32:21

someone 174:6 279:11

something 5:8 31:15 42:25 46:21,24 49:19 52:8 77:15 81:6 92:8 98:11 109:23 110:23 111:23 112:2 114:21 116:23 121:11 124:8 138:16 144:11 147:14 164:25 166:2 168:17 173:17 186:14 188:18 190:6 206:10,12 218:18 259:6 262:3,4,11 280:23

sometimes 24:23,25 25:2 26:10 28:13 36:19 65:11,14,17 131:14

somewhat 178:23 252:9 277:3

somewhere 154:11 172:15,25 198:25 215:21 276:6 282:24

sophisticated 146:22

sorry 13:4 36:6 38:3 40:12 61:8 70:10 78:14,16 126:12 150:17 152:4 168:14 188:2 193:11,24 194:5 195:19,23 198:17,19 204:4 220:4 249:3,18 252:24 258:18 260:4,24 275:3 280:11 289:11 295:16

sort 17:14 29:6 218:17 262:5

sorts 24:21 51:23 sound 6:7 255:18

sounded 99:3

sounds 39:22 247:7

source 32:7 52:19,20 102:11 143:13 146:13 292:15

sources 143:17

space 47:4 152:22 180:22 181:13 183:8 232:5

speak 122:12

speaking 25:5 26:16 67:6 85:7 265:23

specialized 123:14 226:15

specific 25:21 26:9 59:15 60:10 62:5 64:3 74:16 75:11 135:22 148:14 160:5,7 170:25 182:14 196:18 197:5 199:21 200:17 201:25 202:20 206:13 211:6 216:20 221:12,22 226:23 233:2, 10 249:5 256:13 267:6 292:3 295:14 296:14

specifically 39:12 46:23 69:19 95:18 120:8 126:7 128:23 143:24 146:3 204:7,10 230:11 245:9 261:10 271:13

specifications 233:21

specificity 40:3,5 169:20 238:15

specifics 201:13,15 262:7,19

specified 110:15 111:8 173:21 218:9

specifies 75:4 141:9 169:10 200:11 225:24

specify 44:7 134:4 203:12 255:13 278:21

specifying 203:16

spectral 100:25 101:15

SPEE 50:21

speech 138:3

speed 63:4 91:10,24 92:3,12 99:17 100:6 110:3 147:8

speeds 92:6,24 93:2 99:23

SPIE 50:21 51:2,4,11,15 52:20 53:2,3, 10,17 55:5,11,24

spoke 42:16 220:8

spoken 165:15

sponsors 233:7

spot 104:13,22 150:15 195:20

spread 117:19

square 59:11 73:22 113:20 114:2,3,6, 9,12,15,17 115:3,7,9 149:24 280:14

Job 1040

Index: solution..stop

stack 49:4

stacked 271:9,19 272:5

stacking 271:11

standard 19:2 36:14 59:12 72:25 83:8 87:2 98:9 110:8 134:23 254:4,12 284:8,9,11

stands 51:10 107:19

star 68:8,10,15,16 114:6

start 8:11,24 50:16 58:11,15,18 60:22 89:12,15 159:20 162:15,18,20 217:15 237:8 247:19 255:8 264:20,23 267:16

started 60:20 63:10 216:25

starting 43:14 51:5 78:9 127:18 161:20 246:10,15 264:21 265:3,22 272:7

starts 73:17 90:6 134:6 137:19 144:20,21 152:9 180:7 195:16,24 204:8 282:2

state 18:9 45:7,10 114:2 150:12,19 153:4 221:2 260:6 265:19 271:16 276:18

stated 93:8 114:15 139:2 159:2 171:4 183:12 196:25 220:25 237:6 238:14 262:7 271:14 275:18 281:24 282:3

statement 25:22 26:22 107:25 113:16 146:6 147:4,23 148:11 174:22 183:19 187:8 190:5 203:25 205:21 207:20 245:25 247:23 269:3

states 78:3,5,18 82:17 106:5 161:22 204:20 274:13 283:8 288:2

stating 138:15 204:16

statistical 117:19

stay 133:13

step 268:4 274:4

steps 38:17 297:3

stick 155:16

still 36:17 51:16 61:17 120:17 121:5, 19,22 123:6 124:7,14 137:23 138:7 150:18 159:13 163:19 167:2 174:7 189:14 219:17 231:19 264:10 265:21 288:21

stop 252:8

Index: storing..teaches

Job 1040

storing 65:12,13

strike 35:23 47:11 131:18 157:12

162:16 217:19

stringent 110:20

strong 157:3

strongly 259:13

structure 80:6,13,20 82:9,20 214:12

structures 63:12 76:16

study 16:11

studying 15:21

sub-array 252:20

sub-circuit 143:12

subframes 96:12

subject 7:17

submission 54:21

submit 53:17 54:4,14

Subscribed 297:11

subset 65:16 66:4 67:19

subsets 67:4

substantial 181:12

substantially 163:9 228:22

substrate 39:2 283:21,22 284:12

285:2

substrates 284:19,22

succeed 232:20

success 159:7 234:13

such 30:10 75:8 120:17 121:19 128:19,21 137:22,25 138:13 148:11 165:9 169:2,15 170:22 214:24 234:19

235:15 252:4 278:9 282:22

sufficient 76:9 107:14 108:7 110:17

111:9 165:9 274:25

suggest 94:8 113:10 129:2 177:18 190:17 195:7 222:14 227:13 255:8

262:3 282:5

suggested 229:23 230:3 280:4

suggesting 102:21 257:19 258:17

264:11

suggests 164:3 190:12 197:17 231:3,

10 234:11

suitable 62:9 195:3,7,10

suits 219:17

summary 53:13

superior 121:9

supplies 33:12 34:8

supply 26:11 32:4,12,24 33:15 35:13

181:23

support 157:17,19 165:5 259:12

279:18

supports 157:16

suppose 33:2 130:19 147:14 165:10

187:3 235:3

supposed 11:13

sure 6:18 8:3 9:14 17:6,17 19:25 23:15 29:14 37:13 38:4 47:20 52:18, 19 53:14,15 60:11 63:18 113:24 115:12 126:14 134:19 136:7 138:19 151:10 154:11 157:2 158:19 161:15 184:5 195:19 196:5 199:5 202:21

184:5 195:19 196:5 199:5 202:21 213:15 216:24 257:16 265:2,21 268:2

293:25

surface 31:2

surprise 58:3

susceptible 291:8

suspect 22:7 147:18

Suzuki 8:12,17 9:3,7,12 10:8,16,19, 22 11:18 12:2,8,11,14,24 13:6,20,25 14:11,12 19:15,18,22 20:9 21:6,9,24 22:15 23:12,17 24:5,10 25:12,14,20 26:5,20 27:3,5,10 29:18 30:18,24 37:19,24 40:9,16 43:9,24 44:4,13,18, 20,23 45:5,10,17,23 46:10,14,17,18 272:10,13,17,21,25 273:13,14,17,20 274:9 275:4,14,24 276:2,14,25 277:9, 10,13,14 279:23,25 280:5 282:3,7,11,

14 283:4,9,11,12

Suzuki's 274:17 Swift 9:8 211:9

switch 48:13 66:16 71:16 72:21 73:5, 7 75:9 82:5,12,23 83:15,19 84:2

switches 66:15 71:15 72:23 75:9 82:4,19 83:21 143:11,14 200:24

switching 295:19

sworn 4:9,18 137:5 297:11

symbol 83:10

synchronization 161:24 170:22 245:23 260:17 261:8

system 60:4,6 64:8 137:23 138:18 146:24 193:5 195:18 196:4,5 233:25

256:11 257:8

systems 51:23 55:9 57:3,12,13,14,16 94:24 96:21 120:5,6,9,12,14 121:15

138:21 181:23 233:8

Т

table 10:2,13 11:7

tackle 16:18

tailored 38:20

take 15:5 24:8 45:25 48:4 97:3 98:14 114:15 138:14 174:9 179:21 219:2 238:18 259:22 288:18

taken 48:10 98:16 117:24 118:3 136:15 179:25 217:6 259:25 288:22

taking 244:18 276:2

talk 5:13 24:9 30:11 35:21 37:18 40:7 47:13 49:22 67:15 72:15 73:18,21 78:11 85:4,11 95:18 100:24 101:14 133:25 151:4 235:22,23 241:21 242:6

talked 23:6 42:17 108:22 110:13 112:10 149:7 150:25 192:3 202:5 219:22

talking 6:3 17:8 23:4 28:21 30:8 55:17 60:20 61:3 62:17 64:3 65:25 72:15 81:20,22,25 97:24 98:18 99:6 101:2 108:20 110:5 124:9 143:6,24 156:25 161:21 166:5 176:10 180:4,9, 13 184:8 187:14 205:7 207:7 217:16 220:5 224:23 236:5 237:3 243:13 264:18 271:7 290:8

talks 40:16 50:19 54:24 56:11 59:24 60:23 64:11 65:21 66:23 68:3 78:7 91:12,18,23 94:18,19 96:20 100:24 102:14 119:23 144:18 154:3 157:3 175:10 192:16 204:10 285:5 286:7

tasks 64:4

taught 12:3,4 46:20 172:19 174:3 220:17

teach 45:21 171:11 227:11 242:25

teaches 44:13 45:23 46:18,25 47:5 80:10 171:19,22 175:6 211:4 231:13

232:8 251:2 252:3

teaching 14:22 133:22 155:22 190:22,25 227:23 240:19 265:16 273:23 274:18 283:5

teachings 21:24 23:25 43:15 116:17 126:3 148:14 190:21 210:6 211:18 212:3 227:9 233:14,21,24 242:8 243:25 246:2,17 247:3,21 252:10 265:23,24 266:6

technical 15:25 51:8,19 53:23

technique 38:8 284:15,17

techniques 38:5

technologies 16:10 56:18,21 124:4

technologist 139:16

technology 12:19 34:21 39:15 59:12, 14 73:2 83:8 84:14 85:13 119:7 254:4 256:13 257:3 282:20 284:10,12

teleconferencing 121:11

telescope 62:14

tell 52:18 110:21 177:25 209:7 210:23 216:3 276:4

tells 215:6 216:16 telluride 229:6

temperature 122:18

temporal 100:14,17 101:5,8

temporarily 65:13

tends 133:4 134:11,18,19

term 30:14 61:16,17 64:22 87:21,25 88:12 106:13 107:3,6 246:6 271:11

terminology 236:16

terms 9:10 11:3 12:2 19:8 22:15 23:25 34:23 36:4,10 38:2 39:13 40:23 41:20 45:20 46:18 47:10 87:6 88:21 100:11 110:12,20 130:21 160:21 162:2 173:16 218:17 226:23 227:16 249:4 252:20 254:14 261:14 262:21 263:25 268:2 284:18 291:3

terribly 157:3

testified 4:19 29:10 52:10 54:25 79:8 80:14 92:19 99:8 125:2 127:5 129:22 137:6 163:22 167:11,23 168:6 201:4 211:16,23 218:11 225:2 235:5 257:22 265:15 283:7 286:23 287:7 296:2,7

testify 211:25 272:9

testimony 7:21 9:4 26:2,25 43:8 44:17 45:9,13 46:13 57:21 62:16 70:21 74:22 76:7 77:9 80:5 83:2 131:16,19 132:19 141:3 151:10 155:25 157:10 161:10 162:6 163:16 165:12,17 170:5 180:11 183:7 186:19 196:19 199:8 209:23 213:18 215:4 216:6 217:20 225:8 233:12 236:24 258:21 259:4,17 260:12 261:20 263:6, 9 266:5 268:22 269:3,25 270:21 271:8 274:11 276:13 279:25 283:2

text 142:19 193:13 194:18

theme 62:4,7,19

thereon 80:2 151:22 284:3 285:11 286:14.17.19

thing 17:14 165:2 206:19,21 209:16 212:9,15,20 245:13,14 264:12 266:18

things 25:4 26:10,15 27:14 28:8 45:3 49:16 52:4 54:6 62:15 63:15 65:20 71:24 75:7 89:9,10 90:19 109:16 113:17 124:5 134:16 146:10 147:13 152:15 156:19 157:4 159:5 160:4 161:19 162:3 165:7 167:21 169:10 170:22 176:16 182:4 190:2 201:16 222:2 227:3 242:25 244:7 247:15 250:9 251:2,25 252:10,14,15,17 256:10 272:21 283:7,9

think 6:17 11:4 12:14 15:14 16:4 17:9 18:13 21:19,21,25 22:23,25 24:4 25:6, 20 27:9,10,15,21 35:6 36:8 37:24 38:24 39:6,16 40:3 41:11 42:12,23 43:24 44:13 45:15 47:15 48:21 49:21 50:2 51:12 52:15 54:21 55:18,24 57:19 59:18 67:5,6 70:2 71:10 74:17 76:14 77:3 81:11,22 85:7 86:8,23 87:4,17,24 88:3,11,13 90:17 91:2,9,16 92:2.12 94:3 95:20 96:18 97:5 98:2 99:21 101:12.13 104:5 105:3.19.20 106:5 109:22 111:25 114:14 115:6 117:11,22 118:5,18 122:3,8,14 123:12,25 139:7 141:8,15 146:2,12 147:16 148:3 152:10,20 153:24 154:10,16,25 155:13 156:10 157:8 159:3 161:17 164:14,25 167:23 168:6, 15 171:2 172:20 173:5 176:25 177:17, 24 178:21 179:5 182:21 184:3,4,13, 17,21 186:9,13,23,25 187:5 189:6,11, 24 190:4,7,20 191:5,6 194:10,12,16, 21 196:13 197:19,22 198:9 199:17 200:3 201:9,20 210:12 212:8 213:7,23 216:2 218:16 219:8,18 220:16 221:13

225:15,18,24 226:9,17,24 227:3,22 229:13 230:8 231:8,9,13,16 233:18 234:6 237:20 240:17,21 242:22 244:11,17,19 245:12,17 246:23 247:12,13,14 248:3,24 259:15 272:2 276:25 278:5 282:5 287:11 290:16 292:6 294:11

Job 1040

Index: teaching..title

thinking 67:7 123:11 242:19

third 62:24 63:3,21,24 64:11 144:20 167:6 187:4,6 235:22

thought 43:15 77:17 191:14

three 28:4 156:8 187:19 223:6 248:5,

threshold 106:10

through 5:4 6:21 19:22,25 51:6 64:12 77:17 117:2,8 152:12 176:2 182:3 237:7 270:8 287:22 288:19,21

throw 73:5

Thursday 4:6

time 5:6 15:22 16:15,19 17:8,10,11 19:4,9,12 30:19 36:14 37:10 38:7,10 39:23 41:19 44:2,16 52:5,11,12 55:6, 13 56:23 59:7 61:2 63:17 64:5,13 67:14 70:19 85:4,11 88:3 89:8 94:8 97:11 99:22 101:9 120:4,23 137:3 187:14 199:7 204:13,19 205:12 207:11 228:14 229:7 253:3 276:21,23 280:10 282:20 286:8 297:9

timed 71:23

times 104:14,24 106:6 110:10 205:12 206:8 266:16 280:22.25

timing 24:24 26:12 27:19 28:2,6,18, 23 29:8 68:4,5 69:4,7,10,17,18,19,21, 22 70:7 72:2,9 73:24 74:8,9,12,14,21, 24 75:4,15,25 76:8 79:9,18 80:2,7,12, 23 82:16 84:5,7 90:22 92:4,17 93:14, 17,23,25 94:10 96:6 99:7,15,20 100:4 125:23 126:3,7,24 127:9,12 128:5,14 157:19 192:18,21,25 193:6,16 194:2, 7,25 196:9,11,16 197:14 198:2,5 199:4,13,20 200:14,21 204:21 213:11 231:20 242:21,23 260:7,12 261:3,11, 22 262:21 264:2 285:10 286:6,7,13, 21,25 287:4,11,17,20 292:3,19,23 293:3,9,13 294:5,15 295:4,8 296:8,13, 19

title 53:12 59:3,23 116:10,12 117:4 221:6

Job 1040 Index: today..using

today 4:6,9 6:2 8:11 9:17 17:22 22:10 103:4 146:4 147:22 148:3 192:4 202:6 215:5 216:6 272:14 288:24 289:2 292:15

together 68:15 84:16 96:14 164:20 170:8 243:8 248:23 249:13

told 18:22 123:11 130:16

tool 62:15

top 12:25 13:9 43:3 57:25 70:24 71:3 141:23 180:24 248:2,4

topic 35:18 56:9 148:4 180:4

total 133:12 towards 145:19

traces 159:8 182:19

track 7:25 131:6 133:4 134:11

tracks 133:5

trade-offs 92:10 281:18 transcription 139:8

transfer 200:14 204:11,17,22 206:7 207:7

transferred 204:14 207:12

transform 101:11

transistor 130:4 131:7 133:5 200:24 204:11,12 281:15

transistors 33:10,23,25 34:10 73:10 83:14 87:16 119:18 281:11

trend 86:2,9,17

true 35:8 37:6 105:20 238:24

turn 58:11 84:9 94:13 103:13,23 107:7 115:10 119:2 137:11 141:20 144:14 148:23 149:10 180:5 192:5,13

turning 58:5 217:8

turns 207:15

TV 98:5

two 28:21,24 34:2 47:23 48:15 55:7,8, 14 81:17 119:13,16 120:16 140:15 154:25 155:12 156:6,12 162:3 163:9 164:18 165:20 172:17,22 180:21 185:22 186:2,24 187:18 188:9 210:18 232:16,18 234:5 235:2 250:25 258:11 262:24 263:19 266:8 267:5 271:17 272:20 283:7,8 288:4

two-thirds 117:14 290:20

type 12:8,19 17:11 19:3 22:5 44:19 45:10 100:20 124:21 213:25 214:10 215:2,7,14 216:4,7,21 217:22 218:4, 10 221:11,23 235:6 262:18 265:16 277:11

types 26:14 28:22 45:23 46:2 101:4

typical 15:14

typically 16:16 32:10 37:4 52:7 53:24 106:9 226:11

U

U.S. 6:5 7:13 8:18,21 14:3

Uh-huh 17:21 ultimately 256:10 ultraviolet 57:15

under 9:10 10:14 39:17 62:4 63:22 72:16 100:14,20 103:15 120:20 147:18,20 204:14 209:25 217:11 222:13 240:22 274:8

underlined 188:21 underneath 13:15

understand 6:8 8:3 16:8 20:2,21 49:17 56:6 74:18,19 75:13,24 76:3,10 92:21 100:18 125:16 141:21 196:20 247:5 257:2,16 258:18 262:13,17 263:2 264:13 275:9 282:11,21 283:5

understanding 9:2 10:18 13:19,22 14:5 18:8 20:9 21:15 25:11 30:13 35:22,25 37:17,20 39:20 41:3,10 42:6, 19 51:2 58:19 60:25 61:13 65:4 69:6 95:4 100:3 102:2 103:5 104:18 107:24 122:5,20,22 123:5 128:3 138:7 139:25 184:20 257:22 261:15

understandings 174:25

understood 77:4,5 84:22 85:3,10 138:19

undoubtedly 25:19

uniformly 118:7

Union 60:9

Union-funded 61:25

unique 292:4 293:4

unit 31:12 68:5,24 69:5,9 75:6 79:20 82:18 153:9 156:23 157:5,9 187:25

188:3,12,22 189:25 287:9

universally 35:7

universe 165:7 168:7

university 16:21

unless 32:20

unnerved 99:5

unplug 209:17 212:20 262:3

unplugging 208:24 212:9 262:10 264:11

until 170:25 175:15

unusual 33:3 35:9 128:11

up 5:8 49:7 51:5 83:17 84:25 90:13 91:19 93:3 126:18 132:8 145:6 152:12 165:7 168:5 180:3 186:9 191:5 196:11 220:2 289:8

upper 141:23

use 6:16 18:18 19:15 22:22 24:24,25 25:2,3 32:14 35:10 43:17 44:3 45:18 62:9 65:15 79:4 88:14 89:4 90:9 96:10 106:12 119:3 132:17 150:10,12 160:2 166:16 174:23 187:10 189:3 198:11 209:3,14 215:15 221:6,18 223:19 227:12 228:17 230:18 231:11 233:3 236:6 239:12,13 242:11 243:20 248:25 252:5 254:12 265:18 267:5 276:24 295:8

used 9:3,4 17:12 19:3 29:5 34:19 38:7,9,18 40:19 43:9 65:8,10 66:7 67:12 70:19 73:12 76:5 78:20 83:7 87:25 88:11,25 89:3 94:23 108:25 111:23 121:10 122:6,14,24 123:21 141:6 143:14 144:7 166:15 167:13 196:16 198:5 210:4 211:24 218:5,20 220:18 233:2 243:22 244:5,9,23 247:12,13 254:3 261:10 281:9 284:16, 19

useful 108:13

uses 12:20 20:14 44:24 67:5 74:13 81:10 128:23 175:22 183:23 195:12 196:6 236:15 277:21 284:12

using 6:24 10:20 15:3 39:22 43:25 59:14 62:12 63:11 64:25 66:9,15 71:10,15 73:24 84:25 85:13 87:2 94:10 98:9 99:20 115:4 119:6 138:15 140:5 143:13 165:8 182:19,22 215:8 219:15 243:21 245:5 267:10 272:3 284:8,18 290:15

Job 1040 Index: usually..window

usually 52:4,9 54:10,21 62:3 64:6 66:5 113:14 134:3 236:22

٧

vague 183:21 valuable 63:4 91:24 value 102:18,23

variability 249:25

variations 100:21 143:20

variety 22:3 51:20 176:15 199:23 222:18 257:4 265:6 267:2

various 143:13 152:15 154:3 163:25 166:15 171:23 251:12 272:20 293:10 294:25

varying 101:10 **version** 190:18

versus 4:5 41:20 87:7 92:18 100:5 113:5 129:6 132:4,24 134:24 135:16 279:8

video 23:21 89:5 97:9 98:4 109:24 110:8 120:17 121:4,10,16,19,22 122:23 124:13,16 137:23 138:2,7 153:9 156:22 157:5,8 160:9,23 164:10 177:8 184:23 185:23 187:15,25 188:3, 12,22 190:13 191:3,13,24 215:19 219:16 245:10

videoconference 219:15

view 10:15 178:17 216:7 218:12 237:10 258:21 271:24 272:4 274:9,17 275:19 285:19 286:20

viewed 36:9 87:8 113:14 208:14

viewing 96:15

VIII.A 152:5,6 269:20

VIII.A. 152:9

virtually 213:7 284:19,24

visible 16:7,10,13,24 17:3 18:19

vision 59:8 60:4,24 61:2,13,16,22 62:10 64:8,14 108:16,20 232:24 233:4,8

visual 63:11

voltage 33:18 35:2 36:5,11 37:9,14 206:9

voltages 34:2,24 35:10

volts 34:20 36:16,17

volume 49:3

VSS 204:12,18 205:11,12 206:7 207:10,14

W

wafer 134:4,6,12,14,15

wafers 134:6,9

Wakabayashi 10:9,15 42:18,21,23 108:23 124:8,12,15 148:24 149:3,11, 18 150:9 151:16 152:14 153:2,12,20 154:2,5,23 155:2,10,15 156:5,6,8,16 158:7,22 159:19,22 160:4,14,18,22 161:17 163:4,15 164:2,6,21 165:2,13 166:20 167:3,12 168:2,19 169:4,19 170:21 171:13,19,22 172:18,23 173:2, 6,11 174:2,4,9,14,17 175:6,8 176:20 177:12,15,17 178:5,6,9,16,18 180:5 181:6,18 182:4,9,13 183:4,18 184:2 185:8,19 186:20,23 187:5,11 188:10, 18 189:3,19 190:22,23 201:5,6,11,17 202:6,16,20 203:13 206:17 207:22 208:20,21 209:4,17,24 210:2,5,10,17, 22 211:9,17,19,21 212:6,23,25 213:2, 5,17,20,24 214:6,9,12,16,25 215:6,9, 13,16,17 216:9,13 217:12,17,18,21,23 218:3,6,12,18 219:12 220:22,24 221:5,20 222:4,8,14,24 223:7,15 224:2,9,12,24 225:13 226:7 227:6,9, 11,14,25 228:9,17 229:22 230:3,5,11 231:3,5,8,25 233:14,20 234:3,4,15,19, 24 235:10,11,16 236:11,14 237:2,11, 17,24,25 238:11,17 239:4,6 242:9 243:6,13,15,22 244:8,11 245:3,7,14 246:9 247:6,20 248:8,10 249:2,12,13 250:19 253:24 254:16,19,20 255:2,3, 7,13,21,22,23 256:5,17 257:6,9,10,18, 23 258:4,17,22,23 259:6,19 260:6,13, 15,16 261:10,18,19,23 262:5,10,11, 16,23 263:10,18 264:20,23 265:5,18, 23 266:7,11,20,22 267:2,13 268:24 269:4,9,11,13,18 270:3,10,24 272:9, 16,19 273:3,11,16,18 274:9,21,25 275:13,15,19 283:4 284:16 285:19,21 286:2,24 287:16 288:9

Wakabayashi's 185:17 235:24 236:6 241:23 242:6,10 243:11 244:20

walk 19:21

wanted 17:17 22:22,24 26:4 91:8

219:19

warranted 230:5

wavelengths 16:23,24 18:19

ways 64:6 65:9 66:8 67:12 74:18 75:13 272:20 290:10 292:12

week 5:4,18 6:24 134:7,8

weight 157:5 184:25 188:14 189:21

well 8:15 9:17 15:3.23 19:6 21:5 24:21 29:21 32:8.17 34:10 46:3 49:6 51:4 52:3 58:22 62:24 63:9 64:7,11 68:19 69:14 71:23 72:6,24 73:6 78:3 90:8 91:2 93:22 95:6,24 96:16 99:19 100:19 102:22 104:5 105:12 106:5,14 107:22 108:25 109:19 112:21 114:10, 20 116:7,10 118:11 120:8 123:10 127:21 132:10 140:12 141:19 145:6 146:9 147:5 149:21 154:25 156:6 157:11,16 158:11,17,25 159:5,17 161:8,18 162:8 163:13 164:6,23 166:17 167:8 169:7 170:5 173:13 175:24 177:17 178:9 181:16 183:12 185:11 186:2,16,23 189:6 192:24 195:16 198:9 207:8 208:10 213:5 215:17,20 216:24 219:10,13 220:24 222:25 226:9 232:2 236:11 239:16 242:8,17 243:18 245:24 248:9 250:9 254:3 255:7,19 259:11 261:7 263:25 272:19 276:10,24 281:24 295:12,23 296:24

well-aware 15:24

well-established 19:10

well-known 75:18 228:13 276:21 277:5,7,8 278:6

well-understood 139:15

went 5:4 11:16 54:23 80:14

whatsoever 158:12

white 103:24

whole 33:19 81:16 95:11 124:5 148:16 203:25

wide 176:5 202:24

widely 87:4 226:17

width 150:2,4 268:11 269:9 283:22,23 285:8,25

widths 285:23

window 65:22

Index: wiring..zooms Dean Neikirk October 08, 2020 Confidential wiring 158:17 wishes 184:12 word 135:4 175:23 211:24 247:12,13 wording 150:13 words 12:8 32:11 43:17 108:8 150:11 195:13 199:25 210:4 243:22 work 15:18 51:24 56:7 57:17,19 62:5 88:7 94:19 126:25 162:25 199:24 200:5 255:4 256:2 264:14 266:9 284:21 worked 100:2 working 16:2,25 89:8 243:9 works 177:14,18 world 88:13 121:4 worry 249:24 worse 108:11 112:19 worth 91:6 218:25 wrap 83:17 write 246:20 written 54:5,22 wrong 220:3 280:14 wrote 51:16 88:5 year 18:8 52:17 years 43:5 52:9,15 53:20 54:20 yellow 79:24 Ζ **zooms** 65:24

AMG Reporting LLC 917-969-4493

Job 1040