1	IN THE UNITED STATES DISTRICT COURT
2	FOR THE DISTRICT OF DELAWARE
3	
4	CYTONOME/ST, LLC,
5	Plaintiff, )
6	) C.A. No. 19-301-RGA v.
7	NANOCELLECT BIOMEDICAL, INC., )
8	Defendant. )
9	
10	J. Caleb Boggs Courthouse 844 North King Street
11	Wilmington, Delaware
12	Tuesday, April 28, 2020 10:04 a.m.
13	Markman Hearing Videoconference
14	
15	BEFORE: THE HONORABLE RICHARD G. ANDREWS, U.S.D.C.J.
16	APPEARANCES:
17	MORRIS NICHOLS ARSHT & TUNNELL LLP
18	BY: ANTHONY D. RAUCCI, ESQUIRE BY: RODGER D. SMITH, II, ESQUIRE
19	-and-
20	AKIN GUMP STRAUSS HAUER & FELD LLP
21	BY: KIRT S. O'NEILL, ESQUIRE BY: DANIEL L. MOFFETT, ESQUIRE
22	BY: THOMAS W. LANDERS, IV, ESQUIRE
23	
24	
25	

1 APPEARANCES CONTINUED:

WILSON SONSINI GOODRICH & ROSATI

BY: IAN R. LISTON, ESQUIRE

BY: DOUGLAS CARSTEN, ESQUIRE

BY: ADAM W. BURROWBRIDGE, ESQUIRE

For the Defendant

Also Present:

|

2

3

Miss Cynthia Biron

\*\*\* PROCEEDINGS \*\*\*

THE COURT: Good morning. This is Judge Andrews in a Markman hearing. I'm looking at a screen that shows five faces, but I understand there are more people on the call.

Can someone just signal to me that they can hear me?

(Everyone said, Yes, Your Honor.)

THE COURT: All right. So I've read the briefing and thought about the issues that you've raised. I have the letter that you sent saying which order you would like to do these terms in which is fine by me, though it may take a little bit of extra time on my part as I try to jump back and forth in your brief because that's where my notes are. And I have received plaintiff's slide deck which I've kind of glanced through, but it occurred to me as I was setting up for this that I'm one electronic device short of being able to keep the pictures or keep the Skype meeting,

10:05:57 1 10:06:07 2 10:06:11 3 10:06:14 4 10:06:20 5 10:06:26 6 10:06:26 7 10:06:28 8 10:06:30 9 10:06:31 10 10:06:33 11 10:06:41 12 10:06:46 13 10:06:48 14 10:06:50 15 10:06:54 16 10:06:57 17 10:07:04 18 10:07:05 19 10:07:09 20 10:07:12 21 10:07:14 22 10:07:17 23 10:07:23 24

10:07:29 25

look at my own notes, and look at the plaintiff's slides. So I don't know how much practice you have at this and whether or not if there's a particularly important slide, you can just show it to me by Skype.

So why don't we start off. I do have a court reporter on the line; is that right?

THE REPORTER: Yes, Judge.

THE COURT: And my deputy clerk is on the line?

DEPUTY CLERK: Yes, Judge.

THE COURT: Okay. So then why don't we have for the plaintiff who's -- I don't necessarily see anybody other than Mr. Liston that I recognize. Who's representing the plaintiff?

MR. RAUCCI: Your Honor, this is Anthony Raucci at Morris Nichols, and we also have Rodger Smith on from Morris Nichols on behalf of plaintiff. And our co-counsel on the line is Kirt O'Neill, Dan Moffett, and Thomas Landers from Akin Gump.

THE COURT: Okay. All right. And for the defendant, Mr. Liston.

MR. LISTON: Good morning, Your Honor. Ian
Liston for Wilson Sonsini from NanoCellect, and with me on
the video conference are Doug Carsten and Adam Burrowbridge.

THE COURT: Okay. I take it Mr. Burrowbridge is the one who's signed in as friendly as Adam; right?

10:07:35 1 10:07:38 2 10:07:39 3 10:07:40 4 10:07:42 5 10:07:45 6 10:07:49 7 10:07:51 8 10:07:54 9 10:07:55 10 10:07:59 11 10:08:01 12 10:08:07 13 10:08:11 14 10:08:15 15 10:08:18 16 10:08:31 17 10:08:33 18 10:08:42 19 10:08:43 20 10:08:47 21 10:08:51 22 10:08:57 23 10:09:02 24 10:09:06 25

MR. LISTON: That's correct, Your Honor. May I ask you a question, Your Honor?

THE COURT: Yes.

MR. LISTON: You mentioned receiving plaintiff's slide deck. Did you receive defendant's slide deck as well?

THE COURT: No.

MR. LISTON: All right. I'll check with Nicole. She confirmed that she received them yesterday, so I'll make sure that she has those.

THE COURT: You know, wait. Just hold on a second before you start raising the roof here because it's possible she sent them to me, and I didn't realize that there were two attachments rather than just one. Hold on a minute.

No, actually I got something from her yesterday, plaintiff's slides for Markman. Hold on a second.

No, I didn't get anything from her, so I'm not sure what happened there. Anyhow, should we proceed, I guess, with plaintiff going first?

And I do remember from looking at the slides that we're doing buffer first, but as we go along, remind me so I can flip through my materials to find the right thing.

All right. So for plaintiff, let's go.

MR. O'NEILL: Your Honor, it's Kirt O'Neill. We had, I think, by agreement decided to agree to spend five

minutes with you just generally discussing the background,
the technology, if you wish. If you don't, we'll go right
into the terms.

THE COURT: Well, I don't object to your spending five minutes if you think it's helpful.

MR. O'NEILL: Okay. Then let me take a shot at it. You stop me any time you feel like you've had enough. And our presentation is slide driven, so we're going to put them on the screen. And Mr. Landers is going to run the presentation for us.

And Thomas, would you go to slide number 1?

MR. LANDERS: I still need access. I need to be identified as a presenter. I don't have that capability yet.

MR. O'NEILL: Uh-oh.

MR. RAUCCI: I'm trying to -- Judge Andrews, if you're able to right click on the image of whoever you would like to be the presenter.

MR. LANDERS: It looks like I just got named a presenter. So let me go ahead and try to share my screen and let me know if you see it. One second here.

THE COURT: Success.

MR. LANDERS: There we go.

MR. O'NEILL: Can everyone see the opening

10:09:09 1
10:09:12 2
10:09:14 3
10:09:15 4
10:09:18 5
10:09:24 6

10:09:40 11

10:09:43 12

10:09:26 7

10:09:29 8

10:09:32 9

10:09:36 10

10:09:46 13

10:09:48 14

10:09:48 15

10:09:53 16

10:10:00 17

10:10:05 18

10:10:07 19

10:10:08 20

10:10:11 21

10:10:37 22

10:10:39 23

10:10:40 24

10:10:42 25

slide?

10:10:43 1

10:10:44 2

10:10:46 3

10:10:47 4

10:10:56 5

number 2.

10:10:58 6

10:11:00 7

10:11:02 8

10:11:05 9

10:11:09 10

10:11:12 11

10:11:17 12

10:11:19 13

10:11:22 14

10:11:25 15

10:11:30 16

10:11:34 17

10:11:38 18

10:11:43 19

10:11:47 20

10:11:52 21

10:11:53 22

10:11:57 23

10:12:01 24

10:12:04 25

THE COURT: I can.

MR. LANDERS: Perfect.

MR. O'NEILL: Get us to slide number 1,

Mr. Landers. I'm sorry. That's the index. Let's go to

Your Honor, just by way of background, because there are a number of patents in the case, I thought it would be useful to illustrate the fact that six of the seven patents in the case all derive from a common disclosure filed back in 2002; and therefore, there's a ton of commonality across the specifications, the drawings, and even the language used in the claims.

There's a seventh patent in the case called the '188 patent which is a little bit different, but only one of the ten terms we're going to discuss today is unique to that patent. The other nine terms all trace back to the common disclosure, and those terms are used repetitively throughout the six patents that are grouped here in the dark blue boxes. And subsequently, they're all very closely related.

Could we see slide number 2, Mr. Landers?

The common disclosure, Your Honor, is really centered around the basic configuration that we see here in the patent figures. This figure is from the '297 or '295 patent, but you'll see the same figures in all the seven patents. And it basically relates to three essential

10:12:10 1 10:12:13 2 10:12:16 3 10:12:20 4 10:12:24 5 10:12:26 6 10:12:28 7 10:12:32 8 10:12:35 9 10:12:40 10 10:12:42 11 10:12:47 12 10:12:47 13 10:12:50 14 10:12:53 15 10:12:56 16 10:13:00 17 10:13:03 18 10:13:07 19 10:13:12 20 10:13:14 21 10:13:17 22 10:13:21 23

10:13:23 24

10:13:27 25

components in the main flow channel in which these particles are flowing and in carrier fluids, and then there's an actuating chamber on the bottom that generates this pressure pulse that goes across the channel, deflects the particle of interest, and that pressure pulse is received by the buffer which is the circle on top.

So that same common disclosure appears in all six of the related patents that I've shown you. And the law tells us that when you have the same parent application and common disclosure that shares many common terms in the claims, we must interpret the claims consistently across all the patents.

And I think a big part of the briefing by both parties is aimed at whether Your Honor should look to some of the related patents and the portions of those specifications and prosecution history to try to interpret and understand terms in other patents. And the case law tells us not only that we should, but we must.

Thomas, can we go to slide number 4?

And very briefly, Your Honor, this is the basic structure of all the claims that we're going to be looking at today. As I said, the microfluidic device, and we'll talk a little bit about that and what that is, but the microfluidic device contains three basic components in all the claims we're going to talk about today: the main

10:13:29 1

10:13:32 2

10:13:36 3

10:13:40 4

10:13:45 5

10:13:48 6

10:13:52 7

10:13:54 8

10:13:59 9

10:14:03 10

10:14:05 11

10:14:10 12

10:14:13 13

10:14:16 14

10:14:18 15

10:14:21 16

10:14:24 17

10:14:25 18

10:14:29 19

10:14:34 20

10:14:37 21

10:14:40 22

10:14:44 23

10:14:48 24

10:14:53 25

channel through which everything flows, actuator, which is on the bottom of the patent figure, and the buffer on top.

In reality, this microfluidic device mirrors the patent very closely which you're looking at. In the upper right-hand corner is an excerpt from a marketing brochure from my client's product. They actually make this microfluidic chip and put it inside a cell sorting machine called a GigaSort. And in reality, it is that simple. It's elegant, but it's simple. It's an actuator chamber that deflects these particles as they're moving down the main channel, and a damper chamber on top to dampen or dissipate the pressure pulse so that the pressure pulse doesn't come back into the main channel and just disrupt the sorting process.

What do we mean by microfluidic device? Well, I've got a photograph for you.

Mr. Landers, can we go to the next one?

On the screen now on slide number 4 -- excuse

me, 5, is an actual photograph of a microfluidic chip

constructed in accordance with the patents. This is from my

client's product called the GigaSort. And subsequently, we

call it the GigaSort microfluidic chip. It's microfluidic

because those fluidic channels are etched in silicon or

glass. So this is somewhat analogous to an electronic

circuit that on this chip you'll have a number of those

10:15:00 2 10:15:04 3 10:15:07 4 10:15:12 5 10:15:16 6 10:15:20 7 10:15:24 8 10:15:28 9 10:15:30 10 10:15:33 11 10:15:35 12 10:15:38 13 10:15:40 14 10:15:44 15 10:15:49 16 10:15:52 17 10:15:57 18 10:16:00 19 10:16:05 20 10:16:06 21 10:16:11 22 10:16:12 23 10:16:15 24

10:16:17 25

10:14:56 1

channels etched in glass. And it's called microfluidic because microfluidics is a special branch of flow science, and it's dealing with these channels that are typically a hundred micrometers across. It's the width of a human hair. And at those dimensions, the fluid flow through those channels will be laminar in nature meaning not turbulent.

So the fluid doesn't slush around and develop vortexes or cavities. It kind of moves through there like a ribbon of fluid without any turbulence. And that's because of the very small scale that we're operating at.

That chip right there, that is an actual photograph. That's a person's fingers holding the chip.

The chip is about two and a half or three inches wide. And on that particular chip, these sorting channels are parallelized. They are 72 of the sorting channels that we saw in the patent where you have a flow channel and the buffer in the actuator. So this is a highly parallelized system in the commercial embodiment that's useful for increasing your cell throughput, and it's a very, very fast chip.

Can we go to the next one, Thomas?

Slide 6, Your Honor. I have just a couple more of these, but just to let you know, there are a number of patents, and one of the reasons there are several patents is that there are some differences in the disclosures and the

10:16:21 1
10:16:24 2
10:16:27 3
10:16:31 4
10:16:34 5
10:16:37 6
10:16:41 7
10:16:44 8
10:16:48 9
10:16:51 10
10:16:54 11
10:16:59 12
10:17:03 13

10:16:54 11
10:16:59 12
10:17:03 13
10:17:08 14
10:17:11 15
10:17:16 16
10:17:19 17
10:17:23 18
10:17:27 19
10:17:29 20
10:17:33 21
10:17:36 22

10:17:42 24

10:17:37 23

10:17:45 25

claims between each of these. The differences that aren't really pertinent to the case because they talk, for example, about parallelizing the chip. There are claims to a parallelized chip, but they're not at issue in the case. But this is just to let you know how the patents got proliferated and in light over some applications.

So this is an example of a figure from the '850 patent to a parallel sorting system. But again, the claims are not in the case. I show this to you just by way of explanation as to why there are numerous patents.

Can we go to the next one, Thomas? Slide 7.

Some of the claims in the case, Your Honor, actually do relate to particularized configurations of this flow sorting channel. Some of the claims in the patent, for example, relate to a cartridge format for the chip so that the chip is removable from the sorting machine. These chips are actually disposable because in practice when you run one cell sample through them, biological sample, the chip may be contaminated, and you can't reuse it. So you want to take it out of a machine, dispose of it, and quickly insert and align a new chip. And so they're made there, these cartridges.

And indeed, some of the patent claims relate to the use of a cartridge. In this particular claim, it's phrased as operatively interfacing the microfluidic particle

10:17:49 **1**10:17:54 **2** 

10:17:56 3

10:17:57 4

10:18:00 5

10:18:04 6

10:18:07 7

10:18:11 8

10:18:11 9

10:18:15 10

10:18:19 11

10:18:22 12

10:18:26 13

10:18:29 14

10:18:33 15

10:18:33 16

10:18:35 17

10:18:39 18

10:18:42 19

10:18:45 20

10:18:49 21

10:18:53 22

10:18:56 23

10:18:59 24

10:19:03 25

sorting component with an operating machine. And in layman's terms, that means put the cartridge into the sorting machine.

And then, finally, my last slide on this,

Thomas, some of the claims also relate to the overall

machine. So there would be a machine with a cartridge

inside it, and the cartridge will contain the microfluidic

chip.

Claim 17 of the '188 patent is an example of that type of claim. It recites a method, but the method includes inserting the particle sorting -- inserting the particle sorting component. That's that cartridge operating the operating machine. That's a sorter like you see here in the photograph, and then removing the cartridge when you're done.

So the operating machine, there would be the entire sorter. What you're looking at there is a photograph of my client's commercial product called the GigaSort. The photograph is tiny, but in reality it's a large machine. That cabinet is almost six feet high, four feet wide and three feet deep. Embedded in it will be one of those little three-inch chips which is sort of the heart of the system, but you need all that extra space to house all the optics, the lasers, the electronics, the circuitry that's necessary to do all the complex calculations to analyze the data, and

10:19:07 1
10:19:11 2
10:19:15 3
10:19:20 4

10:19:20 4
10:19:21 5
10:19:24 6
10:19:26 7
10:19:29 8
10:19:33 9
10:19:35 10
10:19:38 11

10:19:42 12

10:19:46 13

10:19:48 14

10:19:50 15

10:19:54 16

10:19:57 17

10:20:10 20

10:20:05 19

10:20:13 21

10:20:17 22

10:20:22 23

10:20:25 24

10:20:29 25

sort these machines, and sort these cells, and figure out which cell needs to be diverted into the keep receptacle and which cell needs to be sent to the waste receptacle because you're not interested in it.

This machine is a million-dollar machine, Your Honor. It has one of those chips in there. That's a 72-channel parallelized chip. So this gets to be very complex and expensive stuff, but I did want to show you the machine. Even though in the patents and the claim terminology we're talking about today, we're really going to be focused on the actuating chamber, the buffer chamber, and then the main flow channel where the cells flow.

So that's kind of the background of the technology, and I hope an explanation of how the patents are related, and why there are so many patents in the case. But as I said, nine of the ten terms we're going to talk about today all relate to that original common disclosure.

The sole exception is the term microsorter which is unique to the '188 patent. That patent is kind of the odd duck because it has a little bit of difference in the disclosure. But all six of the others are very closely related, and so we're going to be looking across specifications and across the various prosecution histories to inform our understanding of what terms mean in these six patents.

10:20:29 1 10:20:32 2 10:20:37 3 10:20:40 4 10:20:41 5 10:20:46 6 10:20:48 7 10:20:53 8 10:20:57 9 10:21:00 10 10:21:01 11 10:21:03 12 10:21:07 13 10:21:14 14 10:21:19 15 10:21:21 16 10:21:24 17 10:21:27 18 10:21:30 19 10:21:34 20 10:21:38 21 10:21:42 22 10:21:44 23 10:21:48 24

10:21:51 25

THE COURT: All right. Thank you.

MR. O'NEILL: Mr. Moffett, I think, is going to handle the first term for us which is buffer.

THE COURT: All right.

MR. MOFFETT: I assume we're going to give

NanoCellect the opportunity for background, or would that
happen after we address buffer?

MR. CARSTEN: I'm happy to do it either way.

THE COURT: Well, then why don't you go ahead, Mr. Moffett.

MR. MOFFETT: As Mr. O'Neill said, my name is Daniel Moffett. I will be addressing the term buffer for Cytonome. Buffer does appear in claims of two of the patents, the '528 and the '850. The dispute comes down to whether the Court should adopt plaintiff's construction which we propose a construction of a physical structure that contains fluids and receives a pressure pulse.

On the other side, we have defendant's proposal which initially was that the term buffer was indefinite, or in the alternative, it should be treated under 112, Paragraph 6 as a means-plus-function term.

Now, Your Honor, I say initially because, at least based on the slides that -- we did receive a copy of defendant's slides yesterday, and they don't appear to be addressing indefiniteness. So we're not entirely sure if

10:21:54 1

10:21:58 2

10:22:02 3

10:22:05 4

10:22:08 5

10:22:15 6

10:22:18 7

10:22:27 8

10:22:33 9

10:22:38 10

10:22:38 11

10:22:42 12

10:22:47 13

10:22:51 14

10:22:57 15

10:23:01 16

10:23:03 17

10:23:07 18

10:23:11 19

10:23:16 20

10:23:17 21

10:23:18 22

10.23.10 22

10:23:21 23

10:23:27 24

10:23:29 25

they're still pursuing that. Nonetheless, we've prepared as if they are as that was one of their first positions.

THE COURT: Well, so why don't you right now,
Mr. Moffett, just make the positive case for your proposed
construction which, you know, my initial take on it is
saying it's a physical structure, that is actually a
non-description. That it contains fluid, I thought that
there was something I saw where some of the reservoirs or
some of the buffers could contain a gas, but maybe I'm wrong
about that.

And it receives a pressure pulse. And as far as I can tell, at least the three asserted claims, receives a pressure pulse, that seems to be a different element of the claim. So I'm kind of wondering of saying it receives a pressure pulse, isn't that a bit redundant?

MR. MOFFETT: Sure, Your Honor. First of all, with respect to your first question regarding whether it contains a fluid, to clarify, and the parties agree on this and their experts do as well, a fluid refers both to gas and liquid.

THE COURT: Yes.

MR. MOFFETT: So yes, there are -- it could be gas fluid or it could be a liquid fluid. What it wouldn't be, for example, is a vacuum because then you couldn't have this buffering effect. You conceive a pressure pulse, so

10:23:34 1

10:23:36 2

10:23:41 3

10:23:47 4

10:23:52 5

10:23:56 6

10:24:00 7

10:24:05 8

10:24:09 9

10:24:11 10

10:24:13 11

10:24:17 12

10:24:20 13

10:24:25 14

10:24:30 15

10:24:35 16

10:24:40 17

10:24:43 18

10:24:47 19

10:24:51 20

10:24:55 21

10:24:58 22

10:24:59 23

10:25:00 24

10:25:04 25

we're specifying it for that reason.

Mr. Landers, if we can go to slide 11 and address our construction. So Your Honor, we felt it was important to put forward a construction of buffer primarily in response to defendant's initial position that the term was wholly indefinite. You are correct that some of the components of our construction may be considered redundant in that our construction is entirely consistent with the claim language which is where you really should start when construing a term.

As I said, buffer appears in two of the -- it appears throughout the specification in most of the specifications, but it's in claims in the '528 and '850, and in both instances the claims themselves support plaintiff's construction. In the '528 patent, claim 22 claims a microfluidic device. And as you walk through it, it's as Mr. O'Neill described. Importantly, it conveys a stream of particles in a carrier fluid. And the rest of the components of the claim show us that those components are fluidly connected until we get to the buffer which is in communication with the second side channel for absorbing the pressure pulse.

It's in communication. That tells us it contains a fluid. It can't be a vacuum, for example. It's got to have a liquid or gas. And it absorbs the pressure

10:25:09 1 10:25:15 2 10:25:18 3 10:25:22 4 10:25:26 5 10:25:29 6 10:25:33 7 10:25:36 8 10:25:40 9 10:25:44 10 10:25:49 11 10:25:55 12 10:26:00 13 10:26:04 14 10:26:08 15 10:26:13 16

10:26:15 17

10:26:21 18

10:26:24 19

10:26:28 20

10:26:30 21

10:26:32 22

10:26:36 23

10:26:41 24

10:26:46 25

pulse as we've put forward. The '850 patent, claim 1 is on point as well and consistent with plaintiff's construction that a buffer is configured to fluidly cooperate with the actuator for absorbing or dampening the pressure pulse.

So some of the construction that we've put forward, Your Honor, could be considered redundant. I would argue that what it is is consistent with the claim language in the specification, and particularly important to rebut defendant's position, that initial position that buffer was indefinite or that it's 112, paragraph 6.

If we go to slide 12, Mr. Landers, plaintiff's construction is also consistent with the specifications.

One of the points NanoCellect makes, defendants make in their briefing is that the term buffer is indefinite or has no meaning, in part, because it doesn't appear in the '528 specification. This is one of the earlier specifications, one of the earlier applications, and they make the point buffer is not used in the specification as an initial matter with respect to their indefiniteness argument.

That's not really the question. The question is whether a person skilled in the art would understand the scope of the claims, claims that use the term buffer. But in any event, buffer does appear in the intrinsic record pretty much, you know, dealing with their concern about whether or not a person skilled would understand buffer

10:26:48 1

10:26:50 2

10:26:56 3

10:27:01 4

10:27:03 5

10:27:08 6

10:27:11 7

10:27:15 8

10:27:19 9

10:27:22 10

10:27:24 11

10:27:30 12

10:27:34 13

10:27:39 14

10:27:44 15

10:27:47 16

10:27:51 17

10:27:55 18

10:27:58 19

10:28:02 20

10:28:05 21

10:28:09 22

10:28:13 23

10:28:16 24

10:28:21 25

based on it not appearing in the specification.

That said, backing up, the '528 specification describes exactly what the buffer in the claims is. An example of it, in particular, in this excerpt we've put on slide 12, it describes that second structure that Mr. O'Neill pointed to as absorbing the transient pressure variations and containing a compressible fluid.

Here, we have -- that is consistent with plaintiff's construction. So the specification tells us what it is, even though the term buffer is not used.

But if we go to slide 13, Mr. Landers, as I said, it's also supported in the prosecution history in the intrinsic record. What we have on slide 13, Your Honor, is an excerpt from the prosecution history where the applicant was distinguishing a prior art reference referred to as Dunaway. And the point being made is that the Dunaway reference lacked that second reservoir or buffer from absorbing pressure variation.

That tells us two things, Your Honor. One, that the term buffer was understood at the time of the invention to refer to exactly what the plaintiff, what the patentee was claiming. And the term buffer specifically was used.

It also tells us that the 112, paragraph 6 argument isn't supportable because buffer was known to refer to structure, and the patentee used it in that fashion.

10:28:25 1 10:28:29 2 10:28:32 3 10:28:37 4 10:28:42 5 10:28:49 6 10:28:52 7 10:28:55 8 10:28:56 9 10:29:00 10 10:29:07 11 10:29:13 12 10:29:15 13 10:29:17 14 10:29:19 15 10:29:23 16 10:29:28 17 10:29:29 18 10:29:33 19 10:29:36 20 10:29:38 21 10:29:43 22 10:29:47 23 10:29:50 24

10:29:56 25

THE COURT: So Mr. Moffett, you know, the piece of prosecution history you have up on the screen, isn't that actually heading towards a much better definition of a buffer which is, you know, it's something that contains a fluid that, you know, allows it to absorb a pressure variation? It's not that it receives a pressure variation, but that it absorbs it. I mean, isn't that the essence of what a buffer is?

MR. MOFFETT: Your Honor, I think that's probably fair. One of the reasons we tweaked our definition from the initial exchange of what the terms were to be construed as, we did have absorbing as part of the construction, but we were somewhat concerned.

Two things. One is that NanoCellect was disputing the construction of the absorbing, and we didn't really want to put in a claim construction dispute within a claim construction.

And two, that the absorbing language is in the claim language itself.

THE COURT: Well, and that may be, but the thing that concerns me about your proposal is it doesn't really seem to go to the essence of what a buffer is.

MR. MOFFETT: Your Honor, the claim language itself, the buffer would receive the pulse, but the -- consistently throughout the claims, that's got to receive

10:29:59 1 10:30:03 2 10:30:05 3

10:30:06 4

10:30:09 5

10:30:12 6

10:30:16 7

10:30:21 8

10:30:25 9

10:30:30 10

10:30:35 11

10:30:40 13 10:30:43 14 10:30:49 15

10:30:38 12

10:30:55 17

10:30:57 18

10:30:52 16

10:31:01 **19** 10:31:03 **20** 

10:31:08 21

10:31:12 22

10:31:16 23

10:31:17 24

10:31:20 25

the pulse, and it's got to absorb or dampen, depending on how the claim is written. So we think that is addressed in the claim language.

We were merely trying to construe the term buffer, not the entire claim element. We believe the claim element read as a whole in light with our construction gets to where you're at, Your Honor. I'll say we're probably not opposed to working absorbing into the construction instead of receiving. Really the main concern we have is the indefiniteness angle and then their effort to angle the meaning of buffer to just the specific embodiments disclosed under 112, paragraph 6.

THE COURT: All right. So Mr. Moffett, why don't I hear from the defendant here.

MR. CARSTEN: Thank you, Your Honor. Good morning. My name is Doug Carsten. I have not had the pleasure of appearing before you before, and it's an odd way to have my maiden voyage in front of you, Your Honor.

I'll be presenting on four of the terms. My colleague, Mr. Burrowbridge, will be presenting on six others. I would like, just for a moment, if we could actually share the screen, so that way Mr. Burrowbridge could pull up our slide deck.

I understand that your staff, Your Honor, is going to be providing you with a copy of our slides as well.

10:31:36 4

10:31:53 9

10:31:57 10

10:31:49 8

10:32:00 11

10:32:05 12

10:32:14 **14** 10:32:17 **15** 

10:32:21 16

10:32:25 17

10:32:30 18

10:32:34 19

10:32:37 20

10:32:39 21

10:32:43 22

10:32:46 23

10:32:50 24

10:32:53 25

The presentation is sort of slide driven, but quite frankly, I think we can dispatch of that. I will refer to slides so that way on the transcript, Your Honor, you'll be able to go back and see what we've got.

THE COURT: Well, so Mr. Carsten, as much as possible, I intend to be ruling on these things as we go along. So you can, you know, make a record if you like, but in terms of trying to persuade me, don't count on me going back later on to track this stuff down.

MR. CARSTEN: Understood. So just some initial opening comments to address the opening five or eight-minute presentation from my counterpart.

Cytonome has this GigoSort device. It has not been successful, and so unable to sort of compete in the market against us, they're resorting to asserting their patents. The problem is that their invention is not what we do. It is -- we take a dramatically different approach to solving a problem. And there are some consequences of this which apply directly to the claim constructions that we're going to be handling today.

One, there's an attempt by Cytonome to take narrow disclosures, and I'll get to some of the disclosures, and try to read them much more broadly to sweep in things that they never contemplated or invented.

Two, there's an attempt to undo strategic

10:33:03 **4** 10:33:07 **5** 

10:33:14 7

10:33:11 6

10:33:21 8 10:33:23 9

10:33:25 10

10:33:26 11

10:33:28 12

10:33:33 13

10:33:39 14

10:33:42 15

10:33:44 16

10:33:49 17

10:33:51 18

10:33:55 19

10:34:01 20

10:34:05 21

10:34:10 22

10:34:13 23

10:34:16 24

10:34:20 25

elections that were made during the file histories and during the prosecution of the patents which we'll get to as well.

And then, finally, there's an attempt to sort of read words of limitations out of claims to broaden them beyond what they perceive to be their invention at the time.

Now, if you go back to slide 2 which was of Cytonome's proposal, that was the patent family history that we saw. There is --

THE COURT: Yes.

MR. CARSTEN: -- a common ancestor. That common ancestor is a priority application. That's a provisional application. There are two families that happen under that.

Certainly, some of that disclosure is carried forward into each of those sides of the house, if you'll have it. Those are two utility applications that were filed on the very same day.

The inventors, the named inventors at the time made a strategic choice to include, or exclude, or add to in one side of the house different material from the other side of the house. So right there you have three different disclosures, the priority document, that provisional. You have the left-hand side of the house which gives rise to three of the asserted patents at suit, and a third disclosure which gives rise to some of the patents on the

10:34:23 1 right-hand side.

In addition to that -- so this is -- we have the provisional filed in April. June 24th, the same day, two separate utility applications filed, each with different disclosures. Strategically determined to be different, elected to have different disclosures. In December of that same year, 2002, you have a continuation-in-part application that's filed, and that gives rise to two other patents that are being asserted here.

So this is not a situation where you've got a unified stream where there's commonality among all of these patent applications such that disclosures made in one application are fair game for others. There's never been a case cited of that by the other side, here by Cytonome, that suggests that a disclosure that's downstream can sort of like a salmon swim upstream and then propagate downstream into the other side of the house.

That's not been the law. They've not cited a case for that proposition. And it's going to be important when Mr. Burrowbridge, my colleague, addresses certain of the claim terms because you'll see that they try to go from the right side of the house or a CIP of the right side of the house all the way over through this intervening provisional application into the other side.

So with respect to my presentation, Your Honor,

10:35:50 25

10:36:17 6 10:36:22 7 10:36:26 8

10:36:16 5

10:36:32 10

10:36:36 11

10:36:29 9

10:36:40 12

10:36:44 **13** 10:36:48 **14** 

10:36:51 15

10:36:58 16

10:37:00 17

10:37:04 18

10:37:09 20

10:37:17 21

10:37:22 22

10:37:25 23

10:37:30 24

10:37:35 25

I don't have a big problem with the way in which the technology was presented. I think in large swaths, it's generally accurate to say that, you know, there is a stream of particles, and those stream of particles typically are in practice cells.

And so if I think of it as sort of socially distancing these cells, right, so you take these cells, you use -- you put them through a stream into a narrow chamber with a carrier fluid around it, and that carrier fluid carries these cells one at a time through the device.

So here's the seven asserted patents, and again, there are multiple disclosures here. This is my slide 2. There remain 42 asserted claims with 25 disputed claim terms for Your Honor to grapple with, unfortunately. Thirteen provided by us. Twelve provided by Cytonome.

I mean, the case remains, notwithstanding the attempts of the parties and the attempts of NanoCellect, to reduce the scope. We may be back before you at some point, Your Honor, to try to reduce it further.

If we could go to slide 3, please. So again, these are two images. One is Figure 16 from the '528 patent. Figure 5A is from the '188 patent. That's what I think my colleague called the odd ball patent or the patent that's sort of the separate -- altogether separate type of chain of application.

10:37:50 6 10:37:53 7 10:37:58 8

10:38:02 9

10:38:09 10

10:38:14 11

10:38:22 13

10:38:26 **14** 10:38:27 **15** 

10:38:30 16

10:38:31 17

10:38:32 18

10:38:34 19

10:38:46 21

10:38:51 22

10:38:57 23

10:39:01 24

10:39:04 25

Again, you've got the stream of particles running across from left to right, and then you've got the two bubble valves, one of which is attached to an actuator. That's Item 176 in Figure 16. That actuator provides a pressure pulse.

The pressure pulse pushes or pushes up, in this instance, onto that stream of particles. And it's supposed to deflect a particle from that stream of particles. The bubble valve at the top, that in combination with the fact that it's filled with a gas and has a meniscus that you can see as Item 175 there through that side channel supposedly absorbs or dampens, depending upon the claim language, that pressure pulse. It's a fairly narrow disclosure.

So now if I might, unless Your Honor has any questions about the background, I'd like to talk about the buffer, the limitation.

THE COURT: Go ahead.

MR. CARSTEN: Thank you, Your Honor. And so if we could go to slide 8. We do believe that this claim is indefinite. Buffer connotes absolutely no structure whatsoever. And so the only way to try to save the patent from indefiniteness is by virtue of trying to construe it. And to construe it, and I think Your Honor mentioned a proposal for a possible construction, and I think you said something along the lines of, you know, the problem is that

10:39:07 1

10:39:12 2

10:39:14 3

10:39:16 4

10:39:21 5

10:39:25 6

10:39:32 7

10:39:35 8

10:39:38 9

10:39:40 10

10:39:44 11

10:39:47 12

10:39:50 13

10:39:52 14

10:39:57 15

10:40:01 16

10:40:05 17

10:40:09 18

10:40:10 19

10:40:12 20

10:40:16 21

10:40:19 22

10:40:22 23

- 0 10 22 **- 0** 

10:40:26 24

10:40:28 25

the construction you have, Cytonome, doesn't really get to the essence of what a buffer is.

And I agree with you, Your Honor, but the problem is that the essence of what a buffer is is its function. And the claim term here, buffer for absorbing the pressure pulse, is a nonce word that's coupled to a function. And so the buffer for absorbing the pressure pulse, buffer configured for absorbing or dampening the pressure pulse, a reservoir -- we'll get to that term in a bit -- adapted for dampening or absorbing the pressure pulse, all of these get to that fundamental function.

And so, you know, we've got some case law here. Williamson a few years back did change the law a bit in terms of not having a strict or strong presumption when it comes to not using the word means. If you use a word that doesn't convey sufficient structure to a person of skill in the art, then you still are within means-plus-function claim language.

Can we go to slide 1, please?

The output of Williamson and the import of Williamson is one test for the application or applicability of means plus function is that does it set forth the same black box recitation of structure for providing the same specified function as if the term means had been used.

Well, let's see. If we go to slide 14, a buffer

10:40:33 1 10:40:37 2 10:40:40 3 10:40:45 4 10:40:47 5 10:40:52 6 10:40:55 7 10:40:58 8 10:41:02 9 10:41:07 10 10:41:12 11 10:41:18 12 10:41:22 13 10:41:27 14 10:41:29 15 10:41:30 16 10:41:31 17 10:41:34 18 10:41:37 19 10:41:41 20 10:41:43 21 10:41:45 22 10:41:50 23

10:41:54 24

10:41:59 25

for absorbing the pressure pulse versus a means for absorbing the pressure pulse. There's no difference between the two. This is exactly the situation contemplated by Williamson and its progeny.

And even if we take the only piece, Cytonome's proposed definition that has anything to do with structure and plug it in there, a physical structure for absorbing the pressure pulse, that, too, is a nonce word. You could replace a with any, and you'd still have the same situation. So we've got nonce words, the word for, and the function. This is a 112, 6 claim. This is means plus function.

And we've got some expert testimony from Dr. Di Carlo in our papers about buffer not conveying or connoting any particular --

THE COURT: Mr. Carsten.

MR. CARSTEN: Yes.

THE COURT: In terms of Dr. Di Carlo, did you submit that with the sur-reply?

MR. CARSTEN: I'll take a look at the dates, Your Honor. It may well be.

THE COURT: Well, it's only mentioned, as far as I can tell, in your sur-reply briefing. So I didn't go to try to figure out independently when it was dated, but it certainly seemed to me that it was not something that you submitted in connection with your opening brief.

10:42:02 1 10:42:07 2 10:42:10 3 10:42:15 4 10:42:19 5 10:42:23 6 10:42:24 7 team knows the answer. 10:42:30 8 10:42:35 9 Mr. Burrowbridge? Mr. Liston? 10:42:37 10 THE COURT: Anybody? 10:42:47 11 10:43:05 12 10:43:07 13 It was submitted with the sur-reply. 10:43:09 14 10:43:11 15 10:43:14 16 10:43:22 17 10:43:25 18 10:43:29 19 your reply brief. 10:43:32 20 10:43:35 21 10:43:37 22 10:43:42 23 brief. So don't do that again. 10:43:46 24

10:43:48 25

MR. CARSTEN: It was submitted on the 14th of February. I would need to go back and determine exactly what the date is for that, Your Honor, and where it fits in with the briefing to see if that was submitted at the early stage or after, on the first round or after.

THE COURT: Well, so maybe somebody else on your

MR. CARSTEN: I would hope so.

MR. LISTON: Checking, Your Honor.

MR. BURROWBRIDGE: This is Adam Burrowbridge.

THE COURT: Okay. Well, that's kind of what I took from the way it appeared. So to some extent, I'm surprised plaintiff isn't objecting because it seems to me when you have the burden of proof by clear and convincing evidence, and you want to submit an affidavit in support of that, you ought to do it with your opening brief, not with

To the extent that plaintiff's expert would want to respond, you know, then I'd be having a sur sur-reply

All right. Let's move on.

MR. CARSTEN: Understood, Your Honor.

10:43:52 1
10:43:56 2
10:43:59 3
10:44:02 4
10:44:07 5

10:44:23 8

10:44:17 7

10:44:31 10

10:44:28 9

10:44:34 11

10:44:38 12

10:44:43 **13** 10:44:45 **14** 

10:44:50 15

10:44:51 16

10:44:53 17

10:44:53 18

10:44:53 19

10:44:56 20

10:44:59 21

10:45:01 22

10:45:05 23

10:45:09 24

10:45:13 25

THE COURT: Is there anything more, Mr. Carsten?

MR. CARSTEN: So can I just check my notes briefly, Your Honor? We do have corresponding structure that we've identified per the claim requirements in Williamson that we've identified. And you know, there's -- so if we could go to slide 18. So there's not one thing that's disclosed that you can say is the buffer. It is a series of items compounded together that conceivably -- that we can see here that conceivably does this absorbing or dampening, and we'll get to that term in a moment.

But the bubble valve, the reservoir, the side channel, and the meniscus all work together in order -- as far as we can tell from the disclosure, in order to absorb that pressure pulse. It's not simply one bit of structure.

THE COURT: Mr. Carsten --

MR. CARSTEN: You asked earlier about the term fluid --

THE COURT: Oh, yeah.

MR. CARSTEN: -- and I think there was a representation made that fluid is both a gas and a liquid, and there's no dispute about that. In general, I agree with that. If you asked a scientist, for example, is a gas a fluid, they would say, yes. Is a liquid a fluid, they would say yes. But the way that this claim is written and the way that these inventors describe their invention, you're

10:45:18 1 10:45:22 2 10:45:28 3 10:45:31 4 10:45:35 5 10:45:39 6 10:45:40 7 10:45:44 8 10:45:47 9 10:45:52 10 10:45:56 11 10:45:59 12 10:46:01 13 10:46:05 14 10:46:07 15 10:46:10 16 10:46:12 17 10:46:13 18 10:46:18 19 10:46:25 20 10:46:30 21 10:46:32 22 10:46:35 23 10:46:38 24

10:46:42 25

absolutely right, that in order for this to operate, you need to have a compressible fluid which is a gas sitting in that bubble valve. That's the way in which the pressure pulse, according to function of buffer, is actually performed in the way that their invention is described in the patents.

And so in theory, yes, I agree there's no dispute that a fluid can be both. But when you're talking about a fluid in a particular spot that's functioning in a certain way, it's exactly what we have here. That's where we've got an issue about whether it can be a liquid or not.

I think in this instance, it has to be a gas. It has to be. It's a gas that's compressible in order to absorb or dampen that.

I do have some responses to some slides that Cytonome didn't get to, but unless Your Honor has questions for me.

THE COURT: Well, I do have a question which is: So presumably the time frame from which we're viewing the disclosure in these patents is 2002?

MR. CARSTEN: I believe that's correct, Your Honor. It's as of the time -- so -- and all of the priority documents, both the provisional, the two utilities, and the CIP were all in 2002, between April and December of that year.

10:46:44 1
10:46:48 2
10:46:51 3
10:46:57 4
10:46:59 5
10:47:01 6
10:47:07 7
10:47:12 8
10:47:16 9
10:47:19 10
10:47:21 11
10:47:26 12
10:47:34 14

THE COURT: And isn't it the case that you could probably look up the term buffer in a lot of different scientific reference works at the time and you'll find some definition of what a buffer is; right?

MR. CARSTEN: Well, it's interesting, Your

Honor, because if you actually have Cytonome's slide deck,

at slide 19 they actually do have a definition from a

dictionary. It just happens to be the Merriam-Webster

Dictionary. I'm not entirely sure what year it is, but the

word buffer, of course, appears there. And they have

definition one here, and the definition says, Any of various

devices or pieces of material for reducing shock or damage

due to contact.

That definition itself is means plus function. The structure is any of various devices or pieces of material, and that uses the word for, and then it has the function. So even the definitions that we have of record here are functional in nature.

THE COURT: But it's not the indication that any time there's a functional definition, that makes this thing indefinite or means plus function. There are plenty of things that are understood structures which are essentially understood in relation to what the function is that they perform. And I seem to recall, though I can't cite you the case names right now, Federal Circuit discussion of this.

10:48:25 **1** 10:48:34 **2** 

10:48:38 3

10:48:43 4

10:48:47 5

10:48:54 6

10:48:58 7

10:49:04 8

10:49:07 9

10:49:15 10

10:49:21 11

10:49:27 12

10:49:36 13

10:49:40 14

10:49:46 15

10:49:50 16

10:49:56 17

10:50:00 18

10:50:04 19

10:50:05 20

10:50:08 21

10:50:10 22

10:50:14 23

10:50:17 24

10:50:20 25

So I don't -- so basically, I don't think the use of the word buffer and what you've presented come close to overcoming the presumption that it's not means plus function. I don't think it's indefinite. It may be a broad term, but there is a Federal Circuit case that I just remember as BASF from maybe about two or three years ago that said -- this is almost a direct quote, being broad does not mean that it's indefinite.

And so I'm going to reject your proposals for the buffer terms, but I don't like plaintiff's proposed construction, and so I'm not going to adopt it. I would like the plaintiff to think about what it wants to do and, you know, some time, let's say, two weeks from now, after some amount of meeting and conferring with the defense to make some other proposal, because I do think the proposal that plaintiff has made, you know, doesn't do much to explain what a buffer is, either generally or in the context of the patent, or as understood by a person of ordinary skill in the art.

So let's move on to the next term.

MR. CARSTEN: Your Honor, if I may, the next term is reservoir, and to my mind reservoir goes essentially hand in hand with buffer. The same arguments that we made for buffer in terms of its application under 112, 6 are the same arguments that we made for reservoir and for buffer.

10:50:25 1
10:50:27 2
10:50:28 3
10:50:29 4
10:50:34 5
10:51:01 6
10:51:04 7
10:51:07 8
10:51:14 9
10:51:21 10

10:51:37 14 10:51:40 15 10:51:47 16

10:51:55 17

10:52:01 18

10:51:24 11

10:51:29 12

10:51:37 13

10:52:05 19

10:52:08 21 10:52:10 22 10:52:13 23

10:52:13 24

THE COURT: Well, so hold on. Hold on just one second.

MR. CARSTEN: Sure.

THE COURT: Oh, yes. Okay. Wait. Let me just -- all right. So if I understand what you're saying is we don't really need to address reservoir because I would make the same ruling in connection with that I just made with buffer. I would say that's correct.

One difference is that I think reservoir is -you know, that's a structure that even a lay person will
understand as it is. So I don't think there needs to be
something other than the plain and ordinary meaning of a
reservoir.

You know, I guess as contemplated in the microfluidics sort of context and not in the Williamson reservoir context, but so I reject defendant's proposal for reservoir, and I'm not going to give it plaintiff's construction, but I don't think they need to come up with an alternative construction for reservoir.

What's next?

MR. CARSTEN: Next would be absorbing, and we're happy to have plaintiff go first or we can go first regardless.

THE COURT: Okay. Hold on just a second. So that's page 8. Let me just check for a second here.

10:52:26 1 10:52:33 2 10:52:37 3 10:52:43 4 10:52:43 5 10:52:46 6 10:52:51 7 10:52:56 8 10:53:00 9 10:53:02 10 10:53:05 11 10:53:10 12 10:53:13 13 10:53:18 14 10:53:23 15 10:53:25 16 10:53:30 17 10:53:34 18 10:53:38 19 10:53:44 20 10:53:50 21 10:53:54 22 10:53:56 23 10:54:00 24

10:54:05 25

Well, Mr. Carsten, why don't you go first since there's very little proposal from the plaintiff. You can tell me why you think I ought to construe it as the fourth Merriam-Webster's Dictionary.

MR. CARSTEN: Thank you, Your Honor. So the claims -- some claims say absorbing, some claims say absorbing or dampening, or dampening, or absorbing. This is our attempt to give the word absorbing some meaning that differs from dampening.

We have two claims that the patentee here -- two words that the patentee here has put together in a claim through using the connector word. They must mean something different. And so the parties have agreed that the term dampening means to meaningfully dissipate or to dissipate meaningfully if you're not in Star Trek land.

But where -- so the question then is: What does absorbed mean if meaningfully dissipate is dampen? We submit that it must refer to a difference in degree in the amount of the pressure pulse that is being dissipated. And we would submit that because you've got a floor on dampen as being dissipation which is meaningful, that it has to be a larger amount.

And when you look and see what the dictionary says, obviously, there are entries above the fourth item, or the 2c, or whatever it might be that was there, but those

10:54:11 1
10:54:18 2
10:54:23 3
10:54:24 4
10:54:28 5
10:54:32 6
10:54:36 7
10:54:39 8

10:54:45 10 10:54:49 11

10:54:42 9

10:54:54 12

10:55:02 14

10:55:05 15

10:54:58 13

10:55:06 16

10:55:18 18

10:55:23 19

10:55:28 20

10:55:33 21

10:55:37 22

10:55:39 23

10:55:41 24

10:55:44 25

entries beforehand don't necessarily -- aren't in the same line of dissipation as when you're talking about -- or absorption as when you're talking about energy.

So for example, one of the definitions had to do with taking up in a gradual manner as. So if you took a sponge and put it on a puddle of water that it would suck up the water in a gradual manner. I mean, that's a different sort of absorption, I suspect, and I think based upon our expert's disclosure than what we're talking about here.

And so while it is the fourth stated definition, it is the one that most directly applies to a situation where you're talking about dissipation of an energy and that's to receive without recoil or echo.

Now, I'm on slide 38 of our presentation.

THE COURT: So Mr. Carsten, you know, what you just said a minute ago, it made me think that, you know, you have in your car airbags that, you know, if you have an impact, they will open up, and that's to absorb the person who's sitting behind the driver's wheel, the impact of them hitting the wheel. And isn't that a lot more like what we're talking about here or isn't that analogous to what we're talking about here?

MR. CARSTEN: Well, certainly I think the airbag would dampen the pressure of the person or the force of the person going forward, absolutely. So it would soften the

10:55:47 1

10:55:52 2

10:55:53 3

10:55:57 4

10:56:01 5

10:56:04 6

10:56:08 7

10:56:11 8

10:56:16 9

10:56:19 10

10:56:25 11

10:56:29 12

10:56:32 13

10:56:36 14

10:56:38 15

10:56:38 16

10:56:40 17

10:56:44 18

10:56:48 19

10:56:52 20

10:56:55 21

10:56:57 22

10:57:02 23

10:57:05 24

10:57:11 25

impact. It would meaningfully dissipate that force going forward. Absolutely.

But would it absorb that force? It certainly would dampen it. And this is a problem of plaintiff's own making, Your Honor. They put the word dampen which they agree means meaningfully dissipate right next to the word absorb. And those two words have to mean something, and they ought to mean something different. And to my mind, this has been a very unsatisfying exercise because I really can't tell where dampening ends and absorption begins.

THE COURT: Well, in my mind, you have two words that are similar, and there's not a bright-line divider between them. They overlap. Right?

MR. CARSTEN: They could well overlap, yes, Your Honor.

THE COURT: And so, but it sounds like what you're trying to do is to say, no, because they said absorb or dampen, you have to be able to decide which side of a line you're on to be dampened or to be absorbed. And that's just not the way people speak or write, is it?

MR. CARSTEN: Well, Your Honor, they have claims. So Cytonome has made a strategic choice. They tendered claims which say absorb or dampen, and they have other claims which just said just absorb. So there's got to be a difference there, and the public needs to understand

10:57:13 **1**10:57:18 **2** 

10:57:22 3

10:57:26 **4** 10:57:27 **5** 

10:57:32 6

10:57:37 7

10:57:41 8

10:57:44 9

10:57:47 10

10:57:51 11

10:57:53 12

10:57:57 13

10:58:00 14

10:58:04 15

10:58:07 16

10:58:11 17

10:58:14 18

10:58:19 19

10:58:19 20

10:58:22 21

10:58:26 22

10:58:32 23

10:58:35 24

10:58:38 25

where that difference is. So it may not be colloquially where you or I would write. Maybe we'd think we're just being more descriptive.

But here we're talking about legal documents that have a defined and real consequence such that they're saying, This is my stake of land, and you shall not trespass on it. And they're asserting those patents here against us, against my client, NanoCellect. So those claim terms have to mean something, and we ought to be able to determine, based upon the words that they've chosen and proffered to the Patent Office, saying this describes exactly what my invention is and where people can't trespass.

Then those have to have consequences and have to have meanings. And I can't, for the life of me, say that while there may be some overlap, when I've started to absorb and when I've started to dampen, or when I've dampened or when I've finished dampening, and that's really the heart of this issue. It is a hard sort of indefiniteness position here.

We don't know exactly where things are, and we're doing our level best to try to come up with a meaning for the term absorb based upon Cytonome's prosecution strategy here that makes sense, that makes sense for a person of skill in the art.

Now, Cytonome has said, well, that can't be

10:58:40 1 10:58:44 2 10:58:48 3 10:58:49 4 10:58:54 5 10:58:57 6 10:59:01 7 10:59:05 8 10:59:08 9 10:59:10 10 10:59:12 11 10:59:15 12 10:59:18 13 10:59:24 14 10:59:32 15 10:59:34 16 10:59:35 17 10:59:39 18 10:59:43 19 10:59:53 20 10:59:56 21 10:59:58 22

11:00:02 23

11:00:29 24

11:00:31 25

right because, you know, you're requiring perfection.

Nobody is requiring perfection. That's a red herring straw man.

What we're saying is that we know that dampen means to meaningfully dissipate. We've agreed on that.

Absorb has to be something more than that. And it has to be something that we can put our arms around and come up with a definition to. Otherwise, the claim is indefinite. And this is our attempt at doing exactly that, Your Honor.

So we would respectfully request that the Court adopt our claim construction on the term absorb.

THE COURT: I take it, Mr. Carsten, you agree that the words recoil and echo don't appear anywhere in the thousands of pages of patent specification and prosecution history, et cetera; right?

MR. CARSTEN: I don't believe that they do appear in the specifications for sure. My sense is that they likely don't appear in the file history, either.

THE COURT: All right. So why don't I switch over to the other side for a minute. Is that you,

Mr. Landers?

MR. LANDERS: Yes, Your Honor. If I could get presenting capabilities, I can put up my slide here.

THE COURT: All right. I think you have it, Mr. Landers.

11:00:41 4

11:00:44 **5** 11:00:46 **6** 

11:00:49 7

11:00:52 8

11:00:56 9

11:00:59 10

11:01:03 11

11:01:06 12

11:01:08 13

11:01:11 14

11:01:12 15

11:01:15 16

11:01:18 17

11:01:21 18

11:01:23 19

11:01:24 20

11:01:26 21

11:01:28 22

11:01:29 23

11:01:33 24

11:01:36 25

MR. LANDERS: Okay. Thank you. I'll start with slide 26 here, and really the issue is something Mr. Carsten actually brought up, and that is that NanoCellect admits that perfect absorption is not necessary. It's not achievable. It's not required.

So the upshot of that is that if their construction is adopted, NanoCellect's construction would actually defeat the purpose of claim construction because their expert would need to get on the stand and explain that although it says without recoil or echo, people of skill are actually going to understand that some recoil or echo is permitted. Well, that's going to be confusing to the jury because it means that NanoCellect's construction doesn't actually mean what it says.

So if it's adopted, it's going to end up just inviting a battle of the experts in front of the jury over what exactly it means, and we think the term absorbing means -- has a plain and ordinary meaning that would be readily understood.

THE COURT: What is that plain and ordinary meaning?

MR. LANDERS: We think actually the first part of their construction is close. It says simply to receive. Kind of like the sponge example, it simply takes up or takes in. And the screen I'm sharing here, that's what the patent

11:01:40 1

11:01:46 2

11:01:49 3

11:01:52 4

11:01:55 5

11:01:56 6

11:01:59 7

11:02:02 8

11:02:03 9

11:02:06 10

11:02:09 11

11:02:12 12

11:02:17 13

11:02:20 14

11:02:24 15

11:02:26 16

11:02:29 17

11:02:32 18

11:02:38 19

11:02:43 20

11:02:46 21

11:02:49 22

11:02:51 23

11:02:54 24

11:02:57 25

is getting at when it's describing the absorption process.

THE COURT: So when the FedEx gentleman delivered a package to my house this morning, did I absorb it?

MR. LANDERS: In a sense you've absorbed it into your house. You received it.

THE COURT: Okay. That's --

MR. LANDERS: It's not exact, but this is the construction they offered, Your Honor. And what the issue is with the second part of their construction, I can see the word receive in light of the specification being something that the jury could understand. For example, here in the specification, it says that the side passage and bubble valve, which is really describing the buffer, it absorbs the transient pressure variations by allowing the flow of liquid from the main duct into the side passage. So what it's describing is that liquid. And the resulting pressure pulse actually gets taken in which is another word for receive.

And so we actually had our expert, Dr. Vacca, weigh in on it. He said something similar. He said he could agree with the first part of NanoCellect's construction because that's just another way of expressing the well described meaning which is to take up or take in. He just can't agree with that second part about recoil and echo because it causes problems.

11:03:00 1 11:03:04 2 11:03:07 3 11:03:11 4 11:03:14 5 11:03:16 6 11:03:19 7 11:03:21 8 11:03:25 9 11:03:28 10 11:03:32 11 11:03:35 12 11:03:38 13 11:03:42 14 11:03:45 15 11:03:48 16 11:03:51 17 11:03:53 18 11:03:56 19 11:03:58 20 11:04:01 21 11:04:04 22

11:04:07 23

11:04:09 24

11:04:12 25

So here on slide 28 is another excerpt. This is from the '850 patent, and here the patent is talking about absorbing with respect to the spring constant. And in there the patent is saying that the buffer's positioned to absorb the pressure pulse, and that the spring constant of the buffer may be varied according to the particular requirements. And it gives some examples of how this could be done such as by varying the volume or the buffer, and that could be another example of how it allows the buffer to take in this pressure pulse.

And Dr. Vacca here on slide 29 explicitly explains that passage. He's saying that when you're talking about the spring constant, you're actually talking about adjusting the amount of absorption that the device is capable of doing. And he says a person of skill would understand that the characteristics for varying the spring constant are to be selected by the designer who will be familiar with the tolerable amount of echo.

So that goes to that second part of their construction and why we think it's problematic because in the real world, it's understood that absorption, it's never going to be perfect. So different applications require different levels of absorption.

On slide 30, this is really to highlight the problem with the construction they've offered. This is from

11:04:15 1 11:04:20 2 11:04:24 3 11:04:26 4 11:04:31 5 11:04:33 6 11:04:35 7 11:04:39 8 11:04:41 9 11:04:44 10 11:04:48 11 11:04:51 12 11:04:53 13 11:04:58 14 11:05:01 15 11:05:02 16 11:05:05 17 11:05:08 18 11:05:11 19 11:05:13 20 11:05:14 21 11:05:16 22 11:05:18 23 11:05:19 24

11:05:26 25

their own expert, and here Dr. Di Carlo explains a POSA would not have understood NanoCellect's own definition to actually mean what it says. He says a POSA would have understood that some degree of recoil or echo is unavoidable, so he's agreeing with Dr. Vacca.

But the problem with that is if NanoCellect's construction is adopted, it's going to require Dr. Di Carlo to get up on the stand and explain to the jury that this without recoil or echo language does actually allow for some recoil or echo, and that's just confusing. It defeats the whole purpose of claim construction and it should not --

THE COURT: So Mr. Landers, are you saying that if they had proposed to receive with lessened recoil or echo, you'd be saying, yeah, that's fine?

MR. LANDERS: We might not say, yeah, that's fine, but we definitely would have considered that. But that sounds more reasonable than putting language in that's going to cause another claim language dispute within the claim construction because that would --

THE COURT: Okay, Mr. Landers --

MR. LANDERS: Because as it sounds -- it's confusing because it doesn't mean what it sounds like it means.

THE COURT: All right. Anything further from you, Mr. Carsten?

11:05:29 1 11:05:30 2

11:05:35 3 11:05:37 4 11:05:40 5 11:05:43 6 11:05:46 7 11:05:51 8 11:05:55 9 11:05:59 10 11:06:06 11 11:06:09 12 11:06:10 13 11:06:13 14 11:06:16 15 11:06:19 16 11:06:22 17 11:06:32 18 11:06:38 19 11:06:43 20

11:06:46 21 11:06:56 22

11:06:59 24

11:06:58 23

11:07:05 25

MR. CARSTEN: No, Your Honor. I think it is just instructive that when pressed, Cytonome itself can't even tell you what the word absorb means, that they don't even really know. So it's a problem of their making. their patent that they're asserting against NanoCellect, and they ought to be able to tell us what the term means. And I think that that speaks volumes about the problem that we've had trying to come up with a concept or language that encapsulates what that word means in the context of these claims.

THE COURT: All right. Anything else?

MR. LANDERS: Your Honor, just to note, we did have our expert explain his opinion. The well understood meaning is to take up or take in. It's not that we've left that as a confusing term. It's well understood. been our position all along.

THE COURT: All right. Well, so I'm not going to adopt the defendant's proposed construction. You know, I think one of the features of Phillips in the late 2000s was to sort of discourage going to the dictionary and picking a definition, and presumably even more so pick the fourth. I'm going to go with the plain and ordinary meaning right now.

You know, and that's particularly to say that I reject defendant's proposed construction. You know, it's

possible at some later time we might be revisiting absorb in 11:07:11 1 terms of whether the jury needs any further assistance, but 11:07:17 2 I do think, you know, absorb is actually a fairly common 11:07:24 3 11:07:32 4 noun or verb. Yeah, I guess verb really. So I'm not sure that it needs any construction. In any event, at this time 11:07:39 5 I'm not going to give it defendant's construction. 11:07:43 6 11:07:46 7 All right. Let's go on. What's the next one? 11:07:53 8 MR. CARSTEN: The next one on my list, Your 11:07:55 9 Honor, is pressure pulse. 11:07:56 10 THE COURT: Okay. Hold on just a minute. 11:08:12 11 All right. Pressure pulse. 11:08:18 12 MR. CARSTEN: Your Honor, my colleague, Mr. Burrowbridge, will be addressing this on behalf of 11:08:19 13 11:08:21 14 defendants. We're happy to go first, or if you prefer to hear from plaintiff first, whatever your convenience is. 11:08:24 15 11:08:26 16 THE COURT: Well, Mr. Burrowbridge, why don't 11:08:28 17 you go ahead in favor of unidirectional flow to the 11:08:32 18 microchannel/supply duct. 11:08:38 19 MR. LISTON: Your Honor, this is Ian Liston. Could I have control of the screen so I could put up the 11:08:40 20 slides, Your Honor? 11:08:45 21 THE COURT: All right. I think, 11:09:29 22 Mr. Burrowbridge, the slide is up, I think. 11:09:30 23 11:09:34 24 MR. BURROWBRIDGE: Great. Can you hear me, Your

11:09:35 25

Honor?

11:09:35 1 11:09:36 2 11:09:39 3 11:09:43 4 11:09:46 5 11:09:55 6 11:09:58 7 11:10:01 8 11:10:04 9 11:10:07 10 11:10:11 11 11:10:16 12 11:10:18 13 11:10:20 14 11:10:22 15 11:10:24 16 11:10:27 17 11:10:27 18 11:10:30 19 11:10:34 20 11:10:36 21 11:10:41 22

11:10:47 23

11:10:51 24

11:10:53 25

THE COURT: Yes.

MR. BURROWBRIDGE: Great. Thank you.

So as you mentioned, NanoCellect proposed a unidirectional flow to the microchannel or the supply duct where Cytonome's proposed construction is the plain and ordinary meaning. The claim at issue is claim 18. It's an actuator for selectively applying a pressure pulse to the stream to deflect a particle in the stream of particles from the stream of particles.

Looking at slide 42, the claim language requires three things, the three directional steps. First, an actuator for selectively applying a pressure pulse. So the pressure pulse starts with the actuator.

Second, applying that pressure pulse to the stream of particles.

And third, a buffer for absorbing the pressure pulse.

So the pressure pulse ends with the buffer. The claims require that these pressure pulses be absorbed or dampened by the damper which is consistent with the single interactive unidirectional flow.

Looking at slide 43, this understanding is consistent with the specification. There's no dispute that the pressure pulse starts with the actuator. The actuator can be seen in Figure 17A as call out 176. The

11:10:58 1 11:11:00 2 11:11:04 3 11:11:06 4 11:11:09 5 11:11:14 6 11:11:17 7 11:11:21 8 11:11:31 9 11:11:33 10 11:11:37 11 11:11:41 12 11:11:45 13 11:11:46 14 11:11:49 15 11:11:54 16 11:11:55 17 11:11:56 18 11:11:59 19 11:12:03 20 11:12:09 21 11:12:13 22 11:12:17 23 11:12:22 24

11:12:26 25

specification makes clear that the pressure pulse is applied to the screen in the main channel to reflect the selective particle of interest. The selective particle of interest can be seen as the black particle in the middle of the image at call out 180B. The pressure pulse thus shifts the selected particle perpendicular to the normal flow in the main cross channel. Thus, the pressure pulse only moves in one direction from the actuator to the microchip.

Look at slide 44. This reading is also confirmed by the claims that require a buffer 100A for absorbing the pressure pulse. All seven patents confirm this unidirectional flow which can be seen on slide 45 and 46.

THE COURT: Mr. Burrowbridge, does unidirectional mean the same thing as in one direction?

MR. BURROWBRIDGE: Yes, Your Honor.

THE COURT: Okay.

MR. BURROWBRIDGE: So one direction from the actuator to the microchannel which can be seen on Figure 17A and in the figure from the '188 patent, Figure 5B. You can see again that it's starting in the actuated bubble valve, and it's going in a single direction from that bubble valve towards the main channel or towards the microchannel.

Looking at slide 46, again, this understanding is consistent across all the patents. It moves from the

11:12:29 1 11:12:32 2 11:12:37 3 11:12:40 4 understanding. 11:12:43 5 11:12:46 6 11:12:55 7 11:12:58 8 11:13:06 9 11:13:12 10 11:13:13 11 of the claim language. 11:13:16 12 11:13:18 13 to anything? 11:13:20 14 11:13:21 15 11:13:23 16 11:13:27 17 11:13:30 18 11:13:33 19 11:13:37 20 11:13:38 21 11:13:46 22 11:13:48 23 11:13:52 24 11:13:56 25

actuator to the microchannel. The specifications make clear that the pressure pulse is a transient liquid displacement or flow that is perpendicular to normal flow in the microchannel. The patents don't support any other understanding.

THE COURT: So Mr. Burrowbridge, why are we interested in this particular construction? Does your product send things in multiple directions or is the prior art -- I mean, why are we doing this?

MR. BURROWBRIDGE: Well, Your Honor, initially we were doing this because this is the literal application of the claim language. So it's --

THE COURT: Right. What difference does it make to anything?

MR. BURROWBRIDGE: It does make a difference with regard to the accused device and the infringement contentions set forth by Cytonome, Your Honor.

THE COURT: So does the accused device send things in two directions or three directions?

MR. BURROWBRIDGE: Yes, Your Honor.

THE COURT: Oh, okay. All right. Go ahead.

MR. BURROWBRIDGE: So Cytonome's response to this, which can be seen on slide 48, relates to a single alternative embodiment. That alternative embodiment can be seen in slide 48 as Figure 6. It's disclosed in the '850

patent, but this alternative embodiment, as described by the 11:14:01 1 specification, confirms the NanoCellect construction. 11:14:04 2 In Cytonome's brief, it says that the wave 11:14:08 3 11:14:11 4 generator can act upon the flowing liquid, either directly or via deflection. However, if you look at the '850 patent, 11:14:16 5 the '850 patent gives more description than that. It makes 11:14:18 6 11:14:22 7 certain there, the wave generator provided with the plunger 11:14:24 8 can act upon the flowing liquid directly or via deflection. 11:14:29 9 A person of skill in the art would understand that the plunger forces the flow of liquid and the pressure pulse 11:14:31 10 from the actuator seen as 260 in Figure 6 in a 11:14:35 11 unidirectional flow to the microchannel, that would end up 11:14:39 12 going to the buffer as consistent with the claim language. 11:14:44 13

> THE COURT: In the drawing there, the wave generator comes from 260?

> > MR. BURROWBRIDGE: Yes. Yes, Your Honor.

THE COURT: What's 19?

MR. BURROWBRIDGE: Nineteen, I believe, is a detection component.

> THE COURT: So okay.

MR. BURROWBRIDGE: That's kind of like how it knows to cause the pressure.

THE COURT: Okay.

MR. BURROWBRIDGE: It's something that works with the actuator. Yes, Your Honor. What's clear, if that

11:14:49 14 11:14:55 15 11:15:00 16 11:15:04 17 11:15:10 18 11:15:10 19 11:15:12 20 11:15:14 21 11:15:16 22 11:15:19 23 11:15:19 24 11:15:21 25 11:16:15 14

11:16:18 15

11:16:22 16

11:16:26 17

11:16:31 18

11:16:33 19

11:16:36 20

11:16:38 21

11:16:43 22

11:16:49 23

11:16:51 24

11:16:52 25

actuator is -- that PZT actuator is just placed in the middle of that main channel without the plunger, what you end up having is something that PCT looks exactly on the image on slide 48 which I believe is confirmed by Cytonome's slide 34 which is you would have a PCT actuator placed in a main channel where the pressure pulses would go in every direction.

Such an embodiment, first of all, is not supported by the '850 patent which says it must have a plunger. But moreover, such a description would lead to an inoperable device as the PZT actuator, would send the pressure pulse down both channels to the right and to the left to the keep output and the waste output, back up the main channel towards where the stream of particles is being inserted into the system and towards the buffer. So such a system would be inoperable for the claim function of sorting cells.

Cytonome cites a single case to support its idea. It cites Verizon in its paper. Verizon says we normally do not interpret the claim terms in a way that excludes disclosed examples in the specification, but it omits the supporting citation which is MBO Labs versus Becton Dickinson which says a claim interpretation that excludes a preferred embodiment from the scope of the claim is rarely, if ever, correct.

11:16:55 1 11:16:57 2 11:17:01 3 11:17:04 4 11:17:07 5 11:17:12 6 11:17:15 7 11:17:20 8 11:17:23 9 11:17:27 10 11:17:29 11 11:17:31 12 11:17:33 13 11:17:35 14 11:17:38 15 11:18:02 16 11:18:04 17 11:18:07 18 11:18:11 19 11:18:15 20 11:18:17 21 11:18:21 22 11:18:24 23 11:18:28 24 11:18:30 25 So what's the issue here is not whether or not you can exclude an alternative embodiment. You can certainly do that. The law permits it.

And here, that alternative embodiment is either inoperable or, as we believe, the '850 only supports that alternative embodiment with a plunger. And that plunger, again, would provide a unidirectional flow.

THE COURT: Okay. Is there anything else you want to say about pressure pulse?

MR. BURROWBRIDGE: Not at this time, no.

THE COURT: Okay. Thank you, Mr. Burrowbridge. Let's hear from the other side.

MR. BURROWBRIDGE: Thank you.

MR. LANDERS: This is Mr. Landers speaking. If I could have the presenter view again.

Can you see that, Your Honor?

THE COURT: Not yet. Now, yes.

MR. LANDERS: Okay. Well, before I get started, I just want to address one what I think is a key point that Mr. Burrowbridge stated. He stated that if the plunger works the way that Cytonome says it does, which has been our interpretation, that the plunger comes up from the bottom and radiates this multi-directional pulse outwardly.

The evidence for saying that it's either inoperable or it's either unidirectional, that comes from

11:18:32 **1** 11:18:38 **2** 

11:18:40 3

11:18:43 4

11:18:45 5

11:18:49 6

11:18:51 7

11:18:56 8

11:18:59 9

11:19:02 10

11:19:07 11

11:19:08 12

11:19:09 13

11:19:11 14

11:19:16 15

11:19:27 16

11:19:30 17

11:19:32 18

11:19:34 19

11:19:37 20

11:19:40 21

11:19:43 22

11:19:46 23

11:19:49 24

11:19:51 25

Dr. Di Carlo. His declaration was not attached until the sur-reply, so we didn't get a chance to have our expert weigh in on whether it's inoperable.

But the way the patent describes it, it does appear to radiate outwardly. So we disagree with that characterization. And in fact, the '850 patent, when it's describing that Figure 6 embodiment, it actually does describe a way the pressure pulse can still be absorbed by modifying that spring constant that we discussed earlier. So we don't think that's really a valid criticism of the alternate embodiment.

THE COURT: But --

MR. LANDERS: Yes, Your Honor.

THE COURT: So you're arguing that this plunger and the pressure pulse that it causes goes in lots of different directions; is that right?

MR. LANDERS: Yes, Your Honor. This goes back to the perfect absorption that we were discussing earlier. The fact that it radiates outwardly and not all gets sucked into this buffer doesn't mean that it's not absorbing. So the device would still function and the patent describes how it would function, but the point for this particular exercise is that it's still employing a pressure pulse.

And we're not trying to say that we're using the alternate embodiments to override anything in the preferred

11:19:56 **2**11:19:59 **3**11:20:02 **4** 

11:19:54 1

11:20:04 5 11:20:06 6 11:20:09 7

11:20:16 9

11:20:18 10

11:20:14 8

11:20:25 **11** 11:20:29 **12** 

11:20:32 13

11:20:35 **14** 11:20:39 **15** 

11:20:42 16

11:20:44 **17** 11:20:48 **18** 

11:20:51 19

11:20:55 20

11:21:00 21

11:21:07 22

11:21:08 23

11:21:11 24

11:21:16 25

embodiment. What we're just saying is the alternate embodiments do describe a pressure pulse, so they inform the meaning of that term when it's used in the claims. That's how we're using the alternate embodiments.

And in this particular example, it does radiate outwardly. But we actually provided another example because, as I mentioned, Dr. Di Carlo didn't provide his criticism in the sur-reply.

example from the specification, and this is Figure 5 from the '850 patent. As you can see, this isn't going to be a unidirectional pulse here, either. This is going to be like a zig-zag pattern coming from that bottom circle. That's the producing side, and it's going to have to come back around and go back into the buffer. And the patent gives more detail on how this works.

But the point of this exercise is that it's not unidirectional or single direction. So there are examples of the patent employing pressure pulses which is in these claims and not having that unidirectional component. And that's really our main issue with NanoCellect's proposed construction. It's --

THE COURT: I mean, it's the only -- you know, otherwise, the addition of the word unidirectional is -- I mean, the only thing that is not necessarily -- in fact,

11:21:23 1

11:21:26 2

11:21:29 3

11:21:31 4

11:21:33 5

11:21:37 6

11:21:40 7

11:21:43 8

11:21:46 9

11:21:50 10

11:21:53 11

11:21:54 12

11:21:57 13

11:22:02 14

11:22:05 15

11:22:07 16

11:22:11 17

11:22:13 18

11:22:17 19

11:22:19 20

11:22:24 21

11:22:25 22

11:22:27 23

11:22:30 24

11:22:33 25

probably is not contemplated by your plain and ordinary meaning.

MR. LANDERS: I actually do have one more point on that, though, Your Honor, that the word pulse is not actually captured by their claim because they replace pressure pulse with the word flow. So to me that connotes -- if I were a juror, I would be thinking of flow as like a constant flow into the channel, and that doesn't give me any impression that this pulsing or even a pressure increase activity is occurring. So the word flow we also think is problematic.

Well, there's a prosecution history that actually differentiated the prior art based on this requirement that a pulse is like a transient thing. But when you use the word flow and you don't otherwise explain that it's a transient increase in pressure, you're actually going directionally against this intrinsic evidence.

And this right here on your screen, slide 32, is exactly that. This is the applicants describing their invention as opposed to the Dunaway prior art saying they're actually defining pressure pulse here.

We think if Your Honor does want to -- if you do want to provide an affirmative construction, this would actually be a nice way of putting it, that a pressure pulse is a transient increased pressure. But again, we think the

11:22:37 **1** 11:22:42 **2** 

11:22:48 4

11:22:44 3

11:22:49 511:22:52 6

11:22:57 7

11:22:59 8 11:23:12 9 11:23:18 10

11:23:24 11

11:23:32 12

11:23:37 13

11:23:42 **14** 11:23:48 **15** 

11:23:53 16

11:23:58 17

11:24:04 18

11:24:06 19

11:24:07 20

11:24:13 21

11:24:17 22

11:24:22 23

11:24:25 24

11:24:25 25

words pressure and pulse are relatively, you know, ordinary English words that a jury could figure out on its own. But this is much more accurate than unidirectional flow.

There's nothing in here about flow.

And in fact, I think this Dunaway prior art was a flow device. So again, this is -- it's a bit confusing to use the word flow is what I'm trying to say.

THE COURT: So you know, Mr. Landers, I guess what I'm wondering about is this: As I understand it, and perhaps I understand it incorrectly, the invention here is focused on the fact that you can, with this pressure pulse, select out cells or particles and send them somewhere else. Take them out of line, so to speak, and that it allows you to do this selectively.

The idea of a plunger and stuff going in all directions seems to be sort of contrary to that understanding. Can you address what I've just said?

MR. LANDERS: Yes, Your Honor. I think that might be going to a different issue as to whether or not this Figure 6 embodiment is operable or not. But that this -- in claim construction what we're explaining is this pressure pulse goes in multiple directions in some examples. They may be -- maybe Figure 5 is a better way of looking at it.

THE COURT: Well, so I mean, the question of

11:24:30 1

11:24:40 2

11:24:42 3

11:24:45 4

11:24:47 5

11:24:51 6

11:24:54 7

11:24:57 8

11:25:01 9

11:25:04 10

11:25:09 11

11:25:10 12

 $11:25:11\,13$ 

11:25:13 14

11:25:17 15

11:25:22 16

11:25:25 17

11:25:28 18

11:25:32 19

11:25:34 20

11:25:37 21

\_\_

11:25:38 22

11:25:40 23

11:25:45 24

11:25:51 25

operability, would Figure 6 be operable?

MR. LANDERS: I mean, we're taking the patent at face value. We presume it's operable. As I said,

Dr. Di Carlo didn't raise that fact. There was no evidence in the record to suggest that Figure 6 would be inoperable.

Dr. Di Carlo -- until the sur-reply, our expert hasn't gotten a chance to weigh in on that. I would argue that it is operable because I would take the patent at its word. But again, that wasn't -- we didn't get a chance to brief that issue with the proper basis that we would need.

THE COURT: Okay. I think you were going to say something else.

MR. LANDERS: I was just going to mention to help clarify for this specific claim construction issue that the Figure 5 doesn't -- this is an example of the pressure being what would deflect the particle when the black particle gets to that cross section that we circled in red. The pressure is going to cause it to go upward into that top channel. So the word flow might be confusing there, too.

I was just going to mention one more detail in Figure 5, but that's all I have on these.

THE COURT: So one of the things that I was curious about on Figure 5, and I'm not being critical here, I don't recall seeing in the briefings you're saying that the squiggly line that's, you know, got kind of an S-type

11:25:56 **1** 11:26:06 **2** 

11:26:09 3

11:26:15 4

11:26:18 5

11:26:19 6

11:26:22 7

11:26:26 8

11:26:29 9

11:26:32 10

11:26:46 11

11:26:49 12

11:26:53 13

11:26:59 14

11:27:05 15

11:27:09 16

11:27:13 17

11:27:14 18

11:27:17 19

11:27:20 20

11:27:23 21

11:27:27 22

11:27:32 23

11:27:34 24

11:27:35 25

shape, that that's not unidirectional. And I take it that's because if we think of it as compass points, sometimes it's going northeast and sometimes it's going northwest.

Is that what you're saying about that?

MR. LANDERS: Yes, Your Honor, it would have to because at the bottom, that's the actuator bubble. And at the top, it's the buffer. So to get from point A to point B, there's going to be some kind of change in direction.

THE COURT: Yeah, but that's kind of a different concept than the pressure pulse one which is, you know, it's like dropping a bomb on something. It just destroys everything in sight. As opposed to sending in a cruise missile which may, you know, change direction as for whatever reason, but it's not just going in all directions. It's going in a defined direction, but it's just, you know, not always -- it's not a straight line.

MR. LANDERS: Well, yes, Your Honor, that's exactly the problem with their construction is the pressure pulse here is more like that cruise missile. To get that black particle to move upward a little bit, the pressure pulse is going to have to come back and hit it there in that junction. So it is -- I would argue it's more like the cruise missile that moves.

THE COURT: Right.

MR. LANDERS: It's not a bomb. You know, the

point is they're importing this unidirectional limitation
when it's just not -- it's not supported.

THE COURT: Well, I mean, you know, as I'm listening to their argument, I mean, I think what they're arguing is essentially -- well, I mean, I think they're arguing, but maybe not winning the argument that, you know, if the question is what did the inventors invent, which there are some Federal Circuit cases that say this, they go through all kinds of different, you know, places where the inventor said this and the inventor said that. And they conclude that, you know, essentially the broadest possible reading of something is not the reading that should be given.

But on the other hand, usually when the Federal Circuit does that sort of analysis, there's nothing that the other side's patentee can point to to say, well, here's something where we have a slightly different concept, so you know, give us everything.

So okay. Let me just hear if there's any response from Mr. Landers.

MR. BURROWBRIDGE: From Mr. Burrowbridge?

THE COURT: No, I thought Mr. Burrowbridge -actually, I can't remember who's on which side right now.

MR. BURROWBRIDGE: Yes, Your Honor, this --

MR. LANDERS: Yeah, this is Mr. Landers. I was

11:29:25 24

11:29:27 25

11:29:28 1 11:29:30 2 11:29:33 3 11:29:35 4 11:29:40 5 11:29:40 6 11:29:43 7 11:29:44 8 11:29:45 9 11:29:46 10 11:29:51 11 11:29:54 12 11:29:57 13 11:29:57 14 11:29:59 15 11:30:02 16 11:30:05 17 11:30:09 18 11:30:12 19 11:30:17 20 11:30:22 21 11:30:25 22 11:30:29 23 11:30:31 24 11:30:35 25

just speaking for Cytonome if that helps you.

THE COURT: Actually, that doesn't help me at all because I have to look at the caption to see which side is Cytonome. Defendant or plaintiff works for me. That I understand.

But you are for the plaintiff, Mr. Landers; right?

MR. LANDERS: Yes, Your Honor. I was just speaking for the plaintiff.

THE COURT: Okay. Yeah. All right.

Yes, then so we went first here.

Mr. Burrowbridge, yeah, do you have something you want to add?

MR. BURROWBRIDGE: Yes, Your Honor, a few things, starting with this point about the prosecution history. Defendant doesn't dispute that the pressure pulse is a transient pressure pulse, so that's not an issue that's in dispute for purposes of this claim construction.

Looking at Figure 5 of the '850 patent, Figure 5 makes clear that the pressure pulse is, in fact, unidirectional. The arrows don't depict the flow itself, rather explicitly depicts the low-resistance path.

What's clear from the corresponding description in the specification is that only one of the depicted bubbles -- bubble valves is the actuating bubble valve,

11:30:54 6

11:30:52 5

11:30:55 7 11:30:57 8 11:31:02 9 11:31:08 10 11:31:13 11 11:31:23 12 11:31:27 13 11:31:31 14

11:31:35 16 11:31:39 17 11:31:43 18 11:31:46 19 11:31:51 20 11:31:55 21

11:31:32 15

11:32:00 22 11:32:06 23 11:32:11 24

11:32:17 25

while the other is the buffering bubble valve. Therefore, this disclosure confirms NanoCellect's construction. The pressure pulse will travel as a unidirectional flow from the actuator to the microchannel no matter which bubble valve is actuated.

THE COURT: Okay.

MR. BURROWBRIDGE: And Your Honor, to discuss for a minute slide 34 of Cytonome's presentation, again, the affirmative argument here is not that Figure 6 of the '850 patent is inoperable. The affirmative argument is that it requires as shown in NanoCellect's slide 48 that the '850 patent makes specific that the wave generator requires a plunger, and that the plunger, in fact, creates a unidirectional flow.

So Figure 6 of the '850 patent is consistent with NanoCellect's construction of unidirectional flow.

It's only inoperable if you read it as Cytonome is asking the Court to read it which is dropping a PZT actuator in the main channel out without the supporting disclosure of the '850 which is the plunger.

THE COURT: So Mr. Burrowbridge, in terms of me figuring out what the Figure 6 actually shows, is that something I can just do with my political science background, or do I have to have experts to figure that out?

MR. BURROWBRIDGE: Well, I think both, Your

11:32:19 1 11:32:22 2 11:32:25 3 11:32:28 4 11:32:33 5 11:32:35 6 11:32:37 7 11:32:40 8 11:32:43 9 11:32:47 10 11:32:50 11 11:32:52 12

Honor, because the claims, first of all, describe the direction of the flow. Must start again with the actuator, and I don't know that there can be a dispute that the flow goes from the actuator to the microchannel. So that's clear from the literal claims themselves.

Then the patent specification confirms that because it says that it's provided with a plunger. trying to strike through that provided with plunger disclosure to say that the PZT wave generator can act upon the flowing liquid directly, and that's just not what the disclosure says.

Moreover, Your Honor, our expert, Dr. Di Carlo, did put in a declaration that makes clear that the plunger would create a unidirectional flow towards the microchannel.

THE COURT: Okay. So should I be giving their expert a chance to submit a declaration saying the opposite?

MR. BURROWBRIDGE: Your Honor, I don't think it's necessary. I don't think Your Honor needs to rely on either our expert declaration or a competing expert declaration. This reading and this understanding of pressure pulse is consistent with all seven asserted claims. The only thing that they can raise is an alternative embodiment in a single patent. So at least the construction for pressure pulse proposed by NanoCellect should control across six of the seven patents.

11:33:39 25

11:33:41 1 11:33:44 2 11:33:50 3 11:33:53 4 11:33:56 5 11:33:59 6 11:34:03 7 11:34:12 8 11:34:16 9 11:34:19 10 11:34:21 11 11:34:26 12 11:34:29 13 11:34:31 14 11:34:36 15 11:34:40 16 11:34:43 17 11:34:46 18 11:34:48 19

11:34:51 20

11:34:54 21

11:34:57 22

11:35:01 23

11:35:04 24

11:35:09 25

With regard to this alternative embodiment, legally Your Honor's well positioned to determine the scope of this claim as informed by the literal claim language itself and the disclosure as pointed out by NanoCellect and as drafted by Cytonome.

THE COURT: All right. Let me just ask your counterpart on behalf of the plaintiff, do you want to submit any declaration from your expert on what Figure 6 means?

MR. LANDERS: We'd be happy to, Your Honor, but we think we can resolve it here. Actually, Mr. Burrowbridge isn't exactly right. We have other evidence that could help out here, and that is the fact that when the -- here on slide 33 when the patentees wanted to add a directionality, they did so here similar to claim 7 by saying the pressure pulse is applied across the duct. So they knew how to add a direction, they just didn't always do it because the capturing things like Figure 5 here.

And just another point that Mr. Burrowbridge said, the low-resistance path is what the pressure pulse is going to follow. It has to get up to that junction to hit the particle. So the black particle doesn't come down into this bottom channel ever, so there's not a single direction.

I just wanted to point that out because he was describing this figure, I think, a little bit incorrectly.

11:35:14 1 11:35:15 2 11:35:23 3 11:35:28 4 11:35:35 5 11:35:38 6 11:35:45 7 11:35:46 8 11:35:48 9 11:35:50 10 11:35:53 11 11:35:54 12 11:35:56 13 11:35:58 14 11:36:01 15 11:36:01 16 11:36:05 17 11:36:09 18 11:36:12 19 11:36:16 20 11:36:18 21 11:36:21 22 11:36:25 23 11:36:27 24 11:36:33 25

THE COURT: Okay. Well, so just on the question of an expert declaration, I have no position other than they submitted something in a sur-reply which, you know, I've already said is not the way you're supposed to do it. So it's entirely up to you whether you want to submit something in sur sur-reply. And in fact, if you -- I mean, what do you want to do?

MR. LANDERS: If I may, could I defer to lead counsel here because I don't want to make a decision on additional work product on the fly without consulting with Mr. O'Neill?

THE COURT: Okay. Mr. O'Neill?

MR. O'NEILL: Your Honor, I would like the opportunity to do a follow-up declaration. I'll make it very short.

THE COURT: Well, that's fine. You can make it short, long, but it's up to you. I didn't put any restraints on what people did in the briefing, so I'm not going to put any restraints on you at this point.

Would two weeks be sufficient?

MR. O'NEILL: Yes, Your Honor. Well, I assume the expert's around, but I'm confident he is. So --

THE COURT: So why don't we do this: You have two weeks. If there's any problem at all, you know, agree with the other side that you get more time, and I'll sign

any stipulation giving you however much more time you need. 11:36:36 1 Okay? 11:36:39 2 MR. O'NEILL: Thank you, Your Honor. 11:36:40 3 11:36:41 4 THE COURT: All right. So on pressure pulse, I'm not going to rule on that right now. I will take that 11:36:43 5 under advisement. 11:36:46 6 11:36:47 7 And let's do this, we've been online for an hour 11:36:51 8 and a half or so, why don't we take a ten-minute break and 11:37:04 9 start up again then. 11:37:06 10 Okay? (Everyone said, Thank you, Your Honor.) 11:37:08 11 THE COURT: All right. Ten-minute break. 11:37:09 12 (Discussion held off the record.) 11:47:30 13 11:47:30 14 THE COURT: Okay. Well, let's get back. is the next thing on the list here? 11:47:32 15 11:47:37 16 MR. O'NEILL: It's otherwise sealed, Your Honor. 11:47:39 17 It's Kirt O'Neill, and with your permission, I'll take the 11:47:42 18 baton. 11:47:43 19 THE COURT: Well, sure. MR. O'NEILL: Thomas, do you want to get us to 11:47:45 20 slide 36? 11:47:46 21 THE COURT: Let me ask first before you go, 11:47:47 22 because in the otherwise sealed, I thought the briefing is 11:47:48 23 11:47:54 24 one side was arguing about the '797 patent, and the other 11:47:58 25 side was arguing about the other patent, and you seem to be

11:48:01 1
11:48:07 2
11:48:15 3
11:48:21 4
11:48:26 5
11:48:28 6
11:48:32 7
11:48:40 8
11:48:47 9
11:48:50 10
11:48:51 11

11:49:03 15 11:49:07 16 11:49:11 17 11:49:14 18

11:49:17 19

11:49:18 20

11:48:53 12

11:48:59 13

11:49:00 14

11:49:20 21 11:49:24 22 11:49:27 23 11:49:30 24

11:49:35 25

ignoring whichever patent didn't have the language you wanted in it. And it seemed to me that the one that expressly said not open or not sealed to the external or sealed to the external environment, that there was no dispute there.

And on the other one, it didn't seem to me that later-added lexicography had any impact at all on the construction of an earlier term, and that otherwise sealed ought to be given the broad reading that otherwise sealed suggested.

In any event, that's where I was after reading this, but go ahead, Mr. O'Neill.

MR. O'NEILL: Thank you, Your Honor. And I do think what happened was when we started out the briefing and the assembly of the disputed terms, the '797 patent was listed, and the terms there were listed. But as you observed, that patent claim has the explicit language that these chambers are otherwise sealed from an exterior environment.

So as the briefing unfolded, and I think by the time we got to the last brief of the defendant, my perception there is that they're simply arguing now about the '283 patent claim which doesn't have that additional clarifying language on it. So I'd like to address that and also address Your Honor's observation about later-added

11:49:39 1 language and clarifying language.

I'll take you through what happened, but I think the key here really is in the language of the claims, and it's because these patents are so closely related, and they're describing the same thing. We believe that the claims in both of the patents should be construed the same, and that's that it means not open to an exterior environment.

NanoCellect's construction is narrower in that it would prevent internal connections to other parts of the chip. We believe that's wrong, and I'll show you why.

Thomas, could we go to slide 37?

You are correct, Your Honor, in that claim 5 of the '797 patent, which is where the language is in that patent, it's very explicit. It says it's otherwise sealed from an exterior environment. I'll show you how that language came to be.

THE COURT: So hold on, Mr. O'Neill, just a second. Can I ask the other side: Do you agree that the '797 patent doesn't need to be construed on this term?

MR. BURROWBRIDGE: Your Honor, NanoCellect's construction is consistent with otherwise sealed from an exterior environment for the '797 patent. So to the extent Your Honor does choose to construe the term, we believe the construction applies across those two patents.

11:49:41 2 11:49:43 3 11:49:46 4 11:49:49 5 11:49:52 6 11:49:57 7 11:50:01 8 11:50:03 9 11:50:05 10 11:50:08 11 11:50:11 12 11:50:13 13 11:50:16 14 11:50:20 15 11:50:23 16 11:50:26 17 11:50:26 18 11:50:29 19 11:50:33 20 11:50:40 21 11:50:42 22 11:50:45 23 11:50:48 24 11:50:51 25 11:50:54 1 11:50:57 2 11:51:01 3 11:51:05 4 11:51:07 5 11:51:08 6 11:51:09 7 11:51:13 8 11:51:14 9 11:51:16 10 11:51:19 11 11:51:21 12 11:51:23 13 11:51:23 14 11:51:25 15 11:51:27 16 11:51:30 17 11:51:32 18 11:51:33 19 11:51:34 20 11:51:38 21 11:51:42 22 11:51:45 23 11:51:48 24

11:51:49 25

To answer your question, Your Honor's question, however, NanoCellect is of the position that Your Honor need not construe the term for the '797 patent.

THE COURT: Okay. And Mr. O'Neill, do you agree with that?

MR. O'NEILL: Well, Your Honor, I don't agree that if you insert their construction of otherwise sealed into the --

THE COURT: No, no, no, the last thing

Mr. Burrowbridge said, I don't need to construe it in the

'797 patent.

MR. O'NEILL: I agree with that. That I agree with.

MR. O'NEILL: Okay. Well, let's take a look at the '283 patent and then I'll come back and show you the relationship. The claim language does simply say otherwise sealed. We acknowledge that.

THE COURT: Okay. So we've resolved that one.

If we look at the specification, what it's talking about is the chamber that's highlighted there in orange in figures that show that it's sealed from the external environment. And I'll take you a little bit into the text of the specification so you can see how that's described.

Thomas, can we go to 38?

11:51:51 1 11:51:55 2 11:51:58 3 11:52:03 4 11:52:06 5 11:52:11 6 11:52:14 7 11:52:16 8 11:52:20 9 11:52:25 10 11:52:28 11 11:52:30 12 11:52:33 13 11:52:37 14 11:52:39 15 11:52:45 16 11:52:50 17 11:52:52 18 11:52:55 19 11:53:00 20

11:53:03 21

11:53:06 22

11:53:09 23

11:53:13 24

11:53:18 25

If you dig into the specification, Your Honor, you'll see that they're describing that chamber, which I've highlighted in orange, as being sealed from the exterior environment by the application of that flexible membrane on the top. That's the blue highlighted 72. And that's all sealed together by a seal 71.

Now, you're looking at it from the side. If you look top down, that would be like a gasket around the circular chamber. And indeed, the figure says what we're doing is we're sealing it from the external environment.

That would be off the chip. That would be sealed from the atmosphere. These things aren't going to work as either a pressure pulse generator or an absorber if they're vented to the atmosphere.

Thomas, can we go to the next one?

The '797 patent is very closely related, Your Honor, and I just said we don't need to construe the language here, but I show this to show you the similarity of the disclosure and to show you that the phrase or the term really needs to be construed the same across both patents.

In the '797 patent, we see the chamber there, and we see the description of how you seal that chamber up.

Once again, you put membrane or substrate layer 40 on top of it thereby sealing it from the exterior environment. So the specifications are virtually identical in how they describe

11:53:22 1

11:53:25 2

11:53:28 3

11:53:31 4

11:53:33 5

11:53:36 6

11:53:39 7

11:53:44 8

11:53:47 9

11:53:48 10

11:53:51 11

11:53:54 12

11:53:58 13

11:54:01 14

11:54:04 15

11:54:08 16

11:54:11 17

11:54:16 18

11:54:18 19

11:54:21 20

11:54:24 21

11:54:27 22

11:54:31 23

11:54:34 24

11:54:37 25

this chamber and in how they describe the sealing.

Now, let me show you how the language came to be in one claim, but not the other. The exterior environment language came to be in one claim, but not the other.

Thomas, could we go to the next one?

Your Honor, this is prosecution from the '797 patent. This is the patent with the explicit clarifier.

And the clarification arose only because the examiner asked:

What do you mean by sealed?

The applicant said, Well, it's clearly shown in the specification. It's sealed from the external environment. You bond the plate over the top of the chamber, and you seal it from the exterior environment. And they said a person skilled in the art would know that based on what we've written and just looking at the specification.

THE COURT: Even though what you're quoting here refers to sealed and not otherwise sealed; right?

MR. O'NEILL: Yes, I'm going to show you the relationship. If we look at the claim language, the claim originally said sealed, Your Honor, and the examiner said, Well, you know, tell me what you mean. And they said otherwise sealed from an exterior -- external environment.

Immediately following this statement, they amended the claim. And if we go to the next slide, we'll see the claim amendment. So this is what became claim 5 of

11:54:46 1

11:54:49 2

11:54:54 3

11:54:57 4

11:55:00 5

11:55:03 6

11:55:07 7

11:55:10 8

11:55:12 9

11:55:15 10

11:55:18 11

11:55:21 12

11:55:25 13

11:55:29 14

11:55:33 15

11:55:36 16

11:55:40 17

11:55:44 18

11:55:48 19

11:55:52 20

11:55:56 21

11:56:02 22

11:56:04 23

11:56:09 24

11:56:13 25

the '797 patent with the explicit language in there. You'll see it originally said a sealed first reservoir.

And as a result of the dialogue with the patent examiner, they said, Look, we'll just make it explicit in this patent. We're going to delete the word sealed, and instead we'll say wherein the first reservoir is otherwise sealed from an exterior environment.

So this claim was made, and that's why that patent claim has the express language in it. But the genesis of this amendment was the explanation by the applicants that a person skilled in the art would know what we're talking about when we say the chamber is sealed.

Okay. So Thomas, could we go to the next slide?

Your Honor, there is an argument, I think, in

Mr. Carsten's opening statement about the fact that these
patents are not related, and there's been some dialogue
about whether you can use statements in one prosecution
history to construe the term of a related patent. I do
strongly believe that when the disclosures are so similar as
the disclosures in these six patents, and more particularly
the two at issue here, that it's perfectly okay. In fact, I
think the Federal Circuit tells us you really must try to
construe the terms to have a common meaning or to have a
common disclosure. And while there are some minor
differences in the disclosures between these two patents,

11:56:17 **1** 11:56:21 **2** 

11:56:24 3

11:56:28 **4**11:56:31 **5**11:56:36 **6** 

11:56:46 **8** 11:56:51 **9** 

11:56:52 10

11:56:42 7

11:56:55 **11**11:56:59 **12**11:57:01 **13** 

11:57:05 **14** 11:57:11 **15** 

11:57:16 16

11:57:19 17

11:57:23 18

11:57:27 **1**9 11:57:31 **2**0

11:57:33 21

11:57:37 22

11:57:42 23

11:57:45 24

11:57:48 25

the disclosures are virtually identical on the core invention, the core embodiment that we're talking about which is shown in the figure.

And I believe the Microsoft case that we cited in the brief does, in fact, use later prosecution from a closely related patent as an aid in construing a term that appears in an earlier issued patent. So what Mr. Carsten said about no upstream -- things don't flow upstream, I believe that's incorrect.

The Federal Circuit has said if they're closely related patents, we need to try to construe them together. And the bottom line is whether we're going to have two patents here with fundamentally different interpretations, one that only precludes fluid openings to the environment and another that excludes all fluid openings such as to interior portions of the chip. And I don't believe it's right when the disclosures are dissimilar.

And my final slide is to show you that, indeed, there are disclosed embodiments in which there are other fluidic connections with those chambers. In the passage I've cited from the '797 patent, what it's talking about here is how you fill the buffer or the actuator with gas to set up the chip for operation in the first instance. It says typically you would fill the main flow channel with fluid, liquid, and then you would come back and basically

11:57:52 1 11:57:59 2 11:58:02 3 11:58:06 4 11:58:10 5 11:58:15 6 11:58:19 7 11:58:22 8 11:58:24 9 11:58:26 10 11:58:29 11 11:58:31 12 11:58:31 13 11:58:49 14 11:58:58 15 11:59:01 16 11:59:05 17 11:59:09 18 11:59:12 19 11:59:16 20 11:59:18 21 11:59:22 22 11:59:26 23

11:59:30 24

11:59:37 25

load or charge the actuator or the buffer with gas from a reservoir that would typically be an on-chip reservoir. And so there's got to be some other fluidic connection into the buffer or the actuator to get it filled with gas.

So it's usually on chip, but it's not an opening to the atmosphere. So openings to the atmosphere, external environment are not permitted under either patent. They are permitted under both patents.

Thank you.

THE COURT: All right. For the other side?

MR. LISTON: Thank you, Your Honor. This is Ian

Liston. May I have presenting control again, please?

Okay, Adam.

MR. BURROWBRIDGE: Okay. Looking at slide 51, the claim language here, similar to the term pressure pulse, explains the construction explicitly. Claim 51, the highlighted portion, shows that the first chamber must be in fluid communication with the duct. It also shows that the communication must be via the first side opening wherein that first side opening is an internal connection.

And third, other than that fluid connection via the side opening, the chamber must be "otherwise sealed."

The first chamber includes one and only one internal side opening which is in fluid communication with the duct.

Looking at slide 52, the first chamber in claim

11:59:41 1 11:59:44 2 11:59:47 3 11:59:51 4 11:59:54 5 11:59:56 6 12:00:00 7 12:00:08 8 12:00:11 9 12:00:13 10 12:00:17 11 12:00:22 12 12:00:26 13 12:00:31 14 12:00:35 15 12:00:38 16 12:00:41 17 12:00:46 18 12:00:48 19 12:00:51 20 12:00:54 21 12:00:58 22 12:01:01 23 12:01:03 24

12:01:06 25

1 is completely sealed off from fluid connection with a single exception, the duct via the side opening. The first chamber is, therefore, only unsealed from fluid connection at the first side opening. The use of the term otherwise makes clear that the first side opening is the only exception to the first chamber being completely sealed from the fluidic connection.

Turning to slide 53, the defendant's construction is confirmed by the specification. The specification makes clear that both the sealed chamber and meniscus is to separate the sealed chamber from the carrier fluid. The carrier fluid can be seen in the side channel of 24B whereas the chamber is the sealed chamber called out in the image below.

So taking the plain, and ordinary, and literal language of the claim terms, what you have for the '283 patent, the only one in dispute, is the first chamber in fluid communication with the duct via the side opening and otherwise sealed. Using NanoCellect's construction of the term otherwise sealed, you have the first chamber in fluid communication with the duct via a first side opening and otherwise closed off from fluid connection.

Again, this is completely supported by the literal claim language, the disclosure, both the written description, and the images as seen here in the '283 patent,

12:01:10 1 Figure 1.

Cytonome attempts to argue that NanoCellect's position is extreme. The only way that they can make that argument is by looking at the '797 patent, and specifically unasserted claim 5 of the '797 patent where it claims a first reservoir wherein the first reservoir is otherwise sealed from an exterior environment.

Cytonome argues that NanoCellect improperly reads the phrase from an exterior environment entirely from the claim and cannot be correct. However, even if we are looking at the '797, which as Your Honor has appropriately identified, we don't need to do. But even if we were to, using NanoCellect's construction is consistent with the '797 claim as it would simply read a first reservoir wherein the first reservoir is otherwise closed off from a fluid connection from an exterior environment.

When the patent drafter wanted to claim an exterior environment limitation, they did so. And they do so in the '797 patent. However it would be improper to import that lexicography and import that claim language all the way up the stream, as Mr. Carsten pointed out and imported directly into the '285 or the 283 patent.

THE COURT: I was going to say, you know, I used the word lexicography when I started off, but I think that's a different term. There's no actual lexicography in

12:01:11 2 12:01:18 3 12:01:21 4 12:01:26 5 12:01:30 6 12:01:33 7 12:01:36 8 12:01:39 9 12:01:42 10 12:01:45 11 12:01:48 12 12:01:51 13 12:01:54 14 12:01:59 15 12:02:01 16 12:02:03 17 12:02:07 18 12:02:11 19 12:02:14 20 12:02:17 21 12:02:21 22 12:02:26 23 12:02:28 24 12:02:32 25 relation to this; right?

MR. BURROWBRIDGE: Agreed, Your Honor. This is the explicit claim language.

THE COURT: Right.

MR. BURROWBRIDGE: So --

THE COURT: I just wanted to clear up because you had used lexicography perhaps in deference to what I had said, but I think we're both using the wrong word there.

MR. BURROWBRIDGE: I agree, Your Honor.

THE COURT: But I appreciate the sucking up.

All right. Anything else from you,

Mr. Burrowbridge.

MR. BURROWBRIDGE: Yes, Your Honor. I would just like to point out slide 56. Slide 56 is an image from plaintiff's brief, and what they're trying to show is that the seal in the '283 patent is a seal that's from the external environment. And what they've done is highlight the highlighted version or the highlighted portion at call out 70, call out 72 and call out 71.

But again, there's no dispute that the seal sealed from an external environment. The question is: How do we give meaning to the explicit claim language of otherwise sealed?

Well, there is, again, obviously, a side opening at the meniscus 25 which interacts with the internal opening

12:03:43 25

12:03:48	1
12:03:51	2
12:03:54	3
12:04:00	4
12:04:02	5
12:04:06	6
12:04:19	7
12:04:26	8
12:04:32	9
12:04:33	10
12:04:37	11
12:04:40	12
12:04:51	13
12:04:55	14
12:04:56	15
12:04:58	16
12:05:00	17
12:05:03	18
12:05:06	19
12:05:09	20
12:05:14	21
12:05:17	22
12:05:21	23
12:05:23	24
12.05.27	25

at 24. That's necessary for the invention to work.

Otherwise sealed means that it's completely sealed off except for that one internal connection.

I have more, but if Your Honor has no questions, I'm happy to --

THE COURT: So the actuator could work, could it not, having no internal openings other than the internal opening that goes out into the channel; right?

MR. BURROWBRIDGE: Correct, Your Honor, and that's what's required by the claims in the '283 patent.

THE COURT: And your counterpart, it could work with just the one opening to the channel; right?

MR. O'NEILL: Are you asking me, Your Honor? THE COURT: Yes.

MR. O'NEILL: My response would be probably not for the preferred embodiment because how would you get the gas in there? In other words, in the preferred embodiment, these things are pre-charged or loaded with gas.

THE COURT: But couldn't it work like a balloon?

I mean, let's say you had a balloon attached, and you squeezed the balloon. That could cause the pressure pulse.

You don't have to have another opening for it to work.

MR. O'NEILL: I think hypothetically it could work, Your Honor. I think the specification at least of the '797 patent teaches us that ideally to set it up, you want

12:05:30 1 12:05:33 2 12:05:37 3 12:05:38 4 12:05:39 5 12:05:41 6 12:05:43 7 12:05:47 8 12:05:49 9 12:06:01 10 12:06:02 11 12:06:02 12 12:06:04 13 12:06:07 14 12:06:10 15 12:06:14 16 12:06:17 17 12:06:18 18 12:06:21 19 12:06:22 20 12:06:27 21 12:06:29 22 12:06:38 23 12:06:42 24

12:06:47 25

to control that loading or that charging by metering in some -- you know, the gas so that you've got it set up like you need.

THE COURT: Okay.

THE COURT:

MR. O'NEILL: I am concerned about getting a construction that doesn't allow for the possibility of having some set-up mechanism to initiate or charge these things to get them running.

THE COURT: All right. Okay. So -
MR. BURROWBRIDGE: If I may respond to that
point?

MR. BURROWBRIDGE: So looking at slide 42 of plaintiff's slide deck, what they're pointing out here is not the preferred embodiment. It's an alternative embodiment. And that's made clear in the highlighting that plaintiff has highlighted.

Sure. Go ahead, Mr. Burrowbridge.

Moreover, it's from the '797 patent which imports this idea that they're putting forward. It's not from the '283 patent which does not support Cytonome's reading.

THE COURT: Okay. So I'm going to take this under advisement and think about it a little more, but certainly my inclination, as I sit here right now, is that otherwise sealed is a broad term, and it doesn't purport to

12:06:51 1 12:07:04 2 12:07:08 3 12:07:13 4 12:07:19 5 12:07:24 6 12:07:31 7 12:07:34 8 12:07:35 9 12:07:43 10 12:07:45 11 12:07:47 12 12:07:49 13 12:07:55 14 12:07:57 15 12:08:01 16 12:08:02 17 12:08:03 18 12:08:09 19 12:08:12 20 12:08:14 21 12:08:19 22 12:08:26 23 12:08:30 24

12:08:36 25

have any other limitation, and that I don't see it as being, you know, somehow or other contrary to what the invention is that's described in the specification. So I don't think it's, you know, a ridiculous construction or anything. And otherwise, that's what the plain meaning of the words indicates is it's sealed in all other aspects. So I think that's the way I'm going to do go, but I'm going to give that just a little more thought.

What's next?

MR. MOFFETT: Your Honor, this is Daniel Moffett on behalf of the plaintiff. The next term was selectively applying.

THE COURT: Okay. Let me just get to that page.

Page 44. Okay.

MR. MOFFETT: And I wonder if we could give control to Mr. Landers?

THE COURT: Sure.

MR. MOFFETT: Thank you.

THE COURT: You know, rather than arguing this, why don't I just tell you that I don't think it's indefinite. It hasn't been proven, and so I'm going to give it the plain and ordinary meaning. I think that the fact that there's some other thing that controls the selectiveness or, you know, how the actuator decides to make a selective application, I don't think that's relevant to

12:08:40 1 12:08:43 2 12:08:45 3 12:08:47 4 12:08:49 5 12:08:51 6 12:08:54 7 12:08:58 8 12:09:02 9 12:09:16 10 12:09:22 11 12:09:27 12 12:09:37 13 12:09:40 14 12:09:55 15 12:09:58 16 12:10:08 17 12:10:10 18 12:10:13 19 12:10:16 20 12:10:20 21 12:10:23 22 12:10:24 23 12:10:26 24 12:10:28 25

indefiniteness. So why don't we just skip that one and go on to the next one.

What's next?

MR. MOFFETT: Your Honor, Daniel Moffett again for the next term, and hopefully we can dispose of this one as quickly because we see it as very similar. The next term was an actuator connected to the first side channel.

THE COURT: Okay. Hold on just a minute.

MR. MOFFETT: Sure.

THE COURT: Well, this one, it may be similar, but why don't I hear from defendant since they're the ones who are arguing it's indefinite.

MR. BURROWBRIDGE: Ian, can you put up the slide show, please? Is that up now?

THE COURT: I just see Mr. Landers. Now Mr. Liston. Now it's up.

MR. BURROWBRIDGE: So if we start on slide 66, this is the claim language. It's an actuator connected to the first side channel. Here it's clear that connected to requires a physical connection. And when construing patent claims, the Court obviously must consider the literal language of the claim.

Under Phillips, the ordinary meaning of the claim language as understood by a person of skill in the art may be readily apparent. Even the lay judges in a claim

12:10:31 **1**12:10:35 **2** 

12:10:38 4

12:10:44 5

12:10:37 3

12:10:47 6

12:10:50 **7**12:10:53 **8** 

12:10:57 9

12:11:00 10

12:11:03 11

12:11:06 12

12:11:13 **13** 12:11:21 **14** 

12:11:24 15

12:11:28 16

12:11:32 17

12:11:35 18

12:11:38 19

12:11:42 20

12:11:45 21

12:11:48 22

12:11:54 23

12:11:58 24

12:12:02 25

construction in such cases involves little more than the application of the widely accepted meaning of commonly understood words.

And putting up slide 67. Again, connected to requires a physical contact. The specification consistently describes components that are in physical contact as connected to. Specifically the specification here says that the microfluidic system, the microchannel, and a sealed gas-filled reservoir positioned adjacent to and connected to the microchannel. This makes clear that there's a physical connection between the gas-filled reservoir which is positioned adjacent and connected to the microchannel.

Looking at slide 68, the specification and the claims of the '528 patent do not identify any actuator connected to the first side channel. Here the external actuator is seen as call out 176, and it's directly connected to the bubble valve. This is made clear by the specification because it must be in order to work. The actuator activates the bubble valve at 10A to call the pressure variation in the reservoir 70 of the first bubble. The activation of the bubble valve causes a transient pressure variation in the first side passage.

So in slide 48, we'll see Cytonome's' response, but they attempt to rewrite the claims. Claiming that the actuator is fluidly connected to the side channel, yet the

12:12:09 **2** 12:12:14 **3** 

12:12:05 1

12:12:21 5

12:12:24 6

12:12:16 4

12:12:26 7

12:12:32 **8** 12:12:36 **9** 

12:12:38 10

12:12:41 11

12:12:44 12

12:12:47 13

12:12:50 14

12:12:52 15

12:12:54 16

12:12:58 17

12:13:02 18

12:13:07 19

12:13:12 20

12:13:15 21

12:13:17 22

12:13:20 23

12:13:23 24

12:13:27 25

patent drafter has used fluidically connected when it's deemed it appropriate and has used connected to when that's what it means. So connected to has consistently been used as a physical connection in the '528 patent.

So it's not claimed as a fluidic connection, and it's not described that way in the specification. And a person of skill in the art would not understand it that way.

Your Honor, claim 22 of the '528 patent fails to inform with reasonable certainty a person of skill in the art the scope of the invention as it claims an actuator connected to the first side channel. Accordingly, Your Honor, we ask that Your Honor find this claim indefinite.

THE COURT: Okay. Thank you.

From the other side?

MR. MOFFETT: Yes, Your Honor. It's Daniel

Moffett again. I'd say initially we're not hearing an

indefiniteness argument. Essentially what NanoCellect or

the defendant is arguing is that they're in favor of a very

narrow reading of the claim language so that the

connector or so that the actuator must be physically in

contact with the side channel.

Then they go to the specification and they say,

Hey, but there's no support for that in the specification;

therefore, your claim is invalid and indefinite. That's not

the test for indefiniteness, as you know, Your Honor. We

12:13:31 1 12:13:36 2 12:13:38 3 12:13:41 4 12:13:44 5 12:13:47 6 12:13:51 7 12:13:54 8 12:13:57 9 12:14:00 10 12:14:02 11 12:14:06 12 12:14:10 13 12:14:14 14 12:14:17 15 12:14:20 16 12:14:24 17 12:14:30 18 12:14:34 19 12:14:36 20 12:14:41 21 12:14:43 22 12:14:46 23 12:14:49 24

12:14:52 25

don't have to have described a particular embodiment explicitly in the specification for you to conclude that a person of skill in the art would not be able to discern the scope of the claim language itself. And again, I'd remind you they didn't even bother to submit expert testimony supporting that a person of skill in the art wouldn't understand that until the sur-reply stage. So it's not even a indefiniteness argument.

We're seeing the preface itself is flawed. The preface being that a person of skill in the art would construe the relevant claim terms so narrowly that the actuator must be physically in contact with the side channel. Our position is that the plain and ordinary meaning, as consistent throughout the claims, throughout the specification is there's got to be some fluidic connection.

I believe Mr. Burrowbridge took his slides down, but I'll point out one of his slides, 67, that he cited to support his position that connected must be adjacent to or touching, the language that is actually on the slide from the specification said adjacent to and connected to suggesting that connected means something other than actually physically touching. And that is consistent with the specification, and we believe that's how a person of skill in the art would read the claims.

And Mr. Landers, I don't know if you have

12:14:54 1 control, but --

MR. LANDERS: I do. Yes.

MR. MOFFETT: Okay. Go to slide 48.

MR. LANDERS: I'm there.

MR. MOFFETT: And Your Honor, a few of us, I think Mr. Carsten, Mr. O'Neill, and myself aren't seeing slides all the time. I don't see them. I don't know if you see our slide 48 at this point.

THE COURT: I do. I do.

MR. MOFFETT: Okay. So essentially what -- we believe the plain and ordinary meaning of the claim that we have up, which is claim 22 from the '528 patent, is that the actuator works in tandem -- that's 176 in Figure 16 -- with that reservoir to generate a pressure pulse. And that actuator is connected to the side channel in that regard.

The fluidically connected, they work together.

That's how -- every example really in a specification. And if we go to the next slide, Mr. Landers, 49.

MR. LANDERS: I'm there.

MR. MOFFETT: Again, this is from the specification of the '528 patent describing what we're talking about that the actuator activates the first bubble valve, and that activation causes a transient pressure variation in that first side channel. These features are fluidically connected. That's how it's consistently

12:16:04 24

12:16:08 25

12:16:10 1

12:16:12 2

12:16:14 3

12:16:17 4

12:16:23 5

12:16:25 6

12:16:25 7

12:16:27 8

12:16:29 9

12:16:32 10

12:16:35 11

12:16:39 12

12:16:43 13

12:16:43 14

12:16:46 15

12:16:49 16

12:16:50 17

12:16:53 18

12:16:57 19

12:17:01 20

12:17:06 21

12:17:10 22

12:17:13 23

12:17:16 24

12:17:20 25

described in the specification.

You have NanoCellect's, the defendant's position being essentially that they're going to read the claim so narrow that it's not consistent with the specification; and therefore, the claim is indefinite. But that's not the test.

I would actually put it the other way. If you're reading the claims so narrowly that you can't find examples in the specification, perhaps that means you need to consider the specification, and your reading is incorrect. So essentially we come down to they haven't met their burden to show that it is indefinite under the law essentially.

Moreover, the underlying premise they have is incorrect. We believe they're reading the claim too narrowly.

THE COURT: And would you say, Mr. Moffett, that basically what they're doing is saying, and I may not be using the exact right words here, but an actuator connected to the first side channel should be construed as an actuator directly connected to the first side channel. And you're essentially saying, no, an actuator directly or indirectly connected to the first side channel is really what it means?

MR. MOFFETT: That's correct, Your Honor, and that would be consistent with the specification because

12:17:22 1 12:17:25 2 12:17:29 3 12:17:32 4 12:17:35 5 12:17:38 6 12:17:43 7 12:17:46 8 12:17:48 9 12:17:53 10 12:17:59 11 12:18:02 12 12:18:06 13 12:18:11 14 12:18:12 15 12:18:15 16 12:18:15 17 12:18:17 18 12:18:22 19 12:18:39 20 12:18:42 21 12:18:46 22 12:18:52 23

12:18:56 24

12:19:06 25

fluidic connection -- in fact, in the claim we showed you, it doesn't even talk about that reservoir. It's talking about the actuator and its effect, and it's really talking -- the claim is written as the actuator working in tandem with the reservoir to generate that. So the connection is there, and they're reading it so narrowly that it has to touch is what we find --

THE COURT: So I'm going to deny the defendant's request that I find this to be indefinite. I'm going to give the phrase its plain and ordinary meaning. And in this context, I think the plain and ordinary meaning of connected is broader than directly connected.

All right. What's next?

MR. LANDERS: Your Honor, this is Mr. Landers for plaintiff again. The next term is this microsorter term.

THE COURT: Okay. Hold on just a minute.

MR. LANDERS: Yes, Your Honor.

THE COURT: Page 67. All right. Yeah.

So why doesn't defendant tell me in a nutshell why they think this is indefinite because it looked pretty reasonable to me in the sense of it discusses a microsorter. It says it has a switching region. It says it has a microfluidic channel, and that the micro -- actually, I forget right now. But in any event, something is

fluidically coupled to four different things, three outputs 12:19:09 1 12:19:12 2 in the switching region. What's the problem here? 12:19:13 3 12:19:17 4 MR. CARSTEN: This is Doug Carsten on behalf of I'm happy to address this. 12:19:20 5 defendant. Mr. Liston, if you could put up our slides. 12:19:22 6 12:19:25 7 like to start on slide 75. 12:19:27 8 You're right. There's lot of words here, Your 12:19:28 9 Honor, but a lot of words don't make it definite. Here, I sat down and tried to orient myself based upon this claim 12:19:32 10 language, the respective orientation of these particular 12:19:37 11 12:19:44 12 items. Mr. Liston, I can't see. Your Honor, my screen 12:19:46 13 says all windows are minimized. Do you have slide 75 before 12:19:49 14 12:19:52 15 you? 12:19:52 16 THE COURT: I have a slide. I can't see the 12:19:54 17 number because I think you're covering that up, but I suspect it's slide -- I can't move anything on my screen, 12:19:57 18 12:20:02 19 but I have something which is actually just the term right 12:20:06 20 now. 12:20:10 21 MR. CARSTEN: Could I have slide 75, Mr. Liston, please? The title should say "Indefinite: 12:20:12 22 Three Possibilities(A)." 12:20:15 23

MR. CARSTEN:

12:20:16 24

12:20:19 25

THE COURT: Nope. Don't have that.

Okay.

12:20:22 1 12:20:24 2 12:20:27 3 12:20:31 4 12:20:34 5 12:20:38 6 12:20:42 7 12:20:44 8 12:20:48 9 12:20:55 10 12:20:55 11 12:20:57 12 12:20:59 13 12:21:01 14 12:21:04 15 12:21:06 16 12:21:10 17 12:21:14 18 12:21:16 19 12:21:19 20 12:21:22 21 12:21:26 22 12:21:29 23 12:21:30 24

12:21:34 25

THE COURT: Yeah, Mr. Liston, my impression is that this actually came up with the last term. Somehow or another yours seem to be frozen on whatever the first slide is that you pick, and it doesn't seem to be switching as you move along.

MR. LISTON: I'll try stopping and restarting.

MR. CARSTEN: So Your Honor, the claim requires a microfluidic chip. And so if we -- I can probably just do it on the fly here, Your Honor. This is old school, Your Honor.

THE COURT: Well, now I've got the "Indefinite:
Three Possibilities" up.

MR. CARSTEN: There you go. Well, we've saved ourselves from everyone having to look at my stick figures, so I think we're all ahead of the game.

So I sat down and tried to figure out the way that these things come together. Microfluidic chip, I drew a box. That's the microfluidic chip.

Next is the claim requires there to be a microsorter. And I looked at the specification. What's a microsorter? There isn't some passage in the specification that says microsorter number whatever that you can go back to the figures and see.

So I drew it as a box. We know that this microsorter has to have a switching region. Again, I go

back to the specification. Hopefully that will guide me to
the figures and let me see what it looks like. It doesn't.

There is the term switching region as for reference, but I can't find anything that says switching region number whatever. So I look more carefully. And at column 4, I find this passage. In the illustrative embodiment, the processing region contains a series 150 of switches for separating particles determined by detectors in the detection region 120.

Okay. Seems to me like for switching region, you know, that series of switches 150 is a good place to start. I go to Figure 1 which is what this passage at column 4 is referring to. I don't find 150 anywhere. It's just not there. 106 is there. 140 is there. No 150.

So I'll draw it as a box. I know the microsorter has to have it. I know from the claim that there also has to be a microfluidic channel. But here we've got the first ambiguity: Is that microfluidic channel within the microsorter or separate from the microsorter? So I know from this claim that the microfluidic channel has to be fluidically coupled, directly and physically connected to a sample input, a keep output, a waste output, and the switching region.

We've got two competing constructions wherein the microsorter has only a switching region versus the

12:23:07 24

12:23:09 25

12:23:15 1 12:23:18 2 12:23:21 3 12:23:25 4 12:23:30 5 12:23:32 6 12:23:35 7 12:23:39 8 12:23:43 9 12:23:46 10 12:23:50 11 12:23:55 12 12:23:58 13 12:24:03 14 12:24:07 15 12:24:11 16 12:24:14 17 12:24:18 18 12:24:22 19

12:24:26 20

12:24:30 21

12:24:34 22

12:24:38 23

12:24:42 24

12:24:47 25

microsorter has both a switching region and a microfluidic channel. I can't tell the difference between the two of them. I think from the claim language, the fact that this microsorter element is written as one paragraph that the microsorter has both.

That's not what's reflected in indefinite possibility A. That's what's reflected in indefinite possibility B. I can't distinguish between those two.

But going further, the claim says a microsorter having a switching region and a microfluidic channel. Two things that are fluidically coupled to a sample input, a keep output, a waste output, and the switching region.

Now, I've drawn these, items A and B, as simply requiring a direct connection between the microfluidic channel and the switching region whether or not that microfluidic channel is within the microsorter or not.

And so there's a third possibility. And the third possibility is where the fluidic coupling, that direct connection has to happen between both the -- between the switching region and the microfluidic channel, in which case you get to a third possibility. And this third possibility contains in itself an ambiguity because not only does the switching region then have to be connected, fluidly coupled to the sample input, the microfluidic channel, in the keep input and the waste output, it has to be directly connected,

12:24:53 1 12:24:55 2 12:24:56 3 12:24:59 4 12:25:03 5 12:25:07 6 12:25:09 7 12:25:13 8 12:25:16 9 12:25:19 10 12:25:22 11 12:25:24 12 12:25:26 13 12:25:31 14 12:25:35 15 12:25:43 16 12:25:46 17 12:25:49 18 12:25:53 19 12:25:58 20 12:26:02 21 12:26:05 22 12:26:12 23 12:26:14 24

12:26:30 25

fluidically coupled to itself. And that's the third possibility.

And under Media Rights where you have a situation where you've got three or more than two plausible claim constructions, and there's no guidance to help you, that's indefinite.

Now, I get that Cytonome has in their slides presented for the first time where they think the switching region is, and they say, No, no, no, this is obviously definite now. But I will say that this is not the first time in the case. We've already seen some shifting positions.

At slide 53, they identify these two bubbles from the '188 patent, Figure 5A, as the switching region.

That is absolutely inconsistent with the position taken by Cytonome in their infringement contentions in this case.

So Your Honor, we've got three competing plausible constructions. We don't know. The patent doesn't guide us in any way between these three things as to which one is correct. That's indefinite under Media Rights and the case law.

THE COURT: All right. Thank you. Mr. Landers?

MR. LANDERS: Yes, Your Honor. I'm trying to

share my screen here. Can you see it, Your Honor?

THE COURT: I can see slide 51.

12:26:37 1 12:26:39 2 12:26:41 3 12:26:45 4 12:26:48 5 12:26:51 6 12:26:56 7 12:26:59 8 12:27:03 9 12:27:04 10 12:27:07 11 12:27:11 12 12:27:16 13 12:27:18 14 12:27:20 15 12:27:24 16 12:27:28 17 12:27:30 18 12:27:32 19 12:27:34 20 12:27:36 21

12:27:40 22

12:27:45 23

12:27:47 24

12:27:50 25

MR. LANDERS: Thank you. This is Mr. Landers for plaintiff. I do want to comment on one thing that Mr. Carsten said and that was that this is a situation where we have three plausible constructions. Actually, if you read Dr. Di Carlo's declaration, which was the basis for those stick figures that you put up on the screen, he actually said that his own second and third constructions are either nonsensical or read out a limitation. So those aren't actually plausible constructions.

So what we're actually dealing with here is this first interpretation that Dr. Di Carlo has. And if you look at the figure, although Mr. Carsten said he looked through and through for a figure, there's actually one right here in the patent which is Figure 5A.

And Cytonome is not switching positions. The switching region is where the sorting takes place, so that's right there where we've labeled in pink. And a person of skill could look at this figure and tell exactly what's going on with this claim.

You have a microsorter here that's located on this larger microfluidic chip that's going to consist of several of these microsorters. And this microsorter has a switching region, and then there's also a microfluidic channel which we've shown here in blue. And it's formed in the microfluidic chip. The chip is just this glass

12:27:52 1

12:27:54 2

12:27:57 3

12:28:01 4

12:28:06 5

12:28:09 6

12:28:12 7

12:28:16 8

12:28:16 9

12:28:19 10

12:28:23 11

12:28:26 12

12:28:30 13

12:28:33 14

12:28:34 15

12:28:36 16

12:28:41 17

12:28:57 18

12:29:10 19

12:29:13 20

12:29:15 21

12:29:19 22

12:29:21 23

12:29:24 24

12:29:39 25

substrate, and this is just a portion of the chip.

And then you can see one example here of how this blue microfluidic chip can be fluidly coupled to a sample input, a keep output, a waste output, and the switching region. So Your Honor, we think that looking at the specification, and as you know, indefiniteness must be viewed in light of the specification, we point you to this example.

And I'd also note that Dr. Di Carlo's declaration didn't even point to this figure. He just went about trying to construe the claims in a vacuum. And his first construction, even on the natural reading, appears correct, and it aligns perfectly with one of the figures in the patent.

THE COURT: All right. Hold on just a second, Mr. Landers. Let me just look at this while everybody is quiet for a second.

MR. LANDERS: It could be a subset of this. We have to maybe get an expert to weigh on, but that's the way we're looking at it is that this is an example of a microsorter. It's where the sorting happens.

THE COURT: Okay. So hold on a minute.

Okay. All right. Is there anything that

12:29:51 1

12:29:56 2

12:29:57 3

12:29:58 4

12:30:00 5

12:30:02 6

12:30:05 7

12:30:11 8

12:30:15 9

12:30:21 10

12:30:26 11

12:30:27 12

12:30:29 13

12:30:34 14

12:30:39 15

12:30:43 16

12:30:47 17

12:30:50 18

12:30:55 19

12:30:58 20

12:31:00 21

12:31:04 22

12:31:08 23

12:31:10 24

12:31:13 25

defendant wants to say in response to this?

MR. CARSTEN: Yes, Your Honor. So thank you for the opportunity.

First, you know, you asked what's the microsorter. I agree. What is the microsorter here?

I heard Mr. Landers say that this figure,

Figure 5A, lines up perfectly with possibility one, but

that's not true. If you assume that the microsorter is that

entire box, then that actually lines up with item B, with

variant B which Mr. Landers denigrated saying it read things

out of the claim.

This is exactly the problem with the claim, Your Honor. It is indefinite. If this whole thing isn't the microsorter, which the microsorter itself is not defined in any particular way in the patent, and it's not given a number. And the switching region is not identified in any particular way in the patent with a number in connection with Figure 5A. All of these red items that have been added, that's made for litigation attorney argument.

They're saying this is the switching region, but there's nothing in the patent to say that it is. And that switching region, when you look at column 4, you see it's a series of switches. Okay. That's Item 150.

You go back and you say, Okay, I want to look for this Item 150 in Figure 1, and it's just not there. So

12:31:18 1 12:31:22 2 12:31:25 3 12:31:31 4 12:31:38 5 12:31:42 6 12:31:47 7 12:31:50 8 12:31:51 9 12:31:54 10 12:31:57 11 12:32:01 12 12:32:04 13 12:32:08 14 12:32:12 15 12:32:16 16 12:32:20 17 12:32:23 18 12:32:24 19 12:32:27 20 12:32:31 21

12:32:35 22

12:32:37 23

12:32:42 24

12:32:46 25

there are two absolutely competing -- at least two absolutely competing constructions where this microfluidic channel is a part of the microsorter. Another one where it isn't. And even if you give them that as a free pass, you still have the problem of the two components of the microsorter being fluidically coupled. That means directly connected together, adjacent and connected to all of these separate items.

And the issue of the switching region being connected to itself. So Your Honor, I mean, I think that this claim screams for indefiniteness because of this very problem where you've got multiple competing constructions, and apparently Mr. Landers and Cytonome can't even say which one of those competing constructions is correct. They said the first one is A, and then later, well, this is the whole microsorter, so it's got to be B. This is exactly what we're talking about.

THE COURT: All right. Well, I'm going to deny this as finding this as indefinite. For one thing, I noticed the defendant's briefing on this in their briefing was three sentences with no expert evidence. That's just insufficient.

Second is that I certainly think at this point the drawing or the picture, that Figure 5A, with the captioning put on by the plaintiff all seems very plausible

12:33:09 5

12:33:09 **6** 12:33:18 **7** 

12:33:25 9 12:33:26 10

12:33:19 8

12:33:29 11

12:33:31 **12** 12:33:32 **13** 

12:33:54 14

12:34:05 15

12:34:09 16

12:34:16 17

12:34:23 18

12:34:30 19

12:34:33 20

12:34:38 21

12:34:48 22

12:34:53 23

12:34:58 24

12:35:08 25

to me, so I don't see indefiniteness having been proven by clear and convincing evidence at this point. And so I'm going to deny that and go with the plain and ordinary meaning.

## What's next?

MR. CARSTEN: Next, Your Honor, two terms which are in some sense a bit related. First is from the stream of particles. The other term after that is carrier fluid.

My colleague, Mr. Burrowbridge will be presenting those on behalf of defendants. I'm not sure whether you want to hear from us first or from plaintiff first, but at your pleasure, Your Honor.

THE COURT: Hold on just a minute. So hold on.

So the two terms may be related, but I thought defendant's proposal for from the stream of particles was pretty much of a non-starter. I think the stream of particles refers to the particles, not the carrier fluid and the particles together. I think the continuous moving procession, you know, only a patent lawyer would think that was an improvement on the stream.

But on the other one, the carrier fluid, my take was this is the one where the plaintiff was trying to get later lexicography as the definition and the later lexicography in some other patent. And I thought that defendant's proposed construction was pretty reasonable. So

12:35:16 1

12:35:19 2

12:35:24 3

12:35:28 4

12:35:31 5

12:35:32 6

12:35:35 7

12:35:39 8

12:35:43 9

12:35:49 10

12:35:49 11

12:35:53 12

12:35:54 13

12:35:58 14

12:36:01 15

12:36:03 16

12:36:07 17

12:36:10 18

12:36:13 19

12:36:17 20

12:36:21 21

12:36:25 22

12:36:26 23

12:36:28 24

12:36:32 25

that's where I was thinking.

So why don't plaintiff go first since two of these -- so that's what I'm thinking as I start, so why don't you go from there, plaintiff.

MR. O'NEILL: Your Honor, it's Kirt O'Neill for the plaintiff. I was actually assigned from the stream of particles, and Mr. Landers is going to do the carrier fluid. And I can't see the slides, but if Mr. Landers will put up slide 54, I will give it a try. I hope that you can see them.

THE COURT: I can. Yes, I see it.

MR. O'NEILL: I'll be brief, Your Honor. We think this claim term would be understandable by a lay person who would have no problem with it. This is claim language that speaks of deflecting the particles out of the stream of particles. The defendant's construction is overwrought and unhelpful. And my real problem is that it suggests -- in fact, it may actually linguistically require that the particles be deflected out of the fluid flow altogether, and that's simply not how the patent works.

I have slides that show portions of the spec. Why don't we show --

THE COURT: You know what, why don't you just save that. I think you're going to win this one.

MR. O'NEILL: Okay. That's why I took it, Your

12:36:34 1

Honor.

12:36:34 2

12:36:34 Z

12:36:38 3

12:36:44 4

12:36:46 5

12:36:49 6

12:36:51 7

12:37:05 8

12:37:08 9

12:37:12 10

12:37:16 11

12:37:21 12

12:37:24 13

12:37:29 14

12:37:32 15

12:37:51 16

12:37:53 17

12:37:56 18

12:37:57 19

12:38:00 20

12:38:03 21

12:38:06 22

12:38:09 23

12:38:14 24

12:38:18 25

THE COURT: Ha. Ha. Yeah, got it.

All right. Mr. Burrowbridge, you want to weigh in on the harder one for your side?

MR. BURROWBRIDGE: Yes, Your Honor.

Mr. Liston, if you can start with slide 80, please. As he brings up the slide, I'll just discuss that our proposed construction is from the continuous moving procession of fluid in particles. The continuous moving procession, we think that that is helpful for the fact finder. But given Your Honor's comments, I'll focus on the latter part of the construction that the stream of particles must require both a fluid and particles.

Can Your Honor see the slide? I cannot.

THE COURT: Not right now.

MR. BURROWBRIDGE: I think the slides are fairly important for a few of the concepts here, but I can go ahead and get started. Hopefully we can --

THE COURT: You know what, so first off, I apologize. You know, when I'm in the courtroom, one side is sitting on one side, and the other side is sitting on the other side. They don't all just appear on the screen. And so connecting your names with which side you're on is not something that I've done very well today.

Basically I'm going to construe the from the

12:38:21 1 12:38:24 2 12:38:28 3 12:38:32 4 12:38:33 5 12:38:38 6 12:38:42 7 12:38:52 8 12:38:53 9 12:38:56 10 12:38:56 11 12:38:59 12 12:39:01 13 12:39:04 14 12:39:06 15 12:39:09 16 12:39:13 17 12:39:16 18 12:39:21 19 12:39:26 20 12:39:29 21 12:39:32 22 12:39:32 23

12:39:34 24

12:39:36 25

stream of particles to have its plain and ordinary meaning. I don't think the fluid should be included in it, and I don't think the continuous moving procession is helpful in any way.

So why don't we go to the one that I actually for a change think that the defendant might have the better of it which is the carrier fluid one.

MR. LANDERS: Your Honor, this is Mr. Landers for plaintiff. I'm just checking to see that you can see my slides.

THE COURT: I can see it. Yes.

MR. LANDERS: Okay. So this is a situation where we weren't sure why NanoCellect was asking for the construction they asked for. We couldn't figure it out. But based on our analysis of the case law, we thought that the right thing to do was to use a lexicography from the '850 patent and provide that express definition across the patents. And I'll explain why on the next slides.

So here on the left, that's from that express definition, a sheath of compatible liquid surrounding a particle for carrying one or more particles through a duct or channel.

THE COURT: So when was the express definition written?

MR. LANDERS: Your Honor, I do acknowledge it

12:39:37 1 12:39:42 2 12:39:46 3 12:39:52 4 12:39:55 5 12:39:57 6 12:39:59 7 12:40:02 8 12:40:04 9 12:40:07 10 12:40:10 11 12:40:15 12 12:40:20 13 12:40:22 14 12:40:24 15 12:40:26 16 12:40:29 17 12:40:33 18 12:40:38 19 12:40:41 20 12:40:44 21 12:40:49 22 12:40:50 23 12:40:54 24

12:40:56 25

was after the '528 patent. But in light of the Microsoft case that's cited on page 15 of our brief, of the joint brief, that case also says that the later -- the later patent constructions also apply earlier.

THE COURT: Does it say that later lexicography applies earlier?

MR. LANDERS: Well, just by -- the way we saw it was by reasoning. If you're going to apply them consistently across the patent, and you're applying the lexicography to the '850, then you should express --

THE COURT: What sense does that make? When did the '528 patent issue? Wasn't that like 2005?

MR. LANDERS: That sounds right. I'm not exactly sure, Your Honor.

THE COURT: So you're a person of ordinary skill in the art in 2005 reading the '528 patent and trying to figure out the metes and bounds. And you know, some years later, the inventor writes, Oh, the metes and bounds are this, and I'm going to put it in quotation marks, and that's what you should have understood in 2005.

How can that possibly be right?

MR. LANDERS: The point is well taken, Your Honor, that that would be difficult. But in light of the case law, that's the way we interpreted it and --

THE COURT: Yeah. Well, so if you didn't have

12:41:03 1 12:41:12 2 12:41:13 3 12:41:16 4 12:41:19 5 12:41:22 6 12:41:23 7 12:41:25 8 12:41:28 9 12:41:34 10 12:41:39 11 12:41:51 12 12:42:00 13 12:42:02 14 12:42:10 15 12:42:12 16 12:42:15 17 12:42:18 18 12:42:19 19 12:42:21 20 12:42:28 21 12:42:30 22 12:42:30 23

12:42:35 24

12:42:37 25

the lexicography argument, would you have anything at all?

MR. LANDERS: You know, like I said, I

couldn't -- we couldn't determine why defendant's

construction was put forth, what it's going to. We could

leave it as plain and ordinary meaning. The only reason we

offered this construction was, again, because of the

lexicography.

THE COURT: Okay. Well, so I am going to reject your lexicography because I don't think you've cited a case, and I don't think the Federal Circuit would say that postdated lexicography can possibly act retroactively to say what some earlier term meant. It just, to me, makes no sense at all.

In terms of the defendant's construction, basically what you're saying is they proposed this construction, and we don't know what they're up to. Is that right?

MR. LANDERS: We don't know what they're up to.

THE COURT: Okay. Well, let's go to the people

who know what they're up to and see what they're up to.

MR. BURROWBRIDGE: Thank you, Your Honor.

Mr. Liston, if you can start us on slide 90, that would be great.

MR. LISTON: I'll give it a shot.

MR. BURROWBRIDGE: Thank you, sir.

12:42:37 1 12:43:10 2 12:43:10 3 12:43:12 4 12:43:20 5 12:43:44 6 12:43:48 7 12:43:59 8 12:44:05 9 12:44:07 10 12:44:11 11 12:44:14 12 12:44:18 13 12:44:22 14 12:44:26 15 12:44:28 16 12:44:31 17 12:44:37 18 12:44:41 19 12:44:50 20 12:44:53 21 12:45:00 22 12:45:03 23 12:45:06 24

12:45:12 25

Your Honor, do you have a slide entitled Microfluidic Cell Sorting --

THE COURT: Well, mine is indicating that it's still loading. I don't have anything yet. It says you're sharing a desktop, but right now I just see a black box.

Well, so while he's working on that,

Mr. Burrowbridge, what is your construction of carrier fluid
accomplishing over the plain meaning of carrier fluid?

MR. BURROWBRIDGE: So Your Honor, as Cytonome opened this Markman presentation, they explained that these microfluidic systems work with the concept that's called laminar flow. And hopefully we'll get to see slide 90, but what slide 90 is is it illustrates what is a laminar flow. And as Cytonome described it, they described it as ribbons of streams. And that's what you would see. That's consistent with the image in slide 90, Your Honor.

So 90, so what the '528 claim 18 claims is a channel for conveying a stream of particles in a carrier fluid. So the carrier fluid is fluid that's separate from the stream of particles. Your Honor, the stream of particles as disclosed in the patent begins -- let's see --

THE COURT: Well, so Mr. Burrowbridge, what you've just said, I'm not going to be able to parrot the words back to you exactly, but you said the '528 patent says something like particles in a carrier fluid. So the first

12:45:16 1 12:45:19 2 12:45:22 3 12:45:27 4 12:45:30 5 12:45:32 6 12:45:41 7 12:45:56 8 12:46:00 9 12:46:00 10 12:46:08 11 12:46:11 12 12:46:14 13 12:46:18 14 12:46:26 15 12:46:31 16 12:46:33 17 12:46:35 18 12:46:39 19 12:46:41 20 12:46:42 21 12:46:43 22 12:46:48 23 12:46:51 24

12:46:55 25

part of your construction of carrier fluid is fluid, which is not much of a construction of the fluid part, containing the particles which seems to be inherent in the claim.

Right?

And then you've got the moving through the system, and I would -- you know, is the '528 a method claim or a device?

MR. BURROWBRIDGE: Your Honor, it's a device claim.

THE COURT: Okay. So it just strikes me that the plain and ordinary meaning of carrier fluid in the context of this patent probably is about what you've proposed, and I'm just trying to think why construing a term that seems pretty obvious from the claim as to what it is, why we need to change it into a bunch of other words.

MR. BURROWBRIDGE: Understood, Your Honor. Your Honor, there's actually a really important dispute that underlies both this term and the stream of particles term.

THE COURT: And is that this laminar flow that you're talking about?

MR. BURROWBRIDGE: Correct, Your Honor. So what happens is there's laminar flow that forces and conveys the stream of particles through the microchannels. So the carrier fluid is outside of the stream of particles. The stream of particles is not just a particle. It's introduced

12:46:59 1

12:47:01 2

12:47:03 3

12:47:07 4

12:47:14 5

12:47:19 6

12:47:23 7

12:47:26 8

12:47:29 9

12:47:31 10

12:47:33 11

12:47:35 12

12:47:41 13

12:47:43 14

12:47:46 15

12:47:53 16

12:47:58 17

12:48:02 18

12:48:03 19

12:48:07 20

12:48:15 21

12:48:20 22

12:48:23 23

12:48:27 24

12:48:30 25

into the system with liquid.

That liquid and the particles form the stream of particles. And it remains in a laminar flow which can be seen in, I believe, every disclosure in every patent that shows the stream of particles, shows them in a line connected -- essentially connected dots in a line. And that's because as laminar flow keeping the stream of particles in the same fluid that exists when it's introduced into the system.

So I, unfortunately, can't see the slide, Your Honor, but what you would have is maybe three streams where you would have carrier fluid introduced around a sensor stream of particles.

THE COURT: And so what you're saying is the stream of particles, the particles, you could look at them as whatever the cell is, or you could look at them as the cell with some kind of coating around them?

MR. BURROWBRIDGE: Well, not a coating, Your Honor. The patent makes clear that the particles are introduced into the system in a solution. Let me see.

So '528 at column 12, line 7, it says, In a suspension introduced by the first supply duct 162. A suspension is a liquid that contains particles. And because the system works with laminar flow, that suspension in that liquid contains the particles which is the stream of

12:48:32 **1** 12:48:36 **2** 

12:48:41 3

12:48:42 4

12:48:44 5

12:48:46 6

12:48:55 7

12:48:57 8

12:49:01 9

12:49:05 10

12:49:06 11

12:49:09 12

12:49:13 13

12:49:15 14

12:49:20 15

12:49:23 16

12:49:26 17

12:49:27 18

12:49:29 19

12:49:32 20

12:49:39 21

12:49:43 22

12:49:47 23

12:49:51 24

12:49:52 25

particles remains in a center line. Whereas the carrier fluid surrounds and conveys that stream of particles through the system.

Your Honor, this is a really important point, and it is a really important probably point of dispute between the parties because what the claims do is they claim an actuator for selectively applying the pressure pulse. And this is the important part, to the stream to deflect a particle in the stream of particles from the stream of particles.

So there's two options for how a microfluidic system can do that. There's a prior art process called Dunaway. And that process selectively redirects the flow path of an entire stream fluid. To distinguish from the Dunaway reference, Cytonome claims the ability to "deflect a particle in the stream of particles from the stream of particles."

So Your Honor, because there's laminar flow, it's important because the claim language specifically claims it that way and claimed it that way to overcome prior art references that the particle itself is deflected from the stream of particles. So if it's deflected from the stream of particles, what it's -- again, are you able to see the slides yet or no, Your Honor?

THE COURT: I'm sorry, I can't.

12:49:55 1 12:49:56 2 12:49:59 3 12:50:04 4 12:50:08 5 12:50:12 6 12:50:17 7 12:50:21 8 12:50:25 9 12:50:29 10 12:50:31 11 12:50:34 12 12:50:35 13 12:50:39 14 12:50:42 15 12:50:48 16 12:50:50 17 12:50:53 18 12:50:55 19 12:50:58 20 12:51:01 21 12:51:07 22 12:51:10 23 12:51:13 24

12:51:16 25

MR. BURROWBRIDGE: Well, if you look at the '528 patent, and I don't know if you have that in front of you either, but Figure 17A, 17B and 17C make this explicitly clear, both from the disclosure and from the claim language. And what you see is laminar flow coming into the main channel from the left. The particle goes up the dotted line. So the stream of particles is moving due to the pressure pulse perpendicular to the main channel flow, and then it's being pushed out of the channel because it's a selective particle that the system wants to keep. At that point, a single particle is being deflected from the stream of particles.

If Your Honor looks at Figure 17C, you can see that the stream of particles continues down to the waste receptacle whereas a particle is deflected. That's how the claim language reads, and that's how Cytonome has distinguished their invention from the prior art.

So Your Honor, that's what this stream of particles is, and that's how it relates to the carrier fluid. The carrier fluid construction that we put forward is a construction that gives meaning to the stream of particles. The claim itself is a channel for conveying a stream of particles in a carrier fluid.

So it's clear from the laminar flow, the way that the system works, that once the particle is selected,

12:51:39 5

12:51:41 6

12:51:44 7

12:51:49 8

12:51:52 9

12:51:56 10

12:51:59 11

12:52:03 12

12:51:56 10

12:51:59 11

12:52:03 12

12:52:05 13

12:52:12 14

12:52:15 15

12:52:24 16

12:52:28 17

12:52:33 18

12:52:41 19

12:52:46 20

12:52:52 21

12:52:55 22

12:53:00 23

12:53:06 24

12:53:10 25

it is deflected from the stream of particles to the carrier fluid and is then taken out of the stream of particles. We have a lot of support from the specification in our slides. Your Honor, there are several images that confirm this reading.

Your Honor, I agree that Cytonome's construction is not sufficient, and it doesn't appropriately describe what's going on in the '528 patent. And we don't take issue with the lexicography from the '850 patent, Your Honor, but what they're trying to do is they're trying to import limitations from the '850 to be read in the '528 explicitly.

THE COURT: All right. So I'm not going to do that, but what I'm trying to get at is I'm not -- and you know, I'm sorry that I, for some reason or another, am not seeing your slides, but I'm still unconvinced. As I understand what you're saying, Mr. Burrowbridge, it sounds to me like what you're trying to say is that the way the invention works is, you know, particular particles are knocked out of the stream of particles, but the ones that are not knocked out keep on going. And that the prior art I gather, maybe you knocked out the entire stream or something, but I'm not seeing how you're -- and so you're trying to avoid them saying knocking out the whole stream is covered by the patent or something like that.

And so I'm not seeing, though, how your

12:53:13 1

12:53:20 2

12:53:21 3

12:53:25 4

12:53:28 5

12:53:32 6

12:53:36 7

12:53:37 8

12:53:40 9

12:53:43 10

12:53:46 11

12:53:51 12

12:53:55 13

12:53:59 14

12:54:03 15

12:54:08 16

12:54:08 17

12:54:11 18

12:54:14 19

12:54:16 20

12:54:18 21

12:54:21 22

12:54:25 23

12:54:28 24

12:54:30 25

construction of carrier fluid helps you in that regard.

MR. BURROWBRIDGE: Yes, Your Honor. So the way that it helps us, so again, the claim read with our construction would be a channel for conveying a stream of particles in a fluid containing the particles. So by containing means by focusing or by conveying the stream of particles through the system.

So what it's doing is it's making clear that the stream of particles is a different laminar flow system in the system from the carrier fluid. And that would be understood as I believe Mr. O'Neill explained because there are separate ribbons of laminar flow through the system. And that's an important concept to distinguish between the prior art, which they explicitly prosecuted their patents around, and now what we believe they're trying to do with their claim construction.

And I understand that Your Honor is not thinking that it's appropriate to import the lexicography, and you're correct. It's not appropriate.

But it also shows what they're trying to do.

They're trying to say that a carrier fluid is a compatible liquid surrounding a particle such that the liquid, no matter where the particle is, is surrounded by a carrier fluid. And that's just not true, Your Honor. Because of the laminar flow, the stream of particles is distinct from

 12:54:34
 1

 12:54:37
 2

 12:54:40
 3

 12:54:46
 4

 12:55:00
 6

 12:55:07
 7

 12:55:16
 8

 12:55:20
 9

 12:55:23
 10

 12:55:34
 12

 12:55:35
 13

12:55:26 11
12:55:34 12
12:55:35 13
12:55:39 14
12:55:45 15
12:55:48 16
12:55:51 17
12:55:54 18

12:56:07 22 12:56:14 23 12:56:18 24

12:56:19 25

12:55:59 19

12:56:02 20

12:56:05 21

the carrier fluid until a particle is deflected from the stream of particles. For that point it exits the stream of particles and goes into a carrier fluid.

THE COURT: If I understood what you just said correctly, you said, Here's plaintiff's nefarious plan.

They want to argue that the particle is completely surrounded by some other liquid and, you know, we oppose that, so we've got our construction.

But I don't see how your construction says anything, one way or the other, about whether or not the particle is completely surrounded by some other liquid.

MR. BURROWBRIDGE: Your Honor, that was our intent and that's our understanding. What might be more clear is if carrier fluid is construed to be fluid conveying the stream of particles moving through the system. We think that's consistent with what we proposed. But I think it's not only consistent, probably more accurate as to how it's described and disclosed in the specification. And that tees up, I think, the dispute maybe between the parties a little bit more such that the factfinder could make a determination on this point.

THE COURT: Okay. All right. Does the plaintiff have anything extra to say about this?

MR. LANDERS: It sounds like it should still be plain and ordinary meaning because I'm not really seeing

12:56:22 1 12:56:25 2 12:56:28 3 12:56:45 4 12:56:48 5 12:56:58 6 12:57:04 7 12:57:10 8 12:57:19 9 12:57:23 10 12:57:31 11 12:57:37 12 12:57:40 13 12:57:43 14 12:57:50 15 12:57:52 16 12:57:54 17 12:57:56 18 12:58:04 19 12:58:09 20 12:58:12 21 12:58:14 22 12:58:21 23 12:58:26 24

12:58:27 25

where he's going with that, but I have no more in the way of argument with respect to this term.

THE COURT: Okay. So here's the thing, I do reject the plaintiff's proposed construction for the reasons that I've already said. I'm going to have to go back and look at the claim.

I take it, Mr. Burrowbridge, that you're saying more or less the carrier fluid -- you know, if we were -- the reason for construing carrier fluid the way you've done it is -- would you -- it's not because there's lexicography that says that's what carrier fluid means in this patent. Shouldn't I just be giving carrier fluid essentially its plain and ordinary meaning in the context of the patent?

MR. BURROWBRIDGE: Your Honor, our concern with that is that there's a real dispute between the parties right now. The dispute --

THE COURT: Well, I understand there's some kind of dispute. I don't fully understand the dispute. But you know, in the absence of either lexicography or something that approaches disclaimer, you go with the plain and ordinary meaning.

And is your construction different than the plain and ordinary meaning, Mr. Burrowbridge?

MR. BURROWBRIDGE: Your Honor, what our construction attempts to make clear is that the carrier

12:58:30 1

12:58:33 2

12:58:36 3

12:58:40 4

12:58:42 5

12:58:45 6

12:58:48 7

12:58:48 8

12:58:49 9

12:58:54 10

12:58:55 11

12:58:58 12

12:59:00 13

12:59:03 14

12:59:06 15

12:59:10 16

12:59:15 17

12:59:17 18

12:59:20 19

12:59:26 20

12:59:29 21

12:59:32 22

12:59:35 23

12:59:38 24

12:59:40 25

fluid is different than the stream of particles. And as Cytonome agrees, the system works with laminar flow.

So if there's laminar flow, which there is, then the carrier fluid is distinct from the stream of particles.

And that's clear by the claim language itself which says a channel for conveying a stream of particles in a carrier fluid.

Our concern is --

THE COURT: Well -- no. Go ahead.

MR. BURROWBRIDGE: Well, our concern, Your

Honor, is if carrier fluid is just given its plain and

ordinary meaning, there's still a dispute. Even though

Cytonome agrees that there's laminar flow, there still seems

to be a dispute between whether or not the stream of

particles is carrier fluid or if more accurately it's a

separate laminar flow.

THE COURT: All right. So I have one more question for the plaintiff on this. Is there something wrong with defendant's proposed construction?

MR. LANDERS: I can't identify anything particularly wrong with it, but it sounds like they're going to make -- possibly make an argument against the plain and ordinary meaning, and I think that can't be right. I honestly can't see where they're going with this.

THE COURT: Well, in terms of the plain and

ordinary meaning, is their proposed construction the plain
and ordinary meaning?

MR LANDERS: I feel more comfortable with an

MR. LANDERS: I feel more comfortable with an expert weighing in on that, but I feel like it's a common term in this field, and there's no need to construe it expressly just because they're going to use it for some angle.

THE COURT: All right. Well, I'm going to reserve judgment on defendant's proposed construction.

Because of technological difficulties, I haven't gotten defendant's full argument presented to me right now.

You know, I'm having trouble seeing that there's any difference between carrier fluid which I would think, based on what I'm hearing in the context of the patent, seems to be pretty self evident, and defendant's proposed construction which sounds to me like the plain meaning. But I don't see how it actually helps any, so I'm going to take that under advisement.

Do we have any more terms?

MR. BURROWBRIDGE: No, Your Honor. That's it.

THE COURT: Oh, joy. Okay.

Well, first off, thank you, all of you. This is the first time that I have tried to do a Markman or, in fact, any kind of argument by video conference. But you know, starting a Markman and starting at the hard end of, I

12:59:46 2 12:59:51 3 12:59:53 4 12:59:58 5 01:00:02 6 01:00:06 7 01:00:07 8 01:00:12 9 01:00:17 10 01:00:22 11 01:00:28 12 01:00:30 13 01:00:36 14 01:00:40 15 01:00:49 16 01:00:59 17 01:01:05 18 01:01:06 19 01:01:10 20

01:01:11 21

01:01:14 22

01:01:20 23

01:01:24 24

01:01:31 25

01:01:35	1
01:01:39	2
01:01:42	3
01:01:45	4
01:01:50	5
01:01:54	6
01:02:01	7
01:02:07	8
01:02:10	9
01:02:22	10
01:02:30	11
01:02:35	12
01:02:41	13
01:02:43	14
01:02:45	15
01:02:47	16
01:02:49	17
01:02:56	18
01:02:59	19
01:03:09	20
01:03:09	21
01:03:11	22
01:03:13	23
01:03:17	24

01:03:20 25

mean, I guess short of an evidentiary hearing. So I appreciate it because I think I have the impression that numerous counsel have been in touch with my staff testing things out and trying to get them to work. And I think it's, for the most part, worked pretty well other than some occasional blips with the defendant's slides being able to move along, and I'm not sure why that is.

I do want to, just before I leave you all, just revisit one thing which I believe Mr. Carsten mentioned at the beginning which is the number of asserted claims. When does plaintiff plan to reduce the number of asserted claims in some more reasonable number like, say, 20?

MR. O'NEILL: Your Honor, it's Kirt O'Neill for the plaintiff. We were certainly hopeful that we could get your construction order and then make appropriate reductions at that point.

THE COURT: Okay. And that's a fair comment.

In terms of expert discovery, when does that start? Anybody?

MR. O'NEILL: Good question.

THE COURT: I forget. Did I just continue everything in this case or continue some things? I forget. I'm continuing lots of things in lots of cases. Did I just do some postponing in this case, or are you still on the track you've been on, whatever the track that is?

01:03:24 1 01:03:24 2 01:03:27 3 01:03:28 4 01:03:31 5 01:03:33 6 01:03:38 7 01:03:42 8 01:03:44 9 01:03:49 10 01:03:55 11 01:03:58 12 01:04:00 13 01:04:02 14 01:04:06 15 01:04:15 16 01:04:17 17 01:04:18 18 01:04:22 19 01:04:25 20

01:04:27 21

01:04:29 22

01:04:33 23

01:04:35 24

01:04:39 25

MR. CARSTEN: Yes, Your Honor. I am sorry.

MR. O'NEILL: That's okay.

MR. CARSTEN: I don't know if anyone else is talking. This is Mr. Carsten.

Your Honor, you did extend out some of the fact discovery deadlines for us in the gallant hope that we will actually be able to take depositions in person as opposed by Zoom video conference and so forth. And I don't believe that that's actually done anything with respect to the overall schedule. Although Your Honor, if you would prefer to push things out, obviously, that's not a problem for us.

THE COURT: No. I was just wondering because someone just said an extended fact discovery or maybe you just said it. But usually if you extend fact discovery, then most of the time then, you know, there's a ripple effect.

MR. CARSTEN: We've done our best, Your Honor, to prevent or avoid the ripple effect insofar as it would affect you and your schedule with respect to dispositive motions and the trial date.

MR. SMITH: This is Rodger Smith. The fact discovery and opening expert reports are both currently set in August of this year.

THE COURT: Okay. Well, so I think I resolved seven of these, and I think I took three under advisement.

01:04:44 1 01:04:49 2 01:04:52 3 01:04:57 4 01:05:02 5 01:05:09 6 01:05:12 7 01:05:16 8 01:05:24 9 01:05:28 10 01:05:32 11 01:05:36 12 01:05:42 13 01:05:45 14 01:05:46 15 01:05:49 16 01:05:49 17 01:05:50 18 01:05:53 19 01:05:53 20 01:05:55 21 01:05:57 22 01:06:00 23 01:06:01 24

01:06:03 25

And I'm getting papers on two of the things that I took under advisement in two weeks. I'm getting the declaration, and I'm getting the proposal from the plaintiff on, I think, buffer. So we will endeavor to resolve the other three matters, resolve the three remaining matters fairly promptly. And when I've done that, I will ask you all to submit some kind of proposed Markman order.

And I think that you all ought to talk between yourselves, but I think it's -- Mr. Carsten, and I'm kind of opening -- well, you tell me right now, if you can, do you think after I've finished giving the Markman order, you could reduce the number of asserted claims to 20 in, say, three weeks after that?

MR. CARSTEN: Your Honor, if you're asking me, since I represent defendants, I'd love to get rid of them all.

THE COURT: Okay. Sorry.

MR. CARSTEN: Plaintiff may want to weigh in on this.

THE COURT: Good point. Mr. O'Neill.

MR. O'NEILL: I do think so. I think it's a very reasonable approach at this point that we do within three weeks after your order.

THE COURT: Okay. Well, that will give me incentive to get the order out there.

01:06:06 1	All right. Is there anything else to talk about
01:06:07 2	right now? All right.
01:06:15 3	MR. CARSTEN: Your Honor, nothing offhand. The
01:06:16 4	only thing I would say as an update is there are now seven
01:06:19 5	IPRs filed on each one of the patents-in-suit, and so that's
01:06:22 6	progressing as well.
01:06:24 7	THE COURT: And when you say "filed," do you
01:06:26 8	mean they haven't gotten to institution or denial of
01:06:30 9	institution yet?
01:06:32 10	MR. CARSTEN: That's exactly right, Your Honor.
01:06:33 11	THE COURT: And so were all of these filed in
01:06:38 12	roughly the same time?
01:06:40 13	MR. CARSTEN: Yes, Your Honor, they were.
01:06:41 14	THE COURT: And how long ago was that?
01:06:42 15	MR. CARSTEN: About two months ago, Your Honor.
01:06:45 16	THE COURT: Oh, so May, June, July. So around
01:06:51 17	about Labor Day is when you'll be expecting institution
01:06:55 18	decisions?
01:06:56 19	MR. CARSTEN: Exactly, Your Honor, right around
01:06:57 20	the time that we're starting up with expert discovery and
01:07:00 21	closing out fact discovery.
01:07:02 22	THE COURT: Okay. This case is young enough so
01:07:06 23	that your IPRs were timely?
01:07:10 24	MR. CARSTEN: Yes, Your Honor.
01:07:11 25	THE COURT: Okay. All right. Well, that's

always a good piece of information to have in the back of my 01:07:14 1 mind, though I don't think it will affect anything at least 01:07:17 2 for the near future. 01:07:22 3 01:07:25 4 Okay. Well, plaintiff, I will expect you to reduce down to 20. I have no idea, I haven't heard any 01:07:32 5 complaints from plaintiff about prior art. But after the 01:07:37 6 01:07:43 7 plaintiff reduces, depending on how much prior art defendant 01:07:47 8 has asserted, the parties ought to meet and confer and see 01:07:51 9 about the defendant possibly reducing the number of its 01:07:54 10 invalidity arguments. But I have no idea how many there 01:07:58 11 are, but that's a good thing for you all to talk about, too. 01:08:04 12 Okay? 01:08:06 13 We're expecting that, Your Honor, MR. CARSTEN: and intend to fully participate in that kind of conversation 01:08:07 14 01:08:11 15 to narrow the case as appropriate. 01:08:12 16 THE COURT: All right. Well, thank you all. 01:08:15 17 Everybody connected with this case is remaining healthy? 01:08:20 18 Everyone is healthy? 01:08:21 19 (Everyone said, Yes, Your Honor.) 01:08:23 20 THE COURT: Okay. Well, that's the most 01:08:25 21 important thing, so keep at it. 01:08:26 22 All right. I'm going to hang up now. 01:08:28 23 you. 01:08:29 24 (Everyone said, Thank you, Your Honor.) 25 I hereby certify the foregoing is a true and

	115
1	accurate transcript from my stenographic notes in the
2	proceeding.
3	/s/ Heather M. Triozzi
4	Certified Merit and Real-Time Reporter U.S. District Court
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24 25	