UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

WIRTGEN AMERICA, INC., Petitioner,

v.

CATERPILLAR, INC., Patent Owner.

IPR2022-01394 (Patent 7,523,995 B2) IPR2022-01395 (Patent 7,523,995 B2) IPR2022-01397 (Patent 9,975,538 B2)¹

> Record of Oral Hearing Held: December 11, 2023

Before BARRY L. GROSSMAN, JAMES J. MAYBERRY, and MATTHEW S. MEYERS, *Administrative Patent Judges*.

¹ This transcript is being filed in each proceeding in the caption. The parties are not authorized to use this caption in any subsequent filings. These cases have not been consolidated.

APPEARANCES:

ON BEHALF OF THE PETITIONER:

GRAHAM PHERO, ESQ. RALPH POWERS, III, ESQ. JOHN HIGGINS, ESQ. Sterne Kessler Goldstein Fox 1101 K Street, NW., 10th Floor Washington, D.C. 20005

SETH R. OGDEN, ESQ. NATHAN NORTH, ESQ. WILLIAM SEKYI, ESQ. Patterson Intellectual Property Law, P.C. Roundabout Plaza 1600 Division Street, Suite 500 Nashville, Tennessee 37203

ON BEHALF OF THE PATENT OWNER:

MATTHEW ARGENTI, ESQ. WESLEY DERRYBERRY, ESQ. TASHA THOMAS, ESQ. Wilson Sonsini Goodrich & Rosati 650 Page Mill Road Palo Alto, California 94304-1050

The above-entitled matter came on for hearing on Monday, December 11, 2023, commencing at 10:14 a.m., at the U.S. Patent and Trademark Office, 600 Dulany Street, Alexandria, Virginia.

1	PROCEEDINGS
2	
3	JUDGE MAYBERRY: Good morning and welcome. I'm Judge
4	Mayberry and with me on your screens are Judges Meyers and Grossman.
5	Like counsel, we are located remotely and joining by audio video link. We
6	are here for consolidated oral arguments in IPR 2022-01394 and IPR 2022-
7	01395, each which concern U.S. Patent Number 7,523,995, which we'll refer
8	to as the '995 patent. and IPR 2022-01397, which concerns U.S. Patent
9	Number 9,875,538, or the '538 patent. All three of these proceedings are
10	styled Wirtgen America Inc. v. Caterpillar Inc.
11	Before we go over some ground rules, I'd like to start with
12	appearances by the parties. And we'll start with Petitioner's counsel.
13	MR. OGDEN: Thank you, Your Honor. You have Seth Ogden and
14	Nathan North, along with William Sekyi from Patterson IP Law on behalf of
15	Petitioner. And I'll let Mr. Phero introduce the group from Sterne Kessler.
16	MR. PHERO: Your Honors, Graham Phero on behalf of Petitioner
17	Wirtgen America. Here with me are Ralph Powers, III. and John Higgins.
18	JUDGE MAYBERRY: All right, thank you. And for Patent Owner?
19	MR. ARGENTI: Good morning, Your Honor. Matt Argenti on
20	behalf of Patent Owner Caterpillar. And also joining today are my
21	colleagues Wes Derryberry and Tasha Thomas.
22	JUDGE MAYBERRY: All right, thank you. And I'm going to ask
23	Judge Meyers and Judge Grossman to acknowledge that they can hear the
24	parties and so we can make sure the parties can hear them as well. So, Judge
25	Meyers?

1 JUDGE MEYERS: Yes, hello. Good morning.

2 JUDGE MAYBERRY: Judge Grossman?

3 JUDGE GROSSMAN: Yes, I can hear.

JUDGE MAYBERRY: All right, thank you. Now, before we get started, I'd like to go over some of the mechanics of the hearing. First, thank you for your patience while we had technical difficulties to start. Now, our primary concern is your right to be heard and present your case on the record as you see fit. If at any time during the hearing you encounter technical difficulties that you feel undermines your ability to adequately represent your client, please let us know immediately.

You should have been given contact information from our hearings team. And if you lose connection or encounter some other problem, you should use that information and contact them. Our hearing order includes some information on the conduct of a video hearing. I want to reemphasize, though, when you're not speaking, please mute your connection. And also, when you first start to speak, please identify yourself. It'll help the court reporter prepare an accurate transcript.

Now, the Judges have access to a complete trial record in the three proceedings, including the parties' demonstratives. We ask that when you refer to a slide, please refer to the slide number you're discussing so we can follow along and so the transcript is clear. Also, if you refer to an exhibit or a paper, please identify the exhibit or paper number and the proceeding and the page you're referencing.

24 Specified in our order, each party will have 120 minutes of total time 25 to present their arguments in these three proceedings. However, because

Petitioner will use a LEAP practitioner in the arguments, Petitioner will have
 a total of 135 minutes.

3 As we discussed in a prehearing conference with the parties, the 4 IPR 2022-01397 proceeding will be argued first by the parties. Petitioner 5 bears the burden of proving unpatentability of the challenged claims of the 6 '538 patent and will go first. Petitioner may reserve rebuttal time. Then 7 Patent Owner will respond to Petitioner's case. Patent Owner may reserve 8 surrebuttal time. Petitioner may use its rebuttal time to reply to Patent 9 Owner's responsive arguments and Patent Owner may use its surrebuttal 10 time to reply to Petitioner's responsive arguments.

11 After that proceeding is argued, we're going to take a break. Then 12 using the remaining time that each party has, the parties will argue the 13 IPR 2022-01394 and -01395 proceedings together. Again, Petitioner will go 14 first and may reserve rebuttal time. Patent Owner will respond and also may 15 reserve rebuttal time. Petitioner will then use its rebuttal time to reply to 16 Patent Owner's responsive arguments. Then Petitioner may use its surrebuttal time to reply to Petitioner's responsive arguments. And again, at 17 18 this time during the hearing, the arguments will be directed only to the 01394 and 01395 proceedings. So, no jumping back to the 01397 19 20 proceeding. 21 Now, does Patent Owner's counsel have any questions before we 22 start? 23 MR. ARGENTI: No, Your Honor. Thank you.

JUDGE MAYBERRY: All right, thank you. And Petitioner'scounsel, do you have any questions?

1	MR. OGDEN: No, Your Honor. Thank you.
2	JUDGE MAYBERRY: All right. So, Petitioner's counsel you may
3	begin your argument when ready. However, I'll just say the one challenge
4	the parties and the panel is going to have is tracking time. We don't have a
5	nice fancy clock behind us and then we have this two different segment
6	stuff. So, what I'm going to ask, Petitioner, do you have an estimate of how
7	much total time you want to argue for the 01397 case?
8	MR. OGDEN: Yes, Your Honor, we believe that it'll be about an hour
9	with 45 minutes and then reserving 15 minutes for rebuttal. And I'm going
10	to keep a clock here at my desk as well just to help know where I am.
11	JUDGE MAYBERRY: Okay, great. I will as well and hopefully
12	between the two of us we'll be able to handle the time. And I'll try to give
13	you a flag, if I can, as you're getting close to that 45-minute mark.
14	MR. OGDEN: Thank you, Your Honor.
15	JUDGE MAYBERRY: So, with that, you may start when ready.
16	MR. OGDEN: Okay. Your Honor, I'd just like to ask are you able to
17	see my screen?
18	JUDGE MAYBERRY: Yes, we are, Counsel.
19	MR. OGDEN: Okay, thank you. May it please the Board, Patent
20	Owner's argument is essentially that <i>Xing</i> is more complicated than the '538
21	patent. So, the proposed combination of Willis and Xing can't render the
22	challenged claims obvious. Patent Owner is correct that Xing does more
23	than the '538 patent, but Patent Owner is wrong regarding obviousness.
24	Xing practices all the controller limitations of the '538 patent but it
25	goes further, and it provides an improvement over the '538 patent. Now,

both the '538 patent and *Xing* look at many possible engine speeds and pick
the one that is expected to have the best fuel efficiency based on the
expected total engine load. And then they change the engine speed. And
they do this continuously in an iterative manner. The method of the '538
patent is not sophisticated enough to consider variations in power losses with
changes in engine speed. Instead, it merely assumes that those power losses
do not vary.

8 *Xing's* method, on the other hand, is sophisticated enough to predict 9 those changes. So, it picks the most fuel-efficient speed based on the corrected total engine load. It's essentially the '538 patent plus. And Xing 10 11 tells you exactly this. In Exhibit 1001, at column 1, lines 55 through 62, 12 *Xing* tells you that in current control systems, algorithms have been 13 developed that focus solely on the engine speed control strategy. For 14 example, engine speed is typically controlled based on vehicle loads with the 15 engine running at its most efficient settings when loads are relatively low. 16 Unfortunately, such control algorithms fail to take into account the role that 17 other vehicle components play in impacting the overall efficiency of the vehicle. 18

This is kind of an interesting case because typically what we see in IPRs is that a patent owner is arguing a failing in the prior art because it doesn't teach as much as whatever the patent invention might be. Here, the argument is well, it teaches more, and that more somehow causes it not to meet the claim limitations. But to do this, Patent Owner has to rely on incorrect semantics-based arguments to intimate that *Xing* is overcomplicated, and that's wrong.

1 Now, before we dive into why Patent Owner is wrong, I'd like to 2 provide a brief background. If we move to Petitioner's slide 2, we can see 3 that the petition included two instituted grounds. Ground 1 challenges 4 claims 1 through 13 as being obvious over *Willis* in view of *Xing*. And I 5 will be focusing most of my argument on ground 1. Ground 2 challenges 6 claims 8 and 13 as being obvious over *Willis*, *Xing*, and *Laux*. And claim 13 7 adds a limitation regarding a clutch. And my colleague, Mr. North, will be 8 dealing chiefly with the arguments regarding this clutch of claim 13.

9 Now, I'd like to move to Petitioner's slide 16. So, part of the 10 combination here is *Willis* combined with *Xing*. This depicts a figure from 11 *Willis*, figure 3 that's been annotated, as well as passage from *Willis*. And 12 *Willis* is directed to a conventional milling machine where the engine is 13 directly coupled to a belt drive that turns the milling drum. And so, we can 14 kind of see in this picture, it's a little bit see-through, but there's a drum there 15 in between the two tracks, and that is what grinds the pavement down.

16 The engine sits up on the machine and it has to be connected by this 17 belt drive so that it can transfer the power down to the milling drum to grind 18 the road. In this conventional milling machine, the operator selects the 19 desired rotor speed. And we see up there at element 14 there's a drum speed 20 selector there in figure 3 of Xing -- or sorry, of Willis. And so, because the 21 engine directly drives the belts and pulley system, to increase the rotor 22 speed, *Willis'* machine must increase the engine speed. It's a direct relationship. 23

Now, if we move to Petitioner's slide 19, here is the proposed
combination. And it proposed that *Xing's* continuously variable

transmission would be coupled between *Willis*' engine and rotor. And then configuring *Willis*' controller with *Xing's* algorithm sensors and control devices necessary to implement *Xing's* algorithm. And as the Petitioner argued, a POSITA would have understood from prior art references *Parker* and *Laux*, that the variable transmission could be implemented at different locations within the drive train.

7 If we move next to Petitioner's slide 20, here we see that Wirtgen's 8 expert, Dr. Stein, discussed *Laux's* arrangement as one of these options. In 9 *Laux* we can see element 16 of the engine and then the element 20 is an 10 infinitely variable transmission. And as *Laux* teaches, the output of the 11 infinitely variable transmission 20 is connected to a sheave or sprocket 22, 12 which drives a V-belt or a chain drive 24. So, this is the arrangement in the 13 petition that was being discussed. Engine feeds to transmission, which feeds 14 to the V-belt, which goes down to the cutter drum.

Now, if we take a look, actually, at Caterpillar slide 6, Caterpillar set
out the deficiencies it believes that it alleges are in the instituted grounds.
And with respect to ground 1 in claims 1 to 13, there are two deficiencies.
But the petition fails to show that *Xing* discloses adjusting an engine speed
based on the engine load. And that the petition fails to show *Xing* discloses
adjusting an engine speed based on predefined efficiency points providing
optimum engine speeds for different engine loads.

And, Your Honor, I believe I misspoke. On slide 20, I was
referencing the arrangement of *Parker* and I believe I might have said *Xing*.
So, let me just return to that, point to that. On the left here, figure 2, Exhibit
1013, that would be *Parker*.

Now, returning back to Caterpillar slide 6, there are also three
 deficiencies related to claim 13 that are discussed by Caterpillar on this slide
 and those are what my colleague will be dealing with.

So, I'd like to step back and just take a look at an overview of the '538 patent. And the '538 patent is really all about fuel efficiency and it's about a controller implemented method. And that's recited in the preamble of claim 1.

8 So, here on Petitioner's slide 9, we have claim 1 reproduced. It's a 9 controller implemented method of controlling a machine having a rotor 10 coupled to an engine through a variable transmission. And if we take a look 11 at slide 22, there is another limitation here that is disputed, part of the 12 dispute in this IPR, and it's about adjusting an engine speed. And so, the 13 engine speed must be adjusted based on two things: first, the engine load, 14 and second, one or more predefined efficiency points. And then taking that 15 further, these predefined efficiency points must be at least partially based on 16 predetermined fuel consumption rates and providing optimum engine speeds 17 for different engine loads.

Now, what is an optimum engine speed for a different engine load?
Well, the '538 patent tells you. At column 5, lines 12 to 15, it explains that
the optimum engine speed is the engine speed expected to provide the
optimum fuel efficiency for a given engine load. So, again, the focus of
these claims is on fuel efficiency.

If we take a look at Caterpillar slide 3, we can see this is confirmed in this overview of the '538 patent that depicts figure 4 from the '538 patent and accompanying text. And here the text is describing using efficiency points

as a reference so that the controller can control the engine to output an
 engine speed that is not only appropriate for the determined engine load, but
 also fuel efficient.

4 Now, what is figure 4 showing you? Well, it's a bunch of engine 5 speed, candidate engine speed and candidate engine load pairs. And what 6 we see is engine speed is plotted on the Y axis and it's decreasing from top 7 to bottom. And engine load is plotted on the X axis and it's increasing from 8 left to right. And so, at the intersection of an engine speed and an engine 9 load, which would be a candidate pair of engine speeds and engine loads, there are these boxes and they are shaded. And the shading of the boxes 10 11 indicates that the hashing or however you want to describe it, indicates the 12 level of fuel efficiency.

13 So, what you can see in -- this is Patent Owner's annotated version of 14 figure 4 -- in the '538 patent's method, the engine load is determined and 15 then it's essentially used to look up the corresponding optimum engine 16 speeds with respect to fuel efficiency. Now, as Patent Owner has annotated 17 this, you'll see that for this determined engine load, when it looks it up, it 18 identifies three potential optimum engine speeds. And that's because the '538 patent doesn't account for power losses. It can't tell you which speed is 19 20 actually the most optimum speed. It only knows that one of these three 21 candidates would be the optimum. And this is consistent with the claim 22 language, which recites providing optimum engine speeds, plural, for 23 different engine loads. And we can actually see that on the next slide, 24 Caterpillar slide 4, the last kind of highlighted item that they put there in 25 green.

Okay. So, to understand this a little bit more, I'd like to move to *Xing* and talk about *Xing* for a little bit. So, this is Petitioner's slide 24 and it depicts figure 3 of *Xing* with some annotations. This is *Xing's* -- a schematic of *Xing's* drive train. And I would like to walk left to right through this figure because it's important to understand with respect to this based on adjusting the engine speed based on the engine load dispute.

So, on the left we have in red, boxed in red, element 22, which is the engine. And that engine is going to produce a load when it's operating. And that is what *Xing* describes as P engine. And that load is measured from sensors such as sensor 122, which is an engine torque load sensor. So, it's measured directly and allows the controller to determine the engine load that's being produced.

Now, if we move to slide 25, what we see is in blue here, element 24 is the transmission and then that transmission has a power take off, or a PTO 15 110, that can provide power to other elements within the system of *Xing's* machine. And this transmission is inefficient and so, it's going to have power losses, as well as these parasitic loads from the power takeoff. And that's what *Xing* identifies as P loss.

19 If we move one more step to the right, Petitioner's slide 26, 20 highlighted in yellow you'll see that the transmission and outputs and in 21 *Xing's* embodiment, because this is a -- because of the type of machine it is, 22 it's outputting to an axle and a differential. That's 102 and 104. And so, the 23 axle and the differential there are to propel *Xing's* machine. And so, the load 24 here at the axle and differential, that is what *Xing* calls the power load 25 requirement. That is the amount of load that is being used for useful work.

And so, if we take P engine, which is the total engine load that is being
 produced, and we subtract the power losses due to the transmission and
 parasitic loads, the remainder is the useful work that's actually occurring
 there -- here at this axle and this differential.

Now, in the proposed combination, rather than an axle and a
differential, this is going to feed into that V-belt that would then power the
milling drum. Because in milling machines, the engine is chiefly used to do
the work of the milling drum.

And there's one other thing to note. There are two embodiments
taught for arriving at what this power load requirement is, this useful work.
In one embodiment, and that's the one that's part of the proposed
combination, *Xing* teaches that you measure P engine and then you subtract
the associated power losses to arrive at P load.

There's another embodiment where you can use a sensor that would be at the differential that will measure the load that's occurring there. And that would be a direct method of measuring the load power requirement. That is not what the petition indicated was part of the proposed combination.

So, if we move to slide 27. This is the equation that *Xing* tells us for relating this known relationship that occurs in these types of machines that P engine is equal to P load plus P loss. And if we take a look at Petitioner's slide 10, the '538 patent teaches the same thing. It just doesn't account for these power losses. So, you can see here at column 4, lines 9 to 14, the '538 patent explains that the engine load may include loads due to the rotor, the hydrostatic arrangement, and other parasitic loads.

25

JUDGE MEYERS: Counsel, if I could interrupt for a moment?

MR. OGDEN: Yes, sir. 1 2 JUDGE MEYERS: So, looking at the equation 1 of Xing, what 3 constitutes -- what factor constitutes the engine load in the recited claims? 4 MR. OGDEN: The engine load is P engine. And that's going to be --JUDGE MEYERS: The P load. 5 6 MR. OGDEN: -- determined by measuring directly at the engine 7 using the sensors. 8 JUDGE MEYERS: Okay. So, the engine load found in claims 1 and 9 6 you would say that it's P engine in *Xing*. MR. OGDEN: That's correct. So, Xing is going to determine the 10 11 engine load, and if we look at Petitioner's slide 9, we see there's determining 12 an engine load of the engine and that is when that sensor data is used to 13 determine the engine load. 14 JUDGE MEYERS: Okay. Thank you. 15 MR. OGDEN: Okay. And so, that's a good transition into how is it 16 that *Xing* is using the current load power requirement and the engine load to 17 do what it does to adjust the engine speed? So, we take a look at 18 Caterpillar's slide 3 again. I just want to remind you what's going on in the '538 patent. And I know we just talked about it, but what we're doing here is 19 20 taking candidate engine speeds and candidate engine loads. And this is just 21 really data that would be stored in the controller and, for example, a lookup 22 table. And then determining an engine load and plotting it and saving, okay, 23 what are the potential optimum engine speeds with regard to fuel efficiency 24 for that load.

1 And again, it doesn't tell you which engine speed is the one that you 2 actually will get the best fuel efficiency with. So, if we go to Petitioner 's 3 slide 28, I'd like to discuss *Xing*. And I want to start with figure 5. I think it 4 illustrates the points the petition was making the best.

5 And so, we have to step back for a minute just because *Xing* has 6 several advances over the '538 patent depending on the embodiments that 7 you're reviewing. And figure 5, this column 2 here that's circled in gold, 8 what it's talking about there is a forecasted load power requirement. That is 9 not an embodiment that is part of the proposed combination. That is a 10 different embodiment that uses a feed forward mechanism to predict where 11 the engine loads might go. And so, it might know from a 3D map that 12 *Xing's* machine is going to travel up a hill. It might know that that'll increase 13 the load power requirement and it may do that. And again, that's not part of 14 the proposed combination.

15 Xing explains, in an alternative, that the forecasted load power 16 requirement can be replaced by utilizing the current load power requirement 17 as the basis for determining the candidate engine speeds. And so, that is 18 what we're relying on is that determined load power requirement that all 19 starts with determining engine load.

20 JUDGE MEYERS: But both of those are P loads.

21 MR. OGDEN: Yes.

22 JUDGE MEYERS: Right?

MR. OGDEN: Yes, but I want to make a point we're not relying on
this --

25 JUDGE MEYERS: Sure.

1 MR. OGDEN: -- forecasted future load requirement. It's the 2 determined engine load, the current load power requirement. 3 JUDGE MEYERS: But there's still P load would be the factor in 4 equation 1. 5 MR. OGDEN: Your Honor, not in equation -- well, okay. So, P load 6 would be the factor that is derived from equation 1 that's populated into 7 column 2 of Xing's figure 5. And so --8 JUDGE MEYERS: Right. 9 MR. OGDEN: -- maybe another way to --10 JUDGE MEYERS: So, it would be if we've got the candidate engine 11 power would be P engine, P loss is P loss, and then the forecasted load 12 power requirement is the P load regardless of its current load power 13 requirement or forecasted. 14 MR. OGDEN: Correct. 15 JUDGE MEYERS: It's P load. Okay. 16 MR. OGDEN: Correct, Your Honor. I've just put up slide 30. If you 17 see here, we kind of have it labeled where you take --18 JUDGE MEYERS: Yes. 19 MR. OGDEN: -- P engine, subtract P loss, and populate column 2 20 with that data. And so, we kind of hit on this. I'll just return to it before I 21 come back to slide 30. In Caterpillar's slide 6, here the dispute is about 22 whether the adjustment of the engine speed is based on the engine load 23 where it would be that determined engine load. And the Petitioner argues 24 that it indeed is because the starting point is the P engine, that you have to

determine P engine, and then subtract the power loss in order to populate, for
 example, in figure 5, column 2. So, that is the starting point.

3 And the difference in the arguments are that, for example, Caterpillar 4 at its slide 10, what they want to do is focus on figure 4 of *Xing*. And figure 5 4, block 202, starts at determined load power requirement for the work 6 vehicle. And so, they say no, no, no, no, that's the starting point. But that is 7 not true. In the proposed combination, you can't get that load power 8 requirement until you determine the engine load. You have to have that 9 engine load first. For example, if the engine load were zero, there would be 10 a zero-load power requirement and then if the engine load increases, so will 11 the load power requirement.

All right. If we return to slide 30, as I discussed, we have this measured candidate and Caterpillar talks about this candidate aspect a little bit. I'm not sure. I think it's a little misleading. These candidate engine speeds are no different than the possible target engine speeds evaluated by the '538 patent that we just saw in figure 4 of the '538 patent. Both systems are evaluating fuel efficiency at a multitude of possible engine speeds and then they pick the most fuel-efficient speed.

Now, something that's important to understand here is that in column 20 2, the load power requirement that is populated here is always the same. All 21 right? And the reason that it's always the same is because this is going to 22 demonstrate how *Xing* is correcting for the power losses so that it's then 23 choosing a candidate engine speed based on a corrected engine load. And 24 so, you'll see here that here it's 150 kilowatts. So, we've determined the 25 engine loads, subtracted the P loss, and the number is 150 kilowatts.

1 Then we're looking at, in the first column, three candidate engine 2 speeds: 1,500, 1,600, and 1,700 RPM. And so, at those candidate engine 3 speeds, then the associated system power losses are listed in the third 4 column. And you'll see they are different because *Xing* is accounting for the 5 fact that they differ at different engine speeds. So, you add column 2 and 6 column 3 to arrive at the candidate engine power. And so, this is a corrected 7 engine load. And so, this is just like the engine loads that we see in figure 4 8 of the '538 patent, except they're corrected for these power losses.

9 Now, there's a relationship that all engineers know between if you 10 multiply speed and torque, then you arrive at engine load. And so, the 11 remainder of these columns are just explaining how *Xing* gets to the fuel 12 efficiency points. And so, the '538 patent just kinds of says you're going to 13 have this fuel efficiency data. *Xing* tells you one way that you can derive it 14 and it's specific to these BSFC efficiency points.

So, he simply takes the candidate engine power and the engine speeds and calculates the candidate torque from that. And then as Caterpillar actually showed in its annotations, and those are shown on Petitioner's slide 31, it then plots those pairs of candidate engine torque and engine speed to arrive at a BSFC efficiency. And that's based on fuel consumption and the one that's closest to the bullseye there is going to be the most efficient.

So, what has happened here is starting with the determined engine load, then the load power requirement is calculated from that, populated into column 2, and then for each candidate engine speed, you determine a corrected candidate engine power, and then choose the one that's the most fuel efficient. So, if we go to slide 33, it just kind of uncovers what we saw

there. And what we see is it's actually going to be 1,600 RPMs that is going to be the most fuel-efficient. You might have expected it to be 1,500 at the lower speed, but due to the power loss accounting, *Xing* determines that it's 1,600. So, now it's going to adjust the engine speed to 1,600.

5 JUDGE MEYERS: Counselor, where does *Xing* state that it's doing 6 this based on the candidate engine power? Yeah, my review of *Xing* always 7 referred to that it was adjusting based on the load power requirements. Can 8 you point to me where in *Xing* this is stated?

9 MR. OGDEN: Let's see. So, I believe right here we have listed at Exhibit 1001, column 5, lines 7 to 12, but I think, Your Honor, I mean, 10 11 really figure 5 is the easiest way to understand it. Because you can just look 12 at the numbers and you can see that what it's telling you -- and so, this is 13 getting into the second aspect whether you have optimum engine speeds for 14 different engine loads, the other dispute. And so, these candidate engine 15 loads in column 4, these are the different optimum speeds for the different 16 candidate engine loads. And so, that's how that claim is met.

And so, I mean, Xing explains it's just if you follow the numbers here 17 18 in column 5, what you can see is we start with the determined engine load, 19 we subtract the power loss, that gives us this load power requirement. And 20 then you can see for each speed, they're looking at the power loss and they 21 add it together. So, if we, for 1,500 RPM, we add 150 kilowatts, and the 15-22 kilowatt associated system power loss, that gives us 165. That is the 23 candidate engine load. And then that has an associated BSFC efficiency that 24 it's going to look up and then based on whichever is the lowest BSFC 25 efficiency, it will choose that to adjust the engine speed.

JUDGE MEYERS: Okay. And where does *Xing* say this in the
 disclosure?

3 MR. OGDEN: I'll need to look for that for you on the break. But I4 will.

5 JUDGE MEYERS: Okay.

6 MR. OGDEN: I'll tell you when I'm back on rebuttal where that is.

7 JUDGE MEYERS: Okay. Thank you.

8 MR. OGDEN: Thanks.

9 JUDGE MEYERS: Thank you.

10 MR. OGDEN: Then there is one more argument that Caterpillar 11 makes that I think is addressed by what I just discussed. But they talk about 12 how the engine speed torque pairs are insufficient, and that's wrong. This is Caterpillar slide 19. And then if we go back and -- sorry -- if we go back 13 14 and look at Caterpillar slide 17, you can see, as we discussed, those candidate speed torque pairs are merely data that tells you what the fuel 15 16 efficiency is. That's not what it's based on. As we talked about in slide 30, 17 for example, it's the candidate engine power. That candidate engine power 18 is later converted just to obtain BSFC efficiency. So, the Board shouldn't 19 get caught up in this description of candidate engine torque in this column 20 because all that is is how it finds the BSFC fuel efficiency.

So, I'd like to move to Petitioner's slide 36. And so, as Petitioner has discussed, we believe that Caterpillar is taking an overly narrow reading of the scope of these claims. So, it could be described as a claim construction dispute or a claim scope dispute.

Now, specifically, we take a look at Caterpillar slide 10. We talked
 about what they believe that -- or their argument is that the adjustments
 made in *Xing* are not based on P engine because that's not the starting point.
 But that's incorrect for the proposed combination.

5 They seem to be arguing, as we discussed in our Patent Owner's 6 Reply, this is Petitioner's slide 38, that *Xing* must explicitly recite the 7 claimed engine load in the calculation that returns the optimum engine 8 speeds. But if we take a look at slide 43, nothing in the intrinsic evidence 9 limits the scope of "based on" this -- in this manner. "Based on" merely means that an input effects the output. If so, that output is based on the 10 input. And here if the engine goes up, P load goes up. And that's the way 11 12 that this operates.

As the Petitioner explains, and this is slide 37 in their Reply, that the explicit parameter P load is used to refine the engine load to provide a more meaningful input to the calculation and more data-rich load parameter for the system, P load must still use the determined engine load as a starting point. And how do we know they start --

18 JUDGE MEYERS: Counsel --

19 MR. OGDEN: -- at the same -- yes, Your Honor.

20 JUDGE MEYERS: And where -- we can go back to slide 37.

21 MR. OGDEN: Yes, Your Honor.

JUDGE MEYERS: If you could just get it up. And where does your
expert say that and where is this done in *Xing*?

MR. OGDEN: I mean, it's all in the description of that figure 5 that we looked at because this is where it's refining the engine load that it's

1 determined to provide more meaningful input. I mean, the only real 2 difference in what's happening in the '538 and what's happening in *Xing* is that the '538 just assumes that total engine -- it assumes that the power losses 3 4 are the same across all those engine speeds. And that's the only difference. 5 And *Xing* is accounting for the fact those power losses change when he is 6 making his corrected engine loads. 7 JUDGE MEYERS: Could you point to me where -- back to 37. 8 MR. OGDEN: Yes. Yes, Your Honor. 9 JUDGE MEYERS: Yeah. Where this is supported that it's a more 10 data-rich parameter for the system P load to still be used to determine the 11 engine load, the engine as the starting point? 12 MR. OGDEN: Your Honor, I'll need to give you a citation, but this 13 all goes along with our arguments regarding figure 5. So, the petition at 48 14 and 49 is cited down kind of in the bottom lefthand corner of slide 30. 15 JUDGE MEYERS: Okay. All right. 16 MR. OGDEN: And I'll find you an expert citation as well --17 JUDGE MEYERS: Thank you. 18 MR. OGDEN: -- when that's discussed. 19 JUDGE MEYERS: Sorry for the interruption. 20 MR. OGDEN: No, of course. So, the one last point on this based on 21 the engine load is another way that we can see that the starting point is the 22 same for both is that both use the same -- both the '538 patent and Xing use 23 the same sensors to determine the engine load. So, this little excerpt, and it's 24 column 5, lines 3 to 22, it's in the bottom righthand corner. It's probably 25 difficult to read. I think I have it a little larger on slide 44. What it's telling

you there is that it uses the sensor 134 located at the engine in order to
 determine the engine load. This is the '538 patent.

So, if we look at slide 11, we can see this is talking about on the left side of figure 2, there's a sensor 134 there at the engine. That is the sensor that they're discussing for determining the engine load. And as we saw in slide 24, there's an engine load sensor that's being used that's associated with the engine in *Xing*. And so, what we see is that it's in the same locations and so they're starting at the same starting point.

9 Now, there's another argument that Caterpillar is making that the adjusting limitations require some specific sequence of underlying steps. 10 11 And Patent Owner argues that the predetermined efficiency points 12 corresponding to the determined engine load must be retrieved before 13 identifying an optimal engine speed. If we go to Petitioner's slide 51, what 14 you can see is that Patent Owner appears to be reading in this preferred 15 embodiment of figure 5 that is a flowchart and has ordered steps to it. But 16 there is no reason to limit the plain language of the claim limitation to this 17 preferred embodiment. It just says you've got to adjust based on two things: 18 the engine load, and the predefined efficiency points. It doesn't describe the 19 order of how you make determinations based on those aspects.

This is Petitioner's slide 54. *Xing* clearly meets the plain language of this limitation, and this is a quote from *Xing* here. It explains, "The controller may select the candidate engine speed torque pair that maximizes fuel efficiency." And remember, engine speed and torque are engine load. As the target engine speed and target engine torque for producing the engine power necessary to achieve, and this should be the load power requirement.

1 And that's at *Xing*, column 12, lines 58 to 63. And my colleague is telling 2 me also that if we take a look at Xing, column 9, lines 18 to 56, that's another 3 place where it's discussing this relationship of the P engine P load and how 4 that's corrected to determine the optimal fuel efficiency. 5 JUDGE MEYERS: All right. That was column 9, where? 6 MR. OGDEN: Column 9, lines 18 to 56. JUDGE MEYERS: All right, thank you. 7 8 MR. OGDEN: Okay. And then returning here to slide 54. This is 9 *Xing* explaining that it bases the adjustment speed on these predefined 10 efficiency points and that these are at least partially based on providing 11 optimum engine speeds for different engine loads. 12 And so, one of Patent Owner's disputes here is that the optimum engine speed returned by Xing's algorithm is not the most optimum engine 13 speed for the determined engine load. And according to the Patent Owner 14 15 because *Xing's* algorithm returns an optimum engine speed for a particular 16 load power requirement, *Xing* doesn't meet the disputed limitation. But 17 again, the plain language is not so limited as they would provide. The 18 claims only require that you adjust based on these two things. And as we saw, that is what Xing does. 19

So, I want to give one more reference and then I'll review those so I can discuss them a little bit more on rebuttal and then hand this over to my colleague, Mr. North. But also, *Xing* at column 11, line 55, to column 12, line 63, explains figures 5 and 11 and the BSFC fuel ratios.

So, unless there are further questions for me, I'll turn this over toMr. North.

1 JUDGE MEYERS: Sorry, Mr. Ogden. One more time, column 11, 2 what? What was that? 3 MR. OGDEN: Yes, column 11, line 55, to column 12, line 63. 4 JUDGE MAYBERRY: Counsel, this is Judge Mayberry. While 5 we're transitioning, you have 11 minutes of your first 45 left. 6 MR. OGDEN: Okay, thank you, Your Honor. 7 Nathan, you're welcome to start. I will mute if I can figure out how to 8 do that. 9 MR. NORTH: Thank you, and good morning. May it please the 10 Board, my name is Nathan North on behalf of Wirtgen America. As 11 Dr. Ogden mentioned, I'm going to focus on claim 13. 12 To reorient us as we get started, though, I want to look at the hardware 13 aspect of the proposed combinations. And so, if we can go to slide 77. This 14 is *Xing* figure 3. That's going to help us to illustrate what exactly is going on. The proposed combination at ground 1 was to combine *Willis* with *Xing*. 15 16 Essentially, we're going to take the engine of *Willis* and you're going to place the transmission of *Xing* next to the engine or before the belt-and-pulley 17 18 system. And that belt-and-pulley system of Willis is going to connect to the 19 milling drum and drive that milling drum. 20 This figure 3, as I mentioned, drives a good illustration of what it's 21 going to look like. We have engine 22 from *Xing* here feeding into 22 transmission 24, which then feeds into differential 1 and 2, which is the

23 driven element. With the proposed combination instead what's going to

happen, like I said, the engine's going go into that same spot. It's going to

25 feed into the transmission and then it's going to feed into a driven element,

which in the proposed combination is going to be that belt-and-pulley
 system.

If we continue on to figure 78 -- or slide 78, I'm sorry. When we get to ground 2, the only difference that's going to happen is that the proposed combination now implements *Laux's* clutch 15 at the location where we see the green arrow there.

7 So, now that we've looked at what exactly the hardware 8 configurations are, I want to take a second to look through how this got built 9 in the petition. If we go to Petitioner's slide 19, we'll see the portion of the petition that discussed you are going to place -- for the proposed 10 11 combination, places Xing's CVT between Willis' engine and rotor. The petition later on also discussed that a POSITA would have understood based 12 13 on *Parker* and *Laux* that different elements of the power train could be 14 placed in different locations such as this variable transmission.

And, indeed, if we keep going to slide 20, we will see the teachings of 15 16 *Parker* at slide 20. There we go. The teachings of *Parker* that talk about the 17 infinitely variable transmission being connected to that chain drive V-belt 18 sprocket sheave configuration that is there on figure 2 from *Parker* on the 19 left. And again, that's the same as what we're talking about doing with the 20 proposed combination. If we go again to slide 77, we will see again that 21 structure going engine feeding into the transmission, which then feeds into the driven element, which in the proposed combination, is belt-and-pulley, 22 23 the belt-and-pulley drive.

So, to dive into the three different configurations for using the clutch,
we're going to look at slide 71. And we're going to talk about ground 2 to

start. So, slide 71 shows us what the petition stated with regard to *Laux*.
They're talking about placing *Laux's* clutch 15 between the engine and the
rotor. And when we look up at *Laux* figure 3 as shown above that, we see
that the clutch 15 is the last element of the drivetrain before you hit the belt
drive. So, we have the engine, we have a couple of other drivetrain
elements, and then the last thing before that belt drive is that clutch 15.

7 And so, the proposed combination takes these teachings and, as we 8 see on slide 78, that's exactly what's being done. Where that green arrow, 9 that's where *Laux's* clutch 15 is going to get placed. It's the last element 10 before that driven element, before that belt-and-pulley system. And this 11 satisfies the claims because when it's impacting the engine feeds into that 12 transmission, as we discussed earlier, that transmission has both the 13 mechanical and the hydraulic power systems there. That feeds into the 14 clutch, which can engage or disengage the driven element. And so, that will 15 in turn engage and disengage the rotor from the engine.

16 And if we keep going to slide 79, because there's more of a 17 breakdown of what's going on within that transmission. We see the 18 annotated figure on the left of figure 2, that red box is what all is contained within that element 24. And then if we go to the excerpt on the right, you 19 20 can see illustrated the hydraulic and the mechanical paths, which combine 21 into that purple path. And then when you go back over to the bigger picture 22 on the left, you can see that that combined path feeds into the load of Xing's 23 transmission. And again, what we're talking about with the proposed combination, you're going to take *Laux's* clutch 15 and you're going to attach 24

it after that transmission to disengage both the mechanical and the hydraulic
 paths.

Now, another aspect of the dispute does come up from the motivation to combine. If we go to slide 76, we'll see that the petition argues that for safety reasons, these conventional clutches are used to disengage loads and power sources. Specifically, within the milling machine context we're talking about disengaging the machine from the milling drum.

8 Caterpillar responded back that by using a controller, this would, in 9 fact, not improve safety. To do this, Caterpillar relied on Dr. Kemal's 10 testimony that just stated, hey, controllers can fail and we can have random 11 disengagement or engagement of the clutch. That's not more safe. The 12 problem, however, is if we go to slide 62, we can see that *Xing* specifically 13 states that the transmission for similar purposes is still going to be connected 14 to that controller.

15 And moreover, when we consider the real-world implications, 16 Dr. Kemal is essentially speculating that there are these potential times when 17 a controller could or could not cause the clutch to engage. But this flies in 18 the face of what we do in the real world. We implement controllers all the 19 time for various safety procedures to improve safety. And in fact, within 20 milling machines themselves, these clutches have -- or these controllers have 21 been extensively integrated. And Dr. Kemal does not point to any real-22 world scenario or any evidence where such failures have in fact occurred 23 and created less safe operating conditions.

24 So, moving on to the configurations for the clutches that are discussed 25 within ground 1, we're going to start with the discussion of the directional

1 clutches. So, we're going to stay here at slide 62. Again, it states that Xing's 2 transmission, including those clutches, can selectively couple the load. And 3 that is through a combination of clutch 52, clutch 54, and then a swashplate 4 located within the pump 36. And again, the controller operates to do this 5 coupling and decoupling. And that's all the claims require. The claims 6 simply state that the controller must disengage the engine and the rotor 7 through a clutch. It doesn't say how many clutches. It doesn't say more 8 mechanisms can't be used. It just says a clutch, and that's all that's required. 9 And that's all that *Xing* does.

Even then, there's a third configuration relying on the power takeoff. If we go to slide 66. That power takeoff relies on a conventional clutch and that's going to be PTO clutch 114. Again, a conventional clutch is going to disengage in input from output. Within this proposed combination we are talking about disengaging the engine from that rotor. And Caterpillar failed to identify any specific flaw in *Xing's* teaching about this clutch to suggest that it wouldn't operate like any other conventional clutch system.

17 That's all I had. If there are no other questions, I believe we'll save the18 rest for a time for rebuttal.

19 Л

JUDGE MEYERS: No questions here.

MR. OGDEN: Your Honor, let me provide a citation and then we'll hand it over to the other side. So, the last citation I provided with respect to figures 5 and 11, is going to be the best one column 11, line 55, to column 12, line 63. And then also Wirtgen's expert, Dr. Stein, in Exhibit 1003, discusses this at paragraphs 58, 59, 78, 80, and 81.

25 And with that, we'll reserve the rest of our time.

JUDGE MAYBERRY: All right. Thank you, Counsel. I have you
 used at about 44 of your 45 minutes. So, you're leaving 16 minutes for
 rebuttal.

So, with that, we'll switch over to Patent Owner's counsel. And,
Counsel, before you start, I am going to ask you the same questions. That is
do you have an estimate of the total time you want to argue this proceeding
and then the division on the primary -- your primary response and then your
surreply?

9 MR. ARGENTI: Yes, thank you, Your Honor. Again, Matt Argenti, 10 on behalf of Patent Owner Caterpillar. And I estimate that I will also take 11 about an hour for this case on the '538 patent. And of that I'd like to reserve 12 five minutes for surrebuttal.

JUDGE MAYBERRY: All right, thank you, Counsel. You maybegin when you're ready.

MR. ARGENTI: Thank you, Your Honor. So, rather than put the slides on our screen, since I understand that everybody has access to the copies of our demonstrative exhibits that we filed, I'm just going to refer to them during my presentation. Those were the demonstrative exhibits that were filed in the 1397 IPR as Paper 24. That's what I'm going to be referring to.

So, in that slide set, turning to slide 2, I have a couple slides at the beginning here that address the description of our invention and the specification. But given that, you know, Petitioner has argued in the papers that we're trying to read limitations in from the specification, I think what I'm going to do is jump ahead right to the discussion of the claims.

1 So, if we turn to slide 4, that's where we see representative claim 1. 2 And the parties' dispute centers on the middle limitation that we see there 3 regarding adjusting an engine speed, as we heard from Petitioner. The 4 adjustment is based on two things that we see here in the claim. First, is 5 we've highlighted in red it's based on the engine load. That's determined 6 right before that in the claim. We don't find that in the prior art.

And second, the adjustment is also based on predefined efficiency
points, but they are not just any predefined efficiency points. They have two
characteristics. First, they're partially based on fuel consumption rates and
second, they are providing optimum engine speeds for different engine
loads. And it's that second characteristic that's missing in *Xing*.

Turning to slide 5. In terms of those claim 1 speed adjustment deficiencies that I just mentioned, that turns on the *Xing* reference, as we saw in Petitioner's presentation. And that also applies to independent claim 6, as well as independent claim 1.

And then we also pointed out in our papers that their arguments regarding claim 13 fails. That involves the clutch that disengages the engine from the rotor. And that issue implicates the teachings of both *Xing* and *Laux*.

Now, turning slide 6, we've summarized the deficiencies in their case. And I'll just jump right into them. We can turn to slide 7. And we can look at the first deficiency, which is that *Xing* speaks of the -- sorry -- the speed adjustments in *Xing* are not based on its engine load. So, as an initial matter, the petition doesn't identify what aspect of *Xing* it maps to the engine load. They cited to *Xing's* equation 1, which says that you can determine the load

power requirement from the formula engine power equals power loss plus
 load power requirement. But the petition never actually said which of those
 three parameters Petitioner thought mapped to the load in our claims. And
 that's a problem that we pointed out in our preliminary response.

5 Turning to slide 8. The Institution decision focused on the load power 6 requirement interpreting Petitioner's vague argument as relying on that 7 aspect of Xing when mapping to the claimed engine load. Now, if we turn to 8 slide 9, during trial stage, things have become more clear. Petitioner's expert 9 freely admitted that the load power requirement in *Xing* is not the claimed 10 engine load. Instead, both Petitioner and their expert have now definitely 11 taken the position, and we heard it today, that they rely on *Xing's* engine 12 power as corresponding to the engine load recited in our claims. That's the P 13 engine parameter in Xing's equation 1, not the P load parameter. But as I 14 will explain, in finally taking a position on where you find the engine load in 15 *Xing*, Petitioner has created a serious problem for themselves.

16 Turning to slide 10. Petitioner's problem is that *Xing* doesn't adjust speed based on its engine power parameters. Xing is explicit, as we see here, 17 18 that it makes its speed adjustments based on the load power requirement. 19 That's a quote from *Xing* that we see in the bottom excerpt. *Xing* goes on in 20 that paragraph to say that if efficiency determinations and corresponding 21 speed adjustments are "utilized to achieve the vehicle's load requirement." 22 And when *Xing* depicts its method, as you see here in figure 4, the very first 23 step is determine load power requirement, which it then shows is the basis of 24 its speed adjustments. At no point does *Xing* ever say that it adjusts engine

1 speed based on engine power or engine load. To the contrary, it is explicit, 2 as we see here, that this is all based on the load power requirement. 3 Now, turning to slide 11. Beyond *Xing's* explicit statement that its 4 speed adjustments are based on the load power requirement, it's also clear 5 from *Xing* that its speed adjustments are not based on the engine load. How 6 do we know that? Well, first *Xing* provides a way to determine the load 7 power requirement that doesn't involve engine load. It can just measure the 8 load power requirement at the output. We see that at the top right. 9 In that approach you never even know what the engine load is. But 10 *Xing's* speed adjustment still works the same. As we just saw, the first step of figure 4 is to determine the load power requirement. It doesn't matter 11 12 how you do that. You just need to figure out the load power requirement to 13 start the process. And then the process itself also demonstrates --14 JUDGE MAYBERRY: Excuse me, Counsel. 15 MR. ARGENTI: Yes. 16 JUDGE MAYBERRY: This is Judge Mayberry. If I can ask a 17 question about this. You directed us to *Xing* at 957 and 959 where you said 18 load power requirement can be measured directly. So, that would be a situation where the value P load is measured. And that goes into the 19 20 calculation for getting the efficiency. If that's an alternative method, what is 21 the other method that's in *Xing*? Isn't it based on P engine? 22 MR. ARGENTI: The other method is --23 JUDGE MAYBERRY: It should be --MR. ARGENTI: -- using equation 1, right? And --24 25 JUDGE MAYBERRY: So --

1 MR. ARGENTI: -- equation 1 is engine power, which they're arguing 2 is the engine load, and we're assuming that to be true. So, engine load 3 equals power loss plus load power requirement. So, there is that first 4 embodiment that uses the engine load to derive the load power requirement. 5 We're not saying that that's not true and we certainly aren't saying that the 6 panel should ignore it. Right? What we're saying is that the second 7 embodiment that doesn't involve engine load just merely highlights that the 8 engine load isn't the basis of everything here. 9 JUDGE MAYBERRY: All right. Thank you, Counsel.

10 MR. ARGENTI: So, and then beyond the way that you determine the 11 load power requirement, the way that you use the load power requirement, 12 the process of determining the speed adjustment, also illustrates that the 13 speed adjustment isn't based on engine load. And that's because the engine 14 load itself is also adjusted. *Xing* determines candidate engine speeds and 15 torques to utilize, each with its own corresponding loss. And that means that 16 the engine load changes as the speed changes. Meanwhile, the load power 17 requirement stays the same because that is the thing that *Xing* is trying to 18 satisfy. As we saw in the previous slide, that is the thing that *Xing* is concerned with achieving. This is all about achieving the load power 19 20 requirement.

Both of those points, the way that the load power requirement's determined, as well as the way that it's used, illustrate that the engine load is really irrelevant to the ultimate speed adjustment. Basically, what's going on is *Xing* adjusts engine load based on the load power requirement. It's not adjusting speed based on the engine load as claimed in our patent.

1 Now, here I want to address something that we heard Mr. Ogden say a 2 couple of times. I believe he said that equation 1 shows you that if the 3 engine load increases, so will the load power requirement, and that's not 4 true. And it really goes to the root of Petitioner's misunderstanding of what's 5 going on in *Xing*. Because what's going on in *Xing* is that the load power 6 requirement is what you are trying to achieve. And the whole point of *Xing* 7 is that the engine load and the loss are going to vary relative to each other. 8 As you increase the speed, the torque changes. Speed and torque is the 9 engine load. And then as the speed and torque change, so will the power 10 loss.

11 But what *Xing* does is treat the load power requirement as a constant. 12 So, it is absolutely not true that you can say well, look at equation 1, if the 13 engine load goes up so will the load power requirement. And to illustrate 14 that I want to jump ahead to our slide 14, and that's where we have Xing's figure 5. If you look at figure 5, what you see here is the load power 15 16 requirement column, and I agree that it doesn't matter whether we're talking 17 about it in terms of the current load or the forecasted load. The point 18 remains the same. If you look at the load power requirement column, it's 19 150 kilowatts in each line. And yet, if you look at the engine power, the 20 engine power varies. So, you have a constant load power requirement as the 21 engine power varies. And the engine power varies because engine speed, 22 engine torque, and engine loss are all going to vary relative to each other. 23 That's what's going on *Xing*. It treats the load power requirement as a 24 constant for its efficiency determinations.

1 So, Petitioner's fundamental assumption that load power requirement 2 is so closely based to the engine power that if the engine load goes up so will 3 the load power requirement, it's a false assumption.

4 Now, turning back to slide 12. When we pointed out what's actually 5 going on in *Xing*, which they didn't appreciate in the petition, and that the 6 speed adjustment is based on the load power requirement rather than the 7 engine load, Petitioner responded with a new equation that you won't find 8 anywhere in the prior art reference. In their view because the speed 9 adjustment is based on the load power requirement, it must also be based on the engine load. But that ignores everything that I just explained about why 10 11 the engine load is ultimately irrelevant. And it condenses multiple steps of 12 *Xing's* process into an oversimplified equation that's not an accurate 13 reflection of Xing's method.

Petitioner is saying that if you can mathematically express a relationship between two parameters, then one of them is necessarily based on the other. But simply because there is a relationship between P load and P engine, doesn't mean that the speed adjustment is based on both of them any more than the speed adjustment is based on axle temperature or some other factor that plays into the loss value.

Petitioner would say looking at axle temperature is too far removed. They admit that there's a limit on how far removed something can be in order to be based on something else. But they haven't given any explanation where that line should be drawn or why the engine load falls on one side of that line versus the other. You see that at the bottom of this slide here.
1 Now, turning to slide 13. Actually, I already addressed the content of 2 slide 13. This really just goes to the point that I think Petitioner is 3 mischaracterizing our argument by saying we want to focus on embodiment 4 2 and ignore the equation in embodiment 1. And I explained that's not the 5 case at all. We're seeing that embodiment 2 where they're measuring the 6 load power requirement directly is further illustration on why even when 7 you're relying on equation 1, that doesn't mean that the speed adjustment is 8 based on the engine load.

9 So, turning to slide 14 and the second missing limitation, which is 10 adjusting engine speeds based on predefined efficiency points that provide 11 optimum speeds for different engine loads. This is another limitation where 12 the petition doesn't clearly explain where they think this is found in the prior 13 art. But as trial stage has progressed, Petitioner has taken now a definitive 14 position that they think the predefined efficiency points are found in *Xing's* 15 figure 5 where it lists candidate speed torque pairings, each with a 16 corresponding efficiency that can be obtained from a graph like *Xing's* figure 17 11. But the claim doesn't just require predefined efficiency points. The 18 predefined efficiency points have to provide optimum engine speeds for 19 different engine loads, and that's what they don't have.

If we look at slide 15 now, we asked Petitioner's expert to explain how he thinks *Xing* discloses predefined efficiency points that provide optimum engine speeds for different engine loads. His response, as you see here, was that he doesn't really understand what the claim means. So, he looked at the figures of the '538 patent. He found figure 4, which he calls a torque-speed map, and then he found a similar figure in *Xing*. And that was the extent of

his analysis for this claim limitation. He's very upfront about that during his
 testimony on this slide.

But just because the '538 patent in *Xing* have similar tables showing the relationship between speed, torque, and efficiency, doesn't mean that they are being used in the same way. And it's certainly isn't a sufficient way of explaining how *Xing* discloses adjusting speed based on efficiency points proving optimum engine speeds for different loads.

8 Now, I'm going to turn to slide 16. While Petitioner's challenge 9 should be rejected as simply deficient in view of their expert's testimony on 10 the previous slide, we also know that *Xing*, in fact, does not satisfy the 11 claim. It can't because the speeds in *Xing* are not optimum engine speeds for different loads. Rather, the speeds are the starting point and then Xing just 12 13 determines the corresponding torque that will satisfy the load power 14 requirement at that speed while factoring in loss associated with that engine 15 speed. So, in *Xing* you start with a candidate engine speed and then figure 16 out the torque and, therefore, load that go along with to satisfy the load power requirement. There's nothing optimum about that particular speed for 17 18 that particular load.

Now, I'm going to jump to slide 18. And when we pointed out in our papers why *Xing* doesn't satisfy this requirement, Petitioner responded by accusing us of adding requirements to the claim. We heard that again today. But Petitioner is ignoring the plain language of the claim. They argue that the claims don't specify what the engine speed should be optimized for, or at least they did before today. I think today we heard them admit that it's an efficiency optimization. The claim is explicit. It requires efficiency points

that provide optimum engine speeds for different engine loads. You are optimizing speed for a load in the interest of efficiency. Petitioner's implied argument that the claim doesn't say what type of optimization is required is disingenuous and reads the limitation out of the claim.

Petitioner also argues that our position rests on a requirement for
selecting the most optimum engine speed. But as we explained in our
surreply, this isn't about speed is selected. The question is whether any of
the candidate engine speeds in *Xing's* figure 5 provide an optimum speed for
its corresponding load. They don't.

10 Now, turning to slide 19. Here we see the closest that Petitioner has 11 come to laying out their theory with any clarity. They argued in their reply that Xing satisfies the claim because it selects a speed/torque pair that 12 13 maximizes fuel efficiency. But that's not enough to satisfy the claims. The 14 claims don't merely require adjusting engine speed based on predefined dual 15 efficiency points to maximize fuel efficiency. It's not enough to maximize 16 fuel efficiency. You need to show predefined efficiency points that provide 17 optimum engine speeds for different engine loads and Xing doesn't have that. 18 At best, it has an optimal engine speed for a particular load power 19 requirement. But the parties agree that the load power requirement isn't the 20 engine load.

Now, turning to slide 20 and claim 13 and the clutch issue. Petitioner
has also failed to show the prior art renders obvious claim 13, which requires
disengaging the rotor from the engine through control of the clutch.

24 Petitioner has multiple theories for this claim relying on directional clutches

in *Xing*, the power takeoff clutch in *Xing*, and the clutch in *Laux*. All threefail.

3 Turning to slide 21. First, as to the directional clutches in *Xing*, our 4 expert, Dr. Kemal, explained that even if you use the directional clutches in 5 *Xing* to disengage the mechanical branch of the CVT, the hydrostatic branch is still engaged. That provides power from the engine to the rotor. So, the 6 7 directional clutches are incapable of disengaging the engine from the rotor. 8 Now, looking at slide 22. In response, Petitioner tries to rewrite the 9 claim. They argue it only requires disengaging whatever power is flowing 10 through the clutch, but that's not what the claim says. It requires that the

11 clutch disengage the rotor from the engine, which *Xing's* directional clutches12 don't do. They only disengage the mechanical path.

13 Now, we'll look at slide 23. When we pointed out that the engine and 14 the rotor would still be engaged through the hydrostatic path in *Xing*, despite 15 the directional clutches, Petitioner came back and said the power flowing 16 through the hydrostatic path could be shut off. The problem for them is that 17 they asked our expert about this and he said that's not correct. There will 18 always be at least some power flowing through the hydrostatic unit. They 19 just didn't like his answer. But it doesn't change the fact that the evidence is 20 one-sided on this issue. They can't overcome that with conclusory attorney 21 argument. And they've also argued that a parking brake holding the rotor in 22 place would somehow satisfy the claim. But parking brake is not a clutch, 23 nor does it disengage the rotor from the engine. Instead, it merely provides a 24 counter load that can be overcome.

1 Now, we'll turn to slide 24. Petitioner also relies on the clutch from 2 *Xing's* power takeoff, or PTO. But *Xing* never says that the PTO clutch 3 disengages the engine from the output. Nor does it provide any description 4 of how the PTO, including its clutch, operates or how it transfers power. So, 5 to fill in these gaps, Petitioner's expert said *Laux* teaches connecting a 6 transmission in the same manner. But as we'll see, Laux doesn't satisfy the 7 claim either. And moreover, Xing's PTO contributes to its loss component, 8 not its load power requirement. So, relying on that, on the PTO for the 9 clutch element, raises all sorts of unanswered questions about how this fits 10 with their reliance on *Xing's* efficiency mapping.

11 Now, here I quickly want to turn to Petitioner's slide 62, which they 12 address -- this has a quote from Xing above, it's Xing figure 2. And what 13 they've highlighted here is the language in *Xing* that says that the planetary 14 unit can be selectively coupled to the load L and selectively coupled to the 15 load engine. And we heard Mr. North today say that that is disclosure that it 16 can be disengaged, that the clutch can be used to disengage the engine from 17 the rotor. But you don't see that in that quote. It talks about selective 18 coupling. It says nothing about disengaging. And that's entirely consistent with our expert's testimony that you can disengage the mechanical path, but 19 20 the hydrostatic path remains engaged.

So, what it's saying here is you can selectively couple. There are different degrees of coupling that *Xing* teaches in its figure 2, that directional clutches can be used to disengage the mechanical path. So, you can have engagement through the mechanical path, engagement through the

hydrostatic path, or engagement through both paths. But it says nothing
 about disengagement.

Now, I'll turn back to our slides and slide 24 -- sorry, 25. Petitioner also relies on *Laux* for its clutch, but that has the same problems as *Xing's* directional clutches. As we see here, Petitioner relies on *Laux's* clutch 15, but that only disengages the mechanical path traveling from the belt drive to the CVT. It doesn't disconnect the hydrostatic path flowing from hydraulic pumps 19 to hydraulic drive 20 and end at the CVT. So, *Laux's* clutch also cannot disengage the engine from the rotor.

10 Now, turning to slide 26. Petitioner concedes this shortcoming of 11 *Laux* because in their reply, they proposed moving *Laux's* clutch for the first 12 time. That's an improper new argument since it wasn't presented in the 13 petition. As we see here in the petition, they clearly relied on *Laux's* clutch 14 disengaging engine 4 from belt drive 16, drive transmission 17, and rotor 7. 15 There was no suggestion to move the clutch to a new location such as 16 between the transmission and an output. And they don't have support for 17 that in the prior art. Neither Xing nor Laux discloses locating a clutch after a 18 transmission. In *Xing*, the clutch is in the transmission, whether it's the PTO 19 or the directional clutches. And in *Laux*, the clutch is before the transmission. So, their new reply modification to put the clutch after the 20 21 transmission has no support.

Now, turning to slide 27. Petitioner has also failed to show a
motivation to combine *Laux* with *Willis* and *Xing*. They argue that *Laux's*clutch would be used to provide a safety benefit, but that fails for the same
reason that their claim mapping fails. *Laux's* clutch doesn't actually

disengage the engine from the rotor. So, it certainly would not have been
 viewed as a safety feature for that purpose.

3 For similar reasons, it wouldn't have made sense to combine *Xing's* 4 controller with Laux's clutch. Even if Laux's clutch were used for safety purposes, as Petitioner alleges, our expert, Dr. Kemal, explained that using a 5 6 controller to control such a clutch would introduce the possibility of 7 electrical failure causing the clutch to reengage the drum, leading to injury. 8 Petitioner had no response on this point in their papers. They tried to 9 come up with a response today but that was pointing to the language in *Xing* 10 about selectively coupling, which as I explained, they're misinterpreting it.

11 It says nothing about a disengagement.

12 Thank you.

JUDGE MAYBERRY: Thank you. Do we have any questions? I'm
sorry, I think I was maybe talking too soon. I guess not.

All right, Counsel, you have used almost 26 minutes of your hour.
So, you know, after we enter your rebuttal time then we'll tally up and see
what you have for the next set of arguments.

18 So, with that, let's turn back to Petitioner. And, Petitioner, you have 19 16 minutes of the hour that you would have originally slated. Of course, you 20 can use more or less of that, however you want to. So, Petitioner, you can 21 begin when ready for your rebuttal.

MR. OGDEN: Thank you, Your Honor. I'll try to stick with the 15 minutes so I don't upset my colleagues. I want to address two issues very quickly and then pass it to Mr. North to address a couple issues.

1 So, the petition does tell you exactly what engine load is being 2 determined. It's in the petition at 45. It's tells you that you are going to use 3 that specific sensor that we saw in the drawing. I believe it's sensor 122, the 4 schematic of *Xing's* drivetrain to determine the engine load.

5 And just stepping back, the reality here is the way that engines and the 6 loads work, you have to have an engine load in order to do the useful work 7 that is the P load requirement. And so, I will say it is not an exact direct 8 relationship that as engine load increases, the power load requirement 9 increases. It is a general relationship and I didn't mean to misspeak and 10 imply that it was.

But it is always in the proposed combination, the starting point is we determine the engine load, and that is what we look at. And so, this kind of goes to the argument that was made, and this is the second point, about providing optimum engine speeds for different engine loads. And if we look at column 12, lines 26 to 28, of *Xing*, it explains that additionally at 210, fuel efficiency data may be analyzed to determine a target engine speed for the work vehicle 10 based on the candidate engine powers.

And as we talked about, it's those candidate engine powers in column 4 that are the different engine loads. The second part of the claim does not require using the determined engine load. And that wouldn't make sense because it's talking about engine loads, plural, for different engine speeds, plural. It's talking about the candidates. That's what's being referenced there.

And I want to make one more point before I hand it off to my colleague. When we look in figure 5, you have to remember that is a

snapshot in time. And so, it does differ from the figure 4 of the '538 patent in that figure 4 of the '538 patent is showing you all of the candidate loads at the same time that would be in the data. Whereas, figure 5 is showing you a snapshot. So, as soon as the determined engine load changes, it's going to reiteratively change what will populate column 2 as the load power requirement and then it's going to do all this calculating again.

And so, it may take a little time for it to zero in, I mean, controllers
are fast, on that optimal engine speed. And so, when you look at that point,
what it is, it is a engine speed and it is an engine load, and then there's a fuel
efficiency for that. And it gives you different ones for different engine
loads. So, that portion of the claim is met.

12 Unless there are any other -- oh, and one more thing I'd like to add. 13 Counsel's incorrect about Dr. Stein's testimony. He did not say that he 14 didn't understand the claim language. What he said is that the claim itself 15 doesn't define the efficiency points with much specificity. But from looking 16 at the full context of the patent, he was able to understand what those 17 efficiency points were. So, that would be our rebuttal to that 18 mischaracterization of Dr. Stein's testimony. 19 Unless there are further questions, I'll let Mr. North discuss the clutch. 20 JUDGE MEYERS: Dr. Ogden, I have a question for you. 21 MR. OGDEN: Yes. 22 JUDGE MEYERS: On page 47 of the petition, the first line of that 23 page, it says, "As explained below for limitation 1C, controller 116 used the

24 current load power requirement to determine the targe engine speed that

25 provided optimal fuel efficiency." If you need a minute to look at that.

1 MR. OGDEN: Yeah, sorry, that is which sentence? I'm there now. 2 JUDGE MEYERS: The first sentence on page 47 of the petition. 3 MR. OGDEN: Yes. I see that. And but it explains, if you read the 4 whole context of that entire passage, it explains that *Willis*' controller already 5 receives signals -- this is on page 45 -- from sensors indicating the rotational speed of the engine shaft and the drum speed. "To the extent additional 6 sensors were required to determine engine load, such as *Xing's* torque sensor 7 8 122, a POSITA would have been motivated to incorporate such sensors to 9 take advantage of *Xing's* algorithm."

10 And so, that's where we're saying that you are going to determine the engine load. And then based on those signals -- this is reading further into 11 12 page 46 -- "the controller in *Xing* evaluated power losses from the 13 transmission and other power consuming components at different candidate 14 operating speeds, measured engine load to determine the work output 15 demand of the machine, and independently set engine speeds and 16 transmission ratios to minimize fuel consumption while achieving desired 17 performance." So, that is exactly what I just explained to you earlier in my 18 opening. It starts with the engine load and then it uses that to correct. And 19 so, that is why it's based on the engine load.

20

And that's all I have, Your Honor.

JUDGE MEYERS: Doesn't the last sentence, though, addressing this
element, say, though, that it's the current load power requirement that's used
to determine the target engine speed?

24 MR. OGDEN: That's exactly what that reads after it describes 25 equation 1 where it says you're going to start with P engine. You're going to

use this equation and after you've determined P engine, you're going to
 determine -- it says, "Then the controller 116 use this data to determine the
 current load power requirement based on the relationship of equation 1."
 And so, if that engine load affects the output that is the load power
 requirement, and it does, it's dependent on that, then it is based on that
 determined engine load.

And we shouldn't get confused with this alternative embodiment. And
so, what I heard earlier was, oh, because there's another way to do it, it must
not be based on the engine load. But that is not correct. There is another
way to do it. That's not the way that we described right here as you look
through, we described starting with determining the engine load.

12

JUDGE MEYERS: All right.

13 MR. OGDEN: Nathan, you have 10 minutes, maybe a little less.

MR. NORTH: All right, thanks. I'd like to start on slide 62. And
we're going to talk first about the configuration involving the directional
clutches.

17 Caterpillar has stated that all this says is that the load is going to be 18 selectively coupled to the load and that doesn't meet the disengaged. Well, 19 to start off with, the portion talking before this excerpt that we have in *Xing* 20 is discussing operating the clutches themselves. So, it is the clutches that are 21 being used to accomplish this selectively coupling functionality. It's unclear 22 what exactly selectively coupling or decoupling is as if somehow that 23 doesn't meet engaging or disengaging. It's unclear what the difference is 24 there. What *Xing* is saying is we can connect the load and the engines or we 25 can disconnect them. And that's really all that you need for claim 13.

1 It's also worth talking about, at slide 64, Caterpillar points out that 2 Dr. Kemal had some testimony regarding the swashplate may not reach a 3 perfect zero and there may be some flow that goes through. First of all, 4 that's not contemplated within *Xing* itself. So, the evidence itself says that it 5 can go to zero. And even to the extent Dr. Kemal could be theoretically 6 correct, it's only speculation that he's put forward and beyond that it makes 7 no sense in the real world. Dr. Kemal doesn't say that the amount of flow 8 that might escape through the swashplate is zero, is going to be significant 9 enough to cause any actual power to go through to the load. It could just be 10 a minimal trickle.

11 And this makes sense in the real world if we keep going to slide 65, 12 where we have parking brake 70. If any aspect of the power from the engine 13 were still connected to the load on the output of that transmission, parking 14 brake 70 when it engages and clamps down on that rotor, it would cause the 15 engine to stall. Generally, power going through is going to be fighting 16 against that parking brake and either the parking brake or the engine's going 17 to win. That defies any logic for how they would have designed the system 18 to have a parking brake present.

19 If we continue on to the PTO, we can go to slide 69. Caterpillar states 20 that there's a reliance on *Laux* at the statement where Dr. Stein says *Laux* 21 can just connect a transmission this manner. All that Dr. Stein is saying at 22 this point is that *Laux* is talking about connecting a transmission between the 23 engine and the rotor. That's all it said. And if we keep on going to slide 70, 24 we can see that that is, in fact, all that this portion of *Laux* is stating.

1 And this feeds well into ground 2. The proposed combination only 2 talks about implementing clutch 15. Caterpillar, on the other hand, wants to 3 or has seemed to suggest that ground 2 includes not just clutch 15 but a 4 teaching about the hydrostatic power being applied beyond clutch 15. 5 Again, ground 2 simply implements the clutch in the location between the 6 engine and the rotor. And we can go to slide 71 to look at this further. And 7 you can see in the petition below that's all it says, between the engine and 8 the rotor.

Now, if we go on slide 78, we can see that there's only a couple places
between engine and the rotor that this can go. This could either go where
that green arrow is on the right or it could go sort of where that red arrow is.
It's certainly the contention from the petition that clutch 15 would be located
where the green arrow is, again, as I stated before, because when you look at *Laux* it's talking about placing *Laux* as the last element before that driven
element, before that belt drive.

16 However, even if it could be placed at the red arrow, it's still going to 17 satisfy the claims. If we go down to slide 79, we can see why. Again, the 18 hydraulic power, as well as mechanical power, is all self-contained within the transmission 24 itself. So, regardless of whether that clutch is before the 19 20 transmission or after the transmission, it's still going to disengage the engine 21 and the rotor from both the mechanical and the hydrostatic branches. Those combinations do not use that auxiliary pump -- the auxiliary drive, I'm sorry, 22 23 that's connected to the pumps in *Laux*. All it's taking is that conventional 24 clutch placed between the engine and the rotor.

And if there are no further questions, I don't know if Dr. Ogden has
 any further comments to make.

3 MR. OGDEN: I'd just like to follow up on what Mr. North just said. 4 And so, if we're taking a look at Petitioner's slide 71 and seeing the 5 configuration of *Laux*, we just heard Patent Owner make this mistake in that 6 he -- Patent Owner's attributing the power that would be in the proposed 7 combination to Laux's arrangement and saying there is this element 20 down 8 there, this auxiliary drive that feeds into the rotor. That auxiliary drive does 9 not exist as Mr. North just explained in the proposed combination because 10 the CVT that *Xing* offers has everything packaged into that one 11 transmission.

12 And so, *Laux* is doing something a little different. *Laux* is turning a 13 planetary gear that's inside rotor drum. And that's not part of the proposed 14 combination. So, if you put *Laux's* clutch right where *Laux* shows you to 15 put it in the proposed combination, then you're going to cut off all the power 16 downstream, and there is no power that continues to flow through.

17 And with that, Your Honor, that's all we have on our end.

JUDGE MAYBERRY: All right. Thank you, Counsel. I have you
still with 3-1/2 minutes from this first hour and so, that gives you 78-1/2
minutes for the next two proceedings if my math is right. And I'm sure after
our break, you'll correct me if I'm wrong.

22

MR. OGDEN: Thank you, Your Honor.

23 JUDGE MAYBERRY: With that, let's turn to Patent Owner's

24 Counsel for the surreply. And, Counsel, you used 26 of your first hour. So,

25 you know, you can start with you're ready.

1 MR. ARGENTI: Thank you, Your Honor. I have a few points to 2 respond to. Going to I believe it was Mr. Ogden's second point regarding 3 the predefined efficiency points. And he was referring to I think figure 5 in 4 *Xing* for the proposition that figure 5 has candidate engine speeds and 5 candidate engine loads and that, therefore, the efficiency points are based on 6 those candidate engine loads. What we still haven't heard and what we don't 7 hear from Petitioner is any explanation as to how those are optimal speeds 8 for those loads that they are pointing to. We haven't heard that explanation.

9 Let me see. Also, again, as to the two different embodiments, the two 10 different ways that *Xing* provides for determining the load power 11 requirement, we again heard Petitioner misrepresent our position on the 12 importance and relevance of the second embodiment. We do think it's 13 further illustration. But I want to be clear, we could completely ignore the 14 second embodiment where the load power requirement is measured directly 15 and their argument would still fail for the exact same reason. If we look just 16 at the first embodiment that uses that equation 1, all the arguments that we 17 have still hold true in terms of why everything subsequent to that, the speed 18 adjustments, are based on the load power requirement, not the engine load. 19 In no way does our argument depend on the second embodiment in direct 20 measurement of load power requirement. It's just a helpful further 21 illustration.

When we talked about the clutch, we heard Mr. North, I think, assert that *Xing* says the hydrostatic path can go to zero, that that's what it discloses. It does not disclose that. They're unable to cite anything in *Xing* that says that. The closest they can get or at least they think they can get is

that same passage that we've looked at on slide 62 of their demonstratives
 that talks about selective coupling. But as I pointed out earlier, that says
 nothing about selective decoupling or disengagement or anything. It's
 talking about degrees of coupling.

5 We also heard Mr. North argue now that once we've pointed out the 6 problem with the placement of the clutch and that it's not supported by the 7 prior art references, he now argues, well, there's only a couple places it could 8 go. And there are the places that the prior art teaches and then there are 9 places that they need now that the prior art does not teach. It can go in 10 multiple places in the transmission itself as *Xing* talks about. It could be 11 inside the CVT with the directional clutches. It could be the PTO that it also 12 explains is in the transmission. It could go before the transmission as *Laux* 13 teaches.

14 If they wanted to deviate from the teachings of the prior art and move 15 the clutch to a new location in their combination, they needed to address that 16 in the petition and provide a reason to do so. There's no explanation for that 17 in the petition. This is something that they've come up in the late states of 18 the case. It's not supported by the prior art and they've never provided any 19 reason that a POSA would have done it.

20

That's everything. Thank you, Your Honor.

JUDGE MAYBERRY: All right. Thank you, Counsel. You've taken up another 3-1/2 minutes. So, that gives you a hair over 90 minutes for the next set.

1 And so, right now I have that we are at 50 minutes after the hour. 2 Let's go ahead and take 15 minutes and so we can get ready for the next 3 results. So, we will reconvene at five minutes past the hour. Thank you. 4 MR. ARGENTI: Thank you. MR. OGDEN: Thank you. 5 6 (Recess) 7 JUDGE MAYBERRY: So, we are going to switch to arguments for 8 IPR2022-01394 and IPR2022-01395. But again, Petitioner is going to 9 open the arguments. Petitioner has 78-1/2 minutes. And before Petitioner 10 begins, give us an idea of how much rebuttal time you'd like to reserve. 11 MR. PHERO: I'd like to reserve approximately 15 minutes for 12 rebuttal. 13 JUDGE MAYBERRY: Right. You may begin when you're ready. 14 MR. PHERO: Thank you, Your Honor. May it please the Board, my 15 name is Graham Phero on behalf of Petitioner Wirtgen America. The 16 petitions have established that all challenged claim elements of the '995 17 patent are found in the prior art, and Patent Owner has not provided a 18 substantive rebuttal as to any of the alleged missing elements. Instead, 19 Patent Owner's arguments emphasize form over substance and attack Petitioner for allegedly not showing certain features. Each of Patent 20 21 Owner's arguments fails. Now, the number and breadth of the '995 patent claims necessitated 22 23 two petitions. Most of the challenged claim elements in these proceedings

are not disputed. So, I will briefly walk you through Wirtgen's arguments in
both the 1394 petition and the 1395 petition to show you why the challenged

claims would have been obvious, based on the combination of *Volpe* and
 Piccoli and 1394 and/or *Bitelli* and *Feliz* in the 1395. I will then address
 why Caterpillar's arguments are wrong in each proceeding, and finally I will
 address the recited means-plus-function limitations in claim 45. Go to slide
 2, please.

Now the '995 patent has 63 total claims. Claims 1, 18, 36, and 45 are
the independent claims. Claim 18 is the broadest and so that is the primary
claim challenged in ground 1 in each petition. Slide 3, please.

9 This is the summary of the 1394 instituted grounds. We have seven 10 total grounds, and the 1394 relies on *Volpe* and *Piccoli*, and shows the 11 challenged claims would have been obvious to a person of ordinary skill in 12 the art. There is no dispute that the *Volpe* manual discloses a milling 13 machine with a manually movable wheel. It is also undisputed that *Volpe* 14 discloses a lifting column and a swing arm on that movable wheel. Caterpillar, however, argues that the 1394 petition doesn't show that the 15 16 *Volpe* swing arm and lifting column disclosed the claimed support device, 17 which is claim element 18.2. Caterpillar's argument is without merit, as 18 we'll get to in just a minute.

Now looking to slide 4, this is a summary of the 1395 instituted
grounds and 1395 petition relies on *Bitelli* and *Feliz* as the primary prior art
references.

22 Separately, and in addition to the arguments presented in the 1394 23 petition, the 1395 petition also showed the challenged claims would have 24 been obvious to a person of ordinary skill in the art. I'll note that the 1395

petition challenges all the claims that require a rotary actuator. Those claims
 are not challenged in the 1394 petition.

Going to slide 5, I'll briefly note that both petitions were required here, again, because of the breadth and number of claims. The 1394 petition relies on *Piccoli*, which utilizes a linear actuator to pivot the wheel and a linear actuator to turn the wheel. The 1395 petition relies on *Bitelli*'s linear actuator to pivot the wheel, and *Feliz*'s rotary actuator to turn the wheel.

And as we see on slide 6, claim 1 requires a rotary actuator positioned at an upper portion of the lifting column. That limitation is simply not present in claim 18. Instead, claim 18 simply relies on a second actuator, and that is linearly spaced apart from the first actuator. So, with that we can go to slide 11, please.

Looking at slide 11, this is an overview of the '995 patent. We can see 13 14 in the upper left image, this is taken right from the petition, an annotated 15 image. We have the second actuator shown in yellow at the top of the listing 16 column. The left image does not show the pivoting actuator. That's actually 17 shown in the lower right image on slide 11, annotated figure 3. So, we have 18 figure 2 of the '995 patent in the upper left of this slide that shows the second 19 actuator that turns the wheel and we have the first actuator shown on figure 20 3 of the '995 patent. And that is what pivots the wheel between the 21 projecting and the retracted positions. If you please go to slide 49.

So, getting right to the heart of the matter here, the *Volpe* manual discloses an element 18.2. That's the claim support device. The '995 patent recites the support device is connected between the machine frame and at least one of the ground engaging units, and that it includes a lifting column

and is adapted to controllably raise and lower the ground engaging unit
 about the axis relative to the machine frame.

So essentially, the support element and claim support device in
element 18.2 is simply what's between the frame and the wheel. We clearly
showed this in our petition as including the swing arm and the lifting
column. We have a bracket that labels the support device shown in yellow,
which is an annotation of figure AH-7 from the *Volpe* reference. Next slide,
please, slide 50.

9 So, looking again at what's disclosed in the *Volpe* reference, we have the pin that's used to maintain that swing leg in either the projecting or the 10 11 retracted position. That's shown with elements 1 and 2 in this figure AH-7 12 on the right side of the slide. We have the swing arm and then we have the 13 lifting column that's labeled as 4 that goes up and down. So. Essentially, an 14 operator will remove the pin when they're sitting in the cab, they'll remove 15 the pin, and then they will have to get down from the cab, rotate that wheel 16 from the projecting position to the retracted position or vice versa, and then reinsert the pin from the cab area in order to lock that wheel in place. You 17 18 could go to slide 51, please.

Now, the *Bitelli-Volpe* -- I'm sorry, the *Volpe* reference discloses a
manual process, so there are no actuators or there's no assisted automated
control of that swing leg. We rely on *Piccoli* to show a first actuator to pivot
the wheel and a second actuator to turn the wheel. You see here on slide 51,
we're relying on shift cylinder 76 as the claimed first actuator. And that's
what's pivoting the *Bitelli* -- that's what's combined with *Bitelli-Volpe* to
achieve claim element 18.3, which is the first actuator. Slide 52 please.

Piccoli also discloses the claimed second actuator that's to turn the
 wheel and, in combination with the teachings of *Volpe*, satisfies claim
 element 18.4. Again, 18.4 is simply a second actuator connected to the
 lifting column and adapted to cause the lifting column to rotate.

5 Then if we go to slide 53, there's the additional limitation that they are 6 linearly spaced apart along the lifting column axis. There is no dispute that 7 *Piccoli* discloses a vertically separated actuators that satisfy this claim 8 element, and Caterpillar's expert also agrees. We go to slide 57, please.

9 Okay. Now to Caterpillar's arguments. Caterpillar's arguments again 10 emphasize form over substance. Caterpillar alleges that the petition does not 11 show the references teach element 18.2 rather than the *Volpe* manual does 12 not disclose the elements of 18.2. We will address that in just a minute. 13 Turning now to slide 61.

Again Caterpillar claims the petition did not show that *Volpe* disclosed the support device. They latch on to a perhaps inarticulate phrasing from the petition, but the very first sentence of this section, element 18.2, the support device, in the petition makes it very clear. *Volpe* discloses the support device in the form of a swing arm and a lifting column, and that's fully supported by our annotation of figure AH-7 that's reproduced here on slide 61. Next slide please.

I think it's worth noting that Petitioner provided significantly more detail on the disclosure of the support device in *Volpe* than the '995 patent itself. You can see here in the left image, which is annotated figure 2 of the '995 patent. The drafter simply chose to use an arrow pointing in a general area with a numeral 40 to indicate the support device. Petitioner, on the

1 other hand, color coded the swing arm and the lifting column and indicated

2 both of these are the support device with the bracket that's shown in yellow.

3 Slide 63, please.

Caterpillar's expert Dr. Klopp also acknowledged that *Volpe* discloses
a lifting column and a swing arm. And see here from the excerpts,
Dr. Klopp has no disagreement. There's a swing arm, there's a lifting
column, and in the petition we made it a very clear understanding of where
that support device is.

9 If we go back to slide 62, please. Again, we have identified it with the 10 support device, and Dr. Klopp confirmed that the swing arm and the lifting 11 column are present in *Volpe*. If we could now please go to slide 60.

12 It's worth noting that in a prior *inter partes* review in IPR2018-01201, 13 the issue of whether or not the *Volpe* device was -- I'm a little out of my 14 order here. But if we go first to slide 66, Caterpillar's next argument is with 15 respect to motivation. They allege a person of ordinary skill in the art would 16 not have been motivated to combine *Piccoli*'s shift cylinders with *Volpe*. 17 Have to go back to 60, please.

18 Again, the motivation to automate *Volpe*'s manual swing arm with 19 hydraulic actuators was already resolved in a prior IPR petition and final 20 written decision. That's IPR2018-01201. There the Board already found 21 that a person of ordinary skill in the art would have been motivated to apply 22 hydraulic actuators with the *Volpe*'s manual. And I'll quote here "to 23 overcome the disadvantages of manually pivoting a support arm, and thereby increase the efficiency and safety of pivoting the support arm." If we could 24 25 go to slide ---

- 1 JUDGE MAYBERRY: Excuse me, Counsel.
- 2 MR. PHERO: Yes.

3 JUDGE MAYBERRY: This is Judge Mayberry. You would agree, though,

4 in the IPR 2018-01210 - or 01201 proceeding that, we were talking about a

5 different combination, *Volpe* and *Ulrich*, not *Volpe* and *Piccoli* as we were

6 talking about here.

7 MR. PHERO: That's right, Your Honor. It was a different prior art

8 reference. *Ulrich* is not the same as *Piccoli*. However, the teachings from

9 *Ulrich* are very similar to the teaching of *Piccoli*. Both teach a hydraulic

10 actuator for pivoting a support arm and a hydraulic actuator for turning the

11 wheel. And it's the same -- well, it's not the same, but it's very, very similar

12 teachings from the prior art reference that are relied upon in this case.

13 JUDGE MAYBERRY: Thank you. And in the Petitioner's Reply, I'm

14 pretty sure, you do use the term "collateral estoppel" a few times. But would

15 I be correct to characterize that you did not do a full collateral estoppel

16 analysis as to this point?

17 MR. PHERO: That's correct. We didn't provide a full analysis of every

18 element of collateral estoppel in our Petitioner Reply. However, the

19 importance of this point is that this issue has already been resolved on near-

20 identical facts. So that's the point of the collateral estoppel argument that

- 21 we're trying to make in our Reply.
- 22

JUDGE MAYBERRY: All right. Thank you.

23 MR. PHERO: Continuing on to slide 74. It's also worth noting that in their

24 present argument that a person of ordinary skill in the art would not have

25 been motivated to automate the swing leg of the *Bitelli-Volpe*. That

argument is in direct contradiction with the prior argument Caterpillar made
in a prior proceeding. This excerpt is from the prosecution history of the
application that resulted in the '693 patent, *Dubay*. And it's very clear here
Caterpillar made the argument, "It is, therefore, a matter of course, that if the
increased costs are accepted, the skilled man must use the drive replacing the
human manual force if the rear support wheel has become too heavy due to
the size of the road construction machine." As we go to slide 67, please.

Again, Caterpillar is arguing that a person of ordinary skill in the art would have exited the machine, removed *Volpe*'s locking pin and safety spring, then got back in the machine, adjusted the position of the support arm, gotten out of the machine again, reinserted the locking pin and safety spring. That's simply contrary to what's disclosed in *Volpe*, and what a person of ordinary skill in the art would have done. If we go to slide 68, please.

15 Mr. Orr testified, and he was not deposed on this point, stands 16 unrebutted, that a person of ordinary skill in the art would have understood 17 that the locking pin is reachable from the cab. That's within the art. In order to pin that swing leg, the pin would have had to extend through the frame. 18 19 So, the frame is what the operator is standing on as they're in the cab, and 20 they would have reached down to pull up the pin and then gotten out of the 21 cab, manually move the wheel, and then gotten back in the cab and manually 22 inserted it again going downward. It simply wouldn't have been feasible, 23 and this is Mr. Orr's testimony, to have a person stand on the ground and 24 then reach upward to try to extend a pin through a swing arm and the frame. 25 That would have required a significant amount of force, and simply not what

a person of ordinary skill in the art would have done or understood. We go
 to slide 69, please.

Again, Dr. Klopp acknowledged that the movable right rear wheel is right next to the operator's seat and steering wheel. We can see it in annotated figure DD-1 of the *Volpe* reference. Those two little red dots represent where a person of ordinary skill in the art would have understood to be approximate locations for the locking pin. That would have been reached by an operator in the cab, it wouldn't have gotten down into the ground to pull out that pin. Slide 70, please.

10 Now, looking at -- in general at the prior art for the motivation of 11 automating the voltage swing arm, that comes directly from the prior art 12 references themselves. We have the Bitelli '088, which is the same Bitelli 13 reference that's relied upon in the 1395 petition. *Bitelli* tells us that it was 14 awkward to have the operator, who is forced to carry it out, to get out of the 15 machine and to go on both sides and to move the wheel. It's not talking 16 about getting out to pull out a pen. He's talking about getting out of the cab 17 in order to grab on to that very heavy wheel and move it while on the job 18 site. Going to the next slide, please.

19 So, looking here on slide 71, Caterpillar's expert Dr. Klopp also 20 acknowledged that this is a very heavy wheel. If it's on flat, level ground, 21 that weight would be distributed through the pin. But in practicality, that 22 machine is going to be either on a grade or on a slope, and it's going to 23 increase the weight of that wheel as the operator tries to swing it. It's going 24 to make it extremely difficult. If we go to slide 72.

And that gets us back to why would a person of ordinary skill in the
 art have automated this manual process? A person of ordinary skill in the art
 would have seen the opportunity to take a very difficult movement and
 process and add in the shift cylinder of *Piccoli*.

Now, Caterpillar argues that *Piccoli*'s hydraulic cylinder had a
different function than what's proposed in our combination, but it's very
clear from paragraph 42 of *Piccoli*, shift cylinder 76 is used primarily to
change the configuration of the machine by repositioning the leg assembly.
It's a very similar feature as we're relying upon to reposition the leg
assembly from a projecting position or pivoting it to a retracted position or
vice versa. We go now to slide 73, please.

To lay this out very clearly in our petition, a person of ordinary skill in the art would have been motivated to take the *Piccoli* shift cylinder, apply those teachings, then automate the movement of *Volpe*'s wheel. Going now to slide 76.

Now, as additional motivation, the prior art teaches us that wheel 16 17 scraping was a problem for a fixed rear wheel when it was in the retracted 18 position. Caterpillar challenges that allegation, but that's an allegation. 19 That's a statement that comes right from the prior art. Caterpillar also argues 20 that *Volpe*'s AH-9 figure teaches away from adding a steering actuator due to 21 the sliding supports. That's also wrong. And finally, they argue that 22 *Piccoli*'s steering cylinder with *Volpe* is illogical. All three of these 23 arguments fails, and we're going to address them in turn. If we go to slide 77 first, please. 24

And there's another Bitelli reference, Bitelli '037. It's not a part of any 1 2 of the grounds, but this reference provides explicit motivation and how a 3 person of ordinary skill in the art would have understood the art. As I'll read 4 directly from this reference, when -- so, "One limitation shown by the 5 machine described in the aforementioned patent," and that aforementioned 6 patent is an Italian patent number that traces back to this reference here. But 7 the point is, when a person of ordinary skill in the art is looking at these 8 milling machines with reentering wheels, they would have understood that 9 they have a problem when they're in the retracted position laid out here in 10 paragraph 12 of Exhibit 1014.

When turning, these wheels, "scrape the ground with considerable resistance" when they're in the retracted position. Again, this comes directly from the prior art itself. That's what a person of ordinary skill would have understood when they're looking to make the combination and the *Volpe* reference with Piccolo. Go to slide 79, please.

16 Caterpillar claims that the sliding supports shown here in the *Volpe* 17 reference would have prevented a person of ordinary skill in the art from 18 making the proposed combination. Mr. Orr clarified that in our Petitioner 19 Reply. When you have a turning actuator, the sliding supports are no longer 20 needed and the sliding supports that you see in figure AH-9 of the Volpe 21 simply maintain that running direction of the wheel in either of the 22 projecting or the retracted position; keeps the wheel from wobbling as the 23 machine is being operated.

When you have a second actuator to steer that rear wheel, the slides are no longer needed and they could be omitted from the combination. So,

instead of teaching away, they're simply obviated by any -- by the second
 actuator. If you go to slide 80, please.

3 Now, Caterpillar also argues that the petition doesn't establish how to 4 connect the respective actuators to the *Bitelli-Volpe* machine, but that was 5 well within the level of ordinary skill. And it's also worth noting that claim 6 18 does not recite any specific structure or other limitations requiring a 7 specific configuration for the first actuator or the second actuator as they're 8 connected into the system. It's also worth noting Caterpillar is treating a 9 person of ordinary skill in the art as an automaton, and completely 10 disregarding the background knowledge in the art. If we could go first to 11 slide 85.

We'll get into in more detail in just a minute. There are at least two references that show how a person of ordinary skill in the art would have known to connect a turning actuator to a lifting column in order to account for that height adjustment. There's the *Dubay* reference, which is cited in the background of the '995 patent. And then there's the *Busley* reference. If we go to slide 82, please.

18 Starting first, slide 82, you can see we have an annotated figure 19 explaining exactly how *Dubay* incorporates a linear actuator in order to turn the lifting column and, accordingly, the wheel. There's a ring 13, and that 20 21 ring 13 mates with the inner tube of the lifting column. As the linear actuator pushes and pulls, it acts on that link ring, which in turn moves the 22 23 wheel in a rotational direction. This would have been well known by a 24 person of ordinary skill in the art as one possible way to incorporate a linear 25 actuator into a system such as that of *Volpe*. Going next to slide 83.

1 Another way that a person of ordinary skill would have known to do 2 this is to look at something like the feature described in *Busley*. *Busley*, 3 again, has the link ring, and it has a feature to connect that link ring to the 4 inner tube of the lifting column. The linear actuator acts on the link ring, it 5 pushes and pulls in order to turn that wheel. Again, these are features that 6 are well known to a person of ordinary skill in the art in making this 7 combination. Slide 84, please.

8 Now, Caterpillar's expert Dr. Klopp acknowledged that *Dubay*'s linear 9 actuator steered a lifting column, and that a person of ordinary skill in the art 10 would have been well aware of that reference. So, this is not a point that's in 11 dispute. It's also in the background of the '995 patent as a way this was 12 accomplished. Go now to slide 90.

So, each of Caterpillar's arguments with respect to ground 1 fail.
Turning now to ground 2, we have the *Volpe* and *Piccoli* references, and this
time we add in *Skotnikov*. *Skotnikov* discloses a controller and it discloses
certain sensors that are disclosing all the features in these additional claims
here. If we could go first to slide 91.

Again, claim 21 introduces for the first time a controller, and that controller is adapted to coordinate the actuation of these actuators. And, you can see here very clearly *Skotnikov* discloses a programmable controller in the form of a control circuit. We've identified an annotated figure 6 of *Skotnikov*. Slide 92, please.

We, in our petition, laid out why a person of ordinary skill in the art would have relied on *Skotnikov*. *Skotnikov* provides this additional control and coordination in order to be slightly more precise in how those actuators

are controlled and moved. This would have adjusted the orientation of the
 movable rear wheel according to the sensor feedback, which is in some
 additional dependent claims. Let's go to slide 93, please.

There's the first sensor here, which is sensor 155, discloses the recited
pivot sensor that's in claim 23. That sensor feeds back to be able to control
the second actuator. If we go to slide 94, please. Ninety-five?

We also have a sensor 154 and that feeds back in order to give
feedback for the first actuator. So, we have the pivot sensor feeding control
back to the first actuator and rotation sensor feeding back to the second
actuator. And a person of ordinary skill in the art would have taken these
teachings from *Skotnikov* and implemented it in the combined teachings of *Volpe* and *Piccoli*. If we could go to slide 99, please.

Those remaining grounds, 3 to 7, are not separately argued by Patent
Owner. And so those grounds satisfy all the features of the claimed
elements in the '995 patent and rise and fall with our other arguments. If we
could go now, let's turn to the 1395 petition and slide 112.

17 So, in the 1395 petition, we have three grounds. We have the *Bitelli* 18 reference in combination with *Feliz*. And as I mentioned earlier, the *Bitelli* 19 reference discloses a milling machine that has a pivoting actuator. It lacks a 20 turning actuator to turn the wheel. That's why we rely on *Feliz*, and a person 21 of ordinary skill in the art would have used *Feliz*'s rotary actuator in order to 22 provide turning of that wheel. Again, with ground 2 --

JUDGE MAYBERRY: Excuse me, Counsel.
MR. PHERO: -- we bring in *Skotnikov*. Yes?

1 JUDGE MAYBERRY: This is Judge Mayberry. I'm sorry to interrupt you, 2 but I hadn't realized you were going to pivot to the other proceedings so 3 quickly. I did have a question about claim 30, and I apologize if you talked 4 about it and I missed it, but specifically your slides 88 and 89. And I'm most 5 interested in Mr. Orr's testimony at paragraph 191. And it's on the next 6 slide, on 89, and you have it actually highlighted in yellow. And could you 7 direct me to the support or what basis Mr. Orr has for making this statement? 8 MR. PHERO: Certainly. So, Mr. Orr is endowed with all of the knowledge 9 of a person of ordinary skill in the art, and he's relying on what he would have known and understood. Connecting the pivoting actuator to the swing 10 11 arm is something that's well within the knowledge of a person of ordinary 12 skill. And if we look, for example, this is acknowledged by Dr. Klopp on -if we go to slide 129, please. We'll come back to slide 89 in just a minute. 13 14 A person of ordinary skill would have understood that the pivoting actuator 15 can be connected with a clevis and a pin. So, looking at the '995 patent, 16 that's what's utilized the clevis and a pin, which is a well known connection 17 method from the '995 patent. It's something that's also in *Dubay*.

18 So, if we go back to slide 82, please. You can see in *Dubay*, again, 19 this is a prior art reference that a person of ordinary skill in the art would 20 have known and relied upon, has the same pin and clevis joint with actuator 21 20B -- well, it's actuator 20. And as it's connected there at 1024, there's the 22 same pin and clevis connecting the actuator from the frame to the swing 23 arm.

24 So going back to Mr. Orr's testimony on slide 89, Mr. Orr makes it 25 clear that he is relying upon the knowledge of a person of ordinary skill in

1 the art. A person of ordinary skill in the art would have easily been able to 2 make this combination to apply a shift cylinder, and could have used 3 something like a, clevis and pin that's disclosed in *Dubay*, and that's on the 4 right side. Simply move Volpe's lifting column between the projecting and 5 retracting positions, a person of ordinary skill in the art would have 6 understood that the *Piccoli* shift cylinder does not need to be connected to a lifting column, as demonstrated by other state-of-the-art references, such as 7 8 Dubay. So, Mr. Orr cites Dubay and relies on what's known in the art in 9 order to make that connection. JUDGE MAYBERRY: Okay. All right. Thank you. 10 11 MR. PHERO: Do you have any further questions on the 1394 before I 12 proceed to the 1395? 13 JUDGE MAYBERRY: No, I don't. Thanks. 14 MR. PHERO: So, if we could then go back to slide 112, please. Again, just 15 as an overview of our grounds here, we have the *Bitelli* reference, which is a 16 milling machine that uses an actuator to pivot the wheel from a projecting to 17 a retracted position. And we rely on *Feliz* as a rotary actuator to turn a 18 lifting column. We rely on ground 2, again, on *Skotnikov*. So, for the claims 19 that add in controller and the other claims that rely on sensors. And then 20 finally in ground 3, we have McColl, which discloses Ackerman's steering. 21 Go please to slide 114. We'll cover these elements briefly, but Bitelli shows a machine frame. 22 23 I don't think that's in dispute. If we go to slide 115, *Bitelli* also shows that this is a support device. Now, Caterpillar disputes that the petition 24

25 established a support device, but Caterpillar does not dispute that *Bitelli*

discloses the swing arm and the lifting column. They just dispute that the
 support device is not showing that element.

As with the 1394 petition, our 1395 petition laid out the swing arm that's been identified here in yellow, and the lifting column that's identified in purple in annotated figure 4 from Exhibit 1011. Looking at the righthanded annotation, we see the ground engaging unit and it's able to pivot between the projecting and retracting positions. 116, please.

8 Now looking at the first actuator, the *Bitelli* reference shows that first 9 actuator connected from the frame to the right linkage, linkage 11, of that 10 support device in order to move it between projecting and retracted 11 positions. We just talked about the pin and clevis joint. That's also shown 12 here in Bitelli, where we have the little portion 18 that comes off of link 11 13 and that has a pin joint to the first actuator, and that's what allows it to move 14 from the projecting position to the retracting position as that actuator extends 15 and retracts.

If we go to slide 117, please. Looking at the second actuator, *Bitelli* doesn't disclose the section actuator. That teaching comes from the *Feliz* reference. *Feliz* discloses a rotary actuator that's used to rotate an inner tube of a lifting column to turn that wheel. You can see the lifting column is identified through our annotations of figure 4 of *Feliz*. And the rotary actuator is the steer motor we've identified in figure 3 of *Feliz*. Going to slide 118, please.

Now, *Feliz* is positioned as rotary actuator at the upper portion of the lifting column. And that's what's taught to a person of ordinary skill in the art and that's how it's applied in the combination with *Bitelli*. So, we have a

rotary actuator. It's positioned at an upper portion of the lifting column as
 taught by *Feliz*, and it's able to turn the inner tube of that lifting column as is
 explained in our petition at page 35.

4 Going to slide 119, please. Our materials also showed, much like 5 with the other references in the 1394 petition, where we have Volpe and 6 *Piccoli*, a person of ordinary skill in the art here also would have been 7 motivated to combine *Bitelli* and *Feliz* to achieve that turning functionality, 8 especially when the right rear wheel is positioned in the retracted position. 9 That motivation comes from the references themselves. And -- I'm sorry, it comes from the prior art itself, and we'll get into that in just a minute. Going 10 11 to slide 120, please.

Now, both *Bitelli* and *Feliz* disclose large machines that utilize lifting
columns. *Bitelli* has lifting columns on a milling machine. *Feliz* has
another large machine that utilizes lifting columns. And *Feliz* shows
rotation of that wheel. This is not a point disputed by Caterpillar. There's
no dispute at all that *Feliz* discloses rotating an inner tube of a lifting
column. Slide 123, please. But let's go to Caterpillar's arguments starting
with claim 18.2 against the support device.

Next slide please, slide 124. Caterpillar claims again that our petition in the 1395 proceeding didn't establish a support device that includes a lifting column. You can see here from our annotation of figure 4 from *Bitelli* and in our discussion on our petition that the support device is shown as annotated as a swing arm and lifting column. And both of those things are shown within the bracket we've identified as support device. It includes both things. And, again, this is much more detailed than what was shown in

the '995 patent with respect to support device. You could go to Slide 125,
 please. 126, please.

Again, it's a very similar argument with respect to 1394 petition, but Petitioner's arguments with respect -- or, I'm sorry, Caterpillar's arguments with respect to the support device in 18.2 and I'm not being shown the petition clearly fail. Go to slide 128, please.

7 Now, Caterpillar also argues that the petition never shows the 8 hydraulic cylinder is connected to a support device. So, this is a similar 9 argument that we just discussed with respect to claim 30 of the 1394 10 petition. But here, Bitelli makes it very clear that the first hydraulic cylinder 11 and it is connected to the system, uses a movable stem 16B fixed to a 12 bracket 18 belonging to a first arm 11. This is the portion that we cite to in 13 our petition, and we show it through annotated figures as well. And these 14 annotations are reproduced on slide 128. On the right side, those are figures 15 3 and 5 from *Bitelli*. Go to slide 129, please.

Now, with respect to element 18.3 and this is -- we showed in our
Petitioner Reply as well as in our petition how a person of ordinary skill in
the art would have connected that first actuator and swing arm that's
disclosed in the patent.

Now, the '995 patent shows that an end of the first actuator is
connected by an unlabeled pin and clevis. Dr. Klopp clarified what that is,
and that is a known feature to engineers looking to connect actuators.
Again, a person of ordinary skill in the art would have used a pin and a
clevis to make such a connection. So, slide 129, please.

Again, Caterpillar's argument with respect to the petition not showing the first actuator also fails. Now, substantively, there's no dispute as to what is disclosed in *Bitelli* '088. It's simply that the petition failed to show it. Caterpillar continues that line of arguments with the petition failed to show why a person of ordinary skill in the art would have combined the *Feliz* rotary actuator with *Bitelli*. That argument also fails. Go to slide 133, please.

8 So, again, we discussed this earlier with respect to the 1394 petition. 9 But the prior art establishes that wheel scraping was a known problem with milling machines having a wheel that moves into a retracted position. When 10 11 that wheel is in the retracted position, it scrapes the ground during a turn. 12 That is not something a person of ordinary skill in the art would want. A 13 person of ordinary skill in the art would have looked to add a turning 14 capability. That's why a person of ordinary skill in the art would have 15 looked at Feliz. Go to 135, please.

Now, wheel scraping was a known problem. We've just discussed 16 17 that in the prior art. Dr. Klopp also contradicted Caterpillar's arguments by 18 admitting several different reasons why a person of ordinary skill in the art 19 would, in fact, have sought to steal -- steer a retracted non-coaxial rear 20 wheel. He's indicated there could be any number of reasons: maximum grip 21 in a turn, tire life, a number of other things. But the point is a person of 22 ordinary skill in the art would not have wanted that wheel to scrape when it's 23 in that retracted position, it would have looked at turning functionality. Let's 24 go to the next slide, please, slide 136.
1 Now, when we look at why a person of ordinary skill in the art would 2 abuse *Feliz* and why it would have kept the rotary actuator at the upper 3 portion of the lifting column, well, that's because that's what *Feliz* teaches. 4 *Feliz* teaches to have the rotary actuator at the upper portion of the lifting 5 column. So, in integrating those teachings of *Feliz* with the teachings of 6 *Bitelli*, that's exactly what a person of ordinary skill would look to do. They 7 would have added the teachings of the rotary actuator and turned that 8 interior portion with respect to the attitude of the lifting column. Slide 137, 9 please.

10 Now, Caterpillar continues with their argument that all of the features 11 from steering motor and the shafts and all these different things would have 12 made it untenable for a person of ordinary skill in the art to combine the steering motor of Feliz into the lifting column of the Bitelli reference. But 13 14 again, a person of ordinary skill in the art would have known what's in the 15 art. They would have known how to take that steer motor and apply it 16 directly on top of the lifting column, as is required in some of the claim 17 elements. If we go to slide 138. It's worth noting that there is another 18 reference with a lifting column that, in fact, has a very similar teaching. It has a rotary actuator on a lifting column that moves between different 19 20 positions, and it turns the interior portion of that lifting column.

A person of ordinary skill in the art would have been well aware of the *Titford* reference, and would have been motivated to use similar functionality from, as is taught by *Feliz*, and implementing it in the *Bitelli* combination. If we go to the next slide.139, please.

State-of-the-art evidence has been utilized in a number of different
 Board proceedings. We cite one here, *GOMACO Corp. v. Guntert and Zimmerman Co.*, and IPR2020-01698. Again, this is something that's
 regularly done. This is a predictable technology. And a person of ordinary
 skill in the art would have looked to the evidence of the prior art in making
 the combination and combining the elements. Slide 140 please.

7 We've covered this, but, again, Mr. Orr testified both in the petition 8 and in support of our Petitioner's Reply deck, that a person of ordinary skill 9 in the art would have -- it would have been within the level of ordinary skill to take the steer motor of *Feliz* and apply it at an upper portion of a lifting 10 11 column and *Bitelli* in order to disclose the claim elements. Now, that's 12 not -- the upper portion of the lifting column, again, is not a requirement 13 that's in claim 18. We find that in claim 1 and some of the other dependent 14 claims. Go to slide 141, please.

So just as we had the Dubay reference and the Busley reference 15 16 explaining how person of ordinary skill in the art would have interpreted the 17 teachings of our asserted grounds, likewise here a person of ordinary skill in 18 the art would have look to the prior art and implementing the fine teachings of Bitelli and Feliz. Slide 142, please. Now, looking to Caterpillar's 19 20 argument, they dispute that a person of ordinary skill in the art would have 21 taken the teachings of *Feliz* and applied them in a way to achieve the claim elements. Mr. Orr directly refutes that in response to Petitioner's Reply and 22 23 Mr. Orr's testimony is not rebutted. Patent Owner chose again not to cross 24 examine Mr. Orr, and he explained that a person of ordinary skill in the art is 25 simply taking the teachings from *Feliz* as they're in *Feliz*, its location is at

1 the top of a lifting column, and moved it onto the top of the lifting column of 2 *Bitelli*. That combination would have been straightforward for a person of 3 ordinary skill in the art and well within their skill. That teaching, again, 4 comes from *Titford*. We go to slide 143, please.

5

Now, Patent Owner does identify a slight lack of clarity with the 6 *Bitelli* reference. There are two plate 13s. There's a plate 13 that's 7 connected to the linkages and that are responsible for rotating the wheel and 8 lifting column from the projecting and retracted positions. Then there's 9 another plate 13 that's described in figure 1. And that plate 13 is connected to the bottom of the inner tube of the lifting column and to the wheel. 10 11 While, there's a slight inconsistency here, it's not difficult for a person of 12 ordinary skill in the art to properly interpret what's being disclosed in *Bitelli*, 13 and Mr. Orr provided that testimony in support of our Petitioner Reply. 14 Once the Patent Owner identified that discrepancy, we addressed it 15 appropriately. And there's nothing in the *Bitelli* reference that indicates the 16 inner tube of the lifting column is keyed to the outer tube of the lifting column. Go to slide -- you could go to slide 148, please. 17

18 Now, Petitioner -- I'm sorry, Patent Owner made an argument in their 19 reply that the inner tube of the lifting column of *Bitelli*'s keyed to the outer 20 tube of the lifting column and in Bitelli.

21 There is no disclosure of that in the *Bitelli* reference, and there's no 22 testimony -- expert testimony from Caterpillar to further clarify that. Again, 23 we simply have it looks to be an angular feature not described. We don't 24 know what it is. And that alleged key way is not shown. For example, go back to slide 147. There's no key way shown in figure 2 of Bitelli or any of 25

the other figures that would indicate that they are, in fact, keyed together.
Patent owner chose not to depose Mr. Orr on his testimony with respect to
the plate 13 and the only testimony that -- in evidence that remains with
respect to how the rear wheel of *Bitelli*'s jack works is Mr. Orr. If we go
now to slide 158, please.

6 Caterpillar provides another argument with respect to claims 1, 36 and 7 45 that we haven't shown that the alleged second actuator meets this same 8 rotational direction limitation that's recited in these claims. So, I'd like to 9 clarify that and just to explain that what claim 1 requires is that the second 10 actuator maintain the same rotational direction of said at least one ground 11 engaging unit in each of said projecting and retracted positions.

Now, what this limitation does not mean is that the second actuator maintain that rotational direction while turning between each of the projecting and retracted positions. It doesn't say that. If Caterpillar wanted the claim to require that the second actuator is doing that maintaining during the movement, it should have claimed it that way. So, what is actually claimed is that the second actuator maintains the rotational direction when in either of those positions.

So, for example, if the *Bitelli* machine is driven straight ahead, that is
let's say zero degrees rotation. And then using the rotation of *Feliz*, we're
now at five degrees for a turn. The rotational direction is maintained and
then it's moved back by the second actuator into zero degrees of rotation.
Now the right rear wheel is pivoted into the retracted position. And again,
we can run through the same turning situation where we have zero degrees
straight ahead. And then the second actuator, as disclosed by *Feliz*, rotates a

five-degree turn and then back again. We have here the second actuator is
 maintaining the rotational directions in the different projecting and retracted
 positions. That's all that required by the claim. And that's exactly what we
 showed in our petition.

If there aren't any further questions with respect to the 1309 petition
specifically, I'd like to move into means plus function, but I'll pause for a
moment.

JUDGE MAYBERRY: All right, it doesn't look like it. And, Counsel, just
- you know, you have about 13 minutes of your primary argument time.

10 MR. PHERO: Thank you, Your Honor. So, if we could go now to slide 19.

11 So, the Board's rules, 37 CFR 42.104(b)(3), indicate that the petition should

12 identify the means-plus-function limitations when the claim to be construed

13 contains a means-plus-function limitation. Now, the *Costco Wholesale v*.

14 *Robert Bosch* case stands for the proposition that not all means-plus-function

15 elements actually have to be construed. So, we'll start there. And if we go

16 to slide 20.

17 JUDGE MAYBERRY: Excuse me, Counsel?

18 MR. PHERO: Yes, Your Honor.

19 JUDGE MAYBERRY: Oh, this Judge Mayberry, if I may ask a couple of

20 things about that *Costco Wholesale* case. First, I just want to understand

21 your understanding. If you believe that *Costco Wholesale* is binding on this22 panel.

23 MR. PHERO: Oh, Your Honor, it was an Institution decision. I don't know

24 that it's binding on this panel, but I think it is informative.

1 JUDGE MAYBERRY: All right. And it's more significant, and, again, you 2 have that highlighted passage at the end, your yellow highlighting stopping 3 abruptly before the little footnote 8. But footnote 8 says, "As a practical 4 matter, however, we note that a" -- sorry, I lost it. "As a practical matter, 5 however, we note that a petitioner who fails to offer a claim construction of 6 a potential means-plus-function limitation of a challenged claim may very 7 likely run the risk of failing to demonstrate a reasonable likelihood," because 8 we're talking Institution here, "of success on the merits for failing to address 9 adequately the patentability of the claim subject matter. That is a separate 10 issue."

11 So, but isn't that separate issue really what Patent Owner is talking 12 about, that you can't demonstrate the claim is unpatentable if you have not 13 construed the claim?

14 MR. PHERO: Yes, Your Honor, that is Patent Owner's argument as we 15 understand it. But that is not the case as we presented our arguments in our 16 petition. The primary thing to understand here is that while we did not set 17 out an analysis of the means-plus-function terms in the claim construction 18 section of our petition, specifically with respect to the 1395 petition, we do 19 attribute by way of reference to the dependent claim elements the particular 20 structure and function of the means-plus-function terms as required under 21 section 1206 and under the Board's rules. Our scenario is identical to that of 22 the Petitioner in American National Manufacturing. There, the Board found 23 Petitioner's analysis sufficient to analyze the means-plus-function claim 24 elements.

1 Now there's another Institution decision which, again, is not a final 2 written decision, but there's another Institution decision in the *Microchip* 3 case, Microchip Technology v. HD Silicon Solutions. So, let me just get into 4 the record first here. American National Manufacturing v. Sleep Number 5 Corporation, that was IPR2019-00500. We cited this in our reply, but I just 6 wanted to read that into the record. But we have it. And then the second 7 one is Microchip Technology Inc. v. HD Silicon Solutions, IPR2021-01089. 8 Both of those cases are Board precedent, and both of them support our 9 position that we have adequately identified sufficient structure in our 10 petitions in order for the Board to be able to conduct their analysis with 11 respect to the means-plus-function claim elements. I'll start --12 JUDGE MAYBERRY: Excuse me, Counsel. When you said "Board 13 precedent," it's not -- you would agree it's not binding precedent? 14 MR. PHERO: Yes, your Honor. 15 JUDGE MAYBERRY: And I guess I'm a little concerned in your reference 16 to *Microchip Technology*, because when I look at the analysis in that case, 17 the -- and specifically at petition 24-25, that's paper 1 of the -- in the 18 IPR2021-01089 proceeding, the Petitioner did do a rigorous functional analysis where they identified the function and corresponding structure. The 19 20 only difference is they did it within their presentation of the limitation, not in 21 the claim construction section. So that seems to be what, you know, was 22 pointed to in that case, in the ultimate Institution decision. 23 Then in American National, I'm not quite sure about it, at least in that

24 case, it appears that the panel there thought significant that there was an

actual reference 6.3, which then the panel attributed as providing a function
 and structure analysis in real (phonetic).

3 And could you point me to where in your petition you do this type of 4 cross-referencing that we could kind of piece together your analysis? 5 MR. PHERO: Certainly. So, if we go to slide 21, please. So, just kind of 6 give some context here. So, in our Petitioner Reply we tried to show the 7 mapping, and I can give you a cite for the petition in just a second here. But 8 the mapping comes from our treatment of the dependent claims. So, all of 9 the means-plus-function terms were addressed either explicitly or in the 10 context of dependent claim features. If we're looking at the 1394 petition, 11 there was an explicit construction of means-plus-function terms. Really 12 what we're talking about is the controller means and the controller means in both the 1394 and the 1395 petitions, the disclosure of the controller means 13 14 comes from dependent claim 60. Now, it's on slide 22, please.

15 So. again, claim 45 is a controller means for coordinating the 16 actuation of said first and second actuator means. Claim 60 provides the 17 structure and says. "Wherein said controller means includes a programmable 18 logic device connected to a memory device." We show where that feature is shown in the prior art, and it's not disputed by Patent Owner that an alternate 19 20 construction would, render the claim feature patentable. Instead, it's simply, 21 well, the petition doesn't identify it. Your analysis should end there. And 22 we strongly disagree with that characterization, Your Honor. This is a claim 23 that the features are shown clearly in the prior art, and the rules are satisfied 24 by our petition and by our treatment of the dependent claims.

1 JUDGE MAYBERRY: Excuse me, Counsel. Judge Mayberry again. If I 2 understand your position, it's that for your analysis in claim 45, which has a 3 means-plus-function term, your analysis of claim 60 shows the structure 4 that's disclosed in the patent to satisfy the function of the controller means 5 recitation in claim 45. And because Patent Owner doesn't dispute the merits 6 of claim 60, you've satisfied the requirement, but didn't Patent Owner 7 dispute the merits of claim 25, saying that you did not meet your 8 requirements? 9 MR. PHERO: They disputed that we did not meet our requirements. They 10 did not dispute that the controller means as shown in the Skotnikov 11 reference. So granted, it is Petitioner's burden, but Petitioner has shown 12 what the structure is in claim 60 for that controller means in claim 45. That's 13 enough to satisfy the Board's rules on this point and enough in order to 14 conduct the analysis. 15 JUDGE MAYBERRY: Excuse me. I'm sorry to interrupt you, but haven't 16 you now provided a burden shift of production anyway? You are forcing Patent Owner to produce arguments and evidence directed to a dependent 17 18 claim, which otherwise, if they can demonstrate that you did not meet your 19 burden as to the independent claim, the dependent claim has been just 20 proved patentable for the reason that you have not proven the independent 21 claim unpatentable. So, it seems to me your approach here is providing a 22 burden of production on the Patent Owner, which I don't really read into the 23 law or our rules. How would you respond to that? 24 MR. PHERO: Your Honor, I don't think we're shifting the burden of 25 production here on the Patent Owner, but what we're doing is with means

1 plus function, there's the risk of a lack of clarity. If the petition doesn't 2 identify what the structure and the function is, there's the risk of ambiguity 3 or the Patent Owner might not know how to respond to those substantive 4 arguments. Here, there's no ambiguity. It's controller means for 5 coordinating the actuation of said first and second actuatable means. That is 6 disclosed further and clarified further in claim 60 and in claim 60 we show exactly what that is. Patent Owner hasn't said it's unclear what a controller 7 8 means could possibly be in the prior art. Again, it's our burden, not theirs. 9 But we showed what the controller means is in the prior art in claim 45 and in claim 60. There's no ambiguity as to what a controller means with respect 10 11 to claim 45 of the '995 patent.

So, it's not a burden shift. It's simply an understanding of how do we
avoid the risk of ambiguity with respect to a means-plus-function claim
term? Here there is no ambiguity.

JUDGE MAYBERRY: All right. Thank you, Counsel. I will let you know
you've got about a minute and a half until you start getting into your rebuttal
time.

MR. PHERO: Thank you, Your Honor. I think with respect to the means plus function claim terms, again, controller means is informative. We have a number of other means functions -- means-plus-function claim elements that we've addressed in our papers. And I think all the means-plus-function claim terms rise and fall together. Petitioner has established in the petitions that there's enough in order to conduct the requisite analysis. Obviously,

24 Patent Owner disputes that, but our papers are clear on that point.

1 One additional point with respect to the alternative construction. So, 2 if we look to slide 543. Caterpillar claims that we can't prove claim 45 was 3 obvious in the 1394 petition because we provided a claim construction that 4 didn't apply it. We disagree with that, Your Honor.

5 We did provide a claim construction for what we thought the second 6 actuatable means should be. We said it should be construed to be a second 7 actuator -- I'm sorry, a rotary actuator positioned at an upper portion of the 8 lifting column. That would have made claim 45 scope commensurate with 9 claim 1. That was something that was not adopted by the District Court, and it was something that we foresaw perhaps might not be adopted by the 10 11 District Court. So that's why we provided this alternative construction. To 12 the extent that the second actuator was not so limited as to require a rotary 13 actuator position to the top portion of a lifting column, that's why we 14 provided the analysis of claim 45 in the 1394 petition.

We think our analysis is thorough and all that is needed for a person of ordinary skill in the art to agree that the features are disclosed in *Bitelli* --I'm sorry, in the *Volpe* reference and in Piccoli, and claim 45 again requires the use of *Skotnikov* for the controller. But the claimed elements would have been obvious over the applied art.

So, if there's no further questions, I'll reserve the remainder of mytime.

JUDGE MAYBERRY: All right. Thank you, Counsel. You have 14minutes for your rebuttal.

24 MR. PHERO: Thank you, Your Honor.

1	JUDGE MAYBERRY: So, with that, we'll turn over to Patent Owner
2	And Patent Owner, you have 90-1/2 minutes. Do you know how much you
3	would like to reserve for rebuttal?
4	MR. ARGENTI: I don't expect I will use all of my time, Your Honor, but I
5	will reserve, let's say, 10 minutes for surrebuttal.
6	JUDGE MAYBERRY: Excellent. Thank you.
7	MR. ARGENTI: Thank you, Your Honor. So similar to what I did when I
8	was addressing the 1395 case, I plan on going through a copy of my
9	demonstratives that I have here, and I'll let everybody refer to their own
10	copies of our demonstratives that you have available to them rather than put
11	them on the screen. The first set, I believe, is again Paper 24 for the 1394
12	case. Also, just to let you know, what I plan to do is go through all of the
13	issues for the 1394 case first before turning to the 1395.
14	So, looking at our demonstratives for the 1394 case, I will start at our
15	slide 4, which lists the grounds of challenge. And here I will just point out
16	that the disputed issues that I'm going to address center on grounds 1 and 2,
17	the first two lines there.
18	Turning to slide 5, the next slide, we see those deficiencies that I'll
19	address. One other thing I'll note is that in addition to the deficiencies that
20	we have listed here on slide 5, we also pointed out that Petitioner failed to

identify corresponding structure for dependent claims 61 and 62, which 22 contain means-plus-function limitations. And they didn't dispute that in 23 their reply.

21

24 So, even if the Board credits their arguments regarding supporting 25 structure for the other means plus function terms, and as we'll discuss, you

should not, they failed to make a similar argument for those two dependent
 claims. They're not in dispute.

3 So, now turning to slide 6 and the first issue, which goes to 4 Petitioner's allegations that *Volpe* discloses element 18.2. The claim element 5 requires a support device, including a lifting column. Petitioner says that 6 *Volpe* has a swing arm that serves as the recited support device. And below 7 that, Petitioner says that *Volpe* has a sliding support that was the recited 8 lifting column. There are two problems with these allegations. One, 9 Petitioner never alleges that *Volpe* has a swing arm that includes a lifting column. That's what their mapping would require to satisfy the claim 10 11 language, and it's a prima facia deficiency in their challenge.

12 Two, Petitioner's attributing disclosure to *Volpe* that it doesn't actually 13 have. Volpe never says anything about a swing arm. Petitioner gets that 14 terminology from a different reference, *Dubay*. So, turning to slide 7, we 15 pointed out in our preliminary response that Petitioner can't supplement 16 *Volpe*'s disclosure with *Dubay* and the Board agreed in Institution. It's clear that Dubav is talking about something other than the Volpe reference 17 18 because *Dubay* refers to a prospectus, whereas *Volpe* is an operator's 19 manual, and *Dubay* refers to a machine with a different model number than Volpe. And there's no evidence in the record as to how similar or different 20 21 those machines might be. Turning to slide 8. 22 JUDGE MAYBERRY: Excuse me, Counsel?

- 23 MR. ARGENTI: Yes.
- 24 JUDGE MAYBERRY: Judge Mayberry. Do you have Petitioner's
- 25 demonstratives in front of you?

MR. ARGENTI: Your Honor. Yes. 1 2 JUDGE MAYBERRY: (Inaudible) and direct you, and specifically 3 61. Well, 61 and 62. There's really the same annotated figures. 4 MR. ARGENTI: Yes, Your Honor, I see them. 5 JUDGE MAYBERRY: And I'm trying to understand your argument 6 for independent claim 2. Are you saying that the petition did not adequately 7 indicate that the green and purple structures are what it was mapping to 8 claim element 18.2? 9 MR. ARGENTI: Yes, Your Honor, that's correct. That is our position that we've raised here. What you look at in the figure is 10 11 identification of a lifting column, identification of a swing arm, and then the 12 support device bracket. It's not really clear what it's referring to. If you 13 look at the text, the text is referring to those components separately when 14 mapping the purported swing arm to the support device and then the lifting column to the lifting column element. So that's one problem is that it's 15 16 unclear. And even if you're going to give them credit for that bracket 17 extending to both in the figure, I think there's a disconnect between that and 18 what they actually say in their words in the petition. So that's one problem. 19 And then the second problem is their characterization. You know, 20 Petitioner is the one that added the green highlighting to a collection of 21 components in *Volpe* and refers to them as a swing arm. *Volpe* doesn't use

JUDGE MAYBERRY: But, Counsel, doesn't it work that way? Isn't
that what -- connected to the lifting column, that structure that we see in

22

23

reference.

86

that term, "swing arm". He never -- that's not something that you find in the

green allows the operator to get out of the tab and pull the pin or perhaps
 pull the pin and get out of the tab and move that structure from a retracted to
 a projected position?

4 MR. ARGENTI: Well, that's a very interesting question, your Honor, 5 and to answer that, I would turn back to our demonstrative slide 8. Here, we 6 have selections of testimony from Petitioner's expert, Dr. Orr. And as you 7 see in the first quote, he testified that he was unable to determine which parts 8 of what he called the swing arm in Volpe actually moved. And again, 9 remember swing arm isn't a term that the reference even uses. So their burden, their expert, he's saying, yeah, that's what we've highlighted in 10 11 green, but I can't really tell you which parts of it move.

JUDGE MAYBERRY: But some parts of it move. There's really no
question about that. Everybody can agree that some part of that green
structure moves.

15 MR. ARGENTI: But we don't know which parts. We don't know --16 *Volpe* does say that the wheel moves from a projected to a retracted position, 17 so I'm willing to go that far. Beyond more in -- Volpe never even calls out 18 those green highlighted parts as a, you know, single component. At least as 19 far as we know, it doesn't refer to them as a swing arm. And then we have 20 their expert saying he can't tell which parts of it move or not. I mean, he 21 says it again and again that *Volpe* doesn't provide the necessary detail to really explain how it works or what its components are. We see that again in 22 23 the rest of the quotes on slide 8 where he was unable to answer questions 24 about how the machine in *Volpe* works.

1 I want to point out that Petitioner argues in their briefing that Dr. Orr 2 qualifies as a POSA under the level of ordinary skill definition, but that's not 3 where the analysis needs to end, because we showed that he didn't achieve 4 those qualifications until years after the invention date here. So, he has no 5 firsthand knowledge about the state of the art at the relevant time, including 6 what *Volpe* describes, the machine that's in *Volpe*. And here, we see him in 7 slide 8 repeatedly admitting that *Volpe* doesn't give him enough information 8 to tell him how it works. So, I think that raises the question, where did that 9 understanding come from? He had to educate himself by reviewing the prior art at issue in this case. He didn't know from his experience. I think he was 10 11 in high school at the time. But then when we asked him questions about the 12 main prior art reference in this case, he says, I can't tell you, there's not 13 enough detail there. So he raises a creditability issue about the weight to 14 give Mr. Orr's testimony. It's not about the admissibility.

15 Now, turning to our slide 9, Petitioner also raises an argument that 16 Caterpillar should be collaterally estopped from arguing *Volpe* doesn't 17 disclose element 18.2, but as we pointed out in our briefing and as you 18 raised in your questioning, they didn't perform a collateral estoppel analysis. 19 They didn't go through the necessary factors. And even if you look at just 20 the first factor, this argument fails. The claim limitation that is in dispute 21 here was not at issue in the earlier case, a support device including a lifting 22 column. So their arguments regarding element 18.2 should be rejected.

Now, turning to slide 10, Petitioner has also failed to show a reason to
modify *Volpe* to add *Piccoli*'s chip cylinder. As we see here, the petition
says that the reason to do so would be to improve speed and safety by

automating the process so that the operator doesn't have to get down off the
machine. But our expert, Dr. Klopp, explained that the operator would still
have to get off the machine, in fact, potentially more times than before the
modification to remove the locking wheel holding the pin in place. And he
also explained that that change would create unsafe operating conditions.
We see part of that testimony here and the rest is cited in our briefing.

7 Now, turning to slide 11, Petitioner then argued that the operator 8 wouldn't have to get off the machine because you could pull the locking pin 9 up from in the operator's seat. We heard that again today. But this is the annotated figure for that argument at the top left of this slide. And they 10 11 conveniently left out that the part of that figure in *Volpe* showing that the 12 operator's seat is well above the pin location. And they also overlooked that the operator still has to get down off the machine for the wheel swing 13 14 process because *Volpe* explains that you have to put a wooden block under 15 the drum. So their motivation argument doesn't make sense.

16 Turning to slide 12, after we pointed out the flaws in their first 17 motivation argument, they tried again with a collateral estoppel theory, but 18 again, they have not gone through the actual legal requirements for collateral 19 estoppel. And again, we see that the earlier case they rely on had 20 meaningful distinctions from their challenge here, including a different prior 21 art combination.

Now, turning to slide 13 and Petitioner's motivation to add *Piccoli*'s
steering cylinder to *Volpe*, here Petitioner again fails to provide a viable
motivation to combine. First, they haven't shown that having *Volpe*'s rear

wheels fixed in a forward-facing position were the problem, which is the
 reason they say that you would have added steering.

3 And if we turn to slide 12, they have. in fact. overlooked in the 4 petition that *Volpe* uses a specific structure to keep both its wheel facing as 5 well as keep its wheel directly underneath the support. And that second 6 function is important. When they addressed this today during their 7 argument, they only addressed the first function of that sliding support, 8 which is to keep the wheel in a forward-facing direction. But the sliding 9 support is also there to keep the wheel aligned under its support and provide stability. And this sliding support is the adjustable slide 1 in figure AH-9 10 11 that we see here on slide 14 is absent from the petition. The petition doesn't 12 say anything about that figure or that aspect of *Volpe*. But you can't keep it if you change the rear wheel so that it can now steer. So you've created a 13 14 problem where the rear wheel is less stable because you have removed the 15 guide that keeps it under the support.

16 Now I'm going to move to slide 16 and skip one. So moving past the 17 independent claim to dependent claim 30, which requires a linear actuator 18 connected to the swing arm, Petitioner has no support for this in the prior art. 19 They admit *Piccoli*'s actuator is connected to the lifting column, not the 20 swing arm. And they don't cite to any prior art that's part of the ground that 21 would satisfy this claim requirement. So it is a missing limitation, as they 22 concede. To get around this, they argue that a POSA would have had reason 23 to move the connection point from the lifting column to the swing arm. But 24 as we pointed out in our Patent Owner response, that ignores the reason that 25 *Piccoli* uses the lifting column connection, which is to benefit steering.

1 Turning to slide 17, Petitioner now argues that it's only relying on the 2 actuator from *Piccoli* for its ability to move the lifting column, not for its impact on steering. And they say those are two district purposes in Piccoli. 3 4 But that is at odds with the reference. *Piccoli* doesn't make a distinction 5 between those two different functions. The whole reason Piccoli moves its lifting column is to benefit steering by getting a tighter turning radius. So 6 7 Petitioner can't separate one function from the other. But more importantly, 8 Petitioner's challenge to claim 30 should be rejected because the claim 9 limitation just isn't found anywhere in *Volpe* or *Piccoli*.

Now turning to slide 18 and the means-plus-function limitations in ground 2. As we see here on slide 18, there are a number of these meansplus-function terms at issue. As the Institution decision notes, the petition provides a construction for three of the four means-plus-function limitations in independent claim 45 and for none of the additional means-plus-function limitations found in the dependent claims that are listed here on this slide.

16 Turning to slide 19, Petitioner has two key obligations when it comes 17 to the challenged claims containing means-plus-function limitations. First, 18 rule 104(b) says that where a challenged claim may be construed under 112-19 6, the Petitioner has to provide a construction that identifies the claimed 20 function and the corresponding structure in the specification. And second, to 21 show obviousness of a claim with a means-plus-function limitation, you 22 have to prove that the corresponding structure was present in the prior art. If 23 you haven't identified corresponding structure in the specification, you 24 necessarily cannot show where that corresponding structure is in the prior 25 art. The petition fails on both of these points.

1 JUDGE MAYBERRY: Excuse me, Counsel.

2 MR. ARGENTI: Yes.

JUDGE MAYBERRY: This is Judge Mayberry. Looking at those
two points, let's take the first one off the table. You would agree that the
Board can waive their rules, so whether the rule applies rigorously or not,
let's forget that right now. Let's go ahead and waive it just between you and
me right now.

8 MR. ARGENTI: I'm willing to play along with the hypothetical, 9 Your Honor, without conceding that it would be appropriate to waive the 10 rules here.

JUDGE MAYBERRY: Okay. So looking at *Fresenius*, didn't Petitioner do exactly what it states? Didn't Petitioner identify corresponding structure present in the prior art that then satisfies the limitation? So, if we went through all of their analyses of all of the means-plus-function limitations and look at the structure they identify and then turn to the challenged patent, those would be the same or at least equivalent structures to what is disclosed in the patent. So, haven't they done their job?

18 MR. ARGENTI: No, they certainty haven't, Your Honor. If you look 19 at *Fresenius*, even just this quote that we have on this slide, it says that the 20 challenger must prove that the corresponding structure or an equivalent was 21 present in the prior art. That corresponding structure is the structure that has been identified as part of the claim construction process. Whether it's an 22 23 explicit claim construction under a heading that names claim construction or whether it's part of the invalidity analysis, there needs to be a discussion of 24 25 the function recited in the claim, the corresponding structure in the

specification, and then a showing of where the corresponding structure from the specification is found in the prior art. You can't jump directly to the prior art and say, well, that's corresponding structure. You need to go through the steps of identifying the claimed function, the corresponding structure in the specification, and then where that corresponding structure is found in the prior art, and they've failed to do that here.

7 So, turning to slide 20, if we look at the first means-plus-function 8 element at issue, independent claim 45 recites a second actuatable means for 9 rotating the ground engaging unit. As we see here on this slide, the petition 10 said that this term should be construed under 112-6, and provided a 11 construction to that end requiring a rotary actuator. But when you get to the 12 claim 45 analysis in the ground, they have a footnote at page 45 of the 13 petition acknowledging that they do not apply their construction for this 14 term. So there's a clear disconnect between the construction they advanced 15 and the ground of challenge. And as the Board observed in the Institution 16 decision, *Piccoli* doesn't satisfy the construction in the petition, rendering 17 the challenge to claim 45 and its dependents fatally flawed.

Now, Petitioner argued that the footnote from page 45 of the petition provides an alternative construction. But we can see here that that's not true. It doesn't satisfy any of the requirements of 112-6 for identifying claimed function or corresponding structure. The Petitioner basically said that they are not applying their own construction. And saying that they're not applying their own construction is not providing an alternative § 112, ¶ 6 construction.

25

5 JUDGE MAYBERRY: Excuse me, Counsel.

1 MR. ARGENTI: Yes.

JUDGE MAYBERRY: Judge Mayberry again. How does the District Court's construction impact our analysis going forward? Our rules say that we need to at least consider a District Court construction that has been put in the record. And as I understand, the District Court has construed the second actuatable means to encompass either rotary actuator or linear actuator. And you've got a linear actuator in the analysis here. So what are we to do with that?

9 MR. ARGENTI: I believe that for that particular term that the District 10 Court gave reach, Petitioner is not relying on that construction and saying 11 that they are adopting that construction going forward. Their position is that 12 they are relying on the purported alternative construction from this footnote. 13 And as we've just discussed, there is no alternative construction. So I don't 14 think that the Board needs to reach or apply the District Court's construction 15 because that's not what Petitioner is asking the Board to do.

And then I'll point out that as to these other means-plus-function terms that I'm going to address where Petitioner didn't address -- provide any claim construction at all, they're also not part of the District Court claim construction order. So, there are numerous deficiencies, numerous claim elements that aren't analyzed by Petitioner that the District Court construction doesn't impact at all.

22

JUDGE MAYBERRY: Great, thank you.

MR. ARGENTI: Now I'll turn to slide 21 where Petitioner argues
that they satisfied the 112-6 requirements when addressing certain dependent
claims. They say that the discussion of those dependent claims addresses

narrowing limitations that provide corresponding structure, but that's not the
 case.

First, the dependent claim analysis Petitioner points to doesn't even
mention the means-plus-function limitations. In fact, as we see here on this
slide, Petitioner specifically removed the word "means" from those
discussions, replacing it with brackets. They were treating those claims
exactly the same as the claims that don't recite means limitations.

8 Second, the dependent claim analysis contains no reference to the 9 specification, so it can't be viewed as identifying supporting structure in the 10 specification.

11 Third, there's no reference to those dependent claims in the 12 Petitioner's discussion of the claims containing the means-plus-function 13 limitations, including independent claim 45. The Petitioner never says it's 14 relying on the dependent claims to identify the corresponding structure. For example, the claim 45 discussion of a controller means never refers to 15 16 dependent claim 60, which Petitioner now tries to rely on for corresponding 17 structure. And if we look at the claim 60 discussion at the bottom right here, 18 it removes the word "means" from the claim.

Moreover, they then go on to allege *Skotnikov* discloses a
programmable logic device to satisfy claim 60. But then if you look at claim
45, they never mention anything about a programmable logic device. So, if
that is the corresponding structure, claim 45 doesn't even allege that that
structure is found in the prior art.

And I'll also point out I think we heard Counsel for Petitioner say that when pointing to this claim 45 and claim 60 issue, they argue that there's no

ambiguity in view of this, no ambiguity with respect to what the controller means is in claim 45. But I will point out that claim 60 doesn't say that the controller means, or the controller brackets, as they presented on the slide, it doesn't say that the controller means is a programmable logic device. It says that the controller means includes a programmable logic device.

So, even if you're taking their arguments at face value and accepting
everything that they say -- and there are so many reasons that you shouldn't
-- this still doesn't get them to arguing that the corresponding structure for a
controller for claim 45 is a programmable logic device.

10 Now I'll turn to slide 22 and claims 25 and 53, which fail for an 11 additional reason beyond the means-plus-function issue. Claim 45 requires 12 associating a rotary sensor with the second actuator and a linear sensor with 13 the first actuator. Petitioner says Skotnikov discloses that its sensor 155 is a 14 rotary sensor because it's configured to detect the angular position of a 15 rotary sensor -- sorry, of a rotary actuator. And then they say that if you're 16 using a sensor on a linear actuator, like a hydraulic cylinder, it would be a 17 linear sensor. We see that in both of the excerpts here. So, they say a rotary 18 sensor is something that detects the angular position of a rotary actuator, and 19 they say a linear sensor is something that detects linear displacement of a 20 linear actuator. But in their combination that they're mapping to the claims, 21 both actuators are linear actuators and they never explain where the rotary 22 sensor comes into play. Their mapping is inconsistent with their own 23 explanation about the difference between a rotary sensor and a linear sensor 24 and when it would have been obvious to use one versus the other.

Now turning to slide 23. Petitioner argues in reply that a rotary sensor can be associated with a linear actuator, but you don't find that anywhere in the petition. All they have in the petition is an assertion that you use a rotary sensor for a rotary actuator and a linear sensor for a linear actuator, which doesn't get them to the rotary sensor for the second actuator recited in the claims.

7 Unless there are any questions about the 1394 case, I'll move on this8 the 1395.

9 So, turning to the 1395 proceeding, I will again refer to our copy of the demonstrative exhibits. And I believe, again, these are Paper 24 on the 10 11 docket for the 1395. I'll start by turning to our slide 3. And I'll point out 12 that in the 1395 case, the challenge to independent claim 18 suffers from two 13 missing elements. The Petitioner fails to explain where they're found in the 14 prior art. Those are highlighted in blue and red here, respectively. The first 15 is a requirement for a support device including a lifting column. Again, 16 that's 18.2 that we just discussed in 1394. And the second requirement is for a first actuator connected to the support device. 17

Turning to slide 4 and independent claim 1, this challenge has the same problem that I just mentioned regarding claim 18 plus one more missing element that's highlighted in green here. Claim 1 requires that the second actuator be adapted to maintain the same rotational direction of the ground-engaging unit in each of the projecting and retracted positions.
Petitioner's combination fails to satisfy that limitation as well.

Turning to slide 5, we see the grounds of challenge. In this IPR,
 we're dealing with the combination of *Bitelli* and *Feliz*. We have *Skotnikov* again being added for ground 2.

4 Slide 6 summarizes the deficiencies that we've identified in our papers. Rather than reading from this list, I'm just going to jump right into 5 6 them. I'll turn to slide 7, and again, element 18.2, where the petition fails to 7 show that the combination of *Bitelli* and *Feliz* discloses element 18.2, which 8 requires that the support device include a lifting column. As in the 1394 9 case, the petition treats these as straight elements and overlooks the requirement that one include the other. You see that in the text of the 10 11 petition that we have here on the slide where it treats them as separate issues, 12 but it really becomes apparent in the annotated figure that we see here on the 13 slide where the swing arm is identified as the alleged support device and the 14 lift column is called out separately using a lifting color. The petition simply makes no effort to address the actual claim language. And we heard 15 16 Petitioner's counsel looking at this same annotated figure assert that the 17 support device bracket extends to both. I think that's simply not a credible 18 reading of this figure. It's using the same color as it used for the swing arm 19 and it doesn't extend even halfway down to the lifting column.

20

Turning to the next slide, slide 8, and element 18.3 --

- 21 JUDGE MAYBERRY: Excuse me, Counsel.
- 22 MR. ARGENTI: Yes.

JUDGE MAYBERRY: This is Judge Mayberry. Before you move on
to that, I did want to make sure I wasn't missing a subtle aspect of your
argument. Are you -- is it Patent Owner's position that element 18.2

1 requires some type of single structure? That multiple structures connected 2 together isn't good enough? Or are you just saying that the Petitioner failed 3 to demonstrate that these connected structures are together a support device? 4 MR. ARGENTI: I believe it's the latter, your Honor. We're not 5 arguing that the support device needs to be a single, unitary component, if I 6 take it that goes to your question. Although that does remind me I wanted to 7 to point out -- thank you, Your Honor -- we heard Wirtgen's counsel assert 8 both as to the 1394 and the 1395 that you find a more detailed description of 9 the support device in the prior art than you do in the '995 patent itself. And they posted your review up on the screen and the arrow 40 and they said, 10 11 this is, you know, a vague assertion. They're ignoring the written 12 description of the '995 patent. The written description -- and I would refer 13 to column 4 line 51 -- there is explicit disclosure that the support device 40 14 includes a lifting column 46. And so there's clear disclosure for what's 15 claimed in our claims. It's a detailed description. And it's pointing to -- it's 16 identifying a different structure than what Petitioner relies on in their 17 petitions, in both petitions, as corresponding to the claimed support device.

18 Now turning to slide 8 and element 18.3, again, that requires a first 19 actuator connected to the support device. And here again, we have the 20 petition not explaining how they think the prior art satisfies the claim. As 21 we see here on the slide, they rely on *Bitelli*'s hydraulic cylinder 16 as the 22 recited first actuator. And they rely on the arms highlighted in orange as the 23 claimed support device. We see that in the annotated figure from the 24 petition here on slide 8. But beyond identifying those components, the 25 petition never explains how they are connected or even asserts that they are.

1 While in the Institution decision, the Board found it sufficient to interpret 2 that figure as showing a connection via bracket 18, that's not an 3 understanding that's actually set forth anywhere in the petition. Not to 4 mention, when we get to claim 30, we'll see that Petitioner relies on that 5 bracket as part of the first actuator, unlike what they say here for claim 18. 6 Now turning to slide 9, beyond the failure to show that all claim 7 elements are found in the prior art, the petition also fails to provide a 8 reasoned explanation as to why a POSA would have modified *Bitelli*'s 9 machine to use *Feliz*'s rotary actuator. Petitioner argues that a POSA would 10 have done this to rotate the inner tube of *Bitelli*'s lifting column, thereby 11 adding steering capability to the rear wheels. But as our expert, Dr. Klopp, 12 explained, this wouldn't work in Bitelli. Bitelli uses a four-bar linkage to 13 keep the wheels in the same orientation as it pivots between positions, 14 projected and retracted. That four-bar linkage is what Petitioner relies on as 15 mapping to the claimed support device. So they can't say this is something 16 that would eliminated or overcome with the combination and the 17 modification. They need that four-bar linkage for their mapping, but the 18 very same four-bar linkage prevents steering in *Bitelli*.

Now turning to slide 10, we pointed out that the lifting column in the wheel affixed to plate 13, which is part of the four-bar linkage used to maintain the wheel orientation. Petitioner came back in reply arguing that that's a typo in *Bitelli* and we heard that again today. And they say *Bitelli* actually has two components labeled plate 13, which is not something that they mentioned in the petition. We only heard about this typo for the first time when we pointed out the problem with the challenge in their theory. In

1 any event, it doesn't help them. It doesn't change the fact that the four-bar 2 linkage maintains the wheel in the same direction in *Bitelli*, which means 3 that the inner tube of the lifting column is rotationally fixed to plate 13 here 4 in figure 3. That is accomplished through the interlocking groove and 5 projection annotated in red here on slide 10. The inner tube and outer tube 6 are both rotationally fixed to the plate, which is part of the four-bar linkage 7 that they rely on without modification. They failed to appreciate this when 8 devising their combination, but it undermines their reason to combine Bitelli 9 and *Feliz*.

Now, turning to slide 11. The second problem with the combination 10 11 of *Bitelli* and *Feliz* is that the reason *Feliz* puts its steering column -- sorry, its steering mechanism at the top of its piston skirt wheel support doesn't 12 13 apply to *Bitelli*. In *Feliz*, the wheel support is located inside the frame of the 14 vehicle and uses a central motor located inside the frame to steer both 15 wheels. And the motor and the top of the wheel support are all fixed to the 16 frame. As Dr. Klopp explains, that makes the upper portion of the wheel 17 support the only reasonable location for the steering mechanism in *Feliz*. 18 And that's not the case in Bitelli, where the lifting column is outside the 19 frame and Petitioner's combination uses separate motors for each wheel. 20 We pointed this out and Petitioner doesn't dispute that *Feliz*'s reasons 21 for placing its steering mechanism in a particular location don't apply to

22 *Bitelli*. Instead, they responded that it would be the natural location for it.

23 That's the language they used. That it would be the natural location for a

- 24 steering mechanism in *Bitelli*. But despite that assertion, they were unable
- 25 to come up with a single example of such a natural location in the prior art.

When they're pointing to the *Titford* reference, which they fall back on after
 we pointed out this issue with *Feliz*, they haven't pointed to anything in
 Titford that says steering mechanism is at the top of a lifting column. All
 they do is point to the fact that it's located somewhere adjacent to the wheel,
 so it does not support their natural location theory.

6 Now, turning to slide 12 and claim 30. This claim requires that the 7 first actuator has a second end connected to the swing arm. And as I 8 mentioned when discussing 18, there's an inconsistency between their 9 mappings for independent claim 18 and dependent claim 30. For claim 30, 10 they argue that the first actuator in the flange 17 plus hydraulic cylinder 16 11 plus bracket 18, and those collective elements are directly connected to 12 swing arm 11, as we see here in their annotated figure. And that's different 13 than what they do for claim 18 where they point to hydraulic cylinder 16 on 14 its own as the first actuator. And while I explained in the petition they don't 15 say anything about the swing arm connection for claim 18, at best, it appears 16 that they rely on an indirect connection to bracket 18, which is not identified 17 as part of either the actuator or the swing arm. This just highlights the 18 failure to present their case with specificity, which limits our ability to respond. Their challenge should be rejected as deficient and inconsistent. 19 20 Now, turning to slide 13 and ground 2, Petitioner's challenge here

raises two closely related issues, one with respect to motivation to combine
and another with respect to the sufficiency of the claim language -- sorry, the
claim mapping. I'm going to jump right into that second issue, the claim
mapping, and I'm going to move to slide 15. Each of independent claims 1,
36, and 45 require some form of the requirement to maintain the same

rotational direction of the ground engaging unit in each of the projected and
retracted positions. Dependent claims 21 and 22 add related requirements
but the controller coordinate the action of the first and second actuators,
including to maintain the rotational direction. The issue I already addressed
about *Bitelli*'s four-bar linkage maintaining the wheel's orientation also
creates a problem for Petitioner's mapping to these claims.

7 Turning to slide 16, the problem is that to the extent anything is 8 maintaining the rear wheel's orientation, it's that four-bar linkage in *Bitelli*. 9 And that's the case even if you add steering capability, because with *Bitelli*'s 10 arrangement, you don't need to steer the wheels to maintain their orientation 11 as they move from projected to retracted. The four-bar linkage takes care of 12 that. But that doesn't satisfy the claim because it's not the actuator in their 13 combination. But the only thing that steering would do would be to move 14 the wheels out of a consistent orientation, which doesn't satisfy the claim. 15 There's no dispute on this point. Petitioner admitted in their reply that 16 *Bitelli*'s linkage maintains the wheel's orientation. You see that in the 17 bottom excerpt here on slide 16. And they have never proposed changing 18 that in their combination.

19 So, turning to slide 17, faced with this problem, they came up with a 20 fallback argument, which is what we heard today. They argue in their reply 21 that the claim is satisfied by completing a turning maneuver in each of the 22 projected and retracted positions. Basically, they say when you straighten 23 the wheels out in the projected position, you are maintaining their 24 orientation relative to when you straighten the wheels out in the retracted 25 position. But that's not the theory that they laid out in the petition. And

more importantly, it's not what's claimed. The claim says, maintain the
 same rotational direction, not change the orientation and then change it back.
 What they propose in their fallback argument is essentially the opposite of
 what is claimed.

Nowm turning to slide 18 and the means-plus-function limitations.
Their analysis of these claim elements suffer from many of the same
problems that are already addressed for the 1394 case. But here, they have
an additional problem because they did not even propose 112-6
constructions for the support means, first actuatable means, and second
actuatable means terms in claim 45.

11 So, we'll go to slide 20. And as we see on slide 20, the petition 12 acknowledges that they have taken the position elsewhere that the means 13 terms of claim 45 should be construed under 112-6, but they say they don't 14 need to do that here because, in Petitioner's view, it's not necessary. That's 15 from petition 17. But it is necessary. It's required are by rule 104(b). It's 16 also required in order to prove obviousness under the Federal Circuit's Fresenius decision among others. They can't just skip the required steps, as 17 18 the institution decision recognized.

Now, turning to slide 21 and their reply. As in the 1394 case, the Petitioner argues that the petition identified corresponding structure in its discussion of certain dependent claims, but that fails here for the same reason that it does in 1394. There was no reference to those dependent claims in claim 45. In the dependent claim analysis, it deliberately removed the word "means" from the limitations being discussed. Plus, at no point,

1 whether it's in claim 45 or any of the dependent claims, the Petitioner 2 referred to the specification to identify corresponding structure. 3 None of the cases that they've cited have said that this is an 4 acceptable approach. You don't find it in ANM. You don't find it in 5 Microchip. You don't find it in Costco. None of the cases that they cite 6 involve a circumstance like here where there's not only no reference 7 between the independent claim and the dependent that they're now relying 8 on, but also, no reference in either the independent or the dependent claim to 9 the specification. So the challenge to the means-plus-function claims should be rejected. Thank you. 10 11 JUDGE MAYBERRY: All right. Thank you, Counsel. You've got 12 more than enough time left for rebuttal. 13 So with that, we'll turn back to Petitioner. And Petitioner, you have 14 14 minutes to respond to Patent Owner's reply. 15 MR. PHERO: Before I get started, it's brought to my attention in that 16 my video might not be broadcasting. Are you able to see me? 17 JUDGE MAYBERRY: No. I hear you loud and clear. We're unable 18 to see you, but --19 MR. PHERO: Okay. 20 JUDGE MAYBERRY: -- if you want to work to quickly fix it, that 21 would be fine. Otherwise, I found that you adequately presented your 22 arguments just by hearing your voice and showing your slides. So, whatever 23 you feel you need to do to maintain your client's position. 24 MR. PHERO: Thank you, your Honor.

MR. SLAY: If you're able to drop and then dial right back in, your
 video will come back on. For some reason, it blocked out, but that should
 fix the problem. I'm not sure if you can just dial the SIP that I gave you.
 MR. PHERO: I'm afraid of what will happen if I drop and then try to
 come back in, so I think maybe we'll just proceed.

6 MR. SLAY: Okay.

MR. PHERO: But again, I apologize that you're not seeing me. So,
with that, I will get going.

So I'd first like to address our expert, Mr. Orr. Mr. Orr has the
credentials of a person of ordinary skill in the art. There's no dispute.
Patent Owner's only dispute is when he acquired those credentials. There is
not a single case cited by Patent Owner that says a person of ordinary skill in
the art must have his credentials as of the time of the effective filing date.
There is no case.

15 If we go to slide 8, please. As was recently clarified in the *Kyocera* 16 decision -- this is *Kyocera Senco Industrial Tools, Inc. v. International* Trade Commission, 22 F.4th 1399 [sic], in order to be qualified to offer 17 18 expert testimony, that person of ordinary skill in the art must possess those credentials. Mr. Orr clearly does here. There's no dispute about that. 19 20 Patent Owner's only dispute is when he acquired those credentials. 21 However, Mr. Orr made it very clear during his cross-examination and in his 22 declarations that he was conducting his review from the perspective of a 23 person of ordinary skill in the art at the time of the invention. 24 If we could pull down the slides for just a quick second. I'd like to 25 turn now -- it seems the Board clearly understands the issue with respect to

element 18.2 of the support means. Again, I think our petition is very clear
 with what we are calling the support means. It includes the feature that
 connects the frame to the wheel that's in *Volpe*, the swing arm, and that
 lifting column. *Volpe* doesn't have to call it a swing arm, but for good
 measure, Caterpillar's own expert called it a swing arm.

6 We're not relying upon the *Dubay* reference to supplement anything 7 in *Volpe*, but it is worth noting that Caterpillar admitted in the oral hearing 8 for the 1201 proceeding that the machine that's disclosed in *Dubay* with 9 reference to *Volpe* is, in fact, the exact same machine that's described in the 10 *Volpe* reference. Caterpillar's arguments don't make a lot of sense here and 11 they continue to counteract arguments they've made in prior proceedings.

12 Going along the lines of motivation, I think with respect to 18.2, 13 again, the operator's not getting out of the machine to pull in. If we look at 14 PDF page 100 of the *Volpe* manual, there's a little bit of clarification here. Let me get it pulled up for you. You can see the swing. You can see here 15 16 it's labeled D as the outer portion of the lifting column. And we can see --17 I'll lightly it for us here -- this part is not moving up and down. I've 18 highlighted it there. That is exactly where the pin is going to go into that top 19 portion through the frame into that swing arm. That's what's going to pin it 20 to the frame. A person of ordinary skill is not going to get out of the -- not 21 getting out of the cab to pull that pin. The only way they're going to be able 22 to exert enough force on that pin is to be in the cab. Pull that down, please. 23 Going back to *Piccoli* and the alleged missing limitation, a person of

ordinary skill in the art would have known how to make these connections.A person of ordinary skill in the art would have known to use a pin and

clevis joint. There's no dispute here. We're not having an argument as to
 how all of the different ways a person of ordinary skill in the art would have
 known how to connect it. It's within the art, and we've showed you with
 respect specifically to *Dubay*, the other prior art references.

5 If we go back to means-plus-function, *American National* 6 *Manufacturing* did not satisfy the steps that Patent Owner is now saying are 7 required in order to render the claims unpatentable. *American National* 8 *Manufacturing* had a Petitioner with very similar facts to what we have here, 9 and the Board in that case found that the treatment of the dependent claim 10 features was enough and rendered the means-plus-function claims 11 unpatentable. They should do so here as well.

Now, if we look at -- pull the slide back up, please. Well, Your Honor 12 asked for where in our petition we go through the -- if we could go to slide 13 14 20, please -- where in the petition we have it. I'll just run through real quick 15 here. Controller means in claim 45, that's going to be on page 70 of the 16 1394 petition and it's going to be on pages 87 to 88 of the 1395 petition. 17 Again, we addressed claim 60. Claim 60 depends from claim 45. The 18 Petitioner satisfactorily showed the structure and the dependent claims and 19 there is no dispute that the dependent claims fall within the scope of the 20 independent claim. These dependent claims are part of the specification, so 21 while Patent Owner is saying that we didn't show where in the specification, 22 we did. Claim 60 is in the specification, clarified what that means-plus-23 function element is in claim 45. Additionally, the dependent claim satisfies 24 the structure --

25 JUDGE MAYBERRY: Excuse me, Counsel.
1 MR. PHERO: What, your Honor? 2 JUDGE MAYBERRY: This is Judge Mayberry. I think if you were responding to me, you could give me those page numbers. I think my 3 4 question was a little different, because like in American National 5 Manufacturing, the panel there relied on an express reference in the means-6 plus-function claim limitation to claim 3 in that case, which the panel then 7 said provided the functioning structure. So I was wondering, in your 8 analysis of claim 45, I couldn't see where you actually made an express 9 cross reference to claim 60 to be, as you said, the same facts as we saw in 10 American National Manufacturing. 11 MR. PHERO: Your Honor, you're right. Claim 45 does not include a 12 cross reference to claim 60, but claim 60 gives you the structure that you 13 need in order to analyze claim 45. The case that Patent Owner cites, 14 Edwards Lifesciences v. Boston Scientific, there was no treatment 15 whatsoever of the means-plus-function limitations and there were no 16 dependent claims in order to clarify what that structure is. So you've got 17 *Edwards* on the one hand which has no structure, no clarification, and then 18 you have American National Manufacturing on the other hand, where they 19 have the explicit cite to claim 3, and then you have ours where we're using 20 the dependent claims to verify that structure. So, our facts align more 21 closely with American National Manufacturing than Edwards Lifesciences. 22 Moving on, any further questions on that, Your Honor? 23 JUDGE MAYBERRY: No. 24 MR. PHERO: Going to Petitioner's argument with respect to the 25 detail of the petition for certain elements, for example, in 18.2, the support

means as well as the connections. Our petition provides more detail than is
provided in the '995 patent itself. The '995 patent doesn't even label the pin
and clevis joint that we referred to either earlier that Petitioner's -- I'm sorry,
Patent Owner's expert, Dr. Klopp, had to annotate for us. That's on slide
129.

6 So, again, a person of ordinary skill in the art would have understood 7 how to make these connections. The '995 patent understands that and 8 references a number of references, including *Dubay* in the background 9 section. They don't even instruct a person of ordinary skill in the art what 10 those elements are because a person of ordinary skill in the art would have 11 understood what these elements are and they would have known how to 12 make those connections.

13 JUDGE MAYBERRY: Excuse me, Counsel. Judge Mayberry. How 14 do you respond to Patent Owner's concerns about the inconsistency in how 15 actuator 1 in bracket 18 were treated in claim 18 as compared to claim 3? 16 MR. PHERO: With respect to which petition, Your Honor? 17 JUDGE MAYBERRY: So, in my understanding, Patent Owner 18 argued that when you analyze claim 18, you've got your actuator that says 19 attached to bracket 18, which is then part of arm 11. But then in claim 3, 20 you seem to indicate that the bracket 18 is part of actuator 1. 21 MR. PHERO: Yeah, I think what we're talking about the 1395 22 petition, and so what Patent Owner ---23 JUDGE MAYBERRY: Oh, yes, I apologize. 24 MR. PHERO: What Patent Owner is arguing is that we have an

25 actuator in *Bitelli* and we have two linkages in *Bitelli*. We're not disputing

that *Bitelli* disclosed the four-bar linkage. We're embracing it. That's exactly what's shown in *Bitelli*. Patent Owner is saying -- what we've said in our petition, which, again, it's right here in front of you on slide 128 citing petition at 26 and *Bitelli* reference at paragraph 25, we say that the first actuator means consist in a first hydraulic cylinder. That's what's disclosed in *Bitelli*. We cite to paragraph 25.

7 Again, a person of ordinary skill in the art can readily look at *Bitelli* 8 and readily understand that the first actuator is connected to that linkage 11. 9 That's what's shown in figure 3. That's what's shown in figure 5. That's what's described in paragraph 25. There's no dispute as to what's shown. I 10 11 think what they're trying to do is a gotcha that says, oh, well, you didn't 12 show this extra piece, this bracket 18. You didn't include that as part of 13 your annotation. Well, Your Honor, that's simply a nonsense argument 14 because we have shown you where the first actuator is in *Bitelli*. It's clearly 15 that first actuator, the first hydraulic cylinder 16.

16 Now, if we go to claim 3 -- give me one moment, Your Honor. I'm looking at slide 151. We have an annotation that tries to explain with 17 18 respect to claim 3 the first end and second end of the actuator. It's without 19 dispute that when a person of ordinary skill in the art looks at *Bitelli*, they 20 see a pivot joint connecting the one end of first actuator to the frame and the 21 pin and clevis joint connecting the second end of that actuator to element 22 number 18. I think Patent Owner is trying to draw a very narrow 23 interpretation of what we've shown with our annotations, but the annotations 24 are very clear to a person of ordinary skill in the art as to what's disclosed.

1	Claim 30 has the first actuator with a pin and clevis joint connected to
2	that support arm linkage 11. That's what's moving the four-bar linkage and
3	the leg between the projecting and retracted positions. There's no disavowal
4	of a second end or a first end or anything like that. I think perhaps we could
5	have been little more clear with our annotations, but Bitelli itself is clear as
6	to what is shown in figures 3 and figure 4. And we've established that,
7	again, by showing these figures on page 151 of our demonstratives.
8	JUDGE MAYBERRY: All right, thank you.
9	MR. PHERO: So, with that, I see I'm coming up on my time. For all
10	the reasons we've discussed today, we respectfully request that you render
11	all challenged claims unpatentable on both the 1394 and 1395 proceedings.
12	Thank you, your Honor.
13	JUDGE MAYBERRY: All right, thank you, Counsel. And so we'll
14	return to Patent Owner for their surreply.
15	MR. ARGENTI: Thank you, Your Honor. I will do my best to make
16	sure I complete it in my remaining time.
17	So, I'm going to turn first to what we just herd from Mr. Phero
18	regarding their expert, Mr. Orr. He referred to the Federal Circuit's Kyocera
19	case. That Kyocera case is not on point here. As I explained during my
20	argument, this is not an issue of qualifications under the Federal Rules of
21	Evidence or the admissibility of Mr. Orr's testimony. It's an issue of the
22	credibility to be given his testimony and the weight to be given his
23	testimony.
24	We pointed out that he didn't reach the qualifications of a POSA until

at least six years after the invention date, so he does not have firsthand

1 knowledge of the state of the art at the time, which is not a legal bar from 2 him testifying in this case. But it does go to credibility given his testimony 3 that there's not a lot of detail in *Volpe* and his inability to answer questions 4 about *Volpe*. If *Volpe* was what he used to educate himself as to what's 5 going to on with the machine in *Volpe*, then I would argue that that is 6 insufficient based on his own testimony. He admitted that Volpe's 7 disclosure is very thin. He was unable to answer questions about how it was 8 put together, how to works. And he doesn't have person knowledge. That's 9 what the issue is in terms of his qualifications.

10 Now, moving to the second issue, Mr. Phero brought up page 100 of 11 *Volpe*. And apologies, I didn't catch the slide that it was on of Petitioner's 12 demonstrative exhibits, but there was reference to page 100 of the *Volpe* 13 PDF to make a point about the location of the pin. And he highlighted the 14 upper portion of the lifting column and showed that that's where the pin is. 15 That's totally consistent with the point in our surreply. The area that he 16 highlighted is below the operator's feet, rendering it difficult, if not 17 impossible, to reach down and pull that pin.

18 And then we heard Mr. Phero say, the operator's not getting out of the 19 cab to pull that pin. Well, yes, the operator is getting out of the cab because that's what Volpe says. It's a manual swing operation. The operator gets 20 21 out of the cab to put the block under *Volpe*. The operator gets out of the cab to swing the arm in Volpe. So, it's totally consistent that the operator is 22 23 getting out of the cab to pull that pin that's below the operator's feet when 24 the operator's sitting in the seat. So, whether it's before the modification or 25 after the modification, the operator's getting out of the cab.

1 I want to then jump to the means-plus-function limitation. There was 2 discussion, Mr. Phero referred to the American National Manufacturing 3 case. I mentioned this earlier, but I just want to point it out again since he 4 bought that case up. American National Manufacturing is not the exact same circumstances as here, as Mr. Phero alleged. In American National 5 6 Manufacturing, as Your Honor recognized, the petition for the means-plus-7 function claim made specific reference to an earlier claim that was not a 8 means-plus-function claim. And the Board also found in that case that there 9 was discussion of the specification and the corresponding structure in the 10 specification. And that was not with reference to a claim. It was the written 11 description and figures of the specification. Petitioner has not cited a single 12 case for the proposition that pointed to prior art with reference to a 13 dependent claim satisfies the requirement that you identify corresponding 14 structure in the specification. They don't have that case.

15 Now, turning to one of the last issues that Mr. Phero addressed 16 regarding claim 30 and *Bitelli*. He argued, well, it's very clear that there's 17 an actuator and two linkages in *Bitelli*. I would argue that that's not clear 18 because we don't know what they rely on as the actuator. On one page of 19 the petition, it is the hydraulic cylinder. On another page of the petition, it is 20 the hydraulic cylinder and the brackets on either side. I think that's what he 21 was referring to as the linkages. So, sometimes, it's an actuator and two 22 linkages, and other times, it's just an actuator. So, that, again, goes to the 23 issue with their failure to lay out their case with specificity.

He acknowledged that their petition could have been more clear with the annotations, but he seems to think that that's a trivial issue. It's not. It

goes to their burden of proving unpatentability. And they've failed to do it
 here.
 Thank you.
 JUDGE MAYBERRY: All right. Thank you, Counsel. And so this
 is Judge Mayberry again. I really want to thank both Patent Owner's
 counsel and Petitioner's counsel for their presentation of these three

- 7 proceedings.
- 8 And with that, all three of these cases have been submitted and we are
- 9 off the record.
- 10 (Whereupon, the proceedings at 2:14 p.m. were concluded.)

PETITIONER:

Ryan Levy Seth Ogden William Sekyi Nathan North Mark Kilgore Dominic Rota PATTERSON INTELLECTUAL PROPERTY LAW, P.C. rdl@iplawgroup.com sro@iplawgroup.com min@iplawgroup.com mak@iplawgroup.com dar@iplawgroup.com

Ralph Powers Graham Phero John Higgins STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C. tpowers-ptab@sternekessler.com gphero-ptab@sternekessler.com jhiggins-ptab@sternekessler.com

PATENT OWNER:

Matthew Argenti Michael Rosato Wesley Derryberry Tasha Thomas WILSON SONSINI GOODRICH & ROSATI margenti@wsgr.com mrosato@wsgr.com wderryberry@wsgr.com tthomas@wsgr.com