

Please type a plus sign (+) inside this box  $\rightarrow$  +

PTO/SB/16 (2-98)

Approved for use through 01/31/2001. OMB 0651-0037 Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a

valid OMB control number. PROVISIONAL APPLICATION FOR PATENT COVER SHEET This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c).

		IN	VENTOR(S	5)		#-			
Given Name (first and mide	Family Name of	Residence (City and either State or Forei				Country)			
George C. BRAINAR			TT. 11. C.11 N			New			
Additional inventor	rs are bein	g named on the	separately	numbered s	heets att	tached l	hereto		
	1	TITLE OF THE INV	/ENTION (28	0 characters	max)				_
A NEW PHOTO	RECEI	YTOR SYSTE	EM FOR N	MELATO	NIN R	EGU	LATI	ON	
Direct all corresponden	nce to:	CORRESPO	ONDENCE A	DDRESS		10			7
Customer Number 24358 Place Customer Number Bar Code Label here									
OR Type Customer Number here									
Firm or Individual Name Clifford Kent Weber									
ddress						011217			
ddress									
lity			State	ZI		ZIP			
Country			Telephone	(215) 503-0757 F				Mada	
	E	ENCLOSED APPL	ICATION PA	RTS (check	all that a	apply)	7		
X Specification Number of Pages 4 X Small Entity Statement									
X     Drawing(s) Number of Sheets     12     X     Other (specify)     Express Mail Letter									
METHOD OF PAYMEN	IT OF FILI	NG FEES FOR TH	HIS PROVISI	ONAL APPLI	CATION	FOR P	ATENT	(check o	ne)
A check or money	order is e	nclosed to cover t	he filing fees					FILING FE	1.1.1
The Commissione	r is hereby	authorized to cha	arae filina					150.00	<i>•</i> /
X The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: 50-0491									
The invention was mad United States Governm No. Yes, the name of the <u>NIH RO1NS3</u>	nent.					ontract	with an	agency of	f the
spectfully submitted,	C 0.11.	1 X. Webe		Date	08/2	28 ,00			
NATURE	- //		า	REGISTR		NO 42	2,215	11041(0)	
PED or PRINTED NAM	rd K. Weber			appropriate)		-,			
LD OF FIGHTED TO UV				Docket Nu					

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C., 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, D.C., 20231.

10

1091

œ c

Ø

PTO

ι

Under the Paperwork Reduction Act of 1995, no persons are requir	red to r	espond	toac	Paten collectio	t and Tr	Approved for use through 09/30/2000 ademark Office: U.S. DEPARTMEN	T OF COMMEDCE
(FEE TRANSMITTA		Complete if Known					
		Appl	icatio	n Nur	nber		
for FY 2000		Filing Date					
Patent fees are subject to annual revision. Small Entity payments <u>must</u> be supported by a small entity state.		First Named Inventor B			entor	BRAINARD, George	
otherwise large entity fees must be paid. See Forms PTO/SB/0.	ment, 9-12.	nt, 2. Examiner Name					
See 37 C.F.R. §§ 1.27 and 1.28.		Group / Art Unit					
TOTAL AMOUNT OF PAYMENT (\$) \$75.00		Attorney Docket No. BRA01-P0003					
METHOD OF PAYMENT (check one)		FEE CALCULATION (continued)					
1. X The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to:	3. A	DDIT	ION	AL FE	ES		14. Add
Depend F	Fee	Fee	Fee		У	Fee Description	Fee Paid
Account 50-0491	105	le (\$) 130	205	le (\$) 65	Surcha	arge - late filing fee or oath	
Deposit []	127	50	227	25		arge - late provisional filing fee or	
Account Name Thomas Jefferson University				20	cover		
	139	130	139	130		nglish specification	
Charge Any Additional Fee Required Under 37 CFR §§ 1.16 and 1.17	55554			2,520		ng a request for reexamination	
2. Payment Enclosed:	112	920*	112	920*	Examin	sting publication of SIR prior to ner action	
Check Money Other	113	1,840*	113	1,840'	Reque	sting publication of SIR after ner action	
FEE CALCULATION	115	110	215	55		sion for reply within first month	
1. BASIC FILING FEE	116	380	216	190	Extens	sion for reply within second month	
Large Entity Small Entity	117	870	217			ion for reply within third month	
Fee Fee Fee Fee Description Code (\$) Code (\$) Fee Paid	137532	1,360				ion for reply within fourth month	
101 690 201 345 Utility filing fee		1,850	228			ion for reply within fifth month	
106 310 206 155 Design filing fee	119	300 300	219			of Appeal a brief in support of an appeal	
107 480 207 240 Plant filing fee	120 121	260	220 221			st for oral hearing	
108 690 208 345 Reissue filing fee 114 150 214 75 Provisional filing fee \$75.00		1,510	138		Petition	n to institute a public use proceeding	
	140	110	240	55	Petition	n to revive - unavoidable	
SUBTOTAL (1) (\$) 75.00	141	1,210	241	605	Petition	n to revive - unintentional	
2. EXTRA CLAIM FEES		1,210			12000	ssue fee (or reissue)	
Extra Claims below Fee Paid	143 144	430 580	243 244	215 290		i issue fee ssue fee	
Independent         -20*         -2* <t< td=""><td>122</td><td></td><td>122</td><td></td><td></td><td>ns to the Commissioner</td><td></td></t<>	122		122			ns to the Commissioner	
Multiple Dependent	123	50	123	50		ns related to provisional applications	
**or number previously paid, if greater; For Reissues, see below	126	240	126	240		ssion of Information Disclosure Stmt	
Large Entity Small Entity Fee Fee Fee Fee Fee Description Code (\$) Code (\$)	581	40	581	40	Record	ling each patent assignment per	
103 18 203 9 Clarms in excess of 20	146	690	246	345	Filing a	y (times number of properties) submission after final rejection	
102 78 202 39 Independent claims in excess of 3	149	690	249	345	(37 CFI	R § 1.129(a))	
104 260 204 130 Multiple dependent claim, if not paid	. 10	000	2.0	0.0		ch additional invention to be ied (37 CFR § 1.129(b))	
109 78 209 39 ** Reissue independent claims over original patent	Other	fee (spe	ecify)				
110 18 210 9 ** Reissue claims in excess of 20 and over original patent	Other	fee (spe	ecify)				
SUBTOTAL (2) (\$)	Redu	ced by	Basic	Filing F	ee Paid	SUBTOTAL (3) (\$)	
SUBMITTED BY						Complete (if applicable)	
Name (Pnnt/Type) Clifford Kent Weber		Registr (Attorney			2,215		3-0757
Signature Without Kent Walton		, morrie)	Aryon	<u> </u>	,	Date 08/28/20	
Date 06/26/2000							

.

WARNING:

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

 $\sim$ 

ĸ.

.

PTO/SB/21 (12-97) Approved for use through 9/30/00, OMB 0651-0031

TRANS         FO         (to be used for all corresponent)         Total Number of Pages in         X         Fee Transmittal Form         Fee Attached         Amendment / Respon         After Final	RM ndence after initia This Submission	al filing) 22 ENCLOS	nent Papers	umber	Not Known BRAINARD, George C. BRA01-P0003		
(to be used for all correspondent of Pages in Total Number of Pages in X Fee Transmittal Form Fee Attached Amendment / Respondent / Res	ndence after initia	22 ENCLOS Assignm (for an A	Group Art Unit Examiner Name Attorney Docket N SURES (check all the nent Papers	umber	BRA01-P0003		
Total Number of Pages in         X         Fee Transmittal Form         Fee Attached         Amendment / Respon	This Submission	22 ENCLOS Assignm (for an A	Examiner Name Attorney Docket N SURES (check all the nent Papers				
X Fee Transmittal Form Fee Attached Amendment / Respon		ENCLOS Assignm (for an A	Attorney Docket N SURES (check all the ment Papers				
X Fee Transmittal Form Fee Attached Amendment / Respon		ENCLOS Assignm (for an A	SURES (check all the nent Papers				
Fee Attached	3e	Assignm (for an A	nent Papers	hat apply	)		
Fee Attached	3e	] (for an A	nent Papers	Г			
Affidavits/decla Extension of Time Red Express Abandonment Information Disclosure Certified Copy of Prior Document(s) Response to Missing I Incomplete Application Response to M Parts under 37 1.52 or 1.53	ration(s)	Licensin Petition and Acc To Conv Provision Power o Change Address Termina Small Er	g(s) Routing Slip (PTO/SB companying Petition vert a nal Application of Attorney, Revocatior of Correspondence		After Allowance Communication to Group Appeal Communication to Board of Appeals and Interferences Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter X Additional Enclosure(s) (please identify below): Provisional Application Cover Sheet and Provisional Application, including specification		
	SIGNATURE O	F APPLIC	CANT, ATTORNEY,	OR AG	ENT		
Firm	Kent Weber						
Signature	N Kest We	den					
Date August 28, 2000							
	CE	RTIFICA	TE OF MAILING	(10)			
hereby certify that this corre nvelope addressed to: Assis	spondence is beir	ng deposite	ed with the United Sta	tes Posta	Il Service a <u>s first class mail in an</u>		

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be send to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

.

.

.

t

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

# ATTORNEY DOCKET NO .: BRA01-P0003

# TITLE: A NEW PHOTORECEPTOR SYSTEM FOR MELATONIN REGULATION

## INVENTORS: BRAINARD, George

ų,

÷.

4

"Express Mail" Label No. EE 388 354 145 US Date of Deposit – August 28, 2000 I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

lifford Fest Weber By

Typed Name: CLIFFORD KENT WEBER

**Box Provisional Patent Application** Commissioner of Patents & Trademarks Washington, DC 20231

Sir:

# PROVISIONAL APPLICATION TRANSMITTAL LETTER

Transmitted herewith for filing, please find the following:

- (XX) Specification containing4 pages.
- (XX) Transmittal Form

- (XX) Provisional Application Cover Sheet
- (XX) Fee Transmittal

.

÷.

 $\hat{\mathbf{x}}$ 

4

(XX) Small Entity Statement

Respectfully submitted,

٠

2

Clifford Kind Weber

Clifford Kent Weber, Esq. Registration No. 42,215

	PT	O/SB/11 (12-97)
	Approved for use through 9/30/00	OMB 0651-0031
Saland and	Approved for use through 9/30/00. Trademark Office; U.S. DEPARTMENT	0110 0001-0001
atent and	Trademark Unice; U.S. DEPARIMENT	OF COMMERCE

STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) & 1.27(d))NONPROFIT ORGANIZATION	Docket Number (Optional) BRA01-P0003
Applicant, Patentee, or Identifier: Thomas Jefferson University	
Application or Patent No.: <u>Not Known</u> Filed or Issued: <u>Not Known</u>	
Title: A NEW PHOTORECEPTOR SYSTEM FOR MELATONIN REGULATION	
I hereby state that I am an official empowered to act on behalf of the nonprofit organization ide NAME OF NONPROFIT ORGANIZATION <u>Thomas Jefferson University</u> ADDRESS OF NONPROFIT ORGANIZATION <u>1020 Walnut St. Suite 620</u> Philadelphia, PA 19107	ntified below:
TYPE OF NONPROFIT ORGANIZATION:	
TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 U.S.C. 501(a) and 501	(c)(3))
NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNI (NAME OF STATE (CITATION OF STATUTE	TED STATES OF AMERICA
WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26) IF LOCATED IN THE UNITED STATES OF AMERICA	. / U.S.C. 501(a) and 501(c)(3))
☐ WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE STATES OF AMERICA IF LOCATED IN THE UNITED STATES OF AMERICA (NAME OF STATE	OF STATE OF THE UNITED
I hereby state that the nonprofit organization identified above qualifies as a nonprofit organ 1.9(e) for purposes of paying reduced fees to the United States Patent and Trademark Office regaring in:	ization as defined in 37 CFR rding the invention described
<ul> <li>It the specification filed herewith with title as listed above.</li> <li>It the application identified above.</li> <li>It the patent identified above.</li> </ul>	
I hereby state that rights under contract or law have been conveyed to and remain with regarding the above identified invention. If the rights held by the nonprofit organization are no concern, or organization having rights in the invention must file separate statements as to their that no rights to the invention are held by any person, other than the inventor, who would not qualify under 37CFR 1.9(c) if that person made the invention, or by any concern which would not qualify under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).	t exclusive, each individual, status as small entities and as an independent inventor
Each person, concern, or organization having any rights in the invention is listed below:	
no such person, concern, or organization exists.	
I acknowledge the duty to file, in this application or patent, notification of any change in entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))	
NAME OF PERSON SIGNING Alan B. Kelly	
TITLE IN ORGANIZATION OF PERSON SIGNING University Counsel	D.4.10100
ADDRESS OF PERSON SIGNING 1020 Walnut Street Suite 630, Philadelphia	
SIGNATURE DATE August 28, 2000	

. .

comments on the amount of time you are/required to camplete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

•

•

•

# Human Melatonin Regulation is Not Mediated by the Three Cone Photopic Visual System

ABSTRACT The aim of this study was to test if the three cone photopic visual system is the primary ocular photoreceptor input for human circadian regulation by determining the effects of different wavelengths on light-induced melatonin suppression. Healthy subjects with stable sleeping patterns (wake-up time 7:30 AM  $\pm$  12 min) and normal color vision were exposed at night to full-field 505 nm or 555 nm monochromatic stimuli or darkness for 90 min. Plasma collected before and after exposures was quantified for melatonin. Subjects exposed to 10 irradiances at 505 nm showed no significant differences across mean pre-exposure melatonin values (F=0.505). A sigmoidal fluence-response curve fitted to the melatonin suppression data (R<sup>2</sup>=0.97) indicated that 9.34 x10<sup>12</sup> photons/cm<sup>2</sup>/sec induced a half-saturation response (ED<sub>50</sub>) while 6.84 x10<sup>13</sup> photons/cm<sup>2</sup>/sec induced a saturation melatonin suppression response. Further, a dose of 4.19 x10<sup>13</sup> photon/cm<sup>2</sup>/sec at 505 nm was significantly stronger (P<0.01) than an equal photon dose at 555 nm for melatonin suppression. These data demonstrate that the cone system that mediates human photopic vision is not the primary photoreceptor system to transduce light stimuli for melatonin regulation.

### Introduction

The underlying neuroanatomy and neurophysiology which mediate vision have been studied extensively over the past two centuries. More recently, the retinohypothalamic tract (RHT), a distinct neural pathway which supports circadian regulation by environmental light, has been shown to project from the retina to the suprachiasmatic nuclei (SCN) in the hypothalamus (1, 2). A well-defined multisynaptic neural pathway extends from the SCN to the pineal gland which transmits information about light and circadian time for entraining the rhythmic production and secretion of the hormone melatonin (1-4). In addition to synchronizing pineal indolamine circadian rhythms, ocular exposure to light during the night can acutely suppress melatonin synthesis and secretion (5, 6). Light-induced melatonin suppression is a well-defined, broadly used marker for photic input to the RHT and SCN (2, 4, 7, 8).

Currently, it is not known what photoreceptors transduce light stimuli for circadian regulation. Studies on animals with hereditary or light-induced retinal degeneration have raised the possibility that neither the rods nor the cones used for vision participate in light-induced melatonin suppression, circadian locomotor phase-shifts, or photoperiodic responses (8-12). Furthermore, bilateral removal of the eyes from rod-less, cone-less transgenic mice abolished light-induced circadian phase-shifting and acute melatonin suppression (8, 12). Recently, light-induced melatonin suppression and circadian entrainment have been demonstrated in humans with complete visual blindness (13) and with specific color vision deficiencies (14). The study on humans with color vision deficiencies showed that protanopic and deuteranopic subjects who lacked functioning long wavelength-sensitive cones (red, or L cones), and middle wavelength cone photoreceptors (green, or M cones), exhibited normal light-induced melatonin suppression and entrainment of the melatonin rhythm (14). Thus, by themselves, neither the red nor green cone system could be the primary input for melatonin regulation, at least in humans with color vision deficiencies. Together, the results from human and animal circadian studies on different forms of visual blindness suggest that melatonin regulation by light is controlled, at least in part, by photoreceptors which differ from the photoreceptors that mediate vision.

Recent studies with various vertebrate species have identified several new molecules which may serve as circadian photopigments. These putative photopigments include both opsin-based molecules, such as vertebrate ancient (VA) opsin and melanopsin, as well as non-opsin molecules like the cryptochromes (15-17). Among these new photopigments, only melanopsin has been specifically localized to the human retina (18). The molecular identification of these candidate photopigments and their localization in the retina and/or neural components of the circadian system make them well-suited to act as circadian phototransducers. Functional data confirming their direct role in circadian photoreception, however, are lacking.

The aim of this study was to test the hypothesis that the three cone system which supports photopic (daytime) vision is the primary input for pineal melatonin suppression in humans with normal, healthy eyes. The peak wavelength sensitivity of the photopic visual system is generally believed to be near 555 nm (19). If melatonin regulation is mediated primarily by the three cone photopic visual system, then 555 nm light would be the most potent wavelength for regulating melatonin secretion. Our data show that 505 nm is approximately four times stronger than 555 nm in suppressing melatonin. These results demonstrate that the ocular photoreceptor primarily responsible for pineal melatonin regulation in humans, is not the cone system that is believed to mediate photopic vision. This study is the first test of a specific photoreceptor system for melatonin regulation in humans with healthy, intact eyes.

### Subjects, Materials and Methods

Subjects. The healthy females (N=6) and males (N=10) in this study had a mean  $\pm$  SEM age of 25.7  $\pm$  0.8 yrs, demonstrated normal color vision as measured by the Ishihara and Farnsworth

Munsell D-100 tests (mean FM score:  $64.2 \pm 11.5$ ), had a stable sleeping pattern (mean wake-up time 7:30 AM  $\pm$  12 min), and signed an approved IRB consent document before participating.

Light exposure protocol. Each experiment began at midnight when subjects entered a dimly lit room (10 lux). One drop of 0.5% Cyclopentolate HCl was placed in each eye to dilate the pupils, and blindfolds were placed over subjects' eyes. Subjects remained sitting upright in darkness for 120 min. While still blindfolded and just prior to 2:00 AM, a blood sample was taken by venipuncture. During light exposure, each subject's head rested in an ophthalmologic head holder facing a Ganzfeld apparatus that provided a concave, patternless, white reflecting surface encompassing the subject's entire visual field. The subjects were exposed to the light stimulus from 2:00 to 3:30 AM. During this 90 min exposure, subjects sat quietly, kept their eyes open and gazed at a fixed target dot in the center of the Ganzfeld dome. Subject compliance for keeping their eyes open and the subjects' pupil size were monitored by a miniature video camera. At 3:30 AM, a second blood sample was taken. Each subject was exposed to complete darkness from 2:00 to 3:30 AM on their control night and was tested with at least 6 days between each nighttime exposure. Plasma samples were assayed for melatonin by RIA (20). The minimum detection limit of the assay was 0.5 - 2.0 pg/mL. Control samples had 8% and 14% intra-assay coefficients of variation.

Light production and measurement. Experimental light stimuli were produced by xenon arc lamps (Photon Technology Int'l, Inc., Princeton, NJ) enclosed in a light-proof chamber and cooled by high-speed fans and water circulation. An exit beam of light from each source was directed by a parabolic reflector, and excess heat in this beam was reduced by a water filter. Monochromatic wavelengths (10-11 nm half-peak bandwidth) were produced by a grating monochromator and light irradiance was controlled by a manual diaphragm. The resulting light beam was directed into the top area of a Ganzfeld dome and reflected evenly off the walls into volunteers' eyes. The entire reflecting surface of the dome was coated with a white surface with a 95-99% reflectance efficiency over the 400 to 760 nm range. Routine measurement of the light irradiance (µW/cm<sup>2</sup>) was done with a J16 Meter with a J6512 irradiance probe (Tektronix, Beaverton, OR). Experimental light stimuli reflected from the Ganzfeld domes were measured at volunteers' eye level immediately before and after the 90 min exposure. Additional measures were taken each half hour of the exposure to insure stimulus stability and enable intensity readjustment. Subjects in the 505 nm series were exposed to intensities ranging from 0.011 to 97  $\mu$ W/cm<sup>2</sup> (a 3 log unit photon density range of 10<sup>10</sup> to 10<sup>13</sup> photons/cm<sup>2</sup>). Subjects exposed to 555

exposure. Statistics. Two-tailed, Students' t tests were used to assess significance of raw melatonin change from 2:00 to 3:30 AM. These data were then converted to % control-adjusted melatonin change scores as described elsewhere (21). For the 505 nm data, sets of pre-exposure melatonin values and % control-adjusted melatonin change scores were analyzed with one-way, repeated measures ANOVA. Significant differences between groups were assessed with post-hoc Scheffe F-tests; alpha was set at 0.05. For the 505 nm mean % control-adjusted melatonin suppression data, the computer program Origin 6.0 (Microcal, Northampton, MA) was used to fit a fluence-response curve to a 4 parameter model as described elsewhere (22), and to test for goodness-offit of the data by coefficient of correlation.

nm received control or a 15  $\mu$ W/cm<sup>2</sup> (4.2 x 10<sup>13</sup> photons/cm<sup>2</sup>)

### Results

The full 505 nm data complement, from raw melatonin values to a final fluence-response curve, is illustrated in

Figures 1-3. Across all nights of testing, there were no significant differences (F=0.85) between sets of pre-exposure melatonin values indicating that plasma levels were consistent across the different study nights. Figure 1 shows the mean ± SEM pre- and post-exposure melatonin values. One-way, repeated measures ANOVA showed a significant effect of light intensity on plasma melatonin % change scores (F=17.17, P<0.0001). Paired t tests demonstrated that compared to the  $0 \,\mu$ W/cm<sup>2</sup> control night, all intensities at or above 5.5 µW/cm<sup>2</sup> significantly suppressed melatonin (P<0.05 or less). In contrast, irradiances of 2.8, 1.4 and 0.011 µW/cm<sup>2</sup> did not suppress melatonin compared to the control night (Scheffe F values: 0.97, 0.01 and 0.02, respectively). As illustrated in Figure 2, all melatonin data were converted to control-adjusted % change scores. As with the melatonin % change scores, ANOVA showed a significant effect of light intensity on plasma melatonin % control-adjusted change scores (F=13.59, P<0.0001).



Figure 1: In this graph the bars represent group mean + SEM plasma melatonin values (N=8) before and after monochromatic light exposure at 505 nm. There were no significant variations across mean melatonin prelight exposure values (F=0.85). Paired, two-tailed Students' t tests demonstrated which light intensities elicited a significant melatonin suppression.



Figure 2: This graph illustrates group mean + SEM % control-adjusted melatonin change values (N=8) at 505 nm monochromatic light exposure. The figure shows that progressively higher light irradiance exposure produces increasingly greater melatonin suppression.

Figure 3 illustrates a best fit, sigmoidal fluenceresponse curve which plots melatonin % control-adjusted scores against stimulus photon density. The specific formula for this curve is included in the figure.



Figure 3: This figure demonstrates the fitted fluenceresponse curve for photon density and % controladjusted melatonin suppression (N=8). Each data point represents one group mean  $\pm$  SEM.

Subjects exposed to 555 nm received both control (0  $\mu$ W/cm<sup>2</sup>) and 15  $\mu$ W/cm<sup>2</sup> (4.2 x 10<sup>13</sup> photons/cm<sup>2</sup>) exposures. For the control and light exposure nights, the mean pre-exposure raw melatonin scores were 64.4 ± 12.5 and 59.6 ± 6.2, while the mean post-exposure scores were 62.6 ± 10.5 and 49.1 ± 6.0, respectively. The modest drop in melatonin over the 90 min 555 nm light exposure period was not statistically significant (t=1.69, df=7, P=0.14). For comparison of responses to 505 nm and 555 nm, Figure 4 illustrates % control-adjusted melatonin suppression relative at equal photon densities across the two wavelengths. These data reveal that 505 nm is significantly stronger than 555 nm in suppressing melatonin (t=-3.04, df=14, P<0.01).



Figure 4: The bars represent group mean + SEM values relative to an equal photon dose of  $4.2 \times 10^{13}$  photons/cm<sup>2</sup>. These data show that the 505 nm % control-adjusted plasma melatonin suppression is significantly stronger than that for 555 nm.

### Discussion

The data presented here demonstrate that: 1) there is a clear fluence-response relationship between graded light intensities of 505 nm light and melatonin suppression, and 2) that 505 nm light is significantly stronger than 555 nm light for suppressing melatonin in healthy, human subjects.

Previous studies with animals and humans have illustrated fluence-response relationships for melatonin suppression and circadian phase-shifting with exposure to monochromatic light (23-25) as well as white light (22, 26). A recent study on human subjects suggests that a four parameter curve is optimum for modeling light-induced melatonin suppression and circadian phase shifting (27). That contention matches our own earlier animal data (22) as well as the 505 nm data reported here.

The demonstration that 505 nm light is more potent than 555 nm light for controlling melatonin has important basic science and clinical implications. In humans, it is well-established that higher levels of ocular illumination are required for stimulating the circadian system than for supporting vision (6, 25, 30). Consequently, many investigators have considered the three cone photopic visual system to be responsible for stimulating circadian and neuroendocrine responses since this part of the visual system is responsive to "bright" daytime levels of illumination. Over the past 20 years most of the published literature on human circadian responses to light reports light levels in terms of illuminance (lux, lumens) which is a specific measure based on the traditional sensitivity curve of the photopic visual system. The peak wavelength sensitivity of that curve is 555 nm (19). Indeed, some researchers have argued that their data support the notion that the visual cones are involved in circadian phase-shifting in humans (28). If melatonin regulation is mediated primarily by the three cone photopic visual system, then 555 nm light should be the most potent wavelength for regulating melatonin. Our data do not support this hypothesis. On the contrary, 505 nm is significantly stronger, photon for photon, than 555 nm in suppressing melatonin. The clinical implication of this result is that it is not optimum to use photometric values (lux) for quantifying light used therapeutically in patients with certain sleep disorders or circadian disruption due to shiftwork or intercontinental jet travel as is the current standard practice (29).

Ideally, the best circadian measurement system would match the action spectrum for human circadian regulation. That action spectrum would not only elucidate the relative circadian potencies of different wavelengths, but it should help identify the photoreceptor that initiates signals from the retina to the SCN. Unfortunately, an action spectrum has yet to be established for any circadian response in humans. It remains possible that one of the "classic" visual photopigments such as rhodopsin or the short wavelength sensitive (blue) cone opsin mediates circadian phototransduction. Alternatively, one of the new opsin or non-opsin molecules that have been proposed as circadian photopigments (15-17) may prove to serve this function. Until the action spectrum for circadian regulation in humans has been clarified, it remains reasonable to continue using photometric terminology and measurements for characterizing light that regulates the circadian system.

In summary, monochromatic 505 nm light suppressed melatonin in a fluence-response manner, and is approximately four times stronger than a 555 nm stimulus at an equal photon dose for melatonin suppression. These data demonstrate that the three cone system that is believed to mediate human photopic vision is not the primary photoreceptor system to transduce light stimuli for melatonin regulation.

### Acknowledgments

The authors gratefully acknowledge the technical advice and assistance of William Thornton, PhD, William Coyle, James Gardner, Robert Glasgow, Christine Alocillo, Jeff Santeman and John Cook. Their input was invaluable to this project. This work was supported by grants from NIH RO1NS36590 (to GCB) and NSF IBN9809916 (to MDR).

### References

- 1. Moore RY, Lenn NJ 1972 A retinohypothalamic projection in the rat. J Comp Neurol. 146:1-14.
- 2. Klein DC, Moore RY, Reppert SM, eds. 1991 Suprachiasmatic Nucleus: The Mind's Clock. Oxford: Oxford University Press; 5-456.
- 3. Schwartz WJ, Busis NA, Hedley-Whyte ET 1986 A discrete lesion of ventral hypothalamus and optic chiasm that disturbed the daily temperature rhythm. J Neurol. 233:1-4.
- 4. Arendt J 1998 Melatonin and the pineal gland: influence on mammalian seasonal and circadian physiology. Rev. Reprod. 3, 13-22.
- 5. Klein DC, Weller JL 1972 Rapid light-induced decrease in pineal serotonin N-acetyltransferase activity. Science. 177:532-533.
- Lewy AJ, Wehr TA, Goodwin FK, Newsome DA, Markey SP 1980 Light suppresses melatonin secretion in humans. Science. 210:1267-1269.
- 7. Brainard GC, Rollag MD, Hanifin JP 1997 Photic regulation of melatonin in humans: ocular and neural signal transduction. J Biol Rhythms. 12:537-546.
- 8. Lucas RJ, Foster RG 1999 Neither functional rod photoreceptors nor rod or cone outer segments are required for the photic inhibition of pineal melatonin. Endocrinology. 140:1520-1524.
- 9. Webb SM, Champney TH, Lewinski AK, Reiter RJ 1985 Photoreceptor damage and eye pigmentation: influence on the sensitivity of rat pineal Nacetyltransferase activity and melatonin levels to light at night. Neuroendocrinology. 40:205-209.
- Goto M, Ebihara S 1990 The influence of different light intensities on pineal melatonin content in the retinal degenerate C3H mouse and the normal CBA mouse. Neurosci Lett. 108:267-272.
- Foster RG, Provencio I, Hudson D, Fiske S, DeGrip W, Menaker M 1991 Circadian photoreception in the retinally degenerate mouse (rd/rd). J Comp Physiol [A]. 169:39-50.
- 12. Freedman MS, Lucas RJ, Soni B, et al. 1999 Regulation of mammalian circadian behavior by non-rod, non-cone, ocular photoreceptors. Science. 284:502-504.
- Czeisler CA, Shanshan TL, Klerman EB, et al. 1995 Suppression of melatonin secretion in some blind patients by exposure to bright light. N Engl J Med. 332:6-11.
- 14. Ruberg FL, Skene DJ, Hanifin JP, et al. 1996 Melatonin regulation in humans with color vision deficiencies. J Clin Endocrinol Metab. 81:2980-2985.
- 15. Soni BG, Foster RG 1997 A novel and ancient vertebrate opsin. FEBS Lett. 406:279-283.
- 16. Provencio I, Jiang G, De Grip WJ, Hayes WP, Rollag MD 1998 Melanopsin: an opsin in melanophores, brain, and eye. Proc Nati Acad Sci U S A. 95:340-345.

- 17. Miyamoto Y, Sancar A 1998 Vitamin B2-based bluelight photoreceptors in the retinohypothalamic tract as the photoactive pigments for setting the circadian clock in mammals. Proc Natl Acad Sci U S A. 95:6097-6102.
- Provencio I, Rodriguez IR, Jiang G, Hayes WP, Moreira EF, Rollag MD 2000 A novel human opsin in the inner retina. J Neurosci. 20:600-605.
- 19. Rodieck RW 1998 The First Steps in Seeing. Sunderland, MA: Sinauer Associates, Inc.; 1-562.
- Rollag MD, Niswender GD 1976 Radioimmunoassay of serum concentrations of melatonin in sheep exposed to different lighting regimens. Endocrinology. 98:482-489.
- 21. Gaddy JR, Rollag MD, Brainard GC 1993 Pupil size regulation of threshold of light-induced melatonin suppression. J Clin Endocrinol Metab. 77:1398-1401.
- 22. Brainard GC, Richardson BA, King TS, Matthews SA, Reiter RJ 1983 The suppression of pineal melatonin content and N-acetyltransferase activity by different light irradiances in the Syrian hamster: a doseresponse relationship. Endocrinology. 113:293-296.
- 23. Podolin PC, Rollag MD, Brainard GC 1987 The suppression of nocturnal pineal melatonin in the Syrian hamster: dose-response curves at 500 nm and 360 nm. Endocrinology. 121:266-270.
- Endocrinology. 121:266-270.
  24. Brainard GC, Lewy AJ, Menaker M, et al. 1988 Dose-response relationship between light irradiance and the suppression of melatonin in human volunteers. Brain Res. 454:212-218.
- 25. Nelson DE, Takahashi JS 1991 Comparison of visual sensitivity for suppression of pineal melatonin and circadian phase-shifting in the golden hamster. Brain Res. 554:272-277.
- Boivin DB, JF Duffy, RE Kronauer, CA Czeisler 1996 Dose-response relationships for resetting of human circadian clock by light. Nature 379, 540-542.
- 27. Zeitzer JM, Dijk D-J, Kronauer RE, Brown EN, Czeisier CA 2000 Sensitivity of the human circadian pacemaker to nocturnal light: melatonin phase resetting and suppression. J Physiol. in press.
- 28. Zeitzer JM, Kronauer RE, Czeisler CA 1997 Photopic transduction implicated in human circadian entrainment. Neurosci Lett. 232:135-138.
- 29. 1995 Special Issue: Task force report on light treatment for sleep disorder J. Biol. Rhythms 10, 99-176.
- 30. Czeisler CA, Allan JS, Strogatz SH, Ronda JM, Sanchez R, Rios CD, Freitag WO, Richardson GS, Kronauer RE 1986 Bright light resets the human circadian pacemaker independent of the timing of the sleepwake cycle. Science 233, 667-671.

.

.

# **ACTION SPECTRUM METHODS**

- Each volunteer studied on separate nights with at least one week between experiments.
- Volunteers exposed to: 1) one night of no light exposure,
  2) six or more nights of light exposure from 02:00 to 03:30.
- All light exposures are monochromatic and done in a ganzfeld apparatus.
- Each fluence-response curve uses a within subjects design.
- Blood assayed for melatonin content by RIA.

BASIC PRUTOCOL

•

.



Z EYPOSURE APPARATIS

Page 12 of 22

then the number of the state of

, ·

د



3.) SPECIFIC PROTOCOL



Page 14 of 22





Ń THE MEAN EDSO OF EACH FLUENCE-RESPONSE CURVE IS SHOWN AS A DOT. THEY ARE FITTED TO A VITAMIN AI OPSIN NOMOGRAM. THE PEAK WAVELENGTH IS YGYNM. THE DATA POINTS MAE QUENTED FROM FIGURE ().



0 THIS KMAX = 507; GREEN CONE, KMAX = 531 NM; REDCONE, KMAX = 565 NM). DATA ARE VITAMIN A, OPSINS (BLUE CONE, & MAX= 425NM; RHODOPS/N, OR ROD CELL THE FOUR KNOW HUMAN RETINAL PHOTO PICHENTS WHICH AREA SHOWS +1- ONE STADOARD DEVATION, GRAPH SHOWS FROM FIGURE (?) IS INCLUDED (AMAX=464 NM). THE SHADED THE LONG WAVELENGTH LIMB Ц П



ONESTANDARD DEVIATION AROUND THE PEAK PUTS THE PEAK FROM 446NM TO 477NM.

STANDARD DEVIATIONS Two AROUND PEAK (952, CONFIDENCE INTERVAL THE PUTS PEAK THE RANGE OF THE IN 428 IS A VERY CONSERV. 490 THIS TO ATIVE ESTIMATE OF VARIABILITY

Page 18 of 22

LIMB OFOUR 464 NM NOTOGRAM : THE IRELIMINARY DATA SUPPURT THE VALIDITY OF A VITAMINA, BASIN NOMOGRAM AT 464 PEAK. FIGURES ()-(1) MAY OR MAY NOT BE PRESENTED AT THE GOLDON CONFERENCE. THIS STUDY PROBES THE SHORT WAVELENGTH

<del>ر</del>



Action Spectrum Follow-Up

4 copes

હો 460 NM APPEARS STRONG SUPPRESSING MELATONIN STRONGER THAN 400 + 420 NM FOR

\*(.,





460 nm

Yaj 4 HOONM AMPEARS MELATONIN SUPPRESSION, DEEDO Equal Photon Comparisons (N=5) 7.18 x 10<sup>12</sup> photons/cm<sup>2</sup>/second STRANGER 0 Control Adjuated Plaama Melatonin % Change Scores -20 40 F=11.88 df=2 p<0.008 -60 400 nm 420 nm 460 nm Wavelength