

**DOCUMENT MADE AVAILABLE UNDER THE
PATENT COOPERATION TREATY (PCT)**

International application number: **PCT/EP2015/076630**

International filing date: **13 November 2015 (13.11.2015)**


Document type: **Certified copy of priority document**

Document details: Country/Office: **US**
 Number: **62/079,622**
 Filing date: **14 November 2014 (14.11.2014)**

Date of receipt at the International Bureau: **24 February 2016 (24.02.2016)**

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a),(b) or (b-bis)

PA 1983612



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

November 24, 2015


THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 62/079,622

FILING DATE: November 14, 2014

THE COUNTRY CODE AND NUMBER OF YOUR PRIORITY APPLICATION, TO BE USED FOR FILING ABROAD UNDER THE PARIS CONVENTION, IS US62/079,622

**By Authority of the
Under Secretary of Commerce for Intellectual Property
and Director of the United States Patent and Trademark Office**




P. R. GRANT
Certifying Officer



**BUDAPEST RESTRICTED CERTIFICATE OF DEPOSIT
BUDAPEST TREATY ON THE INTERNATIONAL RECOGNITION OF
THE DEPOSIT OF MICROORGANISMS FOR THE PURPOSES OF PATENT PROCEDURE
INTERNATIONAL FORM
RECEIPT IN THE CASE OF AN ORIGINAL DEPOSIT ISSUED PURSUANT TO RULE 7.3
AND VIABILITY STATEMENT ISSUED PURSUANT TO RULE 10.2**

The American Type Culture Collection (ATCC®) has received your deposit of seeds/strain(s)/strain(s) in connection with the filing of an application for patent. The following information is provided to fulfill Patent Office requirements.

To: **Cynthia Stokley**
BASF Plant Science LP
26 Davis Drive
Research Triangle, NC 27709

Deposited on Behalf of: **BASF Plant Science LP**

Date of Receipt of seeds/strain(s) by the ATCC®: **11/04/2014**

Depositor Reference: **Brassica napus LBFLFK**

Strain: **LBFLFK**

Quantity: **100 Packets/25 seeds in each packet**

ATCC Designation: **PTA-121703**

The ATCC® understands that:

- 1 The deposit of these seeds/strain(s) does not grant ATCC® a license, either express or implied, to infringe the patent, and our release of these seeds/strain(s) to others does not grant them a license, either express or implied, to infringe the patent.
- 2 If the deposit should die or be destroyed during the effective term of the patent, it shall be your responsibility to replace it with viable material. It is also your responsibility to supply a sufficient quantity for distribution for the deposit term. ATCC® will distribute and maintain the material for 30 years or 5 years following the most recent request for the deposit, whichever is longer. The United States and many other countries are signatory to the Budapest Treaty.

Prior to the issuance of a U.S. Patent, the ATCC® agrees in consideration for a one-time service charge, not to distribute these seeds/strain(s) or any information relating thereto or to their deposit except as instructed by the depositor or relevant patent office. After relevant patent issues we are responsible to release the seeds/strain(s) and they will be made available for distribution to the public without any restrictions. We will inform you of requests for the seeds/strain(s) for 30 years from date of deposit.



The deposit was tested 11/10/2014 and on that date, the seeds/strain(s) were viable
International Depository Authority: American Type Culture Collection (ATCC®), Manassas, VA, USA

Signature of person having authority to represent ATCC®:

Rochelle Harrington

Rochelle Harrington

11/11/2014

Date

cc: **Patricia A. McDaniels**

Ref: Docket or Case No: **INV0077877**



**BUDAPEST RESTRICTED CERTIFICATE OF DEPOSIT
BUDAPEST TREATY ON THE INTERNATIONAL RECOGNITION OF
THE DEPOSIT OF MICROORGANISMS FOR THE PURPOSES OF PATENT PROCEDURE
INTERNATIONAL FORM
RECEIPT IN THE CASE OF AN ORIGINAL DEPOSIT ISSUED PURSUANT TO RULE 7.3
AND VIABILITY STATEMENT ISSUED PURSUANT TO RULE 10.2**

The American Type Culture Collection (ATCC®) has received your deposit of seeds/strain(s)/strain(s) in connection with the filing of an application for patent. The following information is provided to fulfill Patent Office requirements.

To: **Cynthia Stokley**
BASF Plant Science LP
26 Davis Drive
Research Triangle, NC 27709

Deposited on Behalf of: **BASF Plant Science LP**

Date of Receipt of seeds/strain(s) by the ATCC®: **11/04/2014**

Depositor Reference: **Brassica napus LBFDHG**

Strain: **LBFDHG**

Quantity: **100 Packets/25 seeds in each packet**

ATCC Designation: **PTA-121704**

The ATCC® understands that:

- 1 The deposit of these seeds/strain(s) does not grant ATCC® a license, either express or implied, to infringe the patent, and our release of these seeds/strain(s) to others does not grant them a license, either express or implied, to infringe the patent.
- 2 If the deposit should die or be destroyed during the effective term of the patent, it shall be your responsibility to replace it with viable material. It is also your responsibility to supply a sufficient quantity for distribution for the deposit term. ATCC® will distribute and maintain the material for 30 years or 5 years following the most recent request for the deposit, whichever is longer. The United States and many other countries are signatory to the Budapest Treaty.

Prior to the issuance of a U.S. Patent, the ATCC® agrees in consideration for a one-time service charge, not to distribute these seeds/strain(s) or any information relating thereto or to their deposit except as instructed by the depositor or relevant patent office. After relevant patent issues we are responsible to release the seeds/strain(s) and they will be made available for distribution to the public without any restrictions. We will inform you of requests for the seeds/strain(s) for 30 years from date of deposit.



The deposit was tested 11/10/2014 and on that date, the seeds/strain(s) were viable
International Depository Authority: American Type Culture Collection (ATCC®), Manassas, VA, USA

Signature of person having authority to represent ATCC®:

Rochelle Harrington

Rochelle Harrington

11/11/2014

Date

cc: **Patricia A. McDaniels**

Ref: Docket or Case No: **INV0077877**

Electronic Acknowledgement Receipt	
EFS ID:	20696738
Application Number:	62079622
International Application Number:	
Confirmation Number:	5101
Title of Invention:	MATERIALS AND METHODS FOR PUFA PRODUCTION, AND PUFA-CONTAINING COMPOSITIONS
First Named Inventor/Applicant Name:	Senger Toralf
Customer Number:	29137
Filer:	Yasmin Ibanez Frank
Filer Authorized By:	
Attorney Docket Number:	PF77877
Receipt Date:	14-NOV-2014
Filing Date:	
Time Stamp:	10:50:32
Application Type:	Provisional

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$ 2260
RAM confirmation Number	10890
Deposit Account	503852
Authorized User	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)

1	Drawings-only black and white line drawings	20141114_PF77877_Figures_formatiertIBA.pdf	4420424	no	80
			e8788ae99a68e6db592756d939f1556ca1506776		
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
2	Abstract	20141114_PF77877_Abtract_formatiertSA.pdf	22902	no	1
			eb88a28ded063fe3745c186bf6a795870e2f527c		
Warnings:					
Information:					
3	Claims	20141114_PF77877_Claims_formatiertSA.pdf	30631	no	3
			28b238c1f986186c6d1aaeed9dd6d3483750b2b4		
Warnings:					
Information:					
4	Specification	20141114_PF77877_Description_formatiertSA_QuerverwauSA.pdf	2190553	no	341
			ad1d4eef422dedf7d19100086a14b277aedf4a3		
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
5	Sequence Listing	20141114_PF77877_sequence_listing_formatiertSA.pdf	552007	no	265
			7637dc633d78887063909c8cb30a10edef86bdfb		
Warnings:					
Information:					
6	Provisional Cover Sheet (SB16)	20141114_PF77877_Coversheet.pdf	54448	no	2
			8efc95572bc91099a703bc45cc5673784405bea8		
Warnings:					
This is not a USPTO supplied Provisional Cover Sheet SB16 form.					
Information:					
7	Miscellaneous Incoming Letter	PTA-121703CD.pdf	21679	no	2
			d93f77c28284b5eb539b4feae1973dbdb0cc0554		
Warnings:					
Information:					
8	Miscellaneous Incoming Letter	PTA-121704CD.pdf	21678	no	2
			3eac7bce494297e5740a42955e80d7bdda59d31f		
Warnings:					
Information:					

9	Sequence Listing (Text File)	20141114_Pf77877_sequencelisting_formatiertSA.txt	638070	no	0
Warnings:					
Information:					
10	Fee Worksheet (SB06)	fee-info.pdf	31523	no	2
			d06e8e06eb94aebf83617d55c8cdd2aa730f1061		
Warnings:					
Information:					
Total Files Size (in bytes):			7983915		
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. <u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application. <u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. <u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.					




Figure 1: Schematic figure of the different enzymatic activities leading to the production of ARA, EPA and DHA

Formula used for pathway step conversion efficiency C _{eff}			$C_{eff} = \frac{100}{S + P} \times P$						
Pathway Step	Product Stream	pre-requisite of product stream							
d12Des	d12Des Product Stream 1	18:1n-9	18:1n-9	18:2n-6	18:3n-6	20:3n-6	20:4n-6	22:4n-6	22:5n-6
	d12Des Product Stream 2	18:3n-3 from 18:2n-6 via d15Des		18:3n-3	18:4n-3	20:4n-3	20:5n-3	22:5n-3	22:6n-3
	d12Des Product Stream 3	20:2n-6 from 18:2n-6 via d6Elo		20:2n-6					
	d12Des Product Stream 4	20:3n-3 from 18:3n-3 via d6Elo		20:3n-3					
d6Des	d12Des Product Stream 1	18:2n-6		18:2n-6	18:3n-6	20:3n-6	20:4n-6	22:4n-6	22:5n-6
	d12Des Product Stream 2	18:3n-3 produced by o3Des		18:3n-3	18:4n-3	20:4n-3	20:5n-3	22:5n-3	22:6n-3
d6Elo	d6Elo Product Stream 1	18:3n-6 produced by d6Des			18:3n-6	20:3n-6	20:4n-6	22:4n-6	22:5n-6
	d6Elo Product Stream 2	18:4n-3 produced by d6Des or o3Des			18:4n-3	20:4n-3	20:5n-3	22:5n-3	22:6n-3
d5Des	d5Des Product Stream 1	20:3n-6 produced by d6Elo				20:3n-6	20:4n-6	22:4n-6	22:5n-6
	d5Des Product Stream 2	20:4n-3 produced by d6Elo or o3Des				20:4n-3	20:5n-3	22:5n-3	22:6n-3
d5Elo	d5Elo Product Stream 1	20:4n-6 produced by d5Des					20:4n-6	22:4n-6	22:5n-6
	d5Elo Product Stream 2	20:4n-3 produced by d5Des or o3Des					20:5n-3	22:5n-3	22:6n-3
d4Des	d4Des Product Stream 1	20:4n-6 produced by d5Des						22:4n-6	22:5n-6
	d4Des Product Stream 2	20:4n-3 produced by d5Des or o3Des						22:5n-3	22:6n-3
o3Des	List of all o6Des Fatty acid substrates		18:2n-6	18:3n-6	20:2n-6	20:3n-6	20:4n-6	22:4n-6	22:5n-6
	List of all o3Des Fatty acid products		18:3n-3	18:4n-3	20:3n-3	20:4n-3	20:5n-3	22:5n-3	22:6n-3

Figure 2: Formulas to calculate pathway step conversion efficiencies. S: substrate of pathway step. P: product of pathway step. Product was always the sum of the immediate product of the conversion at this pathway step, and all downstream products that passed this pathway step in order to be formed. E.g. DHA (22:6n-3) does possess a double bond that was a result of the delta-12-desaturation of oleic acid (18:1n-9) to linoleic acid (18:2n-6).




Figure 3: Strategy employed for stepwise buildup of plant expression plasmids of the invention




Figure 4: Stability of binary plant expression plasmids containing the ColE1/pVS1 origin of replication for plasmid replication in *E.coli*/Agrobacteria. Left Panel: Stability in *Agrobacterium* cells by isolating plasmid DNA from *Agrobacterium* cultures prior to usage of this culture for plant transformation, and subjecting the plasmid DNA to a restriction digest. An unexpected restriction pattern indicates disintegration/instability of the plasmid either in *E.coli* or in *Agrobacterium*. Right panel: Under the assumption at least one intact T-DNA from LB to RB was integrated into the plant genome during the transformation process most plants obtained via transformation of a given plasmid are expected to reach the desired trait encoded by the plasmid (here: production of novel fatty acids (FA) in the seeds). The decrease in the percentage of such 'functional' plants indicates instability either in *Agrobacteria* or during the transfer process into the plant or during the integration process into the genome. As can be seen, the proportion of non functional plants goes sharply up for plasmids above 25,000bp size when ColE1/pVS1 containing plasmids are used.




Figure 5: Plasmid map of VC-LJB2197-1qcz indicating the position of genetic elements listed in table 1




Figure 6: Plasmid map of VC-LJB2755-2qcz rc indicating the position of genetic elements listed in table 2




Figure 7: Plasmid map of VC-LLM306-1qcz rc indicating the position of genetic elements listed in table 3




Figure 8: Plasmid map of VC-LLM337-1qcz rc indicating the position of genetic elements listed in table 4




Figure 9: Plasmid map of VC-LLM338-3qcz rc indicating the position of genetic elements listed in table 5




Figure 10: Plasmid map of VC-LLM391-2qcz rc indicating the position of genetic elements listed in table 6




Figure 11: Plasmid map of VC-LTM217-1qc rc indicating the position of genetic elements listed in table 7




Figure 12: Plasmid map of RTP10690-1qcz_F indicating the position of genetic elements listed in table 8




Figure 13: Plasmid map of RTP10691-2qcz indicating the position of genetic elements listed in table 9




Figure 14: Plasmid map of LTM595-1qcz rc indicating the position of genetic elements listed in table 10




Figure 15: Plasmid map of LTM593-1qcz rc indicating the position of genetic elements listed in table 11




Figure 16: Comparative transcript analysis o3Des(Pi_GA2) driven by the VfUSP promoter during seed development of single copy event of four different construct combinations.




Figure 17: Comparative transcript analysis of o3Des(Pir_GA) during seed development of single copy event of four different construct combinations. In VC-LJB2755-2-qcz and VC-RTP10690-1-qcz_F the gene was driven by the LuConlinin promoter while in VC-LLM337-1-qcz the gene was driven by the VfUSP promoter and was expressed at a lower level than the LuConlinin o3Des(Pir_GA) combination.




Figure 18: Comparative transcript analysis of o3Des(Pir_GA) driven by the BnSETL promoter during seed development of single copy event of VC-RTP10690-1qcz_F.




Figure 19: Comparative transcript analysis of d4Des(PI_GA)2 driven by the LuConlinin promoter during seed development of single copy event from VC-RTP10690-1qcz_F and VC-LTM217-1qcz rc, which was present with VC-LJB2755-1qcz. The other constructs lacked this particular d4Des.




Figure 20: Comparative transcript analysis of d4Des(Tc_GA) driven by the ARC5 promoter during seed development of single copy event of four different construct combinations.




Figure 21: Comparative transcript analysis of d4Des(Eg_GA) driven by the LuConlinin promoter during seed development of single copy event of two different construct combinations; VC-LJB2755-2-qcz, VC-LLM391-2-qcz rc and VC-LJB2197-1-qcz, VC-LLM337-1-qcz rc.




Figure 22: Half Kernel Analysis of segregating T1 seeds of Event LANPMZ. A total of 288 seedlings were analysed. 71 of those seedlings were found to produce no significant amount of VLC-PUFA (dark grey diamonds) while containing >49% Oleic acid and <28% Linoleic acid. 71 seed of 288 seed correspond to 24.65% of the total analysed seed. All remaining seed were capable of producing DHA, indicating the presence of both T-DNA from construct VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Among those seeds producing DHA, one can discriminate a group of 146 seeds showing medium VLC-PUFA levels (open diamonds), and a group of 71 seed showing high VLC-PUFA levels (light grey diamonds). The ratios of these three groups is 71:146:71, which corresponds to the Medelain 1:2:1 ratio (NULL:HETEROZYGOUS:HOMOZYGOUS) expected for a phenotype when all gene conveying this phenotype (in this case the two T-DNAs of plasmid VC-LJB2197-1qcz and VC-LLM337-1qcz rc) integrated into one locus in the genome.




Figure 23: Half Kernel Analysis of segregating T1 seeds of Event LBDIHN. A total of 288 seedlings were analysed. The levels of first substrate fatty acid of the pathway were plotted on the x-axis, the levels of the sum of two products of the pathways (EPA+DHA) were plotted on the y-axis. One can clearly see three clusters, where the ratio of the number of seeds in these three clusters was 1:2:1 (Homozygous:Heterozygous:Null segregant). This segregation of the phenotype according to the first Mendelian law demonstrates a single locus insertion of the T-DNA of construct RTP10690-1qcz_F into the genome of *B. napus* cv Kumily.




Figure 24: Examples of Desaturase Enzyme Activity Heterologously Expressed in Yeast. [^{14}C]Fatty acid methyl esters (ME's) were isolated from the enzymatic reactions, resolved by TLC as described for each specific enzyme and detected by electronic autoradiography using Instant Imager. In panel A Delta-12 Desaturase (Ps), c-d12Des(Ps_GA), activity was demonstrated by comparison of enzyme activity present in yeast microsomes isolated from a strain expressing the c-d12Des(Ps_GA) protein relative to microsomes isolated from a control strain containing an empty vector (VC). In panel B Omega-3 Desaturase activities, c-o3Des(Pir_GA) and c-o3Des(Pi_GA2), activities were demonstrated by comparison of enzyme activity from yeast microsomes isolated from strains expressing c-o3Des(Pir_GA) protein, c-o3Des(Pi_GA2) protein or an empty vector (VC) control. In panel C Delta-4 Desaturase (Tc), c-d4Des(Tc_GA), activity was demonstrated by comparison of enzyme activity from yeast microsomes isolated from a strain expressing the c-d4Des(Tc_GA) protein relative to microsomes isolated from a control strain containing an empty vector (VC).






Figure 25: Examples of Desaturase Enzyme Activity in transgenic *Brassica napus*. [^{14}C]Fatty acid methyl esters (ME's) were isolated from the enzymatic reactions, resolved by TLC as described for each specific enzyme and detected by electronic autoradiography using Instant Imager. In panel A Delta-12 Desaturase (Ps), c-d12Des(Ps_GA), activity was demonstrated by comparison of enzyme activity from yeast microsomes isolated from a strain expressing the c-d12Des(Ps_GA) protein relative to microsomes isolated from transgenic *B. napus* containing the *d12Des(Ps_GA2)* gene. In panel B Delta-4 Desaturase (Tc), c-d4Des(Tc_GA), and Delta-4 Desaturase (PI) activities were demonstrated by comparison of enzyme activity from yeast microsomes isolated from a strain expressing the c-d4Des(Tc_GA) protein relative to microsomes isolated from transgenic *B. napus* containing the *d4Des(Tc_GA3)* and *d4Des(PI_GA)2* genes.


A.



B.



C.






Figure 26: Examples of Desaturase Enzyme Reactions Showing Specificity for Acyl-lipid substrates. [¹⁴C]Fatty acid methyl esters (ME's) were isolated from the enzymatic reactions containing microsomes obtained from a yeast strain expressing the protein of interest, resolved by TLC as described for each specific enzyme and detected by electronic autoradiography using Instant Imager. In panel A Delta-12 Desaturase (Ps), c-d12Des(Ps_GA), desaturated enzyme products were only detected in the phosphatidylcholine fraction indicating the enzyme was specific for an acyl-lipid substrate. In panel B and panel C Delta-4 Desaturase (Tc), c-d4Des(Tc_GA), desaturated enzyme products were detected in the phosphatidylcholine fraction indicating the enzyme was specific for an acyl-lipid substrate. In panel D was a time-course demonstrates of the Delta-4 Desaturase (Tc), c-d4Des(Tc_GA).






Figure 27: Examples of Desaturase Enzyme Reactions Showing Specificity for Acyl-CoA substrates. [¹⁴C]Fatty acid methyl esters (ME's) were isolated from the enzymatic reactions containing microsomes obtained from a yeast strain expressing the protein of interest, resolved by TLC as described for each specific enzyme and detected by electronic autoradiography using Instant Imager. In panel A PC was in situ labeled with substrate according to the method for determining lipid linked desaturation. Delta-9 Desaturase (Sc), d9D(Sc), desaturated enzyme products were very low in the phosphatidylcholine fraction, except for in the control reaction (none in situ labeled PC), indicating the enzyme cannot desaturate an acyl-lipid substrate. In panel B and C the incubation was done according to the method for determining acyl-CoA linked desaturation. In panel B the amount of radioactivity in the acyl-CoA fraction (MeOH/H₂O-phase) was increasing when 20:1-CoA was added to the assay. This indicates that the added 20:1-CoA was competing with the radioactive substrate in formation of PC and free fatty acids. In panel C the amount of desaturated enzyme products was increased in the acyl-CoA fraction when 20:1-CoA was added to the assay, indicating that the desaturation was acyl-CoA linked.





Figure 28: Examples of Elongase Enzyme Activity Heterologously Expressed in Yeast. [^{14}C]Fatty acid methyl esters (ME's) were isolated from the enzymatic reactions, resolved by TLC as described for each specific enzyme and detected by electronic autoradiography using Instant Imager. All FAME's shown had similar R_f 's as authentic standards. In the absence of [^{14}C]malonyl-CoA no radioactive fatty acids were observed in any of these elongase reactions. In panel A delta-6 elongase (Tp), c-d6Elo(Tp_GA2), activity was demonstrated by comparison of enzyme activity present in yeast microsomes isolated from a strain expressing the c-d6Elo(Tp_GA2) protein relative to microsomes isolated from a control strain containing an empty vector (VC). In panel B, delta-6 elongase (Pp), c-d6Elo(Pp_GA2), was demonstrated by comparison of enzyme activity from yeast microsomes isolated from a strains expressing c-d6Elo(Pp_GA2) protein to microsomes isolated from a control strain containing an empty vector (VC), as shown in panel

A. In panel C, delta-5 elongase (Ot), c-d5Elo(Ot_GA3), activity was demonstrated by comparison of enzyme activity present in yeast microsomes isolated from a strain expressing the d6E(Ot) protein relative to microsomes isolated from a control strain containing an empty vector (VC).

A.

Microsomes Isolated from Transgenic:

Yeast

B. napus

20:3n-6 ME

20:3 ME

Delta-6 Elongase Activity

B.

Microsomes Isolated from:


B. napus

Yeast

Transgenic

Wild-type

Transgenic



2-keto-21:5n-3

22:5n-3 ME

22:5 ME

Delta-5 Elongase (Ot) Activity

Figure 29: Examples of Elongase Activity in transgenic *Brassica napus*. [^{14}C]Fatty acid methyl esters (ME's) were isolated from the enzymatic reactions, resolved by TLC as described for each specific enzyme and detected by electronic autoradiography using Instant Imager. In panel A Delta-6 Elongase, activity was demonstrated by comparison of enzyme activity from yeast microsomes isolated from a strain expressing the d6E(Pp protein relative to microsomes isolated from transgenic *B. Napus* containing the *d6Elo*(Pp_GA2) gene and the *d6Elo*(Tp_GA2). In panel B the Delta-5 Elongase (Ot), c-d5Elo(Ot_GA3), activity was demonstrated by comparison of enzyme activity from yeast microsomes isolated from a strain expressing the c-d5Elo(Ot_GA3) protein relative to microsomes isolated from transgenic *B. Napus* containing the *d5Elo*(Ot_GA3) and a wild-type *B. napus* (control).




Figure 30: Time course optimization. Yeast cells expressing the c-d5Des(Tc_GA2) were fed with 0.25 mM HGLA and the production of ARA was determined by GC. Samples were collected starting immediately after feeding. In Panels A-D, Desaturation was represented as %Conversion vs Growth Time (hours) and Product and Substrate levels are represented as %Total Fatty acid vs Growth time (hours). Panel A Samples supplied with HGLA immediately after induction. Panel B overnight induction (22hrs) before feeding. Panel C cultures supplied with 3X normal HGLA level Panel D. cultures supplied with normal rate of HGLA (0.25 mM) daily.




Figure 31: Representative time course graphs for all desaturases and elongases. Yeast cells expressing each enzyme were supplied with 0.25 mM of preferred fatty acid substrate, and fatty acid profiles were obtained by GC at

the indicated time points. In Panels A-J, Desaturation and Elongation were represented as %Conversion vs Growth Time (hours), and Product and Substrate levels were represented as %Total Fatty acid vs Growth time (hours). A. c-d5Des(Tc_GA2) + HGLA B. c-d6Des(Ot_febit) + ALA C. c-d4Des(Pi_GA)2 + DTA D. c-d4Des(Tc_GA) + DTA E. c-o3Des(Pir_GA) + ARA F. c-o3Des(Pi_GA2) + ARA G. c-d12Des(Ps_GA) + OA H. c-d5Elo(Ot_GA3) + EPA I. c-d6Elo(Tp_GA2) + GLA J. c-d6Elo(Pp_GA2) + SDA.




Figure 32: Conversion efficiencies of delta-12-desaturation in seed of transgenic *Brassica napus* and in *Brassica napus* wildtype seeds. Shown are average conversion efficiencies of various plant populations, as well as the conversion efficiencies observed in a seedbatch of event LBFDAU having highest EPA+DHA levels, and those efficiencies observed in a single seed of that seedbatch, where this single seed had highest EPA+DHA levels among all 95 measured single seeds. Data were taken from Example 10 to Example 18. T0 and T1 designates the plant generation producing the seeds (all grown in the greenhouse except for the two LBFDAU datapoints)




Figure 33: Conversion efficiencies of delta-6-desaturation in seed of transgenic Brassica napus and in Brassica napus wildtype seeds. See caption in Figure 32 for further details.




Figure 34: Conversion efficiencies of delta-6-elongation in seed of transgenic *Brassica napus* and in *Brassica napus* wildtype seeds. See caption in Figure 32 for further details.




Figure 35: Conversion efficiencies of delta-5-desaturation in seed of transgenic *Brassica napus* and in *Brassica napus* wildtype seeds. See caption in Figure 32 for further details.




Figure 36: Conversion efficiencies of omega-3 desaturation (excluding C18 fatty acids) in seed of transgenic Brassica napus and in Brassica napus wildtype seeds. See caption in Figure 32 for further details.




Figure 37: Conversion efficiencies of omega-3 desaturation (including C18 fatty acids) in seed of transgenic *Brassica napus* and in *Brassica napus* wildtype seeds. See caption in Figure 32 for further details.




Figure 38: Conversion efficiencies of delta-5-elongation in seed of transgenic *Brassica napus* and in *Brassica napus* wildtype seeds. See caption in Figure 32 for further details.




Figure 39: Conversion efficiencies of delta-4-desaturation in seed of transgenic *Brassica napus* and in *Brassica napus* wildtype seeds. See caption in Figure 32 for further details.




Figure 40: The sum of all pathway fatty acids was negatively correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 41: The sum of all pathway fatty acids was negatively correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 42: The sum of all pathway fatty acids was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFCKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 43: The sum of all pathway fatty acids was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbatch of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 44: The conversion efficiency of the delta-12-desaturase was negatively correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds to one seed batch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 45: The conversion efficiency of the delta-12-desaturase was negatively correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds to one seed batch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 46: The conversion efficiency of the delta-12-desaturase was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFGKN. For the greenhouse data, one marker

corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 47: The conversion efficiency of the delta-12-desaturase was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbatch of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 48: The conversion efficiency of the delta-6-desaturase was negatively correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 49: The conversion efficiency of the delta-6-desaturase was negatively correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 50: The conversion efficiency of the delta-6-desaturase was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFGKN. For the greenhouse data, one marker

corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 51: The conversion efficiency of the delta-6-desaturase was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbatch of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 52: The conversion efficiency of the delta-6 elongase was not correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 53: The conversion efficiency of the delta-6 elongase was not correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 54: The conversion efficiency of the delta-6 elongase was not correlated with seed oil content. Shown are data of 2 generations of event LBFGKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 55: The conversion efficiency of the delta-6 elongase was not correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbatch of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 56: The conversion efficiency of the delta-5-desaturase was not correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 57: The conversion efficiency of the delta-5-desaturase was not correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 58: The conversion efficiency of the delta-5-desaturase was not correlated with seed oil content. Shown are data of 2 generations of event LBFGKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 59: The conversion efficiency of the delta-5-desaturase was not correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbatch of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 60: The conversion efficiency of the omega-3-desaturase was not correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 61: The conversion efficiency of the omega-3-desaturase was not correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 62: The conversion efficiency of the omega-3-desaturase was not correlated with seed oil content. Shown are data of 2 generations of event LBFGKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 63: The conversion efficiency of the omega-3-desaturase was not correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbatch of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 64: The conversion efficiency of the delta-5-elongase was not correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 65: The conversion efficiency of the delta-5-elongase was not correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 66: The conversion efficiency of the delta-5-elongase was not correlated with seed oil content. Shown are data of 2 generations of event LBFCKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 67: The conversion efficiency of the delta-5-elongase was not correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbtach of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 68: The conversion efficiency of the delta-4-desaturase was negatively correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds to one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 69: The conversion efficiency of the delta-4-desaturase was negatively correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds to one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 70: The conversion efficiency of the delta-4-desaturase was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFCKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 71: The conversion efficiency of the delta-4-desaturase was negatively correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbatch of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 72: The sum of all pathway fatty acids was not correlated with seed oil content in wildtype canola, but differs between greenhouse and field. Shown are data of three seasons. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 73: The total fatty acid percentage of 20:5n-3 (EPA) correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 74: The total fatty acid percentage of 20:5n-3 (EPA) correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 75: The total fatty acid percentage of 20:5n-3 (EPA) correlated with seed oil content. Shown are data of 2 generations of event LBFCKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 76: The total fatty acid percentage of 20:5n-3 (EPA) correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbtach of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 77: The total fatty acid percentage of 22:6n-3 (DHA) correlated with seed oil content. Shown are data of 3 generations of event LANPMZ. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 78: The total fatty acid percentage of 22:6n-3 (DHA) correlated with seed oil content. Shown are data of 4 generations of event LAODDN. For the greenhouse data, one marker corresponds one seedbatch of one plant, for the field data, one marker corresponds to an analysis on a random selection of seeds representing one plot.




Figure 79: The total fatty acid percentage of 22:6n-3 (DHA) correlated with seed oil content. Shown are data of 2 generations of event LBFCKN. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 50 T2 seedbatches, or 182 T3 seedbatches, for the field data, one marker corresponds to an analysis of one T2 seedbatch of one T1 plant, or the analysis of a random selection of T3 seeds representing plots (36 plots) or single plants (60 plants).




Figure 80: The total fatty acid percentage of 22:6n-3 (DHA) correlated with seed oil content. Shown are data of 2 generations of event LBFLFK. For the greenhouse data, one marker corresponds the analysis of a random selection of seeds representing a bulk of 10 T2 seedbatches, or 195 T3 seedbatches, for the field data, one marker corresponds to an analysis of 1 T2 seedbtach of one T1 plant, or a the analysis of a random selection of T3 seeds representing one plot.




Figure 81: The levels of EPA+DHA (20:5n-3 and 20:6n-3) correlated with seed oil content. Shown are data of homozygous plants (single plant: capital G or F, plots: lower case f, grown greenhouses: G, grown in field trials: f and F). The data are described in more detail in Example 12 (event LANECH), and example 14 (all other events).




Figure 82: The levels of ARA (20:4n-6) correlated with seed oil content. Shown are data of homozygous plants (single plant: capital G or F, plots: lower case f, grown greenhouses: G, grown in field trials: f and F). The data are described in more detail in Example 12 (event LANBCH), and example 14 (all other events).




Figure 83: The levels of EPA (20:5n-3) correlated with seed oil content. Shown are data of homozygous plants (single plant: capital G or F, plots: lower case f, grown greenhouses: G, grown in field trials: f and F). The data are described in more detail in Example 12 (event LANBCH), and example 14 (all other events).




Figure 84: The levels of DHA (22:6n-3) correlated with seed oil content. Shown are data of homozygous plants (single plant: capital G or F, plots: lower case f, grown greenhouses: G, grown in field trials: f and F). The data are described in more detail in Example 12 (event LANBCH), and example 14 (all other events).

Abstract

MATERIALS AND METHODS FOR PUFA PRODUCTION, AND PUFA-CONTAINING COMPOSITIONS

5

T-DNA for expression of a target gene in a plant, wherein the T-DNA comprises a left and a right border element and an expression cassette comprising a promotor, operatively linked thereto a target gene or a combination of target genes, and downstream thereof a

10

terminator, wherein the length of the T-DNA, measured from left to right border element and comprising the target gene, has a length of at least 30000 bp, and the expression cassette is separated from the closest border of the T-DNA by a separator of at least 500 bp length.

Claims

1. T-DNA for expression of a target gene in a plant, wherein the T-DNA comprises a left and a right border element and at least one expression cassette comprising a
5 promoter, operatively linked thereto a target gene, and downstream thereof a terminator, wherein the length of the T-DNA, measured from left to right border element and comprising the target gene, has a length of at least 30000 bp, and the expression cassette is separated from the closest border of the T-DNA by a separator of at least 500 bp length.
10
2. T-DNA comprising the coding sequences of any single of the tables given in the examples, preferably comprising the coding sequences and and promoters of any single of the tables given in the examples, more preferably the coding sequences and promoters and terminators of any single of the tables given in the examples, and
15 most preferably the expression cassettes of any single of the tables of the examples.
3. Plant or a seed or part thereof, comprising, integrated in its genome, a heterologous T-DNA of the present invention.
- 20 4. Plant comprising one or more T-DNA comprising one or more expression cassetts encoding for one or more d5Des, one or more d6Elo, one or more d5Des, one or more o3Des, one or more d5Elo and one or more D4Des.
5. The plant of claim 3 or 4 comprising one or more T-DNAs encoding for at least two
25 d6Des, at least two d6Elo and/or, at least two o3Des.
6. The plant any one of claims 3 to 5 on or a part thereof comprising a T-DNA encoding for at least one CoA-depenent d4Des and at least one phopho-lipid dependent d4Des.
30
7. The plant, seed or part thereof any one of claims 3 to 6 the plant, seed or part thereof further encoding for one or more d12Des.
8. Plant or seed thereof of family Brassicaceae, preferably of genus Brassica, with a
35 genotype that confers a heritable phenotype of seed oil VLC-PUFA content, obtainable or obtained from progeny lines prepared by a method comprising the steps of
 - i) crossing a plant of family Brassicaceae, preferably of genus Brassica, most preferably of genus Brassica napus, Brassica oleracea, Brassica nigra or
40 Brassica carinata, said plant comprising a T-DNA of any of claims 1 or 2 and/or part of such T-DNA, with a plant of family Brassicaceae, preferably of

- genus Brassica, most preferably of genus **Brassica** napus, Brassica oleracea, Brassica nigra or Brassica carinata, said plant not comprising said T-DNA and/or part thereof, to yield a F1 hybrid,
- 5 ii) selfing the F1 hybrid for at least one generation, and
iii) identifying the progeny of step (ii) comprising the T-DNA of the present invention capable of producing seed comprising VLC-PUFA such that the content of all VLC-PUFA downstream of 18:1n-9 is at least 40% (w/w) of the total seed fatty acid content at an oil content of 40% (w/w), or preferably the content of **EPA is at least 6%, preferably at least 7,5%** (w/w) and/or the
10 content of DHA is at least **0,8% (w/w), preferably 1,2%** of the total seed fatty acid content at an oil content of 40% (w/w).
9. Method for creating a plant with a genotype that confers a heritable phenotype of seed oil VLC-PUFA content, obtainable or obtained from progeny lines prepared by a method comprising the steps of
- 15 i) crossing a transgenic plant according to any of claims 3 or 4 with a plant not comprising a T-DNA according to any of claims 1 or 2 or part thereof, said latter plant being of family Brassicaceae, preferably of genus Brassica, most preferably of genus Brassica napus, Brassica oleracea, Brassica nigra or
20 Brassica carinata, to yield a F1 hybrid,
ii) selfing the F1 hybrid for at least one generation, and
iii) identifying the progeny of step (ii) comprising the T-DNA of the present invention capable of producing seed comprising VLC-PUFA such that the
25 content of all VLC-PUFA downstream of 18:1n-9 is at least 40% (w/w) of the total seed fatty acid content at an oil content of 40% (w/w), or preferably the content of **EPA is at least 6%, preferably at least 7,5% (w/w) and/or the content of DHA is at least 0,8% (w/w), preferably 1.2% (w/w)** of the total seed fatty acid content at an oil content of 40% (w/w).
- 30 10. The method of claim 9 o the plant of claim 8, wherein the T-DNA is homozygous
11. Method of plant oil production, comprising the steps of
- i) growing a plant according to any of claims 3 to 8 such as to obtain oil-containing seeds thereof,
- 35 ii) harvesting said seeds, and
iii) extracting oil from said seeds harvested in step ii), wherein the oil has a DHA content of at least 1% by weight based on the total lipid content and/or a EPA content of at least 8% by weight based on the total lipid content.
- 40 12. Plant oil comprising a polyunsaturated fatty acid obtainable or obtained by the method of claim 11.

13. Method for analysing desaturase reaction specificity, comprising the steps of
- i) providing, to a desaturase, a detectably labelled molecule comprising a fatty acid moiety and a headgroup,
 - 5 ii) allowing the desaturase to react on the labelled molecule, and
 - iii) detecting desaturation products.
14. Method for analysing elongase reaction specificity, comprising the steps of
- 10 i) providing, to an elongase, a detectably labelled elongation substrate and a molecule to be elongated,
 - ii) allowing the elongase to elongate the molecule to be elongated using the labelled elongation substrate, and
 - iii) detecting elongation products.
15. Method for optimization of a metabolic pathway, comprising the steps of
- 15 i) providing enzymes of a metabolic pathway and one or more substrates to be used by the first enzyme or enzymes of the pathway,
 - ii) reacting the enzymes and the substrates to produce products, which in turn are also exposed as potential substrates to the enzymes of the pathway, and
 - 20 iii) determining the accumulation of products.
16. Method for determining CoA-dependence of a target desaturase, comprising the steps of
- 25 i) providing an elongase to produce a substrate for the target desaturase, and determining conversion efficiency of the target desaturase, and
 - ii) providing a non-CoA dependent desaturase to produce the substrate for the target desaturase, and determining conversion efficiency of the target desaturase, and
 - 30 iii) comparing the target desaturase conversion efficiencies of step i) and ii).
17. Method for determining CoA-dependence of a target desaturase, comprising the steps of
- i) providing an elongase to elongate the products of the target desaturase, and determining conversion efficiency of the elongase,
 - 35 ii) providing the elongase to elongate the products of a comparison desaturase known to be non-CoA dependent, and determining conversion efficiency of the elongase,
 - iii) comparing the elongase conversion efficiencies of step i) and ii).

Doc Code: **TR.PROV**

Document Description: Provisional Cover Sheet (SB16)

PTO/SB/16 (11-08)

Approved for use through 05/31/2015. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Provisional Application for Patent Cover Sheet				
This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).				
Inventor(s)				
Given Name	Family Name	City	State	Country
Toralf	Senger	Durham, NC 27155		United States of America
Heiko	Härtel	Berlin		Germany
Steven	Bremmer	Apex , NC 27502		United States of America
Steven	Breazeale	Durham, NC 27155		United States of America
Title of Invention		MATERIALS AND METHODS FOR PUFA PRODUCTION, AND PUFA-CONTAINING COMPOSITIONS		
Attorney Docket Number (if applicable)		PF0000077877 SE		
Correspondence Address				
Direct all correspondence to (select one):				
☒ The address corresponding to Customer Number		☐ Firm or Individual Name		
Customer Number 29137				
Representative Information				
Representative Customer Number: 29137				
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.				
☒ No.				
☐ Yes, the name of the U.S. Government agency and the Government contract number are:				

Doc Code: **TR.PROV**

Document Description: Provisional Cover Sheet (SB16)

PTO/SB/16 (11-08)

Approved for use through 06/30/2010. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Entity Status

Applicant claims small entity status under 37 CFR 1.27

- ☐ Yes, applicant qualifies for small entity status under 37 CFR 1.27
- ☒ No

Warning

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to the USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

Signature

Please see 37 CFR 1.4(d) for the form of the signature.

Signature	/Melanie L. Brown/			Date (YYY-MM-DD)	2014-11-14
First Name	Melanie L.	Last Name	Brown	Registration Number (If appropriate)	31,592

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. This form can only be used when in conjunction with EFS-Web. **If this form is mailed to the USPTO, it may cause delays in handling the provisional application.**

PF77877_sequence_listing_formatiertSA.txt
SEQUENCE LISTING

<110> BASF PLANT SCIENCE LP

<120> MATERIALS AND METHODS FOR PUFA PRODUCTION, AND PUFA-CONTAINING COMPOSITIONS

<130> PF 77877

<160> 256

<170> PatentIn version 3.5

<210> 1

<211> 60097

<212> DNA

<213> Artificial

<220>

<223> plasmid

<400> 1

cctgccagtc agcatcatca caccaaaagt taggcccga tagtttgaaa ttagaaagct	60
cgcaattgag gtctacaggc caaatcgcct cttagccgta caatattact caccgggtgcg	120
atgcccccca tcgtagggtga aggtggaaat taatggcgcg cctgatcact gattagtaac	180
tattacgtaa gcctacgtag cgtcacgtga cgcttagctaa cgctacgtag cctcagctga	240
cgttacgtaa gcctacgtag cgtcacgtga gcttagctaa cgctacctag gctcagctga	300
cgttacgtaa cgctagctag cgtcactcct gcagcaaatt tacacattgc cactaaacgt	360
ctaaaccctt gtaatttggt tttgttttac tatgtgtgtt atgtatttga tttgcgataa	420
atatttatat ttggtactaa atttataaca ctttttatgc taacgtttgc caacacttag	480
caatttgcaa gttgattaat tgattctaaa ttatttttgt cttctaaata catatactaa	540
tcaactggaa atgtaaatat ttgctaatat ttctactata ggagaattaa agtgagtgaa	600
tatggtacca caaggtttgg agatttaatt gttgcaatgc tgcattggatg gcatatacac	660
caaacattca ataattcttg aggataataa tggtagcaca caagatttga ggtgcatgaa	720
cgtcacgtgg acaaaagggt tagtaatttt tcaagacaac aatgttacca cacacaaggt	780
ttgagggtgca tgcattggatg ccctgtggaa agtttaaaaa tatttttgaa atgatttgca	840
tggaagccat gtgtaaaacc atgacatcca cttggaggat gcaataatga agaaaactac	900
aaatttacat gcaactagtt atgcatgtag tctatataat gaggattttg caatactttc	960
attcatcac actcactaag ttttacacga ttataatttc ttcatagcca gtactgttta	1020
agcttcactg tctctgaatc ggcaaaggta aacgtatcaa ttattctaca aaccttttta	1080
ttttctttt gaattaccgt cttcattggt tatatgataa cttgataagt aaagcttcaa	1140
taattgaatt tgatctgtgt ttttttgcc ttaatactaa atccttacat aagctttggt	1200
gcttctctc ttgtgagttg agtggttaagt tgtaataatg gttcactttc agcttttagaa	1260
gaaaccatgg aagttgttga gaggttctac ggagagttgg atggaaagggt ttcccaagga	1320
gtgaacgctt tggtggggtc tttcggtgtt gagttgactg ataccccaac tactaagggg	1380
ttgccactcg ttgattctcc aactccaatt gtgttgggag tgtctgttta cttgaccatc	1440

Page 1

PF77877_sequencelisting_formatiertSA.txt

gtgatcggag gattgctttg gatcaaggct agagatctca agccaagagc ttctgagcca	1500
ttcttggtgc aagctttggt gttggtgcac aacttggtct gcttcgcttt gtctctttac	1560
atgtgcgtgg gtatcgctta ccaagctatc acctggagat attccttggtg gggaaacgct	1620
tataacccaa agcacaagga gatggctatc ctcgtttacc tcttctacat gtccaagtac	1680
gtggagttca tggataccgt gatcatgatc ctcaagagat ccaccagaca gatttctttc	1740
ctccacgtgt accaccactc ttctatctcc cttatctggt gggctattgc tcaccacgct	1800
ccaggaggag aggccttattg gagtgctgct ctcaactctg gagtgcacgt gttgatgtac	1860
gcttactact tcttggtgc ttgcttgaga tcttcccaa agctcaagaa caagtacctc	1920
ttctggggaa gatactcac ccaattccag atgttccagt tcatgctcaa cttggtgcaa	1980
gcttactacg atatgaaaac caacgctcca tatccacaat ggctcatcaa gatcctcttc	2040
tactacatga tctccctctt gttcctcttc ggaaacttct acgtgcaaaa gtacatcaag	2100
ccatccgatg gaaagcaaaa gggagctaag accgagtgat cgacaagctc gagtttctcc	2160
ataataatgt gtgagtagtt cccagataag ggaattaggg ttcttatagg gtttcgctca	2220
tgtgttgagc atataagaaa cccttagtat gtatttgtat ttgtaaaata cttctatcaa	2280
taaaatttct aattcctaaa accaaaatcc agtactaaaa tccagatccc ccgaattaat	2340
tcggcgtaa ttacgctagc tagcctcagc tgacgttacg taacgctagg tagcgtcacg	2400
tgacgttagc taacgctagg tagcgtcagc tgagcttacg taagcgctta gcagatattt	2460
ggtgtctaaa tgttttattt gtgatatgtt catgtttgaa atggtgggtt cgaaaccagg	2520
gacaacgttg ggatctgata ggggtgtcaa gagtattatg gattgggaca atttcggtca	2580
tgagttgcaa attcaagtat atcgttcgat tatgaaaatt ttcgaagaat atcccatttg	2640
agagagtctt tacctcatta atgtttttag attatgaaat tttatcatag ttcacgtag	2700
tctttttggt gtaaaggctg taaaaagaaa ttgttcactt ttgttttcgt ttatgtgaag	2760
gctgtaaaag attgtaaaag actattttgg tgttttggat aaaatgatag tttttataga	2820
ttcttttgct tttagaagaa atacatttga aattttttcc atgttgagta taaaataccg	2880
aaatcgattg aagatcatag aaatatatta actgaaaaca aatttataac tgattcaatt	2940
ctctccattt ttatacctat ttaaccgtaa tcgattctaa tagatgatcg attttttata	3000
taatcctaata taaccaacgg catgtattgg ataattaacc gatcaactct caccctaata	3060
agaatcagta ttttccttcg acgttaattg atcctacact atgtagggtca tatccatcgt	3120
tttaattttt ggccaccatt caattctgtc ttgccttttag ggatgtgaat atgaacggcc	3180
aaggtaagag aataaaaaata atccaaatta aagcaagaga ggccaagtaa gataatccaa	3240
atgtacactt gtcattgccaa aaattagtaa aatactcggc atattgtatt cccacacatt	3300
attaaaatac cgtatatgta ttggctgcat ttgcatgaat aatactacgt gtaagcccaa	3360
aagaaccac gtgtagccca tgcaaagtta aacttcacga cccattcct cagtctccac	3420
tatataaacc caccatcccc aatctcacca aaccaccac acaactcaca actcactctc	3480

PF77877_sequence_listing_formatiertSA.txt

acaccttaaa	gaaccaatca	ccaccaaaaa	atttcacgat	ttggaatttg	attcctgcga	3540
tcacaggat	gacaggtag	atTTTgtttt	gtatagttgt	atacatactt	ctttgtgatg	3600
ttttgtttac	ttaatcgaat	ttttggagtg	ttttaaggtc	tctcgtttag	aaatcgtgga	3660
aaatatcact	gtgtgtgtgt	tcttatgatt	cacagtgttt	atgggtttca	tgTtctttgt	3720
tttatcattg	aatgggaaga	aatttcgttg	ggatacaaat	ttctcatgtt	cttactgata	3780
gttattagga	gtttggggaa	aaaggaagag	tttttttggg	tggttcgagt	gattatgagg	3840
ttatttctgt	atttgattta	tgagttaatg	gtcgttttaa	tgTttagtag	catgggaaaa	3900
ggatctgagg	gaagatctgc	tgctagagag	atgactgctg	aggctaacgg	agataagaga	3960
aagaccatcc	tcattgaggg	agtgtgtgac	gatgctacca	acttcaaaca	cccaggaggt	4020
tccattatta	acttcctcac	cgaggggagaa	gctggagttg	atgctaccca	agcttacaga	4080
gagttccatc	agagatccgg	aaaggctgat	aagtacctca	agTccctccc	aaagtTggat	4140
gcttctaagg	tgaggtctag	gttctctgct	aaggagcagg	ctagaaggga	cgctatgacc	4200
agggattacg	ctgctttcag	agaggagttg	gttgctgagg	gatacttcga	tccatctatc	4260
ccacacatga	tctacagagt	ggTggagatt	gtggctttgt	tcgctttgtc	tttctggttg	4320
atgtctaagg	cttctccaac	ctctttgggt	ttgggagtg	tgatgaacgg	aatcgctcaa	4380
ggaagatgcg	gatgggttat	gcacgagatg	ggacacggat	ctttcactgg	agttatctgg	4440
ctcgaatgata	ggatgtgcga	gttcttctac	ggagttggat	gtggaatgtc	tggaactac	4500
tggaagaacc	agcactctaa	gcaccacgct	gctccaaaca	gattggagca	cgatgtggat	4560
ttgaacacct	tgccactcgt	tgctttcaac	gagagagttg	tgaggaagg	taagccagga	4620
tctttgttgg	ctttgtggct	cagagttcag	gcttatTTgt	tcgctccagt	gtcttgcttg	4680
ttgatcggat	tgggatggac	cttgTacttg	cacccaagat	atatgctcag	gaccaagaga	4740
cacatggagt	ttgtgtggat	cttcgctaga	tatatcggat	ggTtctcctt	gatgggagct	4800
ttgggatatt	ctcctggaac	ttctgtggga	atgtacctct	gctctttcgg	actTggatgc	4860
atctacatct	tcctccaatt	cgctgtgtct	cacaccact	tgccagttac	caaccagag	4920
gatcaattgc	actggcttga	gtacgctgct	gatcacaccg	tgaacatctc	taccaagtct	4980
tggttggtta	cctggTggat	gtctaaccct	aacttccaaa	tcgagcacca	cttgTtccca	5040
accgctccac	aattcaggtt	caaggagatc	tctccaagag	ttgaggctct	cttcaagaga	5100
cacaacctcc	cttactacga	tttgccatac	acctctgctg	tttctactac	cttcgctaac	5160
ctctactctg	ttggacactc	tgTtgagact	gataccaaga	agcaggattg	actgctttaa	5220
tgagatatgc	gagacgccta	tgatcgcatg	atattTgctt	tcaattctgt	tgTgcacgtt	5280
gtaaaaaacc	tgagcatgtg	tagctcagat	ccttacgcc	ggTttcggtt	cattctaattg	5340
aatatatcac	ccgttactat	cgtattttta	tgaataatat	tctccgttca	atttactgat	5400
tgTctacgta	ggctcagctg	agcttaccta	aggctacgta	ggctcacgtg	acgttacgta	5460
aggctacgta	gcgtcacgtg	agcttaccta	actctagcta	gcctcacgtg	accttagcta	5520
acactaggta	gcgtcagctc	gacggccccg	actgtatcca	acttctgata	tttgaatctc	5580

Page 3

PF77877_sequencelisting_formatiertSA.txt

tctgttccaa	catgttctga	aggagttcta	agacttttca	gaaagcttgt	aacatgcttt	5640
gtagactttc	tttgaattac	tcttgcaaac	tctgattgaa	cctacgtgaa	aactgctcca	5700
gaagttctaa	ccaaattccg	tcttggaag	gcccaaaatt	tattgagtac	ttcagtttca	5760
tggaactgtc	ttcaaagatt	tataacttga	aatcccatca	tttttaagag	aagttctggt	5820
ccgcaatgtc	ttagatctca	ttgaaatcta	caactcttgt	gtcagaagtt	cttccagaat	5880
caacttgcat	catggtgaaa	atctggccag	aagttctgaa	cttgatcatat	ttcttaacag	5940
ttagaaaaat	ttctaagtgt	ttagaatttt	gactttttcca	aagcaaactt	gacttttgac	6000
tttcttaata	aaacaaactt	catattctaa	catgtcttga	tgaaatgtga	ttcttgaaat	6060
ttgatgttga	tgcaaaagtc	aaagtttgac	ttttcagtggt	gcaattgacc	attttgctct	6120
tgtgccaatt	ccaaacctaa	attgatgtat	cagtgtctgca	aacttgatgt	catggaagat	6180
cttatgagaa	aattcttgaa	gactgagagg	aaaaattttg	tagtacaaca	caaagaatcc	6240
tgtttttcat	agtcggacta	gacacattaa	cataaaacac	cacttcattc	gaagagtgtat	6300
tgaagaagga	aatgtgcagt	tacctttctg	cagttcataa	gagcaactta	cagacacttt	6360
tactaaaata	ctacaaagag	gaagatttta	acaacttaga	gaagtaatgg	gagttaaaga	6420
gcaacacatt	aagggggagt	gttaaaatta	atgtgttgta	accaccacta	cctttagtaa	6480
gtattataag	aaaattgtaa	tcatcacatt	ataattattg	tccttattta	aaattatgat	6540
aaagttgtat	cattaagatt	gagaaaacca	aatagtcctc	gtcttgattt	ttgaattatt	6600
gttttctatg	ttacttttct	tcaagcctat	ataaaaactt	tgtaatgcta	aattgtatgc	6660
tggaaaaaaa	tgtgtaatga	attgaataga	aattatggta	tttcaaagtc	caaaatccat	6720
caatagaaat	ttagtacaaa	acgtaactca	aaaatattct	cttattttta	attttacaac	6780
aatataaaaa	tattctctta	ttttaaattt	tacaataata	taatttatca	cctgtcacct	6840
ttagaatacc	accaacaata	ttaatactta	gatattttat	tcttaataat	tttgagatct	6900
ctcaatatat	ctgatattta	ttttatattt	gtgtcatatt	ttcttatggt	ttagagttaa	6960
cccttatatc	ttgggtcaaac	tagtaattca	atatatgagt	ttgtgaagga	cacattgaca	7020
tcttgaaaca	ttggttttta	ccttgttgga	atgttaaagg	taataaaaaca	ttcagaatta	7080
tgaccatcta	ttaatatact	tcctttgtct	tttaaaaaag	tgtgcatgaa	aatgctctat	7140
ggtaagctag	agtgtcttgc	tggcctgtgt	atatcaattc	catttccaga	tggtagaaac	7200
tgccactacg	aataattagt	cataagacac	gtatgttaac	acacgtcccc	ttgcatgttt	7260
tttgccatat	attccgtctc	tttctttttc	ttcacgtata	aaacaatgaa	ctaattaata	7320
gagcgatcaa	gctgaacagt	tctttgcttt	cgaagttgcc	gcaacctaaa	caggtttttc	7380
cttcttcttt	cttcttatta	actacgacct	tgtcctttgc	ctatgtaaaa	ttactagggt	7440
ttcatcagtt	acactgatta	agttcgttat	agtggaagat	aaaatgccct	caaagcattt	7500
tgcaggatat	ctttgatttt	tcaaagatat	ggaactgtag	agtttgatag	tgttcttgaa	7560
tgtggttgca	tgaagttttt	ttgggtctgca	tgttattttt	tcctcgaaat	atgttttgag	7620

PF77877_sequence_listing_formatiertSA.txt

tccaacaagt	gattcacttg	ggattcagaa	agttgttttc	tcaatatgta	acagtttttt	7680
tctatggaga	aaaatcatag	ggaccgttgg	ttttggcttc	tttaattttg	agctcagatt	7740
aaacccat	taccgggtgt	tcttggcaga	attgaaaaca	gtacgtagta	ccgcgcctac	7800
catgtgtgtt	gagaccgaga	acaacgatgg	aatccctact	gtggagatcg	ctttcgatgg	7860
agagagagaa	agagctgagg	ctaacgtgaa	gttgtctgct	gagaagatgg	aacctgctgc	7920
tttggctaag	accttcgcta	gaagatacgt	ggttatcgag	ggagttgagt	acgatgtgac	7980
cgatttcaaa	catcctggag	gaaccgtgat	tttctacgct	ctctctaaca	ctggagctga	8040
tgctactgag	gctttcaagg	agttccacca	cagatctaga	aaggctagga	aggctttggc	8100
tgctttgcct	tctagacctg	ctaagaccgc	taaagtggat	gatgctgaga	tgctccagga	8160
tttcgctaag	tggagaaagg	agttggagag	ggaccggattc	ttcaagcctt	ctcctgctca	8220
tgttgcttac	agattcgtcg	agttggctgc	tatgtacgct	ttgggaacct	acttgatgta	8280
cgctagatac	gttgtgtcct	ctgtgttggg	ttacgcttgc	ttcttcggag	ctagatgtgg	8340
atgggttcaa	cacgaggagg	gacactcttc	tttgaccgga	aacatctggg	gggataagag	8400
aatccaagct	ttcactgctg	gattcggatt	ggctggatct	ggagatatgt	ggaactccat	8460
gcacaacaag	caccacgcta	ctcctcaaaa	agtgaggcac	gatatggatt	tggataccac	8520
tcctgctgtt	gctttcttca	acaccgctgt	ggaggataat	agacctaggg	gattctctaa	8580
gtactggctc	agattgcaag	cttggacctt	cattcctgtg	acttctggat	tggtgttgct	8640
cttctggatg	ttcttctctc	acccttctaa	ggctttgaag	ggaggaaagt	acgaggagct	8700
tgtgtggatg	ttggctgctc	acgtgattag	aacctggacc	attaaggctg	ttactggatt	8760
caccgctatg	caatcctacg	gactcttctt	ggctacttct	tgggtttccg	gatgctactt	8820
gttcgctcac	ttctctactt	ctcacacca	cttggatggt	gttcctgctg	atgagcactt	8880
gtcttgggtt	aggtacgctg	tggatcacac	cattgatatc	gatccttctc	agggatgggt	8940
taactgggtg	atgggatact	tgaactgcc	agtgaattcac	cacctcttcc	cttctatgcc	9000
tcaattcaga	caacctgagg	tgtccagaag	attcgttgct	ttcgctaaga	agtggaacct	9060
caactacaag	gtgatgactt	atgctggagc	ttggaaggct	actttgggaa	acctcgataa	9120
tgtgggaaag	cactactacg	tgcacggaca	acactctgga	aagaccgctt	gattaatgaa	9180
ggccgcctcg	accgtacccc	ctgcagatag	actatactat	gttttagcct	gcctgctggc	9240
tagctactat	gttatgttat	gttgtaaaat	aaacacctgc	taaggatatat	ctatctatat	9300
tttagcatgg	ctttctcaat	aaattgtcct	tccttatcgt	ttactatctt	atacctaata	9360
atgaaataat	aatatcacat	atgaggaacg	gggcagggtt	aggcatatat	atacgagtgt	9420
agggcggagt	ggggctacgt	agcgtcacgt	gacgttacct	aagcctaggt	agcctcagct	9480
gacgttacgt	aacgctaggt	aggctcagct	gacacgggca	ggacataggg	actactacaa	9540
gcatagtatg	cttcagacaa	agagctagga	aagaactcct	gatggagggt	aagagaaaaa	9600
agtgctagag	gggcatagta	atcaaacttg	tcaaaaccgt	catcatgatg	agggatgaca	9660
taatataaaa	agttgactaa	ggctcttgga	gtactctttg	attagtatta	tatattgggtg	9720

Page 5

PF77877_sequencelisting_formatiertSA.txt

agaacatgag	tcaagaggag	acaagaaacc	gaggaacccat	agtttagcaa	caagatggaa	9780
gttgcaaagt	tgagctagcc	gctcgattag	ttacatctcc	taagcagtac	tacaaggaat	9840
ggctcttata	ctttcatgtt	tagcacatgg	tagtgcggat	tgacaagtta	gaaacagtgc	9900
ttaggagaca	aagagtcagt	aaaggtattg	aaagagtga	gttgatgctc	gacagggtcag	9960
gagaagtccc	tccgccagat	ggtgactacc	aaggggttg	tatcagctga	gacccaaata	10020
agattcttcg	gttgaaccag	tggttcgacc	gagactctta	gggtgggatt	tactgtaag	10080
atgtgtgcat	tttgttgaat	ataaattgac	aatttttttt	atttaattat	agattattta	10140
gaatgaatta	catatttagt	ttctaacaag	gatagcaatg	gatgggtatg	ggtacagggt	10200
aaacatatct	attaccacc	catctagtcg	tcgggtttta	cacgtaccca	cccgtttaca	10260
taaaccagac	cggaatttta	aaccgtaccc	gtccgttagc	gggtttcaga	tttaccggtt	10320
taatcgggta	aaacctgatt	actaaatata	tattttttat	ttgataaaca	aaacaaaaat	10380
gttaatat	tttgcattga	tgcaatttta	agaaacacat	attcataaat	ttccatat	10440
gtaggaaaat	aaaaagaaaa	atatattcaa	gaacacaaat	ttcaccgaca	tgacttttat	10500
tacagagttg	gaattagatc	taacaattga	aaaattaaaa	ttaagataga	atatgttgag	10560
gaacatgaca	tagtataatg	ctgggttacc	cgctcgggtg	gtatcgaggc	ggatactact	10620
aatccatcc	cactcgctat	ccgataatca	ctgggttcgg	gtatacccat	tcccgtcaac	10680
aggccttttt	aaccggataa	tttcaactta	tagtgaatga	attttgaata	aatagttaga	10740
ataccaaaat	cctggattgc	atgtgcaatc	aaattttgtg	aaccgttaaa	ttttgcatgt	10800
acttgggata	gatataatag	aaccgaattt	tcattagttt	aatttataac	ttactttgtt	10860
caaagaaaaa	aaatatctat	ccaatttact	tataataaaa	aataatctat	ccaagttact	10920
tattataatc	aacttgtaaa	aaggtaagaa	tacaaatgtg	gtagcgtacg	tgtgattata	10980
tgtgacgaaa	tgttatatct	aacaaaagtc	caaattccca	tggtaaaaaa	aatcaaaatg	11040
catggcaggc	tgtttgtaac	cttggataaa	gatgttggcc	aattctggag	ccgccacgta	11100
cgcaagactc	agggccacgt	tctcttcagt	caaggatagt	agaacaccac	tccaccacc	11160
tcctatatta	gacctttgcc	caaccctccc	caactttccc	atcccatcca	caaagaaacc	11220
gacattttta	tcataaatct	ggtgcttaaa	cactctggtg	agttctagta	cttctgctat	11280
gatcgatctc	attaccattt	cttaaatttc	tctccctaaa	tattccgagt	tcttgatttt	11340
tgataacttc	aggttttctc	tttttgataa	atctggtctt	tccatttttt	ttttttgtg	11400
gttaatttag	tttcctatgt	tcttcgattg	tattatgcat	gatctgtgtt	tggtattctgt	11460
tagattatgt	attgggtgaat	atgtatgtgt	ttttgcatgt	ctggtttttg	tcttaaaaat	11520
gttcaaactc	gatgatttga	ttgaagcttt	tttagtggtg	gtttgattct	tctcaaaact	11580
actgttaatt	tactatcatg	ttttccaact	ttgattcatg	atgacacttt	tggtctgctt	11640
tgttataaaa	ttttggttgg	tttgattttg	taattatagt	gtaattttgt	taggaatgaa	11700
catgttttaa	tactctgttt	tcgatttgtc	acacattcga	attattaatc	gataatttaa	11760

PF77877_sequence_listing_formatiertSA.txt

ctgaaaattc atggttctag atcttggtgt catcagatta tttgtttcga taattcatca	11820
aatatgtagt ccttttgctg atttgcgact gtttcatttt ttctcaaaat tgttttttgt	11880
taagtttatc taacagttat cgttggtcaaa agtctctttc attttgcaaa atcttctttt	11940
tttttttggt tgtaactttg ttttttaagc tacacattta gtctgtaaaa tagcatcgag	12000
gaacagttgt cttagtagac ttgcatgttc ttgtaacttc tatttgtttc agtttggtga	12060
tgactgcttt gattttgtag gtcaaaggcg caccctacca tggatgctta taacgctgct	12120
atggataaga ttggagctgc tatcatcgat tggagtgatc cagatggaaa gttcagagct	12180
gatagggagg attggtgggt gtgcgatttc agatccgcta tcaccattgc tctcatctac	12240
atcgctttcg tgatcttggg atctgctgtg atgcaatctc tcccagctat ggaccatac	12300
cctatcaagt tcctctacaa cgtgtctcaa atcttctctt gcgcttacat gactgttgag	12360
gctggattcc tcgcttatag gaacggatac accgttatgc catgcaacca cttcaacgtg	12420
aacgatccac cagttgctaa cttgctctgg ctcttctaca tctccaaagt gtgggatttc	12480
tgggatacca tcttcattgt gctcggaaag aagtggagac aactctcttt cttgcacgtg	12540
taccaccaca ccaccatctt cctcttctac tggttgaacg ctaacgtgct ctacgatgga	12600
gatatcttct tgaccatcct cctcaacgga ttcatcaca ccgtgatgta cacctactac	12660
ttcatctgca tgcacaccaa ggattctaag accggaaagt ctttgccaat ctggtggaag	12720
tcatctttga ccgctttcca actcttgcaa ttcaccatca tgatgtccca agctacctac	12780
ttggttttcc acggatgcga taaggtttcc ctccagaatca ccatcggtga cttcgtgtac	12840
attctctccc ttttcttcct cttcgctcag ttcttcgtgc aatcctacat ggctccaaag	12900
aagaagaagt ccgcttgatg ttaatgaagg ccgcagatat cagatctggg cgacctagag	12960
gatccccggc cgcaaagata ataacaaaag cctactatat aacgtacatg caagtattgt	13020
atgatattaa tgtttttacg tacgtgtaaa caaaaataat tacgtttgta acgtatgggtg	13080
atgatgtggg gcaactagtg taggccttgt attaataaaa agaagtttgt tctatataga	13140
gtggtttagt acgacgattt atttactagt cggatttgaa tagagaaccg aattcttcaa	13200
tccttgcttt tgatcaagaa ttgaaaccga atcaaatgta aaagttgata tatttgaaaa	13260
acgtattgag cttatgaaaa tgctaatact ctcatctgta tggaaaagtg actttaaaac	13320
cgaacttaaa agtgacaaaa ggggaatatc gcatcaaacc gaatgaaacc gatctacgta	13380
ggctcagctg agcttagcta agcctaccta gcctcacgtg agattatgta aggctaggta	13440
gcgtcacgtg acgttaccta acactagcta gcgtcagctg agcttagcta accctacgta	13500
gcctcacgtg agcttaccta acgctacgta gcctcacgtg actaaggatg acctaccat	13560
tcttgagaca aatgtttacat tttagtatca gagtaaaatg tgtacctata actcaaatc	13620
gattgacatg tatccattca acataaaatt aaaccagcct gcacctgcat ccacatttca	13680
agtattttca aaccgttcgg ctccctatcca ccgggtgtaa caagacggat tccgaatttg	13740
gaagattttg actcaaatc ccaatttata ttgaccgtga ctaaatcaac tttaacttct	13800
ataattctga ttaagctccc aatttatatt cccaacggca ctacctcaa aatttataga	13860

Page 7

PF77877_sequencelisting_formatiertSA.txt

ctctcatccc	cttttaaacc	aacttagtaa	acgttttttt	tttaatttta	tgaagttaag	13920
tttttacctt	gtttttaaaa	agaatcggtc	ataagatgcc	atgccagaac	attagctaca	13980
cgttacacat	agcatgcagc	cgcgagaaat	tggttttctt	cgccacttgt	cactcccttc	14040
aaacacctaa	gagcttctct	ctcacagcac	acacatacaa	tcacatgcgt	gcatgcatta	14100
ttacacgtga	tcgccatgca	aatctccttt	atagcctata	aattaactca	tcggcttcac	14160
tctttactca	aaccaaact	catcaataca	aacaagatta	aaaacatttc	acgatttgga	14220
atgtgattcc	tgcatcaca	ggtatgacag	gtagattttt	gttttgata	gttgataaca	14280
tacttctttg	tgatgttttg	ttactttaat	cgaatttttg	gagtgtttta	aggtctctcg	14340
tttagaaatc	gtggaaaata	tcactgtgtg	tgtgttctta	tgattcacag	tgtttatggg	14400
tttcatgttc	tttgttttat	cattgaatgg	gaagaaatth	cgttgggata	caaatttctc	14460
atgttcttac	tgatcgttat	taggagtttg	gggaaaaagg	aagagtthtt	ttggttggtt	14520
cgagtgatta	tgaggttatt	tctgtatttg	atthtatgagt	taatggctcg	tttaatgttg	14580
tagaccgcca	tggtcttttt	gaaccctgag	gctgattctg	ctgctaacct	cgctactgat	14640
tctgaggcta	agcaaagaca	attggctgag	gctggataca	ctcacgttga	gggtgctcct	14700
gctcctttgc	ctttggagtt	gcctcacttc	tctctcagag	atctcagagc	tgctattcct	14760
aagcactgct	tcgagagatc	tttcgtgacc	tccacctact	acatgatcaa	gaacgtgttg	14820
acttgcgctg	ctttgttcta	cgctgctacc	ttcattgata	gagctggagc	tgctgcttat	14880
gttttggtgc	ctgtgtactg	gttcttccag	ggatcttact	tgactggagt	gtgggttatc	14940
gctcacgagt	gtggacacca	ggcttattgc	tcttctgagg	tggtgaacaa	cttgattgga	15000
ctcgtgttgc	actctgcttt	gttggtgcct	taccactctt	ggagaatctc	tcacagaaag	15060
caccactcca	acactggatc	ttgcgagaac	gatgaggttt	tcgttcttgt	gaccagatct	15120
gtgttggtct	cttcttgga	cgagaccttg	gaggattctc	ctctctacca	actctaccgt	15180
atcgtgtaca	tggttggttg	tggttggttg	cctggatacc	tcttcttcaa	cgctactgga	15240
cctactaagt	actggggaaa	gtctaggtct	cacttcaacc	cttactccgc	tatctatgct	15300
gatagggaga	ggtggatgat	cgtgctctcc	gatattttct	tggtggctat	gttggtgttt	15360
ttggctgctt	tggtgcacac	tttctccttc	aacacgatgg	tgaagtthta	cgtggtgcct	15420
tacttcattg	tgaacgctta	cttggtgttg	attacctacc	tccaacacac	cgatacctac	15480
atccctcact	tcagagaggg	agagtggaa	tggttgagag	gagctttgtg	cactgtggat	15540
agatcatttg	gtccattcct	cgattctgtg	gtgcatagaa	tcgtggatac	ccacgtttgc	15600
caccatatct	tctccaagat	gcctttctat	cactgagagg	aggctaccaa	cgctattaag	15660
cctctcctcg	gaaagtthta	cttgaaggat	actactcctg	ttcctgttgc	tctctggaga	15720
tcttacaccc	actgcaagtt	cggtgaggat	gatggaaaag	tggtgttcta	caagaacaag	15780
ttatagttaa	tgaataattg	attggttcga	gtattatggc	attgggaaaa	ctgtttttct	15840
tgtaccatth	gttggtgctg	taatttactg	tggtttttat	tcggttttcg	ctatcgaact	15900

PF77877_sequencelisting_formatiertSA.txt

gtgaaatgga aatggatgga gaagagttaa tgaatgatat ggtccttttg ttcattctca	15960
aattaatatt atttgttttt tctcttattt gttgtgtgtt gaatttgaaa ttataagaga	16020
tatgcaaaca ttttgttttg agtaaaaatg tgtcaaatcg tggcctctaa tgaccgaagt	16080
taatatgagg agtaaaacac ttgtagtgtt accattatgc ttattcacta ggcaacaaat	16140
atattttcag acctagaaaa gctgcaaatg ttactgaata caagtatgtc ctcttggtgtt	16200
ttagacattt atgaactttc ctttatgtaa ttttccagaa tccttggtcag attctaataca	16260
ttgctttata attatagtta tactcatgga tttgtagtgt agtatgaaaa tatttttttaa	16320
tgcattttat gacttgccaa ttgattgaca acatgcatca atgcggccgc tagctagcct	16380
cagctgacgt tacgtaacgc taggtagcgt cacgtgacgt tagctaacgc taggtagcgt	16440
cagctgagct tacgtaagcg ccacgggcag gacataggga ctactacaag catagtatgc	16500
ttcagacaaa gagctaggaa agaactcttg atggagggtta agagaaaaaa gtgctagagg	16560
ggcatagtaa tcaaacttgt caaaaccgtc atcatgatga gggatgacat aatataaaaa	16620
gttgactaag gtcttggtag tactctttga ttagtattat atattggtga gaacatgagt	16680
caagaggaga caagaaaccg aggaaccata gtttagcaac aagatggaag ttgcaaagtt	16740
gagctagccg ctcgattagt tacatctcct aagcagtact acaagggaatg gtctctatac	16800
tttcatgttt agcacatggt agtgcggtt gacaagttag aaacagtgtc taggagacaa	16860
agagtcagta aagggtattga aagagtgaag ttgatgctcg acagggtcagg agaagtccct	16920
ccgccagatg gtgactacca aggggttggt atcagctgag acccaaataa gattcttcgg	16980
ttgaaccagt ggttcgaccg agactccttag ggtgggattt cactgtaaga tttgtgcatt	17040
ttgttgaaata taaattgaca atttttttta tttaattata gattatttag aatgaattac	17100
atatttagtt tctaacaagg atagcaatgg atgggtatgg gtacagggtta aacatatcta	17160
ttaccacccc atctagtcgt cgggttttac acgtaccac ccgtttacat aaaccagacc	17220
ggaattttta accgtaccg tccgttagcg ggtttcagat ttaccggtt aatcgggttaa	17280
aacctgatta ctaaataatat atttttttat tgataaacia aacaaaaatg ttaatatatt	17340
catattggat gcaattttta gaaacacata ttcataaatt tccatatattg taggaaaata	17400
aaaagaaaaa tatattcaag aacacaaatt tcaccgacat gactttttatt acagagttgg	17460
aattagatct aacaattgaa aaattaaaaat taagatagaa tatgttgagg aacatgacat	17520
agtataatgc tgggttaccc gtcgggttag tatcgaggcg gataactact aatccatccc	17580
actcgctatc cgataatcac tgggttcggg tataaccatt cccgtcaaca ggccttttta	17640
accggataat ttcaacttat agtgaatgaa ttttgataaa atagtttagaa taccaaaatc	17700
ctggattgca tttgcaatca aattttgtga accgttaaat tttgcatgta cttgggatag	17760
atataataga accgaatttt cattagttta atttataact tactttgttc aaagaaaaaa	17820
aatatctatc caattttactt ataataaaaa ataataatc caagttactt attataatca	17880
acttgtaaaa aggtagaagt acaaatgtgg tagcgtagct gtgattatat gtgacgaaat	17940
gttatatcta acaaaagtcc aaattcccat ggtaaaaaaa atcaaaatgc atggcaggct	18000

Page 9

PF77877_sequencelisting_formatiertSA.txt

gtttgtaacc	ttggaataag	atgttgGCCA	attctggagc	cgccacgtac	gcaagactca	18060
gggccacggt	ctcttcatgc	aaggatagta	gaacaccact	ccaccacact	cctatattag	18120
acctttgccc	aaccctcccc	aactttccca	tcccatccac	aaagaaaccg	acatttttat	18180
cataaatcag	ggtttcgttt	ttgtttcatc	gataaactca	aagggtgatga	ttttagggtc	18240
ttgtgagtg	gcttttttgt	ttgattctac	tgtaggggtt	atgttcttta	gctcatagg	18300
tttgtgtatt	tcttagaaat	gtggcttctt	taatctctgg	gtttgtgact	tttgtgtgg	18360
tttctgtgtt	tttcatatca	aaaacctatt	ttttccgagt	ttttttttac	aaattcttac	18420
tctcaagctt	gaatacttca	catgcagtg	tctttttag	attttagagt	taatgtgtta	18480
aaaagtttg	atttttcttg	cttatagagc	ttcttcactt	tgattttgtg	ggtttttttg	18540
ttttaaggt	gagatttttg	atgaggtttt	tgcttcaaag	atgtcacctt	tctgggttg	18600
tcttttgaat	aaagctatga	actgtcacat	ggctgacgca	attttgttac	tatgtcatga	18660
aagctgacgt	ttttccgtgt	tatacatggt	tgcttacact	tgcatgcgtc	aaaaaaattg	18720
gggcttttta	gttttagtca	aagattttac	ttctcttttg	ggatttatga	aggaaagttg	18780
caaactttct	caaattttac	catttttgct	ttgatgtttg	tttagattgc	gacagaacaa	18840
actcatatat	gttgaaat	ttgcttggtt	ttgtatagga	ttgtgtcttt	tgcttataaa	18900
tgttgaaatc	tgaacttttt	ttttgtttgg	tttcttttag	caggagataa	ggcgcaccac	18960
catggcttct	acatctgctg	ctcaagacgc	tgctccttac	gagttccctt	ctctcactga	19020
gatcaagagg	gctcttcctt	ctgagtggtt	cgaggcttct	gttcctcttt	ctctctacta	19080
caccgctaga	tctcttgctc	ttgctggatc	tctcgctggt	gctctctctt	acgctagagc	19140
tttgctctct	gttcaggcta	acgctcttct	tgatgctact	ctctgcaactg	gatacgttct	19200
tctccagga	atcggtttct	ggggattctt	caccgttggt	cacgattgtg	gacacggagc	19260
tttctctaga	tctcacgtgc	tcaacttctc	tgttggaacc	ctcatgcact	ctatcatcct	19320
tacccctttc	gagtccttga	agctctctca	cagacaccac	cacaagaaca	ccggaaacat	19380
cgataaggac	gagatcttct	accctcaaag	agaggctgat	tctcaccctg	tttctagaca	19440
ccttgatgat	tctcttggat	ctgcttggtt	cgcttacctt	ttcgttggtg	tccctcctag	19500
aaccatgaac	cacttcaacc	cttgggaggc	tatgtatggt	agaagagtgg	ctgctgtgat	19560
catctctctc	ggagttcttt	tcgctttcgc	tggactctac	tcttacctca	ccttcgttct	19620
tggattcacc	actatggcta	tctactactt	cggacctctc	ttcatcttcg	ctaccatgct	19680
tgttgttacc	actttcctcc	accacaacga	tgaggagaca	ccttggtacg	ctgattctga	19740
gtggacttac	gtgaaggga	acctctcttc	tgtggacaga	tcttacgggtg	ctctcatcga	19800
caaccttagc	cacaacatcg	gaactcacca	gatccaccac	ctcttcctta	tcacccctca	19860
ctacaagctc	aacgatgcta	ctgctgcttt	cgctaaggct	ttccctgagc	ttgttaggaa	19920
aaacgctgct	cctatcatcc	caactttctt	caggatggct	gctatgtacg	ctaagtacgg	19980
agttgttgac	actgatgcta	agaccttcac	tctcaaggag	gctaaggctg	ctgctaagac	20040

PF77877_sequence_listing_formatiertSA.txt

taagtcac	tct	tgatgattaa	tgaaggccgc	agatatcaga	tctggctcgac	ctagaggatc	20100	
cccggccgca	aagataataa	caaaagccta	ctatataacg	tacatgcaag	tattgtatga		20160	
tattaatg	ttt	tacgtacg	tgtaaacaaa	aataattacg	ttt	gtaacgt	atgggtgatga	20220
tgtgggtgcac	taggtgtagg	ccttgtatta	ataaaaagaa	gtttgttcta	tatagagtgg		20280	
tttagtacga	cgattttattt	actagtcgga	ttggaataga	gaaccgaatt	cttcaatcct		20340	
tgcttttgat	caagaattga	aaccgaatca	aatgtaaaag	ttgatataatt	tgaaaaacgt		20400	
attgagctta	tgaaaatgct	aatactctca	tctgtatgga	aaagtgactt	taaaaccgaa		20460	
cttaaaagtg	acaaaagggg	aatatcgcat	caaaccgaat	gaaaccgatc	tacgtaggct		20520	
cagctgagct	tacctaaggc	tacgtaggct	cacgtgacgt	tacgtaaggc	tacgtagcgt		20580	
cacgtgagct	tacctaactc	tagctagcct	cacgtgacct	tagctaacac	taggtagcgt		20640	
cagcttagca	gatatttggt	gtctaaatgt	ttattttgtg	atatgttcat	gtttgaaatg		20700	
gtggtttcga	aaccagggac	aacgttggga	tctgataggg	tgtaaagag	tattatggat		20760	
tgggacaatt	tcggtcacga	gttgcaaatt	caagtatatc	gttcgattat	gaaaattttc		20820	
gaagaatatc	ccatttgaga	gagtcctttac	ctcattaatg	tttttagatt	atgaaatttt		20880	
atcatagttc	atcgtagtct	ttttggtgta	aaggctgtaa	aaagaaattg	ttcacttttg		20940	
ttttcgttta	tgtgaaggct	gtaaaagatt	gtaaaagact	attttggtgt	tttggataaa		21000	
atgatagttt	ttatagattc	ttttgctttt	agaagaaata	catttgaaat	tttttccatg		21060	
ttgagtataa	aataaccgaaa	tcgattgaag	atcatagaaa	tatttttaact	gaaaacaaat		21120	
ttataactga	ttcaattctc	tccattttta	tacctattta	accgtaatcg	attctaatag		21180	
atgatcgatt	ttttatataa	tcctaattaa	ccaacggcat	gtattggata	attaaccgat		21240	
caactctcac	ccctaataga	atcagtattt	tccttcgacg	ttaattgatc	ctacactatg		21300	
taggtcatat	ccatcgtttt	aatttttggc	caccattcaa	ttctgtcttg	cctttagggga		21360	
tgtgaatatg	aacggccaag	gtaagagaat	aaaaataatc	caaattaaag	caagagaggc		21420	
caagtaagat	aatccaaatg	tacacttgtc	attgccaaaa	ttagtataat	actcggcata		21480	
ttgtattccc	acacattatt	aaaataccgt	atatgtattg	gctgcatttg	catgaataat		21540	
actacgtgta	agcccaaaaag	aaccacagtg	tagcccatgc	aaagttaaca	ctcacgaccc		21600	
cattcctcag	tctccactat	ataaaccac	catccccaat	ctcaccaaac	ccaccacaca		21660	
actcacaact	cactctcaca	ccttaaagaa	ccaatcacca	ccaaaaaaag	ttctttgctt		21720	
tcgaagtgtc	cgcaacctaa	acagggtttt	ccttcttctt	tcttcttatt	aactacgacc		21780	
ttgtcccttg	cctatgtaaa	attactaggt	tttcatcagt	tacactgatt	aagttcgtta		21840	
tagtgggaaga	taaaatgccc	tcaaagcatt	ttgcaggata	tctttgattt	ttcaaagata		21900	
tggaactgta	gagtttgata	gtgttcttga	atgtgggttg	atgaagtttt	tttggctctgc		21960	
atgttatttt	ttcctcgaaa	tatgttttga	gtccaacaag	tgatttcactt	gggattcaga		22020	
aagttgtttt	ctcaatatgt	aacagttttt	ttctatggag	aaaaatcata	gggaccggtg		22080	
gttttggtct	ctttaatttt	gagctcagat	taaaccatt	ttacccggtg	ttcttggcag		22140	

PF77877_sequencelisting_formatiertSA.txt

aattgaaaac agtacgtagt accattttaa tgcgcctacc atgccaccta gtgctgctag	22200
tgaagggtgt gttgctgaac ttagagctgc tgaagttgct agctacacta gaaaggctgt	22260
tgacgaaaga cctgacctca ctatagttgg tgacgctggt tacgacgcta aggcttttag	22320
ggacgagcac cctgggtggtg ctcacttcgt tagccttttc ggaggtaggg acgctactga	22380
ggcttttatg gaatatcacc gtagagcttg gcctaaggct aggatgtcta agttcttcgt	22440
tggttcactt gacgctagcg agaagcctac tcaagctgat tcagcttacc ttagactttg	22500
cgctgagggt aacgctcttt tgcctaaggg tagcggagga ttcgctcctc ctactactg	22560
gcttaaggct gctgctcttg ttgttgctgc tgttagtata gagggttata tgctccttag	22620
gggtaagacc cttttgctta gcgttttcct tggactcgtg ttcgcttgga taggacttaa	22680
tattcagcac gacgctaatac acggtgctct tagtagacac tcagtgatta actactgcct	22740
cggttacgct caggattgga taggtggtaa tatggtgctt tggcttcaag agcacgttgt	22800
gatgcaccac ctccacacta acgacgttga cgctgatcct gatcaaaagg ctcacggtgt	22860
tcttagactt aagcctactg acggttggat gccttggcac gcacttcaac aactctatat	22920
ccttcctggt gaggtatgt acgcttttaa gcttcttttc ttggacgcc ttgagcttct	22980
tgcttgaggg tgggagggtg agaagattag ccctcttgct agagctttgt tcgctcctgc	23040
tgttgcttgt aagcttggat tctgggctag attcgttgct ctccctctct ggcttcaacc	23100
tactgttcac actgctttgt gtatctgtgc tactgtgtgt actggtagct tctacctgc	23160
cttctcttc tttatctctc acaacttcga cgggtgttgg agcggttgac ctaagggatc	23220
acttcctaga tcagctactt tcgttcaacg tcaggttgag actagctcta acgttggtgg	23280
ttactggctt ggagttctta acggtggact taactttcag atagagcacc acttgttccc	23340
taggcttcac cactcttact acgctcaaat agctcctgtg gttaggactc acatagagaa	23400
gctcggtttt aagtaccgtc acttccctac cggttgatct aaccttagct caatgcttca	23460
gcatatgggt aagatgggaa ctagacctgg tgctgagaag ggtggttaagg ctgagtagtg	23520
attaatgaat aattgattgc tgctttaatg agatatgcga gacgcctatg atcgcatgat	23580
atttgctttc aattctgttg tgcacgttgt aaaaaacctg agcatgtgta gctcagatcc	23640
ttaccgccgg tttcggttca ttctaataa tatatcacc gttactatcg tatttttatg	23700
aataatatc tccgttcaat ttactgattg tctacgtagc gtcacctgac gttacgtaag	23760
gctacctagg ctcacgtgac gttacgtaac gctacgtagc gtcagggtgag gttagctaac	23820
gctagctagc ctcacctgac gttaggtaag gctacgtagc gtcacctgag attagctaag	23880
cctacctaga ctcacgtgac cttaggtaac gctacgtagc gtcaaagctt tacaacgcta	23940
cacaaaactt ataaccgtaa tcaccattca ttaacttaac tactatcaca tgcatcatg	24000
aattgaaacg agaaggatgt aaatagttgg gaagttatct ccacgttgaa gagatcgta	24060
gcgagagctg aaagaccgag ggaggagacg ccgtcaacac ggacagagtc gtcgaccctc	24120
acatgaagta ggaggaatct ccgtgaggag ccagagagac gtcttttggtc ttcggtttcg	24180

PF77877_sequence_listing_formatiertSA.txt

atccttgatc	tgacggagaa	gacgagagaa	gtgcgactgg	actccgtgag	gaccaacaga	24240
gtcgtcctcg	gtttcgatcg	tcggtattgg	tggagaaggc	ggaggaatct	ccgtgacgag	24300
ccagagagat	gtcgtcggtc	ttcggtttcg	atccttgatc	tgacggagaa	gacgagagaa	24360
gtgcgacgag	actccgtgag	gaccaacaga	gttgctctcg	gtttcgatcg	tcggttttcg	24420
cggagaaggc	ggaggaatct	ccgtgaggag	ccagagagac	gtcgttggtc	ttcggtttcg	24480
atccttgatc	tggttgagaa	gacgagacaa	gtgggacgag	actcaacgac	ggagtcagag	24540
acgtcgtcgg	tcttcggttt	cggccgagaa	ggcggagtcg	gtcttcggtt	tcggccgaga	24600
aggcggagga	gacgtcttcg	atttggtct	ctcctcttga	cgaagaaaac	aaagaacacg	24660
agaaataatg	agaaagagaa	caaaagaaaa	aaaaataaaa	ataaaaataa	aatttggtcc	24720
tcttatgtgg	tgacacgtgg	tttgaaaccc	accaaataat	cgatcacaaa	aaacctaatg	24780
taaggatcgg	taataacctt	tctaattaat	tttgatttat	attaaatcac	tctttttatt	24840
tataaacccc	actaaattat	gcgatattga	ttgtctaagt	acaaaaattc	tctcgaattc	24900
aatacacatg	tttcatatat	ttagccctgt	tcattttaata	ttactagcgc	atttttaatt	24960
taaaattttg	taaacttttt	tgggtcaaaga	acattttttt	aatttagagac	agaaatctag	25020
actctttatt	tgggaataata	gtaataaaga	tatattaggc	aatgagttta	tgatgttatg	25080
tttatatagt	ttatttcatt	ttaaattgaa	aagcattatt	tttatcgaaa	tgaatctagt	25140
atacaatcaa	tatttatgtt	ttttcatcag	atactttcct	attttttggc	acctttcatc	25200
ggactactga	tttatttcaa	tgtgtatgca	tgcattgagc	tgagtataca	catgtctttt	25260
aaaatgcatg	taaagcgtaa	cggaccacaa	aagaggatcc	atacaaatac	atctcatcgc	25320
ttcctctact	attctccgac	acacacactg	agcatgggtg	ttaaactctc	tgggtgagttc	25380
tagtacttct	gctatgatcg	atctcattac	catttcttaa	atctctctcc	ctaaatattc	25440
cgagttcttg	atttttgata	acttcagggt	ttctcttttt	gataaatctg	gtctttccat	25500
tttttttttt	tttgtgggta	atttagtttc	ctatgttctt	cgattgtatt	atgcatgac	25560
tgtgtttgga	ttctgttaga	ttatgtattg	gtgaatatgt	atgtgttttt	gcatgtctgg	25620
ttttggtctt	aaaaatgttc	aaatctgatg	atgtgattga	agctttttta	gtgttggttt	25680
gattcttctc	aaaactactg	ttaatttact	atcatgtttt	ccaactttga	ttcatgatga	25740
cacttttggt	ctgctttggt	ataaaatttt	ggttgggttg	attttgtaat	tatagtgtaa	25800
ttttgttagg	aatgaacatg	ttttaatact	ctgttttcga	tttgtcacac	attcgaatta	25860
ttaatcgata	atttaactga	aaattcatgg	ttctagatct	tgttgtcatc	agattatttg	25920
tttcgataat	tcatcaaata	tgtagtcctt	ttgctgattt	gcgactgttt	cattttttct	25980
caaaattggt	ttttgttaag	tttatctaac	agttatcggt	gtcaaaagtc	tctttcattt	26040
tgcaaaatct	tctttttttt	tttgtttgta	actttgtttt	ttaagctaca	catttagtct	26100
gtaaaaatagc	atcgaggaac	agttgtctta	gtagacttgc	atgttcttgt	aacttctatt	26160
tgttttcagtt	tgttgatgac	tgttttgatt	ttgtagggtc	aaccgcgcca	tgtctgctag	26220
cggagctttg	ttgcctgcta	tagctttcgc	tgtttacgct	tacgctacct	acgcttatgc	26280

Page 13

PF77877_sequencelisting_formatiertSA.txt

tttcgagtgg	agccacgcta	acggaatcga	taacgtggat	gctagagagt	ggattggagc	26340
tttgtctttg	agactccctg	caattgcaac	cacaatgtac	ctcttggtct	gccttggtgg	26400
acctagattg	atggctaaga	gggaggcttt	tgatcctaag	ggatttatgc	tcgcttacia	26460
cgcttaccaa	accgctttca	acgttggtgt	gctcggaatg	ttcgctagag	agatctctgg	26520
attgggacaa	cctgtttggg	gatctactat	gccttgagc	gataggaagt	ccttcaagat	26580
tttgttggga	gtgtggctcc	actacaacaa	taagtacctc	gagttgttgg	atactgtgtt	26640
catggtggct	aggaaaaaga	ccaagcagct	ctctttcttg	cacgtgtacc	accacgcttt	26700
gttgatttgg	gcttggtggc	ttgtttgtca	cctcatggct	accaacgatt	gcacgcgatc	26760
ttatttcgga	gctgcttgca	actctttcat	ccacatcgtg	atgtactcct	actacctcat	26820
gtctgctttg	ggaattaggt	gcccttgga	gagatatatc	accaggctc	agatgttgca	26880
attcgtgatc	gtgttcgctc	acgctgtttt	cgtgctcaga	caaaagcact	gccctgttac	26940
tttgccttgg	gcacaaatgt	tcgtgatgac	aaatatgttg	gtgctcttcg	gaaacttcta	27000
cctcaaggct	tactctaaca	agtctagggg	agatggagct	tcttctgtta	agcctgctga	27060
gactactaga	gcaccttctg	tgagaagaac	cagggtcaagg	aagatcgatt	gatagttaat	27120
gaactaagtt	tgatgtatct	gagtgccaac	gtttactttg	tctttccttt	cttttattgg	27180
ttatgattag	atgtttacta	tgttctctct	ttttcgttat	aaataaagaa	gttcaattct	27240
tctatagttt	caaacgcgat	tttaagcggt	tctatttagg	tttacctgat	ttcttttaca	27300
aatcatcttt	taaaatacag	tatatTTTTA	gttttcataa	aatattttaa	gaaatgaaag	27360
tttataaaca	ttcactccta	ttctctaatt	aaggatttgt	aaaacaaaaa	ttttgtaagc	27420
atatcgattt	atgcgttttg	tcttaattag	ctcactaaat	aataaataat	agcttatgtt	27480
gtgggactgt	ttaattacct	aacttagaac	taaaatcaac	tctttgtgac	gcgtctacct	27540
agagtcagct	gagcttagct	aacgctagct	agtgtcagct	gacgttacgt	aaggctaact	27600
agcgtcacgt	gaccttacgt	aacgctacgt	aggctcagct	gagcttagct	aaccctagct	27660
agtgtcacgt	gagcttacgc	tactatagaa	aatgtgttat	atcgacatga	ccagacaaag	27720
gggcaacagt	taacaaaaca	attaattctt	tcatttgaga	ttaaggaagg	taaggactta	27780
aaaagattaa	aaaaaatgag	cttatctctt	tgtttctgta	ataataatat	aagtgtgata	27840
aacttttaat	ataataattg	taattagggt	ttctacagat	gagcaccact	cagagacaag	27900
ataagaagaa	aacaattttg	ttaaactatga	ttatagaaac	ttttagttaa	gtcttgaagt	27960
atcaatataa	caaaaaaaag	tacacacgac	tatgacaata	aaccctactac	cgtcagggtta	28020
tcatttcgat	gaaatgtttt	gatatcatta	aatataacag	tcacaaaaaa	tcattctaatt	28080
ataacaatat	aacttatata	tatatTTTA	taaaaactta	gagtttttgt	aatgattcta	28140
attgatgatt	agagtttata	gaaatacaat	taaataaaaa	atataatttt	aaaaaaacat	28200
agtaaagtca	atgagatcct	ctctgacctc	agtgatcatt	tagtcatgta	tgtacaacaa	28260
tcattgttca	tcacatgact	gtaaaataaa	taaggataaa	cttggggaata	tatataatat	28320

PF77877_sequencelisting_formatiertSA.txt

attgtattaa	ataaaaaagg	gaaatacaaa	tatcaatttt	agattcccga	gttgacacaa	28380
ctcaccatgc	acgctgccac	ctcagctccc	agctctcgtc	acatgtctca	tgtcagttag	28440
gtcttttggtt	tttagtcttt	gacacaactc	gccatgcatg	ttgccacgtg	agctcgtttc	28500
tcttcccacg	atctcaccac	tgggcatgca	tgctgccacc	tcagctggca	cctcttctct	28560
atatgtccct	agaggccatg	cacagtgcc	cctcagcact	cctctcagaa	cccatacgta	28620
cctgccaatc	ggcttctctc	cataaatatc	tatttaaatt	ataactaatt	atttcatata	28680
cttaattgat	gacgtggatg	cattgccatc	gttgtttaatt	aattgttaatt	tacgacatga	28740
taaataaaat	gaaagtaaaa	agtacgaaag	attttccatt	tgttggtgta	taaatagaga	28800
agtgagtgat	gcataatgca	tgaatgcatg	accgcgccac	catgactggt	ggatacgacg	28860
aggagatccc	attcgagcaa	gttagggctc	ataacaagcc	agacgacgct	tgggtgtgcta	28920
ttcacggaca	cgtgtacgac	gttaccaagt	tcgcttcagt	tcaccagga	ggagatatta	28980
tcttgctcgc	tgctggaaag	gaagctactg	tcctctacga	gacctaccat	gttagaggag	29040
tgtctgacgc	tgtgctcaga	aagtacagaa	taggaaagtt	gccagacgga	caaggaggag	29100
ctaacgagaa	ggagaagaga	accttgtctg	gattgtcctc	tgcttcttac	tacacctgga	29160
actccgattt	ctacagagtg	atgagggaga	gagttgtggc	tagattgaag	gagagaggaa	29220
aggctagaag	aggaggatac	gaactctgga	tcaaggcttt	cttgctcctt	gttggattct	29280
ggctctctct	ttactggatg	tgcaccctcg	atccatcttt	cggagctatc	ttggctgcta	29340
tgtctttggg	agtgttcgct	gcttttgttg	gaacctgcat	ccaacacgat	ggaaaccacg	29400
gagctttcgc	tcaatctaga	tgggttaaca	aggtggcagg	atggactttg	gatatgatcg	29460
gagcttctgg	aatgacttgg	gagttccaac	acgtgttggg	acaccacca	tacactaact	29520
tgatcgagga	ggagaacgga	ttgcaaaagg	tgtccggaaa	gaagatggat	accaagttgg	29580
ctgatcaaga	gtctgatcca	gatgtgttct	ccacctacc	aatgatgaga	ttgcaccctt	29640
ggcaccagaa	gaggtggtat	cacaggttcc	agcacatcta	cggacctttc	atcttcggat	29700
tcatgaccat	caacaagggtg	gtgactcaag	atgttgaggt	ggtgttgaga	aagagactct	29760
tccaaatcga	tgctgagtgc	agatatgctt	ccccaatgta	cgttgctagg	ttctggatta	29820
tgaaggcttt	gaccgtgttg	tatatgttg	ctttgccttg	ttatatgcaa	ggaccttggc	29880
acggattgaa	actcttcgct	atcgctcact	tcacttgcg	agaggttttg	gctaccatgt	29940
tcatcgtaaa	ccacattatc	gagggagtgt	cttacgcttc	taaggatgct	gttaagggaa	30000
ctatggctcc	accaaagact	atgcacggag	tgacccaat	gaacaacact	agaaaggagg	30060
ttgaggctga	ggcttctaag	tctggagctg	tgggttaagtc	tgtgccattg	gatgattggg	30120
ctgctgttca	gtgccaaacc	tctgtgaact	ggtctgttgg	atcttggttt	tggaaaccact	30180
tctctggagg	actcaaccac	caaatcgagc	accacctctt	cccaggattg	tctcacgaga	30240
cctactacca	catccaagac	gtggttcaat	ctacctgtgc	tgagtacgga	gttccatacc	30300
aacacgagcc	atctttgtgg	actgcttact	ggaagatgct	cgaacacctt	agacaattgg	30360
gaaacgagga	gactcacgag	tcatggcaga	gagctgcttg	attaatgaac	taagactccc	30420

Page 15

PF77877_sequencelisting_formatiertSA.txt

aaaaccacct	tccctgtgac	agttaaaccc	tgcttatacc	tttcctccta	ataatgttca	30480
tctgtcacac	aaactaaaat	aaataaaaatg	ggagcaataa	ataaaaatggg	agctcatata	30540
tttacaccat	ttacactgtc	tattattcac	catgccaat	attacttcat	aattttaaaa	30600
ttatgtcatt	tttaaaaaatt	gcttaatgat	ggaaaggatt	attataagtt	aaaagtataa	30660
catagataaa	ctaaccacaa	aacaaatcaa	tataaactaa	cttactctcc	catctaattt	30720
ttatttaaat	ttcttttacac	ttctcttcca	tttctatttc	tacaacatta	tttaacattt	30780
ttattgtatt	tttcttactt	tctaactcta	ttcatttcaa	aaatcaatat	atgtttatca	30840
ccacctctct	aaaaaaaaact	ttacaatcat	tggtccagaa	aagttaaadc	acgagatggt	30900
catttttagca	ttaaaacaac	gattcttgta	tcactatttt	tcagcatgta	gtccattctc	30960
ttcaaacaaa	gacagcggct	atataatcgt	tgtgtttatat	tcagtctaaa	acaactacgt	31020
agcgtcacgt	gacgttacct	aagcctaggt	agcctcagct	gacgttacgt	aacgctaggt	31080
aggctcagct	gactgcagca	aattttacaca	ttgccactaa	acgtctaaac	ccttgtaatt	31140
tgtttttgtt	ttactatgtg	tgttatgtat	ttgatttgcg	ataaatTTTT	atatttggtta	31200
ctaaatttat	aacacctttt	atgctaacgt	ttgccaacac	ttagcaattt	gcaagttgat	31260
taattgattc	taaattattt	ttgtcttcta	aatacatata	ctaatcaact	ggaaatgtaa	31320
atatttgcta	atatttctac	tataggagaa	ttaaagttag	tgaatatggt	accacaaggt	31380
ttggagattt	aattgttgca	atgctgcatg	gatggcatat	acaccaaaca	ttcaataatt	31440
c ttgaggata	ataatggtac	cacacaagat	ttgagggtgca	tgaacgtcac	gtggacaaaa	31500
ggtttagtaa	tttttcaaga	caacaatggt	accacacaca	agttttgagg	tgcatgcatg	31560
gatgccctgt	ggaaagttta	aaaatatttt	ggaaatgatt	tgcatggaag	ccatgtgtaa	31620
aaccatgaca	tccacttgga	ggatgcaata	atgaagaaaa	ctacaaattt	acatgcaact	31680
agttatgcat	gtagtctata	taatgaggat	tttgcaatac	tttcattcat	acacactcac	31740
taagttttac	acgattataa	tttcttcata	gccagtactg	tttaagcttc	actgtctctg	31800
aatcggaaca	ggtaaacgta	tcaattattc	tacaaaccct	tttatTTTT	ttttgaatta	31860
ccgtcttcat	tggttatatg	ataacttgat	aagtaaagct	tcaataattg	aatttgatct	31920
gtgttttttt	ggccttaata	ctaaatcctt	acataagctt	tgttgcttct	cctcttggtga	31980
gttgagtgtt	aagttgtaat	aatgggtcac	tttcagcttt	agaagaaacg	cgccttccat	32040
ggctacaaaag	gaggcttacg	ttttcccaac	tctcaccgag	atcaagagat	ctctcccaaa	32100
ggattgcttc	gaggcttctg	tgcttttgct	tctctactac	actgtgagat	gcttggttat	32160
tgctgtggct	ttgaccttcg	gattgaacta	cgctagagct	ttgccagagg	ttgagtcttt	32220
ctgggctttg	gatgctgctt	tgtgcactgg	atatatcctc	ctccagggaa	ttgtgttctg	32280
gggattcttc	actgttggac	acgatgctgg	acacggagct	ttctctagat	accacctctt	32340
gaacttcggt	gtgggaacct	tcatgcactc	tctcatcttg	acccatttcg	agtcttgga	32400
gttgaccac	agacaccacc	acaagaacac	cggaaacatc	gatagagatg	aggtgttcta	32460

PF77877_sequence_listing_formatiertSA.txt

cccacagaga	aaggctgatg	atcacccatt	gtccaggaac	ttgatcttgg	ctttgggagc	32520
tgcttggtt	gcttatttgg	tggagggatt	cccaccaaga	aagggtgaacc	acttcaaccc	32580
attcgagcca	ctttttgtga	gacaagtgtc	cgctgtgggt	atctctttgc	tcgctcactt	32640
cttcgttgct	ggactctcta	tctacttgtc	tctccagttg	ggacttaaga	ccatggctat	32700
ctactactac	ggaccagttt	tcgtgttcgg	atctatgttg	gtgattacca	ccttcttgca	32760
ccacaacgat	gaggagactc	catggtatgc	tgattctgag	tggacttacg	tgaagggaaa	32820
cttgtcctct	gtggatagat	cttacggtgc	tctcatcgat	aacctctccc	acaacatcgg	32880
aactcaccag	atccaccacc	tcttcccaat	tatcccacac	tacaagctca	agaaggctac	32940
tgctgctttc	caccaagctt	ttccagagct	tgtgagaaa	tccgatgagc	caatcatcaa	33000
ggctttcttc	agagtgggaa	ggttgtatgc	taactacgga	gtggttgatc	aagaggctaa	33060
gctcttctact	ttgaaggagg	ctaaggctgc	tactgaagct	gctgctaaga	ccaagtctac	33120
ctgattaatg	aatcgacaag	ctcgagtttc	tccataataa	tgtgtgagta	gttcccatgat	33180
aagggaaatta	gggttcctat	agggtttcgc	tcatgtgttg	agcatataag	aaacccttag	33240
tatgtattttg	tatttgtaaa	atacttctat	caataaaaatt	tctaattcct	aaaacccaaa	33300
tccagtacta	aaatccagat	ccccgaatt	aattcggcgt	taattcagct	acgtaggctc	33360
agctgagctt	acctaaggct	acgtaggctc	acgtgacgtt	acgtaaggct	acgtagcgctc	33420
acgtgagctt	acctaactct	agctagcctc	acgtgacctt	agctaacact	aggtagcgctc	33480
agcacagatg	aatactagct	gttggttcaca	gttctagtgt	ctcctcatta	cgtgaattca	33540
agctacgatc	actatctcaa	ctcctacata	aacatcagaa	tgctacaaaa	ctatgcacaa	33600
aaacaaaagc	tacatcta	acgtgaatca	attactctca	tcacaagaaa	gaagatttca	33660
atcaccgctc	agaaggagga	ttcagttaat	tgaatcaaag	ttccgatcaa	actcgaagac	33720
tgggtgagcac	gaggacgacg	agaagagtg	tctcgaagat	acaacaagca	agaaatctac	33780
tgagtgtac	cctgaagtta	ttggcgcgat	tgagagaatc	aatccgaatt	aatttcgggg	33840
aaaaagataa	attagatact	aagcgatggg	cttgggctgg	gctaagaaac	aggtggcaat	33900
tgggctggag	gaccccgca	ttcatagctt	ccgatagccc	aaaaaaaaac	ggataacata	33960
tttatcgggt	atttgaattt	cagtgaata	agatatcttc	tttttggttag	gaaaatttta	34020
gaaaataatg	gaaattaaat	agcgattatg	ttacaagata	cgatcagcat	cgggcagtg	34080
aaaatgctat	agcttcccaa	gatttgatcc	ttttgggtta	tctcctaata	acaattagtt	34140
taggattttg	aaacttatat	taatactatt	atccgacaac	acttgtttca	gcttcttatt	34200
ttaacatttt	ttgttttttt	ctattcttct	tcccatcagc	attttctttt	taaaaaattg	34260
aatactttta	cttttttaaa	atttcacaat	gatcagatga	tattatggaa	gatctcaaga	34320
gttaaatgta	tccatcttgg	ggcattaaaa	ccgggtgtac	ggatgataaa	tacagacttt	34380
atatcatatg	atagctcagt	aattcatatt	tatcacgttg	ctaaaaaaat	tataagggtac	34440
tagtagtcaa	caaaatcaat	taaagagaaa	gaaagaaacg	catgtgaaga	gagtttacaa	34500
ctggaaaagt	aaaataaaaa	ttaacgcatg	ttgaatgctg	acatgtcagt	atgtccatga	34560

Page 17

PF77877_sequencelisting_formatiertSA.txt

atccacgtat	caagcgccat	tcatcgatcg	tcttcctctt	tctaaatgaa	aacaacttca	34620
cacatcacia	caaacaatac	acacaagacc	ccctctctct	cgttgtctct	ctgccagcga	34680
ccaaatcgaa	gcttgagaag	aacaagaagg	ggcacaacca	tggaagaaagg	atctgagggg	34740
agatctgctg	ctagagagat	gactgctgag	gctaacggag	ataagagaaa	gaccatcctc	34800
attgagggag	tggtgtacga	tgctaccaac	ttcaaacacc	caggagggttc	cattattaac	34860
ttcctcaccg	agggagaagc	tgaggttgat	gctacccaag	cttacagaga	gttccatcag	34920
agatccggaa	aggctgataa	gtacctcaag	tccctcccaa	agttggatgc	ttctaagggtg	34980
gagtctaggt	tctctgctaa	ggagcaggct	agaagggacg	ctatgaccag	ggattacgct	35040
gctttcagag	aggagttggt	tgctgagggg	tacttcgatc	catctatccc	acacatgatc	35100
tacagagtgg	tgagattgtg	ggctttgttc	gctttgtctt	tctgggtgat	gtctaaggct	35160
tctccaacct	ctttggtttt	gggagtgggtg	atgaacggaa	tcgctcaagg	aagatgcgga	35220
tggttatgac	acgagatggg	acacggatct	ttcactggag	ttatctggct	cgatgatagg	35280
atgtgcgagt	tcttctacgg	agttggatgt	ggaatgtctg	gacactactg	gaagaaccag	35340
cactctaagc	accacgtgac	tccaaacaga	ttggagcacg	atgtggattt	gaacaccttg	35400
ccactcgttg	ctttcaacga	gagagtgtgtg	aggaagggtta	agccaggatc	tttgttggtc	35460
ttgtggctca	gagttcaggc	ttatttgttc	gctccagtgt	cttgcttggt	gatcggattg	35520
ggatggacct	tgtacttgca	cccaagatat	atgctcagga	ccaagagaca	catggagttt	35580
gtgtggatct	tcgctagata	tatcggatgg	ttctccttga	tggaagcttt	gggatattct	35640
cctggaactt	ctgtgggaat	gtacctctgc	tctttcggac	ttggatgcat	ctacatcttc	35700
ctccaattcg	ctgtgtctca	caccacttg	ccagttacca	acccagagga	tcaattgcac	35760
tggttgaggt	acgtgctga	tcacaccgtg	aacatctcta	ccaagtcttg	gttggttacc	35820
tggtggatgt	ctaacctcaa	cttccaaatc	gagcaccact	tggtcccaac	cgctccacaa	35880
ttcaggttca	aggagatctc	tccaagagtt	gaggctctct	tcaagagaca	caacctccct	35940
tactacgatt	tgccatacac	ctctgctgtt	tctactacct	tcgctaacct	ctactctggt	36000
ggacactctg	ttggagctga	taccaagaag	caggattgat	gattaatgaa	taattgattg	36060
tacatactat	atTTTTTgtt	taccttgtgt	tagtttaatg	ttcagtgtcc	tctctttatt	36120
gtggcacgtc	tctttgttgt	atgttgtgtc	tatacaaagt	tgaaataatg	gaaagaaaag	36180
gaagagtgtg	atTTTgtttt	ttttaagtgt	ttataaatat	atatatatag	gtcattttaga	36240
tagttctagg	tttctataaa	actctctctc	tggaagtaga	atctgttttt	gagaggatcc	36300
agttgcctac	taatctcccc	caaaaccctt	caagcttaac	cttctctctc	acaacaacag	36360
aggaaacaca	tctcttgagc	tctgagttct	cttcttttag	catgtctatc	gctaaactca	36420
tctgccttat	agcttccctc	ttctcttcat	ctctctctct	caccatttctg	ctgtaaaact	36480
tattctctct	cctcagcctc	tctatctctt	ccttcagcat	ctcacaattc	ccaccataat	36540
cgactgagga	tgattcaccg	tcatcaactt	cagactcagc	gttgtagtgc	tcatgagtct	36600

PF77877_sequencelisting_formatiertSA.txt

cacaagcctt	ggaccaagaa	gactcatcat	cgcaagttga	tgatttatca	tgatgcttct	36660
ctgagccgtg	tttgctagct	agcctcagct	gacgttacgt	aacgctaggt	agcgtcacgt	36720
gacgttagct	aacgctaggt	agcgtcagct	gagcttacgt	aagcgcacag	atgaatacta	36780
gctgttggtt	acagttctag	tgtctcctca	ttacgtgaat	tcaagctacg	atcactatct	36840
caactcctac	ataaacatca	gaatgctaca	aaactatgca	caaaaacaaa	agctacatct	36900
aatacgtgaa	tcaattactc	tcatcacaa	aaagaagatt	tcaatcaccg	tcgagaagga	36960
ggattcagtt	aattgaatca	aagttccgat	caaactcgaa	gactgggtgag	cacgaggacg	37020
acgaagaaga	gtgtctcgaa	gatacaacaa	gcaagaaatc	tactgagtga	cctcctgaag	37080
ttattggcgc	gattgagaga	atcaatccga	attaattttcg	gggaaaaaga	taaattagat	37140
actaagcgat	gggcttgggc	tgggctaaga	aacagggtggc	aattgggctg	gaggaccccg	37200
cgattcatag	cttccgatag	ccccaaaaaa	aacggataac	atattttatcg	ggtattttgaa	37260
tttcagtga	ataagatatt	ttctttttgt	taggaaaatt	ttagaaaata	atggaaatta	37320
aatagcgatt	atgttacaag	atacgatcag	catcgggcag	tgcaaaatgc	tatagcttcc	37380
caagatttga	tccttttggg	ttatctccta	atgacaatta	gtttaggatt	ttgaaactta	37440
tattaatact	attatccgac	aacacttggt	tcagcttctt	attttaacat	tttttgtttt	37500
tttctattct	tcttcccatc	agcattttct	ttttaaaaaa	ttgaatactt	taacttttta	37560
aaaatttcac	aatgatcaga	tgatattatg	gaagatctca	agagttaa	gtatccatct	37620
tggggcatta	aaaccgggtg	acgggatgat	aaatacagac	tttatatcat	atgatagctc	37680
agtaattcat	atttatcacg	ttgctaataa	aattataagg	tactagtagt	caacaaaatc	37740
aattaaagag	aaagaaagaa	acgcatgtga	agagagttta	caactggaaa	agtaaaataa	37800
aaattaacgc	atgttgaatg	ctgacatgtc	agtatgtcca	tgaatccacg	tatcaagcgc	37860
cattcatcga	tcgtcttcct	ctttctaaat	gaaaacaact	tcacacatca	caacaaacaa	37920
tacacacaag	acccctctc	tctcgttgtc	tctctgccag	cgaccaaatac	gaagcttgag	37980
aagaacaaga	aggggtcaaa	ccatggcttc	tacatctgct	gctcaagacg	ctgctcctta	38040
cgagttccct	tctctcactg	agatcaagag	ggctcttcct	tctgagtgtt	tcgaggcttc	38100
tgttcctctt	tctctctact	acaccgctag	atctcttgct	cttgctggat	ctctcgctgt	38160
tgctctctct	tacgctagag	ctttgcctct	tgttcaggct	aacgctcttc	ttgatgctac	38220
tctctgact	ggatacgttc	ttctccagg	aatcgttttc	tggggattct	tcaccgttgg	38280
tcacgattgt	ggacacggag	ctttctctag	atctcacgtg	ctcaacttct	ctgttggaac	38340
cctcatgcac	tctatcatcc	ttaccctttt	cgagtcttgg	aagctctctc	acagacacca	38400
ccacaagaac	accggaaaca	tcgataagga	cgagatcttc	taccctcaaa	gagaggctga	38460
ttctcacct	gtttctagac	accttgatg	gtctcttgga	tctgcttggg	tcgcttacct	38520
tttcgtgga	ttccctccta	gaacctgaa	ccacttcaac	ccttgggagg	ctatgtatgt	38580
tagaagagtg	gctgctgtga	tcatctctct	cggagtctct	ttcgctttcg	ctggactcta	38640
ctcttacctc	accttcgttc	ttggattcac	cactatggct	atctactact	tcggacctct	38700

Page 19

PF77877_sequencelisting_formatiertSA.txt

cttcatcttc gctaccatgc ttgttggttac cactttcctc caccacaacg atgaggagac	38760
accttgggtac gctgattctg agtggactta cgtgaaggga aacctctctt ctgtggacag	38820
atcttacggt gctctcatcg acaaccttag ccacaacatc ggaactcacc agatccacca	38880
cctcttccct atcatccctc actacaagct caacgatgct actgctgctt tcgctaaggc	38940
tttccctgag cttgttagga aaaacgctgc tcctatcatc ccaactttct tcaggatggc	39000
tgctatgtac gctaagtacg gagttgttga cactgatgct aagaccttca ctctcaagga	39060
ggctaaggct gctgctaaga ctaagtcacg ttgatgatta atgaataatt gattgtacat	39120
actatatattt ttgtttacct tgtgttaggt taatgttcag tgtcctctct ttattgtggc	39180
acgtctcttt gttgtatgtt gtgtctatac aaagttgaaa taatggaaag aaaaggaaga	39240
gtgtaatttg ttttgtttta agtgtttata aatataatata tataggctcat ttagatagtt	39300
ctaggtttct ataaaaactct ctctctggaa gtagaatctg tttttgagag gatccagttg	39360
cctactaatc tccccaaaa cccttcaagc ttaaccttcc tcttcacaac aacagaggaa	39420
acacatctct tgagctctga gttctcttct ttgagcatgt ctatcgctaa actcatctgc	39480
cttatagctt cctcttctc ttcatctctc tctctcacca ttctgctgta aaacttattc	39540
tcctccctca gcctctctat ctcttccttc agcatctcac aattcccacc ataatcgact	39600
gaggatgatt caccgtcatc aacttcagac tcagcgttgt agtcgctatg agtctcacia	39660
gccttggacc aagaagactc atcatcgcaa gttgatgatt tatcatgatg cttctctgag	39720
ccgtgtttgc tagctagcct cagctgacgt tacgtaacgc taggtagcgt cacgtgacgt	39780
tagctaacgc taggtagcgt cagctgagct tacgtaagcg cttaattaaa gtactgatat	39840
cggtagcaaa tcgaatccaa aaattacgga tatgaatata ggcataatccg tatccgaatt	39900
atccgtttga cagctagcaa cgattgtaca attgcttctt taaaaaagga agaaagaaag	39960
aaagaaaaga atcaacatca gcgttaacaa acggccccgt tacggcccaa acggtcatat	40020
agagtaacgg cgtaagcgt tgaaagactc ctatcgaaat acgtaaccgc aaacgtgtca	40080
tagtcagatc cctcttctc tcaccgcctc aaacacaaaa ataatcttct acagcctata	40140
tatacaaccc ccccttctat ctctccttct tcacaattca tcacttttct ttctctaccc	40200
ccaattttaa gaaatcctct cttctcctct tcattttcaa ggtaaattctc tctctctctc	40260
tctctctctg ttattccttg ttttaattag gtatgtatta ttgctagttt gttaatctgc	40320
ttatcttatg tatgccttat gtgaatatct ttatcttggt catctcatcc gtttagaagc	40380
tataaatttg ttgatttgac tgtgtatcta cacgtgggta tgtttatatc taatcagata	40440
tgaatttctt catattgttg cgtttgtgtg taccaatccg aaatcgttga ttttttcat	40500
ttaatcggtg agctaattgt acgtatacat atggatctac gtatcaattg ttcatctggt	40560
tgtgtttgta tgtatacaga tctgaaaaca tcacttctct catctgattg tgttggtaca	40620
tacatagata tagatctggt atatcatttt ttttattaat tgtgtatata tatatgtgca	40680
tagatctgga ttacatgatt gtgattattt acatgatttt gttattttacg tatgtatata	40740

PF7877-sequencing_format1.fasta.txt
40800 tgtatgactcgt gacttttttg agttgttgac ttgattgttat ttgtgttgtgt atatgttgtt
40860 tctgatctcttg atatgtttatg tatgtgtagc tgaaccatgg cggcggaac aacaacaac
40920 acaacatctt cttcgatctc cttctccacc aaaccatctc cttctctcc caaatcacca
40980 ttacaacatc ccagatctc cctccatc tccctaacc ccaacaatc atcctctcc
41040 tcccgccgccc gcggtatcaa atccagctc cctcctcca tctccgccc gctcaacaca
41100 accaccaatg tcaacaacc tccctcca accaaacct ccaaaccca aacattcatc
41160 tcccgatcg ctcagatca accccgaaa ggcgctgata tccctgctga ggccttagaa
41220 cgtcaagggc tagaaaccgt attcgctac cctggagta catcaatga gatccacca
41280 gccttaaccc gctctctcc aatcgtaac gtccttccc gtcacgaaca agyagtgta
41340 ttccgacgag aaggtatagc tcatctcca ggtaaaccag gtatctgtat agccattca
41400 ggtcccgagg ctacaactc cgttagcgga ttagccgatg cgtgtttaga tagtgttcc
41460 cttgtagcaa tcaaggaaga agtccctcgt cgtatgatgg gtacagatgc gttccaagag
41520 actccgatgg ttgaggtaac gcgttcgat accgaagcata actatctgt gatgtagttt
41580 gaagatatcc caaggtatc tgaagaggt tcttttttag ctacttcgg tagaccctga
41640 cctgttttgg ttgatgttcc taagatatc caacaacag ttgcgatcc taattgggaa
41700 caggctatga gataaccctg ttatatgtc aggatgccta aacctccgga agatctcat
41760 ttgagagaga ttgttagtgt gatttcttag tctaagagc cttgttgtta tgttgttgt
41820 gttgtctta attctagcga tgaattgggt aggttttgt agcttaagg catccctgtt
41880 gcgagtacgt ttagtgggct ggatcttat ccttgtgatg atgagttgtc gttacatatg
41940 cttggaatgc atgggacct gtatgcgaat tacgctgtgg agcatagtga ttgttgttg
42000 gcgttttggg taagtttga tgaatcgtc accggtaaac ttgaggttt ttgctagtagg
42060 gctaaagtgt tcatatga tatgtacctg gctgagatgg gyaagataa gactcccat
42120 gtgtcttgtgt gtgtgtgatgt taagcttgct ttgcaaggg tgaataaggt tctttagaac
42180 cgaagcgagg agcttaact ttgattttga gtttggagga atgagttga cgtacagaaa
42240 cagaagtctt cgttgaagct taagacgttt gggaagcta tctctccaca gtatgcgat
42300 aaggtccttg atgagttgac tgaatgaaaa gccataataa gtactgttgt cgggcaacat
42360 caaatgttgg cggcgcatc ctacaatatc aagaaaccga ggcatgtgct atcatcagga
42420 ggccttggag ctatgggatt tggacttccc gctgcgatgg gacgctctgt tgcatacccc
42480 gatgcgtatg ttgttgatat tgaacgttat ggaagtttta taatgaaatgt gcaagagcta
42540 gccactatc gtgttagagaa tcttccagtg aaggtacctt tattaaacaa ccagcatctt
42600 ggcattgttta tgaatggga agatcgttc tacaagcta accgagctca cacatttctc
42660 ggggaacccc ctcaaggaga cgaatatc ccgaacatgt tgcgttgttg agcagcttgc
42720 gggtatccag cggcgaagggt gacaagaaga gcagatctcc gagaagctat tcagacaatg
42780 cttgatatac caggacccta cctgttgtgt gtgatttgtc cgcaccaaga acatgttgtg
42840 ccgatgatcc cgaatgttg cactttcaac gatgtcataa cggaaaggaga tggccgatt
Page 21

PF77877_sequencelisting_formatiertSA.txt

aaatactgag	agatgaaacc	ggtgattatc	agaacctttt	atggtctttg	tatgcatatg	42900
gtaaaaaaac	ttagtttgca	atttcctggt	tgttttggta	atttgagttt	cttttagttg	42960
ttgatctgcc	tgcttttttg	tttacgtcag	actactactg	ctgttggtgt	ttggtttcct	43020
ttctttcatt	ttataaataa	ataatccggt	tcggtttact	ccttggtgact	ggctcagttt	43080
ggttattgcy	aaatgcgaat	ggtaaattga	gtaattgaaa	ttcgttatta	gggttctaag	43140
ctgttttaac	agtcactggg	ttaatatctc	tcgaatcttg	catggaaaat	gctcttacca	43200
ttggttttta	attgaaatgt	gctcatatgg	gccgtgggtt	ccaaattaaa	taaaactacg	43260
atgtcatcga	gaagtaaaat	caactgtgtc	cacattatca	gttttggtga	tacgatgaaa	43320
tagggtaatt	caaaatctag	cttgatatgc	cttttggttc	attttaacct	tctgtaaaca	43380
ttttttcaga	ttttgaacaa	gtaaatccaa	aaaaaaaaaa	aaaaatctca	actcaacact	43440
aaattatttt	aatgtataaa	agatgcttaa	aacatttggt	ttaaaagaaa	gaagctaaaa	43500
acatagagaa	ctcttgtaaa	ttgaagtatg	aaaatatact	gaattgggta	ttatatgaat	43560
ttttctgatt	taggattcac	atgatccaaa	aaggaaatcc	agaagcacta	atcagacatt	43620
ggaagtagga	ttaatcagtg	atcagtaact	attaaattca	attaaccgcy	gacatctaca	43680
tttttgaatt	gaaaaaaaat	tggttaattac	tctttctttt	tctccatatt	gaccatcata	43740
ctcattgctg	atccatgtag	atttcccggg	catgaagcca	tttacaattg	aatatatcct	43800
gccgccgctg	ccgctttgca	cccgggtggg	cttgcatggt	ggtttctacg	cagaactgag	43860
ccggttaggc	agataatttc	cattgagaac	tgagccatgt	gcaccttccc	cccaacacgg	43920
tgagcgacgg	ggcaacggag	tgatccacat	gggactttta	aacatcatcc	gtcggatggc	43980
gttcgcgag	agcagtcga	tccgtgagat	cagtcgacca	attctcatgt	ttgacagctt	44040
atcatcgaat	ttctgccatt	catccgctta	ttatcactta	ttcaggcgta	gcaaccaggc	44100
gtttaagggc	accaataact	gccttaaaaa	aattacgccc	cgccctgcca	ctcatcgag	44160
tactgttgta	attcattaag	cattctgccg	acatggaagc	catcacaac	ggcatgatga	44220
acctgaatcg	ccagcggcat	cagcaccttg	tcgccttgcy	tataatat	gtccatgggtg	44280
aaaacggggg	cgaagaagtt	gtccatattg	gccacgttta	aatcaaaaact	ggtgaaactc	44340
accaggggat	tggtctgag	gaaaaacata	ttctcaataa	accctttagg	gaaataggcc	44400
aggttttcac	cgtaacacgc	cacatcttgc	gaatatatgt	gtagaaactg	ccggaaatcg	44460
tcgtggtatt	cactccagag	cgatgaaaac	gtttcagttt	gctcatggaa	aacggtgtaa	44520
caagggtgaa	cactatccca	tatcaccagc	tcaccgtctt	tcattgccat	acggaattcc	44580
ggatgagcat	tcacagggcy	ggcaagaatg	tgaataaagg	ccggataaaa	cttgtgctta	44640
tttttcttta	cggctcttta	aaaggccgta	atatccagga	cctgcagggg	ggggggggcg	44700
ctgaggctcg	cctcgtgaag	aagggtgttg	tgactcatac	caggcctgaa	tcgccccatc	44760
atccagccag	aaagtgaggg	agccacgggt	gatgagagct	ttgttgtagg	tggaaccagtt	44820
ggtgattttg	aacttttgct	ttgccacgga	acgggtctgc	ttgtcgggaa	gatgcgtgat	44880

PF77877_sequence_listing_formatiertSA.txt

ctgatccttc	aactcagcaa	aagttcgatt	tattcaacaa	agccgccgtc	ccgtcaagtc	44940
agcgtaatgc	tctgccagtg	ttacaaccaa	ttaaccaatt	ctgattagaa	aaactcatcg	45000
agcatcaaat	gaaactgcaa	tttattcata	tcaggattat	caataccata	tttttgaaaa	45060
agccgtttct	gtaatgaagg	agaaaactca	ccgaggcagt	tccataggat	ggcaagatcc	45120
tggtatcggg	ctgcgattcc	gactcgtcca	acatcaatac	aacctattaa	tttcccctcg	45180
tcaaaaataa	ggttatcaag	tgagaaatca	ccatgagtga	cgactgaatc	cggtgagaat	45240
ggcaaaagct	tatgcatttc	tttccagact	tgttcaacag	gccagccatt	acgctcgtca	45300
tcaaaatcac	tcgcatcaac	caaaccgtta	ttcattcgtg	attgcgcttg	agcgagacga	45360
aatacgcgat	cgctgttaaa	aggacaatta	caaacaggaa	tcgaatgcaa	ccggcgcagg	45420
aacactgcc	gcgcatcaac	aatattttca	cctgaatcag	gatattcttc	taatacctgg	45480
aatgctgttt	ttccggggat	cgcagtgggtg	agtaaccatg	catcatcagg	agtacggata	45540
aaatgcttga	tggtcggaag	aggcataaat	tccgtcagcc	agtttagtct	gaccatctca	45600
tctgtaacat	catttgcaac	gctacctttg	ccatgtttca	gaaacaactc	tggcgcacgc	45660
ggcttcccat	acaatcgata	gattgtcgca	cctgattgcc	cgacattatc	gcgagcccat	45720
ttatacccat	ataaatcagc	atccatgttg	gaatttaatc	gcggcctcga	gcaagacggt	45780
tcccggtgaa	tatggctcat	aacaccctt	gtattactgt	ttatgtaagc	agacagtttt	45840
attgttcatg	atgatatatt	tttatcttgt	gcaatgtaac	atcagagatt	ttgagacaca	45900
acgtggcttt	ccccccccc	cctgcaggtc	ctgaacggtc	tggttatagg	tacattgagc	45960
aactgactga	aatgcctcaa	aatgttcttt	acgatgccat	tgggatatat	caacgggtgg	46020
atatccagtg	atTTTTTct	ccatttttagc	ttccttagct	cctgaaaatc	tcgataactc	46080
aaaaaatacg	cccggtagtg	atcttatttc	attatgggtga	aagttggaac	ctcttacgtg	46140
ccgatcaacg	tctcattttc	gccaaaagtt	ggcccagggc	ttcccgggat	caacagggac	46200
accaggatTT	atttattctg	cgaagtgatc	ttccgtcaca	ggtattttatt	cgcgataagc	46260
tcatggagcg	gcgtaaccgt	cgcacaggaa	ggacagagaa	agcgcggatc	tggaagtga	46320
cggacagaac	ggtcaggacc	tggtattggg	aggcgggtgc	cgccgctgct	gctgacgggtg	46380
tgacgttctc	tgttccggtc	acaccacata	cgttccgcc	ttcctatgcg	atgcacatgc	46440
tgtatgccgg	tataccgctg	aaagttctgc	aaagcctgat	gggacataag	tccatcagtt	46500
caacggaagt	ctacacgaag	gtttttgcgc	tggtatgtggc	tgcccgccac	cgggtgcagt	46560
ttgcgatgcc	ggagtctgat	gcggttgcca	tgctgaaaca	attatcctga	gaataaatgc	46620
cttggccttt	atatggaaat	gtggaactga	gtggatatgc	tgTTTTTgtc	tgTTAAACAG	46680
agaagctggc	tgttatccac	tgagaagcga	acgaaacagt	cgggaaaatc	tcccattatc	46740
gtagagatcc	gcattattaa	tctcaggagc	ctgtgtagcg	tttataggaa	gtagtgttct	46800
gtcatgatgc	ctgcaagcgg	taacgaaaac	gatttgaata	tgcccttcagg	aacaatagaa	46860
atcttcgtgc	gggtgttacgt	tgaagtggag	cggattatgt	cagcaatgga	cagaacaacc	46920
taatgaacac	agaacatga	tgtggtctgt	ctttttacag	ccagtagtgc	tcgccgcagt	46980

PF77877_sequencelisting_formatiertSA.txt

cgagcgacag	ggcgaagccc	tcgagtgagc	gaggaagcac	caggaacag	cacttatata	47040
ttctgcttac	acacgatgcc	tgaaaaaact	tcccttgggg	ttatccactt	atccacgggg	47100
atatttttat	aattattttt	tttatagttt	ttagatcttc	tttttttagag	cgccttgtag	47160
gcctttatcc	atgctggttc	tagagaaggt	gttgtgacaa	attgcccttt	cagtgtgaca	47220
aatcaccctc	aaatgacagt	cctgtctgtg	acaaattgcc	cttaaccctg	tgacaaattg	47280
ccctcagaag	aagctgtttt	ttcacaaagt	tatccctgct	tattgactct	tttttattta	47340
gtgtgacaat	ctaaaaactt	gtcacacttc	acatggatct	gtcatggcgg	aaacagcggt	47400
tatcaatcac	aagaaacgta	aaaatagccc	gcgaatcgtc	cagtcaaacg	acctcactga	47460
ggcggcatat	agtctctccc	gggatcaaaa	acgtatgctg	tatctgttcg	ttgaccagat	47520
cagaaaatct	gatggcaccc	tacaggaaca	tgacgggtatc	tgcgagatcc	atgttgctaa	47580
atatgctgaa	atattcggat	tgacctctgc	ggaagccagt	aaggatatac	ggcaggcatt	47640
gaagagtttc	gcggggaagg	aagtggtttt	ttatcgccct	gaagaggatg	ccggcgatga	47700
aaaaggctat	gaatcttttc	cttggtttat	caaacgtgcg	cacagtccat	ccagagggct	47760
ttacagtgtg	catatcaacc	catatctcat	tcccttcttt	atcgggttac	agaaccgggt	47820
tacgcagttt	cggcttagtg	aaacaaaaga	aatcaccaat	ccgtatgcca	tgcgtttata	47880
cgaatccctg	tgtcagtatc	gtaagccgga	tggtctaggc	atcgtctctc	tgaaaatcga	47940
ctggatcata	gagcgttacc	agctgcctca	aagttaccag	cgtatgcctg	acttccgccg	48000
ccgcttcctg	caggtctgtg	ttaatgagat	caacagcaga	actccaatgc	gcctctcata	48060
cattgagaaa	aagaaaggcc	gccagacgac	tcatatcgta	ttttccttcc	gcgatatac	48120
ttccatgacg	acaggatagt	ctgaggggtta	tctgtcacag	atttgagggg	ggttcgtcac	48180
atttgttctg	acctactgag	ggtaatttgt	cacagttttg	ctgtttcctt	cagcctgcat	48240
ggattttctc	atactttttg	aactgtaatt	tttaaggaag	ccaaatttga	gggcagtttg	48300
tcacagttga	tttccttctc	tttcccttcg	tcatgtgacc	tgatatcggg	ggttagttcg	48360
tcatcattga	tgaggggttg	ttatcacagt	ttattactct	gaattggcta	tccgcgtgtg	48420
tacctctacc	tggagttttt	cccacggtgg	atatttcttc	ttgcgctgag	cgtaagagct	48480
atctgacaga	acagttcttc	tttgcttcct	cgccagttcg	ctcgcctatgc	tcggttacac	48540
ggctgcggcg	agcgctagtg	ataataagtg	actgagggtat	gtgctcttct	tatctccttt	48600
tgtagtgttg	ctcttatttt	aaacaacttt	gcggtttttt	gatgactttg	cgattttggt	48660
gttgctttgc	agtaaattgc	aagatttaat	aaaaaaacgc	aaagcaatga	ttaaaggatg	48720
ttcagaatga	aactcatgga	aacacttaac	cagtgcataa	acgctgggtca	tgaaatgacg	48780
aaggctatcg	ccattgcaca	gtttaatgat	gacagcccgg	aagcgaggaa	aataaccggg	48840
cgctggagaa	taggtgaagc	agcggattta	gttgggggtt	cttctcaggc	tatcagagat	48900
gccgagaaag	cagggcgact	accgcacccg	gatatggaaa	ttcgaggacg	ggttgagcaa	48960
cgtgttggtt	atacaattga	acaaattaat	catatgcgtg	atgtgttttg	tacgcgattg	49020

PF77877_sequence_listing_formatiertSA.txt

cgacgtgctg aagacgtatt tccaccgggtg atcgggggttg ctgcccataa aggtggcggtt	49080
tacaaaacct cagtttctgt tcattcttgct caggatctgg ctctgaagggt gctacgtggt	49140
ttgctcgtgg aaggtaacga cccccaggga acagcctcaa tgtatcacgg atgggtacca	49200
gatcttcata ttcatgcaga agacactctc ctgcctttct atcttgggga aaaggacgat	49260
gtcacttatg caataaagcc cacttgctgg ccggggcctg acattattcc ttcctgtctg	49320
gctctgcacc gtattgaaac tgagttaatg ggcaaatttg atgaaggtaa actgcccacc	49380
gatccacacc tgatgctccg actggccatt gaaactgttg ctcatgacta tgatgtcata	49440
gttattgaca gcgcgcctaa cctgggtatc ggcacgatta atgtcgtatg tgctgctgat	49500
gtgctgattg ttcccacgcc tgctgagttg tttgactaca cctccgcact gcagtttttc	49560
gatatgcttc gtgatctgct caagaacgtt gatcttaaag ggttcgagcc tgatgtacgt	49620
at ttgtgctta ccaaatacag caatagtaat ggctctcagt ccccggtggat ggaggagcaa	49680
attcgggatg cctggggaag catggttcta aaaaatgttg tacgtgaaac ggatgaagtt	49740
ggtaaaggtc agatccggat gagaactgtt tttgaacagg ccattgatca acgctcttca	49800
actggtgcct ggagaaatgc tctttctatt tgggaacctg tctgcaatga aattttcgat	49860
cgtctgatta aaccacgctg ggagattaga taatgaagcg tgcgcctgtt attccaaaac	49920
atacgtcaa tactcaaccg gttgaagata cttcgttatc gacaccagct gccccgatgg	49980
tggattcggt aattgcgcgc gtaggagtaa tggctcgcgg taatgccatt actttgcctg	50040
tatgtggtcg ggatgtgaag tttactcttg aagtgtccg gggatgtagt gttgagaaga	50100
cctctcgggt atggtcaggt aatgaacgtg accaggagct gcttactgag gacgcactgg	50160
atgatctcat cccttctttt ctactgactg gtcaacagac accggcgctt ggtcgaagag	50220
tatctggtgt catagaaatt gccgatggga gtcgccgtcg taaagctgct gcacttacgg	50280
aaagtgatta tcgtgttctg gttggcgagc tggatgatga gcagatggct gcattatcca	50340
gattgggtaa cgattatcgc ccaacaagtg cttatgaacg tggtcagcgt tatgcaagcc	50400
gattgcagaa tgaatttgct ggaaatattt ctgcgctggc tgatgcggaa aatatttcac	50460
gtaagattat taccgcgtgt atcaacaccg ccaaattgcc taaatcagtt gttgctcttt	50520
tttctcaccg cgggtgaacta tctgcccggg cagggtgatgc acttcaaaaa gcctttacag	50580
ataaagagga attacttaag cagcaggcat ctaaccttca tgagcagaaa aaagctgggg	50640
tgatatttga agctgaagaa gttatcactc ttttaacttc tgtgcttaaa acgtcatctg	50700
catcaagaac tagtttaagc tcacgacatc agtttgctcc tggagcgaca gtattgtata	50760
agggcgataa aatgggtgctt aacctggaca ggtctcgtgt tccaactgag tgtatagaga	50820
aaattgaggc cattcttaag gaacttgaag agccagcacc ctgatgcgac cacgttttag	50880
tctacgttta tctgtcttta cttaatgtcc tttgttacag gccagaaagc ataactggcc	50940
tgaatattct ctctggggcc actgttccac ttgtatcgtc ggtctgataa tcagactggg	51000
accacggtcc cactcgtatc gtcggtctga ttattagtct gggaccacgg tcccactcgt	51060
atcgtcggtc tgattattag tctgggacca cgggtcccact cgtatcgtcg gtctgataat	51120

51180 cagactggga ccaggtccc actgctatcg tcggtctgat tattaagtctg ggaaccatggt
51240 ccaactcgtta tcgtcgtctt gattattagt ctgggaccac ggtcccactc gtagctgctgg
51300 tctgattatt agtctgggac caggtccca ctggtatcgt cgtctctgat attagctctgg
51360 gaccacggtc ccaactgctat cgtcgtctg attattagtc tggggaccacg atcccactcg
51420 tgtgtctggt ctgattatcg gtcctgggac aggtcccaac tgtattgttc gatcagacct
51480 tcagcgtgag actacgattc catcaatgccc tgtcaaggcc aagtattgac atgtcgtcgt
51540 aacctgtaga acgagtgtaac ctggtgtgac ggtgtgtatgc ctgctgttga ttgctcgt
51600 gttcctgtta tccaacaact ttgctgcagc gttatgttga caaaataact ggttaaccag
51660 gctgtgcccgg cagtttccc acaaagttag atccgcttga gtcgcgaagg tgaactcggc
51720 tatattggac gacggcggc agaggcgac ctctttttgg gttacgattg taggattatc
51780 actaaacaa tacatgaaac tattcaaatg gcaatctctc taaggcatig gaaataata
51840 caaataacag ttgggtgag ttttcgacc tgaaggcgtt aactcttcaa ggaacaacag
51900 acgtgtgacg tcgagcgtct ctccgacag catgtcggcc gcttgttcaa gcagaccgca
51960 ctgcccggcg gcgctctgat accgttcgta ttgtccggc gaaactgtga gtatccgcat
52020 cgtaatctcc gcattgaaacg gtcattgcga cagaatactc ctcaaggctg gtttgcctac
52080 gtgcagattt gcaacctagc tgattctacc gagtctggtt tccaaggcgc gaaatgcgag
52140 cgggtgagcc cgaaccagac cgaacaagg ttgtcagatc tgcacttggc gccacgctcg
52200 acagaagaag ggaatcgttc taactcagc atagcatitg aagaatcggg atttagtgtg
52260 atttcgatitg aacgcgcgtt aacgttcat taaccaaaaa cgtcttgcac cctcaccggc
52320 attaggtaat cgtcacggat aatgccaat acgcccacat taaccgtgac aagagataac
52380 acgtgtgaca aagccgctgc catatcccga aatgatcggc cgtcggtaga tgttaaccat
52440 ggtgagagctg ctgagcagct cagctctcag ctccaagcga tgaagcgaggc ttgtttcct
52500 ccgacgcgtc acaaagagctt gcgcacaatc accctcgggtg aagccgcacg ctgagtga
52560 atatctgact caactctcga aagatgaca ctggtctggc aaggtccgca acctgaactc
52620 gccagcgaacg gacggcgtt ttacaacctc ggtcagataa acgaaatccg gcagagtctt
52680 gccggtctga ctcgagagc tgaagacat gattttgtgc ctcatcggcc aggtcttgag
52740 catttgcgaag tcgttgcgtt aaccaactc aaggtgtgct ctgggaaagac gacgacgtcc
52800 gctcatcttg cacagtatct ggcgttgcaa ggttaagggt ttctcgcagc cgaatctgat
52860 ccgagaggta gttcttcagc actcctcggc gttctggccag aaactgagt cgtgtcaaac
52920 gaaacgctct atgctggctat tcggtacgac gacacacgtc gtcggttgag agatgtgatc
52980 cgaaccgacgt attttgatg tcttcaacct gttccttgaa atctcgagct tatgagttc
53040 gagcatatac cccgaaagc attgacagc aaagttacgc gcgacggat gtcttctact
53100 cgcgttgccc aagcctttga tgaagtcgcc gacggtcggc gacgattacg catcgactgc
53160 cctcctcagc ttgggttttt gactctcagc ggggtgtgtg ctgcaaacatc aatgttaatc

PF7877-sequential_listing_formatiersa.txt
53220 accgtacatc ctgagatgct gatatatgct tccatgagcc agtttctctt catgacacgc
53280 gacctcttgg gtgtctgtga agagcgggg ggaatctcc agtaccgatit cataccgctat
53340 ctcttgagcc gctatgagcc ccagagagcc cagagagagc agtgagagcc actgctgagcc
53400 aacatgttctg aggatcagct ccttaacaat cctatgttca agtccgagcc ggtatctgat
53460 gccggtttaa ccaagcagagc gctctatgag atagggcgag agaaccttac gcgatcagaca
53520 tacgaccggg cgatggaaac tttagatgag gtgaattcgg agatcggaggc tttagatcaag
53580 atgctgtggg ggcgggtcta atgaaggct ttgctgttcc cacagatctg ttggggagctc
53640 ccaacagagca ggtgttgtat cggccctctg acatggggca ctgaggaagc cggggtaatt
53700 tggagacagcc acgacagccc atcgttaatt ggccaagggt cagttgtctt gttcttgttg
53760 gagctctccaa ccaagcgcac ttgcaatcaa aaatgagagc ccaagagagc aaacccaagga
53820 ggcgatatac atgagccgca aagagcgaat cgatacttgg ttccatcaaga agcaaccctg
53880 gaccgatatag gacagcagtcg acaagtctgac cgtctcgttgt cgtaccggag cgatttccg
53940 catgggttccg tctttgcaag agatggctga gggcgcaag gctgagagc ggctgcaagg
54000 tcaacttgct acagcggaag cgtctgtgct ccttgatcca tccatgatcg accggtcggc
54060 gatcgcgggat cggctgcccct cagagctgga tccgaatc agagagcttg agggcgagcat
54120 ttgcagagag gggcagaggg tgcgggtctt tgtcagagcc caccctgagc ctgcccgtcg
54180 atatacatc gtatatggag ggcggcggt ggcgagagca gtaaatctgc ggaagagaggt
54240 ttctgcccatt gttcgaatc tcacggactg tgaactgtgc gttggcccagc gcccgcgaaaa
54300 tcttaaccgc gctgaacctc cgttcatgga gaagctctc ttccgcccctg gccctcgaga
54360 tgggggtttt gatagagcca ccatcatgac cgcgctatac actgacaagc ccgaacctcag
54420 ccgctacata actgtagcaa ggggcatacc gctgaacctc gccacacaaa tgggcccagc
54480 gtcgaagagc gtcgatcgc gttgggtcgt acttgccgag ggtccttgga agccttaaggc
54540 aacgagcga atcgaagcga tgccttggtc agagcagttc aagcaatctg atagcgatatc
54600 ccgctttaac cctaatittca acgcccgttc aaggccacct gcgaagatc caaaaaaggt
54660 aagggcccctg agcagcccaa aggggaaaaa ggcagcgagc atccgacaag aaacttgagc
54720 aacggcgctg gtttctgagc agagacgtgt gccaaacttt ggcgaatatg tgcctgagcca
54780 gttggagagc ctgtacgccc agttcatgga aaccaacgga ggaagcgaagc tcgaaccaata
54840 gtcaggggtt cctccaaatt aagcctccgc tcgaactgaga tggacttgct ctcaaccgcaa
54900 aagaaaaaagg ccccccgaac ggcgttccgg aagacccttc ctgtagttct gcagcttaaga
54960 gaaatcgcatt tccaggaatc gtagtcaagg gtcccgttaag ggaagcgtc attctcgagc
55020 ggcgatitca attgccctaac aaaaagtaaa agyaaatgca gacgcataat tcaacgagct
55080 ccttggggg gcggccgatg acactcgccc atattgcaag ccagatgca gcaaaaagcgg
55140 tcgcatcaga cactgtcggc cacaatatgg aggtcttcca gcaatccgt gaatccccggg
55200 gactgatcgg agccacagga ccgtcactct cgatccctga acgctgtgtg acgttttacc
55260 cggagagccgc cttgactggt ggtgcccgaac tggctcgatat gcccttctaac gaacagctga

55320 tggctcgcc caacggcatg ccggccagca cactgcccgg gcatcttgcc atactggttg
55380 attgagggtg catcatctgc cggagacagc ccaatggcaa gctgttcgccc gcaagggaa
55440 ggggagggga gatgagcag gccatagggt tcgatctgtc gccgatctgc gccgcccgg
55500 aggagttccg agatctggcc cagacagtgc aagctgaaaa aaagcccctc cgggtggcca
55560 aggagcgttt gactctctct cgtcgtgaca ttgtcaaat gatcgaaact ggcgtcgaag
55620 agagcgttcc tggaaactgg ggaagagtta ccagaccta tcaggggata atcgcccgc
55680 tggccacctc ggacacctcg cagcttgtcg agagtattgg gcaagagctt caggaactct
55740 gcatcgaagt cgtgacgta ttggaactt tcacaaaaac gatgaacttg gacgccaatg
55800 agtcccatat cgtcgcacac aaacagaatt caatccaga ctctaattt gaatctgaat
55860 acagctcttg aaaaaaagat gaagcggggg gacgcttgcc ggaaccggac aatgtacgga
55920 gcttgccgaa acgcgagctg ccttgggaa tcgtgctgga tgccttgcccc gaaatcgggg
55980 aatggcccca gggaggtcca attcggcatt ggcggcgaatt gctggcggcg gctgaagcttg
56040 ccggccgat gctggggat agtcggagcg cctggcggga ggcggcgga accatggcg
56100 atcaaacagc ggcgatcacg ctgcttcga ttatatcagc ggcggtcag atcaataacg
56160 ctggggggtta tctgcgagc ctgaaccgac gggccaagga ttggaaagtt tcgaacctggc
56220 cgatgttcat ggcgtgtctc cgggcgaagc tggacgagca gaagaatgca gttggcgttg
56280 gaaagcccgcc aactgtcgaq gaqgtcgaqg atgacagccc cctccacgta tcggaatcgc
56340 tgcacaaaaa cctgcgaagc cggagatctt ggtgatcttc tcgtattaca gccgctgcga
56400 tgtcgagctc ggtgatcaac ccggaacgtc gggcgcggtc gatcaggttc ttgacggacg
56460 agggcgcccc ttggaacca ccgcgcgcgc tgcgctcggt cagtctttca agctggccgg
56520 cgatctcgcg gagcttcagg tctgggttcg aagaattgat gccgccccca agcgtcatca
56580 ggcgatcttc gggaaagcgg ggaagagatt ttttcaggag cgttcgacatc accaagcggtt
56640 ccgtcacccat ccaactcacg gctcggcgga gacggttcgg cgtccagttcg agggccccgt
56700 gcttgagcat tcgagcgatg tctgcccatg ttgtatccgg tcgatccgga cgaacggtag
56760 gaagcccatg gttcgggac gccatgaacc tatcgccata tgcgcttctc tggggccggcg
56820 tcatcttgc cagcgctccc gggcgcttct ccgggatggc cgggttgccc gaaagcttcc
56880 ctaygccaaa acgttgatc ttggtatcgag ctggcagaca aagcaataac ccacacagag
56940 gacgattaat ggcgtgacgaa gagatccaga atccgcccga cgttacctgt gctgcccgaag
57000 ttgagcccgcc tgcctctaga ggtagaagag caaagaaagc accagccgaa acagccccga
57060 cgggatcttt caaatccgtg aagccgaaaaa cccgcgccct cagccaacga gaaaaactgg
57120 agaaagtatcgg tcaaatcgaa gctcaggtcg ctgcgccgccc aaccttgaaq gacgcgctta
57180 agatcgttggg tatctccgtt cagaccctat atcaatgaa gtaggtctgc gttcaacctg
57240 tctcacagaa tccgcccgtg tctgtttcag ttgacgatga actcggcgag ttcatccaac
57300 tcgagggagg aaatcggcg ctcagaaagc ttcaagctgc cgaagcact cagggcgcaa

PF77877-sequencing_format1ertsa.txt
57360 gggctgtcttaa aggaagcggga acagtagtaga agccaggtcgg cagaacaagggt gctgagccccg
57420 gatgaatgttc agctactggg ctatctggac aagggaaaaa c gcaagcggcaa agagaagaagca
57480 ggtagctgtc agtgggctta catggcgata gctagactgg gctgttttat ggaacagcaag
57540 cgaaccggaa ttggcagctg gggcgccctc tgggaagggt gggaaagccct gcaaaagttaa
57600 ctgatatgtct ttcttgccgc caagatatctg atggcgagag gatatcaagat ctgatatcaaga
57660 gacaggggcc ggcacacgtt gtcgtccaat ctcccaagac agcccgccac cgcgcacacgt
57720 cggcgcgagc tgcctcccaa gccgctgttc gatgggcttc caccgcaaga ggcgtggcccc
57780 ctggcggtca tcagcatctc catttcggcc gctggcgagc atgacggggc gccggtagac
57840 gccggccaag cgtggccgtt cggccaaggg gcatgtctcc aggcgggtat cggcgccaat
57900 gttcttctgc gccctgcgca gttcccgga cccgtctgc ccaagcagatc ccggttgagg
57960 tcaagcgtcg ccgcgccgc tcggccagtc cctgttcggc caggaaagtc gccgctgtct
58020 gtatctgccta ctgtcccta ctgctaagc caggctgcgc caagcccgag ccaagctcgga
58080 tcaactgtcg gttcaaggccag gttgcaacga tcaagcgggc ctgcccgtcg atggcgcaagt
58140 gcatattcag ctccacccgc agcccaacaa gacgctgggc gtcataggcg cggcccctgt
58200 cgggcagatc gttccggcacc ttccatagtc cctcggccac gcaacccacg atgcccggcct
58260 ggtgctgcgc tcgcccagca gttccgttcgg gtcgatatggcc agccagcggc ggtcgcggaa
58320 gttcgtctgt ttctctgtgt gcaggtcgcg agtatcggtga ccgctgtctat caagcaacgg
58380 gccgatgtac gctttatcgg ccagatcaat cgcagcgccc tcgcccctgc cgtcgcctgc
58440 gccgatgtaac cagctgcgcg acagcccggt ccattgcfaat atccagcga gaaagccgttc
58500 gggctcctaac ccgctctgtc cgaacccaat gctgaagtcga gctctcagcc tgcctcgag
58560 gatcgcgaag gccgcgaacc ggtcgcctga ag gttcgcctga atcgggatatc gttgaagatgt tggcatagtc
58620 gaaggtgcgc tcgcccagca gttccgttcgg gttcgttcgg gtcgatatggcc agccagcggc ggtcgcggaa
58680 gttcagcagc ttctctgtgt gcaggtcgcg gttgtagcggg cacacccctgc gccggtgcgcg
58740 cagaagtgtg cgcgtctacgc tggcgcgggc cgcgaagtgc gccgtgtcag cggccaacgg
58800 gaaaagcgcc tggaaacccat cctgtatggg atggagatcg ggcggcggtc cgggaacggcg
58860 cggctgcaga cgaagcgggg tgtcgcagag gatcgttcgg tcaacccgaac gcccgctgcg
58920 cgggtctcgtc gttgagccaga gtttcagag gccgcggccag cggccccaggc cgcctattgat
58980 gccgggccag tcgcccgaagt gctcatagtc caggaacggcc gttgattttgt agtccccgtgc
59040 gacgggccag aggttagggc acaggtctcat gccggcgccgc gccgcccctttt cctcaatcgc
59100 tctctcgttc tctggaaagg agtacaacct gatatggtgg cgtgcccccttc tgggttggctt
59160 ggtttcata gccatccgct tgcctctcat tgtttagcgcg gctgttagcg gccagccctc
59220 cagagcagga ttcccgttga gcaaccgca gttgcgaataa gggcacagtga agaaaggaa
59280 cccgctcgcg ggtgggctta cttcacctat cctgcggcgc tgaacggcgtt ggtatacaca
59340 aggaagtctt acacgaaccc tttagcaaaa tccgttatat cgttcggaaaa aggtatgtata
59400 tacggaaaaa atcgtctataa tgaacccgaa gcaagggttat gcaagcggaag agcgcgtgtt

PF77877_sequencelisting_formatiertSA.txt

ccctgctgtt ttgtggaata tctaccgact ggaaacaggc aaatgcagga aattactgaa	59460
ctgaggggac aggcgagaga cgatgccaaa gagctacacc gacgagctgg ccgagtgggt	59520
tgaatcccg cgcggccaaga agcgccggcg tgatgaggct gcggttgctg tcctggcggt	59580
gagggcggat gtcgaggcgg cgtttagcgtc cggctatgctg ctcgtcacca tttgggagca	59640
catgcgggaa acggggaagg tcaagttctc ctacgagacg ttccgctcgc acgccaggcg	59700
gcacatcaag gccaaagccc cccgatgtgcc cgcaccgcag gccaaaggctg cggaacccgc	59760
gccggcacc aagacgccg agccacggcg gccgaagcag gggggcaagg ctgaaaagcc	59820
ggcccccgct gcggccccga ccggcttcac cttcaaccac acaccggaca aaaaggatca	59880
accgggctgc atccgatgca agtgtgtcgc tgcgactcgc ttgtacaacg aaatccattc	59940
ccattccgcg ctcaagatgg cttcccctcg gcagttcatc agggctaaat caatctagcc	60000
gacttgctcg gtgaaatggg ctgcactcca acagaaacaa tcaaacaaac atacacagcg	60060
acttattcac acgagctcaa attacaacgg tatatat	60097

<210> 2
 <211> 61102
 <212> DNA
 <213> Artificial

<220>
 <223> plasmid

<400> 2	
cctgccagtc agcatcatca caccaaaagt taggcccga tagtttgaaa ttagaaagct	60
cgcaattgag gtctacaggc caaattcgct cttagccgta caatattact caccgggtgcg	120
atgccccca tcgtaggtga aggtggaaat taatggcgcg cctgatcact gattagtaac	180
tattacgtaa gcctacgtag cgtcacgtga cgcttagctaa cgctacgtag cctcagctga	240
cgttacgtaa gcctacgtag cgtcacgtga gcttagctaa cgctacctag gctcagctga	300
cgttacgtaa cgctagctag cgtcactcct gcagcaaatt tacacattgc cactaaacgt	360
ctaaaccctt gtaatttggt ttgtttttac tatgtgtgtt atgtatttga tttgcgataa	420
atttttatat ttggtactaa atttataaca ctttttatgc taacgtttgc caacacttag	480
caatttgcaa gttgattaat tgattctaaa ttatttttgt cttctaaata catatactaa	540
tcaactggaa atgtaaatat ttgctaatat ttctactata ggagaattaa agtgagtga	600
tatggtacca caaggtttgg agatttaatt gttgcaatgc tgcattggatg gcatatacac	660
caaacattca ataattcttg aggataataa tggtagcaca caagatttga ggtgcatgaa	720
cgtcacgtgg acaaaagggt tagtaatttt tcaagacaac aatgttacca cacacaagtt	780
ttgaggtgca tgcattggatg ccctgtggaa agtttaaaaa tattttggaa atgatttgca	840
tggaagccat gtgtaaaacc atgacatcca cttggaggat gcaataatga agaaaactac	900
aaatttacat gcaactagtt atgcatgtag tctatataat gaggattttg caatactttc	960
attcatacac actcactaag ttttacacga ttataatttc ttcattagcca gtactgttta	1020

PF77877_sequence_listing_formatiertSA.txt

agcttcactg	tctctgaatc	ggcaaaggta	aacgtatcaa	ttattctaca	aaccctttta	1080
tttttctttt	gaattaccgt	cttcattggt	tatatgataa	cttgataagt	aaagcttcaa	1140
taattgaatt	tgatctgtgt	ttttttggcc	ttaatactaa	atccttacat	aagctttggt	1200
gcttctcctc	ttgtgagttg	agtgttaagt	tgtaataatg	gttcactttc	agcttttagaa	1260
gaaaccatgg	aagttgttga	gaggttctac	ggagagttgg	atggaaaggt	ttcccaagga	1320
gtgaacgctt	tgttggggtc	tttcggagtt	gagttgactg	ataccccaac	tactaaggga	1380
ttgccactcg	ttgattctcc	aactccaatt	gtgttgggag	tgtctgttta	cttgaccatc	1440
gtgatcggag	gattgctttg	gatcaaggct	agagatctca	agccaagagc	ttctgagcca	1500
ttcttgttgc	aagctttggt	gttggtgcac	aacttgttct	gcttcgcttt	gtctctttac	1560
atgtgcgtgg	gtatcgctta	ccaagctatc	acctggagat	attccttgtg	gggaaacgct	1620
tataacccaa	agcacaagga	gatggctatc	ctcgtttacc	tcttctacat	gtccaagtac	1680
gtggagttca	tggataccgt	gatcatgatc	ctcaagagat	ccaccagaca	gatttctttc	1740
ctccacgtgt	accaccactc	ttctatctcc	cttatctggt	gggctattgc	tcaccacgct	1800
ccaggaggag	aggcttattg	gagtgcgtct	ctcaactctg	gagtgcacgt	gttgatgtac	1860
gcttactact	tcttggctgc	ttgcttgaga	tcttcccaa	agctcaagaa	caagtacctc	1920
ttctggggaa	gatacctcac	ccaattccag	atgttccagt	tcatgctcaa	cttggtgcaa	1980
gcttactacg	atatgaaaac	caacgctcca	tatccacaat	ggctcatcaa	gatcctcttc	2040
tactacatga	tctccctctt	gttcctcttc	ggaaacttct	acgtgcaaaa	gtacatcaag	2100
ccatccgatg	gaaagcaaaa	gggagctaag	accgagtgat	cgacaagctc	gagtttctcc	2160
ataataatgt	gtgagtagtt	cccagataag	ggaattaggg	ttcctatagg	gtttcgctca	2220
tgtgttgagc	atataagaaa	cccttagtat	gtatttgtat	ttgtaaaata	cttctatcaa	2280
taaaatttct	aattcctaaa	accaaattcc	agtactaaaa	tccagatccc	ccgaattaat	2340
tcggcgtaa	ttcagctagc	tagcctcagc	tgacgttacg	taacgctagg	tagcgtcacg	2400
tgacgttagc	taacgctagg	tagcgtcagc	tgagcttacg	taagcgctta	gcagatattt	2460
ggtgtctaaa	tgttttattt	gtgatatggt	catgtttgaa	atgggtggttt	cgaaccagg	2520
gacaacgttg	ggatctgata	gggtgtcaaa	gagtattatg	gattgggaca	atttcggtca	2580
tgagttgcaa	attcaagtat	atcgttcgat	tatgaaaatt	ttcgaagaat	atcccatttg	2640
agagagtctt	tacctatta	atgttttttag	attatgaaat	tttatcatag	ttcatcgtag	2700
tctttttggt	gtaaaggctg	taaaaagaaa	ttgttcactt	ttgttttcgt	ttatgtgaag	2760
gctgtaaaag	attgtaaaag	actattttgg	tgttttggat	aaaatgatag	tttttataga	2820
ttcttttgct	tttagaagaa	atacatttga	aattttttcc	atgttgagta	taaaataccg	2880
aaatcgattg	aagatcatag	aaatatttta	actgaaaaca	aattttataac	tgattcaatt	2940
ctctccattt	ttataacctat	ttaaccgtaa	tcgattctaa	tagatgatcg	attttttata	3000
taatccta	taaccaacgg	catgtattgg	ataattaacc	gatcaactct	caccctaat	3060
agaatcagta	ttttccttcg	acgttaattg	atcctacact	atgtaggtca	tatccatcgt	3120

Page 31

PF77877_sequencelisting_formatiertSA.txt

tttaattttt	ggccaccatt	caattctgtc	ttgccttttag	ggatgtgaat	atgaacggcc	3180
aaggtaagag	aataaaaaata	atccaaatta	aagcaagaga	ggccaagtaa	gataatccaa	3240
atgtacactt	gtcattgcca	aaattagtaa	aatactcggc	atattgtatt	cccacacatt	3300
attaaaatac	cgtatatgta	ttggctgcat	ttgcatgaat	aatactacgt	gtaagcccaa	3360
aagaaccac	gtgtagccca	tgcaaagtta	acactcacga	ccccattcct	cagtctccac	3420
tatataaacc	caccatcccc	aatctcacca	aaccaccac	acaactcaca	actcactctc	3480
acaccttaaa	gaaccaatca	ccaccaaaaa	atttcacgat	ttggaatttg	attcctgcga	3540
tcacaggtag	gacaggtag	attttggttt	gtatagttgt	atacatactt	ctttgtgatg	3600
ttttgtttac	ttaatcgaat	ttttggagt	ttttaaggtc	tctcgtttag	aaatcgtgga	3660
aaatatcact	gtgtgtgtgt	tcttatgatt	cacagtgttt	atgggtttca	tggtctttgt	3720
tttatcattg	aatgggaaga	aatttcgttg	ggatacaaat	ttctcatggt	cttactgata	3780
gttattagga	gtttggggaa	aaaggaagag	tttttttgg	tggttcgagt	gattatgagg	3840
ttatttctgt	atgtgattta	tgagttaatg	gtcgttttaa	tggtgtagac	catgggaaaa	3900
ggatctgagg	gaagatctgc	tgctagagag	atgactgctg	aggctaacgg	agataagaga	3960
aagaccatcc	tcattgaggg	agtgtgtgac	gatgctacca	acttcaaaca	cccaggaggt	4020
tccattatta	acttcctcac	cgaggagaga	gctggagtgt	atgctacca	agcttacaga	4080
gagttccatc	agagatccgg	aaaggctgat	aagtacctca	agtcctccc	aaagttggat	4140
gcttctaagg	tggagtctag	gttctctgct	aaggagcagg	ctagaaggga	cgctatgacc	4200
agggattacg	ctgctttcag	agaggagtgt	gttgctgagg	gatacttcga	tccatctatc	4260
ccacacatga	tctacagagt	ggtggagatt	gtggctttgt	tcgctttgtc	tttctggttg	4320
atgtctaagg	cttctccaac	ctcttttggt	ttgggagtgg	tgatgaacgg	aatcgctcaa	4380
ggaagatgcg	gatgggttat	gcacgagatg	ggacacggat	ctttcactgg	agttatctgg	4440
ctcgaatgata	ggatgtgcga	gttcttctac	ggagtgtgat	gtggaatgtc	tggaacttac	4500
tggaagaacc	agcactctaa	gcaccacgct	gctccaaaca	gattggagca	cgatgtggat	4560
ttgaacacct	tgccactcgt	tgctttcaac	gagagagtgt	tgaggaaggt	taagccagga	4620
tctttgttgg	ctttgtggct	cagagtccag	gcttatattgt	tcgctccagt	gtcttgcttg	4680
ttgatcggat	tgggatggac	cttgtagctg	cacccaagat	atatgctcag	gaccaagaga	4740
cacatggagt	ttgtgtggat	cttcgctaga	tatatcggat	ggttctcctt	gatgggagct	4800
ttgggatatt	ctcctggaac	ttctgtggga	atgtacctct	gctctttcgg	acttggaatgc	4860
atctacatct	tcctccaatt	cgctgtgtct	cacaccact	tgccagttac	caaccagag	4920
gatcaattgc	actggcttga	gtacgctgct	gatcacaccg	tgaacatctc	taccaagtct	4980
tggttggtta	cctgggtggat	gtctaacctc	aacttccaaa	tcgagcacca	cttggtccca	5040
accgctccac	aattcaggtt	caaggagatc	tctccaagag	ttgaggctct	cttcaagaga	5100
cacaacctcc	cttactacga	tttgccatac	acctctgctg	tttctactac	cttcgctaac	5160

PF77877_sequence_listing_formatiertSA.txt

ctctactctg	ttggacactc	tggtggagct	gataccaaga	agcaggattg	actgctttaa	5220
tgagatatgc	gagacgccta	tgatcgcatg	atatttgctt	tcaattctgt	tgtgcacggt	5280
gtaaaaaacc	tgagcatgtg	tagctcagat	ccttaccgcc	ggtttcgggt	cattctaattg	5340
aatatatcac	ccgttactat	cgtattttta	tgaataatat	tctccgttca	atttactgat	5400
tgtctacgta	ggctcagctg	agcttaccta	aggctacgta	ggctcacgtg	acgttacgta	5460
aggctacgta	gcgtcacgtg	agcttaccta	actctagcta	gcctcacgtg	accttagcta	5520
acactaggtg	gcgtcagctc	gacggcccg	actgtatcca	acttctgac	tttgaatctc	5580
tctgttccaa	catgttctga	aggagtctta	agacttttca	gaaagcttgt	aacatgcttt	5640
gtagactttc	tttgaattac	tcttgcaaac	tctgattgaa	cctacgtgaa	aactgctcca	5700
gaagtcttaa	ccaaattccg	tcttggaag	gccccaaatt	tattgagtac	ttcagtttca	5760
tggaagtgtc	ttcaaagatt	tataacttga	aatcccatca	tttttaagag	aagttctggt	5820
ccgcaatgtc	ttagatctca	ttgaaatcta	caactcttgt	gtcagaagtt	cttccagaat	5880
caacttgc	catggtgaaa	atctggccag	aagttctgaa	cttgatcat	ttcttaacag	5940
ttagaaaaat	ttctaagtgt	ttagaatttt	gacttttcca	aagcaaac	gacttttgac	6000
tttcttaata	aaacaaactt	catatttcta	catgtcttga	tgaaatgtga	ttcttgaat	6060
ttgatgttga	tgcaaaagtc	aaagtttgac	ttttcagttg	gcaattgacc	attttgctct	6120
tgtgccaatt	ccaaacctaa	attgatgtat	cagtgtctga	aacttgatgt	catggaagat	6180
cttatgagaa	aattcttgaa	gactgagagg	aaaaattttg	tagtacaaca	caaagaatcc	6240
tgtttttcat	agtcggacta	gacacattaa	cataaaacac	cacttcattc	gaagagtgat	6300
tgaagaagga	aatgtgcagt	tacctttctg	cagttcataa	gagcaactta	cagacacttt	6360
tactaaaata	ctacaaagag	gaagatttta	acaacttaga	gaagtaatgg	gagttaaaga	6420
gcaacacatt	aagggggagt	gttaaaatta	atgtgttgta	accaccacta	cctttagtaa	6480
gtattataag	aaaattgtaa	tcatcacatt	ataattattg	tccttattta	aaattatgat	6540
aaagttgtat	cattaagatt	gagaaaacca	aatagtcctc	gtcttgattt	ttgaattatt	6600
gttttctatg	ttacttttct	tcaagcctat	ataaaaactt	tgtaatgcta	aattgtatgc	6660
tggaaaaaaa	tgtgtaatga	attgaataga	aattatggta	tttcaaagtc	caaaatccat	6720
caatagaaat	ttagtacaaa	acgtaactca	aaaatattct	cttattttta	attttacaac	6780
aatataaaaa	tattctctta	ttttaaattt	tacaataata	taatttatca	cctgtcacct	6840
ttagaatacc	accaacaata	ttaatactta	gatattttat	tcttaataat	tttgagatct	6900
ctcaatatat	ctgatattta	ttttatattt	gtgtcatatt	ttcttatggt	ttagagttaa	6960
cccttatatc	ttgggtcaaac	tagtaattca	atatatgagt	ttgtgaagga	cacattgaca	7020
tcttgaaaca	ttggttttta	ccttggttga	atgttaaagg	taataaaaca	ttcagaatta	7080
tgaccatcta	ttaatatact	tcctttgtct	tttaaaaaag	tgtgcatgaa	aatgctctat	7140
ggtaagctag	agtgctctgc	tggcctgtgt	atatcaattc	catttccaga	tggtagaaac	7200
tgccactacg	aataattagt	cataagacac	gtatgttaac	acacgtcccc	ttgcatgttt	7260

Page 33

PF77877_sequencelisting_formatiertSA.txt

tttgccatat attccgtctc tttctttttc ttcacgtata aaacaatgaa ctaattaata	7320
gagcgatcaa gctgaacagt tctttgcttt cgaagttgcc gcaacctaaa caggtttttc	7380
cttcttcttt cttcttatta actacgacct tgtcctttgc ctatgtaaaa ttactagggt	7440
ttcatcagtt aactgatta agttcgttat agtggaagat aaaatgccct caaagcattt	7500
tgcaggatat ctttgatttt tcaaagatat ggaactgtag agtttgatag tgttcttgaa	7560
tgtggttgca tgaagttttt ttggtctgca tgttattttt tcctcgaaat atgttttgag	7620
tccaacaagt gattcacttg ggattcagaa agttgttttc tcaatatgta acagtttttt	7680
tctatggaga aaaatcatag ggaccgttgg ttttggttc tttaattttg agctcagatt	7740
aaaccattt taccgggtgt tcttggcaga attgaaaaca gtacgtagta ccgcgcctac	7800
catgtgtgtt gagaccgaga acaacgatgg aatccctact gtggagatcg ctttcgatgg	7860
agagagagaa agagctgagg ctaacgtgaa gttgtctgct gagaagatgg aacctgctgc	7920
tttggctaag accttcgcta gaagatacgt ggttatcgag ggagttgagt acgatgtgac	7980
cgatttcaaa catcctggag gaaccgtgat tttctacgct ctctctaaca ctggagctga	8040
tgctactgag gctttcaagg agttccacca cagatctaga aaggctagga aggctttggc	8100
tgctttgcct tctagacctg ctaagaccgc taaagtggat gatgctgaga tgctccagga	8160
tttcgctaag tggagaaagg agttggagag ggacggattc ttcaagcctt ctctgtctca	8220
tgttgcttac agattcgctg agttggctgc tatgtacgct ttgggaacct acttgatgta	8280
cgctagatac gttgtgtcct ctgtgttgggt ttacgcttgc ttcttcggag ctatagtggt	8340
atgggttcaa cagcagggag gacactcttc tttgaccgga aacatctggt gggataagag	8400
aatccaagct ttcactgctg gattcggatt ggctggatct ggagatatgt ggaactccat	8460
gcacaacaag caccacgcta ctctcaaaa agtgaggcac gatatggatt tggataccac	8520
tcctgctgtt gctttcttca acaccgctgt ggaggataat agacctaggg gattctctaa	8580
gtactggctc agattgcaag cttggacctt cattcctgtg acttctggat tgggtgtgct	8640
cttctggatg ttcttcttcc acccttctaa ggctttgaag ggaggaaaagt acgaggagct	8700
tgtgtggatg ttggctgctc acgtgattag aacctggacc attaaggctg ttactggatt	8760
caccgctatg caatcctacg gactcttctt ggctacttct tgggtttccg gatgctactt	8820
gttcgctcac ttctctactt ctcacacca cttggatggt ttctctgctg atgagcactt	8880
gtcttgggtt aggtacgctg tggatcacac cattgatatc gatccttctc agggatgggt	8940
taactgggtg atgggatact tgaactgcc aagtgttcac caccctcttc cttctatgcc	9000
tcaattcaga caacctgagg tgtccagaag attcgttgct ttcgctaaga agtggaaacct	9060
caactacaag gtgatgactt atgctggagc ttggaaggct actttgggaa acctcgataa	9120
tgtgggaaag cactactacg tgcacggaca acactctgga aagaccgctt gattaatgaa	9180
ggccgcctcg accgtacccc ctgcagatag actatactat gttttagcct gcctgctggc	9240
tagctactat gttatgttat gttgtaaaat aaacacctgc taaggatat ctatctatat	9300

PF77877_sequencelisting_formatiertSA.txt

tttagcatgg	ctttctcaat	aaattgtctt	tccttatcgt	ttactatctt	atacctaata	9360
atgaaataat	aatatcacat	atgaggaacg	gggcaggttt	aggcatatat	atacgagtgt	9420
agggcggagt	ggggctacgt	agcgtcacgt	gacgttacct	aagcctaggt	agcctcagct	9480
gacgttacgt	aacgctaggt	aggctcagct	gacacgggca	ggacataggg	actactacaa	9540
gcatagtatg	cttcagacaa	agagctagga	aagaactctt	gatggagggt	aagagaaaaa	9600
agtgctagag	gggcatagta	atcaaacttg	tcaaaaccgt	catcatgatg	agggatgaca	9660
taatataaaa	agttgactaa	ggtcttggtg	gtactctttg	attagtatta	tatatgggtg	9720
agaacatgag	tcaagaggag	acaagaaacc	gaggaaccat	agtttagcaa	caagatggaa	9780
gttgcaaagt	tgagctagcc	gctcgattag	ttacatctcc	taagcagtac	tacaaggaat	9840
ggtctctata	ctttcatgtt	tagcacatgg	tagtgcggtg	tgacaagtta	gaaacagtgc	9900
ttaggagaca	aagagtcagt	aaagggtattg	aaagagttaa	gttgatgctc	gacaggctcag	9960
gagaagttcc	tccgccagat	ggtgactacc	aaggggttgg	tatcagctga	gacccaaata	10020
agattcttcg	gttgaaccag	tggttcgacc	gagactctta	gggtgggatt	tcactgtaag	10080
atgtgtgcat	ttgttgtaat	ataaattgac	aatttttttt	atttaattat	agattatttta	10140
gaatgaatta	catatttagt	ttctaacaag	gatagcaatg	gatgggtatg	ggtacagggt	10200
aaacatatct	attaccacc	catctagtcg	tcgggtttta	cacgtaccca	cccgtttaca	10260
taaaccagac	cggaatttta	aaccgtaccc	gtccgttagc	gggtttcaga	tttaccggtt	10320
taatcgggta	aaacctgatt	actaaatata	tattttttat	ttgataaaca	aaacaaaaat	10380
gttaatat	tcataattgga	tgcaatttta	agaaacacat	attcataaat	ttccatat	10440
gtaggaaaat	aaaaagaaaa	atatattcaa	gaacacaaat	ttcaccgaca	tgacttttat	10500
tacagagttg	gaattagatc	taacaattga	aaaattaaaa	ttaagataga	atatgttgag	10560
gaacatgaca	tagtataatg	ctgggttacc	cgtcgggtag	gtatcgaggc	ggatactact	10620
aatccatcc	cactcgctat	ccgataatca	ctgggttcgg	gtatacccat	tcccgtcaac	10680
aggccttttt	aaccggataa	tttcaactta	tagtgaatga	attttgaata	aatagttaga	10740
ataccaaaat	cctggattgc	atgtgcaatc	aaattttgtg	aaccgttaaa	ttttgcatgt	10800
acttgggata	gatataatag	aaccgaattt	tcattagttt	aattttataac	ttactttggt	10860
caaagaaaaa	aaatatctat	ccaatttact	tataataaaa	aataatctat	ccaagttact	10920
tattataatc	aacttgtaaa	aaggtaagaa	tacaaatgtg	gtagcgtacg	tgtgattata	10980
tgtgacgaaa	tgttatatct	aacaaaagtc	caaattccca	tggtaaaaaa	aatcaaaatg	11040
catggcaggc	tgtttgtaac	cttggaataa	gatgttggcc	aattctggag	ccgccacgta	11100
cgcaagactc	agggccacgt	tctcttcagt	caaggatagt	agaacaccac	tccaccaccc	11160
tcctatatta	gacctttgcc	caaccctccc	caactttccc	atcccatcca	caaagaaacc	11220
gacattttta	tcataaatct	ggtgcttaaa	cactctgggtg	agttctagta	cttctgctat	11280
gatcgatctc	attaccattt	cttaaatttc	tctccctaaa	tattccgagt	tcttgatttt	11340
tgataacttc	aggttttctc	tttttgataa	atctgggtctt	tccatttttt	tttttttgtg	11400

Page 35

PF77877_sequencelisting_formatiertSA.txt

gttaatttag	tttctatgt	tcttcgattg	tattatgcat	gatctgtgtt	tggattctgt	11460
tagattatgt	attggtgaat	atgtatgtgt	ttttgcatgt	ctggtttttg	tcttaaaaat	11520
gttcaaatct	gatgatttga	ttgaagcttt	tttagtggtg	gtttgattct	tctcaaaact	11580
actgttaatt	tactatcatg	ttttccaact	ttgattcatg	atgacacttt	tgttctgctt	11640
tgttataaaa	ttttggttgg	tttgattttg	taattatagt	gtaattttgt	taggaatgaa	11700
catgttttaa	tactctgttt	tcgatttgtc	acacattcga	attattaatc	gataatttaa	11760
ctgaaaattc	atggttctag	atcttggtgt	catcagatta	tttgtttcga	taattcatca	11820
aatatgtagt	ccttttgctg	atttgcgact	gtttcatttt	ttctcaaaat	tgttttttgt	11880
taagtttatc	taacagttat	cgttgtcaaa	agtctctttc	attttgcaaa	atcttctttt	11940
tttttttgtt	tgtaaccttg	ttttttaagc	tacacattta	gtctgtaaaa	tagcatcgag	12000
gaacagtgtg	cttagtagac	ttgcatgttc	ttgtaacttc	tatttgtttc	agtttggtga	12060
tgactgcttt	gattttgtag	gtcaaaggcg	caccttacca	tggatgctta	taacgctgct	12120
atggataaga	ttggagctgc	tatcatcgat	tggagtgatc	cagatggaaa	gttcagagct	12180
gatagggagg	attggtgggt	gtgcgatttc	agatccgcta	tcaccattgc	tctcatctac	12240
atcgctttcg	tgatcttggg	atctgctgtg	atgcaatctc	tcccagctat	ggacccatac	12300
cctatcaagt	tcctctacaa	cgtgtctcaa	atcttctctc	gcgcttacat	gactgttgag	12360
gctggattcc	tcgcttatag	gaacggatac	accgttatgc	catgcaacca	cttcaacgtg	12420
aacgatccac	cagttgctaa	cttgctctgg	ctcttctaca	tctccaaagt	gtgggatttc	12480
tgggatacca	tcttcattgt	gctcggaag	aagtggagac	aactctcttt	cttgcacgtg	12540
taccaccaca	ccaccatctt	cctcttctac	tggttgaacg	ctaacgtgct	ctacgatgga	12600
gatatcttct	tgaccatcct	cctcaacgga	ttcattcaca	ccgtgatgta	cacctactac	12660
ttcatctgca	tgcacaccaa	ggattctaag	accggaaagt	ctttgccaat	ctggtggaag	12720
tcatctttga	ccgctttcca	actcttgcaa	ttcaccatca	tgatgtccca	agctacctac	12780
ttggttttcc	acggatgcga	taaggtttcc	ctcagaatca	ccatcgtgta	cttcgtgtac	12840
attctctccc	ttttcttcct	cttcgctcag	ttcttcgtgc	aatcctacat	ggctccaaag	12900
aagaagaagt	ccgcttgatg	ttaatgaag	ccgcagatat	cagatctggt	cgacctagag	12960
gatccccggc	cgcaaagata	ataacaaaag	cctactatat	aacgtacatg	caagtattgt	13020
atgatattaa	tgtttttacg	tacgtgtaaa	caaaaataat	tacgtttgta	acgtatgggtg	13080
atgatgtggt	gcactaggtg	taggccttgt	attaataaaa	agaagtttgt	tctatataga	13140
gtggtttagt	acgacgattt	atttactagt	cggattggaa	tagagaaccg	aattcttcaa	13200
tccttgcttt	tgatcaagaa	ttgaaaccga	atcaaattga	aaagttgata	tatttgaaaa	13260
acgtattgag	cttatgaaaa	tgctaatact	ctcatctgta	tggaaaagtg	actttaaaac	13320
cgaacttaaa	agtgacaaaa	ggggaatatc	gcatcaaacc	gaatgaaacc	gatctacgta	13380
ggctcagctg	agcttagcta	agcctaccta	gcctcacgtg	agattatgta	aggctaggta	13440

PF77877_sequence_listing_formatiertSA.txt

gcgtcacgtg	acgttaccta	acactagcta	gcgtcacgtg	agcttagcta	accctacgta	13500
gcctcacgtg	agcttaccta	acgctacgta	gcctcacgtg	actaaggatg	acctacccat	13560
tcttgagaca	aatgttacat	tttagtatca	gagtaaaatg	tgtacctata	actcaaattc	13620
gattgacatg	tatccattca	acataaaaatt	aaaccagcct	gcacctgcat	ccacatttca	13680
agtattttca	aaccgttcgg	ctcctatcca	ccgggtgtaa	caagacggat	tccgaatttg	13740
gaagattttg	actcaaattc	ccaatttata	ttgaccgtga	ctaaatcaac	tttaacttct	13800
ataattctga	ttaagctccc	aatttatatt	cccaacggca	ctacctcaa	aatttataga	13860
ctctcatccc	cttttaaac	aacttagtaa	acgttttttt	tttaatttta	tgaagttaag	13920
tttttacctt	gtttttaaaa	agaatcgttc	ataagatgcc	atgccagaac	attagctaca	13980
cgttacacat	agcatgcagc	cgcgagagaat	tgtttttctt	cgccacttgt	cactcccttc	14040
aaacacctaa	gagcttctct	ctcacagcac	acacatacaa	tcacatgcgt	gcatgcatta	14100
ttacacgtga	tcgccatgca	aatctctctt	atagcctata	aattaactca	tcggcttcac	14160
tctttactca	aaccaaact	catcaataca	aacaagatta	aaaacatttc	acgatttgga	14220
atgtgattcc	tgcatcaca	gggatgacag	gtagattttt	gttttgtata	gttgatataca	14280
tacttctttg	tgatgttttg	tttacttaat	cgaatttttg	gagtgtttta	aggtctctcg	14340
tttagaaatc	gtggaaaata	tactgtgtgt	tgtgttctta	tgattcacag	tgtttatggg	14400
tttcatgttc	tttgttttat	cattgaatgg	gaagaaatth	cggtgggata	caaatttctc	14460
atgttcttac	tgatcgttat	taggagtttg	gggaaaaagg	aagagtthtt	ttggttggtt	14520
cgagtgatta	tgaggttatt	tctgtatttg	atthtatgagt	taatggctgt	tttaatgttg	14580
tagaccgcca	tggctatttt	gaaccctgag	gctgattctg	ctgctaacct	cgctactgat	14640
tctgaggcta	agcaaagaca	attggctgag	gctggatata	ctcacgttga	gggtgctcct	14700
gctcctttgc	ctttggagtt	gcctcacttc	tctctcagag	atctcagagc	tgctattcct	14760
aagcactgct	tcgagagatc	tttcgtgacc	tccacctact	acatgatcaa	gaacgtgttg	14820
acttgcgctg	ctttgttcta	cgctgctacc	ttcattgata	gagctggagc	tgctgcttat	14880
gtttgtggc	ctgtgtactg	gttcttccag	ggatcttact	tgactggagt	gtgggttatc	14940
gctcacgagt	gtggacacca	ggcttattgc	tcttctgagg	tggtgaacaa	cttgattgga	15000
ctcgtgttgc	actctgcttt	gttgggtgcct	taccactctt	ggagaatctc	tcacagaaag	15060
caccactcca	acactggatc	ttgcgagaac	gatgaggttt	tcgttcctgt	gaccagatct	15120
gtgttggtct	cttcttgga	cgagaccttg	gaggattctc	ctctctacca	actctaccgt	15180
atcgtgtaca	tggttggtgt	tggatggatg	cctggatacc	tcttcttcaa	cgctactgga	15240
cctactaagt	actggggaaa	gtctaggtct	cacttcaacc	cttactccgc	tatctatgct	15300
gataggggaga	ggtggatgat	cgtgctctcc	gatattttct	tggtggctat	gttggtgttt	15360
ttggctgctt	tggtgcacac	tttctccttc	aacacgatgg	tgaagtctta	cggtgtgcct	15420
tacttcattg	tgaacgctta	cttgggtgtt	attacctacc	tccaacacac	cgatacctac	15480
atccctcact	tcagagaggg	agagtggaa	tgggttgagag	gagctttgtg	cactgtggat	15540

Page 37

PF77877_sequencelisting_formatiertSA.txt

agatcatttg	gtccattcct	cgattctgtg	gtgcatagaa	tcgtggatac	ccacgtttgc	15600
caccatatct	tctccaagat	gcctttctat	cactgcgagg	aggctaccaa	cgctattaag	15660
cctctcctcg	gaaagttcta	cttgaaggat	actactcctg	ttcctgttgc	tctctggaga	15720
tcttacaccc	actgcaagtt	cgttgaggat	gatggaaagg	tgggtgttcta	caagaacaag	15780
ttatagttaa	tgaataattg	attggttcga	gtattatggc	attgggaaaa	ctgtttttct	15840
tgtaccattt	gttgtgcttg	taatttactg	tgttttttat	tcggttttcg	ctatcgaact	15900
gtgaaatgga	aatggatgga	gaagagttaa	tgaatgatat	ggtccttttg	ttcattctca	15960
aattaatatt	atttgttttt	tctcttattt	gttgtgtgtt	gaatttgaaa	ttataagaga	16020
tatgcaaaca	ttttgttttg	agtaaaaatg	tgtcaaatcg	tggcctctaa	tgaccgaagt	16080
taatatgagg	agtaaaacac	ttgtagttgt	accattatgc	ttattcacta	ggcaacaaat	16140
atattttcag	acctagaaaa	gctgcaaatg	ttactgaata	caagtatgtc	ctcttggtgt	16200
ttagacattt	atgaactttc	ctttatgtaa	ttttccagaa	tccttgtcag	attctaataca	16260
ttgctttata	attatagtta	tactcatgga	ttttagtttg	agtatgaaaa	tatttttttaa	16320
tgcattttat	gacttgccaa	ttgattgaca	acatgcatca	atgcggccgc	tagctagcct	16380
cagctgacgt	tacgtaacgc	taggtagcgt	cacgtgacgt	tagctaacgc	taggtagcgt	16440
cagctgagct	tacgtaagcg	ccacgggcag	gacataggga	ctactacaag	catagtatgc	16500
ttcagacaaa	gagctaggaa	agaactcttg	atggagggtta	agagaaaaaa	gtgctagagg	16560
ggcatagtaa	tcaaacttgt	caaaaccgtc	atcatgatga	gggatgacat	aatataaaaa	16620
gttgactaag	gtcttggtag	tactctttga	ttagtattat	atattgggtga	gaacatgagt	16680
caagaggaga	caagaaaccg	aggaaccata	gttttagcaac	aagatggaag	ttgcaaagtt	16740
gagctagccg	ctcgattagt	tacatctcct	aagcagtact	acaaggaatg	gtctctatac	16800
tttcatgttt	agcacatggt	agtgcggatt	gacaagttag	aaacagtgtc	taggagacaa	16860
agagtcagta	aaggatttga	aagagtgaag	ttgatgctcg	acaggtcagg	agaagtccct	16920
ccgccagatg	gtgactacca	aggggttggt	atcagctgag	acccaaataa	gattcttcgg	16980
ttgaaccagt	ggttcgaccg	agactcttag	ggtgggattt	cactgtaaga	tttgtgcatt	17040
ttgttgaata	taaattgaca	atTTTTTTTt	tttaattata	gattatttag	aatgaattac	17100
atatttagtt	tctaacaagg	atagcaatgg	atgggtatgg	gtacaggtta	aacatatcta	17160
ttaccacccc	atctagtcgt	cgggtttttac	acgtaccac	ccgtttacat	aaaccagacc	17220
ggaattttta	accgtaccg	tccgttagcg	ggtttcagat	ttaccggtt	aatcgggtaa	17280
aacctgatta	ctaaatatat	atTTTTTTTt	tgataaacia	aacaaaaatg	ttaatatTTT	17340
catattggat	gcaattttta	gaaacacata	ttcataaatt	tccatatTTT	taggaaaaata	17400
aaaagaaaaa	tatattcaag	aacacaaaatt	tcaccgacat	gactttttatt	acagagttgg	17460
aattagatct	aacaattgaa	aaattaaaaat	taagatagaa	tatgttgagg	aacatgacat	17520
agtataatgc	tgggttaccc	gtcgggttag	tatcgaggcg	gataactacta	aatccatccc	17580

PF77877_sequence_listing_formatiertSA.txt

actcgctatc	cgataatcac	tggtttcggg	tatacccatt	cccgtaaca	ggccttttta	17640
accggataat	ttcaacttat	agtgaatgaa	ttttgaataa	atagttagaa	taccaaaatc	17700
ctggattgca	tttgcaatca	aattttgtga	accgttaa	tttgcattga	cttgggatag	17760
atataataga	accgaatttt	cattagttta	atttataact	tactttgttc	aaagaaaaaa	17820
aatatctatc	caattttactt	ataataaaaa	ataatctatc	caagttactt	attataatca	17880
acttgtaaaa	aggtaagaat	acaaatgtgg	tagcgtacgt	gtgattatat	gtgacgaaat	17940
gttatatcta	acaaaagtcc	aaattcccat	ggtaaaaaaa	atcaaaatgc	atggcaggct	18000
gtttgtaacc	ttggaataag	atgttgGCCA	attctggagc	cGCCacgtac	gcaagactca	18060
gggccacgtt	ctcttcattgc	aaggatagta	gaacaccact	ccaccacact	cctatattag	18120
acctttgccc	aaccctcccc	aactttccca	tcccatccac	aaagaaaccg	acatttttat	18180
cataaatcag	ggtttcgttt	ttgtttcatc	gataaactca	aaggatgatga	ttttagggtc	18240
ttgtgagtgt	gcttttttgt	ttgattctac	tgtagggttt	atgttcttta	gctcatagggt	18300
tttgtgtatt	tcttagaaat	gtggcttctt	taatctctgg	gtttgtgact	ttttgtgtgg	18360
tttctgtgtt	tttcatatca	aaaacctatt	ttttccgagt	ttttttttac	aaattcttac	18420
tctcaagctt	gaatacttca	catgcagtgt	tctttttagt	atttttagagt	taatgtgtta	18480
aaaagtttgg	atttttcttg	cttatagagc	ttcttcactt	tgattttgtg	ggtttttttg	18540
ttttaaggt	gagatttttg	atgaggtttt	tgtctcaag	atgtcacctt	tctgggtttg	18600
tcttttgaat	aaagctatga	actgtcacat	ggctgacgca	attttggttac	tatgtcatga	18660
aagctgacgt	ttttccgtgt	tatacatgtt	tgtttacact	tgcattgcgtc	aaaaaaattg	18720
gggcttttta	gttttagtca	aagattttac	ttctcttttg	ggattttatga	aggaaagttg	18780
caaactttct	caaattttac	catttttgct	ttgatgtttg	tttagattgc	gacagaacaa	18840
actcatatat	gttgaaat	ttgcttggtt	ttgtatagga	ttgtgtcttt	tgcttataaa	18900
tgttgaaatc	tgaacttttt	ttttgtttgg	tttctttgag	caggagataa	ggcgcaccac	18960
catggcttct	acatctgctg	ctcaagacgc	tgtctcttac	gagttccctt	ctctcactga	19020
gatcaagagg	gctcttcctt	ctgagtgttt	cagggtctct	gttctctctt	ctctctacta	19080
caccgctaga	tctcttgctc	ttgctggatc	tctcgtgttt	gctctctctt	acgctagagc	19140
tttgcctctt	gttcaggcta	acgctcttct	tgatgctact	ctctgcactg	gatacgttct	19200
tctccaggga	atcgttttct	ggggattctt	caccgttggt	cacgattgtg	gacacggagc	19260
tttctctaga	tctcacgtgc	tcaacttctc	tgttggaacc	ctcatgcact	ctatcatcct	19320
tacccctttc	gagtcttgga	agctctctca	cagacaccac	cacaagaaca	ccggaaacat	19380
cgataaggac	gagatcttct	accctcaaag	agaggctgat	tctcaccctg	tttctagaca	19440
ccttgatgat	tctcttggtt	ctgcttggtt	cgtttacctt	ttcgttggtt	tccctcctag	19500
aaccatgaac	cacttcaacc	cttgggaggc	tatgtatgtt	agaagagtgg	ctgctgtgat	19560
catctctctc	ggagttcttt	tgcctttcgc	tggactctac	tcttacctca	ccttcgttct	19620
tggattcacc	actatggcta	tctactactt	cggacctctc	ttcatcttctg	ctaccatgct	19680

PF77877_sequencelisting_formatiertSA.txt

tggtgttacc	actttcctcc	accacaacga	tgaggagaca	ccttggtacg	ctgattctga	19740
gtggacttac	gtgaagggaa	acctctcttc	tgtggacaga	tcttacggtg	ctctcatcga	19800
caaccttagc	cacaacatcg	gaactcacca	gatccaccac	ctcttcctca	tcacccctca	19860
ctacaagctc	aacgatgcta	ctgctgcttt	cgctaaggct	ttccctgagc	ttgttaggaa	19920
aaacgctgct	cctatcatcc	caactttctt	caggatggct	gctatgtacg	ctaagtacgg	19980
agttgttgac	actgatgcta	agaccttcac	tctcaaggag	gctaaggctg	ctgctaagac	20040
taagtcattc	tgatgattaa	tgaaggccgc	agatatcaga	tctggctcgc	ctagaggatc	20100
cccgccgca	aagataataa	caaaagccta	ctatataacg	tacatgcaag	tattgtatga	20160
tattaatgtt	tttacgtacg	tgtaaacaaa	aataattacg	tttgtaacgt	atggtgatga	20220
tggtgtgcac	taggtgtagg	ccttgattta	ataaaaagaa	gtttgttcta	tatagagtgg	20280
tttagtacga	cgatttatct	actagtcgga	ttggaataga	gaaccgaatt	cttcaatcct	20340
tgcttttgat	caagaattga	aaccgaatca	aatgtaaaag	ttgatataat	tgaaaaacgt	20400
attgagctta	tgaaaatgct	aatactctca	tctgtatgga	aaagtgaact	taaaaccgaa	20460
cttaaaagtg	acaaaagggg	aatatcgcat	caaaccgaat	gaaaccgatc	tacgtaggct	20520
cagctgagct	tacctaaggc	tacgtaggct	cacgtgacgt	tacgtaaggc	tacgtagcgt	20580
cacgtgagct	tacctaactc	tagctagcct	cacgtgacct	tagctaacac	taggtagcgt	20640
cagcacagat	gaatactagc	tggtgttcac	agttctagtg	tctcctcatt	acgtgaattc	20700
aagctacgat	cactatctca	actcctacat	aaacatcaga	atgctacaaa	actatgcaca	20760
aaaacaaaag	ctacatctaa	tacgtgaatc	aattactctc	atcacaagaa	agaagatttc	20820
aatcacccgc	gagaaggagg	attcagttaa	ttgaatcaaa	gttccgatca	aactcgaaga	20880
ctggtgagca	cgaggacgac	gaagaagagt	gtctcgaaga	tacaacaagc	aagaaatcta	20940
ctgagtgacc	tcctgaagtt	attggcgcga	ttgagagaat	caatccgaat	taatttcggg	21000
gaaaaagata	aattagatac	taagcgatgg	gcttgggctg	ggctaagaaa	cagggtggca	21060
ttgggctgga	ggaccccgcg	attcatagct	tccgatagcc	caaaaaaaaa	cggataacat	21120
atttatcggg	tatttgaatt	tcagtgaat	aagatatttt	ctttttgtta	ggaaaatttt	21180
agaaaataat	ggaaatttaa	tagcgattat	gttacaagat	acgatcagca	tcgggcagtg	21240
caaaatgcta	tagcttccca	agatttgatc	cttttggttt	atctccta	gacaattagt	21300
ttaggatttt	gaaacttata	ttaatactat	tatccgacaa	cacttggttc	agcttcttat	21360
tttaacattt	tttggttttt	tctattcttc	ttcccatcag	cattttcttt	ttaaaaaatt	21420
gaatacttta	acttttttaa	aatttcacaa	tgatcagatg	atattatgga	agatctcaag	21480
agttaaatgt	atccatcttg	gggcatttaa	accggtgtac	gggatgataa	atacagactt	21540
tatatcatat	gatagctcag	taattcatat	ttatcacggt	gctaaaaaaa	ttataaggta	21600
ctagtagtca	acaaaatcaa	ttaaagagaa	agaaagaaac	gcatgtgaag	agagtttaca	21660
actggaaaag	taaaataaaa	attaacgcat	gttgaatgct	gacatgtcag	tatgtccatg	21720

PF77877_sequencelisting_formatiertSA.txt

aatccacgta	tcaagcgcca	ttcatcgatc	gtcttcctct	ttctaaatga	aaacaacttc	21780
acacatcaca	acaacaata	cacacaagac	cccctctctc	tcgttgcttc	tctgccagcg	21840
accaaattcga	agcttgagaa	gaacaagaag	gggtcaaacc	atgggaaaag	gatctgaggg	21900
aagatctgct	gctagagaga	tgactgctga	ggctaacgga	gataagagaa	agaccatcct	21960
cattgagggga	gtgttgtagc	atgctaccaa	cttcaaacac	ccaggagggt	ccattattaa	22020
cttcctcacc	gagggagaag	ctggagttga	tgctacccaa	gcttacagag	agtcccatca	22080
gagatccgga	aaggctgata	agtacctcaa	gtccctccca	aagttggatg	cttctaagggt	22140
ggagtctagg	ttctctgcta	aggagcaggc	tagaagggac	gctatgacca	gggattacgc	22200
tgctttcaga	gaggagttgg	ttgctgaggg	atacttcgat	ccatctatcc	cacacatgat	22260
ctacagagtg	gtggagattg	tggctttgtt	cgctttgtct	ttctggttga	tgtctaaggc	22320
ttctccaacc	tctttggttt	tgggagtggt	gatgaacgga	atcgctcaag	gaagatgcgg	22380
atgggttatg	cacgagatgg	gacacggatc	tttcaactga	gttatctggc	tcgatgatag	22440
gatgtgcgag	ttcttctacg	gagttggatg	tggaatgtct	ggacactact	ggaagaacca	22500
gcactctaag	caccacgctg	ctccaaacag	attggagcac	gatgtggatt	tgaacacctt	22560
gccactcggt	gctttcaacg	agagagttgt	gaggaagggt	aagccaggat	ctttgttggc	22620
tttgtggctc	agagttcagg	cttattttgt	cgctccagtg	tcttgcttgt	tgatcggatt	22680
gggatggacc	ttgtacttgc	acccaagata	tatgctcagg	accaagagac	acatggagtt	22740
tgtgtggatc	ttcgctagat	atatcggatg	gttctccttg	atgggagctt	tgggatattc	22800
tcctggaact	tctgtgggaa	tgtacctctg	ctctttcgga	cttggaatga	tctacatctt	22860
cctccaattc	gctgtgtctc	acaccactt	gccagttacc	aaccagagg	atcaattgca	22920
ctggcttgag	tacgctgctg	atcacaccgt	gaacatctct	accaagtctt	ggttggttac	22980
ctgggtggatg	tctaacctca	acttccaaat	cgagcaccac	ttgttcccaa	ccgctccaca	23040
attcaggttc	aaggagatct	ctccaagagt	tgaggctctc	ttcaagagac	acaacctccc	23100
ttactacgat	ttgccataca	cctctgctgt	ttctactacc	ttcgctaacc	tctactctgt	23160
tggacactct	gttggagctg	ataccaagaa	gcaggattga	tgattaatga	ataattgatt	23220
gtacatacta	tattttttgt	ttaccttgtg	ttagtttaat	gttcagtgtc	ctctctttat	23280
tgtggcacgt	ctctttgttg	tatgtttgtg	ctatacaaag	ttgaaataat	ggaaagaaaa	23340
ggaagagtgt	aattttgttt	gttttaagt	tttataaata	tatatatata	ggtcatttag	23400
atagtcttag	gtttctataa	aactctctct	ctggaagtag	aatctgtttt	tgagaggatc	23460
cagttgccta	ctaattctcc	ccaaaaccct	tcaagcttaa	ccttcctctt	cacaacaaca	23520
gaggaaacac	atctcttgag	ctctgagttc	tcttctttga	gcatgtctat	cgctaaactc	23580
atctgcctta	tagcttccct	cttctcttca	tctctctctc	tcaccatttc	gctgtaaaac	23640
ttattctcct	ccctcagcct	ctctatctct	tccttcagca	tctcacaatt	cccaccataa	23700
tcgactgagg	atgattcacc	gtcatcaact	tcagactcag	cgttgtagtc	gtcatgagtc	23760
tcacaagcct	tggaccaaga	agactcatca	tcgcaagttg	atgatttatc	atgatgcttc	23820

Page 41

PF77877_sequencelisting_formatiertSA.txt

tctgagccgt	gtttgctacg	tagcgtcacc	tgacgttacg	taaggctacc	taggctcacg	23880
tgacgttacg	taacgctacg	tagcgtcagg	tgagggttagc	taacgctagc	tagcctcacc	23940
tgacgttagg	taaggctacg	tagcgtcacc	tgagattagc	taagcctacc	tagactcacg	24000
tgaccttagg	taacgctacg	tagcgtcaaa	gctttacaac	gctacacaaa	acttataacc	24060
gtaatcacca	ttcattaact	taactactat	cacatgcatt	catgaattga	aacgagaagg	24120
atgtaaatag	ttgggaagtt	atctccacgt	tgaagagatc	gttagcgaga	gctgaaagac	24180
cgagggagga	gacgccgtca	acacggacag	agtcgtcgac	cctcacatga	agtaggagga	24240
atctccgtga	ggagccagag	agacgtcttt	ggtcttcggt	ttcgatcctt	gatctgacgg	24300
agaagacgag	agaagtgcga	ctggactccg	tgaggaccaa	cagagtcgtc	ctcggtttcg	24360
atcgtcggta	ttggtggaga	aggcggagga	atctccgtga	cgagccagag	agatgtcgtc	24420
ggtcttcggt	ttcgatcctt	gatctgacgg	agaagacgag	agaagtgcga	cgagactccg	24480
tgaggaccaa	cagagttgtc	ctcggtttcg	atcgtcgggt	tcggcggaga	aggcggagga	24540
atctccgtga	ggagccagag	agacgtcggt	ggtcttcggt	ttcgatcctt	gatctgttgg	24600
agaagacgag	acaagtggga	cgagactcaa	cgacggagtc	agagacgtcg	tcggtcttcg	24660
gtttcggccg	agaaggcgga	gtcgggtctt	ggtttcggcc	gagaaggcgg	aggagacgtc	24720
ttcgatttgg	gtctctcttc	ttgacgaaga	aaacaaagaa	cacgagaaat	aatgagaaag	24780
agaacaaaag	aaaaaaaaat	aaaaataaaa	ataaaatttg	gtcctcttat	gtggtgacac	24840
gtggtttgaa	accacacaaa	taatcgatca	caaaaaacct	aagttaagga	tcggtataaa	24900
cctttctaata	taattttgat	ttatatataa	tcactctttt	tattttataa	ccccactaaa	24960
ttatgcgata	ttgattgtct	aagtacaaaa	attctctcga	attcaataca	catgtttcat	25020
atatttagcc	ctgttcattt	aatattacta	gcgcattttt	aattttaaaat	tttgtaaact	25080
tttttggtca	aagaacattt	ttttaattag	agacagaaat	ctagactctt	tatttggaat	25140
aatagtaata	aagatatatt	aggcaatgag	tttatgatgt	tatgtttata	tagttttatt	25200
cattttaaat	tgaaaagcat	tatttttatc	gaaatgaatc	tagtatacaa	tcaatattta	25260
tgttttttca	tcagatactt	tcctattttt	tggcaccttt	catcggacta	ctgattttatt	25320
tcaatgtgta	tgcatgcatg	agcatgagta	tacacatgtc	ttttaaaatg	catgtaaagc	25380
gtaacggacc	acaaaagagg	atccatacaa	atacatctca	tcgcttcctc	tactattctc	25440
cgacacacac	actgagcatg	gtgcttaaac	actctggtga	gttctagtag	ttctgctatg	25500
atcgatctca	ttaccatttc	ttaaatttct	ctccctaaat	attccgagtt	cttgattttt	25560
gataacttca	ggttttctct	ttttgataaa	tctggtcttt	ccattttttt	tttggtggtta	25620
atthagtttc	ctatgttctt	cgattgtatt	atgcatgata	tgtgtttgga	ttctgttaga	25680
ttatgtattg	gtgaatatgt	atgtgttttt	gcatgtctgg	ttttggtctt	aaaaatgttc	25740
aaatctgatg	atgtgattga	agctttttta	gtgttggttt	gattcttctc	aaaactactg	25800
ttaatttact	atcatgtttt	ccaactttga	ttcatgatga	cacttttggt	ctgctttggt	25860

PF77877_sequence_listing_formatiertSA.txt

ataaaat	ttt	ggttg	gtttg	at	tttg	ta	at	tata	gt	gtaa	ttttg	tt	agg	aat	ga	ac	at	g	25920				
tttta	act	ctg	tttc	ga	ttt	gt	ca	ca	ac	att	cg	ata	tt	ta	at	cg	ata	tt	ta	act	g	25980	
aaatt	cat	gg	tt	ct	ag	at	ct	t	gt	tt	gt	cat	c	ag	att	at	tt	g	tt	tc	g	ata	26040
tgtag	tc	ctt	tt	gt	ct	g	att	t	tt	g	ct	g	tt	t	tt	tt	tt	tt	tt	tt	tt	tt	26100
tttat	ct	aa	c	ag	tt	at	cg	tt	gt	ca	aa	ag	tc	t	ct	tt	t	ca	tt	tt	tt	tt	26160
tttg	tt	g	ta	act	tt	g	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	26220
agtt	gt	ct	ta	g	tag	act	gt	c	at	gt	tt	ct	tt	gt	tt	ca	gt	tt	gt	tt	g	at	26280
tgct	tt	g	att	tt	g	att	g	tt	ca	a	acc	gc	gc	ca	tt	gt	ct	g	ta	g	tt	g	26340
tagc	tt	tc	gc	tg	ct	ta	cg	ct	ac	ct	ac	ct	ac	ct	ac	ct	ac	ct	ac	ct	ac	ct	26400
acg	ga	at	cg	a	ta	ac	gt	gg	at	g	ct	ag	ag	at	g	tt	gt	ct	tt	g	ag	act	26460
caatt	g	ca	ac	c	aca	at	gt	ta	c	ct	ct	gt	tt	ct	g	gc	ct	gt	gg	g	ac	ct	26520
ggg	agg	ct	tt	t	g	at	cc	ta	a	g	gg	at	tt	at	g	tc	gt	tt	aa	ca	gc	ct	26580
acg	tt	gt	gg	t	g	ct	cg	ga	at	g	tt	cg	ta	g	ag	at	ct	ct	gg	att	gg	g	26640
gat	ct	act	at	gc	ct	gt	gg	ag	c	at	ta	ag	at	tt	gt	gg	g	g	at	gt	gg	ct	26700
act	a	ca	a	ca	a	ta	ag	ta	ct	c	g	ag	tt	gt	tt	g	at	act	gt	gt	tt	g	26760
cca	ag	ca	g	ct	ct	tt	ct	tt	g	ca	cg	tt	ta	cc	gt	tt	g	g	tt	g	g	ct	26820
ttg	tt	gt	ta	c	ct	cat	gg	ct	a	cca	ac	g	at	gc	at	gc	tt	at	tt	tc	gg	a	26880
act	ct	tt	ct	cat	cc	ac	at	cg	tg	at	gt	act	ct	ct	act	cat	gt	ct	g	ct	tt	g	26940
gcc	ct	gt	gg	aa	g	ag	at	ata	t	at	c	agg	ct	c	ag	at	gt	tt	g	ca	att	cg	27000
acg	ct	gt	tt	tt	c	gt	gc	tc	aga	ca	aa	g	ca	ct	g	cc	ct	gt	tt	ac	tt	g	27060
tcg	tg	at	g	ac	aa	ta	t	gt	tt	g	gt	ct	ct	tc	g	aa	act	tt	ct	a	ct	ca	27120
agt	ct	ag	gg	g	ag	at	gg	ag	ct	t	ct	ct	gt	tt	a	gc	ct	gt	ta	g	act	act	27180
tg	a	ga	a	ga	ac	c	agg	ta	agg	a	ag	at	cg	at	t	ga	ta	g	tt	at	ga	tt	27240
gag	t	g	cca	ac	g	tt	t	act	tt	g	t	ct	tt	ct	tt	ct	tt	tt	tt	tt	tt	tt	27300
tg	tt	ct	ct	ct	t	tt	tc	gt	tt	at	aa	ta	a	ga	a	gt	tt	ca	at	tt	ct	t	27360
tt	ta	ag	cg	tt	t	ct	at	tt	tag	g	tt	ta	cat	g	tt	ta	aa	ta	ca	g	tt	aa	27420
t	at	tt	tt	tt	tt	a	gt	tt	tc	ata	a	gt	tt	tt	tt	tt	tt	tt	tt	tt	tt	tt	27480
tt	ct	ct	aa	tt	a	agg	at	tt	gt	aaa	ac	aaaa	a	tt	tt	g	ta	ag	c	at	tt	tt	27540
t	ct	ta	att	tag	ct	c	act	aa	at	a	ata	at	at	at	at	at	at	at	at	at	at	at	27600
a	act	ta	ga	ac	t	aaa	at	ca	ac	t	ct	tt	gt	g	ac	gt	ct	ac	ct	ag	ag	tc	27660
a	ac	g	ct	ag	ct	ag	tt	ca	g	t	ac	gt	tt	ac	gt	ag	gc	gt	ta	ac	gt	ac	27720
a	ac	g	ct	ac	gt	agg	ct	ca	g	ct	ag	ct	ag	ct	ag	ct	ag	ct	ag	ct	ag	ct	27780
t	act	at	ag	aa	a	at	gt	gt	tt	at	at	cg	ac	ta	ga	ca	aa	ag	gg	g	ca	ac	27840
a	tt	a	att	ct	ct	t	cat	tt	g	aga	t	ta	ag	ga	agg	ta	ag	g	ta	ct	a	aaa	27900
c	tt	at	ct	ct	t	t	gt	tt	ct	g	ta	ata	a	at	a	at	a	at	a	at	a	at	27960

PF77877_sequencelisting_formatiertSA.txt

taattaggtt	ttctacagat	gagcaccact	cagagacaag	ataagaagaa	aacaattttg	28020
ttaaacaatga	ttatagaaac	ttttagttaa	gtcttgaagt	atcaatataa	caaaaaaaag	28080
tacacacgac	tatgacaata	aaccactac	cgtcagggtta	tcatttcgat	gaaatgtttt	28140
gatatcatta	aatataacag	tcacaaaaaa	tcattctaatt	ataacaatat	aacttataca	28200
tatatattaac	taaaaactta	gagtttttgt	aatgattcta	attgatgatt	agagtttata	28260
gaaatacaat	taaataaaaa	atataatttt	aaaaaacat	agtaaagtca	atgagatcct	28320
ctctgacctc	agtgatcatt	tagtcatgta	tgtacaacaa	tcattgttca	tcacatgact	28380
gtaaaataaa	taaggataaa	cttgggaata	tatataatat	attgtattaa	ataaaaaagg	28440
gaaatacaaa	tatcaatttt	agattccccga	gttgacacaa	ctcaccatgc	acgctgccac	28500
ctcagctccc	agctctcgtc	acatgtctca	tgtcagttag	gtctttgggt	tttagtcttt	28560
gacacaactc	gccatgcatg	ttgccacgtg	agctcgttcc	tcttcccatg	atctcaccac	28620
tgggcatgca	tgctgccacc	tcagctggca	cctcttctct	atatgtccct	agaggccatg	28680
cacagtgcc	cctcagcact	cctctcagaa	cccatacgta	cctgccaatc	ggcttctctc	28740
cataaatatc	tatttaaatt	ataactaatt	atttcatata	cttaattgat	gacgtggatg	28800
cattgccatc	gttgtttaat	aattgttaat	tacgacatga	taaataaaat	gaaagtaaaa	28860
agtacgaaag	atthttccatt	tgttggttga	taaatagaga	agtgagtgat	gcataatgca	28920
tgaatgcatg	accgcgccac	catgactggt	ggatacgacg	aggagatccc	attcgagcaa	28980
gttagggctc	ataacaagcc	agacgacgct	tgggtgtgcta	ttcacggaca	cgtgtacgac	29040
gttaccaagt	tcgcttcagt	tcacccagga	ggagatatta	tcttgctcgc	tgttggaag	29100
gaagctactg	tcctctacga	gacctaccat	gttagaggag	tgtctgacgc	tgtgctcaga	29160
aagtacagaa	taggaaagtt	gccagacgga	caaggaggag	ctaacgagaa	ggagaagaga	29220
accttgctcg	gattgtcctc	tgttctttac	tacacctgga	actccgattt	ctacagagtg	29280
atgagggaga	gagttgtggc	tagattgaag	gagagaggaa	aggctagaag	aggaggatac	29340
gaactctgga	tcaaggcttt	cttgctcctt	gttggtattct	ggtcctctct	ttactggatg	29400
tgcaccctcg	atccatcttt	cggagctatc	ttggctgcta	tgtctttggg	agtgttcgct	29460
gcttttggtg	gaacctgcat	ccaacacgat	ggaaaccacg	gagctttcgc	tcaatctaga	29520
tgggttaaca	aggtggcagg	atggactttg	gatatgatcg	gagcttctgg	aatgacttgg	29580
gagttccaac	acgtgttggg	acaccacca	tacactaact	tgatcgagga	ggagaacgga	29640
ttgcaaaagg	tgtccggaaa	gaagatggat	accaagttgg	ctgatcaaga	gtctgatcca	29700
gatgtgttct	ccacctacc	aatgatgaga	ttgcaccctt	ggcaccagaa	gaggtgggat	29760
cacaggttcc	agcacatcta	cggacctttc	atcttcggat	tcattgacct	caacaagggtg	29820
gtgactcaag	atgttggagt	ggtgttgaga	aagagactct	tccaaatcga	tgtgtgagtc	29880
agatatgctt	ccccaatgta	cgttgctagg	ttctggatta	tgaaggcttt	gaccgtgttg	29940
tatatgggtg	ctttgccttg	ttatatgcaa	ggaccttggc	acggattgaa	actcttcgct	30000

PF77877_sequencelisting_formatiertSA.txt

atcgctcact	tcacttgcg	agaggttttg	gctaccatgt	tcacgtgaa	ccacattatc	30060
gagggagtgt	cttacgcttc	taaggatgct	gttaaggga	ctatggctcc	accaaagact	30120
atgcacggag	tgacccaat	gaacaacact	agaaaggagg	ttgaggctga	ggcttctaag	30180
tctggagctg	tggttaagtc	tgtgccattg	gatgattggg	ctgctgttca	gtgccaaacc	30240
tctgtgaact	ggctctgttg	atcttggttt	tggaaccact	tctctggagg	actcaaccac	30300
caaatcgagc	accacctctt	cccaggattg	tctcacgaga	cctactacca	catccaagac	30360
gtggttcaat	ctacctgtgc	tgagtacgga	gttccatacc	aacacgagcc	atctttgtgg	30420
actgcttact	ggaagatgct	cgaacacctt	agacaattgg	gaaacgagga	gactcacgag	30480
tcacggcaga	gagctgcttg	attaatgaac	taagactccc	aaaaccacct	tcctgtgac	30540
agttaaaccc	tgtttatacc	tttcctccta	ataatgttca	tctgtcacac	aaactaaaat	30600
aaataaaatg	ggagcaataa	ataaaatggg	agctcatata	tttacaccat	ttacactgtc	30660
tattattcac	catgccaatt	attacttcat	aattttaaaa	ttatgtcatt	tttaaaaatt	30720
gcttaatgat	ggaaaggatt	attataagtt	aaaagtataa	catagataaa	ctaaccacaa	30780
aacaaatcaa	tataaactaa	cttactctcc	catctaattt	ttatttaaat	ttctttacac	30840
ttctcttcca	tttctatttc	tacaacatta	tttaacattt	ttattgtatt	tttcttactt	30900
tctaactcta	ttcatttcaa	aaatcaatat	atgtttatca	ccacctctct	aaaaaaaaact	30960
ttacaatcat	tgggtccagaa	aagttaaadc	acgagatggt	catttttagca	ttaaaacaac	31020
gattcttgta	tcactatttt	tcagcatgta	gtccattctc	ttcaaacaaa	gacagcggct	31080
atataatcgt	tgtgttatat	tcagtctaaa	acaactacgt	agcgtcacgt	gacgttacct	31140
aagcctaggt	agcctcagct	gacgttacgt	aacgctaggt	aggctcagct	gactgcagca	31200
aatttacaca	ttgccactaa	acgtctaaac	ccttgtaatt	tgtttttggt	ttactatgtg	31260
tgttatgtat	ttgatttgcg	ataaattttt	atatttggtg	ctaaatttat	aacacctttt	31320
atgctaacgt	ttgccaacac	ttagcaattt	gcaagttgat	taattgattc	taaattattt	31380
ttgtcttcta	aatacatata	ctaataact	ggaaatgtaa	atatttgcta	atatttctac	31440
tataggagaa	ttaaagttag	tgaatatggt	accacaaggt	ttggagattt	aattgttgca	31500
atgctgcatg	gatggcatat	acaccaaaca	ttcaataatt	cttgaggata	ataatggtac	31560
cacacaagat	ttgagggtga	tgaacgtcac	gtggacaaaa	ggttttagtaa	tttttcaaga	31620
caacaatggt	accacacaca	agttttgagg	tgcacgcatg	gatgccctgt	ggaaagttaa	31680
aaaatatatt	ggaaatgatt	tgcacggaag	ccatgtgtaa	aaccatgaca	tccacttgga	31740
ggatgcaata	atgaagaaaa	ctacaaattt	acatgcaact	agttatgcat	gtagtctata	31800
taatgaggat	tttgcaatac	tttcattcat	acacactcac	taagttttac	acgattataa	31860
tttcttcata	gccagtactg	tttaagcttc	actgtctctg	aatcggaaca	ggtaaacgta	31920
tcaattattc	tacaaaccct	tttatttttc	ttttgaatta	ccgtcttcat	tggttatatg	31980
ataacttgat	aagtaaagct	tcaataattg	aatttgatct	gtgttttttt	ggccttaata	32040
ctaaatcctt	acataagctt	tgttgcttct	cctcttgtga	gttgagtgtt	aagttgtaat	32100

Page 45

PF77877_sequencelisting_formatiertSA.txt

aatggttcac	tttcagcttt	agaagaaacg	cgcccttccat	ggctacaaag	gaggcttacg	32160
ttttcccaac	tctcaccgag	atcaagagat	ctctcccaaa	ggattgcttc	gaggcttctg	32220
tgcctttgtc	tctctactac	actgtgagat	gcttggttat	tgctgtggct	ttgaccttcg	32280
gattgaacta	cgctagagct	ttgccagagg	ttgagtcttt	ctgggctttg	gatgctgctt	32340
tgtgcactgg	atatatcctc	ctccagggaa	ttgtgttctg	gggattcttc	actgttggac	32400
acgatgctgg	acacggagct	ttctctagat	accacctctt	gaacttcgtt	gtgggaacct	32460
tcatgcactc	tctcatcttg	accccatctg	agtcttggaa	gttgaccac	agacaccacc	32520
acaagaacac	cggaacatc	gatagagatg	agggtgttcta	cccacagaga	aaggctgatg	32580
atcaccatt	gtccaggaac	ttgatcttgg	ctttgggagc	tgcttggctt	gcttatttgg	32640
tggagggatt	cccaccaaga	aagggtgaacc	acttcaaccc	attcgagcca	ctttttgtga	32700
gacaagtgtc	cgctgtggtt	atctctttgc	tcgctcactt	cttcgttgct	ggactctcta	32760
tctacttgtc	tctccagttg	ggacttaaga	ccatggctat	ctactactac	ggaccagttt	32820
tcgtgttcgg	atctatgttg	gtgattacca	ccttcttgca	ccacaacgat	gaggagactc	32880
catggtatgc	tgattctgag	tggacttacg	tgaagggaaa	cttgtcctct	gtggatagat	32940
cttacggtgc	tctcatcgat	aacctctccc	acaacatcgg	aactcaccag	atccaccacc	33000
tcttcccaat	tatccacac	tacaagctca	agaaggctac	tgctgctttc	caccaagctt	33060
tcccagagct	tgtgagaaa	tccgatgagc	caatcatcaa	ggctttcttc	agagtgggaa	33120
ggttgatgc	taactacgga	gtggttgatc	aagaggctaa	gctcttcact	ttgaaggagg	33180
ctaaggctgc	tactgaagct	gctgctaaga	ccaagtctac	ctgattaatg	aatcgacaag	33240
ctcgagtttc	tccataataa	tgtgtgagta	gttcccagat	aagggaatta	gggttcctat	33300
agggtttcgc	tcatgtgttg	agcatataag	aaacccttag	tatgtatttg	tatttgtaaa	33360
atacttctat	caataaaatt	tctaattcct	aaaaccaaaa	tccagtacta	aaatccagat	33420
ccccgaatt	aattcggcgt	taattcagct	acgtagcgtc	acctgacgtt	acgtaaggct	33480
acctaggctc	acgtgacgtt	acgtaacgct	acgtagcgtc	aggtgagggt	agctaacgct	33540
agctagcctc	acctgacgtt	aggtaaggct	acgtagcgtc	acctgagatt	agctaagcct	33600
acctagactc	acgtgacctt	aggtaacgct	acgtagcgtc	aaagctttac	aacgctacac	33660
aaaacttata	accgtaatca	ccattcatta	acttaactac	tatcacatgc	attcatgaat	33720
tgaaacgaga	aggatgtaaa	tagttgggaa	gttatctcca	cggtgaagag	atcgtttagcg	33780
agagctgaaa	gaccgagggg	ggagacgccg	tcaacacgga	cagagtcgtc	gacctcaca	33840
tgaagtagga	ggaatctccg	tgaggagcca	gagagacgtc	tttggctctc	ggtttcgatc	33900
cttgatctga	cggagaagac	gagagaagtg	cgactggact	ccgtgaggac	caacagagtc	33960
gtcctcggtt	tcgatcgctg	gtattgggtg	agaaggcgga	ggaatctccg	tgacgagcca	34020
gagagatgtc	gtcggctctc	ggtttcgatc	cttgatctga	cggagaagac	gagagaagtg	34080
cgacgagact	ccgtgaggac	caacagagtt	gtcctcggtt	tcgatcgctg	gtttcggcgg	34140

PF77877_sequence_listing_formatiertSA.txt

agaaggcggg	ggaatctccg	tgaggagcca	gagagacgtc	gttggctctc	ggtttcgac	34200
cttgatctgt	tggagaagac	gagacaagt	ggacgagact	caacgacgga	gtcagagacg	34260
tcgtcgggtct	tcggtttcgg	ccgagaaggc	ggagtcggtc	ttcggtttcg	gccgagaagg	34320
cggaggagac	gtcttcgatt	tgggtctctc	ctcttgacga	agaaaacaaa	gaacacgaga	34380
aataatgaga	aagagaacaa	aagaaaaaaa	aataaaaata	aaaataaaat	ttggctctct	34440
tatgtggtga	cacgtggttt	gaaacccacc	aaataatcga	tcacaaaaaa	cctaagttaa	34500
ggatcggtaa	taacctttct	aattaatttt	gatttatatt	aaatcactct	ttttatttat	34560
aaacccact	aaattatgcg	atattgattg	tctaagtaca	aaaattctct	cgaattcaat	34620
acacatgttt	catatattta	gccctgttca	tttaatatta	ctagcgcatt	tttaatttaa	34680
aattttgtaa	acttttttgg	tcaaagaaca	tttttttaat	tagagacaga	aatctagact	34740
ctttatttgg	aataatagta	ataaagatat	attaggcaat	gagtttatga	tgttatgttt	34800
atatagttta	tttcatttta	aattgaaaag	cattattttt	atcgaaatga	atctagtata	34860
caatcaatat	ttatgttttt	tcatcagata	ctttcctatt	ttttggcacc	tttcatcgga	34920
ctactgattt	atttcaatgt	gtatgcatgc	atgagcatga	gtatacacat	gtcttttaaa	34980
atgcatgtaa	agcgtaacgg	accacaaaag	aggatccata	caaatacatc	tcatcgcttc	35040
ctctactatt	ctccgacaca	cacactgagc	atgggtgctta	aacactctgg	tgagttctag	35100
tacttctgct	atgatcgatc	tcattacat	ttcttaaatt	tctctcccta	aatattccga	35160
gttcttgatt	tttgataact	tcaggttttc	tctttttgat	aaatctggtc	tttccatttt	35220
tttttttttg	tggttaattt	agtttcctat	gttcttcgat	tgtattatgc	atgatctgtg	35280
tttggtattct	gttagattat	gtattggtga	atatgtatgt	gtttttgcat	gtctgggttt	35340
ggctctaaaa	atgttcaaat	ctgatgattt	gattgaagct	tttttagtgt	tggtttgatt	35400
cttctcaaaa	ctactgttaa	tttactatca	tgttttccaa	ctttgattca	tgatgacact	35460
tttgttctgc	tttgttataa	aattttgggt	ggtttgattt	tgtaattata	gtgtaatttt	35520
gttaggaatg	aacatgtttt	aatactctgt	tttcgatttg	tcacacattc	gaattattaa	35580
tcgataattt	aactgaaaat	tcatggttct	agatcttggt	gtcatcagat	tatttgtttc	35640
gataattcat	caaatatgta	gtccttttgc	tgatttgcca	ctgtttcatt	ttttctcaaa	35700
attgtttttt	gttaagttta	tctaacagtt	atcgttgcca	aaagtctctt	tcattttgca	35760
aaatcttctt	tttttttttg	tttgtaactt	tgttttttta	gctacacatt	tagtctgtaa	35820
aatagcatcg	aggaacagtt	gtcttagtag	acttgcatgt	tcttgtaact	tctatttggt	35880
tcagtttggt	gatgactgct	ttgattttgt	aggatcaaacc	gcgccatgcc	acctagtgtc	35940
gctagtgaag	gtgggtgttc	tgaacttaga	gctgctgaag	ttgctagcta	cactagaaag	36000
gctgttgacg	aaagacctga	cctcactata	gttggtgacg	ctgtttacga	cgctaaggct	36060
tttagggacg	agcaccttgg	tgggtgctcac	ttcgtttagcc	ttttcggagg	tagggacgct	36120
actgaggctt	ttatggaata	tcaccgtaga	gcttggccta	aggctaggat	gtctaagttc	36180
ttcgttggtt	cacttgacgc	tagcgagaag	cctactcaag	ctgattcagc	ttaccttaga	36240

Page 47

PF77877_sequencelisting_formatiertSA.txt

ctttgcgctg	agggttaacgc	tcttttgcct	aagggtagcg	gaggattcgc	tcctcctagc	36300
tactggctta	aggctgctgc	tcttggtgtt	gctgctgtta	gtatagaggg	ttatatgctc	36360
cttaggggta	agaccctttt	gcttagcggt	ttccttggac	tcgtgttcgc	ttggatagga	36420
cttaatatc	agcacgacgc	taatcacggt	gctcttagta	gacactcagt	gattaactac	36480
tgccctcggt	acgctcagga	ttggataggt	ggtaatatgg	tgctttggct	tcaagagcac	36540
gttgatgatgc	accacctcca	cactaacgac	gttgacgctg	atcctgatca	aaaggctcac	36600
gggtgttcta	gacttaagcc	tactgacggt	tggatgcctt	ggcacgcact	tcaacaactc	36660
tatatccttc	ctgggtgaggc	tatgtacgct	tttaagcttc	ttttcttggg	cgcccttgag	36720
cttcttgctt	ggaggtggga	gggtgagaag	attagccctc	ttgctagagc	tttggtcgtc	36780
cctgctgttg	cttgtaagct	tggattctgg	gctagattcg	ttgctctccc	tctctggctt	36840
caacctactg	ttcacactgc	tttgtgtatc	tgtgctactg	tgtgtactgg	tagcttctac	36900
ctcgcccttc	tcttctttat	ctctcacaac	ttcgacgggt	ttggtagcgt	tggacctaa	36960
ggatcacttc	ctagatcagc	tactttcgtt	caacgtcagg	ttgagactag	ctctaacgtt	37020
gggtgttact	ggcttggagt	tcttaacggt	ggacttaact	ttcagataga	gcaccacttg	37080
ttccctaggc	ttcaccactc	ttactacgct	caaataagctc	ctgtgggttag	gactcacata	37140
gagaagctcg	gttttaagta	ccgtcacttc	cctaccgttg	gatctaacct	tagctcaatg	37200
cttcagcata	tggttaagat	gggaactaga	cctggtgctg	agaaggggtg	taaggctgag	37260
tagtagttaa	tgaactaagt	ttgatgtatc	tgagtgccaa	cgtttacttt	gtctttcctt	37320
tcttttattg	gttatgatta	gatgtttact	atgttctctc	tttttcgtta	taaataaaga	37380
agttcaattc	ttctatagtt	tcaaacgcga	ttttaagcgt	ttctatttag	gtttacatga	37440
tttcttttac	aaaatcatct	ttaaaataca	gtatatTTTT	agttttcata	aaatatttaa	37500
agaaatgaaa	gtttataaac	attcactcct	attctctaata	taaggatttg	taaaacaaaa	37560
atTTTgtaag	catatcgatt	tatgcgtttt	gtcttaatta	gctcactaaa	taataaataa	37620
tagcttatgt	tgtgggactg	tttaattacc	taacttagaa	ctaaaatcaa	ctctttgtgc	37680
tagctagcct	cagctgacgt	tacgtaacgc	taggtagcgt	cacgtgacgt	tagctaacgc	37740
taggtagcgt	cagctgagct	tacgtaagcg	cacagatgaa	tactagctgt	tgttcacagt	37800
tctagtgtct	cctcattacg	tgaattcaag	ctacgatcac	tatctcaact	cctacataaa	37860
catcagaatg	ctacaaaact	atgcacaaaa	acaaaagcta	catctaatac	gtgaatcaat	37920
tactctcatc	acaagaaaga	agatttcaat	caccgtcgag	aaggaggatt	cagttaattg	37980
aatcaaagtt	ccgatcaaac	tcgaagactg	gtgagcacga	ggacgacgaa	gaagagtgtc	38040
tcgaagatac	aacaagcaag	aaatctactg	agtgcacctc	tgaagttatt	ggcgcgattg	38100
agagaatcaa	tccgaattaa	tttcggggaa	aaagataaat	tagataactaa	gcgatgggct	38160
tgggctgggc	taagaaacag	gtggcaattg	ggctggagga	ccccgcgatt	catagcttcc	38220
gatagcccaa	aaaaaacg	ataacatatt	tatcggttat	ttgaatttca	gtgaaataag	38280

PF77877_sequencelisting_formatiertSA.txt

atatttttctt	tttgtttagga	aaatttttaga	aaataatgga	aattaaatag	cgattatggt	38340
acaagatacg	atcagcatcg	ggcagtgcaa	aatgctatag	cttcccaaga	tttgatcctt	38400
ttgggttatc	tcctaattgac	aattagttta	ggattttgaa	acttatatta	atactattat	38460
ccgacaacac	ttgtttcagc	ttctttatctt	aacatttttt	gtttttttct	attctttctt	38520
ccatcagcat	tttcttttta	aaaaattgaa	tactttaact	ttttaaaaat	ttcacaatga	38580
tcagatgata	ttatggaaga	tctcaagagt	taaatgtatc	catcttgagg	cattaaaacc	38640
ggtgtacggg	atgataaata	cagactttat	atcatatgat	agctcagtaa	ttcatattta	38700
tcacgttgct	aaaaaaatta	taaggtacta	gtagtcaaca	aaatcaatta	aagagaaaga	38760
aagaaacgca	tgtgaagaga	gtttacaact	ggaaaagtaa	aataaaaatt	aacgcatggt	38820
gaatgctgac	atgtcagtat	gtccatgaat	ccacgtatca	agcgccattc	atcgatcgtc	38880
ttctctcttc	taaatgaaaa	caacttcaca	catcacaaca	aacaatacac	acaagacccc	38940
ctctctctcg	ttgtctctct	gccagcgacc	aaatcgaagc	ttgagaagaa	caagaagggg	39000
tcaaaccatg	gcttctacat	ctgctgctca	agacgctgct	ccttacgagt	tcccttctct	39060
cactgagatc	aagagggctc	ttccttctga	gtgtttcgag	gcttctgttc	ctctttctct	39120
ctactacacc	gctagatctc	ttgtctttgc	tggatctctc	gctgttgctc	tctcttacgc	39180
tagagctttg	cctcttggtc	aggctaacgc	tcttcttgat	gctactctct	gcactggata	39240
cgttcttctc	cagggaaatc	ttttctgggg	attcttcacc	gttggtcacg	attgtggaca	39300
cggagctttc	tctagatctc	acgtgctcaa	cttctctggt	ggaaccctca	tgcactctat	39360
catccttacc	cctttcgagt	cttggaagct	ctctcacaga	caccaccaca	agaacaccgg	39420
aaacatcgat	aaggacgaga	tcttctaccc	tcaaagagag	gctgattctc	accctgtttc	39480
tagacacctt	gtgatgtctc	ttggatctgc	ttggttcgct	taccttttcg	ctggattccc	39540
tcctagaacc	atgaaccact	tcaacccttg	ggaggctatg	tatgttagaa	gagtggctgc	39600
tgtgatcatc	tctctcggag	ttcttttcgc	tttcgctgga	ctctactctt	acctcacctt	39660
cgttcttgga	ttcaccacta	tggctatcta	ctacttcgga	cctctcttca	tcttcgctac	39720
catgcttggt	gttaccactt	tcctccacca	caacgatgag	gagacacctt	ggtacgctga	39780
ttctgagtgg	acttacgtga	agggaaacct	ctcttctgtg	gacagatctt	acggtgctct	39840
catcgacaac	cttagccaca	acatcggaac	tcaccagatc	caccacctct	tccctatcat	39900
ccctcactac	aagctcaacg	atgctactgc	tgttttcgct	aaggctttcc	ctgagcttgt	39960
taggaaaaac	gctgctccta	tcatcccaac	tttcttcagg	atggctgcta	tgtacgctaa	40020
gtacggagtt	gttgacactg	atgctaagac	cttcactctc	aaggaggcta	aggctgctgc	40080
taagactaag	tcatcttgat	gattaatgaa	taattgattg	tacatactat	attttttggt	40140
taccttggtg	tagtttaatg	ttcagtgtcc	tctctttatt	gtggcacgct	tctttgttgt	40200
atgttggtgc	tatacaaagt	tgaataaatg	gaaagaaaag	gaagagtgta	atttgttttg	40260
ttttaagtgt	ttataaatat	atatatatag	gtcattttaga	tagttctagg	tttctataaa	40320
actctctctc	tggaagtaga	atctgttttt	gagaggatcc	agttgcctac	taatctcccc	40380

Page 49

PF77877_sequencelisting_formatiertSA.txt

caaaaccctt	caagcttaac	cttcctcttc	acaacaacag	aggaaacaca	tctcttgagc	40440
tctgagttct	cttctttgag	catgtctatc	gctaaactca	tctgccttat	agcttccctc	40500
ttctcttcat	ctctctctct	caccatttcg	ctgtaaaact	tattctcctc	cctcagcctc	40560
tctatctctt	ccttcagcat	ctcacaattc	ccaccataat	cgactgagga	tgattcacccg	40620
tcatcaactt	cagactcagc	gttgtagtcg	tcatgagtct	cacaagcctt	ggaccaagaa	40680
gactcatcat	cgcaagttga	tgatttatca	tgatgcttct	ctgagccgtg	tttgctagct	40740
agcctcagct	gacgttacgt	aacgctaggt	agcgtcacgt	gacgttagct	aacgctaggt	40800
agcgtcagct	gagcttacgt	aagcgcttaa	ttaaagtact	gatatcggtg	ccaaatcgaa	40860
tccaaaaatt	acggatatga	atataggcat	atccgtatcc	gaattatccg	tttgacagct	40920
agcaacgatt	gtacaattgc	ttctttaaaa	aaggaagaaa	gaaagaaaga	aaagaatcaa	40980
catcagcggt	aacaaacggc	cccgttacgg	cccaaacggt	catatagagt	aacggcggtta	41040
agcgttgaaa	gactcctatc	gaaatacgta	accgcaaacg	tgatcatagtc	agatccccctc	41100
ttccttcacc	gcctcaaaca	caaaaataat	cttctacagc	ctatatatac	aacccccctt	41160
tctatctctc	ctttctcaca	attcatcatc	tttctttctc	tacccccaat	tttaagaaat	41220
cctctcttct	cctcttcatt	ttcaaggtaa	atctctctct	ctctctctct	ctctgttatt	41280
ccttgtttta	attaggtatg	tattattgct	agtttggtta	tctgcttata	ttatgtatgc	41340
cttatgtgaa	tatctttatc	ttgttcacat	catccgttta	gaagctataa	atttggtgat	41400
ttgactgtgt	atctacacgt	ggttatgttt	atatctaate	agatatgaat	ttcttcatat	41460
tgttgcgttt	gtgtgtacca	atccgaaatc	gttgattttt	ttcatttaat	cgtgtagcta	41520
attgtacgta	tacatatgga	tctacgtatc	aattgttcat	ctgtttgtgt	ttgtatgtat	41580
acagatctga	aaacatcact	tctctcatct	gattgtgttg	ttacatacat	agatatagat	41640
ctgttatata	atTTTTTTta	ttaattgtgt	atatatatat	gtgcatagat	ctggattaca	41700
tgattgtgat	tattttacatg	atTTTgttat	ttacgtatgt	atatatgtag	atctggactt	41760
tttggagttg	ttgacttgat	tgtattttgtg	tgtgtatatg	tgtgttctga	tcttgatatg	41820
ttatgtatgt	gcagctgaac	catggcgggc	gcaacaacaa	caacaacaac	atcttcttcg	41880
atctccttct	ccaccaaacc	atctccttcc	tcttccaaat	caccattacc	aatctccaga	41940
ttctccctcc	cattctccct	aaaccccaac	aaatcatcct	cctcctcccg	ccgccgcggt	42000
atcaaatcca	gctctccctc	ctccatctcc	gccgtgctca	acacaaccac	caatgtcaca	42060
accactccct	ctccaaccaa	acctaccaa	cccgaacat	tcatctcccg	attcgctcca	42120
gatcaacccc	gcaaaggcgc	tgatatcctc	gtcgaggctt	tagaacgtca	aggcgtagaa	42180
accgtattcg	cttaccctgg	aggtacatca	atggagattc	accaagcctt	aacccgctct	42240
tcctcaatcc	gtaacgtcct	tcctcgtcac	gaacaaggag	gtgtattcgc	agcagaagga	42300
tacgctcgat	cctcaggtaa	accaggtatc	tgtatagcca	cttcagggtcc	cggagctaca	42360
aatctcggtt	gcggattagc	cgatgcgttg	ttagatagtg	ttcctcttgt	agcaatcaca	42420

PF77877_sequence_listing_formatiertSA.txt

ggacaagtcc	ctcgtcgtat	gattgggtaca	gatgcgtttc	aagagactcc	gattgttgag	42480
gtaacgcgtt	cgattacgaa	gcataactat	cttgtgatgg	atgttgaaga	tatcccaagg	42540
attattgaag	aggctttctt	tttagctact	tctggtagac	ctggacctgt	tttggttgat	42600
gttcctaaag	atattcaaca	acagcttgcg	attcctaatt	gggaacaggc	tatgagatta	42660
cctggttata	tgtctaggat	gcctaaacct	ccggaagatt	ctcatttgga	gcagattggt	42720
aggttgattt	ctgagtctaa	gaagcctgtg	ttgtatgttg	gtggtggttg	tcttaattct	42780
agcgatgaat	tgggtaggtt	tgttgagctt	acgggcatcc	ctgttgcgag	tacgttgatg	42840
gggctgggat	cttatccttg	tgatgatgag	ttgtcgttac	atatgcttgg	aatgcatggg	42900
actgtgtatg	caaattacgc	tgtggagcat	agtgatttgt	tgttggcggt	tggggtaagg	42960
tttgatgatc	gtgtcacggg	taaacttgag	gcttttgcta	gtagggctaa	gattgttcat	43020
attgatattg	actcggctga	gattgggaag	aataagactc	ctcatgtgtc	tgtgtgtggt	43080
gatgttaagc	tggctttgca	agggatgaat	aaggttcttg	agaaccgagc	ggaggagctt	43140
aaacttgatt	ttggagtttg	gaggaatgag	ttgaacgtac	agaaacagaa	gtttccgttg	43200
agctttaaga	cgtttgggga	agctattcct	ccacagtatg	cgattaaggt	ccttgatgag	43260
ttgactgatg	gaaaagccat	aataagtact	ggtgtcgggc	aacatcaaat	gtgggcggcg	43320
cagttctaca	attacaagaa	accaaggcag	tggctatcat	caggaggcct	tggagctatg	43380
ggatttgac	ttcctgctgc	gattggagcg	tctgttgcta	accctgatgc	gatagtgtgtg	43440
gatattgacg	gagatggaag	ttttataatg	aatgtgcaag	agctagccac	tattcgtgta	43500
gagaatcttc	cagtgaaggt	acttttatta	aacaaccagc	atcttggcat	ggttatgcaa	43560
tgggaagatc	ggttctacaa	agctaaccga	gctcacacat	ttctcgggga	cccggctcag	43620
gaggacgaga	tattcccga	catgttgctg	tttgacagcag	cttgcgggat	tccagcggcg	43680
agggtgacaa	agaaagcaga	tctccgagaa	gctattcaga	caatgctgga	tacaccagga	43740
ccttacctgt	tggatgtgat	ttgtccgcac	caagaacatg	tgttgccgat	gatcccgaat	43800
ggtggcactt	tcaacgatgt	cataacggaa	ggagatggcc	ggattaaata	ctgagagatg	43860
aaaccggtga	ttatcagaac	cttttatggt	ctttgtatgc	atatggtaaa	aaaacttagt	43920
ttgcaatttc	ctgtttgttt	tggtaatttg	agtttctttt	agttgttgat	ctgcctgctt	43980
tttggtttac	gtcagactac	tactgctggt	gttggttggt	ttcctttctt	tcattttata	44040
aataaataat	ccggttcggt	ttactccttg	tgactggctc	agtttggtta	ttgcgaaatg	44100
cgaatggtaa	attgagtaat	tgaaattcgt	tattagggtt	ctaagctggt	ttaacagtca	44160
ctgggttaat	atctctcgaa	tcttgcattg	aaaatgctct	taccattggt	ttttaattga	44220
aatgtgctca	tatgggccgt	ggtttcctaa	ttaaataaaa	ctacgatgtc	atcgagaagt	44280
aaaatcaact	gtgtccacat	tatcagtttt	gtgtatacga	tgaaataggg	taattcaaaa	44340
tctagcttga	tatgcctttt	ggttcatttt	aaccttctgt	aaacattttt	tcagattttg	44400
aacaagtaaa	tccaaaaaaa	aaaaaaaaaa	tctcaactca	acactaaatt	attttaatgt	44460
ataaaaagatg	cttaaaacat	ttggcttaaa	agaaagaagc	taaaaacata	gagaactctt	44520

Page 51

PF77877_sequencelisting_formatiertSA.txt

gtaaattgaa	gtatgaaaat	atactgaatt	gggtattata	tgaatTTTTc	tgatttagga	44580
ttcacatgat	caaaaaagga	aatccagaag	cactaatcag	acattggaag	taggattaat	44640
cagtgatcag	taactattaa	attcaattaa	ccgcggacat	ctacatTTTT	gaattgaaaa	44700
aaaattggta	attactcttt	ctttttctcc	atattgacca	tcatactcat	tgctgatcca	44760
tgtagatttc	ccggacatga	agccatttac	aattgaatat	atcctgccgc	cgctgccgct	44820
ttgcacccgg	tggagcttgc	atgttggttt	ctacgcagaa	ctgagccggt	taggcagata	44880
atttcattg	agaactgagc	catgtgcacc	ttcccccaa	cacggtgagc	gacggggcaa	44940
cggagtgatc	cacatgggac	ttttaacat	catccgtcgg	atggcgttgc	gagagaagca	45000
gtcgatccgt	gagatcagtc	gaccaattct	catgtttgac	agcttatcat	cgaatttctg	45060
ccattcatcc	gcttattatc	acttattcag	gcgtagcaac	caggcgttta	agggcaccaa	45120
taactgcctt	aaaaaaatta	cgccccgcc	tgccactcat	cgcagtactg	ttgtaattca	45180
ttaagcattc	tgccgacatg	gaagccatca	caaacggcat	gatgaacctg	aatcgccagc	45240
ggcatcagca	ccttgctgcc	ttgcgtataa	tatttgccca	tggtgaaaac	gggggcgaag	45300
aagttgtcca	tattggccac	gtttaaatca	aaactggtga	aactcaccca	gggattggct	45360
gagacgaaaa	acatattctc	aataaacctt	ttagggaaat	aggccagggt	ttcaccgtaa	45420
cacgccacat	cttgcaata	tatgtgtaga	aactgccgga	aatcgtcgtg	gtattcactc	45480
cagagcgatg	aaaacgtttc	agtttgctca	tggaacacgg	tgtaacaagg	gtgaacacta	45540
tcccatatca	ccagctcacc	gtctttcatt	gccatacgga	attccggatg	agcattcatc	45600
aggcgggcaa	gaatgtgaat	aaaggccgga	taaaacttgt	gcttatTTTT	ctttacggtc	45660
tttaaaaagg	ccgtaatatc	caggacctgc	aggggggggg	gggcgctgag	gtctgcctcg	45720
tgaagaagg	gttgcgtgact	cataccaggc	ctgaatcgcc	ccatcatcca	gccagaaagt	45780
gagggagcca	cggttgatga	gagctttggt	gtaggtggac	cagttggtga	ttttgaactt	45840
ttgctttgcc	acggaacggt	ctgcgttgtc	gggaagatgc	gtgatctgat	ccttcaactc	45900
agcaaaagtt	cgattttattc	aacaaagccg	ccgtcccgtc	aagtcagcgt	aatgctctgc	45960
cagtgttaca	accaattaac	caattctgat	tagaaaaact	catcgagcat	caaatgaaac	46020
tgcaatttat	tcatatcagg	attatcaata	ccatattttt	gaaaaagccg	tttctgtaat	46080
gaaggagaaa	actcaccgag	gcagttccat	aggatggcaa	gatcctggta	tcggtctgcg	46140
attccgactc	gtccaacatc	aatacaacct	attaattttc	cctcgtcaaa	aataagggtta	46200
tcaagtgaga	aatcaccatg	agtgcgact	gaatccggtg	agaatggcaa	aagcttatgc	46260
atttctttcc	agacttggtc	aacaggccag	ccattacgct	cgatcatcaa	atcactcgca	46320
tcaaccaaac	cgttattcat	tcgtgattgc	gcctgagcga	gacgaaatac	gcgatcgctg	46380
ttaaaaggac	aattacaaac	aggaatcgaa	tgcaaccggc	gcaggaacac	tgccagcgca	46440
tcaacaatat	tttcacctga	atcaggatat	tcttctaata	cctggaatgc	tgttttcccg	46500
gggatcgag	tggtgagtaa	ccatgcacat	tcaggagtac	ggataaaatg	cttgatggctc	46560

PF77877_sequencelisting_formatiertSA.txt

ggaagaggca	taaattccgt	cagccagttt	agtctgacca	tctcatctgt	aacatcattg	46620
gcaacgctac	ctttgccatg	tttcagaaac	aactctggcg	catcgggctt	cccatacaat	46680
cgatagattg	tcgcacctga	ttgcccagaca	ttatcgcgag	cccattttata	cccatataaa	46740
tcagcatcca	tgttggaatt	taatcgcggc	ctcgagcaag	acgtttcccg	ttgaatatgg	46800
ctcataacac	cccttgtatt	actgtttatg	taagcagaca	gttttattgt	tcatgatgat	46860
atatttttat	cttgtgcaat	gtaacatcag	agattttgag	acacaacgtg	gctttccccc	46920
ccccccctgc	aggtcctgaa	cggctctggtt	ataggtagat	tgagcaactg	actgaaatgc	46980
ctcaaaatgt	tctttacgat	gccattggga	tatatcaacg	gtggtatatc	cagtgatattt	47040
tttctccatt	ttagcttcct	tagctcctga	aaatctcgat	aactcaaaaa	atacgcccgg	47100
tagtgatctt	atttcattat	ggtgaaagtt	ggaacctctt	acgtgccgat	caacgtctca	47160
ttttcgccaa	aagttggccc	agggcttccc	ggtatcaaca	gggacaccag	gatttattta	47220
ttctgcgaag	tgatcttccg	tcacaggtat	ttattcgca	taagctcatg	gagcggcgta	47280
accgtcgac	aggaaggaca	gagaaagcgc	ggatctggga	agtgacggac	agaacggtca	47340
ggacctggat	tggggaggcg	gttgccgccc	ctgctgctga	cgggtgtgacg	ttctctgttc	47400
cggtcacacc	acatacgttc	cgccattcct	atgcgatgca	catgctgtat	gccggtatac	47460
cgctgaaagt	tctgcaaagc	ctgatgggac	ataagtcct	cagttcaacg	gaagtctaca	47520
cgaaggtttt	tgcgctggat	gtggctgccc	ggcaccgggt	gcagtttgcg	atgccggagt	47580
ctgatgcggt	tgcatgctg	aaacaattat	cctgagaata	aatgccttgg	cctttatatg	47640
gaaatgtgga	actgagtgga	tatgctgttt	ttgtctgtta	aacagagaag	ctggctgtta	47700
tccactgaga	agcgaacgaa	acagtcggga	aaatctccca	ttatcgtaga	gatccgcatt	47760
attaatctca	ggagcctgtg	tagcgtttat	aggaagtagt	gttctgtcat	gatgcctgca	47820
agcggtaacg	aaaacgattt	gaatatgcct	tcaggaacaa	tagaaatctt	cgtgcggtgt	47880
tacgttgaa	tgagcgggat	tatgtcagca	atggacagaa	caacctaatg	aacacagaac	47940
catgatgtgg	tctgtccttt	tacagccagt	agtgtctgcc	gcagtcgagc	gacagggcga	48000
agccctcgag	tgagcgagga	agcaccaggg	aacagcactt	atataattctg	cttacacacg	48060
atgcctgaaa	aaacttcctt	tggggttatc	cacttatcca	cggggatatt	tttataatta	48120
ttttttttat	agttttttaga	tcttcttttt	tagagcgcct	tgtaggcctt	tatccatgct	48180
ggttctagag	aaggtgttgt	gacaaattgc	cctttcagtg	tgacaaatca	ccctcaaattg	48240
acagtcctgt	ctgtgacaaa	ttgcccttaa	ccctgtgaca	aattgccctc	agaagaagct	48300
gtttttttcac	aaagttatcc	ctgcttattg	actctttttt	atttagtgtg	acaatctaaa	48360
aacttgtcac	acttcacatg	gatctgtcat	ggcggaacaa	gcggttatca	atcacaagaa	48420
acgtaaaaat	agccccgcga	tcgtccagtc	aaacgacctc	actgaggcgg	catatagtct	48480
ctccccggat	caaaaacgta	tgctgtatct	gttcgttgac	cagatcagaa	aatctgatgg	48540
caccctacag	gaacatgacg	gtatctgcga	gatccatggt	gctaaatatg	ctgaaatatt	48600
cggattgacc	tctgcggaag	ccagtaagga	tatacggcag	gcattgaaga	gtttcgcggg	48660

Page 53

PF77877_sequencelisting_formatiertSA.txt

gaaggaagtg	gttttttatc	gccctgaaga	ggatgccggc	gatgaaaaag	gctatgaatc	48720
ttttccttgg	tttatcaaac	gtgcgcacag	tccatccaga	gggctttaca	gtgtacatat	48780
caaccctat	ctcattccct	tctttatcgg	gttacagaac	cggtttacgc	agtttcggct	48840
tagtgaaaca	aaagaaatca	ccaatccgta	tgccatgcgt	ttatacgaat	ccctgtgtca	48900
gtatcgtaag	cgggatggct	caggcatcgt	ctctctgaaa	atcgactgga	tcatagagcg	48960
ttaccagctg	cctcaaagtt	accagcgtat	gcctgacttc	cgccgccgct	tcctgcaggt	49020
ctgtgttaat	gagatcaaca	gcagaactcc	aatgcgcctc	tcatacattg	agaaaaagaa	49080
aggccgccag	acgactcata	tcgtattttc	cttccgcgat	atcacttcca	tgacgacagg	49140
atagtctgag	ggttatctgt	cacagatttg	aggggtggtc	gtcacatttg	ttctgacct	49200
ctgagggtaa	tttgctcacag	ttttgctggt	tccttcagcc	tgcatggatt	ttctcatact	49260
ttttgaactg	taatttttaa	ggaagccaaa	tttgagggca	gtttgtcaca	gttgatttcc	49320
ttctctttcc	cttcgtcatg	tgacctgata	tcggggggtta	gttcgtcatc	attgatgagg	49380
gttgattatc	acagtttatt	actctgaatt	ggctatccgc	gtgtgtacct	ctacctggag	49440
ttttcccac	ggtggatatt	tcttcttgcg	ctgagcgtaa	gagctatctg	acagaacagt	49500
tcttctttgc	ttcctcgcca	gttcgctcgc	tatgctcggg	tacacggctg	cggcgagcgc	49560
tagtgataat	aagtgactga	ggtatgtgct	cttcttatct	cctttttag	tggtgctctt	49620
attttaaaca	actttgcggt	tttttgatga	ctttgcgatt	ttgttggtgc	tttgcagtaa	49680
attgcaagat	ttaataaaaa	aacgcaaagc	aatgattaaa	ggatgttcag	aatgaaactc	49740
atggaaacac	ttaaccagtg	cataaacgct	ggcatgaaa	tgacgaaggc	tatcgccatt	49800
gcacagttta	atgatgacag	cccggaagcg	aggaaaataa	cccggcgctg	gagaataggt	49860
gaagcagcgg	atttagttgg	ggtttcttct	caggctatca	gagatgccga	gaaagcaggg	49920
cgactaccgc	acccggatat	ggaaattcga	ggacggggtg	agcaacgtgt	tggttataca	49980
attgaacaaa	ttaatcatat	gcgtgatgtg	tttggtacgc	gattgacgac	tgctgaagac	50040
gtatttccac	cggatgatcg	ggttgctgcc	cataaagggtg	gcgttttaca	aacctcagtt	50100
tctgttcac	ttgctcagga	tctggctctg	aaggggctac	gtgttttgct	cgtggaaggt	50160
aacgaccccc	agggaaacagc	ctcaatgtat	cacggatggg	taccagatct	tcataattcat	50220
gcagaagaca	ctctcctgcc	tttctatctt	ggggaaaagg	acgatgtcac	ttatgcaata	50280
aagcccactt	gctggccggg	gcttgacatt	attccttcct	gtctggctct	gcaccgtatt	50340
gaaactgagt	taatgggcaa	atttgatgaa	ggtaaactgc	ccaccgatcc	acacctgatg	50400
ctccgactgg	ccattgaaac	tggtgctcat	gactatgatg	tcatagttat	tgacagcgcg	50460
cctaacctgg	gtatcggcac	gattaatgtc	gtatgtgctg	ctgatgtgct	gattgttccc	50520
acgcctgctg	agttgtttga	ctacacctcc	gcactgcagt	ttttcgatat	gcttcgtgat	50580
ctgctcaaga	acgttgatct	taaagggttc	gagcctgatg	tacgtatttt	gcttaccaaa	50640
tacagcaata	gtaatggctc	tcagtcctcg	tggtatggag	agcaaattcg	ggatgcctgg	50700

PF7877-sequencing_format1ertsa.txt
50760 ggaagcagtg ttctaataaaa tgtgtacgt gaaacggatg aagttgtaaa aggtcagatc
50820 cggatgagaa ctgtttttga acagggccatt gatcaacgct cttcaacgtg tgccttgagga
50880 aatgctcttt ctatttgyga acctgtctgc aatgaaattt tcgatactgtc gataaaccga
50940 cgtctgggaga ttgatataatg aagcgtgcgc ctgttatctc aaaaacatacg ctcaatactc
51000 aaccggttga agatacttcg ttatcgacac cagctgcccc gatgttgtgat tctttaattg
51060 cgcgcgtgag agtaattggct cgcggtaatg ccatcattt gccgttgtatg ggtcgggatg
51120 tgaagtttac tcttgaaagt ctcgggggtg atagtgtga gaaagccctc cgggtatgt
51180 caggtaatga acgtgaccag gactgtctta ctgaggaagc actggtgat ctcatccctt
51240 ctttctact gactgtcaaa cagacacggg cgttcggctg aagagtatct ggtgtcatag
51300 aaattgcccga ttggagtctgc cgttcgttaag ctgctgcact tacggaaagt gatatactgt
51360 ttctgttgtg cgaactgtgat gatgagcaga tggctgtcatt atccagattg gtaaacgatt
51420 atcgcaccaac aagtctctat gaacgttgtc agcgttatgc aagccgattg cagaatgaat
51480 ttgctggaaaa tatttctgcg ctgctgtgat cggaaaaatat ttcacgtaag attatacccc
51540 gctgtatcaa caccggccaaa ttggccataa cagttgttgc tcttttttct caccgccgtg
51600 aactatctgc ccgttcaggt gatgcactc aaaaagccct tacagataaa gaggaattac
51660 ttaagcagca ggcatactaac ctctcatgagc agaaaaaagc ttgggttgata ttgaaagctg
51720 aagaagtat cactcttta acttctgtgc ttaaaacgtc atctgcatac agaactagtt
51780 taagctcag acatcagttt gctcctggag cgaagattt gataaagggc gataaagt
51840 tgcittaacct ggaaggtctc cgtgttccaa ctgagtgtat agagaataat gagggccattc
51900 ttaaggaaact tgaagaagcca gcaacctgat ggcgaaccaat tttagtctac gtttatctgt
51960 cttacttaa tgttctttgt tacaggccag aagcataba ttggccgtgaat attcttctctg
52020 ggcaccaact tcacattgta tcttctgtct gataatcaga ctgggaccaa ggtccccactc
52080 gtatcgtctgg tctgatatat agtctggagc caggttccca ctctgtatctc cgttctgtat
52140 attagtcttg gaccacggctc ccaactgtat cgttcgttctg ataatacagac ttgggaccaa
52200 gtccccactg tatcgtctgg ctgtatatga gttctgggac atgtgtcccc tcgatactgc
52260 ggtctgtata ttagtctggg accaaggtcc cactcgtatc gtcgttctga ttattagttc
52320 ggaaccacagb tcccaactcgt atcgtctgtc ctgttatatg tcttgggacaa cgtgtccccact
52380 cgtatctcgg gctctgatat tagtcttggga ccaagatccc actcgttgttg tctgtctgat
52440 tarcgtcttg ggaaccacggc cccaattgta ttgtcgtaca gcatatcagg tfgagactaa
52500 gatcccatca atgctctgca agggcaagta ttgacatgtc gtcgttaacct gtagaacgga
52560 gtaaccctcgg ttgtcgggttg tatgctctgt gttgatttgt gctgtgtcct gcttatccaa
52620 aacatttgc gcaagtttat gtggaacaaa taccgtgtta cccagccgt gccggtcaggt
52680 ttccataaag gtagaatccg cctgagtcgc aagggttgact tcgacctatat tggacgacgg
52740 cgcgcgagag gcgacctctt ttgtgttac gatgttagga ttatcacata aacaatacat
52800 gaaacatatc aatggcaat ctctctaagg catlggaaat aaatacaaat aacagttggg

PF77877_sequencelisting_formatiertSA.txt

tggagttttt	cgacctgagg	gcgtaactc	ttcaaggaca	acaagaccgt	ggacgtcgag	52860
cggtctccg	acaagcatgt	cgccgcctg	gtcaagcaga	ccgcactcgc	cgccggcgct	52920
tcgataccgt	tcgtattggt	ccggcgaaac	tgtgagtatc	cgcatcgtaa	tctccgcatg	52980
aacaggtcac	gcgaacagaa	atcatctcac	ggtgcgtttg	cctacgtgca	gatttgcacc	53040
tcagggtgatt	ctaccgagtc	gggtgttcaa	ggcgcgaaat	gcgagcgggt	gaggccgacc	53100
agacgccgac	aaggttgtgc	agatctgcac	ttggtgccac	gtcgcacaga	agaagggaat	53160
cggtctaact	cacagatagc	atttgaagaa	tcgggattta	gtgtgatttc	gattgaaacg	53220
cgcgtaaccg	ttcattaacc	aaaaacgtct	tgcaacctca	cccgcattag	gtaatcgta	53280
cggataaatg	gcaatacgcg	ccaattaacc	gtgacaagag	ataacaccgt	gagcaaagcc	53340
gctgccatat	cccgaaatga	tcgcccgtcg	gtagatgtta	ccattgggtga	gcatgctgag	53400
cagctcagct	ctcagcttca	agcgatgagc	gaggctttgt	ttcctccgac	gtcgcacaag	53460
agcttgcgca	aattcacctc	gggtgaagcc	gcacgcttga	tgaaaatatc	tgactcaact	53520
cttcgaaaga	tgacactggc	tggcgaaggg	ccgcaacctg	aactcgccag	caacggacgg	53580
cgcttttaca	ccctcgggtca	gataaacgaa	atccggcaga	tgcttgccgg	ctcgactcga	53640
ggacgtgaaa	gcattgattt	tgtgcctcat	cgccgagggt	ctgagcattt	gcaagtcggt	53700
gctgtaacca	acttcaaagg	tggctctggg	aagacgacga	cgctccgctca	tcttgcacag	53760
tatctggcgt	tgcaaggtta	cagggttctc	gcagtcgata	tcgatccgca	ggctagtctt	53820
tcagcactcc	tcggcgttct	gccagaaact	gatgtcgggtg	caaacgaaac	gctctatgcg	53880
gctattcggg	acgacgacac	acgtcgtccg	ttgcgagatg	tgatccgacc	gacgtatttt	53940
gatggtcttc	accttgttcc	tggaaatctc	gagcttatgg	agttcgagca	taccaccccg	54000
aaagcattga	ctgacaaagg	tacgcgcgac	ggattgttct	tcactcgcgt	ggcccaagcc	54060
tttgatgagg	tcgccgacga	ttacgatgtc	gtggtcatcg	actgccctcc	tcagcttggg	54120
tttttgactc	tcagcggggt	gtgtgctgca	acatcaatgg	taatcaccgt	acatcctcag	54180
atgctggata	tcgcttccat	gagccagttt	ctcctcatga	cacgcgacct	tctgggtgtc	54240
gtgaaagagg	cggggggcaa	tctccagtac	gatttcatac	gctatctctt	gacgcgctat	54300
gagccccagg	acgcgccgca	gacgaaagt	acggcactgc	tcgcaacat	gttcgaggat	54360
cacgtcctta	caaatcctat	ggtcaagtgc	gcagcgggat	ctgatgccgg	tttaaccaag	54420
cagacgctct	atgagatagg	gcgagagaac	cttacgcgat	cgacatacga	ccgggcgatg	54480
gaatcttttag	atgcgggtgaa	ttcggagatc	gaggctttga	tcaagatggc	gtggggcgcg	54540
gtctaataaa	aggctttgct	ttcctcacag	atctgttggg	agctcccaac	agacagggtg	54600
tgattcgccc	cctggacatg	gggcactgga	gaagccgggg	taatttgaga	cgacgacgca	54660
cgcccatcgc	taattggcca	gggtgcagtt	gtcttgtctt	gttgggagct	cccaaccaag	54720
cgcatttgca	atcaaaaatg	cgacgccacg	acgccaaacc	caagaggccg	atatcatgag	54780
ccgcaaagac	gcaatcgata	ctttgttcct	caagaagcaa	cctgcgaccg	atagagcagc	54840

54900 agtcgacaaag tcgaaccgctc gtgttcgtac cggagcgatc tcggccatgg gtctcgtctt
54960 gcaagagatg gctgagggcg caaagctgc agctcggctg cagatccaac tggctacagg
55020 cgaaagccctc gtgtcccttg atccatccat gatcgaagg tcgcccgatcg cggatccgct
55080 gccctcagac gtgtgatccga aatcagaga gcttgaggcg agcatcttcg aggaagggca
55140 gcaggttgccg gtctctgtca gaccgacccc tgaagcttgc gttcgtatat agatcgtata
55200 tggaaaggcg cggctgccg cggcagttaa tctgcgaga gaggtttctg ccatgttctg
55260 aaatctcag gactgtaac tgtctgtg ccaaggccg gaaatctta accgctgtga
55320 cctctcgttc attgagaaag cttctcttcg cctgcgcc c gaaagtgcg gtlttgtaga
55380 agccacatc attgccgcg taccacatga caagccgac ctacgccc acataaatgt
55440 agcaaggggc ataccgtga acctcgccac acaatcggc ccagctgtcga aagcgggtcg
55500 atcgcgttg gtctgtactg ccgaggggc tgggaagcct aagcgaaagg accgcaatcga
55560 agcgttgtt ggttcagagc agttcaagca atctgtatag gatataccgct ttaacctcat
55620 tttcaagcc gtttcaaggc caccctgcga gactccaaga aaggtaaagg ccttgagcac
55680 gccaaagggg aaaaaggcag cgaagatccg acaagaaact ggacggaaagg cgtcgtgttt
55740 cgaagagaga ctgtgtccaa ctttgtcga atatgtcgt gatcagttgg acagtctga
55800 cggcccagttc attgaaacca acgagggagg caagctcga caatagtca ggtttcatc
55860 aatttaagc tcgctcgcg tgaagtgcac tgcctctcac cgaaaagaa aaagccccc
55920 gaaacgctg tcggaaagc cttctctga gtctcgcag taagagaatc gcatttccag
55980 gaatcgtagt caagggtccc gtaagggaag ggcgtcattc gacgggcgga tttcaattg
56040 ctaacaagaa gtaaaaggaa atgcagagc atatactcaac gacgtctctt gggcggcgcc
56100 cgtatgacat cggccatat gcaagccaga tgcagcaaa agcggtcgca tcagacacatg
56160 tcgcccacaa atgjcaggtc ttcagcaca tccgtgaac ccggggagatg atcggagcca
56220 cggaccctc actctcgtac ctgaacgcg tgttgacgtt itaacccgga accgcccgtga
56280 ctgtgtgtgc cgaactgttc gtatggctt ctaacgaaca gctgtatgct cgcggccaag
56340 gcatggccgc cacgacacat cgcggcctac ttgcctatc ggttgtatg gggctcatca
56400 ttcgcccgga cagcccccaat ggcgaagcgt tcgcccgcga gggaaaggga gggagattg
56460 agcaggcccta tgggtctgat cgtctcgcga tgcgtcggcg ggccggaggg ttcggagatc
56520 tggcccagac agtcgaagct gaaaaaaagg ccttcgggt ggcgaaggag cgttgtcac
56580 tttcttctc tgaacatctc aaaaatgatcg aaaccttgct cgaaggaggt gttcttgga
56640 actggggag agttaaccag acctatcagg gbatcatcgg ccgcccgtcca cgtcctggcac
56700 ctgcgcagt tgtcagagat attgggcaag agcttcagga actctgcac gagatccgtg
56760 acgtattga atctttcaca aaaaagatga atcttgacgc caatgagtc catatcgtc
56820 gccacacaa gaattcaaat ccagactca aatttgaaac tgaatacagc tctggaaaaa
56880 aagatgaagc gggcggcagc gttgcggaaa ccgagcaatgt acggagccttgc ccgaaacgcg
56940 agctgccttt gggaaatcgt ctgatatgctt gcccgaatat gcggaattg gccccaggag

57000 gttccaatcgg gcatggcggc gactggcggc cggcgccggc gctggccggc cggatggcggc
57060 ggtatgattcc gaggcgcctgg cgggaggccc gcgaaaccat gggcgatcaa caccgcgcca
57120 tcaagctggc ttcgattcat caggggccgg gtcagatcaa taacgctggg ggcatactggc
57180 gcagccctgac cgaaccgggccc aaggatggga agtttttcgac ctggccggatg gtcattggcgt
57240 tgcctccgggc aaagcctggac gaggcagaagc atgcaagtgg cgtcggaaag cgcgcgaactg
57300 ctgagggaagt cgaagtatgac agcggccctcc acgtatcgga atcgctgctc aaaaaaccctg
57360 gaaagccggag atcttggtaga tccctcgtct attcagccgc ggcgattgctg acgtcggtaga
57420 tcaaccggga acgtcgggcg cgtcggatca ggttccttgac ggcggagggc gcccatctgg
57480 atccaccggc cggcgtcggc tgcgtcagtc ttccaagctg gccggcgatc tgcgggagct
57540 tcaagctgg gttcgaagaa tggatggccgg ccaagaagcgt catcaggcga tcttcgggaa
57600 gacggggagg agatttttc aggagcggctg catccaccag ggcgttcggc accatccact
57660 tcaagcctcg gcgaagacgt tctggcgtcc agtcgaggcc cgcctgcttg agcatcggg
57720 cgtatgctgc ccatgtaga tccggtcgca tgcgacgaac gtaggaagc catggttcg
57780 cggacgcctg aatccctatcg ccatatggcg ctttctggcg cgcgtctatc ctggccagcg
57840 cctccgggcg ctttcccggt atggccgggt tgcgggaag cttccctagg cacaaacggt
57900 gactctgga tcgagcctgg agacaagca ataacccaca cagaggagca ttaattggctg
57960 acgaagagat ccagaaatccg ccggaacgta ctgcttgctg cgaagttagc ccggtcgtc
58020 ctgaggttag aagagcaaac aagccaccag ccgaacaagc ccgcaaggga tctgtccaat
58080 ccgtgaaacc gaaaaacccgc ggcctcagca accgagaaaa actggagaa atcggttcaaaa
58140 tcaagctca ggtcgcctggc ggcgcaacct tgaaggacgc cgttaagatc gtaggtattt
58200 ccgttcagac ctattatcaa tggaaagagc ctgcggttca acctgtctca cagaatccgg
58260 ccgtgtctgt ttcagttagc gatgaacctg gcgagtctat ccaactcgag gaaagaaatc
58320 ggcgggtcag aagcttcaac gctcgccgcaa gcaactcagg ggcgaagggt gctaaaggaa
58380 ggcgaacacag tagaaaaacca gttccgcga aaggttgctga ccccgatga atgtcagatca
58440 ctgggctctatc tggacaaggg aaaaaacgaag cgcgaagaga aagcaggtag ctgacgtgg
58500 gcttatcattg cgaatagctag actgggctgg tttatgaca gcaagcgaaac cgyaattgccc
58560 agctggggggc cccctctggga aggttggga gcccctgcaaa gtaaacctgga tggcttttctt
58620 ggcggcccaag atctgattggc gcaagggtac aagatctgat caagagacag gggccggccc
58680 aagctgtctgt ccaatctccc aagacaagcc gcccaacggcg accgttcggcg cgaagctgtctc
58740 cccaagccgc tgttcgattgg gcttccaccg caccgagcgtg gaaccccttgg cgtcatcaag
58800 catctccattt cgcgccctgg cgaacatgac gggcgccggc tagacgccgg caacgcgctg
58860 gctgtcggcc acggggcgat gctccagagc gctccagggc gtaatgtcct tccgctggcctg
58920 cgcagattcc cgaagcccgct gctgcccagc agattccggc gaggatcaag cgtcggcccg
58980 gccgctcggc cagtccccgt tccggccaggc agtcggcgcg ctgctgtatc gccatacttgg

PF77877_sequence_listing_formatiertSA.txt

ctcaaattac aacggtatat at 61102

<210> 3
<211> 60074
<212> DNA
<213> Artificial

<220>
<223> plasmid

<400> 3
cctgccagtc agcatcatca caccaaaagt taggcccga tagtttgaaa ttagaaagct 60
cgcaattgag gtctacaggc caaattcgct cttagccgta caatattact caccgggtgcg 120
atgccccca tcgtaggtga aggtggaaat taatggcgcg cctgatcact gattagtaac 180
tattacgtaa gcctacgtag cgtcacgtga cgttagctaa cgctacgtag cctcagctga 240
cgttacgtaa gcctacgtag cgtcacgtga gcttagctaa cgctacctag gctcagctga 300
cgttacgtaa cgctagctag cgtcactcct gcagcaaatt tacacattgc cactaaacgt 360
ctaaaccctt gtaatttggt ttgtttttac tatgtgtggt atgtatttga ttgtcgataa 420
atttttatat ttggtactaa atttataaca ctttttatgc taacgtttgc caacacttag 480
caatttgcaa gttgattaat tgattctaaa ttatttttgt cttctaaata catatactaa 540
tcaactggaa atgtaaatat ttgctaatat ttctactata ggagaattaa agtgagttaa 600
tatggtacca caaggtttgg agatttaatt gttgcaatgc tgcattgatg gcatatacac 660
caaacattca ataattcttg aggataataa tgggtaccaca caagatttga ggtgcatgaa 720
cgtcacgtgg acaaaagggt tagtaatttt tcaagacaac aatgttacca cacacaagtt 780
ttgaggtgca tgcattgatg ccctgtggaa agtttaaaaa tattttggaa atgatttgca 840
tggaagccat gtgtaaaacc atgacatcca cttggaggat gcaataatga agaaaactac 900
aaatttacat gcaactagtt atgcatgtag tctatataat gaggattttg caatactttc 960
attcatacac actcactaag ttttacacga ttataatttc ttcatagcca gtactgttta 1020
agcttcactg tctctgaatc ggcaaaggta aacgtatcaa ttattctaca aaccttttta 1080
tttttctttt gaattaccgt cttcattggt tatatgataa cttgataagt aaagcttcaa 1140
taattgaatt tgatctgtgt ttttttggcc ttaatactaa atccttacat aagctttggt 1200
gcttctcttc ttgtgagttg agtggttaagt tgtaataatg gttcactttc agcttttagaa 1260
gaaaccatgg aagttgttga gaggttctac ggagagttgg atggaaagggt ttccaagga 1320
gtgaacgctt tgttgggatc tttcggaggt gagttgactg atacccaac tactaaggga 1380
ttgccactcg ttgattctcc aactccaatt gtgttgggag tgtctgttta cttgaccatc 1440
gtgatcggag gattgctttg gatcaaggct agagatctca agccaagagc ttctgagcca 1500
ttcttgttgc aagctttggt gttggtgcac aacttgttct gcttcgcttt gtctctttac 1560
atgtgcgtgg gtatcgctta ccaagctatc acctggagat attccttgtg gggaaacgt 1620
tataacccaa agcacaagga gatggctatc ctcgtttacc tcttctacat gtccaagtac 1680

PF77877_sequence_listing_formatiertSA.txt

gtggagttca	tgataaccgt	gatcatgatc	ctcaagagat	ccaccagaca	gatttctttc	1740
ctccacgtgt	accaccactc	ttctatctcc	cttatctggt	gggctattgc	tcaccacgct	1800
ccaggaggag	aggcttattg	gagtgtctgt	ctcaactctg	gagtgcacgt	gttgatgtac	1860
gcttactact	tcttggctgc	ttgcttgaga	tcttcccaa	agctcaagaa	caagtacctc	1920
ttctggggaa	gatacctcac	ccaattccag	atgttccagt	tcatgctcaa	cttggtgcaa	1980
gcttactacg	atatgaaaac	caacgctcca	tatccacaat	ggctcatcaa	gatcctcttc	2040
tactacatga	tctccctctt	gttctctctc	ggaaacttct	acgtgcaaaa	gtacatcaag	2100
ccatccgatg	gaaagcaaaa	gggagctaag	accgagtgat	cgacaagctc	gagtttctcc	2160
ataataatgt	gtgagtagtt	cccagataag	ggaattaggg	ttcctatagg	gtttcgctca	2220
tgtgttgagc	atataagaaa	cccttagtat	gtatttgtat	ttgtaaaata	cttctatcaa	2280
taaaatttct	aattcctaaa	acaaaaatcc	agtactaaaa	tccagatccc	ccgaattaat	2340
tcggcgtaa	ttcagctagc	tagcctcagc	tgacgttacg	taacgctagg	tagcgtcacg	2400
tgacgttagc	taacgctagg	tagcgtcagc	tgagcttacg	taacgcttta	gcagatattt	2460
ggtgtctaaa	tgttttattt	gtgatatgtt	catgtttgaa	atgggtggtt	cgaaaccagg	2520
gacaacgttg	ggatctgata	gggtgtcaaa	gagtattatg	gattgggaca	atttcggtca	2580
tgagttgcaa	attcaagtat	atcgttcgat	tatgaaaatt	ttcgaagaat	atcccatttg	2640
agagagtctt	tacctcatta	atgttttttag	attatgaaat	tttatcatag	ttcatcgtag	2700
tctttttggt	gtaaaggctg	taaaaagaaa	ttgttcactt	ttgttttcgt	ttatgtgaag	2760
gctgtaaaag	attgtaaaag	actattttgg	tgttttggat	aaaatgatag	tttttataga	2820
ttcttttgct	tttagaagaa	atacatttga	aattttttcc	atgttgagta	taaaataccg	2880
aaatcgattg	aagatcatag	aaatatTTta	actgaaaaca	aattttataac	tgattcaatt	2940
ctctccattt	ttatacctat	ttaaccgtaa	tcgattctaa	tagatgatcg	attttttata	3000
taatccta	taaccaacgg	catgtattgg	ataattaacc	gatcaactct	caccctaat	3060
agaatcagta	ttttccttcg	acgttaattg	atcctacact	atgtaggtca	tatccatcgt	3120
tttaattttt	ggccaccatt	caattctgtc	ttgccttttag	ggatgtgaat	atgaacggcc	3180
aaggtaagag	aataaaaata	atccaaatta	aagcaagaga	ggccaagtaa	gataatccaa	3240
atgtacactt	gtcattgcc	aaattagtaa	aatactcggc	atattgtatt	cccacacatt	3300
attaaaatac	cgtatatgta	ttggctgcat	ttgcatgaat	aatactacgt	gtaagcccaa	3360
aagaaccac	gtgtagccca	tgcaaagtta	acactcacga	ccccattcct	cagtctccac	3420
tatataaacc	caccatcccc	aatctcacca	aaccaccac	acaactcaca	actcactctc	3480
acaccttaaa	gaaccaatca	ccaccaaaaa	atttcacgat	ttggaatttg	attcctgcga	3540
tcacaggat	gacaggttag	attttgtttt	gtatagttgt	atacatactt	ctttgtgatg	3600
ttttgtttac	ttaatcgaat	ttttggagtg	ttttaaggtc	tctcgtttag	aaatcggtga	3660
aaatatcact	gtgtgtgtgt	tcttatgatt	cacagtgttt	atgggtttca	tgttctttgt	3720
tttatcattg	aatgggaaga	aatttcgttg	ggatacaaat	ttctcatggt	cttactgatc	3780

Page 61

PF77877_sequencelisting_formatiertSA.txt

gttattagga gtttggggaa aaaggaagag ttttttgggt tggttcgagt gattatgagg	3840
ttatttctgt atttgattta tgagttaatg gtcgttttaa tgtttagac catgggaaaa	3900
ggatctgagg gaagatctgc tgctagagag atgactgctg aggctaacgg agataagaga	3960
aagaccatcc tcattgaggg agtgttgtac gatgctacca acttcaaaca cccaggaggt	4020
tccattatta acttcctcac cgagggagaa gctggagttg atgctaccca agcttacaga	4080
gagttccatc agagatccgg aaaggctgat aagtacctca agtccctccc aaagttggat	4140
gcttctaagg tggagtctag gttctctgct aaggagcagg ctagaaggga cgctatgacc	4200
agggattacg ctgctttcag agaggagttg gttgctgagg gatacttcga tccatctatc	4260
ccacacatga tctacagagt ggtggagatt gtggctttgt tcgctttgtc tttctggttg	4320
atgtctaagg cttctccaac ctctttgggt ttgggagtg tgatgaacgg aatcgctcaa	4380
ggaagatgcg gatgggttat gcacgagatg ggacacggat ctttactgg agttatctgg	4440
ctcgatgata ggatgtgcga gttcttctac ggagttggat gtggaatgtc tggacactac	4500
tggaagaacc agcactctaa gcaccacgt gctccaaaca gattggagca cgatgtggat	4560
ttgaacacct tgccactcgt tgctttcaac gagagagttg tgaggaagggt taagccagga	4620
tctttgttgg ctttgtggct cagagttcag gcttatttgt tcgctccagt gtcttgcttg	4680
ttgatcggat tgggatggac cttgtacttg caccacagat atatgctcag gaccaagaga	4740
cacatggagt ttgtgtggat cttcgctaga tatacggat ggttctcctt gatgggagct	4800
ttgggatatt ctctggaac ttctgtggga atgtacctct gctctttcgg acttggatgc	4860
atctacatct tcctccaatt cgctgtgtct cacaccact tgccagttac caaccagag	4920
gatcaattgc actggcttga gtacgctgct gatcacaccg tgaacatctc taccaagtct	4980
tggttgggta cctgggtggat gtctaaccct aacttccaaa tcgagcacca cttgttccca	5040
accgctccac aattcaggtt caaggagatc tctccaagag ttgaggctct cttcaagaga	5100
cacaacctcc cttactacga tttgccatac acctctgctg tttctactac cttcgctaac	5160
ctctactctg ttggacactc tgttggagct gataccaaga agcaggattg actgctttaa	5220
tgagatatgc gagacgccta tgatcgcatg atatttgctt tcaattctgt tgtgcacgtt	5280
gtaaaaaacc tgagcatgtg tagctcagat ccttacccg ggtttcgggt cattctaattg	5340
aatatatcac ccgttactat cgtattttta tgaataatat tctccgttca atttactgat	5400
tgtctacgta ggctcagctg agcttaccta aggctacgta ggctcacgtg acgttacgta	5460
aggctacgta gcgtcacgtg agcttaccta actctagcta gcctcacgtg acctagcta	5520
acactaggta gcgtcagctc gacggcccg actgtatcca acttctgactc tttgaatctc	5580
tctgttccaa catgttctga aggagttcta agacttttca gaaagcttgt aacatgcttt	5640
gtagactttc tttgaattac tcttgcaaac tctgattgaa cctacgtgaa aactgctcca	5700
gaagttctaa ccaaattccg tcttggaag gcccaaaatt tattgagtac ttcagtttca	5760
tggacgtgtc ttcaaagatt tataacttga aatcccatca tttttaagag aagttctgtt	5820

PF77877_sequence_listing_formatiertSA.txt

ccgcaatgtc	ttagatctca	ttgaaatcta	caactcttgt	gtcagaagtt	cttccagaat	5880
caacttgc	catggtgaaa	atctggccag	aagttctgaa	cttgatcatat	ttcttaacag	5940
ttagaaaaat	ttctaagtgt	ttagaat	gacttttcca	aagcaaactt	gacttttgac	6000
tttcttaata	aaacaaactt	catattctaa	catgtcttga	tgaaatgtga	ttcttgaaat	6060
ttgatgttga	tgcaaaagtc	aaagtttgac	ttttcagtg	gcaattgacc	attttgctct	6120
tgtgccaatt	ccaaacctaa	attgatgtat	cagtgtctga	aacttgatgt	catggaagat	6180
cttatgagaa	aattcttgaa	gactgagagg	aaaaat	tagtacaaca	caaagaatcc	6240
tgtttttcat	agtcggacta	gacacattaa	cataaaacac	cacttcattc	gaagagtgat	6300
tgaagaagga	aatgtgcagt	tacctttctg	cagttcataa	gagcaactta	cagacacttt	6360
tactaaaata	ctacaaagag	gaagatttta	acaacttaga	gaagtaatgg	gagttaaaga	6420
gcaacacatt	aagggggagt	gttaaaatta	atgtgttgta	accaccacta	cctttagtaa	6480
gtattataag	aaaattgtaa	tcatcacatt	ataattattg	tccttattta	aaattatgat	6540
aaagttgtat	cattaagatt	gagaaaacca	aatagtcctc	gtcttgattt	ttgaattatt	6600
gttttctatg	ttacttttct	tcaagcctat	ataaaaactt	tgtaatgcta	aattgtatgc	6660
tggaaaaaaa	tgtgtaatga	attgaataga	aattatggta	tttcaaagtc	caaaatccat	6720
caatagaaat	ttagtacaaa	acgtaactca	aaaatattct	cttattttta	attttacaac	6780
aatataaaaa	tatttctcta	ttttaaat	tacaataata	taatttatca	cctgtcacct	6840
ttagaatacc	accaacaata	ttaatactta	gatattttat	tcttaataat	tttgagatct	6900
ctcaatatat	ctgatattta	ttttatattt	gtgtcatatt	ttcttatggt	ttagagttaa	6960
cccttatatc	ttgggtcaaac	tagtaattca	atatatgagt	ttgtgaagga	cacattgaca	7020
tcttgaaaca	ttgggtttta	ccttggttga	atgttaaagg	taataaaaca	ttcagaatta	7080
tgaccatcta	ttaatatact	tcctttgtct	tttaaaaaag	tgtgcatgaa	aatgctctat	7140
ggtaagctag	agtgtcttgc	tggcctgtgt	atatcaattc	catttccaga	tggtagaaac	7200
tgccactacg	aataattagt	cataagacac	gtatgttaac	acacgtcccc	ttgcatgttt	7260
tttgccatat	attccgtctc	tttctttttc	ttcacgtata	aaacaatgaa	ctaattaata	7320
gagcgatcaa	gctgaacagt	tctttgcttt	cgaagttgcc	gcaacctaaa	cagggtttttc	7380
cttcttcttt	cttcttatta	actacgacct	tgtcctttgc	ctatgtaaaa	ttactagggt	7440
ttcatcagtt	acactgatta	agttcgttat	agtggaagat	aaaatgccct	caaagcattt	7500
tgcaggatat	ctttgatttt	tcaaagatat	ggaactgtag	agtttgatag	tgttcttgaa	7560
tgtggttgca	tgaagttttt	ttgggtctgca	tgttat	tcctcgaaat	atgttttgag	7620
tccaacaagt	gattcacttg	ggattcagaa	agttgttttc	tcaatatgta	acagtttttt	7680
tctatggaga	aaaatcatag	ggaccgttgg	ttttggcttc	tttaattttg	agctcagatt	7740
aaacccattt	tacccggtgt	tcttggcaga	attgaaaaca	gtacgtagta	ccgcgccctac	7800
catgtgtgtt	gagaccgaga	acaacgatgg	aatccctact	gtggagatcg	ctttcgatgg	7860
agagagagaa	agagctgagg	ctaacgtgaa	gttgtctgct	gagaagatgg	aacctgctgc	7920

Page 63

PF77877_sequencelisting_formatiertSA.txt

tttggctaag	accttcgcta	gaagatacgt	ggttatcgag	ggagttgagt	acgatgtgac	7980
cgatttcaaa	catcctggag	gaaccgtgat	tttctacgct	ctctctaaca	ctggagctga	8040
tgctactgag	gctttcaagg	agttccacca	cagatctaga	aaggctagga	aggctttggc	8100
tgctttgcct	tctagacctg	ctaagaccgc	taaagtggat	gatgctgaga	tgctccagga	8160
tttcgctaag	tgagaaaagg	agttggagag	ggacggattc	ttcaagcctt	ctcctgctca	8220
tgttgcttac	agattcgctg	agttggctgc	tatgtacgct	ttgggaacct	acttgatgta	8280
cgctagatac	gttggtgtcct	ctgtgttggt	ttacgcttgc	ttcttcggag	ctagatgtgg	8340
atgggttcaa	cacgaggagg	gacactcttc	tttgaccgga	aacatctggg	gggataagag	8400
aatccaagct	ttcactgctg	gattcggatt	ggctggatct	ggagatatgt	ggaactccat	8460
gcacaacaag	caccacgcta	ctcctcaaaa	agtgaggcac	gatatggatt	tggaataccac	8520
tcctgctggt	gctttcttca	acaccgctgt	ggaggataat	agacctaggg	gattctctaa	8580
gtactggctc	agattgcaag	cttggacctt	cattcctgtg	acttctggat	tggtgttgct	8640
cttctggatg	ttcttctctc	acccttctaa	ggctttgaag	ggaggaaagt	acgaggagct	8700
tgtgtggatg	ttggctgctc	acgtgattag	aacctggacc	attaaggctg	ttactggatt	8760
caccgctatg	caatcctacg	gactcttctt	ggctacttct	tggttttccg	gatgctactt	8820
gttcgctcac	ttctctactt	ctcacacca	cttggatggt	gttcctgctg	atgagcactt	8880
gtcttggggt	aggtacgctg	tggatcacac	cattgatatc	gatccttctc	agggatgggt	8940
taactgggtg	atgggatact	tgaactgcc	agtgaattcac	cacctcttcc	cttctatgcc	9000
tcaattcaga	caacctgagg	tgtccagaag	attcgttgct	ttcgctaaga	agtggaacct	9060
caactacaag	gtgatgactt	atgctggagc	ttggaaggct	actttgggaa	acctcgataa	9120
tgtgggaaag	cactactacg	tgcacggaca	acactctgga	aagaccgctt	gattaatgaa	9180
ggccgcctcg	accgtacccc	ctgcagatag	actatactat	gttttagcct	gcctgctggc	9240
tagctactat	gttatgttat	gttgtaaaat	aaacacctgc	taaggatatat	ctatctatat	9300
tttagcatgg	ctttctcaat	aaattgtctt	tccttatcgt	ttactatctt	atacctaata	9360
atgaaataat	aatatcacat	atgaggaacg	gggcagggtt	aggcatatat	atacgagtgt	9420
agggcggagt	ggggctacgt	agcgtcacgt	gacgttacct	aagcctaggt	agcctcacgt	9480
gacgttacgt	aacgctaggt	aggctcacgt	gacacgggca	ggacataggg	actactacaa	9540
gcatagtatg	cttcagacaa	agagctagga	agaactctt	gatggagggt	aagagaaaaa	9600
agtgctagag	gggcatagta	atcaaacttg	tcaaaaccgt	catcatgatg	agggatgaca	9660
taatataaaa	agttgactaa	ggctcttggt	gtactctttg	attagtatta	tatatgtgtg	9720
agaacatgag	tcaagaggag	acaagaaacc	gaggaacct	agtttagcaa	caagatggaa	9780
gttgcaaaagt	tgagctagcc	gctcgattag	ttacatctcc	taagcagtac	tacaaggaat	9840
ggtctctata	ctttcatgtt	tagcacatgg	tagtgcggt	tgacaagtta	gaaacagtgc	9900
ttaggagaca	aagagtcagt	aaaggatttg	aaagagtga	gttgatgctc	gacagggtcag	9960

PF77877_sequencelisting_formatiertSA.txt

gagaagtccc	tccgccagat	ggtgactacc	aaggggttgg	tatcagctga	gacccaaata	10020
agattcttcg	gttgaaccag	tggttcgacc	gagactctta	gggtgggatt	tactgttaag	10080
atgtgtgcat	tttgttgaat	ataaattgac	aatTTTTTTT	atttaattat	agattattta	10140
gaatgaatta	catatttagt	ttctaacaag	gatagcaatg	gatgggtatg	ggtacagggt	10200
aaacatatct	attaccacc	catctagtcg	tcgggtttta	cacgtaccca	cccgtttaca	10260
taaaccagac	cggaatttta	aaccgtaccc	gtccgttagc	gggtttcaga	tttaccggt	10320
taatcgggta	aaacctgatt	actaaatata	tattTTTTTt	ttgataaaca	aaacaaaaat	10380
gttaatatTT	tcatattgga	tgcaatttta	agaaacacat	attcataaat	ttccatatTT	10440
gtaggaaaat	aaaaagaaaa	atatattcaa	gaacacaaat	ttcaccgaca	tgacttttat	10500
tacagagtTg	gaattagatc	taacaattga	aaaattaaaa	ttaagataga	atatgttgag	10560
gaacatgaca	tagtataatg	ctgggttacc	cgtcgggtag	gtatcgaggc	ggatactact	10620
aaatccatcc	cactcgctat	ccgataatca	ctgggtttcg	gtatacccat	tcccgtaaac	10680
aggcctTTTT	aaccggataa	tttcaactta	tagtgaatga	atTTTgaata	aatagttaga	10740
ataccaaaat	cctggattgc	atTTgcaatc	aaatTTTgtg	aaccgttaaa	TTTTgcatgt	10800
actTgggata	gatataatag	aaccgaattt	tcattagttt	aatttataac	ttactTTgtt	10860
caaagaaaaa	aaatatctat	ccaatttact	tataataaaa	aataatctat	ccaagttact	10920
tattataatc	aactTgtaaa	aaggtaagaa	tacaaatgtg	gtagcgtacg	tgtgattata	10980
tgtgacgaaa	Tgttataatc	aacaaaagtc	caaattccca	Tggtaaaaaa	aatcaaaatg	11040
catggcaggc	TgtTTgtaac	ctTggaataa	gatgtTggcc	aattctggag	ccgccacgta	11100
cgcaagactc	agggccacgt	Tctcttcatg	caaggatagt	agaacaccac	tccaccaccc	11160
Tcctatatta	gacctTtgcc	caaccctccc	caactTtccc	atcccatcca	caaagaaacc	11220
gacattTTTa	Tcataaatct	ggTgcttaaa	cactctggTg	agTtctagta	cttctgctat	11280
gatcgatctc	attaccattt	ctTaaatttc	Tctccctaaa	tattccgagt	Tcttgatttt	11340
TgataactTc	aggTTTTctc	TTTTtgataa	atctggTctt	TccattTTTT	TTTTTgtgg	11400
Ttaatttagt	Ttcctatgtt	cttcgattgt	attatgcatg	atctgtgtTt	ggattctgtt	11460
agattatgta	Ttggtgaata	Tgtatgtgtt	TTTgcatgtc	TggTTTTggT	ctTaaaaatg	11520
Ttcaaactcg	atgatttgat	TgaagctTTt	TtagtgTtgG	TTtgattctt	ctcaaaacta	11580
ctgttaattt	actatcatgt	TTTccaactt	Tgattcatga	TgacactTTt	gttctgctTt	11640
gttataaaaT	TTTggTtggt	TtgattTTTg	aattatagTg	TaattTTgtt	aggaaTgaac	11700
atgtTTTaat	actctgtTTt	cgattTgtca	caattTcgaa	Ttattaatcg	ataattTaaC	11760
Tgaaaattca	TggTtctaga	TctTgtTgtc	atcagattat	TtgTttcgat	aattcatcaa	11820
atatgtagTc	CTTTTgctga	TTTgcgactg	TTTcattTTt	TctcaaaaTt	gtTTTTTgtt	11880
aagTTtatct	aacagTtatc	gtTgtcaaaa	gtctctTTTca	TTTTgcaaaa	TctTctTTTT	11940
TTTTTgtTt	gTaaCTTgt	TTTTtaagct	acacattTtag	TctgtaaaaT	agcatcgagg	12000
aacagTtgTc	Ttagtagact	TgcatgtTct	TgTaaCTTct	atTTTgtTtca	gtTtgTtgat	12060

PF77877_sequencelisting_formatiertSA.txt

gactgctttg	atthttgtagg	tcaaaggcgc	accctaccat	ggatgcttat	aacgctgcta	12120
tggataagat	tggagctgct	atcatcgatt	ggagtgatcc	agatggaaag	ttcagagctg	12180
atagggagga	ttggtggttg	tgcgatttca	gatccgctat	caccattgct	ctcatctaca	12240
tcgctttcgt	gatcttgga	tctgctgtga	tgcaatctct	cccagctatg	gacccatacc	12300
ctatcaagtt	cctctacaac	gtgtctcaaa	tcttcctctg	cgcttacatg	actgttgagg	12360
ctggattcct	cgcttatagg	aacggataca	ccgttatgcc	atgcaaccac	ttcaacgtga	12420
acgatccacc	agttgctaac	ttgctctggc	tcttctacat	ctccaaagtg	tgggattttct	12480
gggataccat	cttcattgtg	ctcggaaaga	agtggagaca	actctctttc	ttgcacgtgt	12540
accaccacac	caccatcttc	ctcttctact	ggttgaacgc	taacgtgctc	tacgatggag	12600
atatcttctt	gaccatcctc	ctcaacggat	tcattcacac	cgatgatgtac	acctactact	12660
tcattctgcat	gcacaccaag	gattctaaga	ccggaaagtc	tttgccaatc	tggtggaagt	12720
catctttgac	cgctttccaa	ctcttgcaat	tcaccatcat	gatgtcccaa	gctacctact	12780
tggttttcca	cggatgcgat	aagggtttccc	tcagaatcac	catcgtgtac	ttcgtgtaca	12840
ttctctccct	tttcttccct	ttcgtcagtc	tcttcgtgca	atcctacatg	gctccaaaga	12900
agaagaagtc	cgcttgatgt	taatgaaggc	cgcagatatc	agatctgggtc	gacctagagg	12960
atccccggcc	gcaaagataa	taacaaaagc	ctactatata	acgtacatgc	aagtattgta	13020
tgatattaat	gtttttacgt	acgtgtaaac	aaaaataatt	acgtttgtaa	cgtatggtga	13080
tgatgtggtg	cactaggtgt	aggccttgta	ttaataaaaa	gaagtttggt	ctatatagag	13140
tggtttagta	cgacgattta	tttactagtc	ggattggaat	agagaaccga	attcttcaat	13200
ccttgctttt	gatcaagaat	tgaaaccgaa	tcaaatgtaa	aagttgatat	atttgaaaaa	13260
cgtattgagc	ttatgaaaat	gctaatactc	tcattctgtat	ggaaaagtga	ctttaaaacc	13320
gaacttaaaa	gtgacaaaag	gggaatatcg	catcaaaccg	aatgaaaccg	atctacgtag	13380
gctcagctga	gcttagctaa	gcctacctag	cctcacgtga	gattatgtaa	ggctaggtag	13440
cgtcacgtga	cgttacctaa	cactagctag	cgtcacgtga	gcttagctaa	ccctacgtag	13500
cctcacgtga	gcttacctaa	cgctacgtag	cctcacgtga	ctaaggatga	cctacccatt	13560
cttgagacaa	atgttacatt	ttagtatcag	agtaaaatgt	gtacctataa	ctcaaattcg	13620
attgacatgt	atccattcaa	cataaaatta	aaccagcctg	cacctgcata	cacatttcaa	13680
gtattttcaa	accgttcggc	tcctatccac	cgggtgtaac	aagacggatt	ccgaatttgg	13740
aagattttga	ctcaaattcc	caatttatat	tgaccgtgac	taaatcaact	ttactttcta	13800
taattctgat	taagctccca	atttatattc	ccaacggcac	tacctccaaa	atttatagac	13860
tctcatcccc	ttttaaacca	acttagtaaa	cgtttttttt	ttaattttat	gaagttaagt	13920
ttttaccttg	tttttaaaaa	gaatcgttca	taagatgcc	tgccagaaca	ttagctacac	13980
gttacacata	gcatgcagcc	gcggagaatt	gtttttcttc	gccacttgtc	actcccttca	14040
aacacctaag	agcttctctc	tcacagcaca	cacatacaat	cacatgcgtg	catgcattat	14100

PF77877_sequence_listing_formatiertSA.txt

tacacgtgat	cgccatgcaa	atctccttta	tagcctataa	attaactcat	cggtcttact	14160
ctttactcaa	acccaaaactc	atcaatacaa	acaagattaa	aaacatttca	cgattttggaa	14220
tttgattcct	gcgatcacag	gtatgacagg	ttagattttg	ttttgtatag	ttgtatacat	14280
acttctttgt	gatgttttgt	ttacttaatc	gaatttttgg	agtgttttaa	ggctctctcg	14340
ttagaaatcg	tggaaaatat	cactgtgtgt	gtgttcttat	gattcacagt	gtttatgggt	14400
ttcatgttct	ttgttttatc	attgaatggg	aagaaatttc	gttgggatac	aaatttctca	14460
tgttcttact	gatcgttatt	aggagtttgg	ggaaaaagga	agagtttttt	tggttgggtc	14520
gagtgattat	gaggttattt	ctgtatttga	tttatgagtt	aatggtcggt	ttaatgttgt	14580
agaccgccat	ggctattttg	aaccctgagg	ctgattctgc	tgctaacctc	gctactgatt	14640
ctgaggctaa	gcaaagacaa	ttggctgagg	ctggatacac	tcacgttgag	gggtctcctg	14700
ctcctttgcc	tttggagtgt	cctcacttct	ctctcagaga	tctcagagct	gctatttccta	14760
agcactgctt	cgagagatct	ttcgtgacct	ccacctacta	catgatcaag	aacgtgttga	14820
cttgcgctgc	tttgttctac	gctgctacct	tcattgatag	agctggagct	gctgcttatg	14880
ttttgtggcc	tgtgtacttg	ttcttccagg	gatcttactt	gactggagtg	tgggttatcg	14940
ctcacgagtg	tggacaccag	gcttattgct	cttctgaggt	ggtgaacaac	ttgattggac	15000
tcgtgttgca	ctctgctttg	ttgggtgcctt	accactcttg	gagaatctct	cacagaaagc	15060
accactccaa	cactggatct	tgcgagaacg	atgaggtttt	cgttcctgtg	accagatctg	15120
tgttggcttc	ttcttggaac	gagaccttgg	aggattctcc	tctctacca	ctctaccgta	15180
tcgtgtacat	gttggttggt	ggatggatgc	ctggatacct	cttcttcaac	gctactggac	15240
ctactaagta	ctggggaaag	tctaggtctc	acttcaacce	ttactccgct	atctatgctg	15300
atagggagag	gtggatgata	gtgctctccg	atattttctt	ggtggctatg	ttggctgttt	15360
tggctgcttt	ggtgcacact	ttctccttca	acacgatggt	gaagtcttac	gtggtgcctt	15420
acttcattgt	gaacgcttac	ttggtgttga	ttacctacct	ccaacacacc	gataacctaca	15480
tccctcactt	cagagaggga	gagtggaatt	ggttgagagg	agctttgtgc	actgtggata	15540
gatcatttgg	tccattctct	gattctgtgg	tgcatagaat	cggtggatacc	cacgtttgcc	15600
accatatctt	ctccaagatg	cctttctatc	actgcgagga	ggctaccaac	gctattaagc	15660
ctctcctcgg	aaagtcttac	ttgaaggata	ctactcctgt	tcctgttgct	ctctggagat	15720
cttacacca	ctgcaagttc	gttgaggatg	atggaaaggt	ggtgttctac	aagaacaagt	15780
tatagttaat	gaataattga	ttggttcgag	tattatggca	ttgggaaaac	tgtttttctt	15840
gtaccatttg	ttgtgcttgt	aatttactgt	gttttttatt	cggttttctg	tatcgaactg	15900
tgaatggaa	atggatggag	aagagttaat	gaatgatatg	gtccttttgt	tcattctcaa	15960
attaatatta	tttgtttttt	ctcttatttg	ttgtgtgttg	aatttgaaat	tataagagat	16020
atgcaaacat	tttgttttga	gtaaaaatgt	gtcaaatcgt	ggcctcta	gaccgaagtt	16080
aatatgagga	gtaaaacact	tgtagtgtga	ccattatgct	tattcactag	gcaacaaata	16140
tattttcaga	cctagaaaag	ctgcaaatgt	tactgaatac	aagtatgtcc	tcttgtgttt	16200

Page 67

PF77877_sequencelisting_formatiertSA.txt

tagacattta	tgaactttcc	tttatgtaat	tttccagaat	ccttgtcaga	ttctaatacat	16260
tgctttataa	ttatagttat	actcatggat	ttgtagttga	gtatgaaaat	atTTTTttaa	16320
gcattttatg	acttgccaat	tgattgacaa	catgcatcaa	tctagctagc	ctcagctgac	16380
gttacgtaac	gctaggtagc	gtcacgtgac	gttagctaac	gctaggtagc	gtcagctgag	16440
cttacgtaag	cgcacagatg	aatactagct	gttggttcaca	gttctagtgt	ctcctcatta	16500
cgtgaattca	agctacgatc	actatctcaa	ctcctacata	aacatcagaa	tgctacaaaa	16560
ctatgcacaa	aaacaaaagc	tacatctaata	acgtgaatca	attactctca	tcacaagaaa	16620
gaagatttca	atcaccgtcg	agaaggagga	ttcagttaat	tgaatcaaag	ttccgatcaa	16680
actcgaagac	tggtgagcac	gaggacgacg	aagaagagtg	tctcgaagat	acaacaagca	16740
agaaatctac	tgagtgcact	cctgaagtta	ttggcgcgat	tgagagaatc	aatccgaatt	16800
aatttcgggg	aaaaagataa	attagatact	aagcgatggg	cttgggctgg	gctaagaaac	16860
aggtggcaat	tggtgctggag	gaccccgcg	ttcatagctt	ccgatagccc	aaaaaaaaac	16920
ggataacata	tttatcggtt	atttgaattt	cagtgaataa	agatattttc	tttttgttag	16980
gaaaatttta	gaaaataatg	gaaattaaat	agcgattatg	ttacaagata	cgatcagcat	17040
cgggcagtg	aaaatgctat	agcttcccaa	gatttgatcc	ttttgggtta	tctcctaata	17100
acaattagtt	taggattttg	aaacttatat	taatactatt	atccgacaac	acttgtttca	17160
gcttcttatt	ttaacatttt	ttgttttttt	ctattcttct	tcccatcagc	atTTTctttt	17220
taaaaaattg	aatactttta	cttttttaaa	atttcacaat	gatcagatga	tattatggaa	17280
gatctcaaga	gttaaatgta	tccatcttgg	ggcattaaaa	ccggtgtacg	ggatgataaa	17340
tacagacttt	atatcatatg	atagctcagt	aattcatatt	tatcacgttg	ctaaaaaaat	17400
tataaggtag	tagtagtcaa	caaaatcaat	taaagagaaa	gaaagaaacg	catgtgaaga	17460
gagtttaca	ctggaaaagt	aaaataaaaa	ttaacgcatg	ttgaatgctg	acatgtcagt	17520
atgtccatga	atccacgtat	caagcgccat	tcatcgatcg	tcttcctctt	tctaaatgaa	17580
aacaacttca	cacatcacaa	caaacaatac	acacaagacc	ccctctctct	cgttgtctct	17640
ctgccagcga	ccaaatcgaa	gcttgagaag	aacaagaagg	ggtcaaacca	tggttcttac	17700
atctgctgct	caagacgctg	ctccttacga	gttcccttct	ctcactgaga	tcaagagggc	17760
tcttccttct	gagtgtttcg	aggcttctgt	tctcttttct	ctctactaca	ccgctagatc	17820
tcttgctctt	gctggatctc	tcgctgtttg	tctctcttac	gctagagctt	tgctctttgt	17880
tcaggctaac	gctcttcttg	atgctactct	ctgcactgga	tacgttcttc	tccagggaa	17940
cgttttctgg	ggattcttca	ccgttggtca	cgattgtgga	cacggagctt	tctctagatc	18000
tcacgtgctc	aacttctctg	ttggaaccct	catgcactct	atcatcctta	cccctttcga	18060
gtcttggaag	ctctctcaca	gacaccacca	caagaacacc	ggaaacatcg	ataaggacga	18120
gatcttctac	cctcaaagag	aggctgattc	tcacctgttt	tctagacacc	ttgtgatgtc	18180
tcttggtatc	gcttggttcg	cttacctttt	cgctggattc	cctcctagaa	ccatgaacca	18240

PF77877_sequence_listing_formatiertSA.txt

cttcaaccct	tgggaggcta	tgtatgttag	aagagtggct	gctgtgatca	tctctctcgg	18300
agttcttttc	gctttcgtg	gactctactc	ttacctcacc	ttcgttcttg	gattcaccac	18360
tatggctatc	tactacttcg	gacctctctt	catcttcgct	accatgcttg	ttgttaccac	18420
tttcctccac	cacaacgatg	aggagacacc	ttggtacgct	gattctgagt	ggacttacgt	18480
gaagggaaac	ctctcttctg	tggacagatc	ttacggtgct	ctcatcgaca	accttagcca	18540
caacatcgga	actcaccaga	tccaccacct	cttccttctc	atccctcact	acaagctcaa	18600
cgatgctact	gctgctttcg	ctaaggcttt	ccctgagctt	gttaggaaaa	acgctgctcc	18660
tatcatccca	actttcttca	ggatggctgc	tatgtacgct	aagtacggag	ttgttgacac	18720
tgatgctaag	accttcactc	tcaaggaggc	taaggctgct	gctaagacta	agtcactctg	18780
atgattaatg	aataattgat	tgtacatact	atattttttg	tttaccttgt	gttagtttaa	18840
tgttcagtg	cctctcttta	ttgtggcacg	tctctttgtt	gtatgtttgt	tctatacaaa	18900
gttgaaataa	tggaaagaaa	aggaagagtg	taatttggtt	tgttttaagt	gtttataaat	18960
atatatatat	aggtcattta	gatagttcta	ggtttctata	aaactctctc	tctggaagta	19020
gaatctgttt	ttgagaggat	ccagttgcct	actaatctcc	cccaaaaccc	ttcaagctta	19080
accttcctct	tcacaacaac	agaggaaaca	catctcttga	gctctgagtt	ctcttctttg	19140
agcatgtcta	tcgctaaact	catctgcctt	atagcttccc	tcttctcttc	atctctctct	19200
ctcaccatth	cgctgtaaaa	cttattctcc	tccctcagcc	tctctatctc	ttccttcagc	19260
atctcacaat	ttccaccata	atcgactgag	gatgattcac	cgatcatcaac	ttcagactca	19320
gcgttgtagt	cgtcatgagt	ctcacaagcc	ttggaccaag	aagactcatc	atcgcaagtt	19380
gatgatttat	catgatgctt	ctctgagccg	tgtttgctac	gtagcgctac	gtgacgttac	19440
ctaagcctag	gtagcctcag	ctgacgttac	gtaacgctag	gtaggctcag	ctgactgcag	19500
caaatttaca	cattgccact	aaacgtctaa	acccttgtaa	tttgtttttg	ttttactatg	19560
tgtgttatgt	atttgatttg	cgataaattt	ttatatattg	tactaaattt	ataaacacct	19620
ttatgctaac	gtttgccaac	acttagcaat	ttgcaagttg	attaattgat	tctaaattat	19680
ttttgtcttc	taaatacata	tactaatcaa	ctggaaatgt	aaatatattg	taatatttct	19740
actataggag	aattaaagtg	agtgaatatg	gtaccacaag	gtttggagat	ttaattgttg	19800
caatgctgca	tggatggcat	atacaccaaa	cattcaataa	ttcttgagga	taataatggt	19860
accacacaag	atttgaggty	catgaacgtc	acgtggacaa	aaggtttagt	aatttttcaa	19920
gacaacaatg	ttaccacaca	caagttttga	ggtgcatgca	tggatgccct	gtggaaagtt	19980
taaaaatatt	ttggaaatga	tttgcatgga	agccatgtgt	aaaacatga	catccacttg	20040
gaggatgcaa	taatgaagaa	aactacaaat	ttacatgcaa	ctagtattgc	atgtagtcta	20100
tataatgagg	attttgcaat	actttcattc	atacacactc	actaagtttt	acacgattat	20160
aattttctca	tagccagtac	tgtttaagct	tcactgtctc	tgaatcgga	aaggtaaacg	20220
tatcaattat	tctacaaacc	cttttatttt	tcttttgaat	taccgtcttc	attggttata	20280
tgataacttg	ataagtaaag	cttcaataat	tgaatttgat	ctgtgttttt	ttggccttaa	20340

Page 69

PF77877_sequencelisting_formatiertSA.txt

tactaaatcc	ttacataagc	tttgttgctt	ctcctcttgt	gagttgagt	ttaagttgta	20400
ataatgggtc	actttcagct	ttagaagaaa	cgcgcttcc	atggctacaa	aggaggctta	20460
cgttttccca	actctcaccg	agatcaagag	atctctccca	aaggattgct	tcgaggcttc	20520
tgtgcctttg	tctctctact	acactgtgag	atgcttggtt	attgctgtgg	ctttgacctt	20580
cggattgaac	tacgctagag	ctttgccaga	ggttgagtct	ttctgggctt	tggatgctgc	20640
tttgtgact	ggatataatc	tcctccagg	aattgtgttc	tggggattct	tcactgttgg	20700
acacgatgct	ggacacggag	ctttctctag	ataccacctc	ttgaacttcg	ttgtgggaac	20760
cttcatgcac	tctctcatct	tgaccccat	cgagctcttg	aagttgacct	acagacacca	20820
ccacaagaac	accggaaaca	tcgatagaga	tgaggtgttc	taccacacaga	gaaaggctga	20880
tgatcaccca	ttgtccagga	acttgatctt	ggctttggga	gctgcttggc	ttgcttattt	20940
ggtggaggga	ttcccaccaa	gaaagggtga	ccacttcaac	ccattcgagc	cactttttgt	21000
gagacaagt	tcgctgtgg	ttatctcttt	gctcgctcac	ttcttcgttg	ctggactctc	21060
tatctacttg	tctctccagt	tgggacttaa	gaccatggct	atctactact	acggaccagt	21120
tttcgtgttc	ggatctatgt	tgggtgattac	caccttcttg	caccacaacg	atgaggagac	21180
tccatggtat	gctgattctg	agtggactta	cgtgaaggga	aacttgctct	ctgtggatag	21240
atcttacggg	gctctcatcg	ataacctctc	ccacaacatc	ggaactcacc	agatccacca	21300
cctcttccca	attatcccac	actacaagct	caagaaggct	actgctgctt	tccaccaagc	21360
tttcccagag	cttgtgagaa	agtccgatga	gccaatcatc	aaggctttct	tcagagtggg	21420
aagggtgtat	gctaactacg	gagtgggtta	tcaagaggct	aagctcttca	cttgaaggga	21480
ggctaaggct	gctactgaag	ctgctgctaa	gaccaagtct	acctgattaa	tgaatcgaca	21540
agctcgagtt	tctccataat	aatgtgtgag	tagttccag	ataagggaat	taggggttct	21600
atagggtttc	gctcatgtgt	tgagcatata	agaaaccctt	agtatgtatt	tgtatttgta	21660
aaatacttct	atcaataaaa	tttctaattc	ctaaaaccaa	aatccagtac	taaaatccag	21720
atcccccgaa	ttaattcggc	gttaattcag	ctacgtaggc	tcagctgagc	ttacctaaag	21780
ctacgtaggc	tcacgtgacg	ttacgtaagg	ctacgtagcg	tcacgtgagc	ttacctaaact	21840
ctagctagcc	tcacgtgacc	ttagctaaca	ctaggtagcg	tcagcacaga	tgaatactag	21900
ctgttgttca	cagttctagt	gtctcctcat	tacgtgaatt	caagctacga	tcactatctc	21960
aactcctaca	taaacatcag	aatgctacaa	aactatgcac	aaaaacaaaa	gctacatcta	22020
atacgtgaat	caattactct	catcacaa	aagaagattt	caatcaccgt	cgagaaggag	22080
gattcagtta	attgaatcaa	agttccgatc	aaactcgaag	actggtgagc	acgaggacga	22140
cgaagaagag	tgtctcgaag	atacaacaag	caagaaatct	actgagtgac	ctcctgaagt	22200
tattggcgcg	attgagagaa	tcaatccgaa	ttaatttcgg	ggaaaaagat	aaattagata	22260
ctaagcgatg	ggcttgggct	gggctaagaa	acaggtggca	attgggctgg	aggaccccg	22320
gattcatagc	ttccgatagc	ccaaaaaaaa	acggataaca	tatttatcgg	gtatttgaat	22380

PF77877_sequence_listing_formatiertSA.txt

ttcagtgaaa	taagatattt	tctttttgtt	aggaaaattt	tagaaaataa	tggaaattaa	22440
atagcgatta	tgttacaaga	tacgatcagc	atcgggcagt	gcaaaatgct	atagcttccc	22500
aagatttgat	ccttttgggt	tatctcctaa	tgacaattag	tttaggattt	tgaaacttat	22560
attaatacta	ttatccgaca	acacttgttt	cagcttctta	ttttaacatt	ttttgttttt	22620
ttctattctt	cttcccatca	gcattttctt	tttaaaaaat	tgaatacttt	aactttttta	22680
aaatttcaca	atgatcagat	gatattatgg	aagatctcaa	gagttaaatg	tatccatctt	22740
ggggcattaa	aaccggtgta	cgggatgata	aatacagact	ttatatcata	tgatagctca	22800
gtaattcata	tttatcacgt	tgctaaaaaa	attataaggt	actagtagtc	aacaaaatca	22860
attaaagaga	aagaaagaaa	cgcattgtgaa	gagagtttac	aactggaaaa	gtaaaataaa	22920
aattaacgca	tgttgaatgc	tgacatgtca	gtatgtccat	gaatccacgt	atcaagcgcc	22980
attcatcgat	cgtcttctct	tttctaaatg	aaaacaactt	cacacatcac	aacaaacaat	23040
acacacaaga	ccccctctct	ctcgttgtct	ctctgccagc	gaccaaatcg	aagcttgaga	23100
agaacaagaa	gggggtcaaac	catgggaaaa	ggatctgagg	gaagatctgc	tgctagagag	23160
atgactgctg	aggctaacgg	agataagaga	aagaccatcc	tcattgaggg	agtgtgtgac	23220
gatgctacca	acttcaaaca	cccaggaggt	tccattatta	acttcctcac	cgaggggaga	23280
gctggagttg	atgctaccca	agcttacaga	gagttccatc	agagatccgg	aaaggctgat	23340
aagtacctca	agtcctctcc	aaagttggat	gcttctaagg	tggagtctag	gttctctgct	23400
aaggagcagg	ctagaaggga	cgctatgacc	agggattacg	ctgctttcag	agaggagttg	23460
gttgctgagg	gatacttcga	tccatctatc	ccacacatga	tctacagagt	ggtggagatt	23520
gtggctttgt	tcgctttgtc	tttctggttg	atgtctaagg	cttctccaac	ctctttggtt	23580
ttgggagtgg	tgatgaacgg	aatcgctcaa	ggaagatgcg	gatgggttat	gcacgagatg	23640
ggacacggat	ctttacttgg	agttatctgg	ctcgatgata	ggatgtgcga	gttcttctac	23700
ggagttggat	gtggaatgtc	tggacactac	tggaagaacc	agcactctaa	gcaccacgct	23760
gctccaaaca	gatttgagca	cgatgtggat	ttgaacacct	tgccactcgt	tgctttcaac	23820
gagagagttg	tgaggaagg	taagccagga	tctttgtttg	ctttgtggct	cagagttcag	23880
gcttatttgt	tcgctccagt	gtcttgcttg	ttgatcggat	tgggatggac	cttgacttg	23940
caccaagat	atatgctcag	gaccaagaga	cacatggagt	ttgtgtggat	cttcgctaga	24000
tatatcggat	ggttctcctt	gatgggagct	ttgggatatt	ctcctggaac	ttctgtggga	24060
atgtacctct	gctctttcgg	acttgatgct	atctacatct	tcctccaatt	cgctgtgtct	24120
cacaccact	tgccagttac	caaccagag	gatcaattgc	actggcttga	gtacgctgct	24180
gatcacaccg	tgaacatctc	taccaagtct	tggttggtta	cctggtggat	gtctaacctc	24240
aacttccaaa	tcgagcacca	cttgttccca	accgctccac	aattcagggt	caaggagatc	24300
tctccaagag	ttgaggctct	cttcaagaga	cacaacctcc	cttactacga	tttgccatac	24360
acctctgctg	tttctactac	cttcgctaac	ctctactctg	ttggacactc	tgttggagct	24420
gataccaaga	agcaggattg	atgattaatg	aataattgat	tgtacatact	atattttttg	24480

Page 71

PF77877_sequencelisting_formatiertSA.txt

tttaccttgt gttagtttaa tgttcagtgt cctctcttta ttgtggcacg tctctttggt	24540
gtatgttggtg tctatacaaa gttgaaataa tggaaagaaa aggaagagtg taatttggtt	24600
tgttttaagt gtttataaat atatatatat aggtcattta gatagttcta ggtttctata	24660
aaactctctc tctggaagta gaatctgttt ttgagaggat ccagttgcct actaatctcc	24720
cccaaaaccc ttcaagctta accttcctct tcacaacaac agaggaaaca catctcttga	24780
gctctgagtt ctcttctttg agcatgtcta tcgctaaact catctgcctt atagcttccc	24840
tcttctcttc atctctctct ctcaccattt cgctgtaaaa cttattctcc tccctcagcc	24900
tctctatctc ttccttcagc atctcacaat tcccaccata atcgactgag gatgattcac	24960
cgtcatcaac ttcagactca gcgttgtagt cgtcatgagt ctcacaagcc ttggaccaag	25020
aagactcatc atcgcaagtt gatgatttat catgatgctt ctctgagccg tgtttgctac	25080
ctagagtcag ctgagcttag ctaacgctag ctagtgctag ctgacgttac gtaaggctaa	25140
ctagcgtcac gtgaccttac gtaacgctac gtaggctcag ctgagcttag ctaaccctag	25200
ctagtgtcac gtgagcttac gctactatag aaaatgtggt atatcgacat gaccagacaa	25260
aggggcaaca gttaacaaaa caattaattc ttctatttga gattaaggaa ggtaaggtag	25320
taaaaagatt aaaaaaaatg agcttatctc ttgttttctg taataataat ataagtgtga	25380
taaactttta atataataat tgtaattagg ttttctacag atgagcacca ctgagagaca	25440
agataagaag aaaacaattt tgttaaacat gattatagaa acttttagtt aagtcttgaa	25500
gtatcaatat aacaaaaaaa agtacacacg actatgacaa taaaccact accgtcaggt	25560
tatcatttcg atgaaatggt ttgatatcat taaatataac agtcacaaaa aatcatctaa	25620
ttataacaat ataacttata catatatatta actaaaaact tagagttttt gtaatgattc	25680
taattgatga ttagagttta tagaaataca attaaataaa aaatataatt ttaaaaaaac	25740
atagtaaagt caatgagatc ctctctgacc tcagtgatca ttagtcatg tatgtacaac	25800
aatcattggt catcacatga ctgtaaaata aataaggata aacttgggaa tatatataat	25860
atattgtatt aaataaaaaa gggaaataca aatatcaatt ttagattccc gagttgacac	25920
aactcaccat gcacgctgcc acctcagctc ccagctctcg tcacatgtct catgtcagtt	25980
aggtctttgg tttttagtct ttgacacaac tcgccatgca tgttgccacg tgagctcggt	26040
cctcttccca tgatctcacc actgggcatg catgctgcc a ctcagctgg caccctctct	26100
ctatatgtcc ctagaggcca tgcacagtgc cacctcagca ctctctcag aaccatacag	26160
tacctgccaa tcggcttctc tcataaata tctatttaaa ttataactaa ttatttcata	26220
tacttaattg atgacgtgga tgcattgcc t cgttgttta ataattgtta attacgacat	26280
gataaataaa atgaaagtaa aaagtacgaa agattttcca tttgttggtg tataaataga	26340
gaagtgtgtg atgcataatg catgaatgca tgaccgcgcc accatgactg ttggatacga	26400
cgaggagatc ccattcgagc aagttagggc tcataacaag ccagacgacg cttggtgtgc	26460
tattcacgga cacgtgtacg acgttaccaa gttcgcttca gttcacccag gaggagatat	26520

PF77877_sequence_listing_formatiertSA.txt

tatcttgctc	gctgctggaa	aggaagctac	tgtcctctac	gagacctacc	atgtagagg	26580
agtgtctgac	gctgtgtc	gaaagtacag	aataggaaag	ttgccagacg	gacaaggagg	26640
agctaacgag	aaggagaaga	gaaccttgtc	tggattgtcc	tctgcttctt	actacacctg	26700
gaactccgat	ttctacagag	tgatgaggga	gagagtgtgt	gctagattga	aggagagagg	26760
aaaggctaga	agaggaggat	acgaactctg	gatcaaggct	ttcttgctcc	ttgttggtatt	26820
ctggctctct	ctttactgga	tgtgcaccct	cgatccatct	ttcggagcta	tcttggtctg	26880
tatgtctttg	ggagtgttcg	ctgcttttgt	tggaaacctgc	atccaacacg	atggaaacca	26940
cggagctttc	gctcaatcta	gatgggttaa	caagggtggca	ggatggactt	tggatatgat	27000
cggagcttct	ggaatgactt	gggagttcca	acacgtgttg	ggacaccacc	catacactaa	27060
cttgatcgag	gaggagaacg	gattgcaaaa	ggtgtccgga	aagaagatgg	ataccaagtt	27120
ggctgatcaa	gagtctgatc	cagatgtgtt	ctccacctac	ccaatgatga	gattgcaccc	27180
ttggcaccag	aagagggtgt	atcacagggt	ccagcacatc	tacggacctt	tcattcttcgg	27240
attcatgacc	atcaacaagg	tgggtgactca	agatgttggga	gtggtgttga	gaaagagact	27300
cttccaaatc	gatgctgagt	gcagatatgc	ttccccaatg	tacgttgcta	ggttctggat	27360
tatgaaggct	ttgaccgtgt	tgtatatggt	tgttttgctt	tggttatatgc	aaggaccttg	27420
gcacggattg	aaactcttcg	ctatcgctca	cttcacttgc	ggagagggtt	tggctaccat	27480
gttcatcggt	aaccacatta	tcgagggagt	gtcttacgct	tctaaggatg	ctgttaaggg	27540
aactatggct	ccaccaaaaga	ctatgcacgg	agtgaaccca	atgaacaaca	ctagaaagga	27600
ggttgaggct	gaggcttcta	agtctggagc	tgtggttaag	tctgtgccat	tggatgattg	27660
ggctgctgtt	cagtgccaaa	cctctgtgaa	ctgggtctgtt	ggatcttggg	tttggaaacca	27720
cttctctgga	ggactcaacc	accaaactga	gcaccacctc	ttcccaggat	tgtctcacga	27780
gacctactac	cacatccaag	acgtggttca	atctacctgt	gctgagtacg	gagttccata	27840
ccaacacgag	ccatctttgt	ggactgctta	ctggaagatg	ctcgaacacc	ttagacaatt	27900
gggaaacgag	gagactcacg	agtcattggca	gagagctgct	tgattaatga	actaagactc	27960
ccaaaaccac	cttccctgtg	acagttaaac	cctgcttata	cctttcctcc	taataatggt	28020
catctgtcac	acaaactaaa	ataaataaaa	tgggagcaat	aaataaaatg	ggagctcata	28080
tatttacacc	atttacactg	tctattattc	accatgccaa	ttattacttc	ataattttaa	28140
aattatgtca	tttttaaaaa	ttgcttaatg	atggaaagga	ttattataag	ttaaaagtat	28200
aacatagata	aactaaccac	aaaacaaatc	aatataaact	aacttactct	cccatctaatt	28260
ttttatttaa	atttctttac	acttctcttc	catttctatt	tctacaacat	tatttaacat	28320
ttttattgta	tttttcttac	tttctaactc	tattcatttc	aaaaatcaat	atatgtttat	28380
caccacctct	ctaaaaaaa	ctttacaatc	attgggtccag	aaaagttaaa	tcacgagatg	28440
gtcatttttag	cattaaaaaca	acgattcttg	tatcactatt	tttcagcatg	tagtccattc	28500
tcttcaaaca	aagacagcgg	ctatataatc	gttggtgttat	attcagtcta	aaacaactag	28560
ctagcctcag	ctgacgttac	gtaacgctag	gtagcgtcac	gtgacgttag	ctaacgctag	28620

Page 73

PF77877_sequencelisting_formatiertSA.txt

gtagcgtcag	ctgagcttac	gtaagcgcca	cgggcaggac	atagggacta	ctacaagcat	28680
agtatgcttc	agacaaagag	ctaggaaaga	actcttgatg	gagggttaaga	gaaaaaagtg	28740
ctagaggggc	atagtaatca	aacttggtcaa	aaccgtcatc	atgatgaggg	atgacataat	28800
ataaaaagtt	gactaaggtc	ttggtagtac	tctttgatta	gtattatata	ttggtgagaa	28860
catgagtcaa	gaggagacaa	gaaaccgagg	aaccatagtt	tagcaacaag	atggaagttg	28920
caaagttgag	ctagccgctc	gattagttac	atctcctaag	cagtactaca	aggaatggtc	28980
tctatacttt	catgttttagc	acatggtagt	gcggattgac	aagttagaaa	cagtgccttag	29040
gagacaaaga	gtcagtaaag	gtattgaaag	agtgaagttg	atgctcgaca	ggtcaggaga	29100
agtcctccg	ccagatgggtg	actaccaagg	ggttgggtatc	agctgagacc	caaataagat	29160
tcttcgggtg	aaccagtggt	tcgaccgaga	ctcttagggg	gggatttcac	tgtaagattt	29220
gtgcattttg	ttgaatataa	attgacaatt	ttttttat	aattatagat	tatttagaat	29280
gaattacata	tttagtttct	aacaaggata	gcaatggatg	ggtaggggta	caggttaaac	29340
atatctatta	cccacccatc	tagtcgtcgg	gttttacacg	taccaccccg	tttacataaa	29400
ccagaccgga	attttaaac	gtacccgtcc	gtagcggtg	ttcagattta	cccgtttaat	29460
cgggtaaaac	ctgattacta	aatatatatt	ttttat	ttaaaac	aaaaatgtta	29520
atattttcat	attggatgca	attttaagaa	acacatat	ataaatttc	atattttag	29580
gaaaataaaa	agaaaaatat	attcaagaac	acaaatttca	ccgacatgac	ttttattaca	29640
gagttggaat	tagatctaac	aattgaaaaa	ttaaaattaa	gatagaatat	gttgaggaac	29700
atgacatagt	ataatgctgg	gttaccgcgc	gggtagggtat	cgaggcggat	actactaaat	29760
ccatcccact	cgctatccga	taatcactgg	tttcgggtat	acccattccc	gtcaacaggc	29820
ctttttaacc	ggataatttc	aacttatagt	gaatgaattt	tgaataaata	gttagaatac	29880
caaaatcctg	gattgcattt	gcaatcaaat	tttgtgaacc	gttaaatttt	gcatgtactt	29940
gggatagata	taatagaacc	gaattttcat	tagtttaatt	tataacttac	tttgttcaaa	30000
gaaaaaaaat	atctatccaa	tttacttata	ataaaaaata	atctatccaa	gttacttatt	30060
ataatcaact	tgtaaaaagg	taagaataca	aatgtggtag	cgtacgtgtg	attatatgtg	30120
acgaaatggt	atatctaaca	aaagtcctaa	ttcccatggt	aaaaaaaatc	aaaatgcatg	30180
gcaggctggt	tgtaaccctg	gaataagatg	ttggccaatt	ctggagccgc	cacgtacgca	30240
agactcaggg	ccacgttctc	ttcatgcaag	gatagtagaa	caccactcca	cccacctcct	30300
atattagacc	tttgcccaac	cctccccaac	tttcccatcc	catccacaaa	gaaaccgaca	30360
tttttatcat	aaatcagggt	ttcgtttttg	tttcatcgat	aaactcaaag	gtgatgattt	30420
tagggctctg	tgagtgtgct	ttttgttttg	attctactgt	agggtttatg	ttcttttagct	30480
cataggtttt	gtgtatttct	tagaaatgtg	gcttctttaa	tctctgggtt	tgtgactttt	30540
tgtgtgggtt	ctgtgttttt	catatcaaaa	acctat	tttt	tccgagtttt	30600
ttcttactct	caagcttgaa	tacttcacat	gcagtgttct	ttttagatt	tttagagttaa	30660

PF77877_sequence_listing_formatiertSA.txt

tgtgttaaaa agtttggatt tttcttgctt atagagcttc ttcactttga ttttgtgggt	30720
ttttttgttt taaaggtgag atttttgatg aggtttttgc ttcaaagatg tcacctttct	30780
gggtttgtct tttgaataaa gctatgaact gtcacatggc tgacgcaatt ttgttactat	30840
gtcatgaaag ctgacgtttt tccgtgttat acatgtttgc ttacacttgc atgcgtcaaa	30900
aaaattgggg ctttttagtt ttagtcaaag attttacttc tcttttggga tttatgaagg	30960
aaagttgcaa actttctcaa attttaccat ttttgctttg atgtttgttt agattgcgac	31020
agaacaaact catatatgtt gaaatttttg cttgggtttg tataggattg tgtcttttgc	31080
ttataaatgt tgaaatctga actttttttt tgtttggttt ctttgagcag gagataaggc	31140
gcaccaccat ggcttctaca tctgtctgctc aagacgctgc tccttacgag ttcccttctc	31200
tcactgagat caagagggct cttccttctg agtgtttcga ggcttctggt cctctttctc	31260
tctactacac cgctagatct cttgctcttg ctggatctct cgctgttgct ctctcttacg	31320
ctagagcttt gcctcttggt caggctaacg ctcttcttga tgctactctc tgcactggat	31380
acgttcttct ccagggaatc gttttctggg gattcttcac cgttggtcac gattgtggac	31440
acggagcttt ctctagatct cacgtgctca acttctctgt tggaaccctc atgcactcta	31500
tcattcctac ccttttcgag tcttggaagc tctctcacag acaccaccac aagaacaccg	31560
gaaacatcga taaggacgag atcttctacc ctcaaagaga ggctgattct caccctgttt	31620
ctagacacct tgtgatgtct cttggatctg cttggttcgc ttaccttttc gctggattcc	31680
ctcctagaac catgaaccac ttcaaccctt gggaggctat gtatgttaga agagtggctg	31740
ctgtgatcat ctctctcgga gttcttttcg ctttcgctgg actctactct tacctcacct	31800
tcgttcttgg attcaccact atggctatct actacttcgg acctctcttc atcttcgcta	31860
ccatgcttgt tgttaccact ttctccacc acaacgatga ggagacacct tggtagcgtg	31920
attctgagtg gacttacgtg aagggaaacc tctcttctgt ggacagatct tacggtgctc	31980
tcatcgacaa ccttagccac aacatcgga ctcaccagat ccaccacctc ttccctatca	32040
tcctcacta caagctcaac gatgctactg ctgctttcgc taaggctttc cctgagcttg	32100
ttaggaaaaa cgctgctcct atcatcccaa ctttcttcag gatggctgct atgtacgcta	32160
agtacggagt tgttgacact gatgctaaga cttcactct caaggaggct aaggctgctg	32220
ctaagactaa gtcattctga tgattaatga aggccgcaga tatcagatct ggtcgacct	32280
gaggatcccc ggccgcaaag ataataacaa aagcctacta tataacgtac atgcaagtat	32340
tgtatgatat taatgttttt acgtacgtgt aaacaaaaat aattacgttt gtaacgtatg	32400
gtgatgatgt ggtgcactag gtgtaggcct tgtattaata aaaagaagtt tgttctatat	32460
agagtggttt agtacgacga tttatttact agtcggattg gaatagagaa ccgaattctt	32520
caatccttgc ttttgatcaa gaattgaaac cgaatcaaat gtaaaagttg atatatttga	32580
aaaacgtatt gagcttatga aaatgctaact actctcatct gtatggaaaa gtgactttaa	32640
aaccgaactt aaaagtgaca aaaggggaat atcgcacaa accgaatgaa accgatctac	32700
gtaggctcag ctgagcttac ctaaggctac gtaggctcac gtgacgttac gtaaggctac	32760

PF77877_sequencelisting_formatiertSA.txt

gtagcgtcac	gtgagcttac	ctaactctag	ctagcctcac	gtgaccttag	ctaacactag	32820
gtagcgtcag	cttagcagat	atttggtgtc	taaatgttta	ttttgtgata	tgttcatggt	32880
tgaaatggtg	gtttcgaaac	cagggacaac	gttgggatct	gatagggtgt	caaagagtat	32940
tatggattgg	gacaatttcg	gtcatgagtt	gcaaattcaa	gtatatcggt	cgattatgaa	33000
aattttcgaa	gaatatccca	tttgagagag	tctttacctc	attaatgttt	ttagattatg	33060
aaattttatc	atagttcatc	gtagtctttt	tggtgtaaag	gctgtaaaaa	gaaattgttc	33120
acttttggtt	tcgtttatgt	gaaggctgta	aaagattgta	aaagactatt	ttggtgtttt	33180
ggataaaatg	atagttttta	tagattcttt	tgcttttaga	agaaatacat	ttgaaatttt	33240
ttccatgttg	agtataaaat	accgaaatcg	attgaagatc	atagaaatat	tttaactgaa	33300
aacaaattta	taactgattc	aattctctcc	atttttatac	ctatttaacc	gtaatcgatt	33360
ctaatagatg	atcgattttt	tatataatcc	taattaacca	acggcatgta	ttggataatt	33420
aaccgatcaa	ctctcaccac	taatagaatc	agtatttttc	ttcgacgtta	attgatccta	33480
cactatgtag	gtcatatcca	tcgttttaat	ttttggccac	cattcaattc	tgtcttgctt	33540
ttagggatgt	gaatatgaac	ggccaaggta	agagaataaa	aataatccaa	attaaagcaa	33600
gagaggccaa	gtaagataat	ccaaatgtac	acttggtcatt	gccaaaatta	gtaaaatact	33660
cggcatattg	tattcccaca	cattattaaa	ataccgtata	tgtattggct	gcatttgcatt	33720
gaataatact	acgtgtaagc	ccaaaagaac	ccacgtgtag	cccatgcaaa	gttaacactc	33780
acgaccccat	tcctcagtct	ccactatata	aaccacccat	ccccaatctc	accaaaccac	33840
ccacacaact	cacaactcac	tctcacacct	taaagaacca	atcaccacca	aaaaaagttc	33900
tttgctttcg	aagttgccgc	aacctaaaca	ggtttttcct	tcttctttct	tcttattaac	33960
tacgaccttg	tcctttgcct	atgtaaaatt	actaggtttt	catcagttac	actgattaag	34020
ttcgttatag	tggaagataa	aatgccctca	aagcattttg	caggatatct	ttgatttttc	34080
aaagatatgg	aactgtagag	tttgatagtg	ttcttgaatg	tggttgcatg	aagttttttt	34140
ggtctgcatg	ttattttttc	ctcgaaatat	gttttgagtc	caacaagtga	ttcacttggg	34200
attcagaaag	ttgttttctc	aatatgtaac	agtttttttc	tatggagaaa	aatcataggg	34260
accgttggtt	ttggcttctt	taattttgag	ctcagattaa	acccatttta	cccgggtgtc	34320
ttggcagaat	tgaaaacagt	acgtagtacc	gcgcctacca	tgccacctag	tgctgctagt	34380
gaaggtggtg	ttgctgaact	tagagctgct	gaagttgcta	gctacactag	aaaggctggt	34440
gacgaaagac	ctgacctcac	tatagttggt	gacgctgttt	acgacgctaa	ggcttttagg	34500
gacgagcacc	ctggtggtgc	tcacttcgtt	agccttttcg	gaggtaggga	cgctactgag	34560
gcttttatgg	aatatcaccg	tagagcttgg	cctaaggcta	ggatgtctaa	gttcttcgtt	34620
ggttcacttg	acgctagcga	gaagcctact	caagctgatt	cagcttacct	tagactttgc	34680
gctgagggtta	acgctctttt	gcctaagggt	agcggaggat	tcgctcctcc	tagctactgg	34740
cttaaggctg	ctgctcttgt	tggtgctgct	gttagtatag	agggttatat	gctccttagg	34800

PF77877_sequence_listing_formatiertSA.txt

ggtaagaccc	ttttgcttag	cgttttcctt	ggactcgtgt	tcgcttgat	aggacttaat	34860
attcagcacg	acgctaata	cggtgctctt	agtagacact	cagtgattaa	ctactgcctc	34920
ggttacgctc	aggattggat	aggtggtaat	atgggtgctt	ggcttcaaga	gcacgttggtg	34980
atgcaccacc	tccacactaa	cgacgttgac	gctgacctg	atcaaaaggc	tcacgggtgtt	35040
cttagactta	agcctactga	cggttggtg	ccttggcacg	cacttcaaca	actctatata	35100
cttcctgggtg	aggctatgta	cgcttttaag	cttcctttct	tggacgccct	tgagcttctt	35160
gcttggagggt	gggaggggtga	gaagattagc	cctcttgcta	gagctttgtt	cgctcctgct	35220
gttgcttgta	agcttggatt	ctgggctaga	ttcggtgctc	tccctctctg	gcttcaacct	35280
actgttcaca	ctgctttgtg	tatctgtgct	actgtgtgta	ctggtagctt	ctacctcgcc	35340
ttcttcttct	ttatctctca	caacttcgac	ggtgttggtg	gcgttggacc	taagggatca	35400
cttcctagat	cagctacttt	cgttcaacgt	caggttgaga	ctagctctaa	cgttgggtggt	35460
tactggcttg	gagttcttaa	cggtggactt	aactttcaga	tagagcacca	cttgttccct	35520
aggcttcacc	actcttacta	cgctcaaata	gctcctgtgg	ttaggactca	catagagaag	35580
ctcggtttta	agtaccgtca	cttccttacc	gttggtatcta	accttagctc	aatgcttcag	35640
catatgggta	agatgggaac	tagacctggt	gctgagaagg	gtggttaaggc	tgagtagtga	35700
ttaatgaata	attgattgct	gctttaatga	gatatgcgag	acgcctatga	tcgcatgata	35760
tttgctttca	attctgttgt	gcacgttgta	aaaaacctga	gcatgtgtag	ctcagatcct	35820
taccgccgggt	ttcggttcat	tctaataaat	atatcacccg	ttactatcgt	atttttatga	35880
ataatatctt	ccgttcaatt	tactgattgt	ctacgtagcg	tcacctgacg	ttacgtaagg	35940
ctacctaggc	tcacgtgacg	ttacgtaacg	ctacgtagcg	tcagggtgagg	ttagctaacg	36000
ctagctagcc	tcacctgacg	ttaggtaagg	ctacgtagcg	tcacctgaga	ttagctaagc	36060
ctacctagac	tcacgtgacc	ttaggtaacg	ctacgtagcg	tcaaagcttt	acaacgctac	36120
acaaaactta	taaccgtaat	caccattcat	taacttaact	actatcacat	gcattcatga	36180
attgaaacga	gaaggatgta	aatagttggg	aagttatctc	cacgttgaag	agatcgttag	36240
cgagagctga	aagaccgagg	gaggagacgc	cgtcaacacg	gacagagtcg	tcgaccttca	36300
catgaagtag	gaggaatctc	cgtgaggagc	cagagagacg	tctttgggtct	tcggtttcga	36360
tccttgatct	gacggagaag	acgagagaag	tgcgactgga	ctccgtgagg	accaacagag	36420
tcgtcctcgg	tttcgatcgt	cggtattggt	ggagaaggcg	gaggaatctc	cgtgacgagc	36480
cagagagatg	tcgtcgggtct	tcggtttcga	tccttgatct	gacggagaag	acgagagaag	36540
tgcgacgaga	ctccgtgagg	accaacagag	ttgtcctcgg	tttcgatcgt	cggtttcggc	36600
ggagaaggcg	gaggaatctc	cgtgaggagc	cagagagacg	tcgttgggtct	tcggtttcga	36660
tccttgatct	gttgagaag	acgagacaag	tgggacgaga	ctcaacgacg	gagtcagaga	36720
cgtcgtcgggt	cttcggtttc	ggccgagaag	gcggagtcgg	tcttcggttt	cggccgagaa	36780
ggcggaggag	acgtcttcga	tttggttctc	tcctcttgac	gaagaaaaca	aagaacacga	36840
gaaataaatga	gaaagagaac	aaaagaaaaa	aaaataaaaa	taaaaataaa	atttggtcct	36900

Page 77

PF77877_sequencelisting_formatiertSA.txt

cttatgtggt gacacgtggt ttgaaaccca ccaaataatc gatcacaaaa aacctaagtt	36960
aaggatcggg aataaccttt ctaattaatt ttgatttata ttaaatcact ctttttattt	37020
ataaacccca ctaaattatg cgatattgat tgtctaagta caaaaattct ctcgaattca	37080
atacacatgt ttcatatatt tagccctggt catttaatat tactagcgca tttttaattt	37140
aaaattttgt aaactttttt ggtcaaagaa cattttttta attagagaca gaaatctaga	37200
ctctttattt ggaataatag taataaagat atattaggca atgagtttat gatgttatgt	37260
ttatatagtt tatttcattt taaattgaaa agcattattt ttatcgaaat gaatctagta	37320
tacaatcaat atttatgttt tttcatcaga tactttccta ttttttggca cctttcatcg	37380
gactactgat ttatttcaat gtgtatgcat gcatgagcat gagtatacac atgtctttta	37440
aaatgcatgt aaagcgtaac ggaccacaaa agaggatcca taaaaataca tctcatcgct	37500
tcctctacta ttctccgaca cacacactga gcatgggtgct taaacactct ggtgagttct	37560
agtacttctg ctatgatcga tctcattacc atttcttaaa tttctctccc taaatattcc	37620
gagttcttga tttttgataa cttcaggttt tctctttttg ataaatctgg tctttccatt	37680
tttttttttt tgtggttaat ttagtttcct atgttcttcg attgtattat gcatgatctg	37740
tgtttggatt ctgttagatt atgtattggt gaatatgtat gtgtttttgc atgtctgggt	37800
ttggtcttaa aaatgttcaa atctgatgat ttgattgaag cttttttagt gttggtttga	37860
ttcttctcaa aactactgtt aatttactat catgttttcc aactttgatt catgatgaca	37920
ctttgttctt gctttgttat aaaatttttg ttggtttgat tttgtaatta tagtgtaatt	37980
ttgttaggaa tgaacatggt ttaatactct gttttcgatt tgtcacacat tcgaattatt	38040
aatcgataat ttaactgaaa attcatggtt ctagatcttg ttgtcatcag attatttgtt	38100
tcgataattc atcaaatacg tagtcctttt gctgatttgc gactgtttca ttttttctca	38160
aaattgtttt ttgttaagtt tatctaacag ttatcgttgt caaaagtctc tttcattttg	38220
caaaatcttc tttttttttt tgtttgtaac tttgtttttt aagctacaca tttagtctgt	38280
aaaatagcat cgaggaacag ttgtcttagt agacttgcat gttcttgtaa cttctatttg	38340
tttcagtttg ttgatgactg ctttgatttt gtaggtcaaa ccgcgccatg tctgctagcg	38400
gagctttgtt gcctgctata gctttcgctg cttacgctta cgctacctac gcttatgctt	38460
tcgagtggag ccacgctaac ggaatcgata acgtggatgc tagagagtgg attggagctt	38520
tgtctttgag actccctgca attgcaacca caatgtacct cttgttctgc cttgtgggac	38580
ctagattgat ggctaagagg gaggcctttg atcctaaggg atttatgctc gcttacaacg	38640
cttaccaaac cgctttcaac gttgtggtgc tcggaatggt cgctagagag atctctggat	38700
tgggacaacc tgtttgggga tctactatgc cttggagcga taggaagtcc ttcaagattt	38760
tgttgggagt gtggctccac tacaacaata agtacctcga gttgttggat actgtgttca	38820
tgggtgctag gaaaaagacc aagcagctct ctttcttgca cgtgtaccac cacgctttgt	38880
tgatttgggc ttggtggcct gtttgtcacc tcatggctac caacgattgc atcgatgctt	38940

PF77877_sequence_listing_formatiertSA.txt

atttcggagc	tgcttgcaac	tctttcatcc	acatcgtgat	gtactcctac	tacctcatgt	39000
ctgctttggg	aattaggtgc	ccttggaaga	gatatacac	ccaggctcag	atgttgcaat	39060
tcgtgatcgt	gttcgctcac	gctgttttcg	tgctcagaca	aaagcactgc	cctgttactt	39120
tgccctgggc	acaaatgttc	gtgatgacaa	atatgttggt	gctcttcgga	aacttctacc	39180
tcaaggctta	ctctaacaag	tctaggggag	atggagcttc	ttctgttaag	cctgctgaga	39240
ctactagagc	accttctgtg	agaagaacca	ggcgaaggaa	gatcgattga	tagttaatga	39300
actaagtttg	atgtatctga	gtgccaacgt	ttactttgtc	tttcctttct	tttattgggt	39360
atgattagat	gtttactatg	ttctctcttt	ttcgttataa	ataaagaagt	tcaattcttc	39420
tatagtttca	aacgcgattt	taagcgtttc	tatttaggtt	tacatgattt	cttttacaaa	39480
atcatcttta	aaatacagta	tatTTTTtagt	tttcataaaa	tatttaaaga	aatgaaagtt	39540
tataaacatt	cactcctatt	ctctaattaa	ggattttgtaa	aacaaaaatt	ttgtaagcat	39600
atcgatttat	gcgtttttgtc	ttaattagct	cactaaataa	taaataatag	cttatgttgt	39660
gggactgttt	aattacctaa	cttagaacta	aatcaactc	tttgtgctag	ctagcctcag	39720
ctgacgttac	gtaacgctag	gtagcgctac	gtgacgttag	ctaacgctag	gtagcgctag	39780
ctgagcttac	gtaacgctt	aattaaagta	ctgatatcgg	taccaaatcg	aatccaaaaa	39840
ttacggatat	gaatataggc	atatccgtat	ccgaattatc	cgtttgacag	ctagcaacga	39900
ttgtacaatt	gcttctttta	aaaaggaaga	aagaaagaaa	gaaagaatc	aacatcagcg	39960
ttaacaaaacg	gccccgttac	ggcccaaacg	gtcatataga	gtaacggcgt	taagcgttga	40020
aagactccta	tcgaaatacg	taaccgcaaa	cgtgtcatag	tcagatcccc	tcttccttca	40080
ccgcctcaaa	cacaaaaata	atcttctaca	gcctatatat	acaaccccc	cttctatctc	40140
tcctttctca	caattcatca	tctttctttc	tctaccccc	attttaagaa	atcctctctt	40200
ctcctcttca	ttttcaaggt	aaatctctct	ctctctctct	ctctctgtta	ttccttggtt	40260
taattaggta	tgtattattg	ctagtttggt	aatctgctta	tcttatgtat	gccttatgtg	40320
aatatcttta	tcttgttcat	ctcatccgtt	tagaagctat	aaatttggtg	atttgactgt	40380
gtatctacac	gtggttatgt	ttatatctaa	tcagatatga	atttcttcat	attgttgctg	40440
ttgtgtgtac	caatccgaaa	tcgttgattt	ttttcattta	atcgtgtagc	taattgtacg	40500
tatacatatg	gatctacgta	tcaattgttc	atctgtttgt	gtttgtatgt	atacagatct	40560
gaaaacatca	cttctctcat	ctgattgtgt	tgttacatac	atagatatag	atctgttata	40620
tcattttttt	tattaattgt	gtatatatat	atgtgcatag	atctggatta	catgattgtg	40680
attatttaca	tgattttggt	atttacgtat	gtatatatgt	agatctggac	tttttgaggt	40740
tgttgacttg	attgtatttg	tgtgtgtata	tgtgtgttct	gatcttgata	tgttatgtat	40800
gtgcagctga	accatggcgg	cggcaacaac	aacaacaaca	acatcttctt	cgatctcctt	40860
ctccacaaaa	ccatctcctt	cctcctccaa	atcaccatta	ccaatctcca	gattctccct	40920
cccattctcc	ctaaacccca	acaaatcatc	ctcctctccc	cgccgccgcg	gtatcaaatc	40980
cagctctccc	tcctccatct	ccgccgtgct	caacacaacc	accaatgtca	caaccactcc	41040

PF77877_sequencelisting_formatiertSA.txt

ctctccaacc	aaacctacca	aacccgaaac	attcatctcc	cgattcgctc	cagatcaacc	41100
ccgcaaaggc	gctgatatcc	tcgtcgaggc	tttagaacgt	caaggcgtag	aaaccgtatt	41160
cgcttacccct	ggaggtagat	caatggagat	tcaccaagcc	ttaaccgct	cttcctcaat	41220
ccgtaacgtc	cttcctcgtc	acgaacaagg	aggtgtattc	gcagcagaag	gatacgctcg	41280
atcctcaggt	aaaccaggta	tctgtatagc	cacttcaggt	cccggagcta	caaatctcgt	41340
tagcggatta	gccgatgcgt	tgtagatag	tgttcctctt	gtagcaatca	caggacaagt	41400
ccctcgtcgt	atgattggta	cagatgcgtt	tcaagagact	ccgattgttg	aggtaacgcg	41460
ttcgattacg	aagcataact	atcttgtgat	ggatgttgaa	gatatcccaa	ggattattga	41520
agaggctttc	tttttagcta	cttctggtag	acctggacct	gttttggttg	atgttcctaa	41580
agatattcaa	caacagcttg	cgattccctaa	ttgggaacag	gctatgagat	tacctggtta	41640
tatgtctagg	atgcctaaac	ctccggaaga	ttctcatttg	gagcagattg	ttaggttgat	41700
ttctgagtct	aagaagcctg	tgttgtatgt	tggtgggtgt	tgtcttaatt	ctagcgatga	41760
attgggtagg	ttgtttgagc	ttacgggcat	ccctgttgcg	agtacgttga	tggggctggg	41820
atcttatcct	tgtgatgatg	agttgtcgtt	acatatgctt	ggaatgcatg	ggactgtgta	41880
tgcaaattac	gctgtggagc	atagtgattt	gttgttggcg	tttggggtaa	ggtttgatga	41940
tcgtgtcacg	ggtaaaactt	aggcttttgc	tagtagggct	aagattgttc	atattgatat	42000
tgactcggct	gagattggga	agaataagac	tcctcatgtg	tctgtgtgtg	gtgatgttaa	42060
gctggctttg	caagggatga	ataaggttct	tgagaaccga	gcggaggagc	ttaaacttga	42120
ttttggagtt	tggaggaatg	agttgaacgt	acagaaacag	aagtttccgt	tgagctttta	42180
gacgtttggg	gaagctattc	ctccacagta	tgcgattaag	gtccttgatg	agttgactga	42240
tggaaaagcc	ataataagta	ctgggtgtcg	gcaacatcaa	atgtgggcgg	cgcagttcta	42300
caattacaag	aaaccaaggc	agtggctatc	atcaggaggc	cttggagcta	tgggatttgg	42360
acttcttgct	gcgattggag	cgtctgttgc	taaccctgat	gcgatagttg	tggatattga	42420
cggagatgga	agttttataa	tgaatgtgca	agagctagcc	actattcgtg	tagagaatct	42480
tccagtgaag	gtacttttat	taaacaacca	gcattctggc	atggttatgc	aatgggaaga	42540
tcggttctac	aaagctaacc	gagctcacac	atctctcggg	gacccggctc	aggaggacga	42600
gatattcccc	aacatgttgc	tgtttgcagc	agcttgcggg	attccagcgg	cgagggtgac	42660
aaagaaagca	gatctccgag	aagctattca	gacaatgctg	gatacaccag	gaccttacct	42720
gttggtatgt	atgtgtccgc	accaagaaca	tgtgttgccg	atgatcccga	atggtggcac	42780
tttcaacgat	gtcataacgg	aaggagatgg	ccggattaaa	tactgagaga	tgaaccgggt	42840
gattatcaga	accttttatg	gtctttgtat	gcataatggt	aaaaaactta	gtttgcaatt	42900
tcctgtttgt	tttggtaatt	tgagtttctt	ttagttgttg	atctgcctgc	tttttggttt	42960
acgtcagact	actactgctg	ttgttgtttg	gtttcctttc	tttcatttta	taaataaata	43020
atccggttcg	gtttactcct	tgtgactggc	tcagtttggg	tattgcgaaa	tgcgaaatgg	43080

PF77877_sequence_listing_formatiertSA.txt

aaattgagta attgaaattc gttattaggg ttctaagctg ttttaacagt cactgggtta	43140
atatctctcg aatcttgcac ggaaaatgct cttaccattg gtttttaatt gaaatgtgct	43200
catatggggc gtggtttcca aattaaataa aactacgatg tcatcgagaa gtaaaatcaa	43260
ctgtgtccac attatcagtt ttgtgtatac gatgaaatag ggtaattcaa aatctagctt	43320
gatatgcctt ttggttcatt ttaaccttct gtaaacattt tttcagattt tgaacaagta	43380
aatccaaaaa aaaaaaaaaa aatctcaact caacactaaa ttattttaat gtataaaaga	43440
tgcttaaaac atttggctta aaagaaagaa gctaaaaaca tagagaactc ttgtaaattg	43500
aagtatgaaa atatactgaa ttgggtatta tatgaatttt tctgatttag gattcacatg	43560
atccaaaaag gaaatccaga agcactaatc agacattgga agtaggatta atcagtgatc	43620
agtaactatt aaattcaatt aaccgcggac atctacattt ttgaattgaa aaaaaattgg	43680
taattactct ttctttttct ccatattgac catcatactc attgctgatc catgtagatt	43740
tcccgacat gaagccattt acaattgaat atatcctgcc gccgctgccg ctttgacccc	43800
ggtggagctt gcatgttggg ttctacgcag aactgagccg gtaggcaga taatttccat	43860
tgagaactga gccatgtgca ccttcccccc aacacggtga gcgacggggc aacggagtga	43920
tccacatggg acttttaaac atcatccgtc ggatggcggt gcgagagaag cagtcgatcc	43980
gtgagatcag tcgaccaatt ctcatgtttg acagcttata atcgaatttc tgccattcat	44040
ccgcttatta tcacttattc aggcgtagca accaggcggt taagggcacc aataactgcc	44100
ttaaaaaat tacgccccgc cctgccactc atcgcagtac tgttgtaatt cattaagcat	44160
tctgccgaca tggaagccat cacaaacggc atgatgaacc tgaatcgcca gcggcatcag	44220
caccttgctg ccttgcgat aatatttgcc catggtgaaa acgggggcga agaagttgtc	44280
catattggcc acgtttaaat caaaactggt gaaactcacc cagggttgg ctgagacgaa	44340
aaacatattc tcaataaacc ctttagggaa ataggccagg ttttcaccgt aacacgccac	44400
atcttgcgaa tatatgtgta gaaactgccg gaaatcgctg tggatttcac tccagagcga	44460
tgaaaacgtt tcagtttgct catggaaaac ggtgtaacaa ggggtaaac tatcccatat	44520
caccagctca ccgtctttca ttgccatag gaattccgga tgagcattca tcaggcgggc	44580
aagaatgtga ataaaggccg gataaaactt gtgcttattt ttctttacgg tctttaaaaa	44640
ggccgtaata tccaggacct gcaggggggg gggggcgctg aggtctgcct cgtgaagaag	44700
gtgttgctga ctcataccag gcctgaatcg ccccatcatc cagccagaaa gtgagggagc	44760
cacggttgat gagagctttg ttgtagggtg accagttggt gatattgaac ttttgctttg	44820
ccacggaacg gtctgcgttg tcgggaagat gcgtgatctg atccttcaac tcagcaaaag	44880
ttcgatttat tcaacaaagc cgccgtcccc tcaagtcagc gtaatgctct gccagtgtta	44940
caaccaatta accaattctg attagaaaaa ctcatcgagc atcaaataaa actgcaattt	45000
attcatatca ggattatcaa taccatattt ttgaaaaagc cgtttctgta atgaaggaga	45060
aaactcaccg aggcagttcc ataggatggc aagatcctgg tatcgggtctg cgattccgac	45120
tcgtccaaca tcaatacaac ctattaattt cccctcgta aaaataagggt tatcaagtga	45180

Page 81

PF77877_sequencelisting_formatiertSA.txt

gaaatcacca	tgagtgcga	ctgaatccgg	tgagaatggc	aaaagcttat	gcatttcttt	45240
ccagacttgt	tcaacaggcc	agccattacg	ctcgtcatca	aaatcactcg	catcaaccaa	45300
accgttattc	attcgtgatt	gcgcctgagc	gagacgaaat	acgcgatcgc	tgtaaagg	45360
acaattacaa	acaggaatcg	aatgcaaccg	gcgcaggaac	actgccagcg	catcaacaat	45420
atcttcacct	gaatcaggat	attcttctaa	tacctggaat	gctgttttcc	cggggatcgc	45480
agtggtgagt	aaccatgcat	catcaggagt	acggataaaa	tgcttgatgg	tcggaagagg	45540
cataaattcc	gtcagccagt	ttagtctgac	catctcatct	gtaacatcat	tggcaacgct	45600
acctttgcc	tgtttcagaa	acaactctgg	cgcacgggc	ttccataca	atcgatagat	45660
tgctgcacct	gattgcccga	cattatcgcg	agccccatta	tacccatata	aatcagcatc	45720
catgttgga	tttaatcgcg	gcctcgagca	agacgtttcc	cggtgaatat	ggctcataac	45780
acccttgta	ttactgttta	tgtaagcaga	cagttttatt	gttcatgatg	atatattttt	45840
atcttgtgca	atgtaacatc	agagattttg	agacacaacg	tggttttccc	ccccccccct	45900
gcaggtcctg	aacggctctg	ttataggtac	attgagcaac	tgactgaaat	gcctcaaaat	45960
gttctttacg	atgccattgg	gatatatcaa	cgggtggata	tccagtgatt	tttttctcca	46020
ttttagcttc	cttagctcct	gaaaatctcg	ataactcaaa	aaatacgccc	ggtagtgatc	46080
ttatttcatt	atggtgaaag	ttggaacctc	ttacgtgccg	atcaacgtct	cattttcgcc	46140
aaaagtggc	ccagggcttc	ccggtatcaa	cagggacacc	aggatttatt	tattctgcga	46200
agtgatcttc	cgtcacaggt	atctattcgc	gataagctca	tgagcgggcg	taaccgtcgc	46260
acaggaagga	cagagaaagc	gcggatctgg	gaagtgcgg	acagaacggt	caggacctgg	46320
attggggagg	cggttgccgc	cgctgctgct	gacggtgtga	cgttctctgt	tccggtcaca	46380
ccacatacgt	tccgccattc	ctatgcgatg	cacatgctgt	atgccggtat	accgctgaaa	46440
gttctgcaaa	gcctgatggg	acataagtcc	atcagttcaa	cgaagtcta	cacgaagggt	46500
tttgcgctgg	atgtggctgc	ccggcaccgg	gtgcagtttg	cgatgccgga	gtctgatgcg	46560
gttgcgatgc	tgaaacaatt	atcctgagaa	taaatgcctt	ggcctttata	tggaatgtg	46620
gaactgagtg	gatatgctgt	ttttgtctgt	taaacagaga	agctggctgt	tatccactga	46680
gaagcgaacg	aaacagtcgg	gaaaatctcc	cattatcgta	gagatccgca	ttattaatct	46740
caggagcctg	tgtagcgttt	ataggaagta	gtgttctgtc	atgatgcctg	caagcggtaa	46800
cgaaaacgat	ttgaatatgc	cttcaggaac	aatagaaatc	ttcgtgcggt	gttacgttga	46860
agtggagcgg	attatgtcag	caatggacag	aacaacctaa	tgaacacaga	accatgatgt	46920
ggtctgtcct	tttacagcca	gtagtgtctg	ccgcagtcga	gcgacagggc	gaagccctcg	46980
agtgcgag	gaagcaccag	ggaacagcac	ttatatattc	tgcttacaca	cgatgcctga	47040
aaaaacttcc	cttgggggtta	tccacttatc	cacggggata	tttttataat	tatttttttt	47100
atagttttta	gatcttcttt	tttagagcgc	cttgtaggcc	tttatccatg	ctggttctag	47160
agaagggtgt	gtgacaaatt	gccctttcag	tgtgacaaat	caccctcaaa	tgacagtcct	47220

PF77877_sequence_listing_formatiertSA.txt

gtctgtgaca	aattgccctt	aaccctgtga	caaattgccc	tcagaagaag	ctgttttttc	47280
acaaagttat	ccctgcttat	tgactctttt	ttatttagtg	tgacaatcta	aaaacttgtc	47340
acacttcaca	tggaatctgtc	atggcgga	cagcggttat	caatcacaag	aaacgtaaaa	47400
atagcccgcg	aatcgtccag	tcaaacgacc	tactgaggc	ggcatatagt	ctctcccg	47460
atcaaaaacg	tatgctgtat	ctgttcgttg	accagatcag	aaaatctgat	ggcacccctac	47520
aggaacatga	cggatctgc	gagatccatg	ttgctaaata	tgctgaaata	ttcggattga	47580
cctctgcgga	agccagtaag	gatatacggc	aggcattgaa	gagtttcgcg	gggaagggaag	47640
tggtttttta	tcgccctgaa	gaggatgccg	gcgatgaaaa	aggctatgaa	tcttttcctt	47700
ggtttatcaa	acgtgcgcac	agtccatcca	gagggcttta	cagtgtacat	atcaacccat	47760
atctcattcc	cttctttatc	gggttacaga	accggtttac	gcagtttcgg	cttagtgaaa	47820
caaaagaaat	caccaatccg	tatgccatgc	gtttatacga	atccctgtgt	cagtatcgta	47880
agccggatgg	ctcaggcatc	gtctctctga	aaatcgactg	gatcatagag	cgttaccagc	47940
tgctcaaag	ttaccagcgt	atgcctgact	tccgccgccg	cttctgcag	gtctgtgtta	48000
atgagatcaa	cagcagaact	ccaatgcgcc	tctcatatcat	tgagaaaaag	aaaggccgcc	48060
agacgactca	tatcgtatct	tcttccgcg	atatcacttc	catgacgaca	ggatagtcgt	48120
agggttatct	gtcacagatt	tgagggtggt	tcgtcacatt	gtttctgacc	tactgaggg	48180
aatttgcac	agttttgctg	tttcttcag	cctgcatgga	tttctcata	cttttgaac	48240
tgtaattttt	aaggaagcca	aatttgagg	cagtttgta	cagttgattt	ccttctcttt	48300
cccttcgtca	tgtgacctga	tatcggggt	tagttcgtca	tcattgatga	gggttgatta	48360
tcacagttaa	ttactctgaa	ttggctatcc	gcgtgtgtac	ctctacctgg	agtttttccc	48420
acggtggata	tttcttcttg	cgctgagcgt	aagagctatc	tgacagaaca	gttcttcttt	48480
gcttctcgc	cagttcgtc	gctatgctc	gttacacggc	tgcggcgagc	gctagtgata	48540
ataagtgact	gaggtatgtg	cttctcttat	ctcctttgt	agtgttgctc	ttattttaaa	48600
caactttgcg	gttttttgat	gactttgcga	ttttgttggt	gctttgcagt	aaattgcaag	48660
atttaataaa	aaaacgcaa	gcaatgatta	aaggatgttc	agaatgaaac	tcatggaaac	48720
acttaaccag	tgataaaacg	ctggctatga	aatgacgaag	gctatcgcca	ttgcacagtt	48780
taatgatgac	agcccgaag	cgaggaaaat	aaccggcgc	tgagagaatag	gtgaagcagc	48840
ggatttagtt	gggtttctt	ctcaggctat	cagagatgcc	gagaaagcag	ggcgactacc	48900
gcacccgat	atggaaattc	gaggacgggt	tgagcaacgt	gttggttata	caattgaaca	48960
aattaatcat	atgcgtgatg	tggttggtac	gcgattgcga	cggtctgaag	acgtatttcc	49020
accggtgatc	gggttgctg	cccataaagg	tggcgtttac	aaaacctcag	tttctgttca	49080
tcttgctcag	gatctggctc	tgaaggggct	acgtgttttg	ctcgtggaag	gtaacgaccc	49140
ccagggaaca	gcctcaatgt	atcacggatg	ggtaccagat	cttcatattc	atgcagaaga	49200
cactctctg	ctttctatc	ttggggaaaa	ggacgatgtc	acttatgcaa	taaagccac	49260
ttgctggccg	gggcttgaca	ttattccttc	ctgtctggct	ctgcaccgta	ttgaaactga	49320

Page 83

PF77877_sequencelisting_formatiertSA.txt

gttaatgggc	aaatttgatg	aaggtaaact	gcccaccgat	ccacacctga	tgctccgact	49380
ggccattgaa	actgttgctc	atgactatga	tgtcatagtt	attgacagcg	cgcctaacct	49440
gggtatcggc	acgattaatg	tcgtatgtgc	tgctgatgtg	ctgattgttc	ccacgcctgc	49500
tgagttgttt	gactacacct	ccgcactgca	gtttttcgat	atgcttcgtg	atctgctcaa	49560
gaacgttgat	cttaaagggt	tcgagcctga	tgtacgtatt	ttgcttacca	aatacagcaa	49620
tagtaatggc	tctcagtcct	cgtggatgga	ggagcaaatt	cgggatgcct	ggggaagcat	49680
ggttctaaaa	aatgttgtac	gtgaaacgga	tgaagttggt	aaaggtcaga	tccggatgag	49740
aactgttttt	gaacaggcca	ttgatcaacg	ctcttcaact	ggtgcctgga	gaaatgtctt	49800
ttctatttgg	gaacctgtct	gcaatgaaat	tttcgatcgt	ctgattaaac	cacgctggga	49860
gattagataa	tgaagcgtgc	gcctgttatt	ccaaaacata	cgctcaatac	tcaaccggtt	49920
gaagatactt	cgttatcgac	accagctgcc	ccgatgggtg	attcgttaat	tgcgcgcgta	49980
ggagtaatgg	ctcgcggtaa	tgccattact	ttgcctgtat	gtggtcggga	tgtgaagttt	50040
actcttgaag	tgctccgggg	tgatagtgtt	gagaagacct	ctcgggtatg	gtcaggtaat	50100
gaacgtgacc	aggagctgct	tactgaggac	gactggatg	atctcatccc	ttcttttcta	50160
ctgactggtc	aacagacacc	ggcgttcggt	cgaagagtat	ctgggtgcat	agaaattgcc	50220
gatgggagtc	gccgtcgtaa	agctgctgca	cttaccgaaa	gtgattatcg	tgttctgggt	50280
ggcgagctgg	atgatgagca	gatggctgca	ttatccagat	tgggtaacga	ttatcgccca	50340
acaagtgcct	atgaacgtgg	tcagcgttat	gcaagccgat	tgacagaatga	atttgctgga	50400
aatatttctg	cgctgggtga	tgcggaataa	atttcacgta	agattattac	ccgctgtatc	50460
aacaccgcca	aattgcctaa	atcagttggt	gctctttttt	ctcaccctgg	tgaactatct	50520
gcccggtcag	gtgatgcact	tcaaaaagcc	tttacagata	aagaggaatt	acttaagcag	50580
caggcatcta	accttcatga	gcagaaaaaa	gctgggggtga	tatttgaagc	tgaagaagtt	50640
atcactcttt	taacttctgt	gcttaaaacg	tcatctgcat	caagaactag	tttaagctca	50700
cgacatcagt	ttgctcctgg	agcgacagta	ttgtataagg	gcgataaaat	ggtgcttaac	50760
ctggacaggt	ctcgtgttcc	aactgagtgt	atagagaaaa	ttgaggccat	tcttaaggaa	50820
cttgaaaagc	cagcaccctg	atgcgaccac	gttttagtct	acgtttatct	gtctttactt	50880
aatgtccttt	gttacaggcc	agaaagcata	actggcctga	atattctctc	tgggcccact	50940
gttccacttg	tatcgtcggg	ctgataatca	gactgggacc	acggtcccac	tcgtatcgtc	51000
ggtctgatta	ttagtctggg	accacggtcc	cactcgtatc	gtcggctcga	ttattagtct	51060
gggaccacgg	tccactcgt	atcgtcggtc	tgataatcag	actgggacca	cgggtcccact	51120
cgtatcgtcg	gtctgattat	tagtctggga	ccatgggtccc	actcgtatcg	tcggtctgat	51180
tattagtctg	ggaccacggt	cccactcgta	tcgtcgggtc	gattattagt	ctggaaccac	51240
ggtcccactc	gtatcgtcgg	tctgattatt	agtctgggac	cacgggtcca	ctcgtatcgt	51300
cggctctgatt	attagtctgg	gaccacgatc	ccactcgtgt	tgctcggctg	attatcggtc	51360

PF7877-sequencing_format1.ertsA.txt
51420 tggagaccag gtcaccactg tattgtcgtat cagactatca gctgtgagact acgatcccat
51480 caatgcccgt caaggcgcaag tatgacatg tctgtcgtaac ctgtagaaag gagtataccctc
51540 ggtgtgcccgt tgtatgcccgt ctgttgatgt ctgtctgtgtc ctgtcttatcc acaacatttt
51600 ggcacacggtt atgttgacaa aataccctgt tactccagggc gtgcccggcac gtttccctaca
51660 aggtagaatc cgcctgagtc gcaagggtga cttcgccctat attgacgagc ggcggcgagga
51720 gggcggaacct ttttgggtt aggatgttag gattatcact aaaaacaatat atgaacatat
51780 tcaaatgcca atctctcta agcattgaa ataatacaaa ataacagttg ggtggtgagttt
51840 ttcgaccctga gggcgttaac tcttcaagga caacaagacc gtggaacgtcgt agcggctctc
51900 cgacaagcat gtcgcccgcg tgttcaagca gaccggcactc gccgcccggcgt cttcgatacc
51960 gttcgttatgt gttccggcgaa actgtgagta tccgcatctgt aatctccgca tgaacaggtc
52020 atgcaaacag aatactctc aggtgctgt tgcctacgtg cagatttga cctcaggtga
52080 ttctacccgag tctgtgttcc aaggcgcgaa atgcgagcgg gtgagggcga ccagagcccg
52140 acaagggtgt gcagatctgc acttggtgccc agtcgcaaca gaagaaaggga atcggctctaa
52200 ctcaagata gcatttgaa aatcgggat tagtgtgat tctgattgaaa cgcgcgttaa
52260 cgttcataa ccaaaaaagct cttgcaacct caccggcat agttaatcgt caggataaa
52320 tggcaatatc cggcaatatc cgttgacaag agataaacac gtgagcaaaag ccgctgcctat
52380 atcccgaaat gatcgcccgt cgttagatgt taccattgtt gagcatgtctg agcagctcag
52440 cttcagctt caagcgtatg gcagagcttt gtttccctcg acgtcgcaca agagcttgcg
52500 caaatctacc tctgggtgaag ccgcacgctt gatgaataa tctgactcaa cttctcgaaa
52560 gatgacactg gctggcgaa ggcggcaacc tgaactcgcc agcaacgga cggcgtttta
52620 caccctcgtt cagatataac aatccggca gatgcttgc ggcctcgactc gaagacgtga
52680 aagcatatgat ttgtgcccct atcgcggaggt tcttgagcat ttgcaagttcg ttgctgtaac
52740 caactctcaa gttgtctctgt ggaagacgac gacgtccgct catcttgcac agtatcttgc
52800 gttgcaaggt tacagggttc tgcagttcga tctcgtatccg caggtctagtc tttaagcact
52860 cctcgggctt ctgcccagaaa ctgatgtcgg tgaacaagaa acgctcttatg cggctatatg
52920 gtacgacgac acaagctcgc cgttgcgaga tgtgatccga ccgacgtatat ttgatatgtct
52980 tcaacctttt ccttgaaatc tcgagcttat gtagttcgag catataccccc cgaaaagcat
53040 gactgaacaaa ggtacgcgcg acggtattgt cttcaactcg gtgcccgaag cctttgtaga
53100 ggtgcccggc gatatacga tctgtgttcat cgaactggccc tcccaagcttg ggttttttga
53160 tctcagcggg ttgtgtcgtg caacatcaat ggtataatcac cgtacatctc agatgtctga
53220 tatcgtcttc atgagcccagt ttctctctcat gacacgcgac cttctgtgggt tctgtgaaaga
53280 ggcggggggc aatctccagt acgatttcat acgtatatct ttgacgcgct atgagccccc
53340 ggaagcgcgg cagacgaaga tgaacggcact gctgcgcaac atgttcgaggt atcacgctct
53400 tacaatctct atgttcaagt cggcagcgggt atctgtatgccc ggtttaacca agcagacgct
53460 ctatgagata gggcgagaga accttaacggt atcgacatat gaccggggcg tggaaatcttt

53520 agatgcggtg aatcggaga tcgagctt gatcaagatg gcgtgggggc gggtctaaty
53580 aaagccttg cgttctcac agatcgttg gtagctcca acagacaggt gttgattcgc
53640 cccctggaca tggggcactg gagaagccgg ggtaatatga gagagcgaag cacgcccac
53700 gctaattggc cagggtgcag ttgtcttgct ttgtttggag cttcccaacca agcgcatttg
53760 caatacaaaa tgcgacgcca cgacgcca aa ccaagaggc cgtatcatg agccgcaag
53820 acgcaatcga tactttgtc ctcaagagc aacctgcgac cgtatagaga gcagtgcaga
53880 agtcgacccg tcgtgttcgt accggagcga ttctggccat gggttcgtct ttgcaagaga
53940 tggctgaggg cgaaaagt gcagctcggc tgcaggtaca actggctaca ggcgaagccg
54000 tcgtgtccct ggtaccatcc atgacgacg gtcgcccgat cgggatcgg ctgcccctcag
54060 acgtggtacc gaaatcgaag cagcttgagg cgaacatttc gagagagggg cagcaggtgc
54120 cgtttcttgt cagacgcgac cctgaggctg ccggtcgata tcagatcgtat tatggaaaggc
54180 ggcgctcggc cgcggcagta aatcgcgga gagaggttc tgcatttgt cgaatctca
54240 cggacttgta actgtcgtg gcccgaggc gcgaatact taaccgctg gacctctgt
54300 tcattgagaa ggtctcttc gccctgcgc tcgaagatgc gggttttgat agagccacca
54360 tcattgcgc gctatccact gacaaggccg acctcagccg ctacataact gtacgaaggg
54420 gcataccgt gaacctcgc acacaatcg gcccagctgc gaagcggtg cgtatcgtt
54480 ggtctgtact tgcgagggg cttgggaagc ctaagcgaac ggaagcgaatc gaagcgtatgc
54540 ttggtcagga gcagttcaag caatctgata gcataccgg ctttaaccct attttcaag
54600 ccgtttcaag gccacctgcg aagacctcaa aaaaagttaag ggcctggagc acgccaag
54660 ggaaaaaggc agcgacgac cgacaagaa ctygacgaac ggcgctgtgt ttcgacgaga
54720 gactgtgtcc aactttgtc gatatgtcg ctgaccagtt ggaagctctg tacgcccagt
54780 tcattgaaac caacggagga ggcaagctcg accaatagtc aggttttcat ccaatttaaa
54840 gctcctcgtc actgagatgg actgctctc accgcgaag aaaaaggccc cgaaaaggc
54900 gttccgggaag acctctctg tagtctcga gctaagagaa tcgcatcttc agaatcgtat
54960 gttcaagggtc ccgtaaaggga aagcgtcatc tcgacgggag gatttcaatt gccctaacaaa
55020 agttaaaagg aatgcagac gcatatctca acgacgttct ttggcgcgcg gccgatgaca
55080 ctcggtccata ttgcaagcca gatggcagca aaagcggtcg catcagacac tgtcgtccca
55140 aaatggcaggt tcttccagca catcgtga tcccgggag cgtatcggagc cacgggacgc
55200 tcaactctga tccgtaacgc gctgttgacg tttaaccgg agaccgctt gactgtgtgt
55260 gccgaactgg tcgtatggcc ttctaacgaa cagcttgatgg ctgcgcca aa cggcatgccc
55320 gccacgacac tgcgcccga tcttgccata ctgtttgatc gcggtctcat cattcgcgc
55380 gacagcccca atgcgaagcg gttcggccc aagggaaagg gagggagat tgaagcagcc
55440 tatgggttcg atctgtcgc gatcgtcgc cgggcggagg agttccgaga tctggcccag
55500 acagtgcgaag ctgaaaaaa ggccttccgg gtcgccaaag agcgcttgac tcttcttctgt

PF7877-sequential_listing-FormatiertSA.txt
55560 cgtgacatg tcaaatgat cgaactg cgttccctg aactggga
55620 agagttaacc agaccatca ggggatac ggcggccctg caccctggcag
55680 cttgtcgaaga gtattgggca agagcttcag gaactctgca tcgagatccg tgacgtattg
55740 gaattttca caaaaacgat gaatctgac gccaatgat cccatattcg tcgcccacaaa
55800 cagaatttcaa atccagactc taaattgaa tctgaataca gctcttgaaa aaaaagatgaa
55860 gcgggcgcca gcgttgcgga aaccgacaat gtaacgagct tcgggaaaacg cgaactgccc
55920 ttgggaatcg tgcgtgatgc ctgcccggaa atgcggggaat tggcccaggg aggtccaatt
55980 cggcatattgc gcgacttgct ggcggcgctg gaccttgccc ggcggatgct gggtgattagt
56040 ccgagcgccc ggcgggaggg ccggaaccc atggcgcatc aaacagcgcg gatcaccgctg
56100 gcttcgtatct atcagcgggc cgttcagatc aataacgctg ggggctatact ggcgacgccc
56160 accgaaccgg ccgaagatgg gaagtctcg acctgccgga ttggtcatggc gttgtcctccg
56220 gcaaaagctg acgagcgaaa gaatgagat ggcgcttgaa agccgcggaac tgcgtgagga
56280 gttcgaagatg acagcgccc ccaagtatcg gaatcgctg tcaaaaacc tgcgaagccg
56340 agatcttggt gatccctcgc ctattcagcc ggcgcgatgt cgaactgctg gatcaaccg
56400 gaacgctcgg ggcggctgat cgcgttgat caggttctg acggaacgag ggcccattt ggatccaccg
56460 cgcggcgctg gctcgtgcag tctttcaagc tggccggcga tctcggcgga cttcaggtct
56520 ggtttcgaag aatggtatgc ggcacaagc gtcatcagcg gatcttcggg aagacgggga
56580 gtagattttt tcagagcgcc tgcatccacc aggcgttccg tcaaccatcca cttcacgct
56640 cggcgaaagac gttcgtgctg ccatcgaag ccccgctgct tgaatattcg ggcgagttcg
56700 tcccatgtgt gatccgctg catgacgaga acgtagga gaacattggt cgcgagcgc
56760 tgaatccctat cgcctatatc cgttcttg ggcgcggtca tcttgccag cgcctccggg
56820 cgtttttccc gtagtcccgg gttgcccga agctttccca ggcacaacg ttgactcttg
56880 gatcgaagctg gcagacaaga caataacca cacagagga gatataatgg tcaggaagga
56940 atccagaatc cgcgggaacg tactgctgct gccgaagtgg agccggctgc tccctagaggt
57000 agaaagacaa agaaagcacc agccggaaca gcccgacgg gatccgttcaa atccgtgaag
57060 ccgaaaaaccc gcggtcccag caaccgagaa aaacttgaga agatcgttca aatcgaagct
57120 caggtcgtcg gcggtcgcaac cttgaagga gccgttaaga tctgtgggtat ttcggttcaa
57180 acctattatc aatggaagag agctgctgt caaccctgtct cacaataacc ggcctgttct
57240 gtttcagtgg acgatgaact cggcgagttc atccaactcg aggaagga aaatcgggctc
57480 ggcgatagct agactgggcg gttttatgga cagcaagcga accggaattg ccagctgggg
57540 cgcctcttgg gaaggttggg aagccctgca aagtaaatg gatgtcttc ttgcccgccea
57600 ggtatctgat ggcgcagggga tcaagatctg atcaagagac aggggcggc ccaactgtc

57660 gttccaatctc ccaagacacg ccgccaacgc gcaaccgtcg ggcagagctgc tccccaagcc
 57720 gctgttcgat gggcttccac cgcacagagc tgcacccctt ggcgtcatca agcatcccat
 57780 ttccgcccgt ggcagagcatg acggggcgcc ggtagacgcg ggcacagcgcc tggccgctcg
 57840 ccaaggggcg atgctccagg ccgtatcagg ccgcaaatgic ctccgcgccc tgcgcacagt
 57900 ccgagagccc cgtcctggcca gcagatcccg gtcagatcca cgcgctgccc ggcgcgctcg
 57960 gccagtccct gttcggccag gaagtcgcgc cgttgctgta tcgctctactt ggcctcactg
 58020 ctaagagcca ggtcggccca gcccgagcca ccgtcgcata actcgtgctc aagccaggtg
 58080 gcaaccgata cgcgggctcg ccgctcgatg ggcaggtgag atttcagctc caccgctcacg
 58140 ccaaccaagac gctgggctgc atagcggcgc cctgctcgg gcagatcgtc cggcaccttc
 58200 catagtccct cggccaagca ccaacgagtg ccggcctggt gcaaggcttc gaggggcgcg
 58260 gttgtggccc gaaacgactc cagcggatca cgcgccgaca ggccttgacct agctcgcaga
 58320 ccaggctaga tcggtgaccc cgtatgtaaa gcaaccggcg tgcacatggcg ttacagcca
 58380 gatcaatcgc agcgcccctc cctcgcgctt cgcgctcgcc gatgaaccag gctcgcgcca
 58440 agcccgtcca tgcatagtac cagcgaagaa gccgttcggg ctcaaacccc gttcgtcgcga
 58500 ccaaatgctc gagtgcagcc tccagccctc ccggcaggat cgcgaagcggg cgaaccgggt
 58560 cgtgtagatc gggatcctcg aagatgctg catagtctga gttgctgctc cgaagacagt
 58620 cgtgcgggtc gatgccaagc cagccgcggt cgcgcaagtc gaagcacgttc tcgtgtgtga
 58680 ggtcgcgctg gaggcgggcac acctcgcgcg ggcgcgcagc aagtggcgcc gctacagctg
 58740 cgcggggcgc aagtgcgcgc tgcacagcgg ccaaccggaa aagcggcctg aaccattcct
 58800 gtagcggatg gagatcgggc ggcggtccgc accgcgcgcc gtcgacgaga gcggcggtgt
 58860 cgcgagaggat cgttgcatca cgaacccgcg ccgtgcgcgg gttcgtcggtg agccagagtt
 58920 cctcatctgt tacgcggcgg gtagcccgcc agcctcgcag agcagagatc ccgttgagca
 58980 cgcgccaggtg cgaatgaagg acagtgaagg agggaaacccc gctcgcgggt gggccctact
 59040 ggcctcatgc ggcgcgccc gcccttttct caatcgcctc tcgttcgctc ggaaggcagt
 59100 acaacctgat aggtgggcctg ccttccctcg ttgccttggt ttcatcagcc atccgcttgc
 59160 cctcatctgt tacgcggcgg gtagcccgcc agcctcgcag agcagagatc ccgttgagca
 59220 ccgccaaggtg cgaatgaagg acagtgaagg agggaaacccc gctcgcgggt gggccctact
 59280 cacttatctt gcccggtgta cgcggttgta taccaaccaagg aaagtctaca cgaacccctt
 59340 ggcataaactc tgtatatcgt gcgaataaagg atggtatatc cgaataaactc gctataatga
 59400 ccccggaagca ggttatgca gcggaataag gctgccttccc tgcgtgttttg tggaaatatc
 59460 accgaactgga aacaggcataa tgcaggaatc tactgaactg aggggacagc cgaagacga
 59520 tgcacaagag ctaacacgac gacgtgcgcg agtggttga atccccgcgc gcccaagagc
 59580 gccggtctga tgaagctgcg gttgcggtcc tggcggtgag ggcggtatgtc gaggcgctg
 59640 tagcgtccgg ctatgctgcg gttacccattt gggagacat ggcgggaaacg gggaaagttca

PF77877_sequence_listing_formatiertSA.txt

agtttcctta cgagacgttc cgctcgcacg ccaggcggca catcaaggcc aagcccgcg	59700
atgtgcccgc accgcaggcc aaggctgcg aaccgcgcg ggcacccaag acgccggagc	59760
cacggcggcc gaagcagggg ggcaaggctg aaaagccggc ccccgctgcg gccccgaccg	59820
gcttcacctt caaccaaca ccggacaaaa aggatcaacc gggctgcac ccatgcaagt	59880
gtgtcgtgt cgactcgtt tacaacgaaa tccattccca ttccgcgctc aagatggctt	59940
cccctcggca gttcatcagg gctaaatcaa tctagccgac ttgtccggtg aaatgggctg	60000
cactccaaca gaaacaatca aacaaacata cacagcgact tattcacacg agctcaaatt	60060
acaacggtat atat	60074

<210> 4
 <211> 61092
 <212> DNA
 <213> Artificial

<220>
 <223> plasmid

<400> 4	
cctgccagtc agcatcatca cacaaaaagt taggcccga tagtttgaaa ttagaaagct	60
cgcaattgag gtctacaggc caaattcgct cttagccgta caatattact caccggtgcg	120
atgcccccca tcgtagggtga aggtggaaat taatggcgcg cctgatcact gattagtaac	180
tattacgtaa gcctacgtag cgtcacgtga cgttagctaa cgctacgtag cctcagctga	240
cgttacgtaa gcctacgtag cgtcacgtga gcttagctaa cgctacctag gctcagctga	300
cgttacgtaa cgctagctag cgtcactcct gcagcaaatt tacacattgc cactaaacgt	360
ctaaaccctt gtaatttgtt ttgtttttac tatgtgtgtt atgtatttga ttgcgataa	420
atttttatat ttggtactaa atttataaca ctttttatgc taacgtttgc caacacttag	480
caatttgcaa gttgattaat tgattctaaa ttatttttgt cttctaaata catatactaa	540
tcaactggaa atgtaaatat ttgctaatat ttctactata ggagaattaa agtgagtga	600
tatggtacca caaggtttgg agatttaatt gttgcaatgc tgcattgatg gcatatacac	660
caaacattca ataattcttg aggataataa tgggtaccaca caagatttga ggtgcatgaa	720
cgtcacgtgg acaaaagggt tagtaatttt tcaagacaac aatgttacca cacacaagtt	780
ttgaggtgca tgcattgatg ccctgtggaa agtttaaaaa tattttggaa atgatttgca	840
tggaagccat gtgtaaaacc atgacatcca cttggaggat gcaataatga agaaaactac	900
aaatttacat gcaactagtt atgcatgtag tctatataat gaggattttg caatactttc	960
attcatacac actcactaag ttttacacga ttataatttc ttcattagcca gtactgttta	1020
agcttcactg tctctgaatc ggcaaaggta aacgtatcaa ttattctaca aaccttttta	1080
tttttctttt gaattaccgt cttcattggt tatatgataa cttgataagt aaagcttcaa	1140
taattgaatt tgatctgtgt ttttttggcc ttaatactaa atccttacat aagctttgtt	1200
gcttctcttc ttgtgagttg agtggttaagt tgtaataatg gttcactttc agctttagaa	1260
gaaaccatgg aagttgttga gaggttctac ggagagttgg atggaaaggt ttcccaagga	1320

PF77877_sequencelisting_formatiertSA.txt

gtgaacgctt	tgttgggatac	tttcggagtt	gagttgactg	ataccccaac	tactaagggg	1380
ttgccactcg	ttgattctcc	aactccaatt	gtgttgggag	tgtctgttta	cttgaccatc	1440
gtgatcggag	gattgctttg	gatcaaggct	agagatctca	agccaagagc	ttctgagcca	1500
ttcttgttgc	aagctttggt	gttgggtgcac	aacttgttct	gcttcgcttt	gtctctttac	1560
atgtgcgtgg	gtatcgctta	ccaagctatc	acctggagat	attccttgtg	gggaaacgct	1620
tataacccaa	agcacaagga	gatggctatc	ctcgtttacc	tcttctacat	gtccaagtac	1680
gtggagttca	tggataccgt	gatcatgatc	ctcaagagat	ccaccagaca	gatttctttc	1740
ctccacgtgt	accaccactc	ttctatctcc	cttatctggt	gggctattgc	tcaccacgct	1800
ccaggaggag	aggcttattg	gagtgtctgt	ctcaactctg	gagtgcacgt	gttgatgtac	1860
gcttactact	tcttggctgc	ttgcttgaga	tcttcccaa	agctcaagaa	caagtacctc	1920
ttctggggaa	gatacctcac	ccaattccag	atgttccagt	tcatgctcaa	cttggtgcaa	1980
gcttactacg	atatgaaaac	caacgctcca	tatccacaat	ggctcatcaa	gatcctcttc	2040
tactacatga	tctccctctt	gttcctcttc	ggaaacttct	acgtgcaaaa	gtacatcaag	2100
ccatccgatg	gaaagcaaaa	gggagctaag	accgagtgat	cgacaagctc	gagtttctcc	2160
ataataatgt	gtgagtagtt	cccagataag	ggaattaggg	ttcctatagg	gtttcgctca	2220
tgtgttgagc	atataagaaa	cccttagtat	gtatttgtat	ttgtaaaata	cttctatcaa	2280
taaaatttct	aattcctaaa	acccaaatcc	agtactaaaa	tccagatccc	ccgaattaat	2340
tcggcgtaaa	ttcagctagc	tagcctcagc	tgacgttacg	taacgctagg	tagcgtcacg	2400
tgacgttagc	taacgctagg	tagcgtcacg	tgacgttacg	taacgcttta	gcagatatatt	2460
ggtgtctaaa	tgtttatttt	gtgatatgtt	catgtttgaa	atggtgggtt	cgaaaccagg	2520
gacaacgttg	ggatctgata	gggtgtcaaa	gagtattatg	gattgggaca	atttcggtca	2580
tgagttgcaa	attcaagtat	atcgttcgat	tatgaaaatt	ttcgaagaat	atcccatttg	2640
agagagtctt	tacctcatta	atgttttttag	attatgaaat	tttatcatag	ttcatcgtag	2700
tcttttttgt	gtaaaggctg	taaaaagaaa	ttgttcactt	ttgttttcgt	ttatgtgaag	2760
gctgtaaaag	attgtaaaag	actattttgg	tgttttggat	aaaatgatag	tttttataga	2820
ttcttttgct	tttagaagaa	atacatttga	aattttttcc	atgttgagta	taaaataccg	2880
aaatcgattg	aagatcatag	aaatatttta	actgaaaaca	aattttataac	tgattcaatt	2940
ctctccattt	ttataacctat	ttaaccgtaa	tcgattctaa	tagatgatcg	attttttata	3000
taatcctaata	taaccaacgg	catgtattgg	ataattaacc	gatcaactct	caccctaat	3060
agaatcagta	ttttccttcg	acgttaattg	atcctacact	atgtaggtca	tatccatcgt	3120
tttaattttt	ggccaccatt	caattctgtc	ttgccttttag	ggatgtgaat	atgaacggcc	3180
aaggtaagag	aataaaaaata	atccaaatta	aagcaagaga	ggccaagtaa	gataatccaa	3240
atgtacactt	gtcattgcca	aaattagtaa	aatactcggc	atattgtatt	cccacacatt	3300
attaaaatac	cgtatatgta	ttggctgcat	ttgcatgaat	aatactacgt	gtaagcccaa	3360

PF77877_sequence_listing_formatiertSA.txt

aagaaccac	gtgtagcca	tgcaaagtta	acactcacga	ccccattcct	cagtctccac	3420
tatataaacc	caccatcccc	aatctcacca	aaccaccac	acaactcaca	actcactctc	3480
acaccttaaa	gaaccaatca	ccaccaaaaa	atttcacgat	ttggaatttg	attcctgcga	3540
tcacaggat	gacaggtag	atcttgtttt	gtatagttgt	atacatactt	ctttgtgatg	3600
ttttgtttac	ttaatcgaat	ttttggagt	ttttaaggtc	tctcgtttag	aaatcgtgga	3660
aaatatcact	gtgtgtgtgt	tcttatgatt	cacagtgttt	atgggtttca	tgttctttgt	3720
tttatcattg	aatgggaaga	aatttcgttg	ggatacaaat	ttctcatggt	cttactgac	3780
gttattagga	gtttggggaa	aaaggaagag	tttttttggg	tggttcgagt	gattatgagg	3840
ttatttctgt	atttgattta	tgagttaatg	gtcgttttaa	tgtttagtag	catgggaaaa	3900
ggatctgagg	gaagatctgc	tgctagagag	atgactgctg	aggctaacgg	agataagaga	3960
aagaccatcc	tcattgaggg	agtgtgttac	gatgctacca	acttcaaaca	cccaggagggt	4020
tccattatta	acttcctcac	cgaggagaga	gctggagttg	atgctaccca	agcttacaga	4080
gagttccatc	agagatccgg	aaaggctgat	aagtacctca	agtccctccc	aaagttggat	4140
gcttctaagg	tggagtctag	gttctctgct	aaggagcagg	ctagaaggga	cgctatgacc	4200
agggattacg	ctgctttcag	agaggagttg	gttgctgagg	gatacttcga	tccatctatc	4260
ccacacatga	tctacagagt	ggtggagatt	gtggctttgt	tcgctttgtc	tttctggttg	4320
atgtctaagg	cttctccaac	ctcttttggt	ttgggagtg	tgatgaacgg	aatcgctcaa	4380
ggaagatgcg	gatgggttat	gcacgagatg	ggacacggat	ctttcactgg	agttatctgg	4440
ctcgatgata	ggatgtgcga	gttcttctac	ggagttggat	gtggaatgtc	tggacactac	4500
tggaagaacc	agcactctaa	gcaccacgct	gctccaaaca	gattggagca	cgatgtggat	4560
ttgaacacct	tgccactcgt	tgctttcaac	gagagagttg	tgaggaagggt	taagccagga	4620
tctttgttgg	ctttgtggct	cagagtccag	gcttatttgt	tcgctccagt	gtcttgcttg	4680
ttgatcggat	tgggatggac	cttgtagctg	cacccaagat	atatgctcag	gaccaagaga	4740
cacatggagt	ttgtgtggat	cttcgctaga	tatatcggat	ggttctcctt	gatgggagct	4800
ttgggatatt	ctcctggaac	ttctgtggga	atgtacctct	gctctttcgg	acttggatgc	4860
atctacatct	tcctccaatt	cgctgtgtct	cacaccact	tgccagttac	caaccagag	4920
gatcaattgc	actggcttga	gtacgctgct	gatcacaccg	tgaacatctc	taccaagtct	4980
tggttgggta	cctgggtgat	gtctaacctc	aacttccaaa	tcgagcacca	cttgttccca	5040
accgctccac	aattcaggtt	caaggagatc	tctccaagag	ttgaggctct	cttcaagaga	5100
cacaacctcc	cttactacga	tttgccatac	acctctgctg	tttctactac	cttcgctaac	5160
ctctactctg	ttggacactc	tggtggagct	gataccaaga	agcaggattg	actgctttaa	5220
tgagatatgc	gagacgccta	tgatcgcatg	atatttgctt	tcaattctgt	tgtgcacgtt	5280
gtaaaaaacc	tgagcatgtg	tagctcagat	ccttacgcc	ggtttcgggt	cattctaatg	5340
aatatatcac	ccgttactat	cgtattttta	tgaataatat	tctccgttca	atttactgat	5400
tgtctacgta	ggctcagctg	agcttaccta	aggctacgta	ggctcacgtg	acgttacgta	5460

Page 91

PF77877_sequencelisting_formatiertSA.txt

aggctacgta	gcgtcacgtg	agcttaccta	actctagcta	gcctcacgtg	accttagcta	5520
acactaggta	gcgtcagctc	gacggcccg	actgtatcca	acttctgac	tttgaatctc	5580
tctgttccaa	catgttctga	aggagttcta	agacttttca	gaaagcttgt	aacatgcttt	5640
gtagactttc	tttgaattac	tcttgcaaac	tctgattgaa	cctacgtgaa	aactgctcca	5700
gaagttctaa	ccaaattccg	tcttggaag	gccccaaatt	tattgagtac	ttcagtttca	5760
tgacgtgtc	ttcaaagatt	tataacttga	aatcccatca	tttttaagag	aagttctgtt	5820
ccgcaatgtc	ttagatctca	ttgaaatcta	caactcttgt	gtcagaagtt	cttcagaat	5880
caacttgc	catggtgaaa	atctggccag	aagttctgaa	cttgcataat	ttcttaacag	5940
ttagaaaaat	ttctaagtgt	ttagaatttt	gacttttcca	aagcaaactt	gacttttgac	6000
tttcttaata	aaacaaactt	catattctaa	catgtcttga	tgaaatgtga	ttcttgaaat	6060
ttgatgttga	tgcaaaagtc	aaagtttgac	ttttcagtgt	gcaattgacc	attttgctct	6120
tgtgccaat	ccaaacctaa	attgatgtat	cagtgtctga	aacttgatgt	catggaagat	6180
cttatgagaa	aattcttgaa	gactgagagg	aaaaattttg	tagtacaaca	caaagaatcc	6240
tgtttttcat	agtcggacta	gacacattaa	cataaaacac	cacttcattc	gaagagtgat	6300
tgaagaagga	aatgtgcagt	tacctttctg	cagttcataa	gagcaactta	cagacacttt	6360
tactaaaata	ctacaaagag	gaagattttt	acaacttaga	gaagtaatgg	gagttaaaga	6420
gcaacacatt	aagggggagt	gttaaaatta	atgtgttgta	accaccacta	cctttagtaa	6480
gtattataag	aaaattgtaa	tcatcacatt	ataattattg	tccttattta	aaattatgat	6540
aaagttgtat	cattaagatt	gagaaaacca	aatagtcctc	gtcttgattt	ttgaattatt	6600
gttttctatg	ttacttttct	tcaagcctat	ataaaaactt	tgtaatgcta	aattgtatgc	6660
tggaaaaaaa	tgtgtaatga	attgaataga	aattatggta	tttcaaagtc	caaaatccat	6720
caatagaaat	ttagtacaaa	acgtaactca	aaaatattct	cttattttta	attttacaac	6780
aatataaaaa	tattctctta	ttttaaattt	tacaataata	taatttatca	cctgtcacct	6840
ttagaataacc	accaacaata	ttaatactta	gatattttat	tcttaataat	tttgagatct	6900
ctcaatatat	ctgatattta	ttttatattt	gtgtcatatt	ttcttatgtt	ttagagttaa	6960
cccttatatc	ttgggtcaaac	tagtaattca	atatatgagt	ttgtgaagga	cacattgaca	7020
tcttgaaaca	ttggttttta	ccttggttga	atgttaaagg	taataaaaaca	ttcagaatta	7080
tgaccatcta	ttaatatact	tcctttgtct	tttaaaaaag	tgtgcatgaa	aatgctctat	7140
ggtaagctag	agtgtcttgc	tggtctgtgt	atatcaattc	catttccaga	tggtagaaac	7200
tgccactacg	aataattagt	cataagacac	gtatgttaac	acacgtcccc	ttgcatgttt	7260
tttgccatat	attccgtctc	tttctttttc	ttcacgtata	aaacaatgaa	ctaattaata	7320
gagcgatcaa	gctgaacagt	tctttgcttt	cgaagttgcc	gcaacctaaa	caggtttttc	7380
cttcttcttt	cttcttatta	actacgacct	tgtcctttgc	ctatgtaaaa	ttactaggtt	7440
ttcatcagtt	acactgatta	agttcgttat	agtggaagat	aaaatgcctt	caaagcattt	7500

PF77877_sequence_listing_formatiertSA.txt

tgccaggatat	ctttgatttt	tcaaagatat	ggaactgtag	agtttgatag	tggtcttgaa	7560
tggtggtgca	tgaagttttt	ttggctctgca	tggtattttt	tcctcgaaat	atgttttgag	7620
tccaacaagt	gattcacttg	ggattcagaa	agttgttttc	tcaatatgta	acagtttttt	7680
tctatggaga	aaaatcatag	ggaccgttgg	ttttggcttc	tttaattttg	agctcagatt	7740
aaaccatttt	taccgggtgt	tcttggcaga	attgaaaaca	gtacgtagta	ccgcgcctac	7800
catgtgtggt	gagaccgaga	acaacgatgg	aatccctact	gtggagatcg	ctttcgatgg	7860
agagagagaa	agagctgagg	ctaacgtgaa	gttgctctgct	gagaagatgg	aacctgctgc	7920
tttggctaag	accttcgcta	gaagatacgt	ggttatcgag	ggagttgagt	acgatgtgac	7980
cgatttcaaa	catcctggag	gaaccgtgat	tttctacgct	ctctctaaca	ctggagctga	8040
tgctactgag	gctttcaagg	agttccacca	cagatctaga	aaggctagga	aggctttggc	8100
tgctttgcct	tctagacctg	ctaagaccgc	taaagtggat	gatgctgaga	tgctccagga	8160
tttcgctaag	tggagaaagg	agttggagag	ggacggattc	ttcaagcctt	ctcctgctca	8220
tggtgcttac	agattcgctg	agttggctgc	tatgtacgct	ttgggaacct	acttgatgta	8280
cgctagatac	gttggtgtcct	ctgtgttggt	ttacgcttgc	ttcttcggag	ctagatgtgg	8340
atgggttcaa	cacgagggag	gacactcttc	tttgaccgga	aacatctggg	gggataagag	8400
aatccaagct	ttcactgctg	gattcggatt	ggctggatct	ggagatatgt	ggaactccat	8460
gcacaacaag	caccacgcta	ctcctcaaaa	agtgaggcac	gatatggatt	tgataaccac	8520
tcctgctggt	gctttcttca	acaccgctgt	ggaggataat	agacctaggg	gattctctaa	8580
gtactggctc	agattgcaag	cttggacctt	cattcctgtg	acttctggat	tggtgttgct	8640
cttctggatg	ttcttctctc	accttcttaa	ggctttgaag	ggaggaaagt	acgaggagct	8700
tggtgtggatg	ttggctgctc	acgtgattag	aacctggacc	attaaggctg	ttactggatt	8760
caccgctatg	caatcctacg	gactcttctt	ggctacttct	tgggtttccg	gatgctactt	8820
gttcgctcac	ttctctactt	ctcacacca	cttggatggt	gttcctgctg	atgagcactt	8880
gtcttgggtt	aggtacgctg	tggatcacac	cattgatatc	gatccttctc	agggatgggt	8940
taactgggtg	atgggatact	tgaactgcca	agtgatccac	cacctcttcc	cttctatgcc	9000
tcaattcaga	caacctgagg	tgtccagaag	attcgttgct	ttcgctaaga	agtggaaacct	9060
caactacaag	gtgatgactt	atgctggagc	ttggaaggct	actttgggaa	acctcgataa	9120
tggtgggaaag	cactactacg	tgcacggaca	acactctgga	aagaccgctt	gattaatgaa	9180
ggccgcctcg	accgtacccc	ctgcagatag	actatactat	gttttagcct	gcctgctggc	9240
tagctactat	gttatgttat	gttgtaaaat	aaacacctgc	taaggatatat	ctatctatat	9300
tttagcatgg	ctttctcaat	aaattgtctt	tccttatcgt	ttactatctt	atacctaata	9360
atgaaataat	aatatcacat	atgaggaacg	gggcaggttt	aggcatatat	atacgagtgt	9420
agggcgaggt	ggggctacgt	agcgtcacgt	gacgttacct	aagcctaggt	agcctcagct	9480
gacgttacgt	aacgctaggt	aggctcagct	gacacgggca	ggacataggg	actactacaa	9540
gcatagtatg	cttcagacaa	agagctagga	aagaactctt	gatggagggt	aagagaaaaa	9600

Page 93

PF77877_sequencelisting_formatiertSA.txt

agtgctagag	gggcatagta	atcaaacttg	tcaaaaccgt	catcatgatg	agggatgaca	9660
taatataaaa	agttgactaa	ggtcttggtta	gtactctttg	attagtatta	tatattggtg	9720
agaacatgag	tcaagaggag	acaagaaacc	gaggaacccat	agtttagcaa	caagatggaa	9780
gttgcaaagt	tgagctagcc	gctcgattag	ttacatctcc	taagcagtac	tacaaggaat	9840
ggtctctata	ctttcatggt	tagcacatgg	tagtgcggtat	tgacaagtta	gaaacagtgc	9900
ttaggagaca	aagagtcagt	aaaggatttg	aaagagtga	gttgatgctc	gacaggctcag	9960
gagaagtccc	tccgccagat	ggtgactacc	aaggggttgg	tatcagctga	gacccaaata	10020
agattcttcg	gttgaaccag	tggttcgacc	gagactctta	gggtgggatt	tcactgtaag	10080
atgtgtgcat	tttggtgaat	ataaattgac	aatttttttt	atttaattat	agattattta	10140
gaatgaatta	catatttagt	ttctaacaag	gatagcaatg	gatgggtatg	ggtacagggt	10200
aaacatatct	attaccacc	catctagtcg	tcgggtttta	cacgtaccca	cccgtttaca	10260
taaaccagac	cgggaatttta	aaccgtaccc	gtccgttagc	gggtttcaga	tttaccggtt	10320
taatcgggta	aaacctgatt	actaaatata	tattttttat	ttgataaaca	aaacaaaaat	10380
gttaatat	tcattattgga	tgcaatttta	agaaacacat	attcataaat	ttccatat	10440
gtaggaaaat	aaaaagaaaa	atatattcaa	gaacacaaat	ttcaccgaca	tgacttttat	10500
tacagagt	gaattagatc	taacaattga	aaaattaaaa	ttaagataga	atatgttgag	10560
gaacatgaca	tagtataatg	ctgggttacc	cgtcgggtag	gtatcgaggc	ggatactact	10620
aatccatcc	cactcgctat	ccgataatca	ctgggttcgg	gtatacccat	tcccgtaac	10680
aggccttttt	aaccggataa	tttcaactta	tagtgaatga	attttgaata	aatagttaga	10740
ataccaaaat	cctggattgc	atgtgcaatc	aaattttgtg	aaccgttaaa	ttttgcatgt	10800
acttgggata	gatataatag	aaccgaattt	tcattagttt	aattttataac	ttactttggt	10860
caaagaaaaa	aaatatctat	ccaatttact	tataataaaa	aataatctat	ccaagttact	10920
tattataatc	aacttgtaaa	aaggtaagaa	tacaaatgtg	gtagcgtagc	tgtgattata	10980
tgtgacgaaa	tgttatatct	aacaaaagtc	caaattccca	tggtaaaaaa	aatcaaaatg	11040
catggcaggc	tgtttgtaac	cttggataaa	gatgttggcc	aattctggag	ccgccacgta	11100
cgcaagactc	agggccacgt	tctcttcatt	caaggatagt	agaacaccac	tccacccacc	11160
tcctatatta	gacctttgcc	caaccctccc	caactttccc	atcccatcca	caaagaaacc	11220
gacattttta	tcataaatct	ggtgcttaaa	cactctggtg	agttctagta	cttctgctat	11280
gatcgatctc	attaccattt	cttaaatttc	tctccctaaa	tattccgagt	tcttgatttt	11340
tgataacttc	aggttttctc	tttttgataa	atctgggtctt	tccatttttt	tttttttgtg	11400
gttaatttag	tttcctatgt	tcttcgattg	tattatgcat	gatctgtgtt	tggattctgt	11460
tagattatgt	attgggtgaat	atgtatgtgt	ttttgcatgt	ctgggttttg	tcttaaaaat	11520
gttcaaatct	gatgatttga	ttgaagcttt	tttagtggtg	gtttgattct	tctcaaaact	11580
actgttaatt	tactatcatg	ttttccaact	ttgattcatg	atgacacttt	tgttctgctt	11640

PF77877_sequence_listing_formatiertSA.txt

tggtataaaa	ttttggttgg	tttgattttg	taattatagt	gtaattttgt	taggaatgaa	11700
catgttttaa	tactctgttt	tcgatttgtc	acacattcga	attattaatc	gataatttaa	11760
ctgaaaattc	atggttctag	atcttgttgt	catcagatta	tttgtttcga	taattcatca	11820
aatatgtagt	ccttttgctg	atttgcgact	gtttcatttt	ttctcaaaat	tgttttttgt	11880
taagtttata	taacagttat	cgttgtcaaa	agtctctttc	attttgcaaa	atcttctttt	11940
tttttttggt	tgtaactttg	ttttttaagc	tacacattta	gtctgtaaaa	tagcatcgag	12000
gaacagttgt	cttagtagac	ttgcatgttc	ttgtaacttc	tatttgtttc	agtttgttga	12060
tgactgcttt	gattttgtag	gtcaaaggcg	caccctacca	tggatgctta	taacgctgct	12120
atggataaga	ttggagctgc	tatcatcgat	tggagtgatc	cagatggaaa	gttcagagct	12180
gataggagg	attggtggtt	gtgcgatttc	agatccgcta	tcaccattgc	tctcatctac	12240
atcgctttcg	tgatcttggg	atctgctgtg	atgcaatctc	tcccagctat	ggaccatac	12300
cctatcaagt	tcctctacaa	cgtgtctcaa	atcttctctc	gcgcttacat	gactgttgag	12360
gctggattcc	tcgcttatag	gaacggatac	accgttatgc	catgcaacca	cttcaacgtg	12420
aacgatccac	cagttgctaa	cttgctctgg	ctcttctaca	tctccaaagt	gtgggatttc	12480
tgggatacca	tcttcattgt	gctcggaaag	aagtggagac	aactctcttt	cttgcacgtg	12540
taccaccaca	ccaccatctt	cctcttctac	tggttgaacg	ctaacgtgct	ctacgatgga	12600
gatatcttct	tgaccatcct	cctcaacgga	ttcattcaca	ccgtgatgta	cacctactac	12660
ttcatctgca	tgcacaccaa	ggatttctaag	accggaaagt	ctttgccaat	ctggtggaag	12720
tcacttttga	ccgctttcca	actcttgcaa	ttcaccatca	tgatgtccca	agctacctac	12780
ttggttttcc	acggatgcga	taaggtttcc	ctcagaatca	ccatcgtgta	cttcgtgtac	12840
attctctccc	ttttcttcct	cttcgctcag	ttcttcgtgc	aatcctacat	ggctccaaag	12900
agaagaagt	ccgcttgatg	ttaatgaagg	ccgcagatat	cagatctggt	cgacctagag	12960
gatccccggc	cgcaaagata	ataacaaaag	cctactatat	aacgtacatg	caagtattgt	13020
atgatattaa	tgtttttacg	tacgtgtaaa	caaaaataat	tacgtttgta	acgtatggtg	13080
atgatgtggt	gcactaggtg	taggccttgt	attaataaaa	agaagtttgt	tctatataga	13140
gtggttttagt	acgacgattt	atttactagt	cggattggaa	tagagaaccg	aattcttcaa	13200
tccttgcttt	tgatcaagaa	ttgaaaccga	atcaaagtga	aaagttgata	tatttgaaaa	13260
acgtattgag	cttatgaaaa	tgctaatact	ctcatctgta	tggaaaagtg	actttaaaac	13320
cgaacttaaa	agtgacaaaa	ggggaatatc	gcatcaaacc	gaatgaaacc	gatctacgta	13380
ggctcagctg	agcttagcta	agcctaccta	gcctcacgtg	agattatgta	aggctaggta	13440
gcgtcacgtg	acgttaccta	acactagcta	gcgtcagctg	agcttagcta	accctacgta	13500
gcctcacgtg	agcttaccta	acgctacgta	gcctcacgtg	actaaggatg	acctacccat	13560
tcttgagaca	aatgtttacat	tttagtatca	gagtaaaatg	tgtacctata	actcaaatcc	13620
gattgacatg	tatccattca	acataaaaatt	aaaccagcct	gcacctgcat	ccacatttca	13680
agtattttca	aaccgttcgg	ctcctatcca	ccgggtgtga	caagacggat	tccgaatttg	13740

Page 95

PF77877_sequencelisting_formatiertSA.txt

gaagattttg	actcaaattc	ccaatttata	ttgaccgtga	ctaaatcaac	tttaacttct	13800
ataattctga	ttaagctccc	aatttatatt	cccaacggca	ctacctcaa	aatttataga	13860
ctctcatccc	cttttaaacc	aacttagtaa	acgttttttt	tttaatttta	tgaagttaag	13920
tttttacctt	gtttttaaaa	agaatcgttc	ataagatgcc	atgccagaac	attagctaca	13980
cgttacacat	agcatgcagc	cgcgagagaat	tgtttttctt	cgccacttgt	cactcccttc	14040
aaacacctaa	gagcttctct	ctcacagcac	acacatacaa	tcacatgcgt	gcatgcatta	14100
ttacacgtga	tcgccatgca	aatctccttt	atagcctata	aattaactca	tcggcttcac	14160
tctttactca	aaccaaact	catcaatata	aacaagatta	aaaacatttc	acgatttgga	14220
atttgattcc	tgcatcaca	ggtatgacag	gtagattttt	gttttgata	gttgataaca	14280
tacttctttg	tgatgttttg	tttacttaat	cgaatttttg	gagtgtttta	aggtctctcg	14340
tttagaaatc	gtggaaaata	tactgtgtgt	tgtgttctta	tgattcacag	tgtttatggg	14400
tttcatgttc	tttgttttat	cattgaatgg	gaagaaatth	cgttgggata	caaatttctc	14460
atgttcttac	tgatcgttat	taggagtttg	gggaaaaagg	aagagtthtt	ttggttggtt	14520
cgagtgatta	tgaggttatt	tctgtatttg	atttatgagt	taatggctgt	tttaatgttg	14580
tagaccgcca	tggctatttt	gaaccctgag	gctgattctg	ctgctaacct	cgctactgat	14640
tctgaggcta	agcaaagaca	attggctgag	gctggataca	ctcacgttga	gggtgctcct	14700
gctcctttgc	ctttggagtt	gcctcacttc	tctctcagag	atctcagagc	tgctattcct	14760
aagcactgct	tcgagagatc	tttcgtgacc	tccacctact	acatgatcaa	gaacgtgttg	14820
acttgcgctg	ctttgttcta	cgctgctacc	ttcattgata	gagctggagc	tgctgcttat	14880
gttttgtggc	ctgtgtactg	gttcttccag	ggatcttact	tgactggagt	gtgggttata	14940
gctcacgagt	gtggacacca	ggcttattgc	tctcttgagg	tggtgaacaa	cttgattgga	15000
ctcgtgttgc	actctgcttt	gttggtgcct	taccactctt	ggagaatctc	tcacagaaag	15060
caccactcca	acactggatc	ttgcgagaac	gatgaggttt	tcgttcctgt	gaccagatct	15120
gtgttggtct	cttcttgga	cgagaccttg	gaggattctc	ctctctacca	actctaccgt	15180
atcgtgtaca	tggtggttgt	tggatggatg	cctggatacc	tcttcttcaa	cgctactgga	15240
cctactaagt	actggggaaa	gtctaggtct	cacttcaacc	cttactccgc	tatctatgct	15300
gatagggaga	gggtgatgat	cgctgctctc	gatattttct	tggtggctat	gttggtgtgt	15360
ttggctgctt	tggtgcacac	tttctccttc	aacacgatgg	tgaagtctta	cggtgtgcct	15420
tacttcattg	tgaacgttta	cttggtgttg	attacctacc	tccaacacac	cgataacctac	15480
atccctcact	tcagagaggg	agagtggaat	tggttgagag	gagctttgtg	cactgtggat	15540
agatcatattg	gtccattcct	cgattctgtg	gtgcatagaa	tcgtggatac	ccacgtttgc	15600
caccatatct	tctccaagat	gcctttctat	cactgagagg	aggctaccaa	cgctattaag	15660
cctctcctcg	gaaagtctta	cttgaaggat	actactcctg	ttcctgttgc	tctctggaga	15720
tcttacaccc	actgcaagtt	cgttgaggat	gatggaaaagg	tggtgttcta	caagaacaag	15780

PF77877_sequence_listing_formatiertSA.txt

ttatagttaa tgaataattg attgggttcga gtattatggc attgggaaaa ctgtttttct	15840
tgtaccattt gttgtgcttg taatttactg tgttttttat tcggttttcg ctatcgaact	15900
gtgaaatgga aatggatgga gaagagttaa tgaatgatat ggtccttttg ttcattctca	15960
aattaatatt atttgttttt tctcttattt gttgtgtgtt gaatttgaaa ttataagaga	16020
tatgcaaaca ttttgttttg agtaaaaatg tgtcaaatcg tggcctctaa tgaccgaagt	16080
taatatgagg agtaaaacac ttgtagttgt accattatgc ttattcacta ggcaacaaat	16140
atattttcag acctagaaaa gctgcaaagt ttactgaata caagtatgtc ctcttggtt	16200
ttagacattt atgaactttc ctttatgtaa ttttccagaa tccttgctcag attctaata	16260
ttgctttata attatagtta tactcatgga tttgtagttg agtatgaaaa tattttttaa	16320
tgcattttat gacttgccaa ttgattgaca acatgcatca atctagctag cctcagctga	16380
cgttacgtaa cgctaggtag cgtcacgtga cgttagctaa cgctaggtag cgtcagctga	16440
gcttacgtaa gcgccacggg caggacatag ggactactac aagcatagta tgcttcagac	16500
aaagagctag gaaagaactc ttgatggagg ttaagagaaa aaagtgcag aggggcatag	16560
taatcaaaact tgtcaaaacc gtcacatga tgagggatga cataatataa aaagttgact	16620
aaggctcttg tagtactctt tgattagtat tatatatggg tgagaacatg agtcaaggag	16680
agacaagaaa ccgaggaacc atagtttagc aacaagatgg aagttgcaaa gttgagctag	16740
ccgctcgatt agttacatct cctaagcagt actacaagga atgggtctcta tactttcatg	16800
tttagcacat ggtagtgctg attgacaagt tagaaacagt gcttaggaga caaagagtca	16860
gtaaaggat tgaaagagtg aagttgatgc tcgacaggtc aggagaagtc cctccgccag	16920
atggtgacta ccaaggggtt ggtatcagct gagacccaaa taagattctt cggttgaaac	16980
agtggttcga ccgagactct taggggtgga tttcactgta agatttggtc attttggtga	17040
atataaatg acaatttttt ttatttaatt atagattatt tagaatgaat tacatattta	17100
gtttctaaca aggatagcaa tggatgggta tgggtacagg ttaaacaatat ctattacca	17160
cccatctagt cgtcgggttt tacacgtacc caccggttta cataaaccag accggaattt	17220
taaaccgtac ccgtccgtta gcgggtttca gatttaccg tttaatcggg taaaacctga	17280
ttactaaata tatatttttt atttgataaa caaaacaaaa atgttaatat tttcatattg	17340
gatgcaattt taagaaacac atattcataa atttccatat ttgtaggaaa ataaaaagaa	17400
aaatatattc aagaacacaa atttcaccga catgactttt attacagagt tggaattaga	17460
tctaacaatt gaaaaattaa aattaagata gaatatgttg aggaacatga catagtataa	17520
tgctgggtta ccgctcgggt aggtatcgag gcggatacta ctaaattccat ccactcgtc	17580
atccgataat cactggtttc gggatatacc attcccgta acaggccttt ttaaccggat	17640
aatttcaact tatagtgaat gaattttgaa taaatagtta gaatacaaaa atcctggatt	17700
gcatttgcaa tcaaattttg tgaaccgtta aattttgcat gtacttgga tagatataat	17760
agaaccgaat tttcattagt ttaatttata acttactttg ttcaaagaaa aaaaatatct	17820
atccaattta cttataataa aaaataatct atccaagtta cttattataa tcaacttgta	17880

Page 97

PF77877_sequencelisting_formatiertSA.txt

aaaaggttaag	aatacaaatg	tggtagcgta	cggtgtgatta	tatgtgacga	aatgttatat	17940
ctaacaaaag	tccaaattcc	catggtaaaa	aaaatcaaaa	tgcatggcag	gctgtttgta	18000
accttggaat	aagatgttgg	ccaattctgg	agccgccacg	tacgcaagac	tcagggccac	18060
gttctcttca	tgcaaggata	gtagaacacc	actccaccca	cctcctatat	tagacctttg	18120
cccaaccctc	cccaactttc	ccatcccatc	cacaaagaaa	ccgacatttt	tatcataaat	18180
cagggtttcg	tttttgtttc	atcgataaac	tcaaagggtga	tgatttttagg	gtcttgtgag	18240
tgtgcttttt	tgtttgattc	tactgtaggg	tttatgttct	ttagctcata	ggttttgtgt	18300
atctcttaga	aatgtggcct	ctttaatctc	tgggtttgtg	actttttgtg	tggtttctgt	18360
gtttttcata	tcaaaaacct	atcttttccg	agtttttttt	tacaaattct	tactctcaag	18420
cttgaatact	tcacatgcag	tgttcttttg	tagatttttag	agttaatgtg	ttaaaaagtt	18480
tggatttttc	ttgcttatag	agcttcttca	ctttgatttt	gtgggttttt	ttgttttaaa	18540
ggtgagatth	ttgatgaggt	ttttgcttca	aagatgtcac	ctttctgggt	ttgtcttttg	18600
aataaagcta	tgaactgtca	catggctgac	gcaattttgt	tactatgtca	tgaaagctga	18660
cgtttttccg	tgttatacat	gtttgcttac	acttgcatgc	gtcaaaaaaa	ttggggcttt	18720
ttagtttttag	tcaaagattt	tacttctctt	ttgggattta	tgaaggaaag	ttgcaaactt	18780
tctcaaattt	taccattttt	gctttgatgt	ttgttttagat	tgcgacagaa	caaactcata	18840
tatgttgaaa	tttttgcttg	gttttgata	ggattgtgtc	ttttgcttat	aaatgttgaa	18900
atctgaactt	ttttttgtt	tggtttcttt	gagcaggaga	taaggcgcac	caccatggct	18960
tctacatctg	ctgctcaaga	cgctgctcct	tacgagttcc	cttctctcac	tgagatcaag	19020
agggtctctc	cttctgagtg	tttcgaggct	tctgttcctc	tttctctcta	ctacaccgct	19080
agatctcttg	ctcttgctgg	atctctcgct	gttgctctct	cttacgctag	agctttgctt	19140
cttgttcagg	ctaacgctct	tcttgatgct	actctctgca	ctggatacgt	tcttctccag	19200
ggaatcgtht	tctggggatt	cttcaccgth	ggtcacgatt	gtggacacgg	agctttctct	19260
agatctcacg	tgctcaactt	ctctgttgga	accctcatgc	actctatcat	ccttaccctt	19320
ttcgagtctt	ggaagctctc	tcacagacac	caccacaaga	acaccggaaa	catcgataag	19380
gacgagatct	tctaccctca	aagagaggct	gattctcacc	ctgtttctag	acaccttgth	19440
atgtctcttg	gatctgcttg	gttcgcttac	cttttcgctg	gattccctcc	tagaaccatg	19500
aaccacttca	acccttggha	ggctatgtat	gttagaagag	tggtgctgtg	gatcatctct	19560
ctcggagtht	ttttcgcttt	cgctggactc	tactcttacc	tcaccttcgt	tcttggaattc	19620
accactatgg	ctatctacta	cttcggacct	ctcttcatct	tcgctaccat	gcttgthgth	19680
accactttcc	tccaccacaa	cgatgaggag	acaccttggt	acgctgattc	tgagtggaact	19740
tacgtgaagg	gaaacctctc	ttctgtggac	agatcttacg	gtgctctcat	cgacaacctt	19800
agccacaaca	tcggaactca	ccagatccac	cacctcttcc	ctatcatccc	tcactacaag	19860
ctcaacgatg	ctactgctgc	tttcgctaag	gctttccctg	agcttgthtag	gaaaaacgct	19920

PF77877_sequence_listing_formatiertSA.txt

gctcctatca	tcccaacttt	cttcaggatg	gctgctatgt	acgctaagta	cggagttggt	19980
gacactgatg	ctaagacctt	cactctcaag	gaggctaagg	ctgctgctaa	gactaagtca	20040
tcttgatgat	taatgaaggc	cgcagatata	agatctggtc	gacctagagg	atccccggcc	20100
gcaaagataa	taacaaaagc	ctactatata	acgtacatgc	aagtattgta	tgatattaat	20160
gtttttacgt	acgtgtaaac	aaaaataatt	acgtttgtaa	cgtatgggtga	tgatgtggtg	20220
cactagggtgt	aggccttgta	ttaataaaaa	gaagtttggt	ctatatagag	tggttttagta	20280
cgacgattta	tttactagtc	ggattggaat	agagaaccga	attcttcaat	ccttgctttt	20340
gatcaagaat	tgaaaccgaa	tcaaatgtaa	aagttgatat	atttgaaaaa	cgtattgagc	20400
ttatgaaaat	gctaatactc	tcatctgtat	ggaaaagtga	ctttaaaacc	gaacttaaaa	20460
gtgacaaaag	gggaatatcg	catcaaaccg	aatgaaaccg	atctacgtag	gctcagctga	20520
gcttacctaa	ggctacgtag	gctcacgtga	cgttacgtaa	ggctacgtag	cgtcacgtga	20580
gcttacctaa	ctctagctag	cctcacgtga	ccttagctaa	cactaggtag	cgtcagcaca	20640
gatgaatact	agctgttggt	cacagttcta	gtgtctcctc	attacgtgaa	ttcaagctac	20700
gatcactatc	tcaactccta	cataaacatc	agaatgctac	aaaactatgc	acaaaaacaa	20760
aagctacatc	taatacgtga	atcaattact	ctcatcacia	gaaagaagat	ttcaatcacc	20820
gtcgagaagg	aggattcagt	taattgaatc	aaagttccga	tcaaactcga	agactgggtga	20880
gcacgaggac	gacgaagaag	agtgtctcga	agatacaaca	agcaagaaat	ctactgagtg	20940
acctcctgaa	gttattggcg	cgattgagag	aatcaatccg	aattaatttc	ggggaaaaag	21000
ataaattaga	tactaagcga	tgggcttggg	ctgggctaag	aaacagggtg	caattgggct	21060
ggaggacccc	gcgattcata	gcttccgata	gccccaaaaa	aaacggataa	catattttatc	21120
gggtatttga	atttcagtga	aataagatat	tttctttttg	ttaggaaaat	tttagaaaat	21180
aatggaaaat	aaatagcgat	tatgtttaca	gatacgatca	gcatcgggca	gtgcaaaatg	21240
ctatagcttc	ccaagatttg	atccttttgg	gttatctcct	aatgacaatt	agtttaggat	21300
tttgaaactt	atattaatac	tattatccga	caacacttgt	ttcagcttct	tattttaaca	21360
ttttttgttt	ttttctattc	ttcttcccat	cagcattttc	tttttaaaaa	attgaatact	21420
ttaacttttt	aaaaatttca	caatgatcag	atgatattat	ggaagatctc	aagagttaaa	21480
tgtatccatc	ttggggcatt	aaaaccgggt	tacgggatga	taaatacaga	ctttatatca	21540
tatgatagct	cagtaattca	tatttatcac	gttgctaaaa	aaattataag	gtactagtag	21600
tcaacaaaat	caattaaaga	gaaagaaaga	aacgcatgtg	aagagagttt	acaactggaa	21660
aagtaaaaata	aaaattaacg	catgtttgaat	gctgacatgt	cagtatgtcc	atgaatccac	21720
gtatcaagcg	ccattcatcg	atcgtcttcc	tctttctaaa	tgaaaacaac	ttcacacatc	21780
acaacaaaca	atacacacia	gacccccctc	ctctcgttgt	ctctctgcca	gcgaccaaata	21840
cgaagcttga	gaagaacaag	aaggggtcaa	accatgggaa	aaggatctga	gggaagatct	21900
gctgctagag	agatgactgc	tgaggctaac	ggagataaga	gaaagaccat	cctcattgag	21960
ggagtgttgt	acgatgctac	caacttcaaa	cacccaggag	gttccattat	taacttcctc	22020

Page 99

PF77877_sequencelisting_formatiertSA.txt

accgagggag	aagctggagt	tgatgctacc	caagcttaca	gagagttcca	tcagagatcc	22080
ggaaaggctg	ataagtacct	caagtccttc	ccaaagttgg	atgcttctaa	ggtggagtct	22140
aggttctctg	ctaaggagca	ggctagaagg	gacgctatga	ccagggatta	cgctgctttc	22200
agagaggagt	tggttgctga	gggatacttc	gatccatcta	tcccacacat	gatctacaga	22260
gtggtggaga	ttgtggcttt	gttcgctttg	tctttctggt	tgatgtctaa	ggcttctcca	22320
acctctttgg	ttttgggagt	ggtgatgaac	ggaatcgctc	aaggaagatg	cggatggggt	22380
atgcacgaga	tgggacacgg	atctttcact	ggagttatct	ggctcgatga	taggatgtgc	22440
gagttcttct	acggagttgg	atgtggaatg	tctggacact	actggaagaa	ccagcactct	22500
aagcaccacg	ctgctccaaa	cagattggag	cacgatgtgg	atttgaacac	cttgccactc	22560
gttgctttca	acgagagagt	tgtgaggaag	gttaagccag	gatctttggt	ggctttgtgg	22620
ctcagagttc	aggcttattt	gttcgctcca	gtgtcttgct	tgttgatcgg	attgggatgg	22680
accttgact	tgcacccaag	atatatgctc	aggaccaaga	gacacatgga	gtttgtgtgg	22740
atcttcgcta	gatatatcgg	atggttctcc	ttgatgggag	ctttgggata	ttctcctgga	22800
acttctgtgg	gaatgtacct	ctgctctttc	ggacttggat	gcatctacat	cttcctccaa	22860
ttcgtgtgt	ctcacacca	cttgccagtt	accaaccag	aggatcaatt	gcaactggctt	22920
gagtacgctg	ctgatcacac	cgtgaacatc	tctaccaagt	cttggttggg	tacctggtgg	22980
atgtctaacc	tcaacttcca	aatcgagcac	cacttgttcc	caaccgctcc	acaattcagg	23040
ttcaaggaga	tctctccaag	agttgaggct	ctcttcaaga	gacacaacct	cccttactac	23100
gatttgccat	acacctctgc	tgtttctact	accttcgcta	acctctactc	tgttggacac	23160
tctgttgagg	ctgataccaa	gaagcaggat	tgatgattaa	tgaataattg	attgtacata	23220
ctatatTTTT	tgtttacctt	gtgttagttt	aatgttcagt	gtcctctctt	tattgtggca	23280
cgtctctttg	ttgtatgttg	tgtctataca	aagttgaaat	aatggaaaga	aaaggaagag	23340
tgtaatttgt	tttgttttaa	gtgtttataa	atatatatat	ataggtcatt	tagatagttc	23400
taggtttcta	taaaactctc	tctctggaag	tagaatctgt	ttttgagagg	atccagttgc	23460
ctactaatct	ccccaaaac	ccttcaagct	taaccttcct	cttcacaaca	acagaggaaa	23520
cacatctctt	gagctctgag	ttctcttctt	tgagcatgtc	tatcgctaaa	ctcatctgcc	23580
ttatagcttc	cctcttctct	tcatctctct	ctctcaccat	ttcgtgttaa	aacttattct	23640
cctccctcag	cctctctatc	tcttccttca	gcatctcaca	attcccacca	taatcgactg	23700
aggatgattc	accgtcatca	acttcagact	cagcgttgta	gtcgtcatga	gtctcacaag	23760
ccttggaacca	agaagactca	tcatcgcaag	ttgatgattt	atcatgatgc	ttctctgagc	23820
cgtgtttgct	acgtagcgtc	acctgacgtt	acgtaaggct	acctaggctc	acgtgacgtt	23880
acgtaacgct	acgtagcgtc	aggtagggtt	agctaacgct	agctagcctc	acctgacgtt	23940
aggtaaggct	acgtagcgtc	acctgagatt	agctaagcct	acctagactc	acgtgacctt	24000
aggtaacgct	acgtagcgtc	aaagctttac	aacgctacac	aaaacttata	accgtaatca	24060

PF77877_sequence_listing_formatiertSA.txt

ccattcatta	acttaactac	tatcacatgc	attcatgaat	tgaaacgaga	aggatgtaaa	24120
tagttgggaa	gttatctcca	cgttgaagag	atcgttagcg	agagctgaaa	gaccgagggg	24180
ggagacgccg	tcaacacgga	cagagtcgtc	gaccctcaca	tgaagtagga	ggaatctccg	24240
tgaggagcca	gagagacgtc	tttgggtcttc	ggtttcgatac	cttgatctga	cggagaagac	24300
gagagaagtg	cgactggact	ccgtgaggac	caacagagtc	gtcctcgggt	tcgatcgtcg	24360
gtattggtgg	agaaggcgga	ggaatctccg	tgacgagcca	gagagatgtc	gtcgggtcttc	24420
ggtttcgatac	cttgatctga	cggagaagac	gagagaagtg	cgacgagact	ccgtgaggac	24480
caacagagtt	gtcctcgggt	tcgatcgtcg	gtttcggcgg	agaaggcgga	ggaatctccg	24540
tgaggagcca	gagagacgtc	gttgggtcttc	ggtttcgatac	cttgatctgt	tggagaagac	24600
gagacaagtg	ggacgagact	caacgacgga	gtcagagacg	tcgtcgggtct	tcggtttcgg	24660
ccgagaaggc	ggagtcgggtc	ttcgggtttcg	gccgagaagg	cggaggagac	gtcttcgatt	24720
tgggtctctc	ctcttgacga	agaaaacaaa	gaacacgaga	aataatgaga	aagagaacaa	24780
aagaaaaaaa	aataaaaata	aaaataaaat	ttgggtctct	tatgtggtga	cacgtgggtt	24840
gaaaccacc	aaataatcga	tcacaaaaaa	cctaagttaa	ggatcggtaa	taacctttct	24900
aattaatttt	gatttatatt	aaatcactct	ttttatttat	aaacccact	aaattatgcy	24960
atattgattg	tctaagtaca	aaaattctct	cgaattcaat	acacatgttt	catatattta	25020
gccctgttca	tttaatatata	ctagcgcatt	tttaatttaa	aattttgtaa	acttttttgg	25080
tcaaagaaca	tttttttaat	tagagacaga	aatctagact	ctttatttgg	aataatagta	25140
ataaagatat	attaggcaat	gagtttatga	tgttatgttt	atatagttta	tttcatttta	25200
aattgaaaag	cattattttt	atcgaaatga	atctagtata	caatcaatat	ttatgttttt	25260
tcatcagata	ctttcctatt	ttttggcacc	tttcatcgga	ctactgattt	atttcaatgt	25320
gtatgcatgc	atgagcatga	gtatacacat	gtctttttaa	atgcatgtaa	agcgtaacgg	25380
accacaaaag	aggatccata	caaatacatc	tcatcgcttc	ctctactatt	ctccgacaca	25440
cacactgagc	atggtgctta	aacactctgg	tgagttctag	tacttctgct	atgatcgatc	25500
tcattaccat	ttcttaaatt	tctctcccta	aatattccga	gttcttgatt	tttgataact	25560
tcagggttttc	tctttttgat	aaatctgggtc	tttccatttt	tttttttttg	tggttaattt	25620
agtttcctat	gttcttcgat	tgtattatgc	atgatctgtg	tttggattct	gttagattat	25680
gtattggtga	atatgtatgt	gtttttgcat	gtctgggttt	ggctcttaaaa	atgttcaaat	25740
ctgatgattt	gattgaagct	tttttagtgt	tggtttgatt	cttctcaaaa	ctactgttaa	25800
tttactatca	tgttttccaa	ctttgattca	tgatgacact	tttgttctgc	tttgttataa	25860
aattttgggt	ggtttgattt	tgtattata	gtgtaatttt	gttaggaatg	aacatgtttt	25920
aatactctgt	tttcgatttg	tcacacattc	gaattattaa	tcgataattt	aactgaaaat	25980
tcatggttct	agatcttggt	gtcatcagat	tatttgtttc	gataaattcat	caaatatgta	26040
gtccttttgc	tgatttgcg	ctgtttcatt	ttttctcaaa	attgtttttt	gttaagttta	26100
tctaacagtt	atcgttgtca	aaagtctctt	tcattttgca	aaatcttctt	tttttttttg	26160

Page 101

PF77877_sequencelisting_formatiertSA.txt

tttgtaactt	tgtttttttaa	gctacacatt	tagtctgtaa	aatagcatcg	aggaacagtt	26220
gtcttagtag	acttgcatgt	tcttgtaact	tctatttggt	tcagtttggt	gatgactgct	26280
ttgattttgt	agggtcaaacc	gcgccatgtc	tgctagcgga	gctttgttgc	ctgctatagc	26340
tttcgctgct	tacgcttacg	ctacctacgc	ttatgctttc	gagtggagcc	acgctaaccg	26400
aatcgataac	gtggatgcta	gagagtggat	tggagctttg	tctttgagac	tccctgcaat	26460
tgcaaccaca	atgtacctct	tgttctgcct	tgtgggacct	agattgatgg	ctaagagggga	26520
ggcttttgat	cctaagggat	ttatgctcgc	ttacaacgct	taccaaaccg	ctttcaacgt	26580
tgtggtgctc	ggaatgttcg	ctagagagat	ctctggattg	ggacaacctg	tttggggatc	26640
tactatgcct	tggagcgata	ggaagtcctt	caagattttg	ttgggagtgt	ggctccacta	26700
caacaataag	tacctcgagt	tgttggatac	tgtgttcatg	gtggctagga	aaaagaccaa	26760
gcagctctct	ttcttgcacg	tgtaccacca	cgctttgttg	atttgggctt	ggtggcttgt	26820
ttgtcacctc	atggctacca	acgattgcat	cgatgcttat	ttcggagctg	cttgcaactc	26880
tttcatccac	atcgtgatgt	actcctacta	cctcatgtct	gctttgggaa	ttaggtgccc	26940
ttggaagaga	tatatcacc	aggctcagat	gttgcaattc	gtgatcgtgt	tcgctcacgc	27000
tgttttcgtg	ctcagacaaa	agcactgccc	tgttactttg	ccttgggcac	aaatgttcgt	27060
gatgacaaat	atgttggtgc	tcttcggaaa	cttctacctc	aaggcttact	ctaacaagtc	27120
taggggagat	ggagcttctt	ctgttaagcc	tgctgagact	actagagcac	cttctgtgag	27180
aagaaccagg	tcaaggaaga	tcgattgata	gttaatgaac	taagtttgat	gtatctgagt	27240
gccaacgttt	actttgtctt	tcctttcttt	tattggttat	gattagatgt	ttactatggt	27300
ctctcttttt	cgttataaat	aaagaagttc	aattcttcta	tagtttcaaa	cgcgatttta	27360
agcgtttcta	tttaggttta	catgatttct	tttacaaaat	catcttttaa	atacagtata	27420
tttttagttt	tcataaaata	tttaaagaaa	tgaaagttta	taaacattca	ctcctattct	27480
ctaattaagg	atgttgtaaaa	caaaaatttt	gtaagcatat	cgattttatgc	gttttgctct	27540
aattagctca	ctaaataata	aataatagct	tatgttggtg	gactgtttta	ttacctaaact	27600
tagaactaaa	atcaactctt	tgtgctacct	agagtcagct	gagcttagct	aacgctagct	27660
agtgtcagct	gacgttacgt	aaggctaact	agcgctcacgt	gaccttacgt	aacgctacgt	27720
aggctcagct	gagcttagct	aaccctagct	agtgtcacgt	gagcttacgc	tactatagaa	27780
aatgtgttat	atcgacatga	ccagacaaag	gggcaacagt	taacaaaaca	attaattctt	27840
tcatttgaga	ttaaggaagg	taaggtaacta	aaaagattaa	aaaaaatgag	cttatctctt	27900
tgtttctgta	ataataatat	aagtgtgata	aacttttaat	ataataattg	taattagggt	27960
ttctacagat	gagcaccact	cagagacaag	ataagaagaa	aacaattttg	ttaaacaatga	28020
ttatagaaac	ttttagttaa	gtcttggaagt	atcaatataa	caaaaaaaag	tacacacgac	28080
tatgacaata	aaccactac	cgtcaggtta	tcatttcgat	gaaatgtttt	gatatcatta	28140
aatataacag	tcacaaaaaa	tcattctaatt	ataacaatat	aacttataca	tatatttaac	28200

PF77877_sequence_listing_formatiertSA.txt

taaaaactta	gagtttttgt	aatgattcta	attgatgatt	agagtttata	gaaatacaat	28260
taaataaaaa	atataatttt	aaaaaaacat	agtaaagtca	atgagatcct	ctctgacctc	28320
agtgatcatt	tagtcatgta	tgtacaacaa	tcattgttca	tcacatgact	gtaaaataaa	28380
taaggataaa	cttgggaata	tatataatat	attgtattaa	ataaaaaagg	gaaatacaaa	28440
tatcaatttt	agattcccga	gttgacacaa	ctcaccatgc	acgctgccac	ctcagctccc	28500
agctctcgtc	acatgtctca	tgtcagttag	gtctttggtt	tttagtcttt	gacacaactc	28560
gccatgcatg	ttgccacgtg	agctcgttcc	tcttcccatg	atctcaccac	tgggcatgca	28620
tgctgccacc	tcagctggca	cctcttctct	atatgtccct	agaggccatg	cacagtgcc	28680
cctcagcact	cctctcagaa	cccatacgta	cctgccaatc	ggcttctctc	cataaatatc	28740
tatttaaatt	ataactaatt	atttcatata	cttaattgat	gacgtggatg	cattgccatc	28800
gttgtttaat	aattgttaat	tacgacatga	taaataaaat	gaaagtaaaa	agtacgaaag	28860
attttccatt	tgttgttgta	taaatagaga	agtgagtgat	gcataatgca	tgaatgcatg	28920
accgcgccac	catgactgtt	ggatacgacg	aggagatccc	attcgagcaa	gttagggctc	28980
ataacaagcc	agacgacgct	tggtgtgcta	ttcacggaca	cgtgtacgac	gttaccaagt	29040
tcgcttcagt	tcaccagga	ggagatatta	tcttgctcgc	tgctggaaag	gaagctactg	29100
tcctctacga	gacctaccat	gttagaggag	tgtctgacgc	tgctgctcaga	aagtacagaa	29160
taggaaagtt	gccagacgga	caaggaggag	ctaacgagaa	ggagaagaga	accttgtctg	29220
gattgtcctc	tgcttcttac	tacacctgga	actccgattt	ctacagagtg	atgagggaga	29280
gagttgtggc	tagattgaag	gagagaggaa	aggctagaag	aggaggatac	gaactctgga	29340
tcaaggcttt	cttgctcctt	gttggattct	ggctctctct	ttactggatg	tgcaccctcg	29400
atccatcttt	cggagctatc	ttggctgcta	tgtctttggg	agtgttcgct	gcttttgttg	29460
gaacctgcat	ccaacacgat	ggaaaccacg	gagctttcgc	tcaatctaga	tgggttaaca	29520
aggtggcagg	atggactttg	gatatgatcg	gagcttctgg	aatgacttgg	gagttccaac	29580
acgtgttggg	acaccacca	tacactaact	tgatcgagga	ggagaacgga	ttgcaaaagg	29640
tgtccgaaaa	gaagatggat	accaagttag	ctgatcaaga	gtctgatcca	gatgtgttct	29700
ccacctaccc	aatgatgaga	ttgcaccctt	ggcaccagaa	gaggtgggtat	cacaggttcc	29760
agcacatcta	cggacctttc	atcttcggat	tcattgacct	caacaagggtg	gtgactcaag	29820
atgttgagg	ggtgttgaga	aagagactct	tccaaatcga	tgctgagtgc	agatatgctt	29880
ccccaatgta	cgttgctagg	ttctggatta	tgaaggcttt	gaccgtgttg	tatatggttg	29940
ctttgccttg	ttatatgcaa	ggaccttggc	acggattgaa	actcttcgct	atcgctcact	30000
tcacttgctg	agaggttttg	gctaccatgt	tcattcgtgaa	ccacattatc	gagggagtgt	30060
cttacgcttc	taaggatgct	gttaaggga	ctatggctcc	accaaagact	atgcacggag	30120
tgacccaat	gaacaacact	agaaaggagg	ttgaggctga	ggcttctaag	tctggagctg	30180
tggttaagtc	tgtgccattg	gatgattggg	ctgctgttca	gtgccaacc	tctgtgaact	30240
ggtctgttgg	atcttggttt	tggaaccact	tctctggagg	actcaaccac	caaactcgagc	30300

Page 103

PF77877_sequencelisting_formatiertSA.txt

accacctctt	cccaggattg	tctcacgaga	cctactacca	catccaagac	gtggttcaat	30360
ctacctgtgc	tgagtacgga	gttccatacc	aacacgagcc	atctttgtgg	actgcttact	30420
ggaagatgct	cgaacacctt	agacaattgg	gaaacgagga	gactcacgag	tcatggcaga	30480
gagctgcttg	attaatgaac	taagactccc	aaaaccacct	tccctgtgac	agttaaacc	30540
tgcttatacc	tttcctccta	ataatgttca	tctgtcacac	aaactaaaat	aaataaaatg	30600
ggagcaataa	ataaaaatggg	agctcatata	tttacaccat	ttacactgtc	tattattcac	30660
catgccaat	attacttcat	aattttaaaa	ttatgtcatt	tttaaaaatt	gcttaatgat	30720
ggaaaggatt	attataagtt	aaaagtataa	catagataaa	ctaaccacaa	aacaaatcaa	30780
tataaactaa	cttactctcc	catctaattt	ttattttaa	ttctttacac	ttctcttcca	30840
tttctatttc	tacaacatta	tttaacattt	ttattgtatt	tttcttactt	tctaactcta	30900
ttcatttcaa	aatcaatat	atgtttatca	ccacctctct	aaaaaaaact	ttacaatcat	30960
tggtccagaa	aagttaaatac	acgagatggg	catttttagca	ttaaaacaac	gattcttgta	31020
tcactatttt	tcagcatgta	gtccattctc	ttcaaacaaa	gacagcggct	atataatcgt	31080
tgtgttatat	tcagtctaaa	acaactacgt	agcgtcacgt	gacgttacct	aagcctaggt	31140
agcctcagct	gacgttacgt	aacgctaggt	aggctcagct	gactgcagca	aatttacaca	31200
ttgccactaa	acgtctaaac	ccttgtaatt	tggttttgg	ttactatgtg	tggttatgtat	31260
ttgatttgcg	ataaattttt	atatttggt	ctaaatttat	aacacctttt	atgctaacgt	31320
ttgccaacac	ttagcaattt	gcaagttgat	taattgatcc	taaattat	ttgtcttcta	31380
aatacatata	ctaatacaact	ggaaatgtaa	atatttgcta	atatttctac	tataggagaa	31440
ttaaagtga	tgaatatggg	accacaaggt	ttggagattt	aattgttgca	atgctgcatg	31500
gatggcatat	acaccaaa	ttcaataatt	cttgaggata	ataatgggtac	cacacaagat	31560
ttgaggtgca	tgaacgtcac	gtggacaaaa	ggtttagtaa	tttttcaaga	caacaatggt	31620
accacacaca	agttttgagg	tgcatgcatg	gatgccctgt	ggaaagttaa	aaaatat	31680
ggaaatgatt	tgcatggaag	ccatgtgtaa	aaccatgaca	tccacttgga	ggatgcaata	31740
atgaagaaaa	ctacaaattt	acatgcaact	agttatgcat	gtagtctata	taatgaggat	31800
tttgcaatac	tttcattcat	acacactcac	taagttttac	acgattataa	tttcttcata	31860
gccagtactg	tttaagcttc	actgtctctg	aatcggcaaa	ggtaaacgta	tcaattattc	31920
tacaaaccct	tttatttttc	ttttgaatta	ccgtcttcat	tggttatatg	ataacttgat	31980
aagtaaagct	tcaataattg	aatttgatct	gtgttttttt	ggccttaata	ctaaatcctt	32040
acataagctt	tggtgcttct	cctcttggtg	gttgagtgtt	aagttgta	aatggttcac	32100
tttcagcttt	agaagaaacg	cgccttccat	ggctacaaag	gaggcttacg	tttcccaac	32160
tctcaccgag	atcaagagat	ctctcccaaa	ggattgcttc	gaggcttctg	tgctttgtc	32220
tctctactac	actgtgagat	gcttggttat	tgctgtggct	ttgaccttcg	gattgaacta	32280
cgctagagct	ttgccagagg	ttgagtcctt	ctgggctttg	gatgctgctt	tgtgcactgg	32340

PF77877_sequencelisting_formatiertSA.txt

atatatcctc	ctccagggaa	ttgtgttctg	gggattcttc	actgttggac	acgatgctgg	32400
acacggagct	ttctctagat	accacctctt	gaacttcggt	gtgggaacct	tcatgcactc	32460
tctcatcttg	accccatctg	agtcttggaa	gttgaccac	agacaccacc	acaagaacac	32520
cggaaacatc	gatagagatg	aggtgttcta	cccacagaga	aaggctgatg	atcacccatt	32580
gtccaggaac	ttgatcttgg	ctttgggagc	tgcttggctt	gcttatttgg	tggagggatt	32640
cccaccaaga	aagggtgaacc	acttcaaccc	attcgagcca	ctttttgtga	gacaagtgtc	32700
cgctgtgggt	atctctttgc	tcgctcactt	cttcgttgc	ggactctcta	tctacttgtc	32760
tctccagttg	ggacttaaga	ccatggctat	ctactactac	ggaccagttt	tcgtgttcgg	32820
atctatgttg	gtgattacca	ccttcttgca	ccacaacgat	gaggagactc	catggtatgc	32880
tgattctgag	tggacttacg	tgaagggaaa	cttgcctct	gtggatagat	cttacggtgc	32940
tctcatcgat	aacctctccc	acaacatcgg	aactcaccag	atccaccacc	tcttcccaat	33000
tatcccacac	tacaagctca	agaaggctac	tgctgctttc	caccaagctt	tcccagagct	33060
tgtgagaaag	tccgatgagc	caatcatcaa	ggctttcttc	agagtgggaa	ggttgtatgc	33120
taactacgga	gtggttgatc	aagaggctaa	gctcttcact	ttgaaggagg	ctaaggctgc	33180
tactgaagct	gctgctaaga	ccaagtctac	ctgattaatg	aatcgacaag	ctcgagtttc	33240
tccataataa	tgtgtgagta	gttcccagat	aagggaatta	gggttcctat	agggtttcgc	33300
tcatgtgttg	agcatataag	aaacccttag	tatgtatttg	tatttgtaaa	atacttctat	33360
caataaaaatt	tctaattcct	aaaacaaaa	tccagtacta	aaatccagat	ccccgaatt	33420
aattcggcgt	taattcagct	acgtagcgtc	acctgacgtt	acgtaaggct	acctaggctc	33480
acgtgacgtt	acgtaacgct	acgtagcgtc	aggtgagggt	agctaacgct	agctagcctc	33540
acctgacgtt	aggtaaggct	acgtagcgtc	acctgagatt	agctaagcct	acctagactc	33600
acgtgacctt	aggtaacgct	acgtagcgtc	aaagctttac	aacgctacac	aaaacttata	33660
accgtaatca	ccattcatta	acttaactac	tatcacatgc	attcatgaat	tgaaacgaga	33720
aggatgtaaa	tagttgggaa	gttatctcca	cgttgaagag	atcgtttagc	agagctgaaa	33780
gaccgaggga	ggagacgccg	tcaacacgga	cagagtcgtc	gaccctcaca	tgaagtagga	33840
ggaatctccg	tgaggagcca	gagagacgtc	tttgggtctt	ggtttcgatc	cttgatctga	33900
cggagaagac	gagagaagtg	cgactggact	ccgtgaggac	caacagagtc	gtcctcggtt	33960
tcgatcgctg	gtattggtgg	agaaggcgga	ggaatctccg	tgacgagcca	gagagatgtc	34020
gtcgggtctt	ggtttcgatc	cttgatctga	cggagaagac	gagagaagtg	cgacgagact	34080
ccgtgaggac	caacagagtt	gtcctcggtt	tcgatcgctg	gtttcggcgg	agaaggcgga	34140
ggaatctccg	tgaggagcca	gagagacgtc	gttgggtctt	ggtttcgatc	cttgatctgt	34200
tggagaagac	gagacaagtg	ggacgagact	caacgacgga	gtcagagacg	tcgtcggctt	34260
tcggtttcgg	ccgagaaggc	ggagtcggtc	ttcggtttcg	gccgagaagg	cggaggagac	34320
gtcttcgatt	tgggtctctc	ctcttgacga	agaaaaacaa	gaacacgaga	aataatgaga	34380
aagagaacaa	aagaaaaaaa	aataaaaaata	aaaataaaat	ttggtcctct	tatgtggtga	34440

Page 105

PF77877_sequencelisting_formatiertSA.txt

cacgtggttt gaaaccacc aaataatcga tcacaaaaa cctaagttaa ggatcggtaa	34500
taacctttct aattaatttt gatttatatt aaatcactct ttttatttat aaaccctact	34560
aaattatgcg atattgattg tctaagtaca aaaattctct cgaattcaat acacatgttt	34620
catatatatta gccctgttca tttaatatta ctagcgcatt tttaatttaa aattttgtaa	34680
acttttttgg tcaaagaaca tttttttaat tagagacaga aatctagact ctttatttgg	34740
aataatagta ataaagatat attaggcaat gagtttatga tgttatgttt atatagttaa	34800
tttcatttta aattgaaaag cattatTTTT atcgaaatga atctagtata caatcaatat	34860
ttatgttttt tcatcagata ctttcctatt ttttggcacc tttcatcgga ctactgattt	34920
atttcaatgt gtatgcatgc atgagcatga gtatacacat gtcttttaaa atgcatgtaa	34980
agcgtaacgg accacaaaag aggatccata caaatacatc tcacgccttc ctctactatt	35040
ctccgacaca cactgagc atgggtgctta aacactctgg tgagttctag tacttctgct	35100
atgatcgatc tcattaccat ttcttaaatt tctctcccta aatattccga gttcttgatt	35160
tttgataact tcagggttttc tctttttgat aaatctggtc tttccatttt ttttttttgg	35220
tggttaattt agtttcttat gttcttcgat tgtattatgc atgatctgtg tttggattct	35280
gttagattat gtattggtga atatgtatgt gtttttgcatt gtctgggttt ggtcttaaaa	35340
atgttcaaat ctgatgattt gattgaagct tttttagtgt tgggttgatt cttctcaaaa	35400
ctactgttaa ttactatca tgttttccaa ctttgattca tgatgacact tttgttctgc	35460
tttgttataa aatttttggt gggttgattt tgtaattata gtgtaatttt gttaggaatg	35520
aacatgtttt aatactctgt ttctgatttg tcacacattc gaattattaa tcgataattt	35580
aactgaaaat tcatggttct agatcttggt gtcacgat tatttgtttc gataattcat	35640
caaatatgta gtccttttgc tgatttgcca ctgtttcatt ttttctcaaa attgtttttt	35700
gttaagttaa tctaacagtt atcgttgcca aaagtctctt tcattttgca aaatcttctt	35760
tttttttttg tttgtaactt tgttttttaa gctacacatt tagtctgtaa aatagcatcg	35820
aggaacagtt gtcttagtag acttgcatgt tcttgtaact tctatttggt tcagtttggt	35880
gatgactgct ttgattttgt aggtcaaacc gcgccatgcc acctagtgtc gctagtgaag	35940
gtggtgttgc tgaacttaga gctgctgaag ttgctagcta cactagaaag gctgttgacg	36000
aaagacctga cctcactata gttggtgacg ctgtttacga cgctaaggct tttagggacg	36060
agcaccctgg tgggtgctcac ttcgtttagc ttttcggagg tagggacgct actgaggctt	36120
ttatggaata tcaccgtaga gcttggccta aggctaggat gtctaagttc ttcgttggtt	36180
cacttgacgc tagcgagaag cctactcaag ctgattcagc ttaccttaga ctttgcgctg	36240
aggtaaacgc tcttttgcct aagggttagcg gaggattcgc tcctcctagc tactggctta	36300
aggctgctgc tcttggtgtt gctgctgtta gtatagaggg ttatatgtct cttaggggta	36360
agaccctttt gcttagcgtt ttcttggac tcgtgttcgc ttggatagga cttaatattc	36420
agcacgacgc taatcacggt gctcttagta gacactcagt gattaactac tgcctcggtt	36480

PF77877_sequence_listing_formatiertSA.txt

acgctcagga	ttggataggt	ggtaatatgg	tgctttggct	tcaagagcac	gttgtgatgc	36540
accacctcca	cactaacgac	gttgacgctg	atcctgatca	aaaggctcac	ggtgttctta	36600
gacttaagcc	tactgacggt	tggtatgcctt	ggcacgcact	tcaacaactc	tatatccttc	36660
ctggtgaggc	tatgtacgct	tttaagcttc	ttttcttgga	cgcccttgag	cttcttgctt	36720
ggaggtggga	gggtgagaag	attagccctc	ttgctagagc	ttgtttcgct	cctgctgttg	36780
cttgtaagct	tggtattctgg	gctagattcg	ttgctctccc	tctctggctt	caacctactg	36840
ttcacactgc	tttgtgtatc	tgtgctactg	tgtgtactgg	tagctttctac	ctcgccttct	36900
tcttctttat	ctctcacaac	ttcgacggtg	ttggtagcgt	tggaacctaa	ggatcacttc	36960
ctagatcagc	tactttcgtt	caacgtcagg	ttgagactag	ctctaacggt	ggtgggttact	37020
ggcttgaggt	tcttaacggt	ggacttaact	ttcagataga	gcaccacttg	ttccctaggc	37080
ttcaccactc	ttactacgct	caaataagctc	ctgtgggttag	gactcacata	gagaagctcg	37140
gttttaagta	ccgtcacttc	cctaccgttg	gatctaacct	tagctcaatg	cttcagcata	37200
tgggtaagat	gggaactaga	cctgggtgctg	agaaggggtgg	taaggctgag	tagtagttaa	37260
tgaactaagt	ttgatgtatc	tgagtgccaa	cgttttacttt	gtctttcctt	tcttttattg	37320
gttatgatta	gatgtttact	atgttctctc	tttttcgtta	taaataaaga	agttcaattc	37380
ttctatagtt	tcaaacgcga	ttttaagcgt	ttctattttag	gtttacatga	tttcttttac	37440
aaaatcatct	ttaaaataca	gtatatTTTT	agttttcata	aaatatTTaa	agaaatgaaa	37500
gtttataaac	attcactcct	attctccta	taaggatttg	taaaacaaaa	atTTtgtaag	37560
catatcgatt	tatgcgtttt	gtcttaatta	gtcactaaa	taataaataa	tagcttatgt	37620
tgtgggactg	tttaattacc	taacttagaa	ctaaaatcaa	ctctttgtgc	tagctagcct	37680
cagctgacgt	tacgtaacgc	taggtagcgt	cacgtgacgt	tagctaacgc	taggtagcgt	37740
cagctgagct	tacgtaagcg	cacagatgaa	tactagctgt	tgttcacagt	tctagtgtct	37800
cctcattacg	tgaattcaag	ctacgatcac	tatctcaact	cctacataaa	catcagaatg	37860
ctacaaaact	atgcacaaaa	acaaaagcta	catctaatac	gtgaatcaat	tactctcatc	37920
acaagaaaga	agatttcaat	caccgtcgag	aaggaggatt	cagttaattg	aatcaaagtt	37980
ccgatcaaac	tcgaagactg	gtgagcacga	ggacgacgaa	gaagagtgtc	tcgaagatac	38040
aacaagcaag	aaatctactg	agtgacctcc	tgaagttatt	ggcgcgattg	agagaatcaa	38100
tccgaattaa	tttcggggaa	aaagataaat	tagatactaa	gcgatgggct	tgggctgggc	38160
taagaaacag	gtggcaattg	ggctggagga	ccccgcgatt	catagcttcc	gatagcccaa	38220
aaaaaacgg	ataacatatt	tatcgggtat	ttgaatttca	gtgaaataag	atatTTtctt	38280
tttgtttaga	aaatTTtaga	aaataatgga	aattaaatag	cgattatggt	acaagatacg	38340
atcagcatcg	ggcagtgcaa	aatgctatag	cttcccaaga	tttgatcctt	ttgggttatc	38400
tcctaatagac	aatttagttta	ggatTTtgaa	acttatatta	atactattat	ccgacaacac	38460
ttgtttcagc	ttcttatttt	aacatttttt	gtttttttct	attcttcttc	ccatcagcat	38520
tttcttttta	aaaaattgaa	tactttaact	ttttaaaaa	ttcacaatga	tcagatgata	38580

Page 107

PF77877_sequencelisting_formatiertSA.txt

ttatggaaga	tctcaagagt	taaatgtatc	catcttgggg	cattaaaacc	ggtgtacggg	38640
atgataaata	cagactttat	atcatatgat	agctcagtaa	ttcatattta	tcacgttgct	38700
aaaaaaatta	taaggtaact	gtagtcaaca	aatcaatta	aagagaaaga	aagaaacgca	38760
tgtgaagaga	gtttacaact	ggaaaagtaa	aataaaaatt	aacgcatggt	gaatgctgac	38820
atgtcagtat	gtccatgaat	ccacgtatca	agcgccattc	atcgatcgtc	ttcctctttc	38880
taaatgaaaa	caacttcaca	catcacaaca	aacaatacac	acaagacccc	ctctctctcg	38940
ttgtctctct	gccagcgacc	aaatcgaagc	ttgagaagaa	caagaagggg	tcaaaccatg	39000
gcttctacat	ctgctgctca	agacgctgct	ccttacgagt	tcccttctct	caactgagatc	39060
aagagggtct	ttccttctga	gtgtttcgag	gcttctgttc	ctctttctct	ctactacacc	39120
gctagatctc	ttgctcttgc	tggatctctc	gctgttgctc	tctcttacgc	tagagctttg	39180
cctcttggtc	aggctaacgc	tcttcttgat	gctactctct	gcactggata	cgttcttctc	39240
cagggaatcg	ttttctgggg	attcttcacc	gttggtcacg	attgtggaca	cggagctttc	39300
tctagatctc	acgtgctcaa	cttctctggt	ggaaccctca	tgcactctat	catccttacc	39360
cctttcgagt	cttggaaagc	ctctcacaga	caccaccaca	agaacaccgg	aaacatcgat	39420
aaggacgaga	tcttctaccc	tcaaagagag	gctgattctc	accctgtttc	tagacacctt	39480
gtgatgtctc	ttggatctgc	ttggttcgct	taccttttcg	ctggattccc	tcctagaacc	39540
atgaaccact	tcaacccttg	ggaggctatg	tatgttagaa	gagtggctgc	tgtgatcatc	39600
tctctcgagg	ttcttttcgc	tttcgctgga	ctctactctt	acctcacctt	cgttcttgga	39660
ttcaccacta	tggctatcta	ctacttcgga	cctctcttca	tcttcgctac	catgcttggt	39720
gttaccactt	tcctccacca	caacgatgag	gagacacctt	ggtacgctga	ttctgagtgg	39780
acttacgtga	agggaaacct	ctcttctgtg	gacagatctt	acggtgctct	catcgacaac	39840
cttagccaca	acatcggaac	tcaccagatc	caccacctct	tcctatcat	ccctcactac	39900
aagctcaacg	atgctactgc	tgttttcgct	aaggctttcc	ctgagcttgt	taggaaaaac	39960
gctgctccta	tcatcccaac	tttcttcagg	atggctgcta	tgtacgctaa	gtacggagtt	40020
gttgacactg	atgctaagac	cttactctc	aaggaggcta	aggctgctgc	taagactaag	40080
tcatcttgat	gattaatgaa	taattgattg	tacatactat	attttttggt	taccttggtg	40140
tagtttaatg	ttcagtgtcc	tctctttatt	gtggcacgct	tctttgttgt	atgttggtgc	40200
tatacaaagt	tgaaataatg	gaaagaaaag	gaagagtgtg	atttgttttg	ttttaagtgt	40260
ttataaatat	atatatatag	gtcatttaga	tagttctagg	tttctataaa	actctctctc	40320
tggaagtaga	atctgttttt	gagaggatcc	agttgcctac	taatctcccc	caaaaccctt	40380
caagcttaac	cttctcttct	acaacaacag	aggaaacaca	tctcttgagc	tctgagttct	40440
cttctttgag	catgtctatc	gctaaactca	tctgccttat	agcttccctc	ttctcttcat	40500
ctctctctct	caccatttcg	ctgtaaaact	tattctctct	cctcagcctc	tctatctctt	40560
ccttcagcat	ctcacaattc	ccaccataat	cgactgagga	tgattcaccg	tcatcaactt	40620

PF77877_sequencelisting_formatiertSA.txt

cagactcagc	ggtgtagtcg	tcatgagtct	cacaagcctt	ggaccaagaa	gactcatcat	40680
cgcaagttga	tgatttatca	tgatgcttct	ctgagccgtg	tttgctagct	agcctcagct	40740
gacgttacgt	aacgctaggt	agcgtcacgt	gacgttagct	aacgctaggt	agcgtcagct	40800
gagcttacgt	aagcgcttaa	ttaaagtact	gatatcggtg	ccaaatcgaa	tccaaaaatt	40860
acggatatga	atataggcat	atccgtatcc	gaattatccg	tttgacagct	agcaacgatt	40920
gtacaattgc	ttctttaaaa	aaggaagaaa	gaaagaaaaga	aaagaatcaa	catcagcggt	40980
aacaaacggc	cccgttacgg	cccaaacggt	catatagagt	aacggcggtg	agcggtgaaa	41040
gactcctatc	gaaatacgta	accgcaaacg	tgatcatagtc	agatccccctc	ttccttcacc	41100
gcctcaaca	caaaaataat	cttctacagc	ctatatatac	aacccccccct	tctatctctc	41160
ctttctcaca	attcatcatc	tttctttctc	tacccccaat	tttaagaaat	cctctcttct	41220
cctcttcatt	ttcaaggtaa	atctctctct	ctctctctct	ctctgttatt	ccttggttta	41280
attaggtatg	tattattgct	agtttggtta	tctgcttata	ttatgtatgc	cttatgtgaa	41340
tatctttatc	ttgttcatct	catccgttta	gaagctataa	atttggtgat	ttgactgtgt	41400
atctacacgt	ggttatgttt	atatctaata	agatatgaat	ttcttcatat	tgttgcggtt	41460
gtgtgtacca	atccgaaatc	gttgattttt	ttcatttaata	cgtgtagcta	attgtacgta	41520
tacatatgga	tctacgtatc	aattgttcat	ctgtttgtgt	ttgtatgtat	acagatctga	41580
aaacatcact	tctctcatct	gattgtgttg	ttacatacat	agatatagat	ctgttatatc	41640
atTTTTTTT	tttaattgtgt	atatatatat	gtgcatagat	ctggattaca	tgattgtgat	41700
tatttacatg	atTTTgttat	ttacgtatgt	atatatgtag	atctggactt	tttggagttg	41760
ttgacttgat	tgtatttgtg	tgtgtatatg	tgtgttctga	tcttgatatg	ttatgtatgt	41820
gcagctgaac	catggcggcg	gcaacaacaa	caacaacaac	atcttcttcg	atctccttct	41880
ccaccaaac	atctccttcc	tcctccaaat	caccattacc	aatctccaga	ttctccctcc	41940
cattctccct	aaaccccaac	aaatcatcct	cctcctcccg	ccgccgcggt	atcaaatcca	42000
gctctccctc	ctccatctcc	gccgtgctca	acacaaccac	caatgtcaca	accactccct	42060
ctccaaccaa	acctaccaa	cccgaacat	tcatctcccg	attcgctcca	gatcaacccc	42120
gcaaaggcgc	tgatatcctc	gtcgaggctt	tagaacgtca	aggcgtagaa	accgtattcg	42180
cttaccctgg	aggtacatca	atggagattc	accaagcctt	aaccgcgtct	tcctcaatcc	42240
gtaacgtcct	tcctcgtcac	gaacaaggag	gtgtattcgc	agcagaagga	tacgctcgat	42300
cctcaggtaa	accaggatc	tgtatagcca	cttcagggtc	cggagctaca	aatctcggtg	42360
gcggatttagc	cgatgcgttg	ttagatagtg	ttcctcttgt	agcaatcaca	ggacaagtcc	42420
ctcgtcgtat	gattggtaca	gatgcgtttc	aagagactcc	gattggtgag	gtaacgcgtt	42480
cgattacgaa	gcataactat	cttgtgatgg	atgttgaaga	tatcccaagg	attattgaag	42540
aggctttctt	tttagctact	tctggtagac	ctggacctgt	tttggttgat	gttcctaaag	42600
atattcaaca	acagcttgcg	attcctaatt	gggaacaggc	tatgagatta	cctgggtata	42660
tgtctaggat	gcctaaacct	ccggaagatt	ctcatttgga	gcagattggt	aggttgattt	42720

Page 109

PF77877_sequencelisting_formatiertSA.txt

ctgagtctaa	gaagcctgtg	ttgtatgttg	gtggtggttg	tcttaattct	agcgatgaat	42780
tgggtaggtt	tggtgagctt	acgggcatcc	ctgttgcgag	tacgttgatg	gggctgggat	42840
cttatccttg	tgatgatgag	ttgtcgttac	atatgcttgg	aatgcatggg	actgtgtatg	42900
caaattacgc	tgtggagcat	agtgatttgt	tggtggcggt	tggggtaagg	tttgatgatc	42960
gtgtcacggg	taaacttgag	gcttttgcta	gtagggctaa	gattgttcat	attgatattg	43020
actcggctga	gattgggaag	aataagactc	ctcatgtgtc	tgtgtgtggt	gatgttaagc	43080
tggctttgca	agggatgaat	aaggttcttg	agaaccgagc	ggaggagctt	aaacttgatt	43140
ttggagtttg	gaggaatgag	ttgaacgtac	agaaacagaa	gtttccgttg	agctttaaga	43200
cgtttgggga	agctattcct	ccacagtatg	cgattaaggt	ccttgatgag	ttgactgatg	43260
gaaaagccat	aataagtact	ggtgtcgggc	aacatcaa	gtgggcggcg	cagttctaca	43320
attacaagaa	accaaggcag	tggctatcat	caggaggcct	tggagctatg	ggatttgac	43380
ttcctgctgc	gattggagcg	tctgttgcta	accctgatgc	gatagttgtg	gatattgacg	43440
gagatggaag	ttttataatg	aatgtgcaag	agctagccac	tattcgtgta	gagaatcttc	43500
cagtgaaggt	acttttatta	aacaaccagc	atcttggcat	ggttatgcaa	tgggaagatc	43560
ggttctacaa	agctaaccga	gctcacacat	ttctcgggga	cccggctcag	gaggacgaga	43620
tattcccga	catgttgctg	tttgacgag	cttgccggat	tccagcggcg	agggtgacaa	43680
agaaagcaga	tctccgagaa	gctattcaga	caatgctgga	tacaccagga	ccttacctgt	43740
tggatgtgat	ttgtccgcac	caagaacatg	tggtgccgat	gatcccgaat	ggtggcactt	43800
tcaacgatgt	cataacggaa	ggagatggcc	ggattaaata	ctgagagatg	aaaccggtga	43860
ttatcagaac	cttttatggt	ctttgtatgc	atatggtaaa	aaaacttagt	ttgcaatttc	43920
ctgtttgttt	tggtaatttg	agtttctttt	agttgttgat	ctgcctgctt	tttggtttac	43980
gtcagactac	tactgctgtt	gttgtttggt	ttcctttctt	tcattttata	aataaataat	44040
ccggttcggt	ttactccttg	tgactggctc	agtttggtta	ttgcgaaatg	cgaatggtaa	44100
attgagtaat	tgaaattcgt	tattaggggt	ctaagctgtt	ttaacagtca	ctgggttaat	44160
atctctcgaa	tcttgcatgg	aaaatgctct	taccattggt	ttttaattga	aatgtgctca	44220
tatgggccgt	ggtttccaaa	ttaaataaaa	ctacgatgtc	atcgagaagt	aaaatcaact	44280
gtgtccacat	tatcagtttt	gtgtatacga	tgaatatagg	taattcaaaa	tctagcttga	44340
tatgcctttt	ggttcatttt	aaccttctgt	aaacattttt	tcagattttg	aacaagtaaa	44400
tccaaaaaaa	aaaaaaaaaa	tctcaactca	acactaaatt	attttaatgt	ataaaaagatg	44460
cttaaaacat	ttggcttaaa	agaaagaagc	taaaaacata	gagaactctt	gtaaattgaa	44520
gtatgaaaat	atactgaatt	gggtattata	tgaatttttc	tgatttagga	ttcacatgat	44580
ccaaaaagga	aatccagaag	cactaatcag	acattggaag	taggattaat	cagtgatcag	44640
taactattaa	attcaattaa	ccgcggacat	ctacattttt	gaattgaaaa	aaaattggta	44700
attactcttt	ctttttctcc	atattgacca	tcatactcat	tgctgatcca	tgtagatttc	44760

PF77877_sequencelisting_formatiertSA.txt

ccggacatga agccatttac aattgaatat atcctgccgc cgctgccgct ttgcacccgg	44820
tggagcttgc atgttggttt ctacgcagaa ctgagccggt taggcagata atttccattg	44880
agaactgagc catgtgcacc ttcccccaa cacggtgagc gacggggcaa cggagtgatc	44940
cacatgggac ttttaaacad catccgtcgg atggcggttg gagagaagca gtcgatccgt	45000
gagatcagtc gaccaattct catgtttgac agcttatcat cgaatttctg ccattcatcc	45060
gcttattatc acttattcag gcgtagcaac caggcgttta agggcaccaa taactgcctt	45120
aaaaaaatta cgccccgcc tgcactcat cgcagtactg ttgtaattca ttaagcattc	45180
tgccgacatg gaagccatca caaacggcat gatgaacctg aatcgccagc ggcatcagca	45240
ccttgctgcc ttgcgataa tatttgccca tggtgaaaac gggggcgaag aagttgtcca	45300
tattggccac gtttaaataa aaactgggtga aactcaccca gggattggct gagacgaaaa	45360
acatattctc aataaacctt ttagggaaat aggccagggt ttcaccgtaa cacgccacat	45420
cttgccaata tatgtgtaga aactgccgga aatcgctcgt gtattcactc cagagcgatg	45480
aaaacgtttc agtttgctca tggaaaacgg tgtaacaagg gtgaacacta tcccatatca	45540
ccagctcacc gtctttcatt gccatacggg attccggatg agcattcatc aggcgggcaa	45600
gaatgtgaat aaaggccgga taaaacttgt gcttattttt ctttacggtc tttaaaagg	45660
ccgtaatatc caggacctgc aggggggggg gggcgctgag gtctgcctcg tgaagaagg	45720
gttgctgact cataccaggc ctgaatcgcc ccatcatcca gccagaaagt gagggagcca	45780
cggttgatga gagctttgtt gtaggtggac cagttggtga ttttgaactt ttgctttgcc	45840
acggaacggg ctgctgtgac gggaagatgc gtgatctgat ccttcaactc agcaaaagtt	45900
cgatttatc aacaaagccg ccgtcccgtc aagtcagcgt aatgctctgc cagtgttaca	45960
accaattaac caattctgat tagaaaaact catcgagcat caaatgaaac tgcaatttat	46020
tcatatcagg attatcaata ccatattttt gaaaaagccg tttctgtaat gaaggagaaa	46080
actcaccgag gcagttccat aggatggcaa gatcctggta tcgggtctgcg attccgactc	46140
gtccaacatc aataaacctt attaatctcc cctcgtcaaa aataagggtt tcaagtgaga	46200
aatcccatg agtgacgact gaatccggtg agaatggcaa aagcttatgc atttctttcc	46260
agacttggtc aacaggccag ccattacgct cgtcatcaaa atcactcgca tcaaccaaac	46320
cgttattcat tcgtgattgc gcctgagcga gacgaaatac gcgatcgctg ttaaaaggac	46380
aattacaaac aggaatcgaa tgcaaccggc gcaggaacac tgccagcgca tcaacaatat	46440
tttcacctga atcaggatat tcttctaata cctggaatgc tgttttcccg gggatcgag	46500
tggtagtaaa ccatgcatca tcaggagtac ggataaaatg cttgatggtc ggaagaggca	46560
taaattccgt cagccagttt agtctgacca tctcatctgt aacatcattg gcaacgctac	46620
ctttgccatg tttcagaaac aactctggcg catcgggctt cccatacaat cgatagattg	46680
tcgcacctga ttgcccagaa ttatcgcgag cccatttata cccatataaa tcagcatcca	46740
tggttgaatt taatcgcggc ctcgagcaag acgtttcccg ttgaatatgg ctcataacac	46800
cccttgatt actgtttatg taagcagaca gttttattgt tcatgatgat atatttttat	46860

Page 111

PF77877_sequencelisting_formatiertSA.txt

cttgtgcaat gtaacatcag agattttgag acacaacgtg gctttccccc cccccctgc	46920
aggtcctgaa cggctctggt ataggtacat tgagcaactg actgaaatgc ctcaaaatgt	46980
tctttacgat gccattggga tatatcaacg gtggtatata cagtgatatt tttctccatt	47040
ttagcttcct tagctcctga aaatctcgat aactcaaaaa atacgcccgg tagtgatcct	47100
atttcattat ggtgaaagt ggaacctctt acgtgccgat caacgtctca ttttcgcaa	47160
aagttggccc agggcttccc ggtatcaaca gggacaccag gatttattta ttctgcgaag	47220
tgatcttccg tcacaggtat ttattcgcga taagctcatg gagcggcgta accgtcgac	47280
aggaaggaca gagaaagcgc ggatctggga agtgacggac agaacgggtca ggacctggat	47340
tggggaggcg gttgccgcg ctgctgctga cgggtgtgac ttctctgttc cggtcacacc	47400
acatacgttc cgccattcct atgcgatgca catgctgtat gccggtatac cgctgaaagt	47460
tctgcaaagc ctgatgggac ataagtccat cagttcaacg gaagtctaca cgaaggtttt	47520
tgcgctggat gtggctgccc ggcaccgggt gcagtttgcg atgccggagt ctgatgcggt	47580
tgcatgctg aaacaattat cctgagaata aatgccttgg cctttatatg gaaatgtgga	47640
actgagtgga tatgctgttt ttgtctgtta aacagagaag ctggctgtta tccactgaga	47700
agcgaacgaa acagtcggga aaatctccca ttatcgtaga gatccgcatt attaatctca	47760
ggagcctgtg tagcgtttat aggaagtagt gttctgtcat gatgcctgca agcggtaacg	47820
aaaacgattt gaatatgcct tcaggaacaa tagaaatctt cgtgcggtgt tacgttgaag	47880
tggagcggat tatgtcagca atggacagaa caacctaatg aacacagaac catgatgtgg	47940
tctgtccttt tacagccagt agtgctcgcc gcagtcgagc gacagggcga agccctcgag	48000
tgagcgagga agcaccaggg aacagcactt atatatctg cttacacacg atgcctgaaa	48060
aaacttcctt tggggttatc cacttatcca cggggatatt ttataatta tttttttat	48120
agtttttaga tcttcttttt tagagcgctt tgtaggcctt tatccatgct ggttctagag	48180
aagggtgtgt gacaaattgc ctttccagtg tgacaaatca ccctcaaagt acagtcctgt	48240
ctgtgacaaa ttgcccttaa ccctgtgaca aattgccctc agaagaagct gttttttcac	48300
aaagttatcc ctgcttattg actctttttt atttagtgtg acaatctaaa aactgtcac	48360
acttcacatg gatctgtcat ggcggaaaca gcggttatca atcacaagaa acgtaaaaat	48420
agcccgcgaa tcgtccagtc aaacgacctc actgaggcgg catatagtct ctcccgggat	48480
caaaaacgta tgctgtatct gttcgttgac cagatcagaa aatctgatgg caccctacag	48540
gaacatgacg gtatctgcga gatccatgtt gctaaatatg ctgaaatatt cggattgacc	48600
tctgcggaag ccagtaagga tatacggcag gcattgaaga gtttcgcggg gaaggaaagt	48660
gttttttatc gccctgaaga ggatgccggc gatgaaaaag gctatgaatc ttttccttgg	48720
tttatcaaac gtgcgcacag tccatccaga gggctttaca gtgtacatat caaccctat	48780
ctcattccct tctttatcgg gttacagaac cggtttacgc agtttcggct tagtgaaaca	48840
aaagaaatca ccaatccgta tgccatgcgt ttatacgaat ccctgtgtca gtatcgtaag	48900

PF77877_sequence_listing_formatiertSA.txt

ccggatggct	caggcatcgt	ctctctgaaa	atcgactgga	tcatagagcg	ttaccagctg	48960
cctcaaagtt	accagcgtat	gcctgacttc	cgccgccgct	tcttgacagg	ctgtgttaat	49020
gagatcaaca	gcagaactcc	aatgcgcctc	tcatacattg	agaaaaagaa	aggccgccag	49080
acgactcata	tcgtattttc	cttccgcgat	atcacttcca	tgacgacagg	atagtctgag	49140
ggttatctgt	cacagatttg	aggggtggtc	gtcacatttg	ttctgacctg	ctgagggtaa	49200
tttgtcacag	ttttgctgtt	tccttcagcc	tgcattggatt	ttctcatact	ttttgaactg	49260
taatttttaa	ggaagccaaa	tttgagggca	gtttgtcaca	gttgatttcc	ttctctttcc	49320
cttcgtcatg	tgacctgata	tcgggggtta	gttcgtcatc	attgatgagg	gttgattatc	49380
acagtttatt	actctgaatt	ggctatccgc	gtgtgtacct	ctacctggag	tttttccac	49440
gggtgatatt	tcttcttgcg	ctgagcgtaa	gagctatctg	acagaacagt	tcttctttgc	49500
ttcctcgcca	gttcgctcgc	tatgctcggg	tacacggctg	cgccgagcgc	tagtgataat	49560
aagtgactga	ggtatgtgct	cttcttatct	cctttttag	gtttgtctct	attttaaaaca	49620
actttgcggg	tttttgatga	ctttgcgatt	ttgttggtgc	tttgcagtaa	attgcaagat	49680
ttaataaaaa	aacgcaaagc	aatgattaaa	ggatgttcag	aatgaaactc	atggaaacac	49740
ttaaccagtg	cataaacgct	ggctcatgaa	tgacgaaggc	tatcgccatt	gcacagttta	49800
atgatgacag	cccggaagcg	aggaaaataa	cccggcgctg	gagaataggt	gaagcagcgg	49860
atthagttgg	ggtttcttct	caggctatca	gagatgccga	gaaagcaggg	cgactaccgc	49920
acccggatat	ggaaattcga	ggacgggttg	agcaacgtgt	tggttataca	attgaacaaa	49980
ttaatcatat	gcgtgatgtg	tttggtacgc	gattgcgacg	tgctgaagac	gtatttccac	50040
cggatgatcg	ggttgctgcc	cataaagggt	gcgtttacaa	aacctcagtt	tctgttcac	50100
ttgctcagga	tctggctctg	aaggggctac	gtgttttgct	cgtggaagg	aacgaccccc	50160
agggaaacag	ctcaatgtat	cacggatggg	taccagatct	tcatattcat	gcagaagaca	50220
ctctcctgcc	tttctatctt	ggggaaaagg	acgatgtcac	ttatgcaata	aagcccactt	50280
gctggccggg	gcttgacatt	attccttctt	gtctggctct	gcaccgtatt	gaaactgagt	50340
taatgggcaa	atttgatgaa	ggtaaaactgc	ccaccgatcc	acacctgatg	ctccgactgg	50400
ccattgaaac	tgttgctcat	gactatgatg	tcatagttat	tgacagcgcg	cctaacctgg	50460
gtatcggcac	gattaatgtc	gtatgtgctg	ctgatgtgct	gattgttccc	acgcctgctg	50520
agttgtttga	ctacacctcc	gcactgcagt	ttttcgatat	gcttcgtgat	ctgctcaaga	50580
acgttgatct	taaagggttc	gagcctgatg	tacgtatttt	gcttaccaaa	tacagcaata	50640
gtaatggctc	tcagtccccg	tggtatggag	agcaaattcg	ggatgcctgg	ggaagcatgg	50700
ttctaaaaaa	tggtgtacgt	gaaacggatg	aagttggtaa	aggtcagatc	cggatgagaa	50760
ctgtttttga	acaggccatt	gatcaacgct	cttcaactgg	tgcttgagaa	aatgctcttt	50820
ctatttgagg	acctgtctgc	aatgaaattt	tcgatcgtct	gattaaacca	cgctgggaga	50880
ttagataatg	aagcgtgcgc	ctgttatttc	aaaacatacg	ctcaatactc	aaccgggttg	50940
agatacttcg	ttatcgacac	cagctgcccc	gatgggtggat	tcgttaattg	cgcgcgtagg	51000

Page 113

51060 agtaattggct cgggtaattg ccatcattt gccgttatgt ggtcgggagt tgaagttaac
51120 tcttgaaagt ctcgggggtg atagtgtga gaagacctt cgggtatgt caggtaatga
51180 acgtgaaccag gagctgtcta ctgaagacgc actggaatgat ctcatccctt cttttctact
51240 gactgtgtcaa cagacaccgg cgttcggtcg aagagtatct ggtgtcatag aaattgcgga
51300 tggaggtcgc cgtcgttaag cgtcgtgcat taccgaaagt gatatacgtg ttcgtgttgg
51360 cgaactgtgat gatgagcaga tggctgcatl atccagatlg ggtaaacgatt atcgcccaac
51420 aagtgtctat gaacgtgtgc agcgttatgc aagccgatlg caggaatgaat ttgttgnaaa
51480 tatttcgtcg ctgctgtatg cggaaatat ttcaagtaag atatatcccc gctgtatacaa
51540 caccgccaata ttgccaataat cagttgtgc tcttttttct caccocgggtg aactatctgc
51600 ccgttcaggt gatgcacctt aaaaagcctt tacagataaa gaggaattac ttaagcagca
51660 ggcattcaac cttcatgagc agaaaaaagc tggggtgata ttggaagctg aagaagtta
51720 cactcttta acttcgtgc ttaaaacgtc atctgcatca agaactagtt taagctcacg
51780 acatcagttt gctccctgag cgacagtat gtataagggc gataaaatgg tgccttaacct
51840 ggacaggtct cgtgttccaa ctgagtgtat agagaaaaat gaggcctattc ttaaggaact
51900 tgaaaaagcca gcaacctgat ggcacccagtt tttagtctac gttatactgt ctttaactaa
51960 tgtctttgt tacaggccag aagcataac tggccctgaat atctctctg ggccacctgt
52020 tccacttgtl tctcgtcgtct gataatcaga ctgggaccac gttcccactc gtatcgtcgg
52080 tctgatatatt agtctgggac caggttccca ctgatatcgt cgtcttgatt attagcttgg
52140 gaccacggct ccaactgtat cgtcgtctg ataatacagac tgggaccacg gttcccactg
52200 tactcgtcgtt ctgatatla gtcctgggac atgttcccaac tctgtatcgt ggtcgtatta
52260 ttagtcttggg accaaggtcc cactcgtatc gtcgttctga ttatatagttt ggaaaccacgg
52320 tcccaactcgt atcgtcgttc tgatatattag tcttgggacca cgttcccact cgtatcgtcg
52380 gtcgtatat tagtcttggga ccaagatccc actcgttgtg tctggtctgat tatcgtgtctg
52440 ggaaccaaggt cccaactgtl ttgtcgtaca gactatcagc gtgaagactac gatcccatca
52500 atgcccgttca agggcaagta ttgacatgtc gtcgtaaacct gtgaagacgga gtaaacctcgg
52560 tgtgcgttgtg tatgcctcgt gttgatatgt gctgtgttctt gcttatccaa aacatttttg
52620 gcaaggttat gtggaacaaa taccctgtta cccagggcgt gccggcaggt ttcctacaag
52680 gtagaatccg cctgagtcgc aaggtgtact tgccttatat tggacggcgg cgcgcagagg
52740 ggcacctctt ttgtgttac gattgttagga ttatcactaa aacaatatcat gaacatattc
52800 aaatggtcaat cttcttaagg catlggaaat aaatacaaat aacagtggg ttgagttttt
52860 cgaacttgagg gcgttaactc ttcaagaca acaagaccgt ggaactcgaq cggctctccg
52920 acaagcatgt cgcgccctg gtcaagcaga ccgcaactgc cgcggcgct tctgataccgt
52980 tctgtattgt ccggcgaaac tgtgagtatc cgtatcgtta tctccgcagt aacaggtcat
53040 gcgaacagaa atcatctcac ggtgcgtttg cctaactgca gatttgaccc tcaaggtgatt

PF7877-sequencing_format1.rtsa.txt
53100 ctaccgagctc ggtgttccaa ggcgcggaat ggcagcggtt gaggccgacc agacgcggac
53160 aaggttgttc agatctgcac ttggtgcccac gtcgcacaga agaaggggaat cggcttaact
53220 cacagatagc atttgaagaa tcgggatata gtttgtattc gattgaacg cgcgttaaccg
53280 ttcatataacc aaaaacgtct tgaacacctc ccgcattag gtaatcgtca cggtaataatg
53340 gcaatatagcg ccaattaacg gttgacaagag ataaccacgt gaggcaagcc gctgcatatat
53400 ccggaataatg tcgcccgtcg gtagatgtta ccattgttga gcatgtctgag cagctcagct
53460 ctacgctca agcgatgagc gaggcttgtt tctctccgac gtcgcacaaag agcttcgcga
53520 aattcacacctc ggttgaagcc gcaagcttga tgaataatac tgaactcaact cttcgaaaga
53580 tgaacacctc tggcgaaagg ccgcacaacctg aactcgcgag caacggacgg cgcctttaca
53640 cctctggtca gataaacgaa atccggcaga tgcctggccg ctcgaactcga ggaagtgtaaa
53700 gcatgtgatt ttgtccctcat cgcggaggtt ctgagcattt gcaagtcgtt gctgttaacca
53760 acttcaaaag ttgctctctgg aagacgacga cgtccgccta tcttgcacag tatcttgcgt
53820 tgaaggttta cagggttctc gcatctgata tcgataccga ggttagtctt tcagcacctc
53880 tcgctgttct gccagaaact gatgtcggtg caaacgaaac gctctatgag gctattcgg
53940 acgacgacac acgtctgtccg ttgctgagat tgaatccgac gacgtatttt gatgttcttc
54000 acctgttctc tgaataactc gaggcttatg agttcgaaga taccaccccg aaagcatitga
54060 ctgaacaagg tacgcgcgac gattgttct tcaactcgcgt ggcctcaagcc ttgtatgag
54120 tcgcccgaat ttacgatgtc gttgtctatc actgcccctc tcagcttggg tttttgacctc
54180 tcagcgggtt gttgtctgca acatcaatg taatcacctg acatccctcag atgtctgata
54240 tcgcttccat gaggccagttt cctctcatga cagcgacctt tctgtgtgtc gttgaagag
54280 cgggggggcaa tctccagtac gattctatc gctatctctt gacgcgctat gagccccagg
54360 acgctccgca gacgaaagtg acgctcatc tgcgcacaat gttcggagat cacgtctta
54420 caaatccctat ggtcaagtcg gacgcggtat ctgatgcggg tttaaccacg cagaagctct
54480 atgagatagc gctgagaaac cttaacgtat cgacatacga ccggcgcgatg gaattcttag
54540 atgctggtaa ttctggagatc gaggcttga tcaagatggc gttggggggcgt gttcaatgaa
54600 aggccttgcg tctctcaag atctgttgtg agctcccaac agacaggtgt tgaattcggccc
54660 cctggaacatg gggcactggg gaagccgggg taatttgaag cgaacgacga cgcctcatcg
54720 taattggcca ggttgtagtt gttctgttctt gttggagctt cccaaccaa cgcatttgc
54780 atcaaaaatg cgaacgccacg acccaaac ccgaagggccg atatacatgag ccgcaaaaagc
54840 gcaatcgtata cttgttctct caagaaagaa cctgcgacgg atagagcagc agtcgcaag
54900 tcgaacgcctc gtttctgtac cggagcgatc ttgcgccatgg gttcgttcttt gcaagagatg
54960 gctgaaggcg caaaggctgc agctcggctg cagatcaaac ttgcttaagg cgaagccgctc
55020 gttgtcccttg atctcatcgt gatcgaaggg gctgcgatcg cggatcggct gccctcagac
55080 gttgatccga aatcgaagca gcttgaaggc agcatttcgc agagggggca gcaagtgccg
55140 gttcttgtca gaccgcaccc tgaagctgcc gttcgtatat agatcgtata tggaaagcgg

55200 cggctgcgcg cggcagtaaa tctgcggaga gaggtttctg ccatgttctg aatcttcacg
55260 gactgtgaac tgtctgtgac ccaggccgcg gaaatctta accgcgctga cctctcgttc
55320 attgagaaag ctccttcgcg cctgcgcctc gaagatgcgg gttttgtag agccaccatc
55380 atgcccgcg taccactga caagccgcg ctcagccgt acataactgt agcaaggggc
55440 ataccgctga accctgcac acaatcgcg ccagcgtcga aagcgggtcg atcggttg
55500 gtcgtacttg cggagggtct tgggaagcct aagcgaacgg acgcaatcga agcgatgctt
55560 ggttcagagc agttcaagca atctgatagc gataccgcgt ttaccctcat ttcaacgcc
55620 gtttcaaggc cacttcgaa gactccaaa aaggtaaagg cctggagcac gccaaaaggg
55680 aaaaaggcag cgaagatccg acaagaaact ggaagaaagg cgtgtgttt cgaagagaga
55740 ctgtgtccaa cttttgcga atatgtcgt gaccagtgg acagtctgta cgtccagttc
55800 atgaaacca acggaggagg caagctcga caatagttag gttttcatcc aattaaagc
55860 tccgtcgcg tgaagtgcac tggctctcac cgaaaaagaa aagggccccc gaacggcgt
55920 tccggaagac cttctctgta gttctcgcag taagagaaac gcatttccag gaatcgtagt
55980 caagggtccc gtaagggaag aagctcattc gacgggcgga ttccaattgc ctaaaaaag
56040 gtaaaaggaa atgcagagc atatactcaac gacgttcttt gggcggcgcc cgaagacact
56100 cggccatat gcaagccaga tggcagcaaa agcgttcgca tcagacactg tcgcccaaa
56160 atgcaggtc ttccagcaca tccgtgaatc ccgggagact atcgaagcca cggaccgctc
56220 acctctgat ctcgaacgcg tgttgacgtt ttaccgcggag accgccttga ctgtgtgtgc
56280 cgaactgttc gtatggccct ctaacgaaca gctgatgtct cgcgcgcaacg gcatgcccgc
56340 cagacaactg cgcgcgcatc ttgcatact ggttgatgc gggctcatca ttgcgcgga
56400 cagcccccaat ggcgaagcgt tcgcccgcaa gggaaaggga gggagagattg agcagcccta
56460 tgggttgtat ctgtcgcgccg atcgtcgcgg gggcggagag ttccggagatc tggcccgagac
56520 agtgcgaagt gaaaaaaaagg ccttccgggt gggccaaggag cgtttgacac ttcttctcgtg
56580 tgaacatgtc aaaaatgatc gaaactgagc tgcggagagc gttccctgaa acttgggaaag
56640 agttaccagg acctatcagg ggaatcagg ccgccttgcca cgtcgcgcaac ctgcgcagct
56700 tgtcgaagt attgggcaag agcttcaggaa actcttcgac ggaatcttgga acgtattgga
56760 atcttttccca aaaaacgaatg atcttgagcg caatgagttc catatcgtgc gccacaacaa
56820 gaattcaaat ccagaccta aatttgaaac tgaatacagc tcttgaaaaa aagatgaagc
56880 gggcggcagc gttgcggaaa cggacaattg acggagccttg ccgaacgcg agctgtccctt
56940 gggaaatctg cttggaatcc gcccgaatg gcccaggag gttccaatctg gttccaatctg
57000 gcatgtgcg gacttgcgtg cgttgcgtga cgttgcgccg ccgatagtcg ggaattagtc
57060 gaggcgccttg cgggagggccc gcgaacccat gggcgatcaa cagcggcgga tcacgcgtgc
57120 ttcatctat cagcgggccc gtcagatcaa taacgcgtgg ggcatactgc gcagcctgaac
57180 ccgaccgggc aaggaatggga agttttcgac agttttcgac cttgcggcg tgcctccgggc

PF7877-sequential_formatiersta.txt
 57240 aagcttgac gaggagaaga atgagttgg cgtggaag ccgcaactg ctgagaggt
 57300 cgaagatgac agccgctcc agtatcga atcgctgctc aaaaaccctg gaagccgag
 57360 atcttgtag tccctcgtc attcagccgc ggcgagtctg acgtcgttga tcaaccctga
 57420 acgtcggggc cgtcgtatca gttcttgac ggaaggggc gcccatttg atccaccgcg
 57480 cggcgttgcc tcgtcagtc tttaagctg gccgcgac tcgcgagct tcaggtctg
 57540 gttcgaagaa tggatgccg ccaagcgt catcagcgaa tcttcgggaa gacggggagg
 57600 agattttc aggagcgtc catccacag gcttccgtc accatccact tcacggctc
 57660 gcaagagcgt tctgctgccc agtcgagcc cgcctgcttg agcatcggg cgaatctcgtc
 57720 ccatgttga tccgtcga tgcgagaa ggtaggaag catgttctg cggagccctg
 57780 aatccctacg ccatatgcc ctttctggc cgcgttcac cttgcacgg cctccggggc
 57840 ctttccgg atgcccgggt tgcgggaag cttccctag cacaaacgtt gactcttga
 57900 tcgagctgcb agacaagaata ataacccaca cagaggaaga ttaatgctg acgaagat
 57960 ccagaaatcc cggacggtc ctgctgctg cgaagttag ccgctgctc cttagagtag
 58020 aagagcaaaa aagaccag ccgaacaag cgcacagga tctgttcaaat ccgtgaagcc
 58080 gaaaaacccg gccctcaga accgaagaaa actgaggaag atcgttcaaaa tcgaagctca
 58140 ggtcgtctgc cggcgaacct tgaagagcc cgttaagatc gttggtattt ccgttcagac
 58200 ctattatcaa tgaagagag ctgctgttca acctgttctca cagaatccgg ccgttctgt
 58260 ttcagttagc gatgaactc ggcagtctc ccaactcga gaggaaatac ggctgctcag
 58320 aagcttccac gctgcgcaaa gcatcaggg cgaagggct gctaagga gcggaacag
 58380 tagaagaaga gttccgcaaaa aggttgcga acccgtaga atgtcagcta ctggtctatc
 58440 tggacaaggg aaaaacgaag cgaaggaaga aagcagtag cttgcaagtgg gcttaacatg
 58500 cgaatagctag acttggtgggt ttatggaca gcaagcgaa cggaaattgc agcttggtggc
 58560 cctcttccct aggttggaag agcttgcga gtaaacctga tggcttctt gccgcgaag
 58620 caatctccc aagacacacc gccgtcgcgg accgtcgcgg cgaagctgctc cccaagccgc
 58680 ccaatctccc aagacacacc gccgtcgcgg accgtcgcgg cgaagctgctc cccaagccgc
 58740 tgtctgtagg gcttccacag cagagggctg gaccccttg cgtcatcaag catcccat
 58800 cggcctgctg cgaagcatga cggcgccgg tagacgcggc caacgcggctg gccgtcggcc
 58860 acgggggcat gctccagggcc ggtatcggcg gcaatgttct tgcgcggctg cgcaggtc
 58920 cgaagccccc gctgccccag agattcccgt gaggatcaca gctgtcccg gccgtccggc
 58980 cagtccccct tcgtccagga agtcgcggc cgtcgtgata gcttaacttg cctacatgtc
 59040 aaagcccgag tcgcccccaag cgcgacccac gttcgtatcaaa tgcgttga ggcaggtg
 59100 accgatcagc cgggctgccc gctcgtatgg caggttgcgat ttcaagctcca ccgtcagcc
 59160 accaagacgc tgggcgtcat agcggcgccc cgtcctgggc agatcgtccg gacccctcca
 59220 tagtccccctg gccacgaca ccaagatgcc gccctgtg cagggttcca ggcggcggggt
 59280 gttgccccga acgaattcca gcgatcaca gcgatcaca cctgacaccag ctgacgaccc

PF77877_sequencelisting_formatiertSA.txt

agggtgagatc ggtgaccgcg ctagtcaagc aaccggcgtg ccatggcggtt tacggccaga	59340
tcaatcgcag cgccctcgcc ctccgctcg cgcgcgccga tgaaccaggc tgccgacaag	59400
cccgtccatg caatgatcca gcgaagaagc cgttcgggct caaaccgggt cgtcgcgacc	59460
acaatgctga gtcgagcctc cagcctgccc ggcaggatcg caagcgggcg accggggctcg	59520
ctgagatcgg gattcgtgaa gatgttggca tagtcgaagg tgcgctcgcc gagcagtccg	59580
tgcgggtcga tggccagcca gccgcggtcg ccgaagtcga gcacgttctc gtggtgcagg	59640
tcgcccgtga gcgggcacac ctccgcgcgc gccgccagaa gttggcgcg ctagctggcg	59700
gcgggcgcaa gtgccgcgtg ctccagcgcc aaccggaaaa gcggctggaa ccattcctgt	59760
agcggatgga gatcggggcg cgggtccggac cgcggcgcg gtagacgagc ggcggtgtcg	59820
cagaggatcg tggcatcacc gaaccgcgcc gtgcgcgggt cgtcgggtgag ccagagtttc	59880
agcaggccgc ccaggcgcc caggctcgca ttgatgcggg ccagctcgcg gacgtgtca	59940
tagtccacga cgccgtgat tttgtagccc tggccgacgg ccagcaggta ggccgacagg	60000
ctcatgccgg ccgcccgcgc ctttctctca atcgctcttc gttcgtctgg aaggcagtag	60060
accttgatag gtgggctgcc ctctctggtt ggcttggttt catcagccat ccgcttgccc	60120
tcatctgtta cgccggcggt agccggccag cctcgagag caggattccc gttgagcacc	60180
gccaggtgcg aataagggac agtgaagaag gaacaccgc tcgcgggtgg gcctacttca	60240
cctatcctgc ccggctgacg ccgttgata caccaaggaa agtctacacg aaccctttgg	60300
caaaatcctg tatatcgtgc gaaaaaggat ggatataccg aaaaaatcgc tataatgacc	60360
ccgaagcagg gttatgcagc ggaaaagcgc tgcttccctg ctgttttgtg gaatatctac	60420
cgactggaaa caggcaaatg caggaaatta ctgaactgag gggacaggcg agagacgatg	60480
ccaaagagct acaccgacga gctggccgag tgggttgaat ccgcgcggc caagaagcgc	60540
cggcgtgatg aggctgcggt tgcgttcctg gcggtgaggg cggatgtcga ggcggcgta	60600
gcgtccggct atgcgctcgt caccatttgg gagcacatgc gggaaacggg gaaggtaag	60660
ttctctacg agacgttccg ctgcacgcc aggcggcaca tcaaggccaa gcccgccgat	60720
gtgcccgcac cgcaggccaa ggctgcggaa ccgcgcggc caccgaagac gccggagcca	60780
cggcgccga agcaggggg caaggctgaa aagccggccc ccgctgcggc ccgacgggc	60840
ttcaccttca acccaacacc ggacaaaaag gatcaaccgg gctgcatccg atgcaagtgt	60900
gtcgtgtcg actcgttgta caacgaaatc cattcccatt ccgcgctcaa gatggcttcc	60960
cctcggcagt tcatcagggc taaatcaatc tagccgactt gtccgggtgaa atgggctgca	61020
ctccaacaga aacaatcaaa caaacatata cagcgactta ttcacacgag ctcaaattac	61080
aacggtatat at	61092

<210> 5
 <211> 26802
 <212> DNA
 <213> Artificial

PF77877_sequence_listing_formatiertSA.txt

<220>

<223> plasmid

<400> 5

ttgacataca aatggacgaa cggataaacc ttttcacgcc cttttaaata tccgattatt	60
ctaataaacg ctcttttctc ttaggtttac ccgccaatat atcctgtcaa aactgatag	120
tttaaactga aggcgggaaa cgacaatctg atcactgatt agtaactaag gcctttaatt	180
aatctagagg cgcgccgggc cccctgcagg gagctcggcc ggccaattta aattgatatc	240
ggtacatcga ttacgccaaag ctatcaactt tgtatagaaa agttgccatg attacgccaa	300
gcttgccac taaggccaat ttcgcgccct gcagcaaatt tacacattgc cactaaacgt	360
ctaaaccctt gtaatttgtt tttgttttac tatgtgtgtt atgtatttga tttgcgataa	420
atttttatat ttggtactaa atttataaca ctttttatgc taacgtttgc caacacttag	480
caatttgcaa gttgattaat tgattctaaa ttatttttgt cttctaaata catatactaa	540
tcaactggaa atgtaaatat ttgctaatat ttctactata ggagaattaa agtgagtgaa	600
tatggtacca caaggtttg agatttaatt gttgcaatgc tgcattgatg gcatatacac	660
caaacattca ataattcttg aggataataa tggtagccaa caagatttga ggtgcatgaa	720
cgtcacgtgg acaaaaggtt tagtaatttt tcaagacaac aatgttacca cacacaagtt	780
ttgaggtgca tgcattgatg ccctgtggaa agtttaaaaa tattttggaa atgatttgca	840
tggaagccat gtgtaaaacc atgacatcca ctggaggat gcaataatga agaaaactac	900
aaatttacat gcaactagtt atgcatgtag tctatataat gaggattttg caatactttc	960
attcatacac actcactaag ttttacacga ttataatttc ttcattagcca gtactgttta	1020
agcttactg tctctgaatc ggcaaaggta aacgtatcaa ttattctaca aaccctttta	1080
tttttctttt gaattaccgt cttcattggt tatatgataa cttgataagt aaagcttcaa	1140
taattgaatt tgatctgtgt ttttttggcc ttaatactaa atccttacat aagctttgtt	1200
gcttctctc ttgtgagttg agtggttaagt tgtaataatg gttcactttc agcttttagaa	1260
gaaaccatgg aagttgttga gaggttctac ggagagttgg atggaaaggt ttccaagga	1320
gtgaacgctt tggtgggac tttcggagtt gagttgactg atacccaac tactaaggga	1380
ttgccactcg ttgattctcc aactccaatt gtgttgggag tgtctgttta cttgaccatc	1440
gtgatcggag gattgctttg gatcaaggct agagatctca agccaagagc ttctgagcca	1500
ttcttgttgc aagctttggt gttggtgcac aacttgttct gcttcgcttt gtctctttac	1560
atgtgcgtgg gtatcgctta ccaagctatc acctggagat attccttgtg gggaaacgct	1620
tataacccaa agcacaagga gatggctatc ctcgtttacc tcttctacat gtccaagtac	1680
gtggagttca tggataccgt gatcatgatc ctcaagagat ccaccagaca gatttctttc	1740
ctccacgtgt accaccactc ttctatctcc cttatctggt gggctattgc tcaccacgct	1800
ccaggaggag aggcctattg gagtgctgct ctcaactctg gagtgcacgt gttgatgtac	1860
gcttactact tcttggctgc ttgcttgaga tcttcccaa agctcaagaa caagtacctc	1920
ttctggggaa gatacctcac ccaattccag atgttccagt tcatgctcaa cttggtgcaa	1980

Page 119

PF77877_sequencelisting_formatiertSA.txt

gcttactacg	atatgaaaac	caacgctcca	tatccacaat	ggctcatcaa	gacccctctt	2040
tactacatga	tctccctctt	gttcctcttc	ggaaacttct	acgtgcaaaa	gtacatcaag	2100
ccatccgatg	gaaagcaaaa	gggagctaag	accgagtgat	cgacaagctc	gagtttctcc	2160
ataataatgt	gtgagtagtt	cccagataag	ggaattaggg	ttcctatagg	gtttcgctca	2220
tgtgttgagc	atataagaaa	cccttagtat	gtatttgtat	ttgtaaaata	cttctatcaa	2280
taaaatttct	aattcctaaa	acccaaatcc	agtactaaaa	tccagatccc	ccgaattaat	2340
tcggcggtta	ttcagggccg	gccaaagtag	gcgcctacta	ccggtaattc	ccgggattag	2400
cggccgctag	tctgtgcgca	cttgtatcct	gcaggtagg	ccggccatta	gcagatattt	2460
ggtgtctaaa	tgtttatttt	gtgatatgtt	catgtttgaa	atgggtgggtt	cgaaaccagg	2520
gacaacgttg	ggatctgata	gggtgtcaaa	gagtattatg	gattgggaca	atttcggtca	2580
tgagttgcaa	attcaagtat	atcgttcgat	tatgaaaatt	ttcgaagaat	atcccatttg	2640
agagagtctt	tacctcatta	atgttttttag	attatgaaat	tttatcatag	ttcatcgtag	2700
tctttttggt	gtaaaggctg	taaaaagaaa	ttgttcactt	ttgttttcgt	ttatgtgaag	2760
gctgtaaaag	attgtaaaag	actatttttg	tgttttggat	aaaatgatag	tttttataga	2820
ttcttttgct	tttagaagaa	atacatttga	aattttttcc	atgttgagta	taaaataccg	2880
aaatcgattg	aagatcatag	aaatatttta	actgaaaaca	aattttataac	tgattcaatt	2940
ctctccattt	ttatacctat	ttaaccgtaa	tcgattctaa	tagatgatcg	attttttata	3000
taatccta	taaccaacgg	catgtattgg	ataattaacc	gatcaactct	caccctaat	3060
agaatcagta	ttttccttcg	acgttaattg	atcctacact	atgtaggtca	tatccatcgt	3120
tttaattttt	ggccaccatt	caattctgtc	ttgccttttag	ggatgtgaat	atgaacggcc	3180
aaggtaagag	aataaaaaata	atccaaatta	aagcaagaga	ggccaagtaa	gataatccaa	3240
atgtacactt	gtcattgcc	aaattagtaa	aatactcggc	atattgtatt	cccacacatt	3300
attaaaatac	cgtatatgta	ttggctgcat	ttgcatgaat	aatactacgt	gtaagcccaa	3360
aagaaccac	gtgtagccca	tgcaaagtta	acactcacga	ccccattcct	cagtctccac	3420
tatataaacc	caccatcccc	aatctcacca	aaccaccac	acaactcaca	actcactctc	3480
acaccttaa	gaaccaatca	ccaccaaaaa	atttcacgat	ttggaatttg	attcctgcga	3540
tcacaggtat	gacaggttag	attttgtttt	gtatagttgt	atacatactt	ctttgtgatg	3600
ttttgtttac	ttaatcgaat	ttttggagtg	ttttaaggtc	tctcgtttag	aaatcgtgga	3660
aaatatcact	gtgtgtgtgt	tcttatgatt	cacagtgttt	atgggtttca	tgttctttgt	3720
tttatcattg	aatgggaaga	aatttcggtg	ggatacaaat	ttctcatggt	cttactgac	3780
gttattagga	gtttggggaa	aaaggaagag	tttttttggt	tggttcgagt	gattatgagg	3840
ttatttctgt	atttgattta	tgagttaaat	gtcgttttaa	tggtgtagac	catgggaaaa	3900
ggatctgagg	gaagatctgc	tgctagagag	atgactgctg	aggctaacgg	agataagaga	3960
aagaccatcc	tcattgaggg	agtgttgtac	gatgctacca	acttcaaaca	cccaggaggt	4020

PF77877_sequence_listing_formatiertSA.txt

tccattatta	acttcctcac	cgaggagaa	gctggagttg	atgctaccca	agcttacaga	4080
gagttccatc	agagatccgg	aaaggctgat	aagtacctca	agtcctccc	aaagtggat	4140
gcttctaagg	tggagtctag	gttctctgct	aaggagcagg	ctagaagggg	cgctatgacc	4200
agggattacg	ctgctttcag	agaggagttg	gttgctgagg	gatacttcga	tccatctatc	4260
ccacacatga	tctacagagt	ggtggagatt	gtggctttgt	tcgctttgtc	tttctggttg	4320
atgtctaagg	cttctccaac	ctctttggtt	ttgggagtg	tgatgaacgg	aatcgctcaa	4380
ggaagatgcg	gatgggttat	gcacgagatg	ggacacggat	ctttcactgg	agttatctgg	4440
ctcgatgata	ggatgtgcga	gttctttctac	ggagttggat	gtggaatgtc	tggaacttac	4500
tggaagaacc	agcactctaa	gcaccacgct	gctccaaaca	gattggagca	cgatgtggat	4560
ttgaacacct	tgccactcgt	tgctttcaac	gagagagttg	tgaggaaggt	taagccagga	4620
tctttgttgg	ctttgtggct	cagagttcag	gcttatttgt	tcgctccagt	gtcttgcttg	4680
ttgatcggtg	tggttggtg	cttggttctg	cacccaagat	atatgctcag	gaccaagaga	4740
cacatggagt	ttgtgtggat	cttcgctaga	tatatcggtg	ggttctcctt	gatgggagct	4800
ttgggatatt	ctcctggaac	ttctgtggga	atgtacctct	gctctttcgg	acttggtatg	4860
atctacatct	tcttccaatt	cgctgtgtct	cacaccact	tgccagttac	caaccagag	4920
gatcaattgc	actggcttga	gtacgctgct	gatcacaccg	tgaacatctc	taccaagtct	4980
tggttgggta	cctggtggat	gtctaacctc	aacttccaaa	tcgagcacca	cttgttccca	5040
accgctccac	aattcaggtt	caaggagatc	tctccaagag	ttgaggctct	cttcaagaga	5100
cacaacctcc	cttactacga	tttgccatac	acctctgctg	tttctactac	cttcgctaac	5160
ctctactctg	ttggacactc	tggttgagct	gataccaaga	agcaggattg	actgctttaa	5220
tgagatatgc	gagacgccta	tgatcgcatg	atatttgctt	tcaattctgt	tgtgcacggt	5280
gtaaaaaacc	tgagcatgtg	tagctcagat	ccttacgcc	ggtttcggtt	cattctaattg	5340
aatatatcac	ccgttactat	cgtattttta	tgaataatat	tctccgttca	atttactgat	5400
tgtgtcgacg	cgatcgctg	caaacactgt	acggaccgtg	gcctaataag	ccggtaccca	5460
agtttgtaca	aaaaagcagg	ctccatgatt	acgccaaagt	tgccactaa	ggccaattta	5520
aatctactag	gccggccatc	gacggcccg	actgtatcca	acttctgac	tttgaatctc	5580
tctgttccaa	catgttctga	aggagtctta	agacttttca	gaaagcttgt	aacatgcttt	5640
gtagactttc	tttgaattac	tcttgcaaac	tctgattgaa	cctacgtgaa	aactgctcca	5700
gaagtcttaa	ccaaattccg	tcttggaag	gccccaaatt	tattgagtac	ttcagtttca	5760
tggaagtgtc	ttcaaagatt	tataacttga	aatcccatca	tttttaagag	aagttctggt	5820
ccgcaatgtc	ttagatctca	ttgaaatcta	caactcttgt	gtcagaagtt	cttccagaat	5880
caacttgcac	catggtgaaa	atctggccag	aagttctgaa	cttgtcatat	ttcttaacag	5940
ttagaaaaat	ttctaagtgt	ttagaatttt	gacttttcca	aagcaaactt	gacttttgac	6000
tttcttaata	aaacaaactt	catattctaa	catgtcttga	tgaaatgtga	ttcttgaaat	6060
ttgatgttga	tgcaaaagtc	aaagtttgac	ttttcagtgt	gcaattgacc	attttgcctc	6120

Page 121

PF77877_sequencelisting_formatiertSA.txt

tgtgccaatt	ccaaacctaa	attgatgtat	cagtgtctgca	aacttgatgt	catggaagat	6180
cttatgagaa	aattcttgaa	gactgagagg	aaaaattttg	tagtacaaca	caaagaatcc	6240
tgtttttcat	agtcggacta	gacacattaa	cataaaacac	cacttcattc	gaagagtgat	6300
tgaagaagga	aatgtgcagt	tacctttctg	cagttcataa	gagcaactta	cagacacatt	6360
tactaaaata	ctacaaagag	gaagatttta	acaacttaga	gaagtaatgg	gagttaaaga	6420
gcaacacatt	aagggggagt	gttaaaatta	atgtgttgta	accaccacta	cctttagtaa	6480
gtattataag	aaaattgtaa	tcatcacatt	ataattattg	tccttattta	aaattatgat	6540
aaagtgtgat	cattaagatt	gagaaaacca	aatagtcctc	gtcttgattt	ttgaattatt	6600
gttttctatg	ttacttttct	tcaagcctat	ataaaaactt	tgtaatgcta	aattgtatgc	6660
tggaaaaaaa	tgtgtaatga	attgaataga	aattatggta	tttcaaagtc	caaaatccat	6720
caatagaaat	ttagtacaaa	acgtaactca	aaaatattct	cttattttta	attttacaac	6780
aatataaaaa	tattctctta	ttttaaat	tacaataata	taatttatca	cctgtcacct	6840
ttagaatacc	accaacaata	ttaatactta	gatattttat	tcttaataat	tttgagatct	6900
ctcaatatat	ctgatattta	ttttatattt	gtgtcatatt	ttcttatggt	ttagagttaa	6960
cccttatatc	ttgggtcaa	ac	tagtaattca	atatatgagt	ttgtgaagga	7020
cttgaaca	ttggttttta	ccttggtgga	atgttaaagg	taataaaaca	ttcagaatta	7080
tgaccatcta	ttaatatact	tcctttgtct	tttaaaaaag	tgtgcatgaa	aatgctctat	7140
ggtaagctag	agtgtcctgc	tggtcgtgt	atatcaattc	catttccaga	tggtagaac	7200
tgccactacg	aataattagt	cataagacac	gtatgttaac	acacgtcccc	ttgcatgttt	7260
tttgccatat	attccgtctc	tttctttttc	ttcacgtata	aaacaatgaa	ctaattaata	7320
gagcgatcaa	gctgaacagt	tctttgcttt	cgaagttgcc	gcaacctaaa	caggtttttc	7380
cttcttcttt	cttcttatta	actacgacct	tgtcctttgc	ctatgtaaaa	ttactaggtt	7440
ttcatcagtt	acactgatta	agttcgttat	agtggaagat	aaaatgccct	caaagcattt	7500
tgaggatata	ctttgatttt	tcaaagatat	ggaactgtag	agtttgatag	tggtcttgaa	7560
tgtggttgca	tgaagttttt	ttggtctgca	tgttattttt	tcctcgaaat	atgttttgag	7620
tccaacaagt	gattcacttg	ggattcagaa	agttgttttc	tcaatatgta	acagtttttt	7680
tctatggaga	aaaatcatag	ggaccgttgg	ttttggcttc	tttaattttg	agctcagatt	7740
aaaccatttt	taccgggtgt	tcttggcaga	attgaaaaca	gtacgtagta	ccgcgcctac	7800
catgtgtgtt	gagaccgaga	acaacgatgg	aatccctact	gtggagatcg	ctttcgatgg	7860
agagagagaa	agagctgagg	ctaacgtgaa	gttgtctgct	gagaagatgg	aacctgctgc	7920
tttggctaag	accttcgcta	gaagatacgt	ggttatcgag	ggagttgagt	acgatgtgac	7980
cgatttcaaa	catcctggag	gaaccgtgat	tttctacgct	ctctctaaca	ctggagctga	8040
tgctactgag	gctttcaagg	agttccacca	cagatctaga	aaggctagga	aggctttggc	8100
tgctttgcct	tctagacctg	ctaagaccgc	taaagtggat	gatgctgaga	tgctccagga	8160

PF77877_sequence_listing_formatiertSA.txt

tttcgctaag	tgagagaaag	agttggagag	ggacggattc	ttcaagcctt	ctcctgctca	8220
tgttgcttac	agattcgctg	agttggctgc	tatgtacgct	ttgggaacct	acttgatgta	8280
cgctagatac	gttgtgtcct	ctgtgttggg	ttacgcttgc	ttcttcggag	ctagatgtgg	8340
atgggttcaa	cacgagggag	gacactcttc	tttgaccgga	aacatctggg	gggataagag	8400
aatccaagct	ttcactgctg	gattcggatt	ggctggatct	ggagatatgt	ggaactccat	8460
gcacaacaag	caccacgcta	ctcctcaaaa	agtgaggcac	gatattggatt	tggataccac	8520
tcctgctgtt	gctttcttca	acaccgctgt	ggaggataat	agacctaggg	gattctctaa	8580
gtactggctc	agattgcaag	cttggacctt	cattcctgtg	acttctggat	tgggtgttgc	8640
cttctggatg	ttcttcctcc	acccttctaa	ggctttgaag	ggaggaaagt	acgaggagct	8700
tgtgtggatg	ttggctgctc	acgtgattag	aacctggacc	attaaggctg	ttactggatt	8760
caccgctatg	caatcctacg	gactcttctt	ggctacttct	tgggtttccg	gatgctactt	8820
gttcgctcac	ttctctactt	ctcacacca	cttggatgtt	gttcctgctg	atgagcactt	8880
gtcttgggtt	aggtacgctg	tggatcacac	cattgatatc	gatccttctc	agggatgggt	8940
taactggttg	atgggatact	tgaactgcc	agtgattcac	cacctcttcc	cttctatgcc	9000
tcaattcaga	caacctgagg	tgtccagaag	attcgttgct	ttcgctaaga	agtggaacct	9060
caactacaag	gtgatgactt	atgctggagc	ttggaaggct	actttgggaa	acctcgataa	9120
tgtgggaaag	cactactacg	tgcacggaca	acactctgga	aagaccgctt	gattaattaa	9180
ggccgcctcg	accgtacccc	ctgcagatag	actatactat	gttttagcct	gcctgctggc	9240
tagctactat	gttatgttat	gttgtaaaat	aaacacctgc	taaggatat	ctatctatat	9300
tttagcatgg	ctttctcaat	aaattgtctt	tccttatcgt	ttactatctt	atacctaata	9360
atgaaataat	aatatcacat	atgaggaacg	gggcagggtt	aggcatatat	atacgagtgt	9420
agggcggagt	ggggggcgcc	tactaccggt	aattcccggg	attagcggcc	gctagtctgt	9480
gcgcacttgt	atcctgcagg	ttaggccggc	cacacgggca	ggacataggg	actactacaa	9540
gcatagtatg	cttcagacaa	agagctagga	aagaactctt	gatggagggt	aagagaaaaa	9600
agtgc tagag	gggcatagta	atcaaacttg	tcaaaaccgt	catcatgatg	agggatgaca	9660
taatataaaa	agttgactaa	gggtcttggt	gtactctttg	attagtatta	tatatgtgtg	9720
agaacatgag	tcaagaggag	acaagaaacc	gaggaaccat	agtttagcaa	caagatggaa	9780
gttgcaaagt	tgagctagcc	gctcgattag	ttacatctcc	taagcagtac	tacaaggaat	9840
ggctcttata	ctttcatgtt	tagcacatgg	tagtgcggat	tgacaagtta	gaaacagtgc	9900
ttaggagaca	aagagtcagt	aaaggatttg	aaagagtga	gttgatgctc	gacaggctcg	9960
gagaagttcc	tccgccagat	ggtgactacc	aaggggttgg	tatcagctga	gacccaaata	10020
agattcttcg	gttgaaccag	tggttcgacc	gagactctta	gggtgggatt	tcactgtaag	10080
atgtgtgcat	ttgttgaat	ataaattgac	aatttttttt	atttaattat	agattatttta	10140
gaatgaatta	catatttagt	ttctaacaag	gatagcaatg	gatgggtatg	ggtacagggt	10200
aaacatatct	attaccacc	catctagtcg	tcgggtttta	cacgtaccca	cccgtttaca	10260

Page 123

PF77877_sequencelisting_formatiertSA.txt

taaaccagac	cggaatttta	aaccgtaccc	gtccgttagc	gggtttcaga	tttaccggtt	10320
taatcgggta	aaacctgatt	actaaatata	tattttttat	ttgataaaca	aaacaaaaat	10380
gttaatat	tttcatattgga	tgcaatttta	agaaacacat	attcataaat	ttccatat	10440
gtaggaaaaat	aaaaagaaaa	atatattcaa	gaacacaaat	ttcaccgaca	tgacttttat	10500
tacagagttg	gaattagatc	taacaattga	aaaattaaaa	ttaagataga	atatgttgag	10560
gaacatgaca	tagtataatg	ctgggttacc	cgtcgggtag	gtatcgaggc	ggatactact	10620
aaatccatcc	cactcgctat	ccgataatca	ctgggttcgg	gtatacccat	tcccgtcaac	10680
aggccttttt	aaccggataa	tttcaactta	tagtgaatga	attttgaata	aatagttaga	10740
ataccaaaaat	cctggattgc	atttgcaatc	aaattttgtg	aaccgttaaa	ttttgcatgt	10800
acttgggata	gatataatag	aaccgaat	tcattagttt	aatttataac	ttactttggt	10860
caaagaaaaa	aaatatctat	ccaatttact	tataataaaa	aataatctat	ccaagttact	10920
tattataatc	aacttgtaaa	aaggtaagaa	tacaaatgtg	gtagcgtagc	tgtgattata	10980
tgtgacgaaa	tgttatatct	aacaaaagtc	caaattccca	tggtaaaaaa	aatcaaaatg	11040
catggcaggc	tgtttgtaac	cttggaataa	gatgttggcc	aattctggag	ccgccacgta	11100
cgcaagactc	agggccacgt	tctcttcacg	caaggatagt	agaacaccac	tccaccacac	11160
tcctatatta	gacctttgcc	caaccctccc	caactttccc	atcccatcca	caaagaaacc	11220
gacattttta	tcataaatct	ggtgcttaaa	cactctgggtg	agttctagta	cttctgctat	11280
gatcgatctc	attaccat	cttaaatttc	tctccctaaa	tattccgagt	tcttgatttt	11340
tgataacttc	agggtttctc	tttttgataa	atctgggtctt	tccatttttt	ttttttgtg	11400
gttaatttag	tttcctatgt	tcttcgattg	tattatgcat	gatctgtgtt	tggttctgt	11460
tagattatgt	attgggtgaat	atgtatgtgt	ttttgcatgt	ctgggttttg	tcttaaaaaat	11520
gttcaaatct	gatgatttga	ttgaagcttt	tttagtggtg	gtttgattct	tctcaaaact	11580
actgttaatt	tactatcatg	ttttccaact	ttgattcatg	atgacacttt	tgttctgctt	11640
tgttataaaa	ttttgggttg	tttgattttg	taattatagt	gtaattttgt	taggaatgaa	11700
catgttttaa	tactctgttt	tcgatttgct	acacattcga	attattaatc	gataatttaa	11760
ctgaaaattc	atggttctag	atcttggtgt	catcagatta	tttgtttcga	taattcatca	11820
aatatgtagt	ccttttgctg	atttgcgact	gtttcatttt	ttctcaaaat	tgttttttgt	11880
taagtttatc	taacagttat	cgttgtcaaa	agtctctttc	attttgcaaa	atcttctttt	11940
ttttttgtt	tgtaactttg	ttttttaagc	tacacattta	gtctgtaaaa	tagcatcgag	12000
gaacagttgt	cttagtagac	ttgcatgttc	ttgtaacttc	tatttgtttc	agtttggtga	12060
tgactgcttt	gattttgtag	gtcaaaggcg	cgccctacca	tggtatgctta	taacgctgct	12120
atggataaga	ttggagctgc	tatcatcgat	tggtatgcat	cagatggaaa	gttcagagct	12180
gataggagg	attgggtggt	gtgcgatttc	agatccgcta	tcaccattgc	tctcatctac	12240
atcgctttcg	tgatcttggg	atctgctgtg	atgcaatctc	tcccagctat	ggaccatac	12300

PF77877_sequence_listing_formatiertSA.txt

cctatcaagt	tcctctacaa	cggtgtctcaa	atcttctctct	gcgcttacat	gactgttgag	12360
gctggattcc	tcgcttatag	gaacggatac	accgttatgc	catgcaacca	cttcaacgtg	12420
aacgatccac	cagttgctaa	cttgctctgg	ctcttctaca	tctccaaagt	gtgggatttc	12480
tgggatacca	tcttcattgt	gctcggaaag	aagtggagac	aactctcttt	cttgcacgtg	12540
taccaccaca	ccaccatctt	cctcttctac	tggttgaacg	ctaacgtgct	ctacgatgga	12600
gatatcttct	tgaccatcct	cctcaacgga	ttcattcaca	ccgtgatgta	cacctactac	12660
ttcatctgca	tgcacaccaa	ggatttctaag	accggaaagt	ctttgccaat	ctggtggaag	12720
tcactcttga	ccgctttcca	actcttgcaa	ttcaccatca	tgatgtccca	agctacctac	12780
ttggttttcc	acggatgcga	taaggtttcc	ctcagaatca	ccatcgtgta	cttcgtgtac	12840
attctctccc	ttttcttcct	cttcgctcag	ttcttcgtgc	aatcctacat	ggctccaaag	12900
aagaagaagt	ccgcttgatg	ttaattaagg	ccgcagatat	cagatctggt	cgacctagag	12960
gatccccggc	cgcaaagata	ataacaaaag	cctactatat	aacgtacatg	caagtattgt	13020
atgatattaa	tgtttttacg	tacgtgtaaa	caaaaataat	tacgtttgta	acgtatgggtg	13080
atgatgtggt	gcactagggtg	taggccttgt	attaataaaa	agaagtttgt	tctatataga	13140
gtggtttagt	acgacgattt	atttactagt	cggattggaa	tagagaaccg	aattcttcaa	13200
tccttgcttt	tgatcaagaa	ttgaaaccga	atcaaagtga	aaagttgata	tatttgaaaa	13260
acgtattgag	cttatgaaaa	tgctaatact	ctcatctgta	tggaaaagtg	actttaaaac	13320
cgaacttaaa	agtgacaaaa	ggggaatatc	gcatcaaacc	gaatgaaacc	gatggcgcct	13380
accggtatcg	gtccgattgc	ggccgcttaa	agggcgaatt	cgtttaaaca	ctgtacggac	13440
cgtggcctaa	taggccggtg	ccaccagct	ttcttgtaca	aagtggccat	gattacgcca	13500
agcttgacca	ctaaggccaa	tttaaattcta	ctaggccggc	cataaggatg	acctacccat	13560
tcttgagaca	aatgtttacat	tttagtatca	gagtaaaatg	tgtacctata	actcaaattc	13620
gattgacatg	tatccattca	acataaaaatt	aaaccagcct	gcacctgcat	ccacatttca	13680
agtattttca	aaccgttcgg	ctcctatcca	ccgggtgtaa	caagacggat	tccgaatttg	13740
gaagattttg	actcaaattc	ccaatttata	ttgaccgtga	ctaaatcaac	tttaacttct	13800
ataattctga	ttaagctccc	aatttatatt	cccaacggca	ctacctcaa	aatttataga	13860
ctctcatccc	cttttaaaacc	aacttagtaa	acgttttttt	tttaatttta	tgaagttaag	13920
tttttacctt	gtttttaaaa	agaatcgctc	ataagatgcc	atgccagaac	attagctaca	13980
cgttacacat	agcatgcagc	cgcgagagaat	tgtttttctt	cgccacttgt	cactcccttc	14040
aaacacctaa	gagcttctct	ctcacagcac	acacatacaa	tcacatgcgt	gcatgcatta	14100
ttacacgtga	tcgccatgca	aatctctctt	atagcctata	aattaactca	tcggcttcac	14160
tctttactca	aaccaaact	catcaataca	aacaagatta	aaaacatttc	acgatttgga	14220
atttgattcc	tgcatcaca	ggatatgacag	gtagattttt	gttttgata	gttgatataca	14280
tacttctttg	tgatgttttg	tttacttaat	cgaatttttg	gagtgtttta	aggtctctcg	14340
tttagaaaatc	gtggaaaata	tcactgtgtg	tgtgttctta	tgattcacag	tgtttatggg	14400

Page 125

PF77877_sequencelisting_formatiertSA.txt

tttcatgttc	tttgttttat	cattgaatgg	gaagaaattt	cgttgggata	caaatttctc	14460
atgttcttac	tgatcgttat	taggagtttg	gggaaaaagg	aagagttttt	ttggttggtt	14520
cgagtgatta	tgaggttatt	tctgtatttg	atttatgagt	taatggtcgt	tttaatgttg	14580
tagaccgcca	tggtctatfff	gaaccctgag	gctgattctg	ctgctaacct	cgctactgat	14640
tctgaggcta	agcaaagaca	attggctgag	gctggataca	ctcatgttga	gggtgctcct	14700
gctcctttgc	ctttggagtt	gcctcatttc	tctctcagag	atctcagagc	tgctattcct	14760
aagcactgct	tcgagagatc	tttcgtgacc	tccacctact	acatgatcaa	gaacgtgttg	14820
acttgcgctg	ctttgttcta	cgctgctacc	ttcattgata	gagctggagc	tgctgcttat	14880
gttttgtggc	ctgtgtactg	gttcttccag	ggatcttact	tgactggagt	gtgggttatc	14940
gctcatgagt	gtggacatca	ggcttattgc	tcttctgagg	tggtgaacaa	cttgattgga	15000
ctcgtgttgc	attctgcttt	gttgggtgcct	taccactctt	ggagaatctc	tcacagaaag	15060
caccattcca	acactggatc	ttgcgagaac	gatgaggttt	tcgttcctgt	gaccagatct	15120
gtgttggtct	cttcttgga	cgagaccttg	gaggattctc	ctctctacca	actctaccgt	15180
atcgtgtaca	tgttggttgt	tggtatgatg	cctggatacc	tcttcttcaa	cgctactgga	15240
cctactaagt	actggggaaa	gtctaggtct	cacttcaacc	cttactccgc	tatctatgct	15300
gatagggaga	gatggatgat	cggtctctcc	gatattttct	tggtggctat	gttggctgtt	15360
ttggctgctt	tggtgcacac	tttctccttc	aacaccatgg	tgaagttcta	cggtgtgcct	15420
tacttcattg	tgaacgctta	cttgggtgtg	attacctacc	tccaacacac	cgatacctac	15480
atccctcatt	tcagagaggg	agagtggaa	tggttgagag	gagctttgtg	caactgtggat	15540
agatcatttg	gtccattcct	cgattctgtg	gtgcatagaa	tcgtggatac	ccatgtttgc	15600
caccacatct	tctccaagat	gcctttctat	cattgagagg	aggctaccaa	cgctattaag	15660
cctctcctcg	gaaagttcta	cttgaaggat	accactcctg	ttcctgttgc	tctctggaga	15720
tcttacaccc	attgcaagtt	cgttgaggat	gatggaaaagg	tggtgttcta	caagaacaag	15780
ctctagttaa	ttaataattg	attggttcga	gtattatggc	attgggaaaa	ctgtttttct	15840
tgtaccattt	gttgtgcttg	taatttactg	tgttttttat	tcggttttcg	ctatcgaact	15900
gtgaaatgga	aatggatgga	gaagagttaa	tgaatgatat	ggtccttttg	ttcattctca	15960
aattaatatt	atttgttttt	tctcttattt	gttgtgtgtt	gaatttgaaa	ttataagaga	16020
tatgcaaaca	ttttgttttg	agtaaaaatg	tgtcaaatcg	tggtcctctaa	tgaccgaagt	16080
taatatgagg	agtaaaacac	ttgtagtgtg	accattatgc	ttattcacta	ggcaacaaat	16140
atattttcag	acctagaaaa	gctgcaaatg	ttactgaata	caagtatgtc	ctcttggtgt	16200
ttagacattt	atgaactttc	ctttatgtaa	ttttccagaa	tccttgctcag	attctaataca	16260
ttgctttata	attatagtta	tactcatgga	tttgtagtgt	agtatgaaaa	tatttttttaa	16320
tgcattttat	gacttgccaa	ttgattgaca	acatgcatca	atggcgcccta	ctaccggtaa	16380
ttcccgggat	tagcggccgc	tagtctgtgc	gcacttgtat	cctgcagggtc	aatcgtttaa	16440

PF77877_sequence_listing_formatiertSA.txt

acactgtacg gaccgtggcc taataggccg gtaccaact ttattataca tagttgataa	16500
ttcactggcc ggatgtaccg aattcgcggc cgcaagcttg tacactagta cgcgtcaatt	16560
ggcgatcgcg gatctgagat gaaaccggtg attatcagaa ccttttatgg tctttgtatg	16620
catatggtaa aaaaacttag ttgcaattt cctgtttggt ttggtaatth gagtttcttt	16680
tagttgttga tctgcctgct ttttggttta cgtcagacta ctactgctgt tgttgtttgg	16740
tttcctttct ttcattttat aaataaataa tccggttcgg ttactcctt gtgactggct	16800
cagtttggtt attgcgaaat gcgaatggta aattgagtaa ttgaaattcg ttattaggg	16860
tctaagctgt tttaacagtc actgggttaa tatctctcga atcttgcatt gaaaatgctc	16920
ttaccattgg tttttaattg aaatgtgctc atatgggccc tggtttccaa attaaataaa	16980
actacgatgt catcgagaag taaaatcaac tgtgtccaca ttatcagttt tgtgtatacg	17040
atgaaatagg gtaattcaaa atctagcttg atatgccttt tggttcattt taaccttctg	17100
taaacatttt ttcagatttt gaacaagtaa atccaaaaaa aaaaaaaaaa aatctcaact	17160
caacactaaa ttattttaat gtataaaaga tgcttaaaac atttggctta aaagaaagaa	17220
gctaaaaaca tagagaactc ttgtaaattg aagtatgaaa atatactgaa ttgggtatta	17280
tatgaatttt tctgatttag gattcacatg atccaaaaag gaaatccaga agcactaatc	17340
agacattgga agtaggaata tttcaaaaag tttttttttt taagtaagtg acaaaagctt	17400
ttaaaaaata gaaaagaac tagtattaaa gtgtgaaatt taataaacia aagaaatttt	17460
ttatatTTTT tcatTTCTTT ttccagcatg aggttatgat ggcaggatgt ggatttcatt	17520
TTTTCTTT tgatagcctt ttaattgatc tattataatt gacgaaaaaa tattagttaa	17580
ttatagatat attttaggta gtattagcaa ttacacttc caaaagacta tgtaagttgt	17640
aaatatgatg cgttgatctc ttcatcattc aatggttagt caaaaaata aaagcttaac	17700
tagtaacta aagtagtcaa aaattgtact ttagtttaaa atattacatg aataatccaa	17760
aacgacattt atgtgaaaca aaaacaatat agatccatta cctgtttatc cctagagggg	17820
aaaattcgaa tccaaaaatt acggatatga atataggcat atccgtatcc gaattatccg	17880
tttgacagct agcaacgatt gtacaattgc ttctttaaaa aaggaagaaa gaaagaaaga	17940
aaagaatcaa catcagcggt aacaaacggc cccgttacgg cccaaacggg catatagagt	18000
aacggcggtt agcgttgaaa gactcctatc gaaatacgt accgcaaacg tgtcatagtc	18060
agatccctc ttccttcacc gcctcaaaca caaaaataat cttctacagc ctatatatac	18120
aacccccct tctatctctc ctttctcaca attcatcatt tttctttctc taccaccaat	18180
tttaagaaat cctctcttct cctcttcatt ttcaaggtaa atctctctct ctctctctct	18240
ctctgttatt cttgttttta attaggtatg tattattgct agtttggtta tctgcttatt	18300
ttatgtatgc cttatgtgaa tatctttatc ttgttcatct catccgttta gaagctataa	18360
atgtgtgat ttgactgtgt atctacacgt ggttatgttt atatctaata agatatgaat	18420
ttcttcatat tgttgcggtt gtgtgtacca atccgaaatc gttgattttt ttcatttaaa	18480
cgtgtagcta attgtacgta tacatatgga tctacgtatc aattgttcat ctgtttgtgt	18540

Page 127

PF77877_sequencelisting_formatiertSA.txt

ttgtatgtat	acagatctga	aaacatcact	tctctcatct	gattgtgttg	ttacatacat	18600
agatatagat	ctgttatatc	atTTTTTTta	ttaattgtgt	atatatatat	gtgcatagat	18660
ctggattaca	tgattgtgat	tattttacatg	atTTTgttat	ttacgtatgt	atatatgtag	18720
atctggactt	tttggagttg	ttgacttgat	tgtatTTgtg	tgtgtatatg	tgtgttctga	18780
tcttgatatg	ttatgtatgt	gcagctgaac	catggcgggc	gcaacaacaa	caacaacaac	18840
atcttcttcg	atctccttct	ccaccaaac	atctccttcc	tcctccaaat	caccattacc	18900
aatctccaga	ttctccctcc	cattctccct	aaaccccaac	aatcatcct	cctcctccc	18960
ccgccgcggt	atcaaatcca	gctctccctc	ctccatctcc	gccgtgctca	acacaaccac	19020
caatgtcaca	accactccct	ctccaaccaa	acctaccaa	cccgaacat	tcatctccc	19080
attcgctcca	gatcaacccc	gcaaaggcgc	tgatatcctc	gtcgaagctt	tagaacgtca	19140
aggcgtagaa	accgtattcg	cttaccctgg	aggtagatca	atggagattc	accaagcctt	19200
aaccgctct	tcctcaatcc	gtaacgtcct	tcctcgtcac	gaacaaggag	gtgtattcgc	19260
agcagaagga	tacgctcgat	cctcaggtaa	accaggtatc	tgtatagcca	cttcagggtcc	19320
cggagctaca	aatctcgta	gcggattagc	cgatgcgttg	ttagatagtg	ttcctcttgt	19380
agcaatcaca	ggacaagtcc	ctcgtcgtat	gattgggtaca	gatgcgtttc	aagagactcc	19440
gattgttgag	gtaacgcgtt	cgattacgaa	gcataactat	cttgtgatgg	atgttgaaga	19500
tatccctagg	attattgagg	aagctttctt	tttagctact	tctggtagac	ctggacctgt	19560
tttggttgat	gttcctaaag	atattcaaca	acagcttgcg	attcctaatt	gggaacaggc	19620
tatgagatta	cctgggtata	tgtctaggat	gcctaaacct	ccggaagatt	ctcatttgga	19680
gcagattggt	aggttgattt	ctgagtcctaa	gaagcctgtg	ttgtatgttg	gtggtgggtg	19740
tttgaattct	agcgatgaat	tgggtagggt	tgttgagctt	acggggatcc	ctggtgcgag	19800
tacgttgatg	gggctgggat	cttatccttg	tgatgatgag	ttgtcgttac	atatgcttgg	19860
aatgcattgg	actgtgtatg	caaattacgc	tgtggagcat	agtgatttgt	tgttggcggt	19920
tggggtaagg	tttgatgatc	gtgtcacggg	taagcttgag	gcttttgcta	gtagggctaa	19980
gattgttcat	attgatattg	actcggctga	gattgggaag	aataagactc	ctcatgtgtc	20040
tgtgtgtggt	gatgttaagc	tggccttgca	agggatgaat	aagggttctg	agaaccgagc	20100
ggaggagctt	aagcttgatt	ttggagtttg	gaggaatgag	ttgaacgtac	agaaacagaa	20160
gtttccgttg	agctttaaga	cgtttgggga	agctattcct	ccacagtatg	cgattaaggt	20220
ccttgatgag	ttgactgatg	gaaaagccat	aataagtact	ggtgtcgggc	aacatcaaat	20280
gtgggcggcg	cagttctaca	attacaagaa	accaaggcag	tggctatcat	caggaggcct	20340
tggagctatg	ggatttggtg	ttcctgctgc	gattggagcg	tctgttgcta	accctgatgc	20400
gatagtgtg	gatattgacg	gagatggaag	ctttataatg	aatgtgcaag	agctagccac	20460
tattcgtgta	gagaatcttc	cagtgaaggt	acttttatta	aacaaccagc	atcttggcat	20520
ggttatgcaa	tgggaagatc	ggttctacaa	agctaaccga	gctcacacat	ttctcgggga	20580

PF77877_sequence_listing_formatiertSA.txt						
tccggctcag	gaggacgaga	tattcccgaa	catgttgctg	tttgcacgag	cttgcgggat	20640
tccagcggcg	agggtgacaa	agaaagcaga	tctccgagaa	gctattcaga	caatgctgga	20700
tacaccagga	ccttacctgt	tggatgtgat	ttgtccgcac	caagaacatg	tgttgccgat	20760
gatcccgaat	gggtggcactt	tcaacgatgt	cataacggaa	ggagatggcc	ggattaaata	20820
ctgatagggga	taacagggta	atctcgacga	gatgaaaccg	gtgattatca	gaacctttta	20880
tggctctttgt	atgcatatgg	taaaaaaact	tagtttgcaa	tttcctgttt	gttttggtaa	20940
tttgagtttc	ttttagttgt	tgatctgcct	gctttttggt	ttacgtcaga	ctactactgc	21000
tgttgttggt	tggtttcctt	tctttcattt	tataaataaa	taatccggtt	cggtttactc	21060
cttgtgactg	gctcagtttg	gttattgcga	aatgcgaatg	gtaaattgag	taattgaaat	21120
tcggttattag	ggttctaagc	tgttttaaca	gtcactgggt	taatatctct	cgaatcttgc	21180
atggaaaatg	ctcttaccat	tggtttttta	ttgaaatgtg	ctcatatggg	ccgtgggttc	21240
caaattaaat	aaaactacga	tgtcatcgag	aagtaaaatc	aactgtgtcc	acattatcag	21300
ttttgtgtat	acgatgaaat	agggtaattc	aaaatctagc	ttgatatgcc	ttttggttca	21360
ttttaacctt	ctgtaaacad	tttttcagat	tttgaacaag	taaatccaaa	aaaaaaaaaa	21420
aaaaatctca	actcaacact	aaattatttt	aatgtataaa	agatgcttaa	aacatttggc	21480
ttaaagaaa	gaagctaaaa	acatagagaa	ctcttgtaaa	ttgaagtatg	aaaatatact	21540
gaattgggta	ttatatgaat	ttttctgatt	taggattcac	atgatccaaa	aaggaaatcc	21600
agaagcacta	atcagacatt	ggaagtagga	atatttcaaa	aagttttttt	tttttaagta	21660
agtgacaaaa	gcttttaaaa	aatagaaaag	aaactagtat	taaagttgta	aatttaataa	21720
acaaaagaaa	ttttttatat	tttttcattt	ctttttccag	catgagggtta	tgatggcagg	21780
atgtggattt	catttttttc	cttttgatag	ccttttaatt	gatctattat	aattgacgaa	21840
aaaatattag	ttaattatag	atatatttta	ggtagtatta	gcaatttaca	cttccaaaag	21900
actatgtaag	ttgtaaatat	gatgcgttga	tctcttcatc	attcaatggt	tagtcaaaaa	21960
aataaaaagct	taactagtaa	actaaagtag	tcaaaaattg	tacttttagtt	taaaatatta	22020
catgaataat	ccaaaacgac	atttatgtga	aacaaaaaca	atatgtcgag	gcgatcgcag	22080
tacttaatca	gtgatcagta	actaaattca	gtacattaaa	gacgtccgca	atgtgttatt	22140
aagttgtcta	agcgtcaatt	tgtttacacc	acaatatatc	ctgccaccag	ccagccaaca	22200
gctccccgac	cggcagctcg	gcacaaaatc	actgatcatc	taaaaagggtg	atgtgtattt	22260
gagtaaaaca	gcttgcgcta	tgcggtcgct	gcgtatatga	tgcgatgagt	aaataaacia	22320
atacgcaagg	ggaacgcata	aaggttatcg	ctgtacttaa	ccagaaaggc	gggtcaggca	22380
agacgaccat	cgcaacccat	ctagcccgcg	ccctgcaact	cgccggggcc	gatgttctgt	22440
tagtcgattc	cgatccccag	ggcagtgccc	gcgattgggc	ggccgtgcgg	gaagatcaac	22500
cgctaaccgt	tgtcggcata	gaccgccgca	cgattgaccg	cgacgtgaag	gccatcggcc	22560
ggcgcgactt	cgtagtgatc	gacggagcgc	cccaggcggc	ggacttggct	gtgtccgcga	22620
tcaaggcgac	cgacttcgtg	ctgattccgg	tgacgccaag	cccttacgac	atttgggcca	22680

22740 ccgcccgaacct ggttgagactg gtttaagcagc gcatttgaggt cacggaatgga aggcatacaag
22800 cggccctttgt cgtgttcgcgg gcgatcaag gcacgcgcgat cggcgggtgag gttgcgccgag
22860 cgttcggccgg gtagcagactg cccattcttg agtcccgtat cacgcagcgcg gtagagctacc
22920 caggcactgc cgcgcgccgc acaaccgttc tgaatcaga acccgagggc gacgcctggccc
22980 gcgaggtcca ggcgcctggcc gctgaataa aatcaaaact catttgagtt aatgaaggtaa
23040 agagaataatg agcaaaaagca caaacaagct aagtgcggc cgtccgagcg cacgcagcag
23100 caaggtcga aagttggcca gcctggcaga cacgcagcgc atgaagcggg tcaactttca
23160 gttgcgcggc gaggatcaca ccaagctga gatgtacgcg gtacgccaag gcaagaccat
23220 taacgagctg ctatctgaat acatcgcga gtaaccagag taatgagca aatgaataaa
23280 tgahtagatg aattttagcg gctaagga ggcgcattga aaatacaagaa caaaccagca
23340 ccgaaccggt ggaatgcccc atgtgttgag gaacgggcgg tggccagcg gtaagcggct
23400 ggttgcctg ccggccctgc aatggcactg gaacccccaa gcccgagga tcgycgtgag
23460 cgttcgcaaa ccatccggcc cgtacaat cggcgcggcg ctggtgtgatg acctgtgtga
23520 gaagttaga ggcgcgcaggg ccgcgcagcg gcaacgcgatc gaggcagag caccgcccgg
23580 tgaatcgttg caaggggccg ctgattcgaat ccgcaaaaga tcccggcaac cgcgcgcagc
23640 cgttcgcggc tcgattagga agccgcccga gggcgcagag caaccagat tttcgttcc
23700 gatgtcttat gacgttgga cccgcgatag tcgcagcatc atgacgttg ccgtttccg
23760 tcttcgtgaag cgtgaaccgc gagctggcga gttgatccgc tagagcttc cagaagcgca
23820 cgttagagtt tcgcagggcc ccgcgcggcat ggccagtttg tgggattacg acctgttact
23880 gatggcggtt tcccatcaa ccgaatccat gaaccgatc cgggaaggga agggagcaaa
23940 gcccgccgc gttgtccgtc cacacgttgc ggaactatc aagttctgc ggcgagccga
24000 tggcgggaag cagaaagcg acctgttaga aacctgtcat cgtttaaaca ccacgcacgt
24060 tgcctatcag cgtaccgaag aggcgaaga cggccgcctg gtgacgggtat ccgaggggtga
24120 agcccttgat agccgcataa agatcgttaa gagcgaaaac gggcggccgg agtatacga
24180 gatcgagctt gctgattgga tgtaccgcga gatcacaga gaagcaaac ccggaactgt
24240 gacgtttcac ccgatattc ttttgatcga ccccgcatc ggccgttttc tctaccgcc
24300 ggcacgcgc gcgcagcga aggcagaaag cagatgtgtg tccaagcga tctaagaag
24360 cagtgcgacg gccggagagt tcaagaaagt ctgtttcac cgtgcgaagc tgcgtcgggtc
24420 aaatgaccctg ccggagtacg atttgaagga ggagggcggg caggctggcc cgatccctagt
24480 catgctgtac cgaaccctga tcgagggcga agcatccgc ggttccctaat gtacggagca
24540 gatgctaggg caaatgccc tagcagggga aaaaagtcga aaaggtctct ttcctgtgga
24600 tagcacgtac attggaacc caaagccgt cattggaac cggaaaccgt acattgga
24660 cccaagccg tacattgga accggtcaca catgtaagt actgatataa aagagaaaaa
24720 aggcgatitt tcgcctaaa actctttaa acttatataa actctttaa cccgcttggc

PF7877-sequencing_format1ertsa.txt
24780 ctgtgcataa ctgtctgccc agcgacagc cgaagagctg caaaaagcgc ctacccctcg
24840 gtcgcctgcgc tccctacccc ccgcgccttc gcgtcgcgcct atcgcgcgcct atgcggtgtg
24900 aaataccgca cagatgcgta agyagaatat accgcatacg gcgcctcttc gcttccctcg
24960 tacttgactc gctgcgctcg gtcggttcgc tgcggttcgag ggtatcagct cactcaaaag
25020 cgttaatacg gttatccaca gaatcagggg ataacgcagg aaagaacatg tgaagcaaaag
25080 gccagcaaaa gccagggaac cgtaaaaaag ccgcggttgc ggcggttttc cataggtcc
25140 gcccccctga cgaacatcac aaaaatcgac gctcaagta gaagtgcga aacccgacag
25200 gactataaag ataccagcgc ttcccccccg gaagctccct cgtgcgcctc cctgttccga
25260 cctgcgcctc tacggatcac ctgtccgcct ttctcccttc gggaaagcgt gcgccttttc
25320 atagctcacg ctgtaggtat ctacgttcgc tgtaggtcgt tcgcctccag ctgggctgtg
25380 tgcaagaaac cccgttcag ccgacccgct gcgccttacc cgttaacatc gctcttgagt
25440 ccaaccccggt aagacacgac ttatcgcacac tgcagcagc cactggtaac aggtatagca
25500 gagcgaggtat tgtagcggtt gctacagagt tcttgaagtg gttgcctaac tacggtcaaca
25560 ctgaagggac agtatgtgt atctgcgcct tgcgtgaagc agttaacctc ggaaaaaagag
25620 ttgttagctc ttgatccgcg aaaaacaaac ccgcctgttag ccgtgtgttt ttgtttgca
25680 agcagcgagt tacgcgcagaa aaaaaaagat ctcaagaaga tcccttgatc ttcttaccgg
25740 ggttccctcaa ctcatcgata gtttgcgtgt gagcaatat gttccttagtg catctaacgc
25800 ttgagttaag ccgcgcgcg aagcgcgcgt ggccttgaacg aatttctagc tagacatat
25860 ttgccaacga ccttcgttgt atctgccttg acatagtga caaatcttc gagctgttcg
25920 gcccggtgagc cgaagacgtc ttcttcttg gccagatag cttgcgcgcg ttcaagatc
25980 accgggctggt attgccgcg aagcgcctcc atcgcccaat ccgcgcgcgac atcttccggc
26040 gcatctctgc cgttaacccg cagtatacaa atccgcgtca gctgaagac cacatctgcg
26100 tactcgcgccg cccaatcccg ccggtgagtc caccaggtca gcgtctcgtt cagtgtcttcg
26160 aacagatctc gttccgcgac ccggtcgaaa agttccttcg ccgcgcgcgccc gacgaagcgc
26220 acgtctactc cccgggctct ggttagacag atcgcacgat caatgtcgat ggtgtccggt
26280 tcaaaagatc ccgcgcgaat atcatatcgc tgcatactgc cgaactgag ttgcggtttg
26340 gccggtatagc gccaggtggt gatgttcacg tgcaaccaaa tctgtcactc aacccgcgcg
26400 aggtattctc gctcgcgcgg ggaagcggag gtttccagaa ggtcgttgtgat aagcgcgcgg
26460 ccgcgtgtctc cgtcgaagag gacgttaacg ggtccaagaa ggtcggatgc cgaatggggc
26520 ttaagcgccgc cgtcaaacgc gctacccatc agatgcacag agatgcacag ccgaatgggt cgggtcgaag
26580 tggcgcctga tgaacacccc gacttccgac agcttggttg acaacctcgc gatgaacccgc
26640 tcaacccatga tgtttaactt tgttttaggg cgaactgcctt gctgcgtgaac atcgtttcgt
26700 ctcctataca tcaaacatcg acccagcgcg taacgcgcctt gctgccttga tgccttgaggc
26760 atagactctga ccccaaaaaa acagtctata caagccatga aaacccgcac tgcgttccat
26802 gaatatccaa acaaacacat acagcgcgac ttatcatgga ta

PF77877_sequencelisting_formatiertSA.txt

<210> 6
<211> 30687
<212> DNA
<213> Artificial

<220>
<223> plasmid

```

<400> 6
ttgacataca aatggacgaa cggataaacc ttttcacgcc cttttaaata tccgattatt      60
ctaataaacg ctcttttctc ttaggtttac ccgccaatat atcctgtcaa aactgatag      120
tttaaaactga aggcgggaaa cgacaatctg atcactgatt agtaactaag gcctttaatt      180
aatctagagg cgcgccgggc cccctgcagg gagctcggcc ggccaattta aattgatatc      240
ggtacatcga ttacgccaaag ctatcaactt tgtatagaaa agttgccatg attacgcaa      300
gcttgccac taaggccaat ttaaacttac taggccggcc acacgggcag gacataggga      360
ctactacaag catagtatgc ttcagacaaa gagctaggaa agaactcttg atggagggtta      420
agagaaaaaa gtgctagagg ggcataagtaa tcaaacttgt caaaaccgtc atcatgatga      480
gggatgacat aatataaaaa gttgactaag gtcttggtag tactctttga ttagtattat      540
atattggtga gaacatgagt caagaggaga caagaaaccg aggaaccata gtttagcaac      600
aagatggaag ttgcaaagtt gagctagccg ctcgattagt tacatctcct aagcagtact      660
acaaggaatg gtctctatac tttcatgttt agcacatggt agtgcggtt gacaagttag      720
aaacagtgct taggagacaa agagtcagta aaggatttga aagagtgaag ttgatgctcg      780
acaggtcagg agaagtccct ccgccagatg gtgactacca aggggttggt atcagctgag      840
acccaaataa gattcttcggt ttgaaccagt ggttcgaccg agactcttag ggtgggattt      900
cactgtaaga tttgtgcatt ttgttgaata taaattgaca atttttttta tttaattata      960
gattatttag aatgaattac atatttagtt tctaacaagg atagcaatgg atgggtatgg     1020
gtacagggtta aacatatcta ttaccaccc atctagtcgt cgggttttac acgtaccac      1080
ccgtttacat aaaccagacc ggaattttta accgtaccgc tccgttagcg gggttcagat      1140
ttaccggttt aatcgggtaa aacctgatta ctaaatatat attttttatt tgataaacia      1200
aacaaaaatg ttaatatatt catattggat gcaattttta gaaacacata ttcataaatt      1260
tccatatatt taggaaaata aaaagaaaaa tatattcaag aacacaaatt tcaccgacat      1320
gacttttatt acagagttgg aattagatct aacaattgaa aaattaaaat taagatagaa      1380
tatgttgagg aacatgacat agtataatgc tgggttaccc gtcgggtagg tatcgaggcg      1440
gatactacta aatccatccc actcgctatc cgataatcac tggtttcggg tataccatt      1500
cccgtcaaca ggccttttta accggataat ttcaacttat agtgaatgaa ttttgaataa      1560
atagtttaga taccaaaatc ctggattgca tttgcaatca aattttgtga accgttaaat      1620
tttgcagtga cttgggatag atataataga accgaatttt cattagttta atttataact      1680
tactttgttc aaagaaaaaa aatatctatc caatttactt ataataaaaa ataattctatc      1740

```

PF77877_sequence_listing_formatiertSA.txt

caagttactt attataatca acttgtaaaa aggtaagaat acaaatgtgg tagcgtacgt	1800
gtgattatat gtgacgaaat gttatatcta acaaaagtcc aaattcccat ggtaaaaaaa	1860
atcaaaatgc atggcaggct gtttgtaacc ttggaataag atgttggcca attctggagc	1920
cgccacgtac gcaagactca gggccacgtt ctcttcacgc aaggatagta gaacaccact	1980
ccaccacct cctatattag acctttgccc aaccctcccc aactttccca tcccatccac	2040
aaagaaaccg acatTTTTtTat cataaatcag ggTttcgttt ttgtttcatc gataaaactca	2100
aaggTgatga ttttagggTc ttgtgagtgt gctTTTTtTgt ttgattctac tgtagggTtt	2160
atgttcttTta gctcataggt tttgtgtatt tcttagaaat gtggcttctt taatctctgg	2220
gtttgtgact ttttgtgtgg tttctgtgtt tttcatatca aaaacctatt ttttccgagt	2280
tttttttttac aaattcttac tctcaagctt gaatacttca catgcagtgt tcttttTtag	2340
atTTtagagt taatgtgtta aaaagtttgg atTTTTcttg cttatagagc ttcttcactt	2400
TgattttTgtg ggTTTTttTg ttttaaaggt gagattttTg atgaggTttt tgcttcaaag	2460
atgtcacctt tctgggttTg tcttttgaat aaagctatga actgtcacat ggctgacgca	2520
atTTtgTtac tatgtcatga aagctgacgt ttttccgtgt tatacatgtt tgcttacact	2580
Tgcacgcgtc aaaaaaattg gggcttttTta gttttagTca aagattttTc ttctctttTg	2640
ggatttatga aggaaagtTg caaactttTc caaattttTc cattttTgct ttgatgttTg	2700
tttagattgc gacagaacaa actcatatat gtTgaaattt ttgcttggtt ttgtatagga	2760
ttgtgtcttt tgcttataaa Tgttgaaatc Tgaacttttt ttttgttTgg tttctttgag	2820
caggagataa ggcgcgccac catggcttct acatctgctg ctcaagacgc tgctccttac	2880
gagttccctt ctctcactga gatcaagagg gctcttcctt ctgagtgttt cgaggcttct	2940
gttctctttt ctctctacta caccgctaga tctcttgctc ttgctggatc tctcgctgtt	3000
gctctctctt acgctagagc tttgcctctt gtTcaggcta acgctcttct tgatgctact	3060
ctctgcactg gatacgttct tctccaggga atcgTTTTct ggggattctt caccgttggt	3120
cacgattgtg gacacggagc tttctctaga tctcacgtgc tcaacttctc tgttTgaacc	3180
ctcatgcact ctatcatcct TaccctttTc gagtctTgga agctctctca cagacaccac	3240
cacaagaaca ccggaacat cgataaggac gagatcttct accctcaaag agaggctgat	3300
tctcaccctg tttctagaca ccttTgtgat tctctTggat ctgcttggtt cgcttacctt	3360
ttcgctggat tccctcctag aacctgaac cacttcaacc cttgggaggc tatgtatgtt	3420
agaagagtgg ctgctgtgat catctctctc ggagttcttt tcgctttcgc Tggactctac	3480
tcttacctca ccttcgttct Tggattcacc actatggcta tctactactt cggacctctc	3540
ttcatctctg ctaccatgct TgttTgttacc actttcctcc accacaacga Tgaggagaca	3600
ccttTgtacg ctgattctga gtTgacttac gtgaaggga accctctctc TgtTgacaga	3660
tctTcggTg ctctcatcga caaccttagc cacaacatcg gaactcacca gatccaccac	3720
ctcttcccta tcatccctca ctacaagctc aacgatgcta ctgctgcttt cgctaaggct	3780
ttccctgagc ttgttaggaa aaacgctgct cctatcatcc caactttctt caggatggct	3840

Page 133

PF77877_sequencelisting_formatiertSA.txt

gctatgtacg ctaagtacgg agttgttgac actgatgcta agaccttcac tctcaaggag	3900
gctaaggctg ctgctaagac taagtcacat tgatgattaa ttaaggccgc agatatcaga	3960
tctggtcgac ctagaggatc cccggccgca aagataataa caaaagccta ctatataacg	4020
tacatgcaag tattgtatga tattaatggt ttctacgtacg tgtaaacaaa aataattacg	4080
tttgtaacgt atgggtgatga tgtggtgcac taggtgtagg ccttgattta ataaaaagaa	4140
gtttgttcta tatagagtgg tttagtacga cgattttatt actagtcgga ttggaataga	4200
gaaccgaatt cttcaatcct tgcttttgat caagaattga aaccgaatca aatgtaaaag	4260
ttgatataatt tgaaaaacgt attgagctta tgaaaatgct aatactctca tctgtatgga	4320
aaagtgactt taaaaccgaa cttaaaagtg acaaaagggg aatatcgcat caaaccgaat	4380
gaaaccgatg gcgcctacta ccggtaattc ccgggattag cggccgctag tctgtgcgca	4440
cttgatcct gcaggttagg ccggccatta gcagatattt ggtgtctaaa tgtttatttt	4500
gtgatattgt catgtttgaa atgggtggtt cgaaaccagg gacaacggtt ggatctgata	4560
gggtgtcaaa gagtattatg gattgggaca atttcggtca tgagttgcaa attcaagtat	4620
atcgttcgat tatgaaaatt ttcgaagaat atcccatttg agagagtcct tacctcatta	4680
atgttttttag attatgaaat tttatcatag ttcacgtag tctttttggt gtaaaggctg	4740
taaaaagaaa ttgttcactt ttgttttcgt ttatgtgaag gctgtaaaag attgtaaaag	4800
actattttgg tgttttggat aaaatgatag tttttataga ttcttttgct tttagaagaa	4860
atacatattga aattttttcc atgttgagta taaaataccg aaatcgattg aagatcatag	4920
aaatattttta actgaaaaca aattttataac tgattcaatt ctctccattt ttataacctat	4980
ttaaccgtaa tcgattctaa tagatgatcg attttttata taatcctaata taaccaacgg	5040
catgtatttg ataattaacc gatcaactct caccctaat agaatacagta ttttccttcg	5100
acgttaattg atcctacact atgtaggatc tatccatcgt ttttaattttt ggccaccatt	5160
caattctgtc ttgccttttag ggatgtgaat atgaacggcc aaggtaagag aataaaaaata	5220
atccaaatta aagcaagaga ggccaagtaa gataatccaa atgtacactt gtcattgcca	5280
aaattagtaa aataactcggc atattgtatt cccacacatt attaaaatac cgtatatgta	5340
ttggctgcat ttgcatgaat aatactacgt gtaagcccaa aagaacccac gtgtagccca	5400
tgcaaagtta acactcacga ccccatcctc cagtctccac tatataaacc caccatcccc	5460
aatctcacca aaccaccac acaactcaca actcactctc acaccttaaa gaaccaatca	5520
ccaccaaaaa atttcacgat ttggaatttg attcctgcga tcacaggtat gacaggttag	5580
attttgtttt gtatagtgtg atacatactt ctttgatgag ttttgtttac ttaatcgaat	5640
ttttggagtg ttttaaggtc tctcgtttag aaatcggtga aaatatcact gtgtgtgtgt	5700
tcttatgatt cacagtgttt atgggtttca tgttctttgt tttatcattg aatgggaaga	5760
aatttcggtg ggatacaaat ttctcatggt cttactgatc gttattagga gtttggggaa	5820
aaaggaagag tttttttggt tggttcgagt gattatgagg ttatttctgt atttgattta	5880

PF77877_sequencelisting_formatiertSA.txt

tgagttaatg gtcgttttaa tggtgtagac catgggaaaa ggatctgagg gaagatctgc	5940
tgctagagag atgactgctg aggctaacgg agataagaga aagaccatcc tcattgaggg	6000
agtgttgtag gatgctacca acttcaaaca cccaggaggt tccattatta acttcctcac	6060
cgagggagaa gctggagttg atgctaccca agcttacaga gagttccatc agagatccgg	6120
aaaggctgat aagtacctca agtccctccc aaagttggat gcttctaagg tggagtctag	6180
gttctctgct aaggagcagg ctagaaggga cgctatgacc agggattacg ctgctttcag	6240
agaggagttg gttgctgagg gatacttcga tccatctatc ccacacatga tctacagagt	6300
ggtggagatt gtggctttgt tcgctttgtc tttctggttg atgtctaagg cttctccaac	6360
ctctttggtt ttgggagtggt tgatgaacgg aatcgctcaa ggaagatgcg gatgggttat	6420
gcacgagatg ggacacggat ctttcactgg agttatctgg ctcatgata ggatgtgcga	6480
gttcttctac ggagttggat gtggaatgtc tggacactac tggaagaacc agcactctaa	6540
gcaccacgct gctccaaaca gattggagca cgatgtggat ttgaacacct tgccactcgt	6600
tgctttcaac gagagagttg tgaggaagggt taagccagga tctttgttgg ctttgtggct	6660
cagagttcag gcttatttgt tcgctccagt gtcttgcttg ttgatcggat tgggatggac	6720
cttgtagttg caccctaatg atatgctcag gaccaagaga cacatggagt ttgtgtggat	6780
cttcgctaga tatatcggat ggttctcctt gatgggagct ttgggatatt ctctggaac	6840
ttctgtggga atgtacctct gctctttcgg acttggtatgc atctacatct tcctccaatt	6900
cgctgtgtct cacaccact tgccagttac caaccagag gatcaattgc actggcttga	6960
gtacgtgct gatcacaccg tgaacatctc taccaagtct tgggttggtta cctggtggat	7020
gtctaacctc aacttccaaa tcgagcacca cttgtttccca accgctccac aattcaggtt	7080
caaggagatc tctccaagag ttgaggctct cttcaagaga cacaacctcc cttactacga	7140
tttgccatac acctctgctg tttctactac cttcgctaac ctctactctg ttggacactc	7200
tggttgagct gataccaaga agcaggattg actgctttta tgagatatgc gagacgccta	7260
tgatcgcag atattttgctt tcaattctgt tgtgcacgtt gtaaaaaacc tgagcatgtg	7320
tagctcagat ccttaccgcc ggtttcggtt cattctaatt aatatatcac ccgttactat	7380
cgtattttta tgaataatat tctccgttca atttactgat tgtgtcgacg cgatcgcgtg	7440
caaacactgt acggaccgtg gcctaatagg ccggtaccca agtttgtaca aaaaagcagg	7500
ctccatgatt acgccaagct tggccactaa ggccaattta aatctactag gccggccatc	7560
gacggcccgg actgtatcca acttctgac tttgaatctc tctgttccaa catgttctga	7620
aggagttcta agacttttca gaaagcttgt aacatgcttt gtagactttc tttgaattac	7680
tcttgcaaac tctgattgaa cctacgtgaa aactgctcca gaagttctaa ccaaattccg	7740
tcttggaag gcccaaaatt tattgagtac ttcagtttca tggacgtgtc ttcaaagatt	7800
tataacttga aatcccatca tttttaagag aagtctctgt ccgcaatgtc ttagatctca	7860
ttgaaatcta caactcttgt gtcagaagtt cttccagaat caacttgcac catggtgaaa	7920
atctggccag aagttctgaa cttgtcatat ttcttaacag ttagaaaaat ttctaagtgt	7980

Page 135

PF77877_sequencelisting_formatiertSA.txt

ttagaatttt	gacttttcca	aagcaaactt	gacttttgac	tttcttaata	aaacaaactt	8040
catattctaa	catgtcttga	tgaaatgtga	ttcttgaaat	ttgatgttga	tgcaaaagtc	8100
aaagtttgac	ttttcagtg	gcaattgacc	attttgctct	tgtgccatt	ccaaacctaa	8160
attgatgtat	cagtgcgtca	aacttgatgt	catggaagat	cttatgagaa	aattcttgaa	8220
gactgagagg	aaaaattttg	tagtacaaca	caaagaatcc	tgtttttcat	agtcggacta	8280
gacacattaa	cataaaacac	cacttcattc	gaagagtgat	tgaagaagga	aatgtgcagt	8340
tacctttctg	cagttcataa	gagcaactta	cagacacttt	tactaaaata	ctacaaagag	8400
gaagatttta	acaacttaga	gaagtaatgg	gagttaaaga	gcaacacatt	aagggggagt	8460
gttaaaatta	atgtgttgta	accaccacta	ccttttagtaa	gtattataag	aaaattgtaa	8520
tcatcacatt	ataattattg	tccttattta	aaattatgat	aaagttgtat	cattaagatt	8580
gagaaaacca	aatagtcctc	gtcttgattt	ttgaattatt	gttttctatg	ttacttttct	8640
tcaagcctat	ataaaaaactt	tgtaatgcta	aattgtatgc	tggaaaaaaa	tgtgtaatga	8700
attgaataga	aattatggta	tttcaaagtc	caaaatccat	caatagaaat	ttagtacaaa	8760
acgtaactca	aaaatattct	cttattttta	attttacaac	aatataaaaa	tattctctta	8820
ttttaaat	tacaataata	taatttatca	cctgtcacct	ttagaatacc	accaacaata	8880
ttaatactta	gatattttat	tcttaataat	tttgagatct	ctcaatatat	ctgatattta	8940
ttttatatt	gtgtcatatt	ttcttatggt	ttagagttaa	cccttatatc	ttggtcaaac	9000
tagtaattca	atatatgagt	ttgtgaagga	cacattgaca	tcttgaaaca	ttggttttaa	9060
ccttggtgga	atgttaaagg	taataaaaaca	ttcagaatta	tgaccatcta	ttaatatact	9120
tcctttgtct	tttaaaaaag	tgtgcatgaa	aatgctctat	ggtaagctag	agtgtcttgc	9180
tggcctgtgt	atatcaattc	catttcacaga	tggtagaaac	tgccactacg	aataattagt	9240
cataagacac	gtatgttaac	acacgtcccc	ttgcatgttt	tttgccatat	attccgtctc	9300
tttctttttc	ttcacgtata	aaacaatgaa	ctaattaata	gagcgatcaa	gctgaacagt	9360
tctttgcttt	cgaagttgcc	gcaacctaaa	cagggttttc	cttcttcttt	cttcttatta	9420
actacgacct	tgtcctttgc	ctatgtaaaa	ttactagggt	ttcatcagtt	acactgatta	9480
agttcggtat	agtggaagat	aaaatgccct	caaagcattt	tgcaggatat	ctttgatttt	9540
tcaaagatat	ggaactgtag	agtttgatag	tgttcttgaa	tgtggttgca	tgaagttttt	9600
ttggtctgca	tgttattttt	tcctcgaaat	atgttttgag	tccaacaagt	gattcacttg	9660
ggattcagaa	agttgttttc	tcaatatgta	acagtttttt	tctatggaga	aaaatcatag	9720
ggaccgttgg	ttttggcttc	tttaattttg	agctcagatt	aaaccatttt	taccgggtgt	9780
tcttggcaga	attgaaaaca	gtacgtagta	ccgcgcctac	catgtgtgtt	gagaccgaga	9840
acaacgatgg	aatccctact	gtggagatcg	ctttcgatgg	agagagagaa	agagctgagg	9900
ctaacgtgaa	gttgtctgct	gagaagatgg	aacctgctgc	tttggctaag	accttcgcta	9960
gaagatacgt	ggttatcgag	ggagttgagt	acgatgtgac	cgatttcaaa	catcctggag	10020

PF77877_sequence_listing_formatiertSA.txt

gaaccgtgat	tttctacgct	ctctctaaca	ctggagctga	tgctactgag	gctttcaagg	10080
agttccacca	cagatctaga	aaggctagga	aggctttggc	tgctttgcct	tctagacctg	10140
ctaagaccgc	taaagtggat	gatgctgaga	tgctccagga	tttcgctaag	tgagagaaagg	10200
agttggagag	ggacggattc	ttcaagcctt	ctcctgctca	tggtgcttac	agattcgctg	10260
agttggctgc	tatgtacgct	ttgggaacct	acttgatgta	cgctagatac	gttggtgcct	10320
ctgtgttggg	ttacgcttgc	ttcttcggag	ctagatgtgg	atgggttcaa	cacgagggag	10380
gacactcttc	tttgaccgga	aacatctggt	gggataagag	aatccaagct	ttcactgctg	10440
gattcggatt	ggctggatct	ggagatatgt	ggaactccat	gcacaacaag	caccacgcta	10500
ctcctcaaaa	agtgaggcac	gatatggatt	tgataaccac	tcctgctggt	gctttcttca	10560
acaccgctgt	ggaggataat	agacctaggg	gattctctaa	gtactggctc	agattgcaag	10620
cttggacctt	cattcctgtg	acttctggat	tggtgttgct	cttctggatg	ttcttcctcc	10680
acccttctaa	ggctttgaag	ggaggaaagt	acgaggagct	tgtgtggatg	ttggctgctc	10740
acgtgattag	aacctggacc	attaaggctg	ttactggatt	caccgctatg	caatcctacg	10800
gactcttctt	ggctacttct	tggttttccg	gatgctactt	gttcgctcac	ttctctactt	10860
ctcacacca	cttggatggt	gttcctgctg	atgagcactt	gtcttgggtt	aggtacgctg	10920
tgatcacac	cattgatatc	gatccttctc	agggatgggt	taactgggtg	atgggatact	10980
tgaactgcca	agtgattcac	cacctcttcc	cttctatgcc	tcaattcaga	caacctgagg	11040
tgtccagaag	attcgttgct	ttcgctaaga	agtggaacct	caactacaag	gtgatgactt	11100
atgctggagc	ttggaaggct	actttgggaa	acctcgataa	tgtgggaaag	cactactacg	11160
tgacaggaca	acactctgga	aagaccgctt	gattaattaa	ggccgcctcg	accgtacccc	11220
ctgcagatag	actatactat	gttttagcct	gcctgctggc	tagctactat	gttatgttat	11280
gttgtaaaat	aaacacctgc	taaggtatat	ctatctatat	tttagcatgg	ctttctcaat	11340
aaattgtctt	tccttatcgt	ttactatctt	atacctaata	atgaaataat	aatatcacat	11400
atgaggaacg	gggcaggttt	aggcatatat	atacgagtgt	agggcggagt	ggggggcgcc	11460
tactaccggt	aattcccggg	attagcggcc	gctagtctgt	gcgcacttgt	atcctgcagg	11520
ttaggccggc	caaagcttta	caacgctaca	caaaacttat	aaccgtaatc	accattcatt	11580
aacttaacta	ctatcacatg	cattcatgaa	ttgaaacgag	aaggatgtaa	atagttggga	11640
agttatctcc	acgttgaaga	gatcgttagc	gagagctgaa	agaccgaggg	aggagacgcc	11700
gtcaacacgg	acagagtcgt	cgaccctcac	atgaagtagg	aggaatctcc	gtgaggagcc	11760
agagagacgt	ctttggctct	cggtttcgat	ccttgatctg	acggagaaga	cgagagaagt	11820
gcgactggac	tccgtgagga	ccaacagagt	cgctctcggt	ttcgatcgtc	ggtattggtg	11880
gagaaggcgg	aggaatctcc	gtgacgagcc	agagagatgt	cgtcggctct	cggtttcgat	11940
ccttgatctg	acggagaaga	cgagagaagt	gcgacgagac	tccgtgagga	ccaacagagt	12000
tgtcctcggt	ttcgatcgtc	ggtttcggcg	gagaaggcgg	aggaatctcc	gtgaggagcc	12060
agagagacgt	cgttggtctt	cggtttcgat	ccttgatctg	ttggagaaga	cgagacaagt	12120

Page 137

PF77877_sequencelisting_formatiertSA.txt

gggacgagac	tcaacgacgg	agtcagagac	gtcgtcggtc	ttcggtttcg	gccgagaagg	12180
cggagtcggt	cttcggtttc	ggccgagaag	gcggaggaga	cgtcttcgat	ttgggtctct	12240
cctcttgacg	aagaaaacaa	agaacacgag	aaataatgag	aaagagaaca	aaagaaaaaa	12300
aaataaaaaat	aaaaataaaa	tttggtcctc	ttatgtgggtg	acacgtgggtt	tgaaaccacac	12360
caaataatcg	atcacaaaaa	acctaagtta	aggatcggtg	ataacctttc	taattaattt	12420
tgatttatat	taaatcactc	tttttattta	taaacccac	taaattatgc	gatattgatt	12480
gtctaagtac	aaaaattctc	tcgaattcaa	tacacatggt	tcatatattt	agccctgttc	12540
atttaatat	actagcgcat	ttttaattta	aaattttgta	aacttttttg	gtcaaagaac	12600
atTTTTTTaa	ttagagacag	aaatctagac	tctttatttg	gaataatagt	aataaagata	12660
tattaggcaa	tgagtttatg	atgttatggt	tatatagttt	atttcatttt	aaattgaaaa	12720
gcattatttt	tatcgaaatg	aatctagtat	acaatcaata	tttatgtttt	ttcatcagat	12780
actttcctat	tttttggcac	ctttcatcgg	actactgatt	tatttcaatg	tgtatgcatg	12840
catgagcatg	agtatacaca	tgtcttttaa	aatgcatgta	aagcgtaacg	gaccacaaaa	12900
gaggatccat	acaaatacat	ctcatcgctt	cctctactat	tctccgacac	acacactgag	12960
catggtgctt	aaacactctg	gtgagttcta	gtacttctgc	tatgatcgat	ctcattacca	13020
tttcttaa	ttctctccct	aaatattccg	agttcttgat	ttttgataac	ttcagggttt	13080
ctctttttga	taaatctgggt	ctttccattt	tttttttttt	gtgggttaatt	tagtttccta	13140
tgttcttcga	ttgtattatg	catgatctgt	gtttggattc	tgtttagatta	tgtattgggtg	13200
aatatgtatg	tgtttttgca	tgtctgggtt	tggtcttaaa	aatgttcaaa	tctgatgatt	13260
tgattgaagc	tttttttagtg	ttggtttgat	tcttctcaaa	actactgtta	atttactatc	13320
atgttttcca	actttgat	atgatgacac	ttttgttctg	ctttgttata	aaattttgggt	13380
tggtttgatt	ttgtaattat	agtgtaat	tgttaggaat	gaacatgttt	taatactctg	13440
ttttcgattt	gtcacacatt	cgaattatta	atcgataatt	taactgaaaa	ttcatgggttc	13500
tagatcttgt	tgtcatcaga	ttatttggtt	cgataattca	tcaaataatgt	agtccttttg	13560
ctgatttgcg	actgtttcat	tttttctcaa	aattgttttt	tgtaaagttt	atctaacagt	13620
tatcgttgtc	aaaagtctct	ttcattttgc	aaaatcttct	tttttttttt	gtttgtaact	13680
ttgtttttta	agctacacat	ttagtctgta	aaatagcatc	gaggaacagt	tgtcttagta	13740
gacttgcatg	ttcttgtaac	ttctatttgt	ttcagtttgt	tgatgactgc	tttgattttg	13800
taggtcaa	catggatgct	tataacgctg	ctatggataa	gattggagct	gctatcatcg	13860
attggagtga	tccagatgga	aagttcagag	ctgataggga	ggattgggtg	ttgtgcgatt	13920
tcagatccgc	tatcaccatt	gctctcatct	acatcgcttt	cgtgatcttg	ggatctgctg	13980
tgatgcaatc	tctcccagct	atggacccat	accctatcaa	gttcctctac	aacgtgtctc	14040
aaatcttcct	ctgcgcttac	atgactgttg	aggctggatt	cctcgcttat	aggaacggat	14100
acaccgttat	gccatgcaac	cacttcaacg	tgaacgatcc	accagttgct	aacttgctct	14160

PF77877_sequence_listing_formatiertSA.txt

ggctcttcta	catctccaaa	gtgtgggatt	tctgggatac	catcttcatt	gtgctcggaa	14220
agaagtggag	acaactctct	ttcttgcacg	tgtaccacca	caccaccatc	ttcctcttct	14280
actggttgaa	cgctaactgt	ctctacgatg	gagatatctt	cttgaccatc	ctcctcaacg	14340
gattcattca	caccgtgatg	tacacctact	acttcatctg	catgcacacc	aaggattcta	14400
agaccggaaa	gtctttgcca	atctggtgga	agtcattctt	gaccgctttc	caactcttgc	14460
aattcaccat	catgatgtcc	caagctacct	acttggtttt	ccacggatgc	gataagggtt	14520
ccctcagaat	caccatcgtg	tacttcgtgt	acattctctc	ccttttcttc	ctcttcgctc	14580
agttcttcgt	gcaatcctac	atggctccaa	agaagaagaa	gtccgcttga	tgtaattaa	14640
ctaagtttga	tgtatctgag	tgccaacgtt	tactttgtct	ttcctttctt	ttattggtta	14700
tgattagatg	tttactatgt	tctctctttt	tcgttataaa	taaagaagtt	caattcttct	14760
atagtttcaa	acgcgatttt	aagcgtttct	atthaggttt	acatgatttc	ttttacaaaa	14820
tcattcttta	aatacagtat	attttttagt	ttcataaaat	atttaaagaa	atgaaagttt	14880
ataaacattc	actcctattc	tctaattaag	gatttgtaaa	acaaaaattt	tgtaagcata	14940
tcgattttatg	cgttttgtct	taattagctc	actaaataat	aaataatagc	ttatgttggtg	15000
ggactgttta	attacctaac	ttagaactaa	aatcaactct	ttgtgggcaa	acactgtacg	15060
gaccgtggcc	taataggccg	gtaccacca	gctttcttgt	acaaagtggc	catgattacg	15120
ccaagcttgg	ccactaaggc	caatttaaat	ctactaggcc	ggccataagg	atgacctacc	15180
cattcttgag	acaaatgtta	catttttagt	tcagagtaaa	atgtgtacct	ataactcaaa	15240
ttcgattgac	atgtatccat	tcaacataaa	attaaaccag	cctgcacctg	catccacatt	15300
tcaagtattt	tcaaaccgtt	cggctcctat	ccaccgggtg	taacaagacg	gattccgaat	15360
ttggaagatt	ttgactcaaa	ttcccaattt	atattgaccg	tgactaaatc	aactttaact	15420
tctataattc	tgattaagct	cccaatttat	attcccaacg	gcaactacct	caaaatttat	15480
agactctcat	ccccttttaa	accaacttag	taaacgtttt	ttttttaatt	ttatgaagtt	15540
aagtttttac	cttgttttta	aaaagaatcg	ttcataagat	gccatgccag	aacattagct	15600
acacgttaca	catagcatgc	agccgcggag	aattgttttt	cttcgccact	tgtcactccc	15660
ttcaaacacc	taagagcttc	tctctcacag	cacacacata	caatcacatg	cgtgcatgca	15720
ttattacacg	tgatcgccat	gcaaactctc	tttatagcct	ataaattaac	tcatcggctt	15780
cactctttac	tcaaaccaaa	actcatcaat	acaaacaaga	ttaaaaacat	ttcacgattt	15840
ggaatttgat	tcctgcgatc	acaggatatg	caggttagat	tttgttttgt	atagtgtgat	15900
acatacttct	ttgtgatgtt	ttgtttactt	aatcgaattt	ttggagtgtt	ttaaggctct	15960
tcgttttagaa	atcgtggaaa	atatcactgt	gtgtgtgttc	ttatgattca	cagtgtttat	16020
gggtttcatg	ttctttgttt	tatcattgaa	tggaagaaa	tttcgttggg	atacaattt	16080
ctcatgttct	tactgatcgt	tattaggagt	ttggggaaaa	aggaagagtt	tttttggttg	16140
gttcgagtga	ttatgaggtt	atctctgtat	ttgatttatg	agttaatggt	cgttttaatg	16200
ttgtagaccg	ccatggctat	tttgaaccct	gaggctgatt	ctgctgctaa	cctcgctact	16260

Page 139

PF77877_sequencelisting_formatiertSA.txt

gattctgagg	ctaagcaaag	acaattggct	gaggctggat	acactcatgt	tgagggtgct	16320
cctgctcctt	tgcccttggga	gttgccctcat	ttctctctca	gagatctcag	agctgctatt	16380
cctaagcact	gcttcgagag	atctttcgtg	acctccacct	actacatgat	caagaacgtg	16440
ttgacttgcg	ctgctttgtt	ctacgctgct	accttcattg	atagagctgg	agctgctgct	16500
tatgttttgt	ggcctgtgta	ctggttcttc	cagggatctt	acttgactgg	agtgtgggtt	16560
atcgctcatg	agtgtggaca	tcaggcttat	tgctcttctg	agggtggtaa	caacttgatt	16620
ggactcgtgt	tgcatctctg	tttgttgggt	ccttaccact	cttgagagaat	ctctcacaga	16680
aagcaccatt	ccaacactgg	atcttgcgag	aacgatgagg	ttttcgttcc	tgtgaccaga	16740
tctgtgttgg	cttcttcttg	gaacgagacc	ttggaggatt	ctcctctcta	ccaactctac	16800
cgtatcgtgt	acatgttggg	tgttggatgg	atgcctggat	acctcttctt	caacgctact	16860
ggacctacta	agtactgggg	aaagtctagg	tctcacttca	acccttactc	cgctatctat	16920
gctgataggg	agagatggat	gatcgtgctc	tccgatatth	tcttgggtggc	tatgttggct	16980
gttttggctg	ctttgggtgca	cactttctcc	ttcaacacca	tggtgaagtt	ctacgtgggtg	17040
ccttacttca	ttgtgaacgc	ttacttgggt	ttgattacct	acctccaaca	caccgatacc	17100
tacatccctc	atttcagaga	gggagagtgg	aattgggtga	gaggagcttt	gtgcaactgtg	17160
gatagatcat	ttgggtccatt	cctcgattct	gtgggtgcata	gaatcgtgga	tacccatggt	17220
tgccaccaca	tcttctccaa	gatgcctttc	tatcattgctg	aggaggctac	caacgctatt	17280
aagcctctcc	tcggaaggtt	ctacttgaag	gataccactc	ctgttcctgt	tgctctctgg	17340
agatcttaca	cccattgcaa	gttcgttgag	gatgatggaa	agggtgggtt	ctacaagaac	17400
aagctctagt	taattaataa	ttgattgggt	cgagtattat	ggcattggga	aaactgtttt	17460
tcttgtacca	tttgttgtgc	ttgtaattta	ctgtgttttt	tattcggttt	tcgctatcga	17520
actgtgaaat	ggaaatggat	ggagaagagt	taatgaatga	tatgggtcctt	ttgttcattc	17580
tcaaattaat	attatttgtt	ttttctctta	tttgttgtgt	gttgaatttg	aaattataag	17640
agatatgcaa	acattttgtt	ttgagtaaaa	atgtgtcaaa	tcgtggcctc	taatgaccga	17700
agttaatatg	aggagtaaaa	cacttgtagt	tgtaccatta	tgcttattca	ctaggcaaca	17760
aatatattht	cagacctaga	aaagctgcaa	atgttactga	atacaagtat	gtcctcttgt	17820
gttttagaca	tttatgaact	ttcctttatg	taattttcca	gaatccttgt	cagattctaa	17880
tcattgcttt	ataattatag	ttatactcat	ggattttagt	ttgagtatga	aaatattht	17940
taatgcattt	tatgacttgc	caattgattg	acaacatgca	tcaatggcgc	ctactaccgg	18000
taattcccgg	gattagcggc	cgctagtctg	tgcgcacttg	tatcctgcag	gttaggccgg	18060
ccactgcagc	aaattttacac	attgccacta	aacgtctaaa	cccttgtaat	ttgtttttgt	18120
tttactatgt	gtgttatgta	tttgatttgc	gataaatttt	tatatthtgg	actaaattta	18180
taacaccttt	tatgctaacg	tttgccaaca	cttagcaatt	tgcaagttga	tttaattgatt	18240
ctaaattatt	tttgtcttct	aaatacatat	actaatcaac	tggaatgtga	aatatttgc	18300

PF77877_sequencelisting_formatiertSA.txt

aatattttcta ctataggaga attaaagtga gtgaatatgg taccacaagg tttggagatt	18360
taattgttgc aatgctgcat ggatggcata tacaccaaac attcaataat tcttgaggat	18420
aataatggta ccacacaaga tttgaggtgc atgaacgtca cgtggacaaa aggttttagta	18480
atTTTTcaag acaacaatgt taccacacac aagTTTTgag gtgcatgcat ggatgccctg	18540
tggaaagttt aaaaatattt tggaaatgat ttgcatggaa gccatgtgta aaaccatgac	18600
atccacttgg aggatgcaat aatgaagaaa actacaaatt tacatgcaac tagttatgca	18660
tgtagtctat ataatgagga ttttgcaata ctttcattca tacacactca ctaagtttta	18720
cacgattata atttcttcat agccagtact gttaaagctt cactgtctct gaatcggcaa	18780
aggtaaacgt atcaattatt ctacaaaccc ttttattttt cttttgaatt accgtcttca	18840
ttggttatat gataacttga taagtaaagc ttcaataatt gaatttgatc tgtgtttttt	18900
tggccttaat actaaatcct tacataagct ttgttgcttc tcctcttggtg agttgagtgt	18960
taagttgtaa taatggttca ctttcagctt tagaagaaac gcgccttcca tggctacaaa	19020
ggaggcttac gttttcccaa ctctcaccga gatcaagaga tctctcccaa aggattgctt	19080
cgaggcttct gtgcctttgt ctcttacta cactgtgaga tgcttggtta ttgctgtggc	19140
tttgaccttc ggattgaact acgctagagc ttggccagag gttgagtctt tctgggcttt	19200
ggatgctgct ttgtgcaact gatatacct cctccaggga attgtgttct ggggattctt	19260
cactgttga cagcatgctg gacacggagc tttctctaga taccacctct tgaacttcgt	19320
tgtgggaacc ttcatgcaact ctctcatctt gacccattc gagtcttgga agttgaccca	19380
cagacaccac cacaagaaca ccggaaacat cgatagagat gaggtgttct acccacagag	19440
aaaggctgat gatcacccat tgtccaggaa cttgatcttg gctttgggag ctgcttggt	19500
tgcttatttg gtggagggat tcccaccaag aaagggtgaac cacttcaacc cattcgagcc	19560
actttttgtg agacaagtgt ccgctgtggt tatctctttg ctgctcact tcttcgttgc	19620
tggactctct atctacttgt ctctccagtt gggacttaag accatggcta tctactacta	19680
cggaccagtt ttcgtgttcg gatctatgtt ggtgattacc accttcttgc accacaacga	19740
tgaggagact ccatggtatg ctgattctga gtggacttac gtgaaggga acttgtcctc	19800
tgtggataga tcttacggtg ctctcatcga taacctctcc cacaacatcg gaactcacca	19860
gatccaccac ctcttcccaa ttatcccaca ctacaagctc aagaaggcta ctgctgcttt	19920
ccaccaagct ttcccagagc ttgtgagaaa gtccgatgag ccaatcatca aggccttctt	19980
cagagtggga aggttgatg ctaactacgg agtggttgat caagaggcta agctcttcac	20040
tttgaaggag gctaaggctg ctactgaagc tgctgctaag accaagtcta cctgattaat	20100
taatcgacaa gctcgagttt ctccataata atgtgtgagt agttcccaga taagggaatt	20160
agggttccta tagggtttcg ctcatgtgtt gagcatataa gaaacctta gtatgtattt	20220
gtatttgtaa aatacttcta tcaataaaat ttctaattcc taaaaccaa atccagtact	20280
aaaatccaga tccccgaat taattcggcg ttaattcagg gcaaacactg tacggaccgt	20340
ggcctaatag gccggtaccc aactttatta tacatagttg ataattcact ggccggatgt	20400

Page 141

PF77877_sequencelisting_formatiertSA.txt

accgaattcg	cggccgcaag	cttgtaact	agtacgcgtc	aattggcgat	cgcggatctg	20460
agatgaaacc	ggtgattatc	agaacctttt	atgggtcttg	tatgcatatg	gtaaaaaac	20520
ttagtttgca	atttcctgtt	tgtttttgta	atttgagttt	cttttagttg	ttgatctgcc	20580
tgcttttttg	tttacgtcag	actactactg	ctgttggtgt	ttggtttcct	ttctttcatt	20640
ttataaataa	ataatccggt	tcggtttact	ccttggtgact	ggctcagttt	ggttattgcy	20700
aaatgcgaat	ggtaaattga	gtaattgaaa	ttcgttatta	gggttctaag	ctgttttaac	20760
agtcactggg	ttaatatctc	tcgaatcttg	catggaaaat	gctcttacca	ttggttttta	20820
attgaaatgt	gctcatatgg	gccgtgggtt	ccaaattaaa	taaaactacg	atgtcatcga	20880
gaagtaaaat	caactgtgtc	cacattatca	gttttgtgta	tacgatgaaa	tagggtaatt	20940
caaaatctag	cttgatatgc	cttttggttc	attttaacct	tctgtaaaaca	ttttttcaga	21000
ttttgaacaa	gtaaatccaa	aaaaaaaaaa	aaaaaatctc	aactcaacac	taaattattt	21060
taatgtataa	aagatgctta	aaacatttgg	cttaaaagaa	agaagctaaa	aacatagaga	21120
actcttgtaa	attgaagtat	gaaaatatac	tgaattgggt	attatatgaa	tttttctgat	21180
ttaggattca	catgatccaa	aaaggaaatc	cagaagcact	aatcagacat	tggagtagg	21240
aatatttcaa	aaagtttttt	ttttttaagt	aagtgacaaa	agctttttaa	aaatagaaaa	21300
gaaactagta	ttaaagttgt	aaatttaata	aacaaaagaa	attttttata	ttttttcatt	21360
tctttttcca	gcatgaggtt	atgatggcag	gatgtggatt	tcattttttt	ccttttgata	21420
gccttttaat	tgatctatta	taattgacga	aaaaatatta	gttaattata	gatatatatt	21480
aggtagtatt	agcaatttac	acttccaaaa	gactatgtaa	gttgtaaata	tgatgcgttg	21540
atctcttcat	cattcaatgg	ttagtcaaaa	aaataaaaagc	ttaactagta	aactaaagta	21600
gtcaaaaatt	gtactttagt	ttaaaatatt	acatgaataa	tccaaaacga	catttatgtg	21660
aaacaaaaac	aatatagatc	cattaccctg	ttatccctag	aggggaaaat	tcgaatccaa	21720
aaattacgga	tatgaatata	ggcatatccg	tatccgaatt	atccgtttga	cagctagcaa	21780
cgattgtaca	attgcttctt	taaaaaagga	agaaagaaag	aaagaaaaga	atcaacatca	21840
gcgttaacaa	acggccccgt	tacggcccaa	acggtcatat	agagtaacgg	cgtaagcgt	21900
tgaaagactc	ctatcgaaat	acgtaaccgc	aaacgtgtca	tagtcagatc	ccctcttcct	21960
tcaccgcctc	aaacacaaaa	ataatcttct	acagcctata	tatacaaccc	ccccttctat	22020
ctctcctttc	tcacaattca	tcattcttct	ttctctaccc	ccaattttta	gaaatcctct	22080
cttctcctct	tcattttcaa	ggtaaattctc	tctctctctc	tctctctctg	ttattccttg	22140
ttttaattag	gtatgtatta	ttgctagttt	gttaatctgc	ttatcttatg	tatgccttat	22200
gtgaatatct	ttatcttggt	catctcatcc	gtttagaagc	tataaatttg	ttgatttgac	22260
tgtgtatcta	cacgtgggta	tgtttatatc	taatcagata	tgaatttctt	catattgttg	22320
cgtttggtg	taccaatccg	aaatcggtga	tttttttcat	ttaatcggtg	agctaattgt	22380
acgtatacat	atggatctac	gtatcaattg	ttcatctggt	tgtggttgta	tgtatacaga	22440

PF77877_sequence_listing_formatiertSA.txt

tctgaaaaca	tcacttctct	catctgattg	tggtgttaca	tacatagata	tagatctgtt	22500
atatcatttt	ttttattaat	tgtgtatata	tatatgtgca	tagatctgga	ttacatgatt	22560
gtgattat	acatgatttt	gttattttacg	tatgtatata	tgtagatctg	gacttttttg	22620
agttgttgac	ttgattgtat	ttgtgtgtgt	atatgtgtgt	tctgatcttg	atatgttatg	22680
tatgtgcagc	tgaaccatgg	cggcggcaac	aacaacaaca	acaacatctt	cttcgatctc	22740
cttctccacc	aaaccatctc	cttcctcctc	caaatcacca	ttaccaatct	ccagattctc	22800
cctcccat	tcctaaacc	ccaacaaatc	atcctcctcc	tcccgccgcc	gcggtatcaa	22860
atccagctct	ccctcctcca	tctccgccgt	gctcaacaca	accaccaatg	tcacaaccac	22920
tccctctcca	accaaacta	ccaaaccgga	aacattcatc	tcccgatctg	ctccagatca	22980
accccgcaaa	ggcgctgata	tcctcgtcga	agcttttagaa	cgtaaggcg	tagaaaccgt	23040
attcgcttac	cctggaggta	catcaatgga	gattcaccaa	gccttaacc	gctcttcctc	23100
aatccgtaac	gtccttcctc	gtcacgaaca	aggagggtga	ttcgcagcag	aaggatacgc	23160
tcgatcctca	ggtaaaccag	gtatctgtat	agccacttca	ggccccggag	ctacaaatct	23220
cgttagcgga	ttagccgatg	cgttgttaga	tagtggtcct	cttgtagcaa	tcacaggaca	23280
agtcctcgt	cgtatgattg	gtacagatgc	gtttcaagag	actccgattg	ttgaggtaac	23340
gcgttcgatt	acgaagcata	actatcttgt	gatggatggt	gaagatatcc	ctaggattat	23400
tgaggaaagct	ttcttttttag	ctacttctgg	tagacctgga	cctgttttgg	ttgatgttcc	23460
taaagatatt	caacaacagc	ttgcgattcc	taattgggaa	caggctatga	gattacctgg	23520
ttatatgtct	aggatgccta	aacctccgga	agattctcat	ttggagcaga	ttgttagggt	23580
gatttctgag	tctaagaagc	ctgtgttgta	tggtgggtgt	ggttggttga	attctagcga	23640
tgaattgggt	aggtttgttg	agcttacggg	gatccctggt	gcgagtacgt	tgatggggct	23700
gggatcttat	ccttgtgatg	atgagttgtc	gttacatatg	cttggaatgc	atgggactgt	23760
gtatgcaaat	tacgctgtgg	agcatagtga	tttggtgttg	gcgtttgggg	taaggtttga	23820
tgatcgtgtc	acgggtaagc	ttgaggcttt	tgctagtagg	gctaagattg	ttcatattga	23880
tattgactcg	gctgagattg	ggaagaataa	gactcctcat	gtgtctgtgt	gtggtgatgt	23940
taagctggct	ttgcaaggga	tgaataaggt	tcttgagaac	cgagcggagg	agcttaagct	24000
tgattttgga	gtttggagga	atgagttgaa	cgtacagaaa	cagaagtttc	cgttgagctt	24060
taagacgttt	ggggaagcta	ttcctccaca	gtatgcgatt	aaggctcctg	atgagttgac	24120
tgatggaaaa	gccataataa	gtactgggtgt	cgggcaacat	caaagtggg	cggcgcagtt	24180
ctacaattac	aagaaaccaa	ggcagtggtc	atcatcagga	ggccttggag	ctatgggatt	24240
tggacttcct	gctgcgattg	gagcgtctgt	tgctaaccct	gatgcgatag	ttgtggatat	24300
tgacggagat	ggaagcttta	taatgaatgt	gcaagagcta	gccactattc	gtgtagagaa	24360
tcttccagtg	aaggctactt	tattaaacaa	ccagcatctt	ggcatgggtta	tgcaatggga	24420
agatcggttc	tacaaagcta	accgagctca	cacatttctc	ggggatccgg	ctcaggagga	24480
cgagatattc	ccgaacatgt	tgctgtttgc	agcagcttgc	gggattccag	cggcgaggggt	24540

Page 143

PF77877_sequencelisting_formatiertSA.txt

gacaaagaaa	gcagatctcc	gagaagctat	tcagacaatg	ctggatacac	caggacctta	24600
cctgttggtg	gtgatttggtc	cgcaccaaga	acatgtgttg	ccgatgatcc	cgaatggtgg	24660
cactttcaac	gatgtcataa	cggaaggaga	tggccggatt	aaatactgat	agggataaca	24720
gggtaatctc	gacgagatga	aaccggtgat	tatcagaacc	ttttatgggtc	tttgatatgca	24780
tatggtaaaa	aaacttagtt	tgcaatttcc	tgtttgtttt	ggtaatttga	gtttctttta	24840
gttggtgatc	tgctgtcttt	ttggtttacg	tcagactact	actgctgttg	ttggttggtt	24900
tcctttcttt	cattttataa	ataaataatc	cggttcgggtt	tactccttgt	gactggctca	24960
gtttggttat	tgcgaaatgc	gaatggtaaa	ttgagtaatt	gaaattcggtt	attaggggttc	25020
taagctgttt	taacagtcac	tgggttaata	tctctcgaat	cttgcattgga	aaatgctctt	25080
accattgggtt	tttaattgaa	atgtgctcat	atggggccgtg	gtttccaaat	taaataaaac	25140
tacgatgtca	tcgagaagta	aaatcaactg	tgtccacatt	atcagttttg	tgtatacgat	25200
gaaataggggt	aattcaaaat	ctagcttgat	atgccttttg	gttcattttta	accttctgta	25260
aacatttttt	cagattttga	acaagtaaat	ccaaaaaaaa	aaaaaaaaaa	tctcaactca	25320
acactaaatt	attttaatgt	ataaaagatg	cttaaaacat	ttggcttaaa	agaaagaagc	25380
taaaaacata	gagaactctt	gtaaattgaa	gtatgaaaat	atactgaatt	gggtattata	25440
tgaatttttc	tgatttagga	ttcacatgat	ccaaaaagga	aatccagaag	cactaatcag	25500
acattggaag	taggaatatt	tcaaaaagtt	tttttttttt	aagtaagtga	caaaagcttt	25560
taaaaaatag	aaaagaaact	agtattaaag	ttgtaaattt	aataaacaac	agaaattttt	25620
tatatTTTTT	catttctttt	tccagcatga	ggttatgatg	gcaggatgtg	gatttcattt	25680
ttttcctttt	gatagccttt	taattgatct	attataattg	acgaaaaaat	attagttaat	25740
tatagatata	ttttaggtag	tattagcaat	ttacacttcc	aaaagactat	gtaagttgta	25800
aatatgatgc	gttgatctct	tcatcattca	atgggttagtc	aaaaaaataa	aagcttaact	25860
agtaaaactaa	agtagtcaaa	aattgtactt	tagtttaaaa	tattacatga	ataatccaaa	25920
acgacattta	tgtgaaacaa	aaacaatatg	tcgaggcgat	cgcagtactt	aatcagtgat	25980
cagtaactaa	attcagtaca	ttaaagacgt	ccgcaatgtg	ttattaagtt	gtctaagcgt	26040
caatttggtt	acaccacaat	atatcctgcc	accagccagc	caacagctcc	ccgaccggca	26100
gctcggcaca	aaatcactga	tcatctaaaa	agggtgatgtg	tatttgagta	aaacagcttg	26160
cgtcatgcgg	tcgctgcgta	tatgatgcga	tgagtaaata	aacaaatacg	caagggggaa	26220
gcatgaagggt	tatcgctgta	cttaaccaga	aaggcgggtc	aggcaagacg	accatcgcaa	26280
cccatctagc	ccgcgccctg	caactcgccg	gggccgatgt	tctgttagtc	gattccgatc	26340
cccagggcag	tgcccgcgat	tgggcggccg	tgccgggaaga	tcaaccgcta	accgttgtcg	26400
gcatcgaccg	cccgcagatt	gaccgcgacg	tgaaggccat	cggccggcgc	gacttcgtag	26460
tgatcgacgg	agcgccccag	gcggcggact	tggctgtgtc	cgcgatcaag	gcagccgact	26520
tcgtgctgat	tccggtgcag	ccaagccctt	acgacatttg	ggccaccgcc	gacctggtgg	26580

PF77877_sequence1isting_format1ertsa.txt

28740 acgccccgccc gcttcgcgtc ggcctatcgc ggcctatcgc ggtgtgaata cgcacagat

28800 gcttaagag aataaccgc atcagcgcgt cttccgcctt ctcgcctcat gactcgcgtc

28860 gctcgcgtcgt tcgctgcgcgc cgaagcgttat cagctcactc aagcgcgtat atacggttat

28920 ccaagatc agggatatac gcaagaaagc acatgttagc aaaaagccag caaaagccca

28980 gaaaccgtaa aagccgcgcgt ttgtcgtgcgt tttccatag gctccgcgcc cctgaagcgc

29040 atcaaaaaa tcgacgctca agtcagaggt ggcgaaaacc gacaggaata taagatacc

29100 agcggtttcc cccctggaagc tccctcgtgc gctctcctgt tccgaaccctg ccgcttaaccg

29160 gatacctgtc cgcctttctc ccttcgggaa gcgctggcgt tcttcatagc tcacgcctgta

29220 ggtatctcag ttcggttag gtcgttcgtc ccaagcgtgg cgtgttgca gaaacccccgc

29280 ttcaagcccgaa cgcctgcgcgc ttatccggtat actatcgtct tgaagtcaca ccggtaaagc

29340 acgaacttatc gccacttgca gcaagccactg gtaacagat tagcagagcg aggtatgtag

29400 gcgttcgtac agagttcttg aagtgttgcc ctaactacgg ctacaactaga agyacagtat

29460 ttgttatctg cgtctcgtc agccagttat ccttcgaa aagagtttgt agctcttgat

29520 ccgcaaaaaa aaccaccgct ggtagcgcgt gtttttttgt ttgcaagcag cagattacgc

29580 gcagaaaaaa aggatctca gaagatctt tgaatctttc taaggggtcc ttcaactcat

29640 cgtatgttg gctgttagca attatgtgt tagtgcactt aacgcttgag ttaagccgcg

29700 ccgcgaagcg gcttcgcgtt gaacgaattt ctactagac attatttgc aacgaacctt

29760 gttatcttcg ccttgacata gttgaacaat tcttcgagct gttcggcccg ggaagcgaaga

29820 cgtctctctt cttgcccag atagccttg cgcgccttcga ggaatcacggg cgtgtatatc

29880 gcggaagc gctccatcgc ccagtcgcgc ggcacatcct tcgacgcgat cttgcggta

29940 accgcggagt accaatccg gctcagcgtat agyaccacat tgcgctcat gccgcgccaa

30000 tccgcccggg agttccacag gttcagcgtc tcgttcagtg cttcgaacag atccctgttcc

30060 ggcaaccgggt cgaaaagtcc ctcggcccgc gggcccgaga gggccacgct atgtccccgcg

30120 gcttgttga cagatcgc cagatcaatg tcgatgttg ccggttcaaa gataccccgc

30180 agaatatcat tacgctgcga ttgcgcgaac tggagttcgc gtttgcgcg atagcgcga

30240 gggatgttgt catcgtgcac cacaatcgtc acctcaaccg cgcgcaggat ttctcttcg

30300 ccgggggggg cgcaggttcc cagaagtcg ttgataagc cgcggcgcgt ggtctcgtc

30360 agacggagcgt taacggtgac aagcaggtcg atgtccgaat gggccttaag gccgcgcgtca

30420 acgcgcgtac catacagatg cagcgcgag aggttcggtt cgaagtggcg ctcgattgaca

30480 cccaagctt cgaagctg gttggacacc tcggcgatga ccgcttcaac catgatgttt

30540 aacttgttt taggcgact gccctgcgtc gtaacatcgt tgcctgcctca taacatacaaa

30600 catcgaccca cggcgttaacg cgttcgtcgtc ttgatgcgc gaggcataga ctgtacccca

30660 aaaaaaacgt cataacaagc catgaaaaac gccactgcgt tccatgaata ttcaaaaaa

30687 cacatatagc gcgacttatc atggata

PF77877_sequencelisting_formatiertSA.txt

<210> 7
<211> 24750
<212> DNA
<213> Artificial

<220>
<223> plasmid

```
<400> 7
ttgacataca aatggacgaa cggataaacc ttttcacgcc cttttaaata tccgattatt      60
ctaataaacg ctcttttctc ttaggtttac ccgccaatat atcctgtcaa aactgatag      120
tttaaacgta aggcgggaaa cgacaatctg atcactgatt agtaactaag gcctttaatt      180
aatctagagg cgcgcgaggc cccctgcagg gagctcggcc ggccaattta aattgatatc      240
ggtacatcga ttacgccaaag ctatcaactt tgtatagaaa agttgccatg attacgccaa      300
gcttggccac taaggccaat ttaaactctac tagggcggcc attagcagat atttgggtgc      360
taaatgttta ttttgtgata tgttcattgt tgaaatgggt gtttcgaaac cagggacaac      420
gttgggatct gatagggtgt caaagagtat tatggattgg gacaatttcg gtcattgagt      480
gcaaattcaa gtatatcggt cgattatgaa aattttcgaa gaatatccca tttgagagag      540
tctttacctc attaatgttt ttagattatg aaattttatc atagttcatc gtagtctttt      600
tggtgtaaag gctgtaaaaa gaaattgttc acttttgttt tcgtttatgt gaaggctgta      660
aaagattgta aaagactatt ttggtgtttt ggataaaatg atagttttta tagattcttt      720
tgcttttaga agaaatacat ttgaaatttt ttccatgttg agtataaaat accgaaatcg      780
attgaagatc atagaaatat ttttaactgaa aacaaattta taactgattc aattctctcc      840
atttttatac ctatttaacc gtaatcgatt ctaatagatg atcgattttt tatataatcc      900
taattaacca acggcatgta ttggataaatt aaccgatcaa ctctcacccc taatagaatc      960
agtattttcc ttcgacgtta attgatccta cactatgtag gtcatatcca tcgttttaatt     1020
ttttggccac cattcaattc tgtcttgccct ttagggatgt gaatatgaac ggccaaggta     1080
agagaataaa aataatcaa attaaagcaa gagaggccaa gtaagataat ccaaattgtac     1140
acttgtcatt gccaaaatta gtaaaatact cggcatattg tattcccaca cattattaaa     1200
ataccgtata tgtattggct gcatttgcac gaataatact acgtgtaagc ccaaaagaac     1260
ccacgtgtag cccatgcaaa gttaacactc acgaccccat tcctcagtct ccactatata     1320
aaccaccat cccaatctc accaaaccca ccacacaact cacaactcac tctcacacct     1380
taaagaacca atcaccacca aaaaaccgcg ccaccatgct tgttcttttc ggaaacttct     1440
acgtgaagca gtactctcaa agaacggaa agcctgagaa cgggtgctact cctgaaaacg     1500
gtgcaaagcc tcaaccttgt gagaacggaa ctgttgagaa gagggagaac gataaccgta     1560
atgttagacc tactagacca gctggacctc ctctgtctac ttactacgat tctctcgctg     1620
tttctggaca gggaaaagag agacttttca ccaccgacga agttagaagg cacatcctcc     1680
ctactgacgg atggcttact tgtcacgagg gagtttacga cgttactgac ttccttgcaa     1740
aacaccctgg tggaggtgtt atcactcttg gactcgggaag agattgcact atcctcatcg     1800
```

Page 147

PF77877_sequencelisting_formatiertSA.txt

agtcttacca	ccctgctggt	agacctgata	aggtgatgga	aaagtaccgt	atcggaactc	1860
ttcaagaccc	taagactttc	tacgcttggg	gagagtctga	tttctaccct	gagcttaaga	1920
gaagggctct	tgctagactt	aaagaggctg	gacaagctag	aagagggtgga	cttggagtta	1980
aggctctcct	tgttcttact	ctcttcttcg	tgtcttggta	tatgtggggtt	gcacacaagt	2040
ctttcttgty	ggctgctggt	tggggattcg	ctggatcaca	tgtgggactt	tctatccagc	2100
acgacggaaa	ccacggtgct	ttctctagaa	acaccctcgt	taacagactt	gctggatggg	2160
gaatggatct	tatcgagact	tcttctactg	tttgggagta	ccagcacggt	atcggacacc	2220
accagtacac	taacctcggt	tctgataccc	ttttcagcct	tcctgagaac	gatcctgatg	2280
tgttctcttc	ttacctctc	atgagaatgc	accctgatac	tgcttggcaa	cctcaccaca	2340
gattccagca	ccttttcgct	ttccctttgt	tcgctctcat	gaccatctct	aaggttctca	2400
cctctgattt	cgctgtttgc	ctctctatga	agaagggatc	tatcgattgc	tctagcagac	2460
ttgttcctct	tgagggacaa	cttcttttct	gggggtgctaa	acttgctaac	ttcctcctcc	2520
aaatcgttct	tccttggttac	cttcacggaa	ctgctatggg	acttgctctt	ttctctgttg	2580
ctcaccttgt	ttctgggtgag	taccttgcta	tctgcttcat	catcaaccac	atctctgagt	2640
cttgtgagtt	catgaacacc	tcattccaaa	ctgctgctag	aagaactgag	atgcttcaag	2700
ctgctcatca	agctgctgag	gctaagaagg	ttaagcctac	tcctcctcct	aacgattggg	2760
ctgttactca	agttcagtgc	tgtgttaact	ggcgttctgg	tggagtctct	gctaaccacc	2820
tttctggtgg	acttaaccac	cagatcgagc	accacctctt	cccttctatc	tctcacgcta	2880
actaccctac	tatcgctcct	gttgtgaaag	aagtgtgcga	ggaatacggg	cttccttaca	2940
agaactacgt	gaccttctgg	gatgctgttt	gtggaatggt	tcagcacctt	agacttatgg	3000
gtgctcctcc	tgttcctact	aacggtgaca	aaaaaagttg	atgattaatt	aataattgat	3060
tgctgcttta	atgagatatg	cgagacgcct	atgatcgcat	gatatttgct	ttcaattctg	3120
ttgtgcacgt	tgtaaaaaac	ctgagcatgt	gtagctcaga	tccttaccgc	cggtttcggt	3180
tcatttctaat	gaatatatca	cccgttacta	tcgtatTTTT	atgaataata	ttctccgttc	3240
aatttactga	ttgtggcgcc	tactaccggt	aattcccggg	attagcggcc	gctagtctgt	3300
gcgcacttgt	atcctgcagg	tcaatcgttt	aaacactgta	cggaccgtgg	cctaataggc	3360
cggtagccaa	gtttgtacaa	aaaagcaggc	tccatgatta	cgccaagctt	ggccactaag	3420
gccaatTTaa	atctactagg	ccggccaaag	ctttacaacg	ctacacaaaa	cttataaccg	3480
taatcaccat	tcattaactt	aactactatc	acatgcattc	atgaattgaa	acgagaagga	3540
tgtaaatagt	tgggaagtta	tctccacggt	gaagagatcg	ttagcgagag	ctgaaagacc	3600
gagggaggag	acgccgtcaa	cacggacaga	gtcgtcgacc	ctcacatgaa	gtaggaggaa	3660
tctccgtgag	gagccagaga	gacgtctttg	gtcttcgggt	tcgatccttg	atctgacgga	3720
gaagacgaga	gaagtgcgac	tggactccgt	gaggaccaac	agagtcgtcc	tcggtttcga	3780
tcgtcggtat	tgggtggagaa	ggcggaggaa	tctccgtgac	gagccagaga	gatgtcgtcg	3840

PF77877_sequence_listing_formatiertSA.txt

gtcttcggtt tcgatccttg atctgacgga gaagacgaga gaagtgcgac gagactccgt	3900
gaggaccaac agagttgtcc tcggtttcga tcgtcggttt cggcggagaa ggcggaggaa	3960
tctccgtgag gagccagaga gacgtcgttg gtcttcggtt tcgatccttg atctgttgga	4020
gaagacgaga caagtgggac gagactcaac gacggagtca gagacgtcgt cggctcttcgg	4080
tttcggccga gaaggcggag tcggtcttcg gtttcggccg agaaggcggg ggagacgtct	4140
tcgatttggtg tctctctctt tgacgaagaa aacaaagaac acgagaaata atgagaaaga	4200
gaacaaaaga aaaaaaata aaaataaaaa taaaatttgg tcctcttatg tggtgacacg	4260
tggtttgaaa cccaccaaat aatcgatcac aaaaaaccta agttaaggat cggtaataac	4320
ctttctaatt aattttgatt tatattaaat cactcttttt atttataaac ccactaaat	4380
tatgcgatat tgattgtcta agtacaaaaa ttctctcgaa ttcaatacac atgtttcata	4440
tatttagccc tgttcattta atattactag cgcattttta atttaaaatt ttgtaaactt	4500
ttttggtcaa agaacatttt tttaattaga gacagaaatc tagactcttt atttggaata	4560
atagtaataa agatatatta ggcaatgagt ttatgatgtt atgtttatat agtttatttc	4620
attttaaaatt gaaaagcatt atttttatcg aaatgaatct agtatacaat caatatttat	4680
gttttttcat cagatacttt cctatttttt ggcacctttc atcggactac tgatttattt	4740
caatgtgtat gcatgcatga gcatgagtat acacatgtct tttaaaatgc atgtaaagcg	4800
taacggacca caaaagagga tccatacaaa tacatctcat cgcttcctct actattctcc	4860
gacacacaca ctgagcatgg tgcttaaaaca ctctgggtgag ttctagtact tctgctatga	4920
tcgatctcat taccatttct taaatttctc tccctaaata ttccgagttc ttgatttttg	4980
ataacttcag gttttctctt ttgataaat ctggctcttc catttttttt tttttgtggt	5040
taatttagtt tcctatgttc ttcgattgta ttatgcatga tctgtgtttg gattctgtta	5100
gattatgtat tgggtgaatat gtatgtgttt ttgcatgtct ggttttggtc ttaaaaatgt	5160
tcaaatctga tgatttgatt gaagcttttt tagtggtggt ttgattcttc tcaaaactac	5220
tgttaattta ctatcatgtt ttccaacttt gattcatgat gacacttttg ttctgctttg	5280
ttataaaatt ttggttggtt tgattttgta attatagtgt aattttgtta ggaatgaaca	5340
tgttttaata ctctgttttc gatttgtcac acattcgaat tattaatcga taatttaact	5400
gaaaattcat ggttctagat cttgttgtca tcagattatt tgtttcgata attcatcaaa	5460
tatgtagtcc ttttgctgat ttgcgactgt ttcatttttt ctcaaaattg ttttttgta	5520
agtttatcta acagttatcg ttgtcaaaag tctctttcat ttgcaaaat cttctttttt	5580
tttttgtttg taactttggt ttttaagcta cacatttagt ctgtaaaata gcatcgagga	5640
acagttgtct tagtagactt gcatgttctt gtaacttcta ttggtttcag tttgttgatg	5700
actgctttga ttttgtaggt caaaccgcgc catgtctgct agcggagctt tgttgccctgc	5760
tatagctttc gctgcttacg cttacgctac ctacgcttat gctttcgagt ggagccacgc	5820
taacggaatc gataacgtgg atgctagaga gtggattgga gctttgtctt tgagactccc	5880
tgcaattgca accacaatgt acctcttggt ctgccttggt ggacctagat tgatggctaa	5940

Page 149

PF77877_sequencelisting_formatiertSA.txt

gagggaggct	tttgatccta	agggatttat	gctcgcttac	aacgcttacc	aaaccgcttt	6000
caacgttggtg	gtgctcggaa	tggtcgctag	agagatctct	ggattgggac	aacctgtttg	6060
gggatctact	atgccttgga	gcgataggaa	gtccttcaag	attttggttg	gagtgtggct	6120
ccactacaac	aataagtacc	tcgagttggt	ggatactgtg	ttcatgggtg	ctaggaaaaa	6180
gaccaagcag	ctctctttct	tgcacgtgta	ccaccacgct	ttgttgattt	gggcttggtg	6240
gcttgtttgt	cacctcatgg	ctaccaacga	ttgcatcgat	gcttatttcg	gagctgcttg	6300
caactctttc	atccacatcg	tgatgtactc	ctactacctc	atgtctgctt	tgggaattag	6360
gtgcccttg	aagagatata	tcacccaggc	tcagatgttg	caattcgtga	tcgtgttcgc	6420
tcacgctgtt	ttcgtgctca	gacaaaagca	ctgccctggt	actttgcctt	gggcacaaat	6480
gttcgtgatg	acaaatatgt	tggtgctctt	cggaaacttc	tacctcaagg	cttactctaa	6540
caagtctagg	ggagatggag	cttcttctgt	taagcctgct	gagactacta	gagcaccttc	6600
tgtgagaaga	accagggtcaa	ggaagatcga	ttgatagtta	attaactaag	tttgatgtat	6660
ctgagtgcc	acgtttactt	tgtctttcct	ttcttttatt	ggttatgatt	agatgtttac	6720
tatgttctct	ctttttcggt	ataaataaag	aagttcaatt	cttctatagt	ttcaaacgcg	6780
attttaagcg	tttctattta	ggttttacatg	atttctttta	caaaatcatc	tttaaaatac	6840
agtataat	tagttttcat	aaaatattta	aagaaatgaa	agtttataaa	cattcactcc	6900
tattctctaa	ttaaggattt	gtaaaacaaa	aattttgtaa	gcataatcgat	ttatgcggtt	6960
tgtcttaatt	agctcactaa	ataataaata	atagcttatg	ttgtgggact	gtttaattac	7020
ctaacttaga	actaaaatca	actctttgtg	ggcgcctact	accggtaatt	cccgggatac	7080
ctgcagggtta	ggccggcctg	ctcggccccg	actgtatcca	acttgagatc	tttgaatctc	7140
tctgttctct	gatgttctga	aggagttcta	agtgtaatca	gaaagcttgt	aacatgcttt	7200
gtagactttc	tttgatatac	tcttgcaatg	actgattgaa	cctacgtgaa	aactgctggt	7260
caagttctaa	ccaaattccg	tctacggaag	gcccaaaatt	tattgacatc	ttcagtttca	7320
tggacgtgtc	ttcaaagttt	tataacttct	tatcccatca	tttttaagtc	tagttctggt	7380
ccgcatagtc	ttgatctca	aacaaatcta	caactcttgt	gtcagttctt	cttccagaat	7440
caacttgcta	catggtgaaa	atctggcgtc	aagttctgaa	cttgtcaatt	ttcttaacag	7500
ttagaaaata	atctaagtgt	ttagaatatt	gactttttcca	aagcaaagaa	gacttttgac	7560
tttcttaata	aaacaaactt	ctaattctaa	catgtcttga	tgaaatgtct	ttcttgaaat	7620
ttgatcaaga	tgcaaaagtc	aaagtttgac	ttttcagact	gcaattgacc	attttgcaga	7680
agtccaatt	ccaaaccaa	attgatgata	cagtgtctgca	aacttgatgt	catggaagat	7740
cttaacagaa	aattcttgaa	gactgagagc	aaaaattttc	atgtacaaca	caaactttcc	7800
tgtttttcat	agtcgctgta	gacacattaa	cataaaacac	ctgatcattc	gaagagtgtat	7860
tcttgaagga	aatgtgcagt	tacctttgtg	cagaacttaa	gagcaactta	cagactcatt	7920
tactaaaata	ctacaatcag	gaagatttta	acaacttaca	gaagtattcg	gagttaaaga	7980

PF77877_sequence_listing_formatiertSA.txt

gcaacacatt	aagggcgaca	gttaaaatta	atgtgttgta	accaccacta	cgaatagtaa	8040
gtattataag	ttaaattgtaa	tcattcacatt	ataattattg	tccttataat	taattatgat	8100
aaacatgtat	cattaagatt	gtcataacca	aatagtcctc	gacttgattt	ttgaattatt	8160
gtatttctatg	ttacttttct	tgtagcctat	ataaaaactt	tgtaaagcat	aattgtatgc	8220
tggaaaaaat	actgtaatga	attgaataga	aattatggta	tttcattctc	caaaatccat	8280
caatagaaat	ttagtacaaa	tcgaaagaca	aaaatattga	cttattttta	atttttacaac	8340
aatataaaaa	tattgactta	ttttaaattt	tacaataata	taaattttca	cctgtcacct	8400
ttagaaatcc	accaacaata	ttaattctta	gataaattat	tcttaataat	tttgagatct	8460
ctgtaattat	ctgatattta	ttttatattt	gtcagttatt	ttcttatggt	ttactgttaa	8520
cccttatatc	ttgggtcaaac	tagaataagt	aaatatgagt	ttgtgaagga	cacattgaca	8580
agatgaaaca	ttggtttttt	ccttcttcga	atgttaaagg	taataaaaaca	ttcagaatat	8640
tgacctacta	ttaatataga	tcctttgtct	tttaaaaaag	tgatgatgaa	aatgctctta	8700
ggtaagctag	tgtctcttgc	agggtgtgt	atatcaattc	catttccaga	tggttgaac	8760
tgccactacc	tataattagt	cataagacac	gtatgttaac	acacgtcccc	atgcatgttt	8820
tttgccatat	attccacac	tttctttttc	ttcacgtata	aaacattgaa	ctaattaata	8880
gtccgatcaa	gctgaacacc	atggcttcta	catctgctgc	tcaagacgct	gctccttacg	8940
agttcccttc	tctcactgag	atcaagaggg	ctcttccttc	tgagtgtttc	gaggcttctg	9000
ttcctctttc	tctctactac	accgctagat	ctcttgctct	tgctggatct	ctcgtgttg	9060
ctctctctta	cgctagagct	ttgcctcttg	ttcaggctaa	cgctcttctt	gatgctactc	9120
tctgactggt	atacgttctt	ctccaggga	tcgttttctg	gggattcttc	accgttggtc	9180
acgattgtgg	acacggagct	ttctctagat	ctcacgtgct	caacttctct	gttgaaccc	9240
tcatgcactc	tatcatcctt	acccttttcg	agtcttgga	gctctctcac	agacaccacc	9300
acaagaacac	cggaaacatc	gataaggacg	agatcttcta	ccctcaaaga	gaggctgatt	9360
ctcacctgt	ttctagacac	cttgtgatgt	ctcttgatc	tgcttggttc	gcttaccttt	9420
tcgctggatt	ccctcctaga	accatgaacc	acttcaaccc	ttgggaggct	atgtatgtta	9480
gaagagtggc	tgctgtgatc	atctctctcg	gagttctttt	cgctttcgct	ggactctact	9540
cttacctcac	cttcgttctt	ggattcacca	ctatggctat	ctactacttc	ggacctctct	9600
tcattctcgc	taccatgctt	gttggttacca	ctttcctcca	ccacaacgat	gaggagacac	9660
cttggtacgc	tgattctgag	tggaacttacg	tgaagggaaa	cctctcttct	gtggacagat	9720
cttacggtgc	tctcatcgac	aaccttagcc	acaacatcgg	aactcaccag	atccaccacc	9780
tcttccttat	catccctcac	tacaagctca	acgatgctac	tgctgctttc	gctaaggctt	9840
tccctgagct	tgtaggaaa	aacgctgctc	ctatcatccc	aactttcttc	aggatggctg	9900
ctatgtacgc	taagtacgga	gttggttaca	ctgatgctaa	gaccttcact	ctcaaggagg	9960
ctaaggctgc	tgctaagact	aagtcattct	gatgattaat	taaggccgcc	tcgaccgtac	10020
cccctgcaga	tagactatac	tatgttttag	cctgcctgct	ggctagctac	tatgttatgt	10080

Page 151

PF77877_sequencelisting_formatiertSA.txt

tatgtttaa	aataaacacc	tgctaaggta	tatctatcta	tatttttagca	tggttttctc	10140
aataaattgt	ctttccttat	cgtttactat	cttataccta	ataatgaaat	aataatatca	10200
catatgagga	acggggcagg	tttaggcata	tatatacgag	tgtagggcgg	agtggggggc	10260
gcctaccggt	atcgggtccga	ttgcggccgc	tagtctgtgc	gcacttgtat	cctgcagggt	10320
aggccggcca	ctgcagcaaa	tttacacatt	gccactaaac	gtctaaaccc	ttgtaatttg	10380
tttttgttt	actatgtgtg	ttatgtattt	gatttgcgat	aaatttttat	atttggtact	10440
aaatttataa	caccttttat	gctaacgttt	gccaacactt	agcaatttgc	aagttgatta	10500
attgattcta	aattattttt	gtcttctaaa	tacatatact	aatcaactgg	aaatgtaaat	10560
atttgcta	atttctacta	taggagaatt	aaagtgagtg	aatatggtac	cacaagggtt	10620
ggagatttaa	ttgttgcaat	gctgcatgga	tgccatatac	accaaacatt	caataattct	10680
tgaggataat	aatggtacca	cacaagattt	gaggtgcatg	aacgtcacgt	ggacaaaagg	10740
tttagtaatt	tttcaagaca	acaatgttac	cacacacaag	ttttgaggtg	catgcatgga	10800
tgccctgtgg	aaagtttaaa	aatatttttg	aaatgatttg	catggaagcc	atgtgtaaaa	10860
ccatgacatc	cacttgagg	atgcaataat	gaagaaaact	acaaatttac	atgcaactag	10920
ttatgcatgt	agtctatata	atgaggattt	tgcaataactt	tcattcatac	acactcacta	10980
agttttacac	gattataaatt	tcttcatagc	cagtaggggt	tcgtttttgt	ttcatcgata	11040
aactcaaagg	tgatgatttt	agggctctgt	gagtggtgctt	ttttgtttga	ttctactgta	11100
gggtttatgt	tcttttagctc	ataggttttg	tgtatttctt	agaaatgtgg	cttctttaat	11160
ctctgggttt	gtgacttttt	gtgtgggttc	tgtgtttttc	atatcaaaaa	cctatttttt	11220
ccgagttttt	ttttacaaat	tcttactctc	aagcttgaat	acttcacatg	cagtgttctt	11280
ttgtagattt	tagagttaat	gtgttaaaaa	gtttggattt	ttcttgctta	tagagcttct	11340
tcactttgat	tttgtgggtt	tttttgtttt	aaagggtgaga	tttttgatga	ggtttttgct	11400
tcaaagatgt	cacctttctg	ggttttgtctt	ttgaataaag	ctatgaactg	tcacatggct	11460
gacgcaattt	tgttactatg	tcatgaaagc	tgacgttttt	ccgtgttata	catgtttgct	11520
tacacttgca	tgcgtaaaaa	aaattggggc	tttttagttt	tagtcaaaga	ttttacttct	11580
cttttgggat	ttatgaagga	aagttgcaaa	ctttctcaaa	ttttaccatt	tttgctttga	11640
tgtttgttta	gattgcgaca	gaacaaactc	atataatgttg	aaatttttgc	ttggttttgt	11700
ataggattgt	gtcttttgct	tataaatgtt	gaaatctgaa	cttttttttt	gtttggtttc	11760
tttgagcagg	agataaggcg	cgccttccat	ggctacaaag	gaggcttacg	ttttcccaac	11820
tctcaccgag	atcaagagat	ctctcccaaa	ggattgcttc	gaggcttctg	tgctttgtc	11880
tctctactac	actgtgagat	gcttggttat	tgctgtggct	ttgaccttcg	gattgaacta	11940
cgctagagct	ttgccagagg	ttgagtcctt	ctgggctttg	gatgctgctt	tgtgcactgg	12000
atatatcctc	ctccagggaa	ttgtgttctg	gggattcttc	actgttggac	acgatgctgg	12060
acacggagct	ttctctagat	accacctctt	gaacttcggt	gtgggaacct	tcatgcactc	12120

PF77877_sequencelisting_formatiertSA.txt

tctcatcttg	accccatctg	agtcttggaa	gttgaccac	agacaccacc	acaagaacac	12180
cggaaacatc	gatagagatg	aggtgttcta	cccacagaga	aaggctgatg	atcacccatt	12240
gtccaggaac	ttgatcttgg	ctttgggagc	tgcttggcct	gcttatttgg	tggagggatt	12300
cccaccaaga	aaggtgaacc	acttcaaccc	attcgagcca	ctttttgtga	gacaagtgtc	12360
cgctgtgggt	atctctttgc	tcgctcactt	cttcgttgct	ggactctcta	tctacttgtc	12420
tctccagttg	ggacttaaga	ccatggctat	ctactactac	ggaccagttt	tcgtgttcgg	12480
atctatgttg	gtgattacca	ccttcttgca	ccacaacgat	gaggagactc	catggtatgc	12540
tgattctgag	tggacttacg	tgaagggaaa	cttgtcctct	gtggatagat	cttacggtgc	12600
tctcatcgat	aacctctccc	acaacatcgg	aactcaccag	atccaccacc	tcttcccaat	12660
tatcccacac	tacaagctca	agaaggctac	tgtgtctttc	caccaagctt	tcccagagct	12720
tgtgagaaa	tccgatgagc	caatcatcaa	ggctttcttc	agagtgggaa	ggttgtatgc	12780
taactacgga	gtggttgatc	aagaggctaa	gctcttcact	ttgaaggagg	ctaaggctgc	12840
tactgaagct	gctgctaaga	ccaagtctac	ctgattaatt	aaggccgcag	atctccaccg	12900
cggtggcgct	ctagcccgat	atctcgacaa	gctcgagttt	ctccataata	atgtgtgagt	12960
agttcccaga	taaggggaatt	agggttccta	tagggtttcg	ctcatgtgtt	gagcatataa	13020
gaaaccctta	gtatgtattt	gtatttgtaa	aatacttcta	tcaataaaat	ttctaattcc	13080
taaaaccaa	atccagtact	aaaatccaga	tccccgaat	taattcggcg	ttaattcagg	13140
gcaaacactg	tacggaccgt	ggcctaatag	gccggtacca	cccagctttc	ttgtacaaag	13200
tggccatgat	tacgccaa	gtggccacta	aggccaat	aaatctacta	ggccggccta	13260
ctatagaaaa	tgtgttatat	cgacatgacc	agacaaaggg	gcaacagtta	acaaaacaat	13320
taattctttc	atttgagatt	aaggaaggta	aggtaactaa	aagattaaaa	aaaatgagct	13380
tatctctttg	tttctgtaat	aataatataa	gtgtgataaa	cttttaatat	aataattgta	13440
attaggtttt	ctacagatga	gcaccactca	gagacaagat	aagaagaaaa	caattttggt	13500
aaacatgatt	atagaaactt	ttagttaagt	cttgaagtat	caatataaca	aaaaaaagta	13560
cacacgacta	tgacaataaa	cccactaccg	tcaggttatc	atttcgatga	aatgttttga	13620
tatcattaaa	tataacagtc	acaaaaaatc	atctaattat	aacaatataa	cttatacata	13680
tatttaacta	aaaacttaga	gtttttgtaa	tgattctaat	tgatgattag	agtttataga	13740
aatacaatta	aataaaaaat	ataattttta	aaaaacatag	taaagtcaat	gagatcctct	13800
ctgacctcag	tgatcattta	gtcatgtatg	tacaacaatc	attgttcatc	acatgactgt	13860
aaaataaata	aggataaact	tgggaatata	tataatatat	tgtattaaat	aaaaaagggg	13920
aatacaata	tcaatttttag	attccccgag	tgcacaaact	caccatgcac	gctgccacct	13980
cagctcccag	ctctcgtcac	atgtctcatg	tcagttaggt	ctttggtttt	tagtctttga	14040
cacaactcgc	catgcattgt	gccacgtgag	ctcgttcctc	ttcccatgat	ctcaccactg	14100
ggcatgcatg	ctgccacctc	agctggcacc	tcttctctat	atgtccctag	aggccatgca	14160
cagtgccacc	tcagcactcc	tctcagaacc	catacgtacc	tgccaatcgg	cttctctcca	14220

Page 153

PF77877_sequencelisting_formatiertSA.txt

taaatatcta	tttaaattat	aactaattat	ttcatatact	taattgatga	cgtggatgca	14280
ttgccatcgt	tgtttaataa	ttgttaatta	cgacatgata	aataaaatga	aagtaaaaag	14340
tacgaaagat	tttccatttg	ttgttgata	aatagagaag	tgagtgatgc	ataatgcatg	14400
aatgcatgac	cgcgccacca	tgactgttgg	atacgatgag	gagatcccat	tcgagcaagt	14460
tagggctcat	aacaagccag	atgatgcttg	gtgtgctatt	catggacacg	tgtacgatgt	14520
taccaagttc	gcttctgttc	atccaggagg	agatattatc	ttgctcgctg	ctggaaagga	14580
agctactgtg	ctctacgaga	cctaccatgt	tagaggagt	tctgatgctg	tgctcagaaa	14640
gtacagaatc	ggaaagtgtc	cagatggaca	aggaggagct	aacgagaagg	agaagagaac	14700
cttgctgga	ttgtcctctg	cttcttacta	cacctggaac	tccgatttct	acagagtgat	14760
gagggagaga	gttgtggcta	gattgaagga	gagaggaaa	gctagaagag	gaggatacga	14820
gttgtggatc	aaggctttct	tgctccttgt	tggattctgg	tcctctcttt	actggatgtg	14880
cacctcgat	ccatctttcg	gagctatctt	ggctgctatg	tctttgggag	tgttcgctgc	14940
ttttgttga	acctgcatcc	aacatgatgg	aaaccatgga	gctttcgctc	aatctagatg	15000
ggttaacaag	gtggcaggat	ggactttgga	tatgatcgga	gcttctggaa	tgacttggga	15060
gttccaacat	gtgttgggac	atcacccata	cactaacttg	atcgaggagg	agaacggatt	15120
gcaaaagtg	tccggaaaga	agatggatac	caagttggct	gatcaagagt	ctgatccaga	15180
tgtgttctcc	acctacccaa	tgatgagatt	gcattccatg	catcagaaga	gatggtatca	15240
caggttccag	catatctacg	gaccattcat	cttcggattc	atgaccatca	acaagggtgt	15300
gactcaagat	gttggagtgg	tgttgagaaa	gaggctcttc	caaatcgatg	ctgagtgcag	15360
atatgcttcc	ccaatgtacg	ttgctagggt	ctggatcatg	aaggctttga	ccgtgttgta	15420
catggttget	ctccatgtt	atatgcaagg	accatggcat	ggattgaagc	tcttcgctat	15480
cgctcatttc	acttgcgag	aggttttggc	taccatgttc	atcgtgaacc	acattatcga	15540
gggagtgtct	tacgcttcta	aggatgctgt	taagggaact	atggctccac	caaagactat	15600
gcatggagt	acccaatga	acaacactag	aaaggagggt	gaggctgagg	cttctaagtc	15660
tgagctgtg	gttaagtctg	tgccattgga	tgattgggct	gctgttcaat	gccaacctc	15720
tgtgaactgg	tctgttggat	cttggttctg	gaaccatttc	tctggaggac	tcaaccatca	15780
aatcgagcat	catctcttcc	caggattgtc	tcacgagacc	tactaccaca	tccaagatgt	15840
ggttcaatct	acctgtgctg	agtacggagt	tccataccaa	catgagccat	ctttgtggac	15900
tgcttactgg	aagatgctcg	aacatttgag	acaattggga	aacgaggaga	ctcacgagtc	15960
ttggcaaaga	gctgcttgat	taattaacta	agactcccaa	aaccaccttc	cctgtgacag	16020
ttaaacctg	cttatacctt	tcctccta	aatgttcatc	tgtcacacaa	actaaaataa	16080
ataaaatggg	agcaataaat	aaaatgggag	ctcatatatt	tacaccattt	acactgtcta	16140
ttattcacca	tgccaattat	tacttcataa	ttttaaaatt	atgtcatttt	taaaaattgc	16200
ttaatgatgg	aaaggattat	tataagttaa	aagtataaca	tagataaact	aaccacaaaa	16260

PF77877_sequence_listing_formatiertSA.txt

caaatcaata	taaactaact	tactctccca	tctaattttt	atttaaattt	ctttacactt	16320
ctcttccatt	tctatttcta	caacattatt	taacattttt	attgtatttt	tcttactttc	16380
taactctatt	catttcaaaa	atcaatatat	gtttatcacc	acctctctaa	aaaaaacatt	16440
acaatcattg	gtccagaaaa	gttaaatacac	gagatgggtca	tttttagcatt	aaaacaacga	16500
ttcttgtatc	actatttttc	agcatgtagt	ccattctctt	caaacaaaga	cagcggctat	16560
ataatcgttg	tggttatattc	agtctaaaac	aaggcgccta	ctaccggtaa	ttcccgggat	16620
tagcggccgc	tagtctgtgc	gcacttgtat	cctgcagggt	aggccggcca	aagctttaca	16680
acgctacaca	aaacttataa	ccgtaatacac	cattcattaa	cttaactact	atcacatgca	16740
ttcatgaatt	gaaacgagaa	ggatgtaaata	agttgggaag	ttatctccac	gttgaagaga	16800
tcgttagcga	gagctgaaag	accgagggag	gagacgccgt	caacacggac	agagtcgtcg	16860
accctcacat	gaagtaggag	gaatctccgt	gaggagccag	agagacgtct	ttggtcttcg	16920
gtttcgatcc	ttgatctgac	ggagaagacg	agagaagtgc	gactggactc	cgtgaggacc	16980
aacagagtcg	tcctcggttt	cgatcgtcgg	tattggtgga	gaaggcggag	gaatctccgt	17040
gacgagccag	agagatgtcg	tcgggtcttcg	gtttcgatcc	ttgatctgac	ggagaagacg	17100
agagaagtgc	gacgagactc	cgtgaggacc	aacagagttg	tcctcggttt	cgatcgtcgg	17160
tttcggcgga	gaaggcggag	gaatctccgt	gaggagccag	agagacgtcg	ttggtcttcg	17220
gtttcgatcc	ttgatctggt	ggagaagacg	agacaagtgg	gacgagactc	aacgacggag	17280
tcagagacgt	cgtcgggtctt	cggtttcggc	cgagaaggcg	gagtcgggtct	tcggtttcgg	17340
ccgagaaggc	ggaggagacg	tcttcgattt	gggtctctcc	tcttgacgaa	gaaaacaaag	17400
aacacgagaa	ataatgagaa	agagaacaaa	agaaaaaaaa	ataaaaaataa	aaataaaaatt	17460
tggtcctctt	atgtggtgac	acgtggtttg	aaaccaccca	aataatcgat	cacaaaaaac	17520
ctaagttaag	gatcggtaat	aacctttcta	attaattttg	atttatatta	aatcactctt	17580
tttatttata	aaccctacta	aattatgcga	tattgattgt	ctaagtacaa	aaattctctc	17640
gaattcaata	cacatgtttc	atatatttag	ccctgttcat	ttaatattac	tagcgcattt	17700
ttaatttaaa	attttgtaaa	cttttttggt	caaagaacat	ttttttaatt	agagacagaa	17760
atctagactc	tttatttgga	ataatagtaa	taaagatata	ttaggcaatg	agtttatgat	17820
gttatgttta	tatagtttat	ttcattttta	attgaaaagc	attattttta	tcgaaatgaa	17880
tctagtatac	aatcaatatt	tatgtttttt	catcagatac	tttctatttt	tttggcacct	17940
ttcatcggac	tactgattta	tttcaatgtg	tatgcatgca	tgagcatgag	tatacacatg	18000
tcttttaaaa	tgcatgtaaa	gcgtaacgga	ccacaaaaga	ggatccatac	aaatacatct	18060
catcgcttcc	tctactattc	tccgacacac	acactgagca	accctaccat	gtgtgttgag	18120
accgagaaca	acgatggaat	ccctactgtg	gagatcgctt	tcgatggaga	gagagaaaga	18180
gctgaggcta	acgtgaagtt	gtctgctgag	aagatggaac	ctgctgcttt	ggctaagacc	18240
ttcgctagaa	gatacgtggt	tatcgaggga	gttgagtacg	atgtgaccga	tttcaaacat	18300
cctggaggaa	ccgtgatttt	ctacgctctc	tctaacactg	gagctgatgc	tactgaggct	18360

Page 155

PF77877_sequencelisting_formatiertSA.txt

ttcaaggagt	tccaccacag	atctagaaag	gctaggaagg	ctttggctgc	tttgccttct	18420
agacctgcta	agaccgctaa	agtggatgat	gctgagatgc	tccaggattt	cgctaagtgg	18480
agaaaggagt	tggagaggga	cggattcttc	aagccttctc	ctgctcatgt	tgcttacaga	18540
ttcgctgagt	tggctgctat	gtacgctttg	ggaacctact	tgatgtacgc	tagatacggt	18600
gtgtcctctg	tgttggttta	cgcttgcttc	ttcggagcta	gatgtggatg	ggttcaacac	18660
gagggaggac	actcttcttt	gaccggaaac	atctggtggg	ataagagaat	ccaagctttc	18720
actgctggat	tcggattggc	tggatctgga	gatattgtga	actccatgca	caacaagcac	18780
cacgctactc	ctcaaaaagt	gaggcacgat	atggatttgg	ataccactcc	tgctgttgct	18840
ttcttcaaca	ccgctgtgga	ggataataga	cctaggggat	tctctaagta	ctggctcaga	18900
ttgcaagctt	ggaccttcat	tcctgtgact	tctggattgg	tgttgctctt	ctggatgttc	18960
ttcctccacc	cttctaaggc	tttgaaggga	ggaaagtacg	aggagcttgt	gtggatgttg	19020
gctgctcacg	tgattagaac	ctggaccatt	aaggctgtta	ctggattcac	cgctatgcaa	19080
tcctacggac	tcttcttggc	tacttcttgg	gtttccggat	gctacttggt	cgctcacttc	19140
tctacttctc	acacccactt	ggatgttggt	cctgctgatg	agcacttgtc	ttgggttagg	19200
tacgctgtgg	atcacaccat	tgatatcgat	ccttctcagg	gatgggttaa	ctggttgatg	19260
ggatacttga	actgccaagt	gattcaccac	ctcttccctt	ctatgcctca	attcagacaa	19320
cctgaggtgt	ccagaagatt	cgttgctttc	gctaagaagt	ggaacctcaa	ctacaagggtg	19380
atgacttatg	ctggagcttg	gaaggctact	ttgggaaacc	tcgataatgt	gggaaagcac	19440
tactacgtgc	acggacaaca	ctctggaaag	accgcttgat	taattaacta	agtttgatgt	19500
atctgagtgc	caacgtttac	tttgtctttc	ctttctttta	ttggttatga	ttagatgttt	19560
actatgttct	ctctttttcg	ttataaataa	agaagttcaa	ttcttctata	gtttcaaacg	19620
cgattttaag	cgtttctatt	taggtttaca	tgatttcttt	tacaaaatca	tctttaaaat	19680
acagtatatt	tttagttttc	ataaaatatt	taaagaaatg	aaagtttata	aacatttact	19740
cctattctct	aattaaggat	ttgtaaaaca	aaaattttgt	aagcatatcg	atttatgcgt	19800
tttgtcttaa	ttagctcact	aaataataaa	taatagctta	tgttgtggga	ctgtttaatt	19860
acctaactta	gaactaaaat	caactctttg	tgggcaaaca	ctgtacggac	cgtggcctaa	19920
taggccggta	cccaacttta	ttatacatag	ttgataattc	actggccgga	tgtaccgaat	19980
tcgcgccgcg	aagcttgtac	actagtacgc	gtcaattggc	gatcgagta	cttaatcagt	20040
gatcagtaac	taaattcagt	acattaaaga	cgtccgcaat	gtgttattaa	gttgtctaa	20100
cgtcaatttg	tttacaccac	aatatatcct	gccaccagcc	agccaacagc	tccccgaccg	20160
gcagctcggc	acaaaatcac	tgatcatcta	aaaagggtgat	gtgtatattga	gtaaaacagc	20220
ttgcgtcatg	cggctcgtgc	gtatatgatg	cgatgagtaa	ataaaciaat	acgcaagggg	20280
aacgcatgaa	ggttatcgct	gtacttaacc	agaaaggcgg	gtcaggcaag	acgaccatcg	20340
caacccatct	agcccgcgcc	ctgcaactcg	ccggggccga	tgttctgtta	gtcgattccg	20400

PF7877-sequential_listing_formatierisa.txt
20460 atccccaggg cagtgcgccg gattggcggg ccgtgacggg agatcaaccg ctaaccgttg
20520 tccgcatacga cgcgcccgag attgacccgg acgtgaaggc catccggccgg cgcgaacttcg
20580 tagtgatcga cggagcgccc caggcgccgg acttgctgtg gtcccggatc aagycagccg
20640 acctcgtgtg gattccggtg cagccaggcc cttaagcat ttggcccacc gccgaaccctgg
20700 tggagcctgtg taagcagcgcc attgaggtca cggatggag gctacaaggc gccctttgtg
20760 tgtcgccgggc gatcaaaagc agcgcatcg gcggttgaggt tgcggaggcg ctggccgggt
20820 acgagctgcc catctctgag tccgtatca cggagcgctg gagctaccca ggcactggcg
20880 ccgcgggcac aaccgttctt gaatcagaa cggaggcgga cgtgcccgc gagggtccagg
20940 cgtcgccgc tgaaatataa tcaaaactca ttgagttaa tgaagttaa agaaaaatgag
21000 caaaagcaca aacacgctaa gtcgccggcc tccgagcgca cggagcgca agtctgcaca
21060 gttggccagc ctggcagaca cgcagcccat gaagcggtgc aacttcagt tgcggcgga
21120 ggtacacacc aagctgaaga tgtacgctg atgcccaagg caagcatata ccgagctgct
21180 atctgaatac atcgcgcagc taccaagtca aatgagcaaa tgaataaatg agttagatgaa
21240 ttttagcggc taagggagc gcatggaaa atcaagaca accagcgacc gacgcggtg
21300 aatgccccat gttgtggagg acggcggtt ggccaaggct aagcggtgg gttgtctgc
21360 ggccttgcaa tggcaactga acccccagg cggaggaatc ggcggtgagc gtcgcaaaac
21420 atccggcccg gtacaatacg gcgcgcgctt ggttgatgac ctgttgagga agttgaagc
21480 cgcgcaggcc gcccagcgcc aacgcatcga ggcagaaaca cgcgccggtg aatcgttgca
21540 aggggcccgt gatcgaaatc gcaagaaatc ccggcaaccg ccggcagccg gtcgcccgtc
21600 gattagggag ccgcccagg ggcagagca accagattt ttctgtccga tgcctatga
21660 cgttgggacc cgcgatagtc gacgcatcat ggacgtggcc gttttccgtc tgtcgaagcg
21720 tgaccgacga gctggcgagg tgatccgcta cgaactcca gacggggcag tagaggttc
21780 cgcagggccc gccgcatatg ccagtgtg ggtatcagac ctgtgataga tgcgggtttc
21840 ccatactaac gaaatccatga accgatatac ggaaagggaag ggagacaaag ccggccggct
21900 gttccctcca cagtttgcgg acgtactcaa gttctgcgg cgaagccgagt gcggaagaaca
21960 gaagagcagc ctgtgtagaa cctgcatcgg gtttaaacac accgacgttg ccatgcagcg
22020 taccaagaaag gccaaagaa gccgcctgtt gacgctatcc gaagggtgaag ccttgattag
22080 ccgtatacaag atcgtataaaga gcgaaacccg gcgccggag tacaatcgaaga tcgaacttg
22140 tgaattggatg taccgcgaga tcaagaaacccg gacgttgctga cggttccaacc
22200 cgaatacttt ttgatcgaac ccgcatcgg ccgttttctc tacggccctgg caccgcccgg
22260 cgcagggcgaag gcaagaacca gatgttgtt caagacgatc tacgaacgca gttggcagcg
22320 cggagagtcc aagaagtctt gtttcaaccg gcgcaagctg atcggttcaa atgaacctgc
22380 ggagtacgat ttgaaggagg agcggggcca ggcctggccc atccctagta tgcgtaccg
22440 caacctgatc gagggcgaag catccggcg ttccctaagt acggagcaga tgcataggga
22500 aattgcccctg gcaagggaag aaggtcgaag agtctcttt cctgttgata gcacgtacat

22560 tgggaaccca aagccgtaca ttgggaacc gaaccggtac atgggaacc caaagccgta
22620 cattgggaac cgttcacaca tgaagtga tgatatataa gagaaaaaag gcatttttc
22680 cgccataaac tctttaaac ttataaac tcttaaac cgccggccct gtgcataact
22740 gcttgccag cgcacagccg aagagctga aaaaagcgct acccttcggt cgtcgcgctc
22800 cctacgcccc gccgcttcgc gtcgcccctat cgcggccctat gcgtgtgtaa ataccgcaca
22860 gatgcgttaag gagaataaac cgcatacagc gctcttcgcg ttcctcgcct actgaactcg
22920 tgcgctcgtt cgttcggtcg cggcgagcgg tatcagctca ctcaagcg gtatacgg
22980 tatccacaga atcaggggat aacgcagaa agaacatgt agcaaaaagg cagcaaaaag
23040 ccaggaaaccg taaaaaagcc gcgttcgctg cgtttttcca tagcctccgc ccccttgag
23100 agcatcacaa aaatcgagcg tcaagtcaaga ggtgagcaaa cccgacagga ctataaagat
23160 accaagggtt tcccccttga agctcccccg tgcgctctcc tgttccgacc ctcgcgctta
23220 ccgatatacc gtcgcccctt cttccctcg gaaagcgtgc gcttctcat agctcacgct
23280 gtaggtatct cagttcgttg tagtctgctt gctccaagct ggcgtgtgtg cacgaaaccc
23340 ccgttcagcc cgaaccgctg gccctatccg gtaactatcg tcttgagctc aaccggtaaa
23400 gacacagctt atcgcacatg gcagcagcca ctggtaaacag gattagcaga gcgaggtatg
23460 tagcgtgtgc tacagagtcc ttgaagtgtt ggcctaacta cgcctacact agaaagacag
23520 tatttgttat ctgcgctctg ctgaagccag ttacccttcg aaaaaagatt gtagactctt
23580 gatcccgcaa acaaacaccg gctgttagcg gttgtttttt tgtttgcaag cagcagatta
23640 cgcgcagaaaa aaaaagatct caagaagatc ctttgatctt ttctaagggg tccctcaact
23700 catcgatatg ttgctgtga gcaattagt gcttagtgca tctaacgctt gagttaagcc
23760 gcgcgcgcaa gcgcgctcgg cttgaacgaa ttcttagcta gacattattt gccaaagacc
23820 ttctgttctt cgcccttgac atagtgaaca aattcttcga gctgttcggc ccgggacgcg
23880 agacggtctt cttcttgccc cagatatgct tggcgcgctt cgaagatcac gggtctgtat
23940 tqcccggaag ggcgctccat cgcacagctg gcgcgcgacat ccttcggcgc gatttcgcg
24000 gtaaccgccc agtaaccaat cgcgctcagc gtaaggaaca catctgcgct atcgcccgcc
24060 caatcccgcc gggagtcca cagggtcagc gttctcgtca gttccttcgaa cagatccctg
24120 tccgccaagg gttcgaaaaa ttccctcgcc gcggggcgga cgaaggcgcc gctatgctc
24180 cgggcttgg tgaagcaggtat cgcagatca atgtcgtatg tggccggttc aaagataccc
24240 gccagaaatat catatacgtg ccattcgcgg aactggagt ttgcgtttggc cggatagcgc
24300 cagggtatga tgtcatctg caccacaatc gtcaacctca ccgcgcgcag gatttcgctc
24360 tcgcccgggg aggcggaagt ttccagaagt tcgttgataa gcgcgcgcggc cgtgtctc
24420 tcgagacgga cgttaacggt gacaagcagc tcgattgccc aatggggctt aagggccgccc
24480 tcaacggcgc taccatacag atgcacgccc aggaagggtc gttcgaagt ggcgtcgtatg
24540 acacccacga cttccgacag ctgggttgac accctcgcgga tgcacgcttc acccatgatg

PF77877_sequence_listing_formatiertSA.txt

tttaactttg ttttagggcg actgccctgc tgcgtaacat cgttgctgct ccataacatc	24600
aaacatcgac ccacggcgta acgcgcttgc tgcttggatg cccgaggcat agactgtacc	24660
ccaaaaaac agtcataaca agccatgaaa accgccactg cgttccatga atattcaaac	24720
aaacacatac agcgcgactt atcatggata	24750

<210> 8
 <211> 21523
 <212> DNA
 <213> Artificial

<220>
 <223> plasmid

<400> 8	
ttgacataca aatggacgaa cggataaacc ttttcacgcc cttttaaata tccgattatt	60
ctaataaacg ctcttttctc ttaggtttac ccgccaatat atcctgtcaa aactgatag	120
tttaaaactga aggcgggaaa cgacaatctg atcactgatt agtaactaag gcctttaatt	180
aatctagagg cgcgccgggc cccctgcagg gagctcggcc ggccaattta aattgatatc	240
ggtacatcga ttacgccaaag ctatcaactt tgtatagaaa agttgccatg attacgcaa	300
gcttggccac taaggccaat ttaaattctac tagggccggcc attagcagat atttgggtgc	360
taaatgttta ttttgtgata tgttcatgtt tgaaatggtg gtttcgaaac cagggacaac	420
gttgggatct gatagggtgt caaagagtat tatggattgg gacaatttcg gtcatgagtt	480
gcaaattcaa gtatatcggt cgattatgaa aattttcgaa gaatatccca tttgagagag	540
tctttacctc attaatgttt ttagattatg aaattttatc atagtccatc gtagtctttt	600
tggtgtaaag gctgtaaaaa gaaattgttc acttttgttt tcgtttatgt gaaggctgta	660
aaagattgta aaagactatt ttgggtgtttt ggataaaatg atagttttta tagattcttt	720
tgcttttaga agaaatacat ttgaaatttt ttccatgttg agtataaaat accgaaatcg	780
attgaagatc atagaaatat ttttaactgaa aacaaattta taactgattc aattctctcc	840
atttttatac ctatttaacc gtaatcgatt ctaatagatg atcgattttt tatataatcc	900
taattaacca acggcatgta ttggataaatt aaccgatcaa ctctcacccc taatagaatc	960
agtatttttc ttgacggtta attgatccta cactatgtag gtcatatcca tcgttttaatt	1020
ttttggccac cattcaattc tgtcttgcct ttagggatgt gaatatgaac ggccaaggta	1080
agagaataaa aataatccaa attaaagcaa gagaggccaa gtaagataat ccaaatgtac	1140
acttgtcatt gccaaaatta gtaaaatact cggcatattg tattcccaca cattattaaa	1200
ataccgtata tgtattggct gcatttgcac gaataatact acgtgtaagc ccaaaagaac	1260
ccacgtgtag cccatgcaaa gttaacactc acgaccccat tcctcagtct ccactatata	1320
aaccaccat ccccaatctc accaaaccca ccacacaact cacaactcac tctcacacct	1380
taaagaacca atcaccacca aaaaaccgcg ccaccatgct tggtcttttc ggaaacttct	1440
acgtgaagca gtactctcaa aagaacggaa agcctgagaa cgggtgctact cctgaaaacg	1500
gtgcaaagcc tcaaccttgt gagaacggaa ctgttgagaa gagggagaac gataccgcta	1560

PF77877_sequencelisting_formatiertSA.txt

atgtagacc tactagacca gctggacctc ctctgctac ttactacgat tctctcgtg	1620
tttctggaca gggaaaagag agacttttca ccaccgacga agttagaagg cacatcctcc	1680
ctactgacgg atggcttact tgtcacgagg gagtttacga cgttactgac ttccttgcaa	1740
aacaccctgg tggaggtgtt atcactcttg gactcgggaag agattgcact atcctcatcg	1800
agtcttacca ccctgctggt agacctgata aggtgatgga aaagtaccgt atcggaaactc	1860
ttcaagaccc taagactttc tacgcttggg gagagtctga tttctaccct gagcttaaga	1920
gaagggctct tgctagactt aaagaggctg gacaagctag aagagggtgga cttggagtta	1980
aggctctcct tgttcttact ctcttcttcg tgtcttggtta tatgtgggtt gcacacaagt	2040
ctttcttggt ggctgctgtt tggggattcg ctggatcaca tgtgggactt tctatccagc	2100
acgacggaaa ccacggtgct ttctctagaa acaccctcgt taacagactt gctggatggg	2160
gaatggatct tatcggagct tcttctactg tttgggagta ccagcacgtt atcggacacc	2220
accagtacac taacctcgtt tctgataccc ttttcagcct tcctgagaac gatcctgatg	2280
tgttctcttc ttaccctctc atgagaatgc accctgatac tgcttggcaa cctcaccaca	2340
gattccagca ctttttcgct ttccctttgt tcgctctcat gaccatctct aaggttctca	2400
cctctgattt cgctgtttgc ctctctatga agaagggatc tatcgattgc tctagcagac	2460
ttgttcctct tgagggacaa cttcttttct ggggtgctaa acttgctaac ttctcctcc	2520
aaatcgttct tccttggttac cttcacggaa ctgctatggg acttgctctt ttctctgttg	2580
ctcaccttgt ttctgggtgag taccttgcta tctgcttcat catcaaccac atctctgagt	2640
cttgtgagtt catgaacacc tcattccaaa ctgctgctag aagaactgag atgcttcaag	2700
ctgctcatca agctgctgag gctaagaagg ttaagcctac tcctcctcct aacgattggg	2760
ctgttactca agttcagtgc tgtgttaact ggcgttcttg tggagtctct gctaaccacc	2820
tttctggtgg acttaaccac cagatcgagc accacctctt cccttctatc tctcacgcta	2880
actaccctac tatcgctcct gttgtgaaag aagtgtgcga ggaatacggg cttccttaca	2940
agaactacgt gaccttctgg gatgctgttt gtggaatggt tcagcacctt agacttatgg	3000
gtgctcctcc tgttcctact aacggtgaca aaaaaagttg atgattaatt aataattgat	3060
tgctgcttta atgagatatg cgagacgcct atgatcgcat gatatttgct ttcaattctg	3120
ttgtgcacgt tgtaaaaaac ctgagcatgt gtagctcaga tccttaccgc cggtttcggt	3180
tcattctaata gaatatatca cccgttacta tcgtatTTTT atgaataata ttctccgttc	3240
aatttactga ttgtggcgcc tactaccggt aattcccggt attagcggcc gctagtctgt	3300
gcgcacttgt atcctgcagg tcaatcgttt aaacactgta cggaccgtgg cctaataggc	3360
cggtagccaa gtttgtacaa aaaagcaggc tccatgatta cgccaagctt ggccactaag	3420
gccaatTTaa atctactagg ccggccaaag ctttacaacg ctacacaaaa cttataaccg	3480
taatcaccat tcattaactt aactactatc acatgcattc atgaattgaa acgagaagga	3540
tgtaaatagt tgggaagtta tctccacgtt gaagagatcg ttagcgagag ctgaaagacc	3600

PF77877_sequence_listing_formatiertSA.txt

gagggaggag	acgccgtcaa	cacggacaga	gtcgtcgacc	ctcacatgaa	gtaggaggaa	3660
tctccgtgag	gagccagaga	gacgtctttg	gtcttcggtt	tcgatccttg	atctgacgga	3720
gaagacgaga	gaagtgcgac	tggaactccgt	gaggaccaac	agagtcgtcc	tcggtttcga	3780
tcgtcgggtat	tggtggagaa	ggcggaggaa	tctccgtgac	gagccagaga	gatgtcgtcg	3840
gtcttcggtt	tcgatccttg	atctgacgga	gaagacgaga	gaagtgcgac	gagactccgt	3900
gaggaccaac	agagttgtcc	tcggtttcga	tcgtcgggtt	cggcggagaa	ggcggaggaa	3960
tctccgtgag	gagccagaga	gacgtcgttg	gtcttcggtt	tcgatccttg	atctgttgga	4020
gaagacgaga	caagtgggac	gagactcaac	gacggagtca	gagacgtcgt	cggctcttcgg	4080
tttcggccga	gaaggcggag	tcgggtcttcg	gtttcggccg	agaaggcggg	ggagacgtct	4140
tcgatttggg	tctctctctt	tgacgaagaa	aacaaagaac	acgagaaata	atgagaaaga	4200
gaacaaaaga	aaaaaaaaata	aaaataaaaa	taaaattttg	tcctcttatg	tggtgacacg	4260
tggtttgaaa	cccaccaa	aatcgatcac	aaaaaaccta	agttaaggat	cggtaataac	4320
ctttctaatt	aattttgatt	tatattaaat	cactcttttt	atttataaac	cccactaaat	4380
tatgcgatat	tgattgtcta	agtacaaaaa	ttctctcgaa	ttcaatacac	atgtttcata	4440
tatttagccc	tgttcattta	atattactag	cgcattttta	attttaaatt	ttgtaaactt	4500
ttttggtcaa	agaacatttt	tttaattaga	gacagaaatc	tagactcttt	atttggaata	4560
atagtaataa	agatatatta	ggcaatgagt	ttatgatgtt	atgtttatat	agttttatttc	4620
atttttaaatt	gaaaagcatt	atttttatcg	aaatgaatct	agtatacaat	caatattttat	4680
gttttttcat	cagatacttt	cctatttttt	ggcacctttc	atcggactac	tgattttattt	4740
caatgtgtat	gcatgcatga	gcatgagtat	acacatgtct	tttaaaatgc	atgtaaagcg	4800
taacggacca	caaaagagga	tccatacaaa	tacatctcat	cgcttcctct	actattctcc	4860
gacacacaca	ctgagcatgg	tgcttaaaca	ctctggtgag	ttctagtact	tctgctatga	4920
tcgatctcat	taccatttct	taaatttctc	tccttaaata	ttccgagttc	ttgatttttg	4980
ataacttcag	gttttctctt	tttgataaat	ctgggtcttc	catttttttt	ttttgtggt	5040
taatttagtt	tcctatgttc	ttcgattgta	ttatgcatga	tctgtgtttg	gattctgtta	5100
gattatgtat	tggtgaatat	gtatgtgttt	ttgcatgtct	ggttttgggtc	ttaaaaatgt	5160
tcaaatctga	tgatttgatt	gaagcttttt	tagtgttggt	ttgattcttc	tcaaaactac	5220
tgtaaattta	ctatcatgtt	ttccaacttt	gattcatgat	gacacttttg	ttctgctttg	5280
ttataaaatt	ttggttggtt	tgattttgta	attatagtgt	aattttgtta	ggaatgaaca	5340
tgttttaata	ctctgttttc	gatttgtcac	acattcgaat	tattaatcga	taatttaact	5400
gaaaattcat	ggttctagat	cttggtgtca	tcagattatt	tgtttcgata	attcatcaaa	5460
tatgtagtcc	ttttgctgat	ttgcgactgt	ttcatttttt	ctcaaaattg	ttttttgtta	5520
agtttatcta	acagttatcg	ttgtcaaaag	tctctttcat	tttgcaaaat	cttctttttt	5580
ttttgtttg	taactttgtt	ttttaagcta	cacatttagt	ctgtaaaata	gcatcgagga	5640
acagttgtct	tagtagactt	gcatgttctt	gtaacttcta	tttgtttcag	tttgttgatg	5700

Page 161

PF77877_sequencelisting_formatiertSA.txt

actgctttga	ttttgtaggt	caaaccgcgc	catgtctgct	agcggagctt	tgttgccctgc	5760
tatagctttc	gctgcttacg	cttacgctac	ctacgcttat	gctttcgagt	ggagccacgc	5820
taacggaatc	gataacgtgg	atgctagaga	gtggattgga	gctttgtctt	tgagactccc	5880
tgcaattgca	accacaatgt	acctcttggt	ctgccttggtg	ggacctagat	tgatggctaa	5940
gagggaggct	tttgatccta	agggatttat	gctcgcttac	aacgcttacc	aaaccgcttt	6000
caacgttggtg	gtgctcggaa	tgttcgctag	agagatctct	ggattgggac	aacctgtttg	6060
gggatctact	atgccttgga	gcgataggaa	gtccttcaag	attttggttg	gagtgtggct	6120
ccactacaac	aataagtagc	tcgagttggt	ggatactgtg	ttcatgggtg	ctaggaaaaa	6180
gaccaagcag	ctctctttct	tgacgtgtga	ccaccacgct	ttgttgattt	gggcttggtg	6240
gcttggtttg	cacctcatgg	ctaccaacga	ttgcatcgat	gcttatttcg	gagctgcttg	6300
caactctttc	atccacatcg	tgatgtactc	ctactacctc	atgtctgctt	tggaatttag	6360
gtgcccttg	aagagatata	tcacccaggc	tcagatgttg	caattcgtga	tcgtgttcgc	6420
tcacgctgtt	ttcgtgctca	gacaaaagca	ctgccctggt	actttgcctt	gggcacaaat	6480
gttcgtgatg	acaaatatgt	tggtgctctt	cggaaacttc	tacctcaagg	cttactctaa	6540
caagtctagg	ggagatggag	cttcttctgt	taagcctgct	gagactacta	gagcaccttc	6600
tgtgagaaga	accaggtcaa	ggaagatcga	ttgatagtta	attaactaag	tttgatgtat	6660
ctgagtgcc	acgtttactt	tgtctttcct	ttcttttatt	ggttatgatt	agatgtttac	6720
tatgttctct	ctttttcggt	ataaataaag	aagttcaatt	cttctatagt	ttcaaacgcg	6780
attttaagcg	tttctattta	ggttttacatg	atttctttta	caaaatcatc	tttaaaatac	6840
agtataat	tagttttcat	aaaatattta	aagaaatgaa	agtttataaa	cattcactcc	6900
tattctctaa	ttaaggattt	gtaaaacaaa	aattttgtaa	gcataatcgat	ttatgcgttt	6960
tgtcttaatt	agctcactaa	ataataaata	atagcttatg	ttgtgggact	gtttaattac	7020
ctaacttaga	actaaaatca	actcttttggt	ggcgcctact	accggtaatt	cccgggatac	7080
ctgcaggtta	ggccggcctg	ctcggcccg	actgtatcca	acttgagatc	tttgaatctc	7140
tctgttcctt	gatgttctga	aggagtctta	agtgtaatca	gaaagcttgt	aacatgcttt	7200
gtagactttc	tttgatatac	tcttgcaatg	actgattgaa	cctacgtgaa	aactgctggt	7260
caagttctaa	ccaaattccg	tctacggaag	gccccaaaatt	tattgacatc	ttcagtttca	7320
tggacgtgtc	ttcaaagttt	tataacttct	tatcccatca	tttttaagtc	tagttctggt	7380
ccgcatagtc	ttagatctca	aacaaatcta	caactcttgt	gtcagttctt	cttcagaat	7440
caacttgcta	catggtgaaa	atctggcgtc	aagttctgaa	cttgtcaatt	ttcttaacag	7500
ttagaaaata	atctaagtgt	ttagaatatt	gactttttcca	aagcaaagaa	gacttttgac	7560
tttcttaata	aaacaaactt	ctaattctaa	catgtcttga	tgaaatgtct	ttcttgaaat	7620
ttgatcaaga	tgcaaaagtc	aaagtttgac	ttttcagact	gcaattgacc	attttgacaga	7680
agtgccaatt	ccaaaccaa	attgatgata	cagtgtctgca	aacttgatgt	catggaagat	7740

PF77877_sequence_listing_formatiertSA.txt

cttaacagaa aattcttgaa gactgagagc aaaaattttc atgtacaaca caaactttcc	7800
tgtttttcat agtcgctgta gacacattaa cataaaacac ctgatcattc gaagagtgat	7860
tcttgaagga aatgtgcagt tacctttgtg cagaacttaa gagcaactta cagactcatt	7920
tactaaaata ctacaatcag gaagattttta acaacttaca gaagtattcg gagttaaaga	7980
gcaacacatt aagggcgaca gttaaaatta atgtgttgta accaccacta cgaatagtaa	8040
gtattataag ttaaatgtaa tcatcacatt ataattattg tccttataat taattatgat	8100
aaacatgtat cattaagatt gtcataacca aatagtcctc gacttgattt ttgaattatt	8160
gtattctatg ttacttttct tgtagcctat ataaaaactt tgtaaagcat aattgtatgc	8220
tggaaaaaat actgtaatga attgaataga aattatggta ttccattctc caaaatccat	8280
caatagaaat ttagtacaaa tcgaaagaca aaaatattga cttattttta attttacaac	8340
aatataaaaa tattgactta ttttaaattt tacaataata taaattttca cctgtcacct	8400
ttagaaatcc accaacaata ttaattctta gataaattat tcttaataat tttgagatct	8460
ctgtaattat ctgatattta ttttatattt gtcagttatt ttcttatggt ttactgttaa	8520
cccttatatc ttgggtcaaac tagaataagt aaatatgagt ttgtgaagga cacattgaca	8580
agatgaaaca ttgggttttt cttcttcga atgttaaagg taataaaaca ttcagaatat	8640
tgacctacta ttaatataga tcctttgtct tttaaaaaag tgtgcatgaa aatgctctta	8700
ggtaagctag tgtctcttgc agggctgtgt atatcaattc catttccaga tgggtgtaac	8760
tgccactacc tataattagt cataagacac gtatgttaac acacgtcccc atgcatgttt	8820
tttgccatat attcccacac tttctttttc ttcacgtata aaacattgaa ctaattaata	8880
gtccgatcaa gctgaacacc atggcttcta catctgctgc tcaagacgct gctccttacg	8940
agttcccttc tctcactgag atcaagaggg ctcttccttc tgagtgtttc gaggcttctg	9000
ttcctctttc tctctactac accgctagat ctcttgctct tgctggatct ctcgctgttg	9060
ctctctctta cgctagagct ttgcctcttg ttcaggctaa cgctcttctt gatgctactc	9120
tctgcaactg atacgttctt ctccaggga tcgttttctg gggattcttc accgttggtc	9180
acgattgtgg acacggagct ttctctagat ctacgtgct caacttctct gttggaaccc	9240
tcatgcactc tatcatcctt acccctttcg agtcttgga gctctctcac agacaccacc	9300
acaagaacac cggaaacatc gataaggacg agatcttcta ccctcaaaga gaggctgatt	9360
ctcacctgt ttctagacac cttgtgatgt ctcttggate tgcttggttc gcttaccttt	9420
tcgctggatt ccctcctaga accatgaacc acttcaaccc ttgggaggct atgtatgtta	9480
gaagagtggc tgctgtgatc atctctctcg gagttctttt cgctttcgtt ggactctact	9540
cttacctcac cttcgttctt ggattcacca ctatggctat ctactacttc ggacctctct	9600
tcatcttcgc taccatgctt gttgttacca ctttcctcca ccacaacgat gaggagacac	9660
cttgggtacg tgattctgag tggacttacg tgaagggaaa cctctcttct tgggacagat	9720
cttacggtgc tctcatcgac aaccttagcc acaacatcgg aactcaccag atccaccacc	9780
tcttccctat catccctcac tacaagctca acgatgctac tgctgctttc gctaaggctt	9840

Page 163

PF77877_sequencelisting_formatiertSA.txt

tccctgagct	tgttaggaaa	aacgctgctc	ctatcatccc	aactttcttc	aggatggctg	9900
ctatgtacgc	taagtacgga	gttggtgaca	ctgatgctaa	gaccttcact	ctcaaggagg	9960
ctaaggctgc	tgctaagact	aagtcacctt	gatgattaat	taaggccgcc	tcgaccgtac	10020
cccctgcaga	tagactatac	tatgttttag	cctgcctgct	ggctagctac	tatgttatgt	10080
tatgttgtaa	aataaacacc	tgctaaggta	tatctatcta	tatttttagca	tggctttctc	10140
aataaattgt	ctttccttat	cgtttactat	cttataccta	ataatgaaat	aataatatca	10200
catatgagga	acggggcagg	tttaggcata	tatatacgag	tgtagggcgg	agtggggggc	10260
gcctaccggt	atcgggtccga	ttgcggccgc	tagtctgtgc	gcacttgat	cctgcagggt	10320
aggccggcca	ctgcagcaaa	tttacacatt	gccactaaac	gtctaaaccc	ttgtaatttg	10380
tttttgtttt	actatgtgtg	ttatgtattt	gatttgcgat	aaatttttat	atttggtact	10440
aaatttataa	caccttttat	gctaacgttt	gccaacactt	agcaatttgc	aagttgatta	10500
attgattcta	aattattttt	gtcttctaaa	tacatatact	aatcaactgg	aaatgtaaat	10560
atttgctaat	atttctacta	taggagaatt	aaagtgagtg	aatatggtac	cacaaggttt	10620
ggagatttaa	ttgttgcaat	gctgcatgga	tggtatatac	accaaacatt	caataattct	10680
tgaggataat	aatggtacca	cacaagattt	gaggtgcatg	aacgtcacgt	ggacaaaagg	10740
tttagtaatt	tttcaagaca	acaatgttac	cacacacaag	ttttgaggtg	catgcatgga	10800
tgccctgtgg	aaagtttaaa	aatattttgg	aaatgatttg	catggaagcc	atgtgtaaaa	10860
ccatgacatc	cacttgagg	atgcaataat	gaagaaaact	acaaatttac	atgcaactag	10920
ttatgcatgt	agtctatata	atgaggattt	tgcaataactt	tcattcatac	acactcacta	10980
agttttacac	gattataatt	tcttcatagc	cagtaggggt	tcgtttttgt	ttcatcgata	11040
aactcaaagg	tgatgatttt	agggctcttg	gagtggtgctt	ttttgtttga	ttctactgta	11100
gggtttatgt	tcttttagctc	ataggttttg	tgtatttctt	agaaatgtgg	cttctttaat	11160
ctctgggttt	gtgacttttt	gtgtggtttc	tgtgtttttc	atatcaaaaa	cctatttttt	11220
ccgagttttt	ttttacaaat	tcttactctc	aagcttgaat	acttcacatg	cagtgttctt	11280
ttgtagattt	tagagttaat	gtgttaaaaa	gtttggattt	ttcttgctta	tagagcttct	11340
tcactttgat	tttggtgggt	tttttgtttt	aaagggtgaga	tttttgatga	ggtttttgct	11400
tcaaagatgt	cacctttctg	ggtttgctct	ttgaataaag	ctatgaactg	tcacatggct	11460
gacgcaattt	tgttactatg	tcatgaaagc	tgacgttttt	ccgtgttata	catgtttgct	11520
tacacttgca	tgcgtaaaaa	aaattggggc	tttttagttt	tagtcaaaga	ttttacttct	11580
cttttgggat	ttatgaagga	aagttgcaaa	ctttctcaaa	ttttaccatt	tttgctttga	11640
tgtttgttta	gattgacgaca	gaacaaactc	atatatgttg	aaatttttgc	ttggttttgt	11700
ataggattgt	gtcttttgct	tataaatgtt	gaaatctgaa	cttttttttt	gtttggtttc	11760
tttgagcagg	agataaggcg	cgccttccat	ggctacaaag	gaggcttacg	ttttcccaac	11820
tctcaccgag	atcaagagat	ctctcccaaa	ggattgcttc	gaggcttctg	tgcttttgct	11880

PF77877_sequence_listing_formatiertSA.txt

tctctactac actgtgagat gcttgggttat tgctgtggct ttgaccttcg gattgaacta	11940
cgctagagct ttgccagagg ttgagtcttt ctgggctttg gatgctgctt tgtgcactgg	12000
atatacctc ctccagggaa ttgtgttctg gggattcttc actgttggac acgatgctgg	12060
acacggagct ttctctagat accacctctt gaacttcgtt gtgggaacct tcatgcactc	12120
tctcatcttg accccattcg agtcttggaa gttgaccac agacaccacc acaagaacac	12180
cggaaacatc gatagagatg aggtgttcta cccacagaga aaggctgatg atcacccatt	12240
gtccaggaac ttgatcttgg ctttgggagc tgcttggctt gcttatttgg tggagggatt	12300
cccaccaaga aaggtgaacc acttcaacc attcgagcca ctttttgtga gacaagtgtc	12360
cgctgtggtt atctctttgc tcgctcactt cttcgttgct ggactctcta tctacttgtc	12420
tctccagttg ggacttaaga ccatggctat ctactactac ggaccagttt tcgtgttcgg	12480
atctatgttg gtgattacca ctttcttgca ccacaacgat gaggagactc catggtatgc	12540
tgattctgag tggacttacg tgaagggaaa cttgtcctct gtggatagat cttacggtgc	12600
tctcatcgat aacctctccc acaacatcgg aactcaccag atccaccacc tcttcccaat	12660
tatcccacac tacaagctca agaaggctac tgctgctttc caccaagctt tcccagagct	12720
tgtgagaaaag tccgatgagc caatcatcaa ggctttcttc agagtgggaa ggttgatgc	12780
taactacgga gtggttgatc aagaggctaa gctcttcact ttgaaggagg ctaaggctgc	12840
tactgaagct gctgctaaga ccaagtctac ctgattaatt aaggccgcag atctccaccg	12900
cgggtggcgt ctagcccgat atctcgacaa gctcgagttt ctccataata atgtgtgagt	12960
agttcccaga taagggaatt agggttccta tagggtttcg ctcatgtgtt gagcatataa	13020
gaaaccctta gtatgtattt gtatttgtaa aatacttcta tcaataaaat ttctaattcc	13080
taaaaccaa atccagtact aaaatccaga tccccgaat taattcggcg ttaattcagg	13140
gcaaacactg tacggaccgt ggcctaatag gccggtacca cccagctttc ttgtacaaag	13200
tggccatgat tacgccaagc ttggccacta aggccaattt aaatctacta ggccggccta	13260
ctatagaaaa tgtgttatat cgacatgacc agacaaagg gcaacagtta acaaaacaat	13320
taattctttc atttgagatt aaggaaggta aggtactaaa aagattaaaa aaaatgagct	13380
tatctctttg tttctgtaat aataatataa gtgtgataaa cttttaatat aataattgta	13440
attaggtttt ctacagatga gcaccactca gagacaagat aagaagaaaa caattttgtt	13500
aaacatgatt atagaaactt ttagttaagt cttgaagtat caatataaca aaaaaagta	13560
cacacgacta tgacaataaa cccactaccg tcaggttatc atttcgatga aatgttttga	13620
tatcattaaa tataacagtc acaaaaaatc atctaattat aacaatataa cttatacata	13680
tatttaacta aaaacttaga gtttttgtaa tgattctaatt tgatgattag agtttataga	13740
aatacaatta aataaaaaat ataattttaa aaaaacatag taaagtcaat gagatcctct	13800
ctgacctcag tgatcattta gtcatgtatg tacaacaatc attgttcac acatgactgt	13860
aaaataaata aggataaact tgggaatata tataatatat tgtattaaat aaaaaagga	13920
aatacaata tcaattttag attcccgagt tgacacaact caccatgcac gctgccacct	13980

Page 165

PF77877_sequencelisting_formatiertSA.txt

cagctcccag	ctctcgtcac	atgtctcatg	tcagttaggt	ctttggtttt	tagtctttga	14040
cacaactcgc	catgcatggt	gccacgtgag	ctcgttcctc	ttcccatgat	ctcaccactg	14100
ggcatgcatg	ctgccacctc	agctggcacc	tcttctctat	atgtccctag	aggccatgca	14160
cagtgccacc	tcagcactcc	tctcagaacc	catacgtacc	tgccaatcgg	cttctctcca	14220
taaatatcta	tttaaattat	aactaattat	ttcatatact	taattgatga	cgtggatgca	14280
ttgccatcgt	tgtttaataa	ttgttaatta	cgacatgata	aataaaatga	aagtaaaaag	14340
tacgaaagat	tttccatttg	ttgttgata	aatagagaag	tgagtgatgc	ataatgcatg	14400
aatgcatgac	cgcgccacca	tgactgttgg	atacgtatgag	gagatcccat	tcgagcaagt	14460
tagggctcat	aacaagccag	atgatgcttg	gtgtgctatt	catggacacg	tgtacgatgt	14520
taccaagttc	gcttctgttc	atccaggagg	agatattatc	ttgctcgctg	ctggaaagga	14580
agctactgtg	ctctacgaga	cctaccatgt	tagaggagtg	tctgatgctg	tgctcagaaa	14640
gtacagaatc	ggaaagttgc	cagatggaca	aggaggagct	aacgagaagg	agaagagaac	14700
cttgtctgga	ttgtcctctg	cttcttacta	cacctggaac	tccgatttct	acagagtgat	14760
gagggagaga	gttgtggcta	gattgaagga	gagaggaaag	gctagaagag	gaggatacga	14820
gttgtggatc	aaggctttct	tgctccttgt	tggtattctg	tcttctcttt	actggatgtg	14880
cacctcgat	ccatctttcg	gagctatctt	ggctgctatg	tctttgggag	tgctcgctgc	14940
ttttgttgga	acctgcatcc	aacatgatgg	aaacatgga	gctttcgctc	aatctagatg	15000
ggtaacaag	gtggcaggat	ggacttttga	tatgatcgga	gcttctggaa	tgacttggga	15060
gttccaacat	gtgttgggac	atcacccata	cactaacttg	atcgaggagg	agaacggatt	15120
gcaaaagtg	tccggaaaga	agatggatac	caagttggct	gatcaagagt	ctgatccaga	15180
tgtgttctcc	acctacccaa	tgatgagatt	gcatccatgg	catcagaaga	gatggatatca	15240
caggttccag	catatctacg	gaccattcat	cttcggattc	atgaccatca	acaagggtgt	15300
gactcaagat	gttggagtgg	tggtgagaaa	gaggctcttc	caaatcgatg	ctgagtgcag	15360
atatgcttcc	ccaatgtacg	ttgctaggtt	ctggatcatg	aaggctttga	ccgtgttgta	15420
catggttgct	ctcccatggt	atatgcaagg	accatggcat	ggattgaagc	tcttcgctat	15480
cgctcatttc	acttgcgagg	aggttttggc	taccatgttc	atcgtgaacc	acattatcga	15540
gggagtgtct	tacgcttcta	aggatgctgt	taagggaact	atggctccac	caaagactat	15600
gcatggagtg	accccaatga	acaacactag	aaaggagggt	gaggctgagg	cttctaagtc	15660
tgagctgtg	gttaagtctg	tgccattgga	tgattgggct	gctgttcaat	gccaaacctc	15720
tgtgaactgg	tctgttggtg	cttggttctg	gaaccatttc	tctggaggac	tcaaccatca	15780
aatcgagcat	catctcttcc	caggattgtc	tcacgagacc	tactaccaca	tccaagatgt	15840
ggttcaatct	acctgtgctg	agtacggagt	tccataccaa	catgagccat	ctttgtggac	15900
tgcttactgg	aagatgctcg	aacatttgag	acaattggga	aacgaggaga	ctcacgagtc	15960
ttggcaaaga	gctgcttgat	taattaacta	agactcccaa	aaccaccttc	cctgtgacag	16020

PF77877-sequencing_formatierisa.txt
16080 ttaaacccctg cttataccct tcctccctaat aatglttcac tgcacacaa actaaataa
16140 ataaaaatgg agcaataaat aaaaatggag ctcataatat tacaccattt acactgtcta
16200 ttatccaaca tgccaatat tactcataa ttttaaat atgtcatltt taaaaatlgc
16260 ttaatgtatg aaggtatat tataagttaa aagtataaca tagataaact aaccacaaaa
16320 caaatcaata taaactaact tactctccca tctaattttt atttaattt cttacaatt
16380 ccttccatt tctatttcta caacattat taacattttt attgtatttt tcttaactttc
16440 taactctatt cattcaaaa atcaatatat gtttatcacc acctctcta aaaaaacttt
16500 acaatcatlg gttcagaataa gttaaatcac gagatgttca ttttagcatt aaaaacaacga
16560 tcttgtatc actatttttc agcatgtagt ccatctctt caaacaaaga cagcgtctat
16620 ataatcgttg tgttatatc agtctaataa aagcgcccta ctaccgttaa tccccgggat
16680 tagcgccgct tagtctgtgc gcaactgtat cctgcaggtc aatcgtttaa acactgtacg
16740 gaccgttggcc taataggccg gtaacccaact ttattataca tagttgataa ttacatggcc
16800 gtagtacaacg aatcgcgagc cgaagcttg tacactagta cgcgtcaatt ggcgatccga
16860 gtacttaatc agttagtcagt aactaaatc agtacaattaa agacgtccgc aatgtgttat
16920 taagtgtctt aagcgtcaat ttgtttacac cacatatat cctgcacca gccaagccaac
16980 agctcccgga cggcagctc ggcacaaaat cactgatcat ctaaaaaggt gatgtgttat
17040 tgytaaaaac agcttgcgtc atgcggtcgc tgcgtatat atgcgatag taataaaca
17100 aatatcgaag gggaacgcgt gaagtatat gctgtacta accagaag cgggtcaggc
17160 aagacgaacca tcgaacacca tctagcccg gccctgcac tcgcccgggc cgtgttctg
17220 ttatgtgat ttatgtgat cgcagtgcc cgcgatttgg cgcgcgttgc ggaagataa
17280 ccgctaaccg ttgtcggcat cgaaccgccc agcattgacc ggcacgttga ggcataccg
17340 cggcgcgact tcgtagtat cgaagagcg cccaagcggc cggacttggc tgytccg
17400 atcaaggcag cgcacttctg gctgatccg gtgcagccaa gcccttaaga catrttggcc
17460 accgcccgaac ttgttgagct ggttaagcag cgcatttgaag tcacggtatg aaggtaca
17520 ggcgcccctt tctgttccg ggcgatcaaa ggcacgcga tccgcccgtga ggttgcgag
17580 ggccttggcc ggtacgagct gcccatctt gagtcccgta tcacgacggc cgtgagctac
17640 ccaggtcacat ccgcccgcg cacaacccgt cttgaatcag aaccggaggg cgaacgttgc
17700 cgcgaggtcc aggcgttggc cgttgaatat aatacaaaa tcattttagt taatgagta
17760 aagagaaaaat gagcaaaaag acaaacacag taagtggccg ccgtccgagc gcacgcaaga
17820 gcaaggtctc aacgttggcc agccttggcag acacgcccag catgaagcgg gtcaaaccttc
17880 agttgcccgc ggaagtacac aaccaagctga agatgtacgc ggtacgcca ggcagaacca
17940 ttaccgagct gctatctgaa tacatcgcgc agtataccaga gtaaatgagc aatgataa
18000 atgagtatat gaatttagc ggcataaagg ggcgcatgg aaaaatcaaga acaaccaggc
18060 accgacgcgg ttgaaatgccc catgtgttga ggaacggggt gttgcccagg cgtaaagcggc
18120 ttggtgtctt gccgcccctg caatggcact ggaaccccca agcccggagg atcggcgtga

PF77877-sequencing_format1ertsa.txt

18180 ggcgttcgcgca accatccggc ccgtatcaaa tcggcggcggc gctgggttgat gacctgggtg

18240 agaatgttgaa ggcgcggcggcagg ggcgcggccagg ggcgaacggcat ggaagcagaa gcaagcggccg

18300 gttgaatccgtg gcaaggggcc gctgatacgaa tcggcaagaa atccggccaa cccgcccggcag

18360 ccggttcggcc gttcgattagg aagccggccaa agggcggcga gcaaccagat ttttttcggttc

18420 cgatgctcta tgaagttggc acccgcgata gttcgcagcat catggaagtg gccgttttcc

18480 gttctgtcgaa gcgttgaccga cgaactggcg agttgatccg ctacggactt ccagacgggc

18540 acgtagaggt ttcggcaggc cccgcccggca tggccagttg ttgggattac gacctgttac

18600 tgaatggcggt tttccatcta accgaatcca tgaaccgata ccggggaagg aagggagaca

18660 agcccgggccg cgtgttccgt ccacacgttg cggacgtact caagtcttg ccggcggaggccg

18720 atggcggaagaa gcaagaagac gacctgttag aaaccttgcat tctgttaaac accacagcag

18780 ttgcccataa gcgtaaccag aagccgaag acggccggct gttgacgata tcggagggtg

18840 aagcccttgat tagccgctac aagatcgtaa agagcgaaac ccggcggccg gagtacatcg

18900 agatcgagct tgcgtgattg atgtaccgag agatcacaga aggcagaac ccggacgtgc

18960 tgaaggttca cccgattac tttttgatcg accccggcat cggccggttt ctctaccgcc

19020 ttgcccacccg cgcggcaggc aagcgagaa ccaagtgtt gttccaagacg atctacgaac

19080 gcagtggcag cgcgggagag ttcaagaagt tctgtttcac cgtgcggcaag ctgatacggt

19140 caaatgaacct gccggagtag gatttgaaag aggaagcggg gcaagcctggc ccgatacctag

19200 tcatgctcta ccgcaacctg atcgaggcg aagcatccgc cgtttcctaa tgtacggagc

19260 agatgcttagg gcaaatggc ctaggcaggg aaaaaggtcg aaaaaggtctc tttccgttg

19320 atagcacgta cattggaac ccaagccgt acattggga ccggaacccg tacattggga

19380 acccaagcc gtaacattgg aacgggtcac acatgttaagt gactgatata aagagaaaa

19440 aagbggttt tttccggccaa aactctttaa aacttataa aactctttaa acccccgctg

19500 cctgtgtcata actgtctggc cagcgccacag ccgaagagct gcaaaaaagcg cctaacccttc

19560 ggtgtgtcg cttccctacgc cccgcggct cggcttcggc tatcgcggc tatcgcggt

19620 gaaataccgc acagatcggt aaggaagaaa tacggcatca ggcgtctctc cgtcttcccg

19680 ctcaactgct cgtcgcgtc ggtcgttcgg cgtcggcgag cgtatcagc tcactcaag

19740 gcgtataac ggttatccac agaatacagg gataacggag gaagaacat gtgagcaaaa

19800 ggcagcaaaa aggcaggaag ccgtaaaaag gccgcgttg cgtgcgtttt ccataggctc

19860 cggccccctg acgagcatca caaaaaatcga cgttcaagtc agaggtggcg aaaaaccgaca

19920 ggaatataaa gataccaggc gtttccccc ttgaagctccc tcgtgcgctc tccgtttccg

19980 accctggccg ttaccggata cctgtccgc tttctccctt cgggaagcgt ggcgctttct

20040 catagctcac gctgtaggtat tctcagttcg gtttaggtcg ttcgctccaa gctgggctgt

20100 gtgcacgaac ccccggttca gcccgaccgc tgcggccttat ccgttaacta tgcgtttgag

20160 tccaacccgg taagcacacga ctatatcgca ctggcagcag ccactggtaa caggaattagc

PF77877_sequence_listing_formatiertSA.txt

agagcgaggt atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa ctacggctac	20220
actagaagga cagtatttgg tatctgcgct ctgctgaagc cagttacctt cggaaaaaga	20280
gttggttagct cttgatccgg caaaciaaacc accgctggta gcggtggttt ttttgtttgc	20340
aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag atcctttgat cttttctacg	20400
gggtccttca actcatcgat agtttggctg tgagcaatta tgtgcttagt gcatctaacg	20460
cttgagttaa gccgcgccgc gaagcggcgt cggcttgaac gaatttctag ctagacatta	20520
tttgccaacg accttcgtga tctcgccctt gacatagtgg acaaattctt cgagctggtc	20580
ggcccgggac gcgagacggt cttcttcttg gccagatag gcttggcgcg cttcgaggat	20640
cacgggctgg tattgcgccg gaaggcgctc catcgcccag tcggcggcga catccttcgg	20700
cgcgatcttg ccggtaacgg ccgagtacca aatccggctc agcgtaagga ccacattgcg	20760
ctcatcgccc gcccaatccg gcggggagtt ccacagggtc agcgtctcgt tcagtgtctc	20820
gaacagatcc tggtccggca ccgggtcgaa aagttcctcg gccgcggggc cgacgagggc	20880
cacgctatgc tcccgggcct tggtagcgag gatcgccaga tcaatgtcga tggtagccgg	20940
ttcaaagata cccgccagaa tatcattacg ctgccattcg ccgaactgga gttcgcgttt	21000
ggccggatag cgccagggga tgatgtcatc gtgcaccaca atcgtcacct caaccgcgcg	21060
caggatttcg ctctcgccgg gggaggcgga cgtttccaga aggtcggtga taagcgcgcg	21120
gcgcgtggtc tcgtcgagac ggacggtaac ggtgacaagc aggtcgatgt ccgaatgggg	21180
cttaaggccg ccgtcaacgg cgctaccata cagatgcacg gcgaggaggg tcggttcgag	21240
gtggcgctcg atgacacca cgacttccga cagctgggtg gacacctcgg cgatgaccgc	21300
ttcacccatg atgtttaact ttgttttagg gcgactgccc tgctgcgtaa catcgttgct	21360
gctccataac atcaaacatc gaccacggc gtaacgcgct tgctgcttgg atgcccgagg	21420
catagactgt accccaaaaa aacagtcata acaagccatg aaaaccgcca ctgctgtcca	21480
tgaatattca aacaaacaca tacagcgcgga cttatcatgg ata	21523

<210> 9
 <211> 21639
 <212> DNA
 <213> Artificial

<220>
 <223> plasmid

<400> 9	
ttgacataca aatggacgaa cggataaacc ttttcacgcc cttttaaata tccgattatt	60
ctaataaacg ctcttttctc ttaggtttac ccgccaatat atcctgtcaa aactgatag	120
tttaaaactga aggcgggaaa cgacaatctg atcactgatt agtaactaag gcctttaatt	180
aatctagagg cgcgccgggc cccctgcagg gagctcggcc ggccaattta aattgatatc	240
ggtacatcga ttacgccaaag ctatcaactt tgtatagaaa agttgccatg attacgcaa	300
gcttgccac taaggccaat ttaaattctac taggcgggcc tgctcggccc ggactgtatc	360
caacttgaga tctttgaatc tctctgttcc ttgatgttct gaaggagtgc taagtgtaat	420

PF77877_sequencelisting_formatiertSA.txt

cagaaagctt gtaacatgct ttgtagactt tctttgatat actcttgcaa tgactgattg	480
aacctacgtg aaaactgctg gtcaagttct aaccaaattc cgtctacgga aggcccaaaa	540
tttattgaca tcttcagttt catggacgtg tcttcaaagt ttataactt cttatcccat	600
catttttaag tctagttctg ttccgcatag tcttagatct caaacaatc tacaactctt	660
gtgtcagttc ttcttccaga atcaacttgc tacatggtga aaatctggcg tcaagttctg	720
aacttgtaa ttttcttaac agttagaaaa taatctaagt gtttagaata ttgacttttc	780
caaagcaaag aagacttttg actttcttaa taaaacaaac ttctaattct aacatgtctt	840
gatgaaatgt ctttcttgaa atttgatcaa gatgcaaaag tcaaagtttg acttttcaga	900
ctgcaattga ccattttgca gaagtgccaa ttccaaacca aaattgatga tacagtgtg	960
caaacttgat gtcatggaag atcttaacag aaaattcttg aagactgaga gcaaaaattt	1020
tcatgtacaa cacaaacttt cctgtttttc atagtcgctg tagacacatt aacataaaac	1080
acctgatcat tcgaagagtg attcttgaag gaaatgtgca gttacctttg tgcagaactt	1140
aagagcaact tacagactca ttactaaaa tactacaatc aggaagattt taacaactta	1200
cagaagtatt cggagttaaa gagcaacaca ttaagggcga cagttaaaat taatgtgttg	1260
taaccaccac tacgaatagt aagtattata agttaaatgt aatcatcaca ttataattat	1320
tgtccttata attaatatg ataaacatgt atcattaaga ttgtcataac caaatagtc	1380
tcgacttgat ttttgaatta ttgtattcta tgttactttt cttgtagcct atataaaaac	1440
tttgtaaagc ataattgtat gctggaaaaa atactgtaat gaattgaata gaaattatgg	1500
tatttcattc tccaaaatcc atcaatagaa atttagtaca aatcgaaaga caaaaatatt	1560
gacttatttt aaattttaca acaatataaa aatattgact tattttaaat tttaacaata	1620
tataaatttt cacctgtcac ctttagaaat ccaccaacaa tattaattct tagataaatt	1680
attcttaata attttgagat ctctgtaatt atctgatatt tattttatat ttgtcagtta	1740
ttttcttatg ttttactgtt aacccttata tcttgggtcaa actagaataa gtaaatatga	1800
gtttgtgaag gacacattga caagatgaaa cattggtttt ttccctcttc gaatgttaaa	1860
ggtaataaaa cattcagaat attgacctac tattaatata gatcctttgt cttttaaaaa	1920
agtgtgcatg aaaatgctct taggtaagct agtgtctctt gcagggctgt gtatatcaat	1980
tccatttcca gatggttgta actgccacta cctataatta gtcataagac acgtatgtta	2040
acacacgtcc ccatgcatgt tttttgcat atattccac actttctttt tcttcacgta	2100
taaaacattg aactaattaa tagtccgatc aagctgaaca ccgcgccacc atgatcacta	2160
ctactcacag agttcacgag gctccagtta agactagact taccgctgtt gctgatgtta	2220
ggcctatccc tgacgttaag acccttaagg acgctatccc tgctaagtgc ttcgagagat	2280
ctatgttgag atctttcagc tacgttggtta gggatctcat cgttgttttc tcccttttct	2340
acgctgctgt tccactttct agacttgacg ctcttggtt tgttactgtt cctctttggg	2400
ctctctactc tttcgttcag ggatgcttct tcaactggact ttggattctt gctcacgatt	2460

PF77877_sequence_listing_formatiertSA.txt

gcggacacga	ttctttctct	gaaaacctca	ccgttaacgc	tatcactgga	tggttccttc	2520
actgcatgct	tatgggacct	ttctttctct	ggaaattctc	tcacgctaga	caccacagat	2580
accacaacca	catggataag	gataccgttt	tcgttcctca	cagaaagtct	gacgtggagg	2640
ccaagaaaac	taagcctact	ctcctcgaga	agatcatgga	tcactctgct	gctgatactc	2700
ctatcatcac	cgttgcttct	cttatcttcc	accaagttct	tggtatggcct	gcttacattc	2760
ttatgaacgc	tggtgctgga	aagaagtctc	ttaccaaggg	agataggtac	acctcttcta	2820
ggtacaagca	gtctcacctt	gactctactg	ctcacgtttt	cactccatct	gaggctccat	2880
tcgttgcttt	gtctaagtgt	ggactcatcc	ttactatgac	cgctctctat	gtttgggtcaa	2940
gatctgttgg	aacctctacc	gttcttcttg	cttacggact	tccttacctt	tggtatgaatc	3000
actggatcgt	tgctatcact	taccttcacc	acactcaccc	tgaggctcct	cactacgagg	3060
ctgataactg	gactttcatc	aaggggtgctg	cttcaactgt	tgatagggac	ttcggattca	3120
tcggtagaca	tatcttccac	ggaattatcg	agtaccacgt	tgttcaccac	atgttcccta	3180
gaatcccatt	ctaccacgct	gaggaagcta	cttgggctat	cgctccactt	cttggagagc	3240
gttatacca	gcaaaagacc	aacttcttctg	gagatctttg	gcagtctttc	actacttgca	3300
agactgttga	gcctggaact	ggtgttcacg	caggtggact	tgtttgggtct	aagaccaagg	3360
ctaagaagga	tgctaagaag	tccgactgat	agttaattaa	ggccgcctcg	accgtacccc	3420
ctgcagatag	actatactat	gttttagcct	gcctgctggc	tagctactat	gttatgttat	3480
gttgtaaaat	aaacacctgc	taaggatatat	ctatctatat	tttagcatgg	ctttctcaat	3540
aaattgtctt	tccttatcgt	ttactatctt	atacctaata	atgaaataat	aatatcacat	3600
atgaggaacg	gggcaggttt	aggcatatat	atacgagtgt	agggcggagt	ggggggcgcc	3660
tactaccggt	aattcccggg	attagcggcc	gctagtctgt	gcgcacttgt	atcctgcagg	3720
tcaatcggtt	aaacactgta	cggaccgtgg	cctaataaggc	cggtagccaa	gtttgtacaa	3780
aaaagcaggc	tccatgatta	cgccaagctt	ggccactaag	gccaatttaa	atctactagg	3840
ccggccaaag	ctttacaacg	ctacacaaaa	cttataaccg	taatcaccat	tcattaactt	3900
aactactatc	acatgcattc	atgaattgaa	acgagaagga	tgtaaatagt	tggaagtta	3960
tctccacggt	gaagagatcg	ttagcgagag	ctgaaagacc	gagggaggag	acgccgtcaa	4020
cacggacaga	gtcgtcgacc	ctcacatgaa	gtaggaggaa	tctccgtgag	gagccagaga	4080
gacgtctttg	gtcttcggtt	tcgatccttg	atctgacgga	gaagacgaga	gaagtgcgac	4140
tggtactccgt	gaggaccaac	agagtcgtcc	tcggtttcga	tcgtcgggtat	tggtggagaa	4200
ggcggaggaa	tctccgtgac	gagccagaga	gatgtcgtcg	gtcttcggtt	tcgatccttg	4260
atctgacgga	gaagacgaga	gaagtgcgac	gagactccgt	gaggaccaac	agagtgtgcc	4320
tcggtttcga	tcgtcgggtt	cggcggagaa	ggcggaggaa	tctccgtgag	gagccagaga	4380
gacgtcgttg	gtcttcggtt	tcgatccttg	atctgttgga	gaagacgaga	caagtgggac	4440
gagactcaac	gacggagtca	gagacgtcgt	cgggtcttcg	tttcggccga	gaaggcggag	4500
tcggtcttcg	gtttcggccg	agaaggcgga	ggagacgtct	tcgatttggg	tctctcctct	4560

Page 171

PF77877_sequencelisting_formatiertSA.txt

tgacgaagaa aacaaagaac acgagaaata atgagaaaga gaacaaaaga aaaaaaata	4620
aaaataaaaa taaaatttgg tcctcttatg tggtgacacg tggtttgaaa cccaccaa	4680
aatcgatcac aaaaaaccta agttaaggat cggtaataac ctttctaatt aattttgatt	4740
tatattaaat cactcttttt atttataaac cccactaaat tatgcgatat tgattgtcta	4800
agtacaaaaa ttctctcgaa ttcaatacac atgtttcata tatttagccc tgttcattta	4860
atattactag cgcattttta atttaaaatt ttgtaaactt ttttggtaa agaacatttt	4920
tttaattaga gacagaaatc tagactcttt atttggaata atagtaataa agatatatta	4980
ggcaatgagt ttatgatgtt atgtttatat agttttattc attttaaatt gaaaagcatt	5040
atttttatcg aaatgaatct agtatacaat caatatttat gttttttcat cagatacttt	5100
cctatttttt ggcacctttc atcggactac tgattttatt caatgtgtat gcatgcatga	5160
gcatgagtat acacatgtct tttaaaatgc atgtaaagcg taacggacca caaaagagga	5220
tccatacaaa tacatctcat cgcttcctct actattctcc gacacacaca ctgagcatgg	5280
tgcttaaaaca ctctgggtgag ttctagtact tctgctatga tcgatctcat taccatttct	5340
taaatttctc tccctaaata ttccgagttc ttgatttttg ataacttcag gttttctctt	5400
tttgataaat ctggctcttc catttttttt tttttgtggt taatttagtt tcctatgttc	5460
ttcgattgta ttatgcatga tctgtgtttg gattctgtta gattatgtat tgggtgaatat	5520
gtatgtgttt ttgcatgtct ggttttggtc ttaaaaatgt tcaaactctga tgatttgatt	5580
gaagcttttt tagtgttggt ttgattcttc tcaaaactac tgtaatttta ctatcatgtt	5640
ttccaacttt gattcatgat gacacttttg ttctgctttg ttataaaatt ttggttggtt	5700
tgattttgta attatagtgt aattttgtta ggaatgaaca tgttttaata ctctgttttc	5760
gatttgtcac acattcgaat tattaatcga taatttaact gaaaattcat ggttctagat	5820
cttggtgtca tcagattatt tgtttcgata attcatcaaa tatgtagtcc ttttgctgat	5880
ttgcgactgt ttcatttttt ctcaaaattg ttttttgta agtttatcta acagttatcg	5940
ttgtcaaaag tctctttcat ttgcaaaat cttctttttt tttttgtttg taactttggt	6000
ttttaagcta cacatttagt ctgtaaaata gcatcgagga acagttgtct tagtagactt	6060
gcatgttctt gtaacttcta tttgtttcag tttgttgatg actgctttga tttgttaggt	6120
caaaccgcgc catgtctgct agcggagctt tgttgccctgc tatagctttc gctgcttacg	6180
cttacgctac ctacgcttat gctttcgagt ggagccacgc taacggaatc gataacgtgg	6240
atgctagaga gtggattgga gctttgtctt tgagactccc tgcaattgca accacaatgt	6300
acctcttggt ctgccttggt ggacctagat tgatggctaa gagggaggct tttgatccta	6360
agggatttat gctcgcttac aacgcttacc aaaccgcttt caacgttggtg gtgctcgaa	6420
tgttcgctag agagatctct ggattgggac aacctgtttg gggatctact atgccttgga	6480
gcatagggaa gtccttcaag attttggttg gagtgtggct ccactacaac aataagtacc	6540
tcgagttggt ggatactgtg ttcattggtg ctaggaaaaa gaccaagcag ctctctttct	6600

PF77877_sequence_listing_formatiertSA.txt

tgcacgtgta	ccaccacgct	ttgttgattt	gggcttgggtg	gcttgtttgt	cacctcatgg	6660
ctaccaacga	ttgcatcgat	gcttatttcg	gagctgcttg	caactctttc	atccacatcg	6720
tgatgtactc	ctactacctc	atgtctgctt	tgggaattag	gtgcccttgg	aagagatata	6780
tcacccaggc	tcagatgttg	caattcgtga	tcgtgttcgc	tcacgctgtt	ttcgtgctca	6840
gacaaaagca	ctgccctgtt	actttgcctt	gggcacaaat	gttcgtgatg	acaaatatgt	6900
tgggtgctctt	cggaaacttc	tacctcaagg	cttactctaa	caagtctagg	ggagatggag	6960
cttcttctgt	taagcctgct	gagactacta	gagcaccttc	tgtgagaaga	accaggtcaa	7020
ggaagatcga	ttgatagtta	attaactaag	tttgatgtat	ctgagtgccca	acgtttactt	7080
tgtctttcct	ttcttttatt	ggttatgatt	agatgtttac	tatgttctct	ctttttcggt	7140
ataaataaag	aagttcaatt	cttctatagt	ttcaaacgcg	attttaagcg	tttctattta	7200
ggtttacatg	atttctttta	caaaatcatc	tttaaaatac	agtatatattt	tagttttcat	7260
aaaatatatta	aagaaatgaa	agtttataaa	cattcactcc	tattctctaa	ttaaggattt	7320
gtaaaacaaa	aattttgtaa	gcatatcgat	ttatgcgttt	tgtcttaatt	agctcactaa	7380
ataataaata	atagcttatg	ttgtgggact	gtttaattac	ctaacttaga	actaaaatca	7440
actctttgtg	ggcgcctact	accggtaatt	ccggggatta	gcggccgcta	gtctgtgcgc	7500
acttgatccc	tgcaggttag	gccggccact	gcagcaaatt	tacacattgc	cactaaacgt	7560
ctaaacccct	gtaatttggt	tttgttttac	tatgtgtgtt	atgtatttga	tttgcgataa	7620
atttttatat	ttggtactaa	atttataaca	ccttttatgc	taacgtttgc	caacacttag	7680
caatttgcaa	gttgattaat	tgattctaaa	ttatttttgt	cttctaaata	catatactaa	7740
tcaactggaa	atgtaaatat	ttgctaatat	ttctactata	ggagaattaa	agtgagtgaa	7800
tatggtacca	caaggtttgg	agattttaatt	gttgcaatgc	tgcattggatg	gcatatacac	7860
caaacattca	ataattcttg	aggataataa	tggtagccaca	caagatttga	ggtgcatgaa	7920
cgtcacgtgg	acaaaagggt	tagtaatttt	tcaagacaac	aatgttacca	cacacaagtt	7980
ttgaggtgca	tgcattggatg	ccctgtggaa	agtttaaaaa	tattttggaa	atgatttgca	8040
tggaagccat	gtgtaaaacc	atgacatcca	cttggaggat	gcaataatga	agaaaactac	8100
aaattttacat	gcaactagtt	atgcatgtag	tctatataat	gaggattttg	caatactttc	8160
attcatacac	actcactaag	ttttacacga	ttataatttc	ttcatagcca	gtaggggtttc	8220
gtttttgttt	catcgataaa	ctcaaagggtg	atgatttttag	ggctcttgta	gtgtgctttt	8280
ttgtttgatt	ctactgtagg	gtttatgttc	tttagctcat	aggttttgtg	tatttcttag	8340
aaatgtggct	tccttaatct	ctgggtttgt	gactttttgt	gtggttttctg	tgtttttcat	8400
atcaaaaacc	tattttttcc	gagttttttt	ttacaaattc	ttactctcaa	gcttgaatac	8460
ttcacatgca	gtgttctttt	gtagatttta	gagttaatgt	gttaaaaagt	ttggattttt	8520
cttgcttata	gagcttcttc	actttgattt	tgtgggtttt	tttgttttta	aggtagagatt	8580
tttgatgagg	tttttgcttc	aaagatgtca	cctttctggg	tttgtctttt	gaataaagct	8640
atgaactgtc	acatggctga	cgcaattttg	ttactatgtc	atgaaagctg	acgtttttcc	8700

Page 173

PF77877_sequencelisting_formatiertSA.txt

gtgttataca	tgtttgctta	cacttgcatg	cgtcaaaaaa	attggggctt	tttagtttta	8760
gtcaaagatt	ttacttctct	tttgggattt	atgaaggaaa	gttgcaaact	ttctcaaatt	8820
ttaccatttt	tgctttgatg	tttgtttaga	ttgcgacaga	acaaactcat	atatgttgaa	8880
atTTTTgctt	ggTTTTgtat	aggattgtgt	cttttgctta	taaatgttga	aatctgaact	8940
TTTTTTTTgt	ttggTTTTctt	tgagcaggag	ataaggcgcg	ccttccatgg	ctacaaagga	9000
ggcttacgtt	ttcccaactc	tcaccgagat	caagagatct	ctcccaaagg	attgcttcga	9060
ggcttctgtg	cctttgtctc	tctactacac	tgtgagatgc	ttggttattg	ctgtggcttt	9120
gaccttcgga	ttgaactacg	ctagagcttt	gccagagggt	gagtctttct	gggctttgga	9180
tgctgctttg	tgactgggat	atatcctcct	ccagggaatt	gtgttctggg	gattcttcac	9240
tgttggacac	gatgctggac	acggagcttt	ctctagatac	cacctcttga	acttcgttgt	9300
gggaaccttc	atgcaactct	tcactcttgac	cccattcgag	tcttggaagt	tgaccacag	9360
acaccaccac	aagaacaccg	gaaacatcga	tagagatgag	gtgttctacc	cacagagaaa	9420
ggctgatgat	caccatttgt	ccaggaaact	gatcttggct	ttgggagctg	cttggcttgc	9480
ttatttggtg	gagggattcc	caccaagaaa	ggtgaaccac	ttcaaccat	tcgagccact	9540
TTTTgtgaga	caagtgtccg	ctgtggttat	ctctttgctc	gctcacttct	tcgttgctgg	9600
actctctatc	tacttgtctc	tccagttggg	acttaagacc	atggctatct	actactacgg	9660
accagttttc	gtgttcggat	ctatgttggg	gattaccacc	ttcttgcacc	acaacgatga	9720
ggagactcca	tggtatgctg	attctgagtg	gacttacgtg	aagggaact	tgtcctctgt	9780
ggatagatct	tacggtgctc	tcatcgataa	cctctccac	aacatcgga	ctcaccagat	9840
ccaccacctc	ttcccaatta	ttccacacta	caagctcaag	aaggctactg	ctgctttcca	9900
ccaagctttc	ccagagcttg	tgagaaagtc	cgatgagcca	atcatcaagg	ctttcttcag	9960
agtgggaagg	ttgtatgcta	actacggagt	ggttgatcaa	gaggctaagc	tcttcacttt	10020
gaaggaggct	aaggctgcta	ctgaagctgc	tgctaagacc	aagtctacct	gattaattaa	10080
ggccgcagat	ctccaccgcg	gtggcgctct	agcccgatat	ctcgacaagc	tcgagtttct	10140
ccataataat	gtgtgagtag	ttccagata	aggaattag	ggttcctata	gggtttcgct	10200
catgtgttga	gcatataaga	aacccttagt	atgtatttgt	atttgtaaaa	tacttctatc	10260
aataaaatTT	ctaattccta	aaacaaaat	ccagtactaa	aatccagatc	ccccgaatta	10320
attcggcggt	aattcagggc	aaacactgta	cggaccgtgg	cctaataggc	cggtaaccacc	10380
cagctttctt	gtacaaagtg	gccatgatta	cgccaagctt	ggccactaag	gccaatttaa	10440
atctactagg	ccggcctact	atagaaaatg	tgttatatcg	acatgaccag	acaaaggggc	10500
aacagttaac	aaaacaatta	attctttcat	ttgagattaa	ggaaggtaag	gtactaaaaa	10560
gattaaaaaa	aatgagctta	tctctttgtt	tctgtaataa	taatataagt	gtgataaact	10620
tttaataata	taattgtaat	taggttttct	acagatgagc	accactcaga	gacaagataa	10680
gaagaaaaca	atTTTgttaa	acatgattat	agaaactttt	agttaagtct	tgaagtatca	10740

PF77877_sequencelisting_formatiertSA.txt

atataacaaa	aaaaagtaca	cacgactatg	acaataaacc	cactaccgtc	aggttatcat	10800
ttcgatgaaa	tgttttgata	tcattaaata	taacagtcac	aaaaaatcat	ctaattataa	10860
caatataact	tatacatata	tttaactaaa	aacttagagt	ttttgtaatg	attctaattg	10920
atgattagag	tttatagaaa	tacaattaaa	taaaaaatat	aattttaaaa	aaacatagta	10980
aagtcaatga	gatcctctct	gacctcagt	atcatttagt	catgtatgta	caacaatcat	11040
tgttcatcac	atgactgtaa	aataaataag	gataaacttg	ggaatatata	taatataattg	11100
tattaaataa	aaaagggaaa	tacaaatata	aatttttagat	tcccagagttg	acacaactca	11160
ccatgcacgc	tgccacctca	gctcccagct	ctcgtcacat	gtctcatgtc	agttagggtct	11220
ttggttttta	gtctttgaca	caactcgcca	tgcagtgtgc	cacgtgagct	cgttcctctt	11280
cccatgatct	caccactggg	catgcatgct	gccacctcag	ctggcacctc	ttctctatat	11340
gtccctagag	gccatgcaca	gtgccacctc	agcactcctc	tcagaaccca	tacgtacctg	11400
ccaatcggtc	tctctccata	aatatctatt	taaattataa	ctaattatct	catatactta	11460
attgatgacg	tggtatgcatt	gccatcggtg	tttaataatt	gttaattacg	acatgataaa	11520
taaaatgaaa	gtaaaaagta	cgaaagattt	tccatttggt	gttgataaaa	tagagaagtg	11580
agtgatgcat	aatgcatgaa	tgcattgacc	cgccaccatg	actgttggtg	acgatgagga	11640
gatcccatc	gagcaagtta	gggtccataa	caagccagat	gatgcttggt	gtgctattca	11700
tggtacgtg	tacgatgtta	ccaagtctgc	ttctgttcat	ccaggaggag	atattatctt	11760
gctcgtgct	ggaaaggaag	ctactgtgct	ctacgagacc	taccatgtta	gaggagtgtc	11820
tgatgctgtg	ctcagaaagt	acagaatcgg	aaagttgcca	gatggacaag	gaggagctaa	11880
cgagaaggag	aagagaacct	tgtctggatt	gtcctctgct	tcttactaca	cctggaactc	11940
cgatttctac	agagtgatga	gggagagagt	tgtggctaga	ttgaaggaga	gaggaaaggc	12000
tagaagagga	ggatacgagt	tgtggatcaa	ggctttcttg	ctccttggtg	gattctgggtc	12060
ctctctttac	tggtatgtga	ccctcgatcc	atctttcgga	gctatcttgg	ctgctatgtc	12120
tttgggagt	ttcgtgctt	ttgttggaac	ctgcatccaa	catgatggaa	accatggagc	12180
tttcgtcaa	tctagatggg	ttaacaaggt	ggcaggatgg	actttggata	tgatcggagc	12240
ttctggaatg	acttgggagt	tccaacatgt	gttgggacat	caccataaca	ctaacttgat	12300
cgaggaggag	aacggattgc	aaaagggtgc	cgaaagaag	atggatacca	agttggctga	12360
tcaagagtct	gatccagatg	tgttctccac	ctaccaatg	atgagattgc	atccatggca	12420
tcagaagaga	tggtatcaca	ggttccagca	tatctacgga	ccattcatct	tcggattcat	12480
gaccatcaac	aagtggtga	ctcaagatgt	tggtgtggtg	ttgagaaaga	ggctcttcca	12540
aatcgatgct	gagtgcagat	atgcttcccc	aatgtacgtt	gctaggttct	ggatcatgaa	12600
ggctttgacc	gtgttgata	tggttgctct	cccatgttat	atgcaaggac	catggcatgg	12660
attgaagctc	ttcgtatcg	ctcatttcac	ttgcggagag	gttttggtta	ccatgttcat	12720
cgtgaaccac	attatcgagg	gagtgtctta	cgcttctaag	gatgctgtta	agggaaactat	12780
ggctccacca	aagactatgc	atggagtgc	cccaatgaac	aacactagaa	aggaggttga	12840

Page 175

PF77877_sequencelisting_formatiertSA.txt

ggctgaggct	tctaagtctg	gagctgtggt	taagtctgtg	ccattggatg	attgggctgc	12900
tgttcaatgc	caaacctctg	tgaactggtc	tgttggatct	tggttctgga	accattttctc	12960
tggaggactc	aaccatcaaa	tcgagcatca	tctcttccca	ggattgtctc	acgagaccta	13020
ctaccacatc	caagatgtgg	ttcaatctac	ctgtgctgag	tacggagttc	cataccaaca	13080
tgagccatct	ttgtggactg	cttactggaa	gatgctcgaa	catttgagac	aattgggaaa	13140
cgaggagact	cacgagtctt	ggcaaagagc	tgcttgatta	attaactaag	actcccaaaa	13200
ccaccttccc	tgtgacagtt	aaaccctgct	tatacctttc	ctcctaataa	tggtcatctg	13260
tcacacaaac	taaaataaat	aaaatgggag	caataaataa	aatgggagct	catatatatta	13320
caccattttac	actgtctatt	attcaccatg	ccaattatta	cttcataatt	ttaaaattat	13380
gtcatttttta	aaaattgctt	aatgatggaa	aggattatta	taagttaaaa	gtataacata	13440
gataaactaa	ccacaaaaca	aatcaatata	aactaactta	ctctcccatc	taatttttat	13500
ttaaattttct	ttacacttct	cttccatttc	tatttctaca	acattattta	acatttttat	13560
tgtatttttct	ttactttcta	actctattca	tttcaaaaat	caatatatgt	ttatcaccac	13620
ctctctaaaa	aaaactttac	aatcattggt	ccagaaaagt	taaatcacga	gatggtcatt	13680
ttagcattaa	aacaacgatt	cttgtatcac	tatttttctag	catgtagtcc	attctcttca	13740
aacaaagaca	gcggtatata	aatcgttgtg	ttatatctag	tctaaaacaa	ggcgcctact	13800
accggttaatt	ccggggatta	gcggccgcta	gtctgtgcgc	acttgatcc	tgacgggttag	13860
gccggccatt	agcagatatt	tggtgtctaa	atgtttatct	tgtgatatgt	tcattgtttga	13920
aatggtgggt	tcgaaaccag	ggacaacggt	gggatctgat	aggggtgtcaa	agagtattat	13980
ggattgggac	aatttcggtc	atgagttgca	aattcaagta	tatcgttcga	ttatgaaaaat	14040
tttcgaagaa	tatcccatct	gagagagtct	ttacctcatt	aatgttttta	gattatgaaa	14100
ttttatcata	gttcatcgta	gtcttttttg	tgtaaaggct	gtaaaaagaa	attgttcact	14160
tttgttttcg	tttatgtgaa	ggctgtaaaa	gattgtaaaa	gactattttg	gtgttttgga	14220
taaaatgata	gtttttatag	attcttttgc	ttttagaaga	aatacatttg	aaattttttc	14280
catgttgagt	ataaaatacc	gaaatcgatt	gaagatcata	gaaatatttt	aactgaaaac	14340
aaattttata	ctgattcaat	tctctccatt	tttataccta	tttaaccgta	atcgattcta	14400
atagatgata	gattttttat	ataatcctaa	ttaaccaacg	gcatgtattg	gataattaac	14460
cgatcaactc	tcacccctaa	tagaatcagt	attttcttct	gacgttaatt	gacccctacac	14520
tatgtagggt	atatccatcg	ttttaatttt	tggccaccat	tcaattctgt	cttgccttta	14580
gggatgtgaa	tatgaacggc	caaggtaaga	gaataaaaaat	aatccaaatt	aaagcaagag	14640
aggccaagta	agataatcca	aatgtacact	tgtcattgcc	aaaattagta	aaatactcgg	14700
catattgtat	tcacacacat	tattaaaata	ccgtatatgt	attggctgca	tttgcattgaa	14760
taatactacg	tgtaagccca	aaagaaccca	cgtgtagccc	atgcaaagtt	aacactcacg	14820
accccatctc	tcagtctcca	ctatataaac	ccaccatccc	caatctcacc	aaacccacca	14880

PF77877_sequence_listing_formatiertSA.txt

cacaactcac	aactcactct	cacaccttaa	agaaccaatc	accaccaaaa	aaccgcgcca	14940
ccatgcttgt	tcttttcgga	aactttctacg	tgaagcagta	ctctcaaaag	aacggaaagc	15000
ctgagaacgg	tgctactcct	gaaaacgggtg	caaagcctca	accttggtgag	aacggaactg	15060
ttgagaagag	ggagaacgat	accgctaata	ttagacctac	tagaccagct	ggacctcctc	15120
ctgctactta	ctacgattct	ctcgtgtttt	ctggacaggg	aaaagagaga	cttttcacca	15180
ccgacgaagt	tagaaggcac	atcctcccta	ctgacggatg	gcttacttgt	cacgagggag	15240
tttacgacgt	tactgacttc	cttgcaaaac	accctgggtg	aggtgttatc	actcttggac	15300
tcggaagaga	ttgactatc	ctcatcgagt	cttaccaccc	tgctggtaga	cctgataagg	15360
tgatggaaaa	gtaccgtatc	ggaactcttc	aagaccctaa	gactttctac	gcttggggag	15420
agtctgattt	ctaccctgag	cttaagagaa	gggctcttgc	tagacttaaa	gaggctggac	15480
aagctagaag	aggtggactt	ggagttaagg	ctctccttgt	tcttactctc	ttcttcgtgt	15540
cttggatat	gtgggttgca	cacaagtctt	tcttgtgggc	tgctgtttgg	ggattcgctg	15600
gatcacatgt	gggactttct	atccagcacg	acggaaacca	cggtgctttc	tctagaaaca	15660
ccctcgtaa	cagacttgct	ggatggggaa	tggatcttat	cggagcttct	tctactgttt	15720
gggagtacca	gcacgttatc	ggacaccacc	agtacactaa	cctcgtttct	gataaccttt	15780
tcagccttcc	tgagaacgat	cctgatgtgt	tctcttctta	ccctctcatg	agaatgcacc	15840
ctgatactgc	ttggcaacct	caccacagat	tccagcacct	tttcgctttc	cctttgttcg	15900
ctctcatgac	catctctaag	gttctcacct	ctgatttcgc	tgtttgcctc	tctatgaaga	15960
agggatctat	cgattgctct	agcagacttg	ttcctcttga	gggacaactt	cttttctggg	16020
gtgctaaact	tgctaacttc	ctcctccaaa	tcgttcttcc	ttgttacctt	cacggaactg	16080
ctatgggact	tgctcttttc	tctgttgctc	accttgtttc	tggtgagtac	cttgctatct	16140
gcttcatcat	caaccacatc	tctgagtcct	gtgagttcat	gaacacctca	ttccaaactg	16200
ctgctagaag	aactgagatg	cttcaagctg	ctcatcaagc	tgctgaggct	aagaaggtta	16260
agcctactcc	tcctcctaac	gattgggctg	ttactcaagt	tcagtgcgtg	gttaactggc	16320
gttctgggtg	agttcttgct	aaccaccttt	ctgggtggact	taaccaccag	atcgagcacc	16380
acctcttccc	ttctatctct	cacgctaact	accctactat	cgctcctggt	gtgaaagaag	16440
tgtgcgagga	atacggactt	ccttacaaga	actacgtgac	cttctgggat	gctgtttgtg	16500
gaatgggtca	gcaccttaga	cttatgggtg	ctcctcctgt	tcctactaac	ggtgacaaaa	16560
aaagttgatg	attaattaat	aattgattgc	tgctttaatg	agatatgcga	gacgcctatg	16620
atcgcatgat	atttgctttc	aattctgttg	tgacggttgt	aaaaaacctg	agcatgtgta	16680
gctcagatcc	ttaccgccgg	tttcggttca	ttctaataaa	tatatcacc	gttactatcg	16740
tatttttatg	aataatatc	tccgttcaat	ttactgattg	tggtcaaac	tgtacggacc	16800
gtggccta	aggccgttac	ccaactttat	tatacatagt	tgataattca	ctggccggat	16860
gtaccgaatt	cgcgccgca	agcttgtaca	ctagtacgcg	tcaattggcg	atcgacgtac	16920
ttaatcagtg	atcagtaact	aaattcagta	cattaaagac	gtccgcaatg	tgttattaag	16980

Page 177

17040 ttgtcttaagc gtcatttgt ttacacacaca atatatcctg ccaacagcca gccaacagct
17100 ccccgaccgg cagctcggca caaatcact gatcatctaa aaaagtgtatg tgtattttag
17160 taacaacagct tgcgtcatgc ggtcgcctgcg tatatgtatgc gtagtataa taacaataa
17220 cgaaggggaa acgcatgtaa gttatcgcg tacttaacca gaaggcggg tcaggccaaga
17280 cgaaccatgc aaccatcta gcccgcgccc tgaacctgc cggggccgat gttcctttag
17340 tcgattccga tcccaggggc agtgcggcgc attgggcggc cgtgcgggaa gatcaaccgc
17400 taaccgttgt cggcatcgcac gcccgagcga ttgaccgcga cgtgaaaggcc atcgccggc
17460 ggcacttcgt agtgatcgcag ggaagcgccc aggcggcgga cttggcctgtg tccgcgatca
17520 aggcagccga cttcgtcgtg attcgggtgc agccaagccc ttacgacatt tggggccaaccg
17580 ccgaacctgtt ggaagctgtgt aagcagcgca ttgaggtcac gtagtgaaagg ctacaagcgg
17640 ccttcttgtt gtcggggggc atcaaaaggc cgcgcatacgg cgttgtagggt gccgaaggcgc
17700 tggccgggta cgaagctggccc attccttgagt cccgtatcac gcaagcgcgtg agctaccagg
17760 gcactgcggc cgcggcgaca accgttcttg aatcagaacc cgaaggcgac gctgcggcg
17820 aggtccaggc gctggccgct gaaattaaat caaaactcat ttgagttaat gaggtaaaga
17880 gaaaatgagc aaaaagcacaa acacgctaa gtcggcggt ccaagcgcac gcaagcagcaa
17940 ggcgtcaacg ttggccagcc ttggcagcac gccagccatg aagcgggtca acttccagt
18000 gccggcgga gatacacaca agctgaagat gtaacgcgtat gcccaaggca agaccattac
18060 cgaagctgcta tctgaataca tcgcgcagct accagagtaa atgagcaaat gaataaatga
18120 gtagatfaat tttagcggtt aaaggaggcg gcatgtgaaa tcgaagaaaca ccaggccaaccg
18180 acgcccgtgga atgcccccatg tgtgagga aa cgggcgggtg gccagcgcta agcggcctgg
18240 ttgtcttgccg gcccttgcaat ggcacttgaa cccccaggc cgaagaaatcg gctgtgagcgg
18300 tcgcaaaaacca tccggcccggt taacaatcgg cgcggcgctg ggtgatgacc ttgttgagaa
18360 gttgaaggcc gccgcaggcg cccagcgcca acgcatcggag gcaagaagcac gcccccgtga
18420 atcgttgcaa ggggcggctg atcgaaatcc caaagaatcc cgcgaacccgc cgcagagccgg
18480 tgcgcggctg attaggaaagc cggcccaaggc cgaagagcaa ccagattttt tcgttccgat
18540 gctctatgac gttgggcacccc cagatagctcg cagcatcatg gaagtgccgg ttttccgtct
18600 gtcgaagcgt gaccgacagc cttggcgaggt gatccgccta c gagcttccag acgggccaagt
18660 agaggtttcc gcaggccccgc cggcatggtc cagtgtgttg gatatacgacc ttgtactgat
18720 ggcggtttcc catctaaaccg aatccaatgaa ccgatatccgg gaaggggagg gagaagaagcc
18780 cggcccgctg ttcggctccac agtttgcggg cgtactcaag ttcctgcggc gagccgatgg
18840 cggaaaagcag aaagacgccc ttgtagaaca ctcgatatcg ttaaacacca cgcacglttg
18900 catgcagcgt accaagaaagc ccaagaaagc cggcctgttg acgtatatccg aggtgtgaagc
18960 cttgattagc cgtacaaga tctgtaagag cgaacccggg cggccggaggt acatcgagat
19020 cgaagcttgc gatitgtatg accgcgagat cacaagaaggc aagaaaccgg acgtgctgac

PF7877-sequencing_formatierisa.txt
19080 ggttaccaccc gattactttt tgatcgacc cggcatcggc cgttttctt accgccttgc
19140 acgcccgcgc gcaaggcaag cagaagccag atgtgttctc aagacgatct acgaacgcag
19200 tggcagcgcc gtagagtca agaagtctg ttccaccgtg cgaagctga tcggtcca
19260 tgaacctgccc gagtacgat tgaaggaga ggcggggcag gctggcccga tccatgat
19320 ggcctaccgc aacctgatcg aggcggaagc atccgcgggt tccataatga cgaagcagat
19380 gctagggcaa attgcccga aggggaaaa aggtcgaaaa ggtctcttcc cgtgtgata
19440 cagtcacat gggaaccaa agcgtacat tgggaaccg aaccgta ca ttgggaaccc
19500 aagccgltac attggaacc gttcacacat gtaagtgaat gatataaag agaaaaaag
19560 cgattttccc gcctaaaact ctttaaaact tattaaaact ctttaaaact gccgtgccc
19620 tgcataactg tctggccagc gcaagccga agagcttga aagaagccca ccttccgtc
19680 gctgcgctcc ctacgcccgc cgccttcgag tccgctctac gcgccctatg cgtgtga
19740 tacgcgacag atgctgaagg agaaaaatac gcatcagcg cttctccgt tctcgcctca
19800 ctgacctgct gcgctcgtc gttcggctgc ggcgagcggt atcagctcac tcaagcgcg
19860 taatacgggt atccacagaa tcaggggata acgcagga gaaacatgtga gcaaaagcc
19920 agcaaaaggg caggaaaccgt aaaaagccgc cgttgcctgc gtttttccat aggtcccgc
19980 cccctgaaga gcatcacaaa aatcgacgct caagtcaag gtcgcgaac ccgaagga
20040 tataaagata ccaggcttt ccccttga gctccctcgt ggcctctcct gttcccgacc
20100 tgcgcctac cggatactg tccgcttcc tcccttcggg aagcgttgcg cttctcata
20160 gctcacgctg tagtatctc agttcgggtg aggtcgttcg ctccaagctg gctcgtgtg
20220 acgaaccccc cgttcagccc gacgcctgcg cctatccg taactatcgt ctgaagctca
20280 acccggtgaag acagacatta tcgccaatg cagcagccac tggtaaacagg attagcagag
20340 cgaagtatagt aggcggtgct acagagttct tgaagtgtg gcctaacac ggcataca
20400 gaagagacat atttggtatc tgcgctctgc tgaagccagt taccttcgga aaaaagattg
20460 gtagctcttg atcccgcaaaa caaacccgcg ctgttagcgg tgtttttttt gtttgcgaag
20520 agcagattac gcgcagaaaa aaggatctc aagaagatcc ttgatatctt tctaagggt
20580 ccttcaactc atcgatagt tggctgttag caattatgtg ctagtgcac tcaacgcttg
20640 agttaagccgc cgcgcgcaag cggcgtcggc ttgaacgaat ttctaagctag acattattg
20700 ccaacgacct tctgtatctc gaccttgaca tagtggacaa attcttcgag ctgttcgccc
20760 cgggacgcga gacggtcttc ttcttggccc agatatggctt ggcgcgccttc gaggatacca
20820 ggcgtgttat gcgcgcgaag gcgctccat gcccaagtgc cggcgcacat cttcggcggc
20880 atcttgcggc taacccgcga gtaaccaaat cgcctcagcg taagaccaa attgcgctca
20940 tgcgcccccc aatccggcgg gtagttccac aggttcagcg tctcgttcag tgccttcaac
21000 agatctctgt cggcaccccg gtcgaaaagt tccctcggcg cggggccgac gagggccacg
21060 ctatgtctcc gggtcttgtt gaggagatc gccagatcaa tgtcgtatgt ggcggttcca
21120 aagatataccg ccagaatatc attacgctgc catcgcgcca actgagtttc gcgtttggcc

PF77877_sequence_listing_formatiertSA.txt

ggatagcgcc aggggatgat gtcacgtgc accacaatcg tcacctcaac cgcgcgcagg	21180
atttcgctct cgccggggga ggcggacgtt tccagaaggt cgttgataag cgcgcggcgc	21240
gtggtctcgt cgagacggac ggtaacggtg acaagcaggt cgatgtccga atggggctta	21300
aggccgccgt caacggcgct accatacaga tgcacggcga ggagggtcgg ttcgaggtgg	21360
cgctcgatga caccacgac ttccgacagc tgggtggaca cctcggcgat gaccgcttca	21420
cccatgatgt ttaactttgt tttagggcga ctgccctgct gcgtaacatc gttgctgctc	21480
cataacatca aacatcgacc cacggcgtaa cgcgcttgct gcttggatgc ccgaggcata	21540
gactgtaccc caaaaaaaca gtcataacaa gccatgaaaa ccgccactgc gttccatgaa	21600
tattcaaaca aacacataca gcgcgactta tcatggata	21639

<210> 10
 <211> 15517
 <212> DNA
 <213> Artificial

<220>
 <223> plasmid

<400> 10	
ttgacataca aatggacgaa cggataaacc ttttcacgcc cttttaaata tccgattatt	60
ctaataaacg ctcttttctc ttaggtttac ccgccaatat atcctgtcaa aactgatag	120
tttaaaactga aggcgggaaa cgacaatctg atcactgatt agtaactaag gcctttaatt	180
aatctagagg cgcgcggggc cccctgcagg gagctcggcc ggccaattta aattgatatc	240
ggtacatcga ttacgccaaag ctatcaactt tgtatagaaa agttgccatg attacgccaa	300
gcttgccac taaggccaat ttaaatctac taggcggcc aaagtaggcg cctactaccg	360
gtaattcccg ggattagcgg ccgctagtct gtgcgcactt gtatcctgca ggtcaatcgt	420
ttaaacactg tacggaccgt ggcctaatag gccggtaccc aagtttgtag aaaaaagcag	480
gctccatgat tacgccaaagc ttggccacta aggccaatat aaatctacta ggccggccaa	540
agctttacaa cgctacacaa aacttataac cgtaatcacc attcattaac ttaactacta	600
tcacatgcat tcatgaattg aaacgagaag gatgtaaata gttgggaagt tatctccacg	660
ttgaagagat cgtttagcag agctgaaaga ccgagggagg agacgccgtc aacacggaca	720
gagtcgtcga ccctcacatg aagtaggagg aatctccgtg aggagccaga gagacgtctt	780
tggtcttcgg tttcgatcct tgatctgacg gagaagacga gagaagtgcg actggactcc	840
gtgaggacca acagagtcgt cctcggtttc gatcgtcggg attggtggag aaggcggagg	900
aatctccgtg acgagccaga gagatgtcgt cgggtcttcgg tttcgatcct tgatctgacg	960
gagaagacga gagaagtgcg acgagactcc gtgaggacca acagagttgt cctcggtttc	1020
gatcgtcggg ttcggcggag aaggcggagg aatctccgtg aggagccaga gagacgtcgt	1080
tggtcttcgg tttcgatcct tgatctgttg gagaagacga gacaagtggg acgagactca	1140
acgacggagt cagagacgtc gtcggtcttc ggtttcggcc gagaaggcgg agtcggtctt	1200

PF77877_sequence_listing_formatiertSA.txt

cggtttcggc cgagaaggcg gaggagacgt cttcgatttg ggtctctcct cttgacgaag	1260
aaaacaaaga acacgagaaa taatgagaaa gagaacaaaa gaaaaaaaaa taaaaataaa	1320
aataaaattht ggtcctctta tgtggtgaca cgtggtttga aaccaccaa ataatcgatc	1380
acaaaaaacc taagttaagg atcggtaata acctttctaa ttaattttga tttatattaa	1440
atcactcttt ttatttataa accccactaa attatgcat attgattgtc taagtacaaa	1500
aattctctcg aattcaatac acatgtttca tatatttagc cctgttcatt taatattact	1560
agcgcattht taatttaaaa ttttgtaaac ttttttggtc aaagaacatt tttttaatta	1620
gagacagaaa tctagactct ttatttgga taatagtaat aaagatatat taggcaatga	1680
gtttatgatg ttatgtttat atagttttatt tcatthtaaa ttgaaaagca ttatttttat	1740
cgaaatgaat ctagtataca atcaatattt atgttttttc atcagatact ttcctatttt	1800
ttggcacctt tcatcggact actgatttat ttcaatgtgt atgcatgcat gagcatgagt	1860
atacatgtt cttthtaaat gcatgtaag cgtaacggac cacaaaagag gatccataca	1920
aatacatctc atcgcttcct ctactattct ccgacacaca cactgagcat ggtgcttaaa	1980
cactctggtg agttctagta cttctgctat gatcgatctc attaccattt cttaaatttc	2040
tctccctaaa tattccgagt tcttgatttt tgataacttc aggttttctc tttttgataa	2100
atctggtctt tccatttttt tttttttgtg gttaatttag tttcctatgt tcttcgattg	2160
tattatgcat gatctgtgtt tggattctgt tagattatgt attggtgaat atgtatgtgt	2220
ttttgcatgt ctggttttgg tcttaaaaaat gttcaaatct gatgatttga ttgaagcttt	2280
tttagtggtg gtttgattct tctcaaaact actgttaatt tactatcatg tttccaact	2340
ttgattcatg atgacacttt tgttctgctt tggtataaaa ttttggttgg tttgattttg	2400
taattatagt gtaattttgt taggaatgaa catgttttaa tactctgttt tcgatttgct	2460
acacattcga attattaatc gataatttaa ctgaaaattc atggttctag atcttggtgt	2520
catcagatta tttgtttcga taattcatca aatatgtagt ctttttgctg atttgcgact	2580
gtttcattht ttctcaaaat tgttttttgt taagtttatc taacagttat cgttgcaaaa	2640
agtctctttc attttgcaaa atcttctttt tttttttgtt tgtaactttg ttttttaagc	2700
tacacattta gtctgtaaaa tagcatcgag gaacagttgt cttagtagac ttgcatgttc	2760
ttgtaacttc tatttgthtc agtttggtga tgactgcttt gatthtgtag gtcaaaccgc	2820
gccatgtctg ctagcggagc tttgttgctt gctatagctt tcgctgctta cgcttacgct	2880
acctacgctt atgctttcga gtggagccac gctaacggaa tcgataacgt ggatgctaga	2940
gagtggattg gagctttgtc tttgagactc cctgcaattg caaccacaa gtacctcttg	3000
ttctgccttg tgggacctag attgatggct aagagggagg cttttgatcc taagggttt	3060
atgctcgctt acaacgctta ccaaaccgct ttcaacgttg tggtgctcgg aatgttcgct	3120
agagagatct ctggattggg acaacctgtt tggggatcta ctatgccttg gagcgatagg	3180
aagtcttca agattttgtt gggagtgtgg ctccactaca acaataagta cctcgagttg	3240
ttggatactg tgttcatggt ggctagga aaagaccaagc agctctcttt cttgcacgtg	3300

Page 181

PF77877_sequencelisting_formatiertSA.txt

taccaccacg	ctttgttgat	ttgggcttgg	tggcttgttt	gtcacctcat	ggctaccaac	3360
gattgcatcg	atgcttattt	cggagctgct	tgcaactctt	tcattccacat	cgtgatgtac	3420
tcctactacc	tcattgtctgc	tttgggaatt	agggtgccctt	ggaagagata	tatcacccag	3480
gctcagatgt	tgcaattcgt	gatcgtgttc	gctcacgctg	ttttcgtgct	cagacaaaag	3540
cactgccctg	ttactttgcc	ttgggcacaa	atgttcgtga	tgacaaatat	gttggtgctc	3600
ttcggaaact	tctacctcaa	ggcttactct	aacaagtcta	ggggagatgg	agcttcttct	3660
gttaagcctg	ctgagactac	tagagcacct	tctgtgagaa	gaaccaggtc	aaggaagatc	3720
gattgatagt	taattaacta	agtttgatgt	atctgagtgc	caacgtttac	tttgtctttc	3780
ctttctttta	ttggttatga	ttagatgttt	actatgttct	ctctttttcg	ttataaataa	3840
agaagttaa	ttcttctata	gtttcaaacg	cgatttttaag	cgtttctatt	taggtttaca	3900
tgatttcttt	tacaaaatca	tctttaaaat	acagtatatt	tttagttttc	ataaaatatt	3960
taaagaaatg	aaagtttata	aacattcact	cctatttctt	aattaaggat	ttgtaaaaca	4020
aaaattttgt	aagcatatcg	atttatgcgt	tttgtcttaa	ttagctcact	aaataataaa	4080
taatagctta	tgttgtggga	ctgtttaatt	acctaactta	gaactaaaat	caactctttg	4140
tgggcgcccta	ctaccggtaa	ttcccgggat	tagcggccgc	tagtctgtgc	gcacttgtat	4200
cctgcaggtc	aatcgtttaa	acactgtacg	gaccgtggcc	taataggccg	gtaccaccca	4260
gctttcttgt	acaaagtggc	catgattacg	ccaagcttgg	ccactaaggc	caatttaaata	4320
ctactaggcc	ggcctactat	agaaaatgtg	ttatatcgac	atgaccagac	aaaggggcaa	4380
cagttaacaa	aacaattaat	tctttcattt	gagattaagg	aaggtaagg	actaaaaaga	4440
ttaaaaaaaa	tgagcttata	tctttgtttc	tgtaataata	atataagtgt	gataaaacttt	4500
taatataata	attgtaatta	ggttttctac	agatgagcac	cactcagaga	caagataaga	4560
agaaaacaat	tttggttaaac	atgattatag	aaacttttag	ttaagtcttg	aagtatcaat	4620
ataacaaaaa	aaagtacaca	cgactatgac	aataaaccca	ctaccgtcag	gttatcattt	4680
cgatgaaatg	ttttgatata	attaaatata	acagtcacaa	aaaatcatct	aattataaca	4740
atataactta	tacatatatt	taactaaaaa	cttagagttt	ttgtaatgat	tctaattgat	4800
gattagagtt	tatagaaata	caattaaata	aaaaatataa	ttttaaaaaa	acatagtaaa	4860
gtcaatgaga	tcctctctga	cctcagtgtg	catttagtca	tgtatgtaca	acaatcattg	4920
ttcatcacat	gactgtaaaa	taaataagga	taaacttggg	aatatatata	atatattgta	4980
ttaaataaaa	aagggaaata	caaatatcaa	tttttagattc	ccgagttgac	acaactcacc	5040
atgcacgctg	ccacctcagc	tcccagctct	cgtcacatgt	ctcatgtcag	ttaggtcttt	5100
ggtttttagt	ctttgacaca	actcgccatg	catgttgcca	cgtgagctcg	ttcctcttcc	5160
catgatctca	ccactgggca	tgcattgctg	cacctcagct	ggcacctctt	ctctatatgt	5220
ccctagaggc	catgcacagt	gccacctcag	cactcctctc	agaaccata	cgtacctgcc	5280
aatcggttcc	tctccataaa	tatctattta	aattataact	aattatttca	tatacttaat	5340

PF77877_sequence_listing_formatiertSA.txt

tgatgacgtg gatgcattgc catcgttggt taataattgt taattacgac atgataaata	5400
aaatgaaagt aaaaagtacg aaagattttc catttggtgt tgtataaata gagaagtgag	5460
tgatgcataa tgcatgaatg catgaccgcg ccaccatgac tgttggatac gatgaggaga	5520
tcccattcga gcaagttagg gtcataaca agccagatga tgcttgggtgt gctattcatg	5580
gacacgtgta cgatgttacc aagttcgctt ctgttcatcc aggaggagat attatcttgc	5640
tcgctgctgg aaaggaagct actgtgctct acgagaccta ccatgttaga ggagtgtctg	5700
atgctgtgct cagaaagtac agaatcgga agttgccaga tggacaagga ggagctaacg	5760
agaaggagaa gagaacctg tctggattgt cctctgcttc ttactacacc tggaaactcg	5820
atttctacag agtgatgagg gagagagttg tggctagatt gaaggagaga ggaaaggcta	5880
gaagaggagg atacgagttg tggatcaagg ctttcttgct ccttgttgga ttctggctct	5940
ctctttactg gatgtgcacc ctgatccat ctttcggagc tatcttggct gctatgtctt	6000
tgggagtggt cgctgctttt gttggaacct gcatccaaca tgatggaaac catggagcgt	6060
tcgctcaatc tagatgggtt aacaagggtg caggatggac tttggatatg atcggagctt	6120
ctggaatgac ttgggagttc caacatgtgt tgggacatca cccatacact aacttgatcg	6180
aggaggagaa cggattgcaa aagggtgtccg gaaagaagat ggataccaag ttggctgac	6240
aagagtctga tccagatgtg ttctccacct acccaatgat gagattgcat ccatggcatc	6300
agaagagatg gtatcacagg ttccagcata tctacggacc attcatcttc ggattcatga	6360
ccatcaacaa ggtggtgact caagatgttg gagtggtgtt gagaaagagg ctcttccaaa	6420
tcgatgctga gtgcagatat gcttcccaa tgtacgttgc taggttctgg atcatgaagg	6480
ctttgaccgt gttgtacatg gttgctctcc catgttatat gcaaggacca tggcatggat	6540
tgaagctctt cgctatcgct catttcactt gcggagaggt tttggctacc atgttcatcg	6600
tgaaccacat tatcgaggga gtgtcttacg cttctaagga tgctgttaag ggaactatgg	6660
ctccaccaa gactatgcat ggagtgacct caatgaacaa cactagaaag gaggttgagg	6720
ctgaggcttc taagtctgga gctgtggtta agtctgtgcc attggatgat tgggctgctg	6780
ttcaatgcca aacctctgtg aactggctctg ttggatcttg gttctggaac catttctctg	6840
gaggactcaa ccatcaaatc gagcatcatc tcttcccagg attgtctcac gagacctact	6900
accacatcca agatgtgggt caatctacct gtgctgagta cggagtcca taccaacatg	6960
agccatcttt gtggactgct tactggaaga tgctcgaaca tttgagacaa ttgggaaacg	7020
aggagactca cgagtcttgg caaagagctg cttgattaat taactaagac tcccaaaacc	7080
accttccctg tgacagttaa acctgctta tacctttcct cctaataatg ttcatctgtc	7140
acacaaacta aaataaataa aatgggagca ataaataaaa tgggagctca tatatttaca	7200
ccatttacac tgtctattat tcaccatgcc aattattact tcataatttt aaaattatgt	7260
catttttaaa aattgcttaa tgatggaaag gattattata agttaaaagt ataacataga	7320
taaactaacc acaaaacaaa tcaatataaa ctaacttact ctcccatcta atttttatgt	7380
aaatttcttt acacttctct tccatttcta tttctacaac attatttaac atttttattg	7440

Page 183

PF77877_sequencelisting_formatiertSA.txt

tattttttctt	acttttctaac	tctattcatt	tcaaaaatca	atatatgttt	atcaccacct	7500
ctctaaaaaa	aacttttaca	tcattggtcc	agaaaagtta	aatcacgaga	tggtcatttt	7560
agcattaaaa	caacgattct	tgtatcacta	tttttcagca	tgtagtccat	tctcttcaaa	7620
caaagacagc	ggctatataa	tcgttgtgtt	atattcagtc	taaaacaagg	cgcctactac	7680
cggtaattcc	gggattagc	ggccgctagt	ctgtgcgcac	ttgtatcctg	caggttaggc	7740
cggccattag	cagatatttg	gtgtctaaat	gtttattttg	tgatatgttc	atgtttgaaa	7800
tggtgggttc	gaaaccaggg	acaacgttgg	gatctgatag	ggtgtcaaag	agtattatgg	7860
attgggacaa	tttcgggtcat	gagttgcaaa	ttcaagtata	tcgttcgatt	atgaaaattt	7920
tcgaagaata	tcccatttga	gagagtcttt	acctcattaa	tgttttttaga	ttatgaaatt	7980
ttatcatagt	tcatcgtagt	ctttttggtg	taaaggctgt	aaaaagaaat	tgttcacttt	8040
tgttttcgtt	tatgtgaagg	ctgtaaaaga	ttgtaaaaga	ctattttggt	gttttgata	8100
aatgatagt	ttttatagat	tcttttgctt	ttagaagaaa	tacatttgaa	attttttcca	8160
tgttgagtat	aaaataccga	aatcgattga	agatcataga	aatattttaa	ctgaaaacaa	8220
atttataact	gattcaattc	tctccatttt	tatacctatt	taaccgtaat	cgatttctaat	8280
agatgatcga	ttttttatat	aatcctaatt	aaccaacggc	atgtattgga	taattaaccg	8340
atcaactctc	accctaata	gaatcagtat	tttccttcga	cgtaattga	tcctacacta	8400
tgtaggtcat	atccatcgtt	ttaatttttg	gccaccattc	aattctgtct	tgcccttagg	8460
gatgtgaata	tgaacggcca	aggtaagaga	ataaaaaata	tccaaattaa	agcaagagag	8520
gccaagtaag	ataatccaaa	tgtacacttg	tcattgccaa	aattagtaaa	atactcggca	8580
tattgtattc	ccacacatta	ttaaaatacc	gtatatgtat	tggtcgcatt	tgcatgaata	8640
atactacgtg	taagcccaaa	agaaccacg	tgtagcccat	gcaaagttaa	cactcacgac	8700
cccattcctc	agtctccact	atataaaccc	accatcccca	atctcaccaa	accaccaca	8760
caactcacia	ctcactctca	caccttaaag	aaccaatcac	caccaaaaaa	ccgcgccacc	8820
atgcttggtc	ttttcggaag	cttctacgtg	aagcagtact	ctcaaaagaa	cggaaagcct	8880
gagaacggtg	ctactcctga	aaacggtgca	aagcctcaac	cttgtgagaa	cggaaactgtt	8940
gagaagaggg	agaacgatac	cgctaattgt	agacctacta	gaccagctgg	acctcctcct	9000
gctacttact	acgattctct	cgctgtttct	ggacagggaa	aagagagact	tttaccacc	9060
gacgaagtta	gaaggcacat	cctccctact	gacggatggc	ttacttgtca	cgagggagtt	9120
tacgacgtta	ctgacttcct	tgcaaaacac	cctggtggag	gtgttatcac	tcttggactc	9180
ggaagagatt	gcactatcct	catcgagtct	taccaccctg	ctggtagacc	tgataaggtg	9240
atggaaaagt	accgtatcgg	aactcttcaa	gaccctaaga	ctttctacgc	ttggggagag	9300
tctgatttct	accctgagct	taagagaagg	gctcttgcta	gacttaaaga	ggctggacaa	9360
gctagaagag	gtggacttgg	agttaaggct	ctccttggtc	ttactctctt	cttcgtgtct	9420
tggtatatgt	gggttgacac	caagtctttc	ttgtgggctg	ctgtttgggg	attcgctgga	9480

PF77877_sequence_listing_formatiertSA.txt

tcacatgtgg gacttttctat ccagcacgac ggaaaccacg gtgctttctc tagaaacacc	9540
ctcgtaaca gacttgctgg atggggaatg gatcttatcg gagcttcttc tactgtttgg	9600
gagtaccagc acgttatcgg acaccaccag tacactaacc tcgtttctga tacccttttc	9660
agccttcctg agaacgatcc tgatgtgttc tcttcttacc ctctcatgag aatgcaccct	9720
gatactgctt ggcaacctca ccacagattc cagcaccttt tcgctttccc tttgttcgct	9780
ctcatgacca tctctaaggt tctcacctct gatttcgctg tttgcctctc tatgaagaag	9840
ggatctatcg attgctctag cagacttggt cctcttgagg gacaacttct tttctggggt	9900
gctaaacttg ctaacttcct cctccaaatc gttcttcctt gttaccttca cggaactgct	9960
atgggacttg ctcttttctc tgttgctcac cttgtttctg gtgagtacct tgctatctgc	10020
ttcatcatca accacatctc tgagtcttgt gagttcatga acacctcatt ccaaactgct	10080
gctagaagaa ctgagatgct tcaagctgct catcaagctg ctgaggctaa gaagggttaag	10140
cctactcttc ctcttaacga ttgggctggt actcaagttc agtgctgtgt taactggcgt	10200
tctggtggag ttcttgctaa ccacctttct ggtggactta accaccagat cgagcaccac	10260
ctcttccctt ctatctctca cgctaactac cctactatcg ctctgttgtt gaaagaagtg	10320
tgcgaggaat acggacttcc ttacaagaac tacgtgacct tctgggatgc tgtttgtgga	10380
atggttcagc accttagact tatgggtgct cctcctgttc ctactaacgg tgacaaaaaa	10440
agttgatgat taattaataa ttgattgctg ctttaatgag atatgcgaga cgcctatgat	10500
cgcataatat ttgctttcaa ttctgttgtg cacgttgtaa aaaacctgag catgtgtagc	10560
tcagatcctt accgccggtt tcggttcatt ctaatgaata tatcaccggt tactatcgta	10620
tttttatgaa taatattctc cgttcaattt actgattgtg gcaaacactg tacggaccgt	10680
ggcctaatag gccggtagcc aactttatta tacatagttg ataattcact ggccggatgt	10740
accgaattcg cggccgcaag cttgtacact agtacgcgtc aattggcgat cgcagtactt	10800
aatcagtgat cagtaactaa attcagtaca ttaaagacgt ccgcaatgtg ttattaagtt	10860
gtctaagcgt caatttgttt acaccacaat atatcctgcc accagccagc caacagctcc	10920
ccgaccggca gctcggcaca aaatcactga tcatctaaaa aggtgatgtg tatttgagta	10980
aaacagcttg cgtcatgcgg tcgctgcgta tatgatgcga tgagtaaata aacaaatacg	11040
caaggggaac gcatgaaggt tatcgctgta cttaaccaga aaggcgggtc aggcaagacg	11100
accatcgcaa cccatctagc ccgcgccctg caactcgccg gggccgatgt tctgttagtc	11160
gattccgata cccagggcag tgcccgcgat tgggcggccg tgcgggaaga tcaaccgcta	11220
accgttgctg gcatcgaccg cccgacgatt gaccgcgacg tgaaggccat cggccggcgc	11280
gacttcgtag tgatcgacgg agcgcgccag gcggcggact tggctgtgtc cgcgatcaag	11340
gcagccgact tcgtgctgat tccggtgcag ccaagccctt acgacatttg ggccaccgcc	11400
gacctggtgg agctggttaa gcagcgcatt gaggtcacgg atggaaggct acaagcggcc	11460
tttgcctgtg cgcgggcgat caaaggcacg cgcacggcg gtgaggttgc cgaggcgtg	11520
gccgggtacg agctgcccac tcttgagtcc cgtatcacgc agcgcgtgag ctaccaggc	11580

Page 185

<210>
<211> 15229
<212> DNA
<213> Artificial

Page 187

PF7877-sequence listing - formatiertSA.txt
13680 gactcgcctgc gctcgtctcgt tcgctgcgcg cgaagcggat cagctcactc aaagcgcgta
13740 atacggttat ccacagaatc aggggataac gcaggaagaa acatgttgagc aaagggccag
13800 caaagggcca ggaaccgtaa aaagggccgc ttgcctggcgt ttcccatag gctccggccc
13860 cctgacgagc atcacaaaaa tcgacgctca agtcagaggt ggcaaaaacc gacaggaacta
13920 taagatatcc aggcgtttcc cctggaaagc tccctcgtgc gctctcctgt tccgacccctg
13980 ccgcttaacc gatacctgc ccgctttcgc ccttcgggaa gcgtggcgcgt ttccatagc
14040 tcacgcctga gttatctcag ttcggttgtag gtcgttcgct ccaagcctgg cttgctgcac
14100 gaaacccccc ttacgcccga ccgctgcgc ttatccgta actatcgtct tgagttccaac
14160 ccgttaagac acgaactatc gccactggca gcagccactg gtaacaggat tagcagagcg
14220 aggtatgtag gcgtgtctac agagtcttg aagtgttgcc ctacactaga ctacactaga
14280 aggaagatat ttgttatctg cgtctcgtg aagccagtta ccttcggaaa aagagtgtgt
14340 agctcttgat ccgcaaaaaa aaccaaccgt gttagcgcgt gtttttttgt ttgcaagcag
14400 cagattatgc gcagaaaaaa aggatctcaa gaagatctct tgatcttttc tacgggttcc
14460 ttcaactcat cgtagtgttg gctgtgagca attatgtgct tagtgcattc aacgcttgag
14520 ttaagcccgcc ccgcaagcgt gcgtcggctt gaacgaattt ctacgtagac attatttcc
14580 aaagaccctc gtgatctcgc ccttgacata gtggaacaat tcttcgagct ggtcggcccg
14640 ggaagcagga cgtctcttct cttggcccg atagccttg gcgcttcga ggtatcacgg
14700 ctgttatgc gccggaagc gctccatgc ccagtctgc gcgacatctt tcgycgcgat
14760 cttgcctgta accgcgaggt accaaatccg gctcagcgta aggaaccaat tgcgctcatc
14820 gccgcgccaa tccggcgggg agttccacag gttcagcgtc tctttcagtg cttcgaacag
14880 atcctgttcc gccaccgggt cgaagaattc ctcggccgcg ggcccgagca ggccacgcct
14940 atgctccccc gcttggtag gcagatcgc cagatcaatg tcgattggtg ccggttcaaa
15000 gatataccccc agaatatcat tacgctgcga ttcgcggaac ttgagtctgc gtttggccgg
15060 atagcgcagc ggtatgtatgt catcgttcac caaatcgtc acctcaaccg cgcgcaggat
15120 ttgccttcgc ccgggggagg cggacgttcc cagaagctgc ttgataagcg cgcgcgcgct
15180 ggtctcgtcg agacggagcg taacggtgac aagcagctgc atgtccgaat gggtccttaag
15240 gccgcctcca accgcctcac catcacagat cagggcgaag aggttcggtt cgaggtggcg
15300 cctgatatca cccaagactt ccgaagctg gttggaacac tcggcgatga ccgcttcaac
15360 catgatgttt aacttgtttt tagggcgact gcccttcgtc gtaacatcgt tgcgtctcca
15420 taacatcaaa catcgaccca cggcgttaacg cgtcttcgtc ttgattgccc gaggcataga
15480 ctgtatacccc aaaaaacagt cataacaagc catgaaaacc gccactgctg tccatgaata
15517 ttcaaaaaa cacatcacgc gcgacttatc atggata

PF77877_sequencelisting_formatiertSA.txt

<220>

<223> plasmid

<400> 11

ttgacataca aatggacgaa cggataaacc ttttcacgcc cttttaaata tccgattatt	60
ctaataaacg ctcttttctc ttaggtttac ccgccaatat atcctgtcaa aactgatag	120
tttaaaactga aggcgggaaa cgacaatctg atcactgatt agtaactaag gcctttaatt	180
aatctagagg cgcgccgggc cccctgcagg gagctcggcc ggccaattta aattgatatc	240
ggtacatcga ttacgccaag ctatcaactt tgtatagaaa agttgccatg attacgcaa	300
gcttgccac taaggccaat ttaaactctac taggccggcc aaagtaggcg cctactaccg	360
gtaattcccg ggattagcgg ccgctagtct gtgcgcactt gtatcctgca ggtcaatcgt	420
ttaaacactg tacggaccgt ggcctaatag gccggtaccc aagtttgtag aaaaaagcag	480
gctccatgat tacgccaagc ttggccacta aggccaattt aaatctacta ggccggccaa	540
agctttacaa cgctacacaa aacttataac cgtaatcacc attcattaac ttaactacta	600
tcacatgcat tcatgaattg aaacgagaag gatgtaaata gttgggaagt tatctccacg	660
ttgaagagat cgttagcgag agctgaaaga ccgagggagg agacgccgtc aacacggaca	720
gagtcgtcga ccctcacatg aagtaggagg aatctccgtg aggagccaga gagacgtctt	780
tggtcttcgg tttcgatcct tgatctgacg gagaagacga gagaagtgcg actggactcc	840
gtgaggacca acagagtcgt cctcggtttc gatcgtcggg attggtggag aaggcggagg	900
aatctccgtg acgagccaga gagatgtcgt cgggtcttcgg tttcgatcct tgatctgacg	960
gagaagacga gagaagtgcg acgagactcc gtgaggacca acagagttgt cctcggtttc	1020
gatcgtcggg ttcggcggag aaggcggagg aatctccgtg aggagccaga gagacgtcgt	1080
tggtcttcgg tttcgatcct tgatctgttg gagaagacga gacaagtggg acgagactca	1140
acgacggagt cagagacgtc gtcggcttcc ggtttcggcc gagaaggcgg agtcggctctt	1200
cggtttcggc cgagaaggcg gaggagacgt cttcgatttg ggtctctcct cttgacgaag	1260
aaaacaaaga acacgagaaa taatgagaaa gagaacaaaa gaaaaaaaaa taaaaataaa	1320
aataaaattt ggtcctctta tgtggtgaca cgtggtttga aaccaccaa ataatcgatc	1380
acaaaaaacc taagttaagg atcggtaata acctttctaa ttaattttga tttatattaa	1440
atcactcttt ttatttataa accccactaa attatgcat attgattgtc taagtacaaa	1500
aattctctcg aattcaatac acatgtttca tatatttagc cctgttcatt taatattact	1560
agcgcatttt taatttaaaa ttttgtaaac ttttttggtc aaagaacatt tttttaatta	1620
gagacagaaa tctagactct ttatttgga taatagtaat aaagatatat taggcaatga	1680
gtttatgatg ttatgtttat atagtttatt tcattttaaa ttgaaaagca ttatttttat	1740
cgaaatgaat ctagtataca atcaatattt atgttttttc atcagatact ttcctatttt	1800
ttggcacctt tcatcggact actgatttat ttcaatgtgt atgcatgcat gagcatgagt	1860
atacacatgt cttttaaaat gcatgtaaag cgtaacggac cacaaaagag gatccataca	1920

PF77877_sequencelisting_formatiertSA.txt

aatacatctc atcgcttcct ctactattct ccgacacaca cactgagcat ggtgcttaaa	1980
cactctggtg agttctagta cttctgctat gatcgatctc attaccattt cttaaatttc	2040
tctccctaaa tattccgagt tcttgatttt tgataacttc aggttttctc tttttgataa	2100
atctggtctt tccatttttt tttttttgtg gttaatttag tttcctatgt tcttcgattg	2160
tattatgcat gatctgtgtt tggattctgt tagattatgt attggtgaat atgtatgtgt	2220
ttttgcatgt ctggtttttg tcttaaaaat gttcaaatct gatgatttga ttgaagcttt	2280
tttagtggtg gtttgattct tctcaaaact actgttaatt tactatcatg tttccaact	2340
ttgattcatg atgacacttt tgttctgctt tgttataaaa ttttggttg tttgattttg	2400
taattatagt gtaattttgt taggaatgaa catgttttaa tactctgttt tcgatttgtc	2460
acacattcga attattaatc gataatttaa ctgaaaattc atggttctag atcttggtgt	2520
catcagatta tttgtttcga taattcatca aatatgtagt ctttttgctg atttgcgact	2580
gtttcatttt ttctcaaaat tgttttttgt taagtttatc taacagttat cgttgtcaaa	2640
agtctctttc attttgcaa atcttctttt tttttttgtt tgtaactttg ttttttaagc	2700
tacacattta gtctgtaaaa tagcatcgag gaacagttgt cttagtagac ttgcatgttc	2760
ttgtaacttc tatttgtttc agtttgttga tgactgcttt gatttttag gtcaaaccgc	2820
gccatgtctg ctagcggagc tttgttgctt gctatagctt tcgctgctta cgcttacgct	2880
acctacgctt atgctttcga gtggagccac gctaaccgaa tcgataacgt ggatgctaga	2940
gagtggttg gagctttgtc tttgagactc cctgcaattg caaccacaat gtacctcttg	3000
ttctgccttg tgggacctag attgatggct aagagggagg cttttgatcc taagggattt	3060
atgctcgctt acaacgctta ccaaaccgct ttcaacgttg tggtgctcgg aatgttcgct	3120
agagagatct ctggattggg acaacctgtt tggggatcta ctatgccttg gagcgatagg	3180
aagtcttca agattttgtt gggagtgttg ctccactaca acaataagta cctcgagtgt	3240
ttggatactg tgttcatggt ggctagga aaagaccaagc agctctcttt cttgcacgtg	3300
taccaccacg ctttgttgat ttgggcttg tggcttgttt gtcacctcat ggctaccaac	3360
gattgcatcg atgcttattt cggagctgct tgcaactctt tcatccacat cgtgatgtac	3420
tcctactacc tcatgtctgc tttgggaatt aggtgccctt ggaagagata tatcaccag	3480
gctcagatgt tgcaattcgt gatcgtgttc gctcacgctg ttttcgtgct cagacaaaag	3540
cactgccctg ttactttgcc ttgggcacaa atgttcgtga tgacaaatat gttggtgctc	3600
ttcggaaact tctacctcaa ggcttactct aacaagtcta ggggagatgg agcttcttct	3660
gttaagcctg ctgagactac tagagcacct tctgtgagaa gaaccaggtc aaggaagatc	3720
gattgatagt taattaacta agtttgatgt atctgagtgc caacgtttac tttgtctttc	3780
ctttctttta ttggttatga ttagatgttt actatgttct ctctttttcg ttataaataa	3840
agaagtcaa ttcttctata gtttcaaacg cgatttttaag cgtttctatt taggtttaca	3900
tgatttcttt taaaaatca tctttaaaat acagtatatt tttagttttc ataaaatatt	3960
taaagaaatg aaagtttata aacattcact cctatttctt aattaaggat ttgtaaaaca	4020

Page 189

PF77877_sequencelisting_formatiertSA.txt

aaaatTTTgt	aagcatatcg	atttatgcgt	tttgtcttaa	ttagctcact	aaataataaa	4080
taatagctta	tgTgtggga	ctgtttaatt	acctaactta	gaactaaaat	caactcTTg	4140
tgggcgccta	ctaccggtaa	ttcccgggat	tagcggccgc	tagtctgtgc	gcacttgTat	4200
cctgcaggTc	aatcgTTtaa	acactgtacg	gaccgtggcc	taataggccg	gtaccaccca	4260
gctTtctTgt	acaaagtggc	catgattacg	ccaagctTgg	ccactaaggc	caattTaaat	4320
ctactaggcc	ggcctactat	agaaaatgtg	ttatatcgac	atgaccagac	aaaggggcaa	4380
cagTtaacaa	aacaattaat	tctTtcattt	gagattaagg	aaggtaaggT	actaaaaaga	4440
ttaaaaaaa	tgagcttatc	tctTtgTttc	tgtaataata	atataagtgt	gataaacTtt	4500
taatataata	attgtaatta	ggTtttctac	agatgagcac	cactcagaga	caagataaga	4560
agaaaacaat	tttgTtaaac	atgattatag	aaactTtttag	ttaagtctTg	aagtatcaat	4620
ataacaaaa	aaagtacaca	cgactatgac	aataaaccca	ctaccgtcag	gTtatcattt	4680
cgatgaaatg	TTTTgatatc	attaaatata	acagtcacaa	aaaatcatct	aattataaca	4740
atataactta	tacatatatt	taactaaaa	cttagagTtt	ttgtaatgat	tctaattgat	4800
gattagagTt	tatagaaata	caattaaata	aaaaatataa	TTTTaaaaaa	acatagtaaa	4860
gtcaatgaga	tCctctctga	cctcagtgat	catttagtca	tgtatgtaca	acaatcattg	4920
ttcatcacat	gactgtaaaa	taaataagga	taaactTggg	aatatatata	atatattgta	4980
ttaaataaaa	aagggaaata	caaatatcaa	TTTTagattc	ccgagTtgac	acaactcacc	5040
atgcacgctg	ccacctcagc	tcccagctct	cgTcacatgt	ctcatgtcag	ttaggtctTt	5100
ggTTTTtagt	ctTtgacaca	actcgccatg	catgtTgcca	cgtgagctcg	tCctctctcc	5160
catgatctca	ccactgggca	Tgcatgctgc	cacctcagct	ggcacctctt	ctctatatgt	5220
ccctagaggc	catgcacagt	gccacctcag	cactcctctc	agaaccata	cgtacctgcc	5280
aatcggcTtc	tctccataaa	tatctattta	aattataact	aattatttca	tatacttaat	5340
TgatgcagTg	gatgcattgc	catcgTtgTt	taataattgt	taattacgac	atgataaata	5400
aaatgaaagt	aaaaagtacg	aaagattTttc	catttgTtgT	Tgtataaata	gagaagtgag	5460
Tgatgcataa	Tgcatgaatg	catgaccgcg	ccaccatgac	TgtTggatac	gatgaggaga	5520
tcccatTCga	gcaagttagg	gTcataaca	agccagatga	TgctTggTgt	gctattcatg	5580
gacacgtgta	cgatgttacc	aagtTcgctt	ctgtTcatcc	aggaggagat	attatctTgc	5640
tcgctgctgg	aaaggaagct	actgtgctct	acgagaccta	ccatgttaga	ggagtgtctg	5700
atgctgtgct	cagaaagtac	agaatcgga	agTtgccaga	Tggacaagga	ggagctaacg	5760
agaaggagaa	gagaacctTg	tctggattgt	cctctgcttc	ttactacacc	Tggaactccg	5820
atttctacag	agtgatgagg	gagagagTtg	Tggctagatt	gaaggagaga	ggaaaggcta	5880
gaagaggagg	atacgagtTg	Tggatcaagg	ctTtctTgct	cctTgtTgga	TtctggTcct	5940
ctctttactg	gatgtgcacc	ctcgatccat	ctTtcggagc	tatctTggct	gctatgtctt	6000
TgggagTgtt	cgctgctTtt	gtTggaacct	gcatccaaca	Tgatggaaac	catggagctt	6060

PF77877_sequence_listing_formatiertSA.txt

tcgctcaatc	tagatggggtt	aacaagggtg	caggatggac	tttggatatg	atcggagctt	6120
ctggaatgac	ttgggagttc	caacatgtgt	tgggacatca	cccatacact	aacttgatcg	6180
aggaggagaa	cggattgcaa	aagggtgtccg	gaaagaagat	ggataccaag	ttggctgatc	6240
aagagtctga	tccagatgtg	ttctccacct	acccaatgat	gagattgcat	ccatggcatc	6300
agaagagatg	gtatcacagg	ttccagcata	tctacggacc	attcatcttc	ggattcatga	6360
ccatcaacaa	gggtgtgact	caagatgttg	gagtgggtgtt	gagaaagagg	ctcttccaaa	6420
tcgatgctga	gtgcagatat	gcttcccaa	tgtacgttgc	taggttcttg	atcatgaagg	6480
ctttgaccgt	gttgatcatg	gttgctctcc	catgttatat	gcaaggacca	tggcatggat	6540
tgaagctctt	cgctatcgct	catttcactt	gcggagaggt	tttggctacc	atgttcatcg	6600
tgaaccacat	tatcgaggga	gtgtcttacg	cttctaagga	tgctgttaag	ggaactatgg	6660
ctccaccaa	gactatgcat	ggagtgacct	caatgaacaa	cactagaaag	gaggttgagg	6720
ctgaggcttc	taagtctgga	gctgtgtgta	agtctgtgcc	attggatgat	tgggctgctg	6780
ttcaatgcca	aacctctgtg	aactggctctg	ttggatcttg	gttctggaac	catttctctg	6840
gaggactcaa	ccatcaaatc	gagcatcatc	tcttcccagg	attgtctcac	gagacctact	6900
accacatcca	agatgtgggt	caatctacct	gtgctgagta	cggagtcca	taccaacatg	6960
agccatcttt	gtggactgct	tactggaaga	tgctcgaaca	tttgagacaa	ttgggaaacg	7020
aggagactca	cgagtcttgg	caaagagctg	cttgattaat	taactaagac	tcccaaaacc	7080
accttccctg	tgacagttaa	acctgctta	tacctttcct	cctaataatg	ttcatctgtc	7140
acacaaacta	aaataaataa	aatgggagca	ataaataaaa	tgggagctca	tatatattaca	7200
ccatttacac	tgtctattat	tcaccatgcc	aattattact	tcataatatt	aaaattatgt	7260
catttttaaa	aattgcttaa	tgatggaaag	gattattata	agttaaaagt	ataacataga	7320
taaactaacc	acaaaacaaa	tcaatataaa	ctaacttact	ctcccatcta	atttttatatt	7380
aaatttcttt	acacttctct	tccatttcta	tttctacaac	attatttaac	atttttatgtg	7440
tatttttctt	acttttctaa	tctattcatt	tcaaaaatca	atatatgttt	atcaccacct	7500
ctctaaaaaa	aactttacaa	tcattgggtc	agaaaagtta	aatcacgaga	tggtcatttt	7560
agcattaaaa	caacgattct	tgtatcacta	tttttcagca	tgtagtccat	tctcttcaaa	7620
caaagacagc	ggctatataa	tcgttgtgtt	atattcagtc	taaaacaagg	cgcctactac	7680
cggtaattcc	cgggattagc	ggccgctagt	ctgtgcgcac	ttgtatcctg	caggttaggc	7740
cggccattag	cagatatttg	gtgtctaaat	gtttattttg	tgatatgttc	atgtttgaaa	7800
tgggtggttt	gaaaccaggg	acaacgttgg	gatctgatag	ggtgtcaaag	agtattatgg	7860
attgggacaa	tttcgggtcat	gagttgcaaa	ttcaagtata	tcgttcgatt	atgaaaattt	7920
tcgaagaata	tcccatttga	gagagtcttt	acctcattaa	tgtttttaga	ttatgaaatt	7980
ttatcatagt	tcatcgtagt	ctttttgggt	taaaggctgt	aaaaagaaat	tgttcacttt	8040
tgttttcggt	tatgtgaagg	ctgtaaaaga	ttgtaaaaga	ctattttgggt	gttttgata	8100
aaatgatagt	ttttatagat	tcttttgctt	ttagaagaaa	tacatttgaa	attttttcca	8160

Page 191

PF77877_sequencelisting_formatiertSA.txt

tgttgagtat	aaaataccga	aatcgattga	agatcataga	aatattttaa	ctgaaaacaa	8220
atltataact	gattcaattc	tctccatttt	tatacctatt	taaccgtaat	cgattctaatt	8280
agatgatcga	ttttttatat	aatcctaatt	aaccaacggc	atgtattgga	taattaaccg	8340
atcaactctc	accctaata	gaatcagtat	tttccttcga	cgtaattga	tcctacacta	8400
tgtaggtcat	atccatcggt	ttaatTTTTG	gccaccattc	aattctgtct	tgcttttagg	8460
gatgtgaata	tgaacggcca	aggtaagaga	ataaaaaata	tccaaattaa	agcaagagag	8520
gccaaagtaag	ataatccaaa	tgtacacttg	tcattgcca	aattagtaaa	atactcggca	8580
tattgtattc	ccacacatta	ttaaaatacc	gtatatgtat	tggtgcatt	tgcatgaata	8640
atactacgtg	taagcccaaa	agaaccacg	tgtagcccat	gcaaagttaa	cactcacgac	8700
cccattcctc	agtctccact	atataaaccc	accatcccca	atctcaccaa	accaccaca	8760
caactcaca	ctcactctca	caccttaaag	aaccaatcac	cacaaaaaa	ccgcgccacc	8820
atgccaccta	gtgctgctag	tgaagggtgt	gttgcgtgaac	ttagagctgc	tgaagttgct	8880
agctacacta	gaaaggctgt	tgacgaaaga	cctgacctca	ctatagttgg	tgacgctggt	8940
tacgacgcta	aggcttttag	ggacgagcac	cctggtggtg	ctcacttcgt	tagccttttc	9000
ggaggtaggg	acgctactga	ggcttttatg	gaatatcacc	gtagagcttg	gcctaaggct	9060
aggatgtcta	agttcttcgt	tggttcactt	gacgctagcg	agaagcctac	tcaagctgat	9120
tcagcttacc	ttagactttg	cgctgaggtt	aacgctcttt	tgccaaagg	tagcggagga	9180
ttcgcctctc	ctagctactg	gcttaaggct	gctgctcttg	ttgttgctgc	tgtagtata	9240
gagggttata	tgctccttag	gggtaagacc	cttttgctta	gcgttttcct	tggaactcgtg	9300
ttcgccttga	taggacttaa	tattcagcac	gacgctaatt	acggtgctct	tagtagacac	9360
tcagtgatta	actactgcct	cggttacgct	caggattgga	taggtggtaa	tatggtgctt	9420
tggcttcaag	agcacgttgt	gatgcaccac	ctccacacta	acgacgttga	cgctgatcct	9480
gatcaaaagg	ctcacggtgt	tcttagactt	aagcctactg	acggttggat	gccttggcac	9540
gcacttcaac	aactctatat	ccttcctggt	gaggctatgt	acgcttttaa	gcttcttttc	9600
ttggacgcc	ttgagcttct	tgcttgagg	tgggagggtg	agaagattag	ccctcttgct	9660
agagctttgt	tcgctcctgc	tggtgcttgt	aagcttggat	tctgggctag	attcggtgct	9720
ctccctctct	ggcttcaacc	tactgttcac	actgctttgt	gtatctgtgc	tactgtgtgt	9780
actggtagct	tctacctcgc	cttcttcttc	tttatctctc	acaacttcga	cgggtgtggt	9840
agcgttggac	ctaagggatc	acttcctaga	tcagctactt	tcgttcaacg	tcagggtgag	9900
actagctcta	acgttgggtg	ttactggctt	ggagttctta	acggtggact	taactttcag	9960
atagagcacc	acttgttccc	taggcttcac	cactcttact	acgctcaaat	agctcctgtg	10020
gttaggactc	acatagagaa	gctcggtttt	aagtaccgtc	acttccttac	cgttggatct	10080
aaccttagct	caatgcttca	gcataatgggt	aagatgggaa	ctagacctgg	tgctgagaag	10140
ggtggtaaag	ctgagtagtg	attaattaat	aattgattgc	tgctttaatg	agatatgcga	10200

PF7877-sequencing_formatierISA.txt
10260 gacgcctatg atcgcatgat atttgcttc aatctgttg tgcacgttg aaaaaacctg
10320 agcatgtgta gctcagatcc ttaccgccgg tticggttca ttcaatgaa tatatacccc
10380 gttactatcg tattttatg aataatatc tccgtttcaat ttactgattg tggcaaacac
10440 tgtacggacc gtggcctaata aggcgggtac ccaacttat tatcatatgt tgaataattca
10500 ctggccggat gtaccggaatt cggcgccgca agcttgtaaca ctagtacgcg tcaattggcg
10560 atcgcagtac ttaatcagtg atcagtaact aaattcagta cattaagac gtccgcaatg
10620 tgttatgaag ttgtctaagc gtcaattgt ttacacacaa atatatcccg ccaaccagcca
10680 gccaacagct ccccgaccgg cagctcggca caaatcact gatcatctaa aaaggtgtag
10740 tgtattttag taacaacagct tgcgttcacg ggtcgcctgcg tatatgtagc gatgagtaaa
10800 taacaacata cgaaggggag acgcattgaag gttatcgcgt tacttaacca gaaggcggg
10860 tcaggccaaga cgaacctgc aacctatca gcccgcgccc ttgcaactcg cggggccgat
10920 gttctgttag tcatctcga tccccaaggc agtgcgccgg attggcgcg cgtgcgggaa
10980 gatcaaccgc taaccgttgt cgcattcga cggccgacga ttgaccgcg cgtgaagcc
11040 atcggccggc gcgacctcgt agtgatcga ggaagcggccc aggcggcgga cttgctgtg
11100 tccgcgataca aggcagcgga cttcgttcg attccggtg agccaagccc ttacgacatt
11160 tgggcccaacc cgaacctgtt ggaagcttgt aagcagcgca ttgaggtcac ggaatggaag
11220 ctacaagcgg ccttgttcgt gtcgcggcg atcaaaagca cgcgcattcg cgtgtaggtt
11280 gccgagggcg tggccgggta cgaagctgcc attcttgagt cccgtatcac gacgcgcgtg
11340 agctaccag gcactgcgc cgcggcaca accgttcttg aatcagaaac cgaaggcgga
11400 gctggccggc aggtccagagc gctggccgt gaaattaat caaaactcat ttgaattaat
11460 gaggtaaaga gaaatgagc aaaaagcaaa acacgctaag tgcggccgt ccgagcgaca
11520 gcagcagcaa gctgcacaa tggccagc tggcagacac gccagccatg aagcgggtca
11580 accttcagtt gccgcgggag gatcacacca agctgaagat gtacgcggtg cgcacaagga
11640 agaccattac cgagctgcta tctgaataca tgcgcagct accagagtaa atgagcaaat
11700 gaataataga gtatgataat tttagcgct aagagagcg gcatggaaaa tcaagaaacaa
11760 ccaggcaccc agcccggtga atgcccccatg tgtggaagaa cgggcgggtg gccagggcta
11820 agcggcctgg ttgtctgcgc gccctgcaat ggcactgaa cccccaaagc cgaaggaaatcg
11880 gcgtgagcgg tcgcaaaaacca tccggcccg tataaatacgg cggcgcgctg ggtgatgacc
11940 tgggtgggaa gttgaaggcc gcgcagggcc ccacgcgca acgcatacgag gcagaagaca
12000 gccccgggtga atcgttggcaa ggggcgcctg atcgaaatcc caaagaatcc cgcacaaccg
12060 cggcagccgg tgcgcgcgtg attaggaagc cggcccaagg cgaagagcaa ccagattttt
12120 tctgtccgat gctctatgac gtgggcaccc gcgatatgct cagcatcatg gacgtggccg
12180 ttttccgtct gtctgaagcgt gaccgacgag ctggcgaggt gatccgctac gagcttccag
12240 accgggcacgt agaggttcc gcagggccccc cgggcattggc cagtgtgttg gattacgacc
12300 tgttactgat ggcggttcc catctaaccc aatccatgaa cgtataccgg gaagggaag

gagacaagcc cggccgcgtg ttccgtccac agtttgcgga cgtactcaag ttctgcggcc
12360
gagccgcatgg cggaaagcag aagaagcacc tgytagaacc ctgcatctcg ttaaacacca
12420
cgacgcttgc catgacgctt accaagaagg ccaagaacgg ccgctctgtg acggtataccg
12480
acgaacgcag tggcagcgcc ggaagattca agaatctctg ttccaaccgt cgcaagctga
12780
tcgggtcaaa tgaccctgcg gagtacgat tgaaggagga ggcggggcag gctggcccgga
12840
tccatgtcat gcgctaccgc aacctgtatg agggcggaag atccgcccgt tccataatga
12900
cggagcagat gctagggcaaa atggccctag cagggggaaaa agttcggaaa ggtctctttc
12960
cgtgytatag cagtacat gggaaaccga agccgtacat tgggaaccgg aaccggtaca
13020
ttgggaaacc aagcgctac attgggaacc ggtcacacat gtaagtgaat gatataaaag
13080
agaaaaaagg cgatttttcc gcttaaaact ctttaaaact tattaaaact cttaaaaacc
13140
gacctggccct tgcataactg gcaagccga agaagctgcaaa aaagcgcccta
13200
ccctcgtgc gctgcgtcc ctagccccc cgccttcgag tcggccctac gcggccctatg
13260
cgtgtgaaa taccgcacag atgcgtaaag agaaaaatac gcatcagcg cttctccgt
13320
tctcgtcca ctgactcgt gcgctcgtc gttcgtcg gcgagcggt atcgctca
13380
tcaaaagggt taatacgggt atccacagaa tcaggggata acgcagggaaa gaaatgtga
13440
gcaaaaggcc agcaaaaggc caggaaaccgt aaaaaggccg cgttgcgtgc gttttccat
13500
aggtctccgc cccctgacga gcatcaaaaa aatcgacgt caagtcaag gttgcgaaaa
13560
ccgacaggac tataaagata ccaggcggtt ccccttgga gctccctcgt gcgctctct
13620
gttccgcccc tgcgcttac cggatatctg tccgccttc tcccttcggg aagcgctggcg
13680
cttctcata gctcacgctg tagtatctc agttcgtgt agtctgctcg ctccaagctg
13740
ggctgtgtgc acgaaacccc cgttacgccc gaccgctcg cttataccgg taactatcgt
13800
cttgaattcaa acccggtaaag acacgaacta tcgccaactg cagcagccca tgytaacagg
13860
attagcagag cgaagtatgt aggcgtgtgt acagagtctc tgaagtgtgt gccataacta
13920
ggctacacta gaagbacagt atttggtatc tgcgtctcgc tgaagccagt taccttcgga
13980
aaaaagagttg gtagctcttg atccggcaaaa caaacccacgg ctgtgtagcg tgtttttt
14040
gttgcgaagc agcagattac ggcagaaaaa aaagatctc aagaaatccc ttgatctttt
14100
tctacggggt ccttcaactc atcgatagt tggctgtga caattatgt cttagtcat
14160
ctaacgcttg agttaagccg cgcgcgcgaag cggcgtcggc ttgaacgaat ttctagctag
14220
acattatattg ccaacgacct tcgtgatctc gcccttgaca tagtggaaca atcttcgag
14280
ctgtctgcgc cgggacgcga gacgttcttc ttcttggccc agataggctt ggcgcgttc
14340

PF77877_sequencelisting_formatiertSA.txt

gaggatcacg ggctggtatt gcgccggaag gcgctccatc gccagtcgg cggcgacatc	14400
cttcggcgcg atcttgccgg taaccgccga gtaccaaadc cggctcagcg taaggaccac	14460
attgcgctca tcgcccggcc aatccggcgg ggagttccac agggtcagcg tctcgttcag	14520
tgcttcgaac agatcctggt ccggcaccgg gtcgaaaagt tcctcggccg cggggccgac	14580
gagggccacg ctatgctccc gggccttggt gagcaggatc gccagatcaa tgtcgatggt	14640
ggccggttca aagatacccg ccagaatadc attacgctgc cattcgccga actggagttc	14700
gcgtttggcc ggatagcgcc aggggatgat gtcacgtgc accacaatcg tcacctcaac	14760
cgcgcgagg atttcgctct cgccggggga ggcgagcgtt tccagaaggc cgttgataag	14820
cgcgcgaggc gtggtctcgt cgagacggac ggtaacggcg acaagcaggc cgatgtccga	14880
atggggctta aggcgcgct caacggcgct accatacaga tgcacggcga ggagggtcgg	14940
ttcgaggtgg cgctcgatga caccacgac ttccgacagc tgggtggaca cctcggcgat	15000
gaccgcttca cccatgatgt ttaactttgt tttagggcga ctgccctgct gcgtaacatc	15060
gttgctgctc cataacatca aacatcgacc cagggcgtaa cgcgcttgct gcttggatgc	15120
ccgaggcata gactgtaccc caaaaaaaca gtcataacaa gccatgaaaa ccgccactgc	15180
gttccatgaa tattcaaaca aacacataca gcgcgactta tcatggata	15229

<210> 12
 <211> 27
 <212> DNA
 <213> Artificial

<220>
 <223> probe oligo

<400> 12	
cgctcacttc ttcggtgctg gactctc	27

<210> 13
 <211> 19
 <212> DNA
 <213> Artificial

<220>
 <223> probe oligo

<400> 13	
atcatctctc tcggagtgc	19

<210> 14
 <211> 29
 <212> DNA
 <213> Artificial

<220>
 <223> probe oligo

<400> 14	
cgctgctcct atcatcccaa ctttcttca	29

<210> 15
 <211> 22

PF77877_sequencelisting_formatiertSA.txt

<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe oligo	
<400>	15	
	tcgacctaga ggatccccgg cc	22
<210>	16	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe oligo	
<400>	16	
	ctctgccagc gaccaaactg aagc	24
<210>	17	
<211>	18	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe oligo	
<400>	17	
	ccttgtgtta gttaaatg	18
<210>	18	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe oligo	
<400>	18	
	tgacaaacaa gccaccaagc ccaa	24
<210>	19	
<211>	29	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe oligo	
<400>	19	
	tgcttcccca atgtacgttg ctaggttct	29
<210>	20	
<211>	14	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe oligo	
<400>	20	
	aaggcacatc ctcc	14

PF77877_sequencelisting_formatiertSA.txt

```

<210> 21
<211> 27
<212> DNA
<213> Artificial

<220>
<223> probe oligo

<400> 21
agcttctttt cttggacgcc cttgagc 27

<210> 22
<211> 25
<212> DNA
<213> Artificial

<220>
<223> probe oligo

<400> 22
ggattcgaca ttccatcggc ttgga 25

<210> 23
<211> 21
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 23
ccgctgtggt tatctctttg c 21

<210> 24
<211> 26
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 24
cttgggaggc tatgtatgtt agaaga 26

<210> 25
<211> 22
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 25
gctttccctg agcttgtag ga 22

<210> 26
<211> 20
<212> DNA
<213> Artificial

<220>
<223> forward primer

```


PF77877_sequencelisting_formatiertSA.txt

<400> 26		
ggaggctaag gctgctgcta		20
<210> 27		
<211> 21		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 27		
gaccccctct ctctcgttgt c		21
<210> 28		
<211> 20		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 28		
gcaatcgttg gtagccatga		20
<210> 29		
<211> 22		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 29		
caaatcgatg ctgagtgag at		22
<210> 30		
<211> 23		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 30		
tgacaagtaa gccatccgtc agt		23
<210> 31		
<211> 23		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 31		
ctggtgaggc tatgtacgct ttt		23
<210> 32		
<211> 25		
<212> DNA		
<213> Artificial		

PF77877_sequencelisting_formatiertSA.txt

```

<220>
<223> forward primer

<400> 32
gatgaatatc ctcctgatgc taacc 25

<210> 33
<211> 24
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 33
tcttaagtcc caactggaga gaca 24

<210> 34
<211> 24
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 34
aaaccaagga gcgtcaagtc taga 24

<210> 35
<211> 26
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 35
tcaacaactc cgtagcttagc gtacat 26

<210> 36
<211> 28
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 36
tgcattgtacg ttatatagta ggcttttg 28

<210> 37
<211> 23
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 37
gcagattgtacg aagccattgg ttg 23

<210> 38
<211> 20

```

PF77877_sequencelisting_formatiertSA.txt

```

<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 38
cgtgtaccac cacgctttgt 20

<210> 39
<211> 24
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 39
aacacgtca aagccttcac aatc 24

<210> 40
<211> 22
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 40
acttttcacc accgacgaag tt 22

<210> 41
<211> 18
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 41
cctccacac ccaagcaa 18

<210> 42
<211> 22
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 42
cttgcacgat gatcaggaaa gc 22

<210> 43
<211> 114
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 43
ttaattcagc tagctagcct cagctgacgt tacgtaacgc taggtagcgt cacgtgacgt 60

```

PF77877_sequencelisting_formatiertSA.txt
tagctaacgc taggtagcgt cagctgagct tacgtaagcg cttagcagat attt 114

<210> 44
<211> 157
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 44
ttactgattg tctacgtagg ctcagctgag cttacctaag gctacgtagg ctcacgtgac 60
gttacgtaag gctacgtagc gtcacgtgag cttacctaac tctagctagc ctcacgtgac 120
cttagctaac actaggtagc gtcagctcga cggccccg 157

<210> 45
<211> 106
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 45
ggcggagtgg ggctacgtag cgtcacgtga cgttacctaa gcctaggtag cctcagctga 60
cgttacgtaa cgctaggtag gctcagctga cacgggcagg acatag 106

<210> 46
<211> 204
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 46
gaatgaaacc gatctacgta ggctcagctg agcttagcta agcctaccta gcctcacgtg 60
agattatgta aggctaggta gcgtcacgtg acgttaccta aactagcta gcgtcagctg 120
agcttagcta accctacgta gcctcacgtg agcttaccta acgctacgta gcctcacgtg 180
actaaggatg acctacccat tctt 204

<210> 47
<211> 127
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 47
gcggccgcta gctagcctca gctgacgtta cgtaacgcta ggtagcgtca cgtgacgtta 60
gctaacgcta ggtagcgtca gctgagctta cgtaagcgcc acgggcagga catagggact 120
actacaa 127

<210> 48
<211> 160

PF77877_sequencelisting_formatiertSA.txt

```

<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 48
cgaatgaaac cgatctacgt aggctcagct gagcttacct aaggctacgt aggctcacgt      60
gacgttacgt aaggctacgt agcgtcacgt gagcttacct aactctagct agcctcacgt      120
gaccttagct aacactaggt agcgtcagct tagcagatat                               160

<210> 49
<211> 235
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 49
ccgttcaatt tactgattgt ctacgtagcg tcacctgacg ttacgtaagg ctacctaggc      60
tcacgtgacg ttacgtaacg ctacgtagcg tcaggtgagg ttagctaacg ctagctagcc      120
tcacctgacg ttaggtaagg ctacgtagcg tcacctgaga ttagctaagc ctacctagac      180
tcacgtgacc ttaggtaacg ctacgtagcg tcaaagcttt acaacgctac acaaa          235

<210> 50
<211> 208
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 50
ttacctaact tagaactaaa atcaactctt tgtgacgcgt ctacctagag tcagctgagc      60
ttagctaacg ctagctagtg tcagctgacg ttacgtaagg ctaactagcg tcacgtgacc      120
ttacgtaacg ctacgtagcg tcagctgagc ttagctaacc ctagctagtg tcacgtgagc      180
ttacgctact atagaaaatg tggttatat                                       208

<210> 51
<211> 117
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 51
ttcagtcctaa aacaactacg tagcgtcacg tgacgttacc taagcctagg tagcctcagc      60
tgacgttacg taacgctagg taggctcagc tgactgcagc aaatttacac attgcca        117

<210> 52
<211> 179
<212> DNA
<213> Artificial

```

PF77877_sequencelisting_formatiertSA.txt

```

<220>
<223> spacer sequence

<400> 52
taattcggcg ttaattcagc tacgtaggct cagctgagct tacctaaggc tacgtaggct      60
cacgtgacgt tacgtaaggc tacgtagcgt cacgtgagct tacctaactc tagctagcct      120
cacgtgacct tagctaacac taggtagcgt cagcacagat gaatactagc tgttgttca      179

<210> 53
<211> 147
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 53
atcatgatgc ttctctgagc cgtgtttgct agctagcctc agctgacgtt acgtaacgct      60
aggtagcgtc acgtgacgtt agctaacgct aggtagcgtc agctgagctt acgtaagcgc      120
acagatgaat actagctggt gttcaca      147

<210> 54
<211> 169
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 54
cttctctgag ccgtgtttgc tagctagcct cagctgacgt tacgtaacgc taggtagcgt      60
cacgtgacgt tagctaacgc taggtagcgt cagctgagct tacgtaagcg cttaattaaa      120
gtactgatat cggtaccaa tcgaatcaa aaattacgga tatgaatat      169

<210> 55
<211> 363
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 55
attacaacgg tatatatcct gccagtcagc atcatcacac caaaagttag gcccgaatag      60
tttgaaatta gaaagctcgc aattgaggtc tacaggccaa attcgctctt agccgtacaa      120
tattactcac cggtgcatg cccccatcg taggtgaagg tggaaattaa tggcgcgcct      180
gatcactgat tagtaactat tacgtaagcc tacgtagcgt cacgtgacgt tagctaacgc      240
tacgtagcct cagctgacgt tacgtaagcc tacgtagcgt cacgtgagct tagctaacgc      300
tacctaggct cagctgacgt tacgtaacgc tagctagcgt cactcctgca gcaaatttac      360
aca      363

<210> 56
<211> 780

```

PF77877_sequencelisting_formatiertSA.txt

<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 56
gagatgaaac cggtgattat cagaaccttt tatggtcttt gtatgcatat ggtaaaaaaa 60
cttagtttgc aatttcctgt ttgttttggt aatttgagtt tcttttagtt gttgatctgc 120
ctgctttttg gtttacgtca gactactact gctgttggtt ttggtttcc tttctttcat 180
tttataaata aataatccgg ttcggtttac tccttgtgac tggctcagtt tggttattgc 240
gaaatgcgaa tggtaaattg agtaattgaa attcgttatt agggttctaa gctgttttaa 300
cagtcactgg gttaatatct ctggaatctt gcatggaaaa tgctcttacc attgggtttt 360
aattgaaatg tgctcatatg ggccgtggtt tccaaattaa ataaaactac gatgtcatcg 420
agaagtaaaa tcaactgtgt ccacattatc agttttgtgt atacgatgaa atagggtaat 480
tcaaaatcta gcttgatatg ctttttggtt cattttaacc ttctgtaaac attttttcag 540
attttgaaca agtaaattcca aaaaaaaaaa aaaaaatctc aactcaacac taaattattt 600
taatgtataa aagatgctta aaacatttgg cttaaaagaa agaagctaaa aacatagaga 660
actcttgtaa attgaagtat gaaaatatac tgaattgggt attatatgaa tttttctgat 720
ttaggattca catgatccaa aaaggaaatc cagaagcact aatcagacat tggaagtagg 780

<210> 57
<211> 343
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 57
acatacaaat ggacgaacgg ataaaccttt tcacgccctt ttaaatatcc gattattcta 60
ataaacgctc ttttctctta ggtttacccg ccaatatatc ctgtcaaaca ctgatagttt 120
aaactgaagg cgggaaacga caatctgatc actgattagt aactaaggcc tttaattaat 180
ctagaggcgc gccgggcccc ctgcaggag ctcggccggc caatttaaatt tgatatcggt 240
acatcgatta cgccaagcta tcaactttgt atagaaaagt tgccatgatt acgccaagct 300
tggccactaa ggccaatttc gcgccctgca gcaaatttac aca 343

<210> 58
<211> 168
<212> DNA
<213> Artificial

<220>
<223> spacer sequence

<400> 58
caatttactg attgtgtcga cgcgatcgcg tgcaaacact gtacggaccg tggcctaata 60
ggccggtacc caagtttcta caaaaaagca ggctccatga ttacgccaaag cttggccact 120

PF77877_sequencelisting_formatiertSA.txt

aaggccaatt taaatctact aggccggcca tcgacggccc ggactgta 168

<210> 59
 <211> 108
 <212> DNA
 <213> Artificial

<220>
 <223> spacer sequence

<400> 59
 ggcgagtg ggggcgccta ctaccggtta ttccgggat tagcgccgc tagtctgtgc 60
 gcacttgat cctgcaggtt aggccggcca cacgggcagg acataggg 108

<210> 60
 <211> 209
 <212> DNA
 <213> Artificial

<220>
 <223> spacer sequence

<400> 60
 aaaccgaatg aaaccgatgg cgcctaccgg tatcggtccg attgcggccg cttaaagggc 60
 gaattcggtt aaacactgta cggaccgtgg cctaataaggc cggtagccacc cagctttctt 120
 gtacaaagtg gccatgatta cgccaagctt ggccactaag gccaatttaa atctactagg 180
 ccggccataa ggatgaccta cccattctt 209

<210> 61
 <211> 114
 <212> DNA
 <213> Artificial

<220>
 <223> spacer sequence

<400> 61
 ttaattcagg gccggccaaa gtaggcgcct actaccggta attccgggga ttagcggccg 60
 ctagtctgtg cgcacttgta tcctgcaggt taggccggcc attagcagat attt 114

<210> 62
 <211> 22
 <212> DNA
 <213> Artificial

<220>
 <223> forward primer

<400> 62
 cggagtttgt gaaccctaag ga 22

<210> 63
 <211> 23
 <212> DNA
 <213> Artificial

<220>
 <223> forward primer

PF77877_sequencelisting_formatiertSA.txt

<400> 63		
tgacaagtaa gccatccgtc agt		23
<210> 64		
<211> 23		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 64		
ctggtgaggc tatgtacgct ttt		23
<210> 65		
<211> 22		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 65		
caaatcgatg ctgagtgcag at		22
<210> 66		
<211> 20		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 66		
caccacgctg ctccaaacag		20
<210> 67		
<211> 18		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 67		
tgggcttggt ggcttggt		18
<210> 68		
<211> 22		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 68		
tggctggatc tggagatatg tg		22
<210> 69		
<211> 24		
<212> DNA		
<213> Artificial		

PF77877_sequencelisting_formatiertSA.txt

<220>		
<223>	forward primer	
<400>	69	
	ttctgcttcg ctttgtctct ttac	24
<210>	70	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	70	
	gaggctggat tcctcgctta	20
<210>	71	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	71	
	cacactacaa gctcaagaag gctact	26
<210>	72	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	72	
	cttgggaggc tatgtatgtt agaaga	26
<210>	73	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	73	
	atagcatcga ggaacagttg tcttag	26
<210>	74	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	74	
	atagcatcga ggaacagttg tcttag	26
<210>	75	
<211>	28	

PF77877_sequencelisting_formatiertSA.txt

<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 75
gttcgagtga ttatgaggtt atttctgt 28

<210> 76
<211> 27
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 76
ttctcctctt gtgagttgag tgtaag 27

<210> 77
<211> 27
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 77
ttctcctctt gtgagttgag tgtaag 27

<210> 78
<211> 26
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 78
ggcttcttta attttgagct cagatt 26

<210> 79
<211> 23
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 79
tggtctcggc ctcaacacac atg 23

<210> 80
<211> 26
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 80
cggttataag ttttgtgtag cgttgt 26

PF77877_sequencelisting_formatiertSA.txt

<210>	81	
<211>	21	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	81	
	gacccctct ctctcgttgt c	21
<210>	82	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	82	
	catccacaaa gaaaccgaca ttt	23
<210>	83	
<211>	25	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	83	
	gacgctagtt agccttacgt aacgt	25
<210>	84	
<211>	25	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	84	
	gacgctagtt agccttacgt aacgt	25
<210>	85	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	85	
	catttagaca ccaaatatct gctaatgg	28
<210>	86	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	

PF77877_sequencelisting_formatiertSA.txt

<400> 86		
gacaacatgc atcaatggcg		20
<210> 87		
<211> 25		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 87		
cttcaaacaag acacagcggc tatat		25
<210> 88		
<211> 28		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 88		
gcagggttag gcatatatat acgagtgt		28
<210> 89		
<211> 22		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 89		
cggagtttgt gaaccctaag ga		22
<210> 90		
<211> 20		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 90		
caccgccgtt agtcattca		20
<210> 91		
<211> 22		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 91		
acttttcacc accgacgaag tt		22
<210> 92		
<211> 18		
<212> DNA		
<213> Artificial		

PF77877_sequencelisting_formatiertSA.txt

<220>		
<223>	reverse primer	
<400>	92	
	cctccacct ccaagcaa	18
<210>	93	
<211>	21	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	93	
	aacacggtca aagccttcac g	21
<210>	94	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	94	
	aaagcaacga gtggcaaggt	20
<210>	95	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	95	
	tgcaagcagc tccgaaataa	20
<210>	96	
<211>	22	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	96	
	ccatatacgtg cctcactttt tg	22
<210>	97	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	97	
	ccacaaggaa tatctccagg tgat	24
<210>	98	
<211>	21	

PF77877_sequencelisting_formatiertSA.txt

<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	98	
	tggatcgttc acgttgaagt g	21
<210>	99	
<211>	22	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	99	
	attggctcat cggactttct ca	22
<210>	100	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	100	
	aaaccaagga gcgtcaagtc taga	24
<210>	101	
<211>	21	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	101	
	aaagctccgc tagcagacat g	21
<210>	102	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	102	
	ccaatcttat ccatagcagc gtta	24
<210>	103	
<211>	25	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	103	
	cagcctcagg gttcaaaata gccat	25

PF77877_sequencelisting_formatiertSA.txt

<210>	104	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	104	
	catccaactc tccgtagaac ctct	24
<210>	105	
<211>	22	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	105	
	atctcgggtga gagttgggaa aa	22
<210>	106	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	106	
	gatctcctcg tcgtatccaa cag	23
<210>	107	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	107	
	ggcttcttta attttgagct cagatt	26
<210>	108	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	
<400>	108	
	cagcggctat ataatcggtg tggt	24
<210>	109	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	reverse primer	

PF77877_sequencelisting_formatiertSA.txt

<400> 109		
gcagatgtag aagccatggt ttg		23
<210> 110		
<211> 25		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 110		
cacctttgag tttatcgatg aaaca		25
<210> 111		
<211> 29		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 111		
cttagaacta aaatcaactc tttgtgcta		29
<210> 112		
<211> 21		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 112		
ctctgagccg tgtttgctac c		21
<210> 113		
<211> 27		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 113		
ccaaaatcca gtactaaaat ccagatc		27
<210> 114		
<211> 20		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 114		
ttaggccacg gtccgtacag		20
<210> 115		
<211> 29		
<212> DNA		
<213> Artificial		

PF77877_sequencelisting_formatiertSA.txt

```

<220>
<223> reverse primer

<400> 115
aacatttaga caccaaatat ctgctaatg
29

<210> 116
<211> 26
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 116
tcctagctct ttgtctgaag catact
26

<210> 117
<211> 20
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 117
cacgcgcgtt agtcattctca
20

<210> 118
<211> 28
<212> DNA
<213> Artificial

<220>
<223> probe

<400> 118
catgacaagc cagttcagca agtcattcg
28

<210> 119
<211> 14
<212> DNA
<213> Artificial

<220>
<223> probe

<400> 119
aaggcacatc ctcc
14

<210> 120
<211> 27
<212> DNA
<213> Artificial

<220>
<223> probe

<400> 120
agcttctttt cttggacgcc cttgagc
27

<210> 121
<211> 29

```

PF77877_sequencelisting_formatiertSA.txt

<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	121	
	tgcttcccca atgtacgttg ctaggttct	29
<210>	122	
<211>	22	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	122	
	ttggagcacg atgtggattt ga	22
<210>	123	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	123	
	tcacctcatg gctaccaacg attgca	26
<210>	124	
<211>	25	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	124	
	actccatgca caacaagcac cacgc	25
<210>	125	
<211>	25	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	125	
	tgtgcgtggg tatcgcttac caagc	25
<210>	126	
<211>	27	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	126	
	aggaacggat acaccgttat gccatgc	27

PF77877_sequencelisting_formatiertSA.txt

<210>	127	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	127	
	tgctttccac caagctttcc cagagc	26
<210>	128	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	128	
	atcatctctc tcggagttc	19
<210>	129	
<211>	17	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	129	
	agacttgcac gttcttg	17
<210>	130	
<211>	17	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	130	
	agacttgcac gttcttg	17
<210>	131	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	131	
	tttgatttat gagttaatgg tcg	23
<210>	132	
<211>	20	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	

PF77877_sequencelisting_formatiertSA.txt

<400> 132		
tgtaataatg gttcactttc		20
<210> 133		
<211> 20		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 133		
tgtaataatg gttcactttc		20
<210> 134		
<211> 19		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 134		
acccatttta cccggtgtt		19
<210> 135		
<211> 19		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 135		
acccatttta cccggtgtt		19
<210> 136		
<211> 25		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 136		
tacaagtgcg cacagactag cggcc		25
<210> 137		
<211> 24		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 137		
ctctgccagc gaccaaatcg aagc		24
<210> 138		
<211> 19		
<212> DNA		
<213> Artificial		

PF77877_sequencelisting_formatiertSA.txt

```

<220>
<223> probe
<400> 138
atcataaatc agggtttcg 19

<210> 139
<211> 18
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 139
acactagcta gcgttagc 18

<210> 140
<211> 18
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 140
acactagcta gcgttagc 18

<210> 141
<211> 17
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 141
ctaacctgca ggataca 17

<210> 142
<211> 17
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 142
ctactaccgg taattcc 17

<210> 143
<211> 23
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 143
atcgttgtgt tatattcagt cta 23

<210> 144
<211> 15

```

PF77877_sequencelisting_formatiertSA.txt

<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	144	
	acgggcagga catag	15
<210>	145	
<211>	28	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	145	
	catgacaagc cagttcagca agtcatcg	28
<210>	146	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	146	
	cacactacaa gctcaagaag gctact	26
<210>	147	
<211>	29	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	147	
	cgttggtgta tattcagtct aaaacaagg	29
<210>	148	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	148	
	tttggtttct ttgagcagga gat	23
<210>	149	
<211>	27	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	149	
	ctaattaata gtccgatcaa gctgaac	27

PF77877_sequencelisting_formatiertSA.txt

<210>	150	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	150	
	tctcatcggtt gttttctccc tttt	24
<210>	151	
<211>	26	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	151	
	ggcttcttta attttgagct cagatt	26
<210>	152	
<211>	22	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	152	
	attggctcat cggactttct ca	22
<210>	153	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	153	
	cctattaggc cacggtccg	19
<210>	154	
<211>	21	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	
<400>	154	
	tgggaaaacg taagcctcct t	21
<210>	155	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	primer	

PF77877_sequencelisting_formatiertSA.txt

<400> 155		
tgagagaagg gaactcgtaa gga		23
<210> 156		
<211> 24		
<212> DNA		
<213> Artificial		
<220>		
<223> primer		
<400> 156		
aaaccaagga gcgtcaagtc taga		24
<210> 157		
<211> 19		
<212> DNA		
<213> Artificial		
<220>		
<223> primer		
<400> 157		
ggcatggtag gcgcattta		19
<210> 158		
<211> 26		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 158		
tgctttccac caagctttcc cagagc		26
<210> 159		
<211> 19		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 159		
cagtgtttaa acgattgac		19
<210> 160		
<211> 13		
<212> DNA		
<213> Artificial		
<220>		
<223> probe		
<400> 160		
cgcgccttcc atg		13
<210> 161		
<211> 16		
<212> DNA		
<213> Artificial		

PF77877_sequencelisting_formatiertSA.txt

```

<220>
<223>  probe

<400>  161
cagcgtcttg agcagc                                     16

<210>  162
<211>  14
<212>  DNA
<213>  Artificial

<220>
<223>  probe

<400>  162
cgctgctgtt ccac                                     14

<210>  163
<211>  19
<212>  DNA
<213>  Artificial

<220>
<223>  probe

<400>  163
acccatttta cccggtgtt                                19

<210>  164
<211>  24
<212>  DNA
<213>  Artificial

<220>
<223>  forward primer

<400>  164
aagacgtccg caatgtgtta ttaa                            24

<210>  165
<211>  22
<212>  DNA
<213>  Artificial

<220>
<223>  forward primer

<400>  165
ggcgcgcctc tagattaatt aa                              22

<210>  166
<211>  22
<212>  DNA
<213>  Artificial

<220>
<223>  forward primer

<400>  166
ggcgcgcctc tagattaatt aa                              22

<210>  167
<211>  22

```

PF77877_sequencelisting_formatiertSA.txt

<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	167	
	ggcgcgcctc tagattaatt aa	22
<210>	168	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	168	
	gcggacatct acatttttga attg	24
<210>	169	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	169	
	cactgagcat ggtgcttaaa cac	23
<210>	170	
<211>	27	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	170	
	ctctttcctt ttctccatat tgaccat	27
<210>	171	
<211>	22	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	171	
	caattaaccg cggacatcta ca	22
<210>	172	
<211>	24	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	forward primer	
<400>	172	
	aattaaccgc ggacatctac attt	24

PF77877_sequencelisting_formatiertSA.txt

```

<210> 173
<211> 27
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 173
ctctttcttt ttctccatat tgaccat 27

<210> 174
<211> 27
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 174
ctctttcttt ttctccatat tgaccat 27

<210> 175
<211> 27
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 175
ctctttcttt ttctccatat tgaccat 27

<210> 176
<211> 25
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 176
ccatattgac catcatactc attgc 25

<210> 177
<211> 23
<212> DNA
<213> Artificial

<220>
<223> forward primer

<400> 177
gacctcaatt gcgagctttc taa 23

<210> 178
<211> 22
<212> DNA
<213> Artificial

<220>
<223> forward primer

```

PF77877_sequencelisting_formatiertSA.txt

<400> 178		
tgtacggcta agagcgaatt tg		22
<210> 179		
<211> 24		
<212> DNA		
<213> Artificial		
<220>		
<223> forward primer		
<400> 179		
gcctacctag actcacgtga cctt		24
<210> 180		
<211> 22		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 180		
acacctgaaa gggaaaatcc aa		22
<210> 181		
<211> 20		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 181		
cacacacctc cccaatccat		20
<210> 182		
<211> 20		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 182		
gggatcggag aaatcatcga		20
<210> 183		
<211> 22		
<212> DNA		
<213> Artificial		
<220>		
<223> reverse primer		
<400> 183		
cacaaaagc aaccaagaga ga		22
<210> 184		
<211> 28		
<212> DNA		
<213> Artificial		

PF77877_sequencelisting_formatiertSA.txt

```

<220>
<223> reverse primer

<400> 184
gctatttgac ttcttcacatct gtgtgtct 28

<210> 185
<211> 29
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 185
agagcgagag agaggaagta ggtatataa 29

<210> 186
<211> 24
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 186
ttaacgaaat caaacaacga cggt 24

<210> 187
<211> 26
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 187
gcaaaacaac aagagcaaga aatact 26

<210> 188
<211> 22
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 188
cgggcagtga gtagtctgag aa 22

<210> 189
<211> 24
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 189
tgaggcatga agaagcaaatt tatt 24

<210> 190
<211> 26

```

PF77877_sequencelisting_formatiertSA.txt

```

<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 190
gcagtgactc atcaaaacaa cttttt                26

<210> 191
<211> 28
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 191
acatttttat tcctgtatac gcacacat                28

<210> 192
<211> 26
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 192
tggctgatag gggtccttca aatata                26

<210> 193
<211> 25
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 193
cctcaccagg aaggatatag agttg                25

<210> 194
<211> 17
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 194
cgtgccaagg catccaa                17

<210> 195
<211> 23
<212> DNA
<213> Artificial

<220>
<223> reverse primer

<400> 195
aatgagagaa gaaacgcaag cat                23

```

PF77877_sequencelisting_formatiertSA.txt

<210>	196	
<211>	17	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	196	
	tctaagcgtc aatttgt	17
<210>	197	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	197	
	ttactaatca gtgacgagat tgt	23
<210>	198	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	198	
	ttactaatca gtgacgagat tgt	23
<210>	199	
<211>	23	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	199	
	ttactaatca gtgacgagat tgt	23
<210>	200	
<211>	22	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	
<400>	200	
	tttctccata ttgacctca ta	22
<210>	201	
<211>	19	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	probe	

PF77877_sequencelisting_formatiertSA.txt

<400> 201 ctggtgagtt ctagtactt	19
<210> 202 <211> 19 <212> DNA <213> Artificial	
<220> <223> probe	
<400> 202 atactcattg ctgatccat	19
<210> 203 <211> 25 <212> DNA <213> Artificial	
<220> <223> probe	
<400> 203 attatccaaa agagctattc aacct	25
<210> 204 <211> 19 <212> DNA <213> Artificial	
<220> <223> probe	
<400> 204 atactcattg ctgatccat	19
<210> 205 <211> 19 <212> DNA <213> Artificial	
<220> <223> probe	
<400> 205 atactcattg ctgatccat	19
<210> 206 <211> 16 <212> DNA <213> Artificial	
<220> <223> probe	
<400> 206 cggacatgaa gccatt	16
<210> 207 <211> 19 <212> DNA <213> Artificial	

PF77877_sequencelisting_formatiertSA.txt

```

<220>
<223> probe
<400> 207
atactcattg ctgatccat 19

<210> 208
<211> 25
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 208
taaattatac ttgatcggtc atctg 25

<210> 209
<211> 20
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 209
ttcaaactat tcgggcctaa 20

<210> 210
<211> 18
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 210
cgagctttct aatttcaa 18

<210> 211
<211> 18
<212> DNA
<213> Artificial

<220>
<223> probe
<400> 211
tagcgtcaaa gctttaca 18

<210> 212
<211> 1100
<212> DNA
<213> Artificial

<220>
<223> flanking sequence
<400> 212
atatatatta acataaacac ttattaaaat aaaattatatt atttatatga tcattttctta 60
ttatagaaaa aaattttaa acattgatcata aaagtatgtg agacttttaa tagtttttagt 120
aatttatact cgtttttgaaa aattcaaaat acaacatata caaaaaaact aaaatttttaa 180

```

PF77877_sequencelisting_formatiertSA.txt

tatatgatta atgtaattgt ttaatttata ataatagtaa agaattaaac aaaaattata	240
gaaagcatatc atattatttag caaatcttca ttatttataaa tcattaatta ctatatatca	300
taatcacatt aggtaattct gtaggttttt atttaagaaa ataatatata ataaatagca	360
accttgctat atcatatgat atcatatagt tgggtattaaa tgtttctagt gacatatataa	420
aatcgaattg gacgaacatg tttttcaatt tcagtgtggg actgacacat atgactaatt	480
aactatctaa ttgattgaca cataagcaaa atatatTTTT taactattac aaaattaagg	540
ttatatcttt tcaaagtgtc ctcaattaat atatagggga ttgttcataa cccgaaacga	600
caatcaattt gtttacctc aaacactgat agtttaaact gaaggcgggg attggggagg	660
tgtgtgattt gcttagctta tgatatgttt aaacatgaag gcgggaaacg acaatctgat	720
cactgattag taactaaggc ctttaattaa tctagaggcg cgccggggcc cctgcaggga	780
gctaagccgg ccaattttaa ttgatatcgg tacatcgatt acgccaagct atcaactttg	840
tatagaaaag ttgccatgat tacgccaagc ttggccacta aggccaattt cgcgccctgc	900
agcaaattta cacattgcc aataacgtct aaacccttgt aatttgTTTT tgttttacta	960
tgtgtgttat gtatttgatt tgcgataaat ttttatattt ggtactaaat ttataacacc	1020
ttttatgcta acgtttgcc acacttagca atttgcaagt tgattaattg attctaaatt	1080
atTTTTgtct tctaaataca	1100

<210> 213
 <211> 1226
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 213	
gttaattata gatatatTTT aggtagtatt agcaatttac acttccaaaa gactatgtaa	60
gttgtaaata tgatgcgttg atctcttcat cattcaatgg ttagtcaaaa aaataaaagc	120
ttacttagta aactaaagta gtcaaaaatt gtactttagt ttaaaatatt acatgaataa	180
tccaaaacga cttttatgtg aaacaaaaac aatatgtcga ggcgatcgca gtacttaatc	240
agtgatcagt aactaaattc agtacattaa agacgtccgc aatgtgttat taagttgtct	300
aagcgtcaat ttgttgctcg caagatctct gacactcaac taaaatgttg gattttccct	360
ttcaggtgta tgctcacaag gtctataaat atcttgagac tccactgctg tctctgagtg	420
agataagaga caacgaccgt attgtcgcat ataggttcaa ccagatgcac agaggaccag	480
gaaaagccaa actagagatt cttcactcgg agcagaaaca gtaagcattc gagaattctt	540
taggttctgt ctatctttca aatctcacag gtctgatttt ggcagagacg cagagatttc	600
tggaaagtta tttggaattc cccttgttac ttatgtcaac tcagaacgac atagtggaag	660
tgacattgat gcaattattt ctggattgct atcaccgcta caccggactc attcatcatc	720
tggaagctta gaggatacta cagttggtga aaaagagttt tctttcagcg tcttctggtt	780

PF77877_sequence_listing_formatiertSA.txt

agatcgttat tcttccagtc tcaagccact tgagtcgat tttgttccga atcctcttag	840
tgctacaagg ctcgtagtca agtgggacga gaaagagcat gaaaaatatg attcaagcag	900
ctacttgaat gatctacctg aggtttataa agcaacttcc tcggtggcgg aaaaggtttc	960
tttgttttca tgcttgaag cttttctagc agaagagcct ctccgaccag atgatattgtg	1020
gtgttgcct gcttgcaaag aacacaggca agcgaacaag aagctgaact tgtggaagtt	1080
gccagagatt cttgtgttcc acctaaaacg gttcgacctat accagatttt taaagagtaa	1140
gattgatacg ttcgtggatt ttccgattca tgacttagat ttaagcaagt acgtgaagaa	1200
taaagagggg gagtcgtatc tttacg	1226

<210> 214
 <211> 2100
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 214	
acatcatctt gcaaccgact tgaataatca cgtccaccaa cctaacaaca gaggagaaga	60
ggttatcatc gcagatggct cctctttctc atcgcagatg gctcaggtct tccaatcaca	120
catattgggt cctccattga tcacaaaaat tttaaaggaa tttttaacat tttttgtaat	180
ttaaagtgtg tttaaaaatt tcaaagtata atatataaga aaaaatctaa tttttattat	240
tatatggtta atgtgattgt ttatTTTTTT aataatataa aattaaacaa aaatgaggaa	300
agatgcaaaa gttgttatca aatctttatt attcataatc attaattgtc atatatatgt	360
tagttatatt aggtaatcc gtagctttta ttttaaggaa aaatacacac tgtttttatt	420
ttgggttaat ataactttcc ctagtaattg gattttacac caacatTTTT tcaattgatt	480
cttaagctgc catgtaagct aaatttgcac actaatgaag tgacaccta gtaggggttc	540
tttttaatta gtacaaactt aatgttacaa ttttttaaat gatcttcaat taatatatag	600
gggataagac acaacctcct cttatgattg tgtaatatta atagtcctca tataccttca	660
attatttata tgcagtagta gatgcagtat gaagggaaga ggtgtgattc ggagatgcag	720
tagtagtcaa ttggaaccga agaattgagag gaggaggagt gtgggttatt gtcgctgcca	780
gatgatgtgg ctttggattg cctgggttcag gtgtcgagac tggacctggg gggcttagcc	840
atggtttcca ggagccaccg gtttgtggca gagtcccga atatcatggc catgagatat	900
cggctgggta acttggaccc atatttgtgc gtattttata actccaagcc caaggtgggt	960
cgtcctccac accctgcaac attgggtcaa accggtccat tcaagcttgt atccggctcc	1020
actagccgga tcctgttttg tgacgacgga ttgggggtatc tattgtatcg gtggattcat	1080
gaacggcaag cccacatcgg aagtcacgtt ttttaattgct atcgaccaca gcccttaccg	1140
agctgcccc aataagatgg ctcgaagcgg atcatccgca agcttgataa acaagaagaa	1200
ggtatttcta tttggagggt gttgggatgt cgctaattct tcaaactggg tagagttata	1260
tgattttaaa actggaacgt gagagttttt gtttgtattt acgcccaga tgcccctcaa	1320

PF77877_sequencelisting_formatiertSA.txt

catccaacaa agtgtggtga tagaaggcaa gggtgtttat ggggtggatg gggatggtca	1380
aatctttcac ttcacaccga gtactactag ccttatgttt actacagacg gaatagttga	1440
gcctaacca gaaaatagaa acgattgggt tttatttgag gtaataatgt gccgtggat	1500
cggcgggaga atactgtggc gttggccaga tgagattcct tagaaagaag tcaaaggttt	1560
ggaagagctg cagcaacaac acatcatcaa aatctgctcc ttctctgaga agacgattgc	1620
catcttctgg gatgcccggg ggcctcaaca aggtctagga gctttggtat gccgagattt	1680
ccatgaagag acaccagga gacgaggggt ggtggaaggt ttgggggaac attgagagtt	1740
ccgctgctgt tatctcagac tcatcgcata gttcctttaa cttgttatat gctgctactg	1800
tctttgcctg aattactatt ctcaagcaat cctttggttt tttatataat ttgtttctat	1860
tttatctttt gattgcaaca tgttatcaca aaccaaacta atcggtaacg ttattgctta	1920
aacatatcat aagctaagca aatcacacac ctccccaatc catggatatg ttctctcttt	1980
tctcaatcaa tttgtttaca ctcaaact gatagtttaa actgaaggcg ggaaacgaca	2040
atctgatcac tgattagtaa ctaaggcctt taattaatct agaggcgcg cgggccccct	2100

<210> 215
 <211> 2065
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 215	
gtatcactat ttttcagcat gtagtcatt ctcttcaaac aaagacagcg gctatataat	60
cgttgtgtta tattcagtct aaaacaaggc gcctactacc ggtaattccc gggattagcg	120
gccgctagtc tgtgcgcact tgtatcctgc aggtcaatcg tttaaact gtacggaccg	180
tggcctaata ggccggtacc caactttatt atacatagtt gataattcac tggccggatg	240
taccgaattc gcggccgcaa gcttgtagac tagtagcgt caattggcga tcgcagtact	300
taatcagtga tcagtaacta aattcagtag atcaaccgta tttagtttta attttataa	360
gatttttaca caattataac tttgtttaaa ttaaaatttt attataatat ttttaggtaa	420
ataaaaagtg tggttctaata ggtaaatttc tctgtctgct ccatctatga catcttttgc	480
ggttatcacc tttgctcttt gttagcatca tgttttttgt aactttttta attctggttt	540
gtggcagtgg gctccttttc atctgttttg gcaatgacac agctggttgc ttttgaaatc	600
atgctctgtg tttatggctg gtgtgttgtt tatgatacat ttggttgtgt ccctgaatcc	660
ttgtgttgca gttgtttatg atagatttgg ttgtgtccta ctattgtttg cgttcggatt	720
gcgatttttg actggacttg gtttcttagt tgtatttcat ttcgaaaaat tgtaactcgt	780
tatatttttt ttttcttttt gttcttaggg aagaatgatt attgctcatt tatgtgatga	840
gctgaaagaa ctgaaaacaa ttatgtgcat ggtaatatcc ctttgactt gcaaacgcaa	900
taaccgcaag attgaatgat gggtaggtaa attttttttt ttttttttgt ttatgggtcat	960

PF77877_sequencelisting_formatiertSA.txt

tgcataacat	actttttattg	gaaattgtct	tctcttaaga	atgaatgggt	ggtttgagac	1020
tattggagat	aaaatgattc	ttgggagtc	gattctttta	ccaatatgtg	tacacttttt	1080
taagatagat	gtttaatgta	gtatttttat	ttcttatatt	gtgtatatac	ttattatttg	1140
ttttttcctt	aattatatat	ttactttatt	tatttttttt	gtttttatat	caaatggtaa	1200
tattacgata	gatgtttaat	gtaatattta	tgtttcttct	attctatatt	tacttattct	1260
ttattttttg	ctgtaatata	ataatggaaa	tgataaaaa	gtataactat	agatttttca	1320
gatagatgtt	taatgtaata	ttccatttct	tatattgtac	atttaattat	tattttattt	1380
tcttatatta	tatatattat	tattttaatt	attttgcctt	tcatcaaagt	gtaatatatt	1440
gatagatgtt	taatgtaata	tttatttttc	ttctattgta	tattttacatc	tttttatgtt	1500
ttcttataat	ttaatataaa	aatgtaaaac	tatacatttt	taaatagatg	tttaatgtag	1560
tatttccatt	tcttatattg	tgtattttact	tattttaatt	ttcttccttt	tatatcaaat	1620
agtaatatta	caatagatgt	ttaatgtaat	atttttgttt	cttttattgt	atattttact	1680
tgtttttata	atgtattaat	gtcgtgtggc	atcttttgga	agaaggattt	tatgttgaga	1740
tgaacattcc	atagagcctc	aaatagtcct	ttttattagt	actagagggt	ggccgcctc	1800
acgggcgggt	taattacact	aaactatttc	atattagaat	atattttaat	tttataaaat	1860
atgtgaatat	ttactttata	ttaaaataat	aaatacaatc	tattttttatt	tctttttatt	1920
ctaagatcat	atcataactt	ttattaaaa	tttttggttt	taattataaa	gatcaataac	1980
atttttttct	gagaaaacaa	aattaataaa	ttaaagttaa	tgaacattta	atgattttata	2040
tttttctatt	tgatttatat	ttcaa				2065

<210> 216
 <211> 1500
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 216	
atgtatgtgt	agattcttgt aattttgcaa taataaaaaa atgtggctta gattaaaaaa 60
aagagttata	tatgttgttt ttacattagg tgaggactct gttgtaaaaa aaatgtgatt 120
tgttttttta	tagatgtggg aattttatat atatctcaag gtctcttgtg gattagatag 180
agagtgaatg	attaaatgtt tttaaagtgg gctctcctat tgcaataatc taaaaataaa 240
ggtttgtttg	ttatacacaa taatttttaa gagagaattt taaacaaaaa atattactcc 300
aatcaaaaat	agcattttct aaaaaatatt tcatctctca ttgatataat ttcttctttt 360
catttggttca	ttttatacta cttatttttg gttaaagaaa cttctaaaaa accttcaact 420
gaaaatgctt	ttatgcttct aacattttatt tcaaagactt ctgatttatg tttggaacaa 480
atgaaataga	gaagcaattc catgaattga agtgattaat gtatgttttg caacaattaa 540
aaatgttgct	tgtaagtttg caacaattta aaaataaaaa ggtctaattc gtttttcatt 600
tttcattttt	tcacatttag gtgatgagta gttgtagtat aacttaaatg gtggtttgtc 660

Page 235

PF77877_sequencelisting_formatiertSA.txt

ttgttatatt	tggttgcat	ttctttat	caagatctt	gattttttt	ttttacaaa	720
cacatggaat	gaattccatg	catttgtaa	ttgttttga	atttttttg	tactctat	780
agggtgtagg	actctactgt	agtatgacct	aacatagtg	tgatatgtt	atcaaattt	840
gtgtgacatt	tatatgaagg	tcttttgatt	tatatttagt	aaaatgaa	agagaggg	900
gtttatatga	aggctctcag	aaattgaagt	gactcatg	tgtttagtta	agtaaagat	960
aatggacttt	catcaccaa	tatatattt	ttaaaacta	caaaaaaaaa	tcctttttat	1020
tttaaagaag	tttaattata	tttaaaaatg	atttaaatgt	acgtaataat	tataaacaga	1080
atattctttt	gtagagtga	cctaatagca	gtaggcaaga	tccgacaaa	caagttaag	1140
acacaccca	ccaaaagcaa	ccaagagaga	cgtctttaat	gtactgaatt	tagtaactga	1200
aggcgggaaa	cgacaatctg	atcactgatt	agtaactaag	gcctttaatt	aatctagagg	1260
cgcgccgggc	cccctgcagg	gagctcggcc	ggccaattta	aattgatatc	ggtacatcga	1320
ttacgccaag	ctatcaactt	tgtatagaaa	agttgccatg	attacgcaa	gcttgccac	1380
taaggcaa	ttcgcgccct	gcagcaaatt	tacacattgc	cactaaacgt	ctaaaccctt	1440
gtaatttg	tttgttttac	tatgtgtgtt	atgtatttga	tttgcgata	atttttatat	1500

<210> 217
 <211> 1948
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 217	
cggccgagct	ccctgcaggg ggcccggcgc gcctctagat taattaaagg ccttagttac 60
taatcagtga	tcagattgtc gtttcccgcc ttcagtttaa actatcagtg ttgcttttagt 120
ggtcaatcaa	aagatgaaca gtatcttctc gatcgatgat ttctccgac ccttttggga 180
atcttctccg	cctctcgatt cggactcggc caaggccctc acggcggagg aatggaccgt 240
ggagatgttt	ttcgaagaga tcgcttcctc cgtgacctct gcgcctgtcg gatccaaca 300
caacaacaac	aacgcgatcg tcggagtttc gtcggcgcag tctcttcctt ccgtctccgg 360
acagaacgat	ttcgaggaa acagtcgggt tctccgtcgc gaatcagatg attaccgtcg 420
cgttcttgag	aacaagctcg agactgagtg tgcagctact gttgtagctc ttagggtttg 480
tcttctgttt	ctcttttttt tatattgcat gtgtaagaag aagaagaaga tctgaatctt 540
aaagctttgt	ttgttctctc tgcttgtgtt gtgtaggctg gttctgtgaa gcctgaagat 600
tcgactgggt	ctcctgagac tctgtttcaa ccagctctgt ctagtcctct tactcaaggt 660
aatagggtgct	catcatgcaa attagttttt tacactacat agcttgtctc ttagcttcac 720
catgtttgaa	attttttatg ccaagaaagt gttctaaaaa tcgggtctagg cgcctagtcg 780
gcaaatcggg	tctgtacgaa atgatttttt caaatcgatt tgaaaatcgg tctagacgtc 840
cgcctaaca	ataattatag cgataaaatt aaggatttgt aatgtagaga tggaaaaaaa 900

PF77877_sequencelisting_formatiertSA.txt

aaattttggt	caaatagaga	aggaaaatgg	ttcttttagag	aagcttgaaa	ccatttcaag	960
tctccttgat	atattttttt	tgttggagca	agtttcta	ttatcataa	agtttcaata	1020
ctttttgtga	tattttcctt	gaaattaatc	tgactttttt	aaggccaata	agattgggat	1080
ggtgtagt	caatatcttt	ctctttgttt	cgagtcttta	cacatagtag	gtttaatggt	1140
ggtaggttct	ttggtgacgc	ctggagaagt	tggtgtcact	tcatcattac	tagctgaggt	1200
gaaaaaaact	ggtgtaccga	tgaagcaggt	tactagtggg	tcgtctagag	attattctga	1260
tgatgacgac	cttgatgaag	agaatgaaac	cactggttcc	ttgaaaccag	aggacgttaa	1320
aaaatctaga	aggtaaaatg	attccttggt	tcttgtcttt	tgatgtttat	ctttatagaa	1380
ccttggtggt	tgtaggatgc	tttcaaatcg	agagtcagct	aggcgggtcta	gaaggagaaa	1440
acaggagcaa	acatgtgac	tcgaaacaca	ggtttctata	aatagatcct	ctcaacctcc	1500
tattaacatc	tccaaggata	ttaatagaaa	cttaattttt	gtgtgtgttt	tgatagggtta	1560
atgagctaaa	aggtgaacac	tcctcacttc	tcaagcagct	tagcaacatg	aatcacaggt	1620
atgatgacgc	tgccgttggc	aatagaatac	taaaagccga	catcgagaca	ctaagagcta	1680
aggtataaac	accttctttt	ttttcataac	cacactaatg	ttttgttact	ataactaatt	1740
gtatttgatc	aaggtgaaaa	tggcggaaga	gacgggttaag	agagtaacag	gaatgaaccc	1800
tatgcttctc	ggtagatcaa	atggacataa	caacaacaac	aatagaatgc	cattaactgg	1860
taatagcagg	atgggtggtt	cttcatgcat	cccacctttt	caaccgcaat	caaatccaaa	1920
catgggggga	ctaacaacaa	ccatttcta				1948

<210> 218
 <211> 1600
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 218	
caagaccaca	agattgcatc
tcttttgaaag	tctcttcagc
ccttttgaaa	tctccttggc
60	
aacaaaatcc	attaacaaga
gatgagtaag	tcaccacggt
tggtcttacac	ttggtccttac
120	
ccatgtctcg	aaaaatcttt
aaggcggtag	tcatatcctg
ttgcttcacg	tacccatcga
180	
tgattgtgga	ataagtgaac
tcattcaggtg	caagtccttc
ttcgggtcatc	ctattcatac
240	
acatcaatgc	ctcattcaac
attccggatc	tgcaaaaccc
ctttatcata	gcgttggtgt
300	
gcacgacatc	aaccttcaca
cccttttcaa	ttgagagaga
ggaaaccttc	tttgcttcct
360	
caaaatcacc	gcttctgatg
aatccatcta	tgagggtagc
atacacataa	gcatccggtg
420	
aaattttccg	gtctaacatc
tccaagaaga	ggagcttggc
agatgaaaac	ccacctctct
480	
tacacaaccc	actcatcaac
atattgtaga	tggcagcatc
cggtgaaact	cctctctcta
540	
tcattttacc	tttcatctta
attgcatcat	ccatatgacc
tgaagcgaca	agaccatgga
600	
taagaatccc	atacgtaact
atatctgggt	tgaacctctc
ctcagccatc	tgacagaagca
660	
acttagaagc	aatatcatac
tctttgactc	tgaataaacc
ttgtattaga	ggggcatagg
720	

PF77877_sequencelisting_formatiertSA.txt

ttatattggt	ccgaaccaac	cctctctttg	cagcttcac	caaaatccca	acagcatctt	780
ccatcctacc	ttctttacat	aaacgattga	tcaaaatatt	atatgttgct	atatcaggct	840
tgcaaccatt	agctactatc	caccgtatac	tctcagctac	ttcaaccttt	aaaccatgcc	900
tatacttagc	atccataata	ttgttcagaa	accaaact	gacaactaaa	cccctttctt	960
tcacttcctt	caaaagccga	tcactcgcca	cgaaatcccc	tttcttgag	aaccattaa	1020
tcacgcccc	caaaagtctc	caagagtcgg	cataaacccc	ttggacttca	actccttgaa	1080
aaccagactc	gcgttctcaa	catcagccat	cttgagctat	ccactaatga	tggtgttgta	1140
aaacacaata	ttcggaacac	aacctttccc	ccatcgctct	tcaatcagct	tcctaccttc	1200
ttctaccttc	ccttcgctac	acataccttt	gagcaatata	caagtgtgt	aattatcacc	1260
tctctcacgc	agttcggatt	tcgttaaaat	ctaataattct	acaaaccttt	ttatttttct	1320
tttgaattac	cgtcttcatt	ggttatatga	taacttgata	agtaaagctt	caataattga	1380
atgtgatctg	tggttttttg	gccttaatac	taaatcctta	cataagcttt	gttgcttctc	1440
ctcttgtag	ttgagtgtta	agttgtaata	atggttcact	ttcagcttta	gaagaaacca	1500
tggaagtgt	tgagaggttc	tacggagagt	tggttgga	ggtttcccaa	ggagtgaacg	1560
ctttgttggg	atctttcgga	gttgagttga	ctgatacccc			1600

<210> 219
 <211> 955
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 219						
ttttgaacaa	gtaaatccaa	aaaaaaaaaa	aaaaatctca	actcaacact	aaattatttt	60
aatgtataaa	agatgcttaa	aacattttggc	ttaaaagaaa	gaagctaaaa	acatagagaa	120
ctcttgtaaa	ttgaagtag	aaaatatact	gaattgggta	ttatatgaat	ttttctgatt	180
taggattcac	atgatccaaa	aaggaaatcc	agaagcacta	atcagacatt	ggaagtagga	240
ttaatcagtg	atcagtaact	attaaattca	attaaccgcg	gacatctaca	tttttgatt	300
gaaaaaaaat	tggttaattac	tctttctttt	tctccatatt	gaccatcata	ctcattgctg	360
atccatgtag	atttcccga	catgaagcca	tttgtcaacg	tcgttggttg	atttcgttaa	420
ggggagagca	gtccaagtgt	gtttttaatc	tcagataggc	ctaacatcta	gatttatctt	480
agactaacc	aaaaccgaaa	cttttgcat	caagtcac	ttcgtgttga	ttcgtaatc	540
ttttttcac	attcaacttt	ttggtagcag	cagggtcaga	agattcattc	ggtttttcaa	600
tgtttcagag	taacactaga	ttgttttcag	attaaaccga	aaaatcggat	tcgttcagaa	660
gttttatgtg	gtatgactat	gttccggtat	gtgatcaata	agaaccactt	gagttcggtc	720
gagttgtttt	ttttttttga	acttttgtat	ctgatcagtt	cggatagact	cgaaaaagga	780
aaagtaaagt	ctaatagaca	tcaatatttt	gacaaaatat	caaaaaatca	atatacaata	840

PF77877_sequence_listing_formatiertSA.txt
ctaaaagggg atataagcca tggagagggt atccacgtaa gataggaaaa tcaaccaatc 900
agagaaccca aaattttcac atcatctcaa ttatttttcg taaaaaatac aatac 955

<210> 220
<211> 2199
<212> DNA
<213> Artificial

<220>
<223> flanking sequence

<400> 220
aaactgaaac tttcaaattc caaagttcga tcagtgtttc taataatcag caaacctggt 60
gaagaagaca aagtaattgg caaagtaa atccattat tccattat tccattat tctttgat 120
tagtgaagaa gacaaatcaa aatattaatc ttctgctaaa aaactgaaac tttcaagttc 180
caaattttcca aaaaacacat ttctccttaa tagacctttt aacatcaatt caaactacag 240
tccacaagct tttcacatga actggcacia taaactgcat tcatattctt tggttctagt 300
gaagaagacg catcaaaaac tgtagcagct aaaaaaaaaa ctgaaacttt caagttccaa 360
agttgtacca gtgttttctaa taatgagcaa acctgttgaa agcttttgac ggttttgcca 420
agactcttgc caatctcagg aagcttctta ggtccgaaca gcaacgcagc gactccagcg 480
atcacagcta gctcagggac accgagacca aacagagcat tacaagttag tgcatttctc 540
ctctgctccg gtcggaacgc cactagagaa cgggtgtatg gtcgagtcgt cacagtgaag 600
cagttgtagt agaaggaaga gcgagatgat gagagaggca aagaaactgc tgtgagagaa 660
gaaagagtcg caacatttgt cgccattact gctatcttct ggttctgatg ttatgtgtgt 720
tttctatgag tttttatcca attaaatatt cagaaatggt atagaaacta aattaatctt 780
cttattgtct caactctaca tgcagtacaa aactcatctc atacgtagaa aagtagaaat 840
taataggaaa actagatcat cactcgcccg ggcggacgga tttttattcc tttgcaaacg 900
cggattgtaa tttttttatt gtaatgcaaa aattgctata aaacttgat tttgattttt 960
tttgtgaatt atgaagttaa tttttttaaa acaattatta cataattgct cagtgaattt 1020
tattatattc taatgtctaa tatattttgt gtattaaaat atgagatcca ccgtaaaaat 1080
tcacttaaaa gaagctgtta tgttttctaat ttaataagat agatttttaa taccatgttt 1140
aaaatatata ttataaacc atgaactatg ttattttgta tgaatactta cttaaattta 1200
tgtttagaat ttataaaatt gtacataaaa ttatttaact cttgatgctt attattgggt 1260
gatgatatat tctctaataa attattta atttcaatat tgacatgtca agctgtttta 1320
attgatgagt ggggtcgggt gaaatttaaa atttccatac caatataaag atgaaattcg 1380
atgttattgg tttggtgttt cattatattt tggaaagaaa ccgataataa ataacagcac 1440
aataa caaaa tgaatatttt taatttagtc taatagtcga tgtatatatg taacgggtccc 1500
accacgatt ttcgtggtta cttgttagtc catatctcaa attaccattc taccgttaat 1560
gaggagtatt ttttttttga aaatacaatg gcattttaag taatatgcca tgtaaaagta 1620
agggtaaata ttagcagtga tcctgaatta ataatatgga tactagcaaa tgttttatta 1680

Page 239

PF77877_sequencelisting_formatiertSA.txt

ttatcaaatt tgcagataaa catgattaat tctactaagt tcactaacag gaattaaata	1740
gttttagaaa atttagggag tgtattcaaa gttaaagggtg atttgtatta aaatgacagt	1800
tattcaaaca tgatttttaa atattcaaaa atctagtgtt attaaaattg ttatttgata	1860
aactaccag tcagcatcat cacacaaaaa gttaggcccc aatagtttga aattagaaag	1920
ctcgcaattg aggtctacag gccaaattcg ctcttagccg tacaatatta ctaccgggtg	1980
cgatgcccc catcgtaggt gaagggtgaa attaattggcg cgcctgatca ctgattagta	2040
actattacgt aagcctacgt agcgtcacgt gacgttagct aacgctacgt agcctcagct	2100
gacgttacgt aagcctacgt agcgtcacgt gagcttagct aacgctacct aggctcagct	2160
gacgttacgt aacgctagct agcgtcactc ctgcagcaa	2199

<210> 221
 <211> 1748
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 221	
aaacattttt tcagattttg aacaagtaaa tccaaaaaaa aaaaaaaaaa tctcaactca	60
acactaaatt attttaattgt ataaaagatg cttaaaacat ttggcttaaa agaaagaagc	120
taaaaacata gagaactctt gtaaattgaa gtatgaaaat atactgaatt gggattata	180
tgaatttttc tgatttagga ttcacatgat ccaaaaagga aatccagaag cactaatcag	240
acattggaag taggattaat cagtgatcag taactattaa attcaattaa ccgcggacat	300
ctacattttt ttactgctat tctttcatat tagcaactgg ttgattactg aattagtaca	360
gatgtaacta acatatatat tggatattat tattatccaa aagagctatt caacctttta	420
agcatatgta tatacatgtt taattgattt tattagtatt tcttgctctt gttgttttgc	480
ttatattttt gtaatgattt atttattttt agttattttag ttttatcaaa gtggtgatta	540
agagaagcca catgactaat accttgttct ccaacttttt ggttaaaata aatttatcta	600
agatatattt tgatcgattg atatgaatgt tattataaca tttacaattt aaaaaataca	660
gttttttctt tctcatttac attgtttcct ttaggggtga acacttctgg ttattttatc	720
ggttcagttt agattcgggtt cgatttggtt aattcagttt tataaatttt tccaactgga	780
gtaaccataa ttaattatgg tttgaatcgg ttttaatttac cttaatcaga tccagtttaa	840
tttttttttt aaaaaataat attttataac acatggtgga tataaaaaat gaactatgta	900
aattaaatct aataaaaaac tgaaacacaa tcttaaaaaa ccacaaaagt ttataagaac	960
acaatcaaac caaaataaat agaaaactaa aaaccaaca ttgttaacac agttaatagt	1020
gacttttagtt ttagaattta gtatattgta tattgctatt atgtttaatg taaataataa	1080
caaaaataca ttgttttttt gggttcagttc gggttggttt gttcgagttg agaaaatctt	1140
aatcaacct atttgataat agacgttggt ttggttcgga tcgatttcgg ttcggttggt	1200

PF77877_sequencelisting_formatiertSA.txt

ttgatttgac	tcggtgttca	ctgaatacaa	tttattctat	aacttatttg	tcatacttta	1260
ttatcctgta	atagagttcc	ggtttaattt	ggggtttgg	ttgtgtttga	tccggttttg	1320
ttaactcggg	tttgataaaa	ctccgaatta	aatttggttt	ggttggtagc	ttttagttcg	1380
gtttaatttc	caaactctata	acacttgaca	aaactcacat	cctcgtctct	ccttccccca	1440
accctaacaa	aaaccttcac	gctggggaga	aaaaaagcaa	caaccttcac	cgtcgtctgc	1500
tgctcctcac	caccgcgcgg	tcgaaaattg	acctctaccc	attactaggt	aagcttccca	1560
gacccatcct	acatcctcaa	ttactaaac	aaacgctaaa	gtctctacct	ttatctcctc	1620
caatcgtaga	tctaaagcta	tggctatctc	ccaagatctc	tacccttccc	aagaagacct	1680
cgtctacgag	gaagagatcc	tccgaaaccc	cttcagcctc	aagctctggt	ggcgctacct	1740
catctcca						1748

<210> 222
 <211> 1500
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 222	
aaagagaaag	caaagtggct
tcgccgtgat	cgccgagaga
ggtcagaagt	aaattaaaaa
	60
aaaaaaaaa	tcaagagcta
aggctcgaga	gagatggcgt
catcatagac	taatcaccgt
	120
tagaagatta	gtaggaaaaa
aaaagatgac	acagagacga
aagatcttaa	cagttgaaca
	180
cgtggcggaa	aagcgaatc
cgatttaaca	gatcggaaaa
taaaaaccgg	cgagattaaa
	240
gaagaaagga	gatagagaga
agaggtacct	tagatccgga
tcctgtagat	gtggagcagc
	300
tcgcttgag	actggtgtcc
tcgaatccat	cagccgaggg
agacgcagat	ccgccgccgc
	360
tccacgagag	cggcgtcttc
ggactgcctc	tagcgggaatc
aacatccttc	ttcaacgaaa
	420
cgacacccaa	tcttgacgac
cgagaccgcc	gttgacggac
tccccaccgc	aacggaggaa
	480
ggttcgtcga	tggatcttcc
gaaaccaccg	tcccagcatg
cttcagccgg	ataagaagct
	540
ccacgaccat	ctcgtcgtcc
gtcatcgccg	ccgccaccca
ctcatcgttg	accaacatct
	600
tagccgctgc	cgatgtaact
ttcttcatcg	acgctaactg
atcaaatacta	cagctcccgg
	660
agaaaaaggg	aatcagatac
agtatagaag	gagcgagaga
gaatgaaaga	gaagttacag
	720
aagagagaga	gaaaatgacg
aagaaagaca	gagggaagtt
tgatgtatcg	atatagagga
	780
gagaaaaaaa	gatacatggg
tggtgtttata	tacgaggcta
tctaacatta	ttcttctttt
	840
tattttttatt	tttattttta
tttttccttg	tttcattttc
atttatattt	tgattttatt
	900
tccatttttg	aaatatttta
atcaaataca	atgtgggacc
ttcttggaaa	gtatatctaa
	960
aattatatgt	gaagattctc
ctaataaaat	tatatgtgaa
gattctccta	ataaacctcc
	1020
agtcagcatc	atcacaccaa
aagttaggcc	cgaatagttt
gaaattagaa	agctcgcaat
	1080
tgaggtctac	aggccaaatt
cgctcttagc	cgtacaatat
tactcaccgg	tgcatgccc
	1140
cccatcgtag	gtgaaggtgg
aaattaatgg	cgcgcctgat
cactgattag	taactattac
	1200

PF77877_sequencelisting_formatiertSA.txt

gtaagcctac gtagcggtcac gtgacgttag ctaacgctac gtagcctcag ctgacgttac	1260
gtaagcctac gtagcggtcac gtgagcttag ctaacgctac ctaggctcag ctgacgttac	1320
gtaacgctag ctagcggtcac tcctgcagca aatttacaca ttgccactaa acgtctaaac	1380
ccttgtaatt tggttttgtt ttactatgtg tggtatgtat ttgatttgcg ataaattttt	1440
atatttggtgta ctaaatttat aacacctttt atgctaacgt ttgccaacac ttagcaattt	1500

<210> 223
 <211> 1323
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<220>
 <221> misc_feature
 <222> (578)..(578)
 <223> n is a, c, g, or t

<400> 223 actcttgtaa attgaagtat gaaaatatac tgaattgggt attatatgaa tttttctgat	60
ttaggattca catgatccaa aaaggaaatc cagaagcact aatcagacat tggaagtagg	120
attaatcagt gatcagtaac tattaaattc aattaaccgc ggacatctac atttttgaat	180
tgaaaaaaaa ttggtaatta ctctttcttt ttctccatat tgaccatcat actcattgct	240
gatccatgta gatttcccgg ttctttttct cagactactc actgcccga gccactacta	300
ctacacacat tattatctct ctacatctc tactattttac tcttggttc cgcaaagtaa	360
gtaaaaaaaa aagaaagcaa actctgcttc tcaaatctct ctctacccat ttgctctctc	420
acattttcct ttgacaaaa ctgaatcttt acttcaagca gcgtaagggtg ctgctctctt	480
tttgttcttc tgactttggt ttgatatga agttttcatg aaactctttc attacacttg	540
ctttttgaaa aaaaatgatg tagctttcct ggaaaatnta gtttcttttc attatcttgg	600
gatcttggtg tagattaaat gttatgttta cagttcttca tacctggtgg tcaaactctc	660
tttttctttg tttttgtaag ttttaagggt taatgtttta agctatttct gtgatgcact	720
gtgattgttt gctaattgct tactttaatc aatctgatga ttgtttgctt cactcaagtg	780
gtttttataa attagattct cttttttcat ggaaaaaaaa tcatccagga atccaaatag	840
attttatatt tttgcttgct ttgtctttga gtggagtatt aaatctattt actttatatt	900
aaattttttt ttatgtaaaa agatatttaa actcaattat gtgattcatg atagtagttc	960
ttcaacgtct actagggtccc ctcttttcac gccataatg gaggagatga tgaaatttaa	1020
catacaaaat tacagtttaa ccctcttggt ttccatttag gattaagaat ctggtaggga	1080
cataaaacgt aaatctacca tattgtgtgc tgcttggtga gtttggttag gacccttggt	1140
taccaacctt catgatgata ggttggtgaac attacatagt caagaggagt tccctttttt	1200
tatgacttta ttatagtcaa acaacttgag tagttaacat caatgggttc aatgtcaaga	1260

PF77877_sequencelisting_formatiertSA.txt

tatgagttaa gtccttcttt attttgtttg gttttatttg ggtaaaactc cagaaatgaa	1320
agc	1323

<210> 224
 <211> 1100
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 224	
ttgagttttt gaaatttata acccttttga aatctaagtt ttaggaaaaa gtcgttgaat	60
tatgaatcgt ttgcttttac cacaagctgc tcgatcaatc ttttagagtt ttcaaactca	120
aatttaacac aaaaaaatca attttttagtt tttgaattat gtttccattg ctgcgacagc	180
ttaaaaaata atccattttt tatcgtcttc catcatttgt ctccagcttt cggagtgga	240
atgagttctc ttagactcaa gttggagatg atttcaaatt ggggcggttg aggaactttc	300
attctttaac agtttataaa gtttgtaaat catttacaaa gtttttaaat catttataaa	360
tgtttataaa ttatttgtaa gagcatataa accatttata aggtttataa aggtatgtaa	420
ataatttatg aggggtttata aaatgtttat taagttcata aaaagggttt ataaagttaa	480
gaaacaattt ataacgactt attaatcatt tataaagagt ctataaacgt tttataaagg	540
gtatgtaaat gttttataga cccttataaa gtttgtaaac cctaatagaa ccccgacatg	600
aagtttataa aagaacagtt taggcccga tagtttgaaa ttagaaagct cgcaattgag	660
gtctacaggc caaattcgct cttagccgta caatattact caccggtgcg atgccccca	720
tcgtaggtga aggtggaaat taatggcgcg cctgatcact gattagtaac tattacgtaa	780
gcctacgtag cgtcacgtga cgttagctaa cgctacgtag cctcagctga cgttacgtaa	840
gcctacgtag cgtcacgtga gcttagctaa cgctacctag gctcagctga cgttacgtaa	900
cgctagctag cgtcactcct gcagcaaatt tacacattgc cactaaacgt ctaaaccctt	960
gtaatttggt tttgttttac tatgtgtgtt atgtatttga ttgcgataa atttttatat	1020
ttggtactaa atttataaca ctttttatgc taacgtttgc caacacttag caatttgcaa	1080
gttgattaat tgattctaaa	1100

<210> 225
 <211> 1413
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 225	
atatactgaa ttgggtatta tatgaatttt tctgatttag gattcacatg atccaaaag	60
gaaatccaga agcactaatc agacattgga agtaggatta atcagtgatc agtaactatt	120
aaattcaatt aaccgcggac atctacattt ttgaattgaa aaaaaattgg taattactct	180
ttctttttct ccatattgac catcactc attgctgatc catgtagatt tcccggacat	240

PF77877_sequencelisting_formatiertSA.txt

gaagccat	ttt	acaatccatg	tccttataaa	tggtttatat	actcttataa	ataat	tttgct	300
tcttc	atgcc	tcaagaatat	tactactttc	aagaatagga	aaatctgtgt	actaaaa	act	360
tc	atctcggg	ttctatcata	ttgtggtact	atcagtaggt	gactctgtgt	ttctatctgc		420
aacataaaa	ag	catgaaacta	ataagattgt	acaattat	ttt	tataagtctt	tataaatgta	480
aacaatg	taa	taaaatctca	gacattaaat	gaataagttt	tgactattat	tttataagtc		540
cttgaaag	ta	ttaaattgta	ataaacacct	caaata	tttt	gatacttcca	gcaatgagga	600
agtc	ttgagt	actagaaacg	tcaattcgtg	tatgtatcat	gtttgacata	attaattgtg		660
atctatgc	cct	ttccatttgt	aacataaaaa	catgaactca	ataat	tttcta	tacaataatt	720
tttttaag	tt	cttatgaaaa	tgtaaaagga	gttctaaata	tctcaagggc	attaccatag		780
acaac	ttgt	ttcgcacaat	caaagagtgt	gtacatatat	gtttgcaata	taaaaacacg		840
aaact	ttgtg	attgtgtcaa	agtaaataac	aaagc	cttat	aaataaaa	ca	900
gttaac	ctca	gaaattgttg	cacaaaaacg	aagaaatc	tt	ccaatt	ttc	960
cataaaa	agag	gccacttgga	gatcatttct	aataaaaa	act	gaaagaac	ct	1020
aaagaac	ctc	ttttgtgtat	tatttataaa	ctcttataaa	attgtatcca	ttaataaaa	ag	1080
tttataa	tta	tttataagta	tttaciaa	att	gtacacaca	caagatagca	attgatgtag	1140
cttc	ctcggc	taaaacatga	tttctgttaa	caatacc	ctt	tctagctgat	ctcaaggcaa	1200
aagtga	acat	ttgtttcatc	gcgttacttc	ctcctggcat	atctagtga	agagccacgt		1260
ccttca	acaa	gggatata	tatt	gcctcacc	ct	ctgttagac	tgtacagaga	1320
gatcaga	atc	aaacaaac	ctc	atttcaag	gt	tttagttt	at	1380
actc	ttgtg	g	atttagaag	g	aatgagaga	agc		1413

<210> 226
 <211> 2200
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400>	226				
agctccccag	aacaaaataa	aaatcgaaac			
tttgacacta	cgaaacgac	aattacgagt	60		
gaaaagcgaa	aaagaatcga	actttaacaa			
caagagccgt	cacaaaggaa	gagtgtcaaa	120		
ggtaccacag	tattggacat	cggtggtggc			
tcgaacaatc	gttgagaaga	cgaggagaag	180		
aggaagaatc	gcgatttctg	acatcgttga			
tggaaatctcg	gaggggtgat	cgatgatcaa	240		
aagcccaaag	gagggttaac	caggagcgga			
gcagagtaac	tttacttctc	ttttatat	300		
tc	atggaatg	taggcgtcat			
cg	tgaccg	tt	360		
cg	tttagcta	gg	tcattc		
gc	tttacag				
taaaacggac	ggctagattt	cg	tttagaga		
ag	ttatctga	tat	gaatgat		
tg	cacctgat		420		
tatccgtcat	aacgaaccat	caggattaac	caactttgac		
tg	catac	ctt	ttttatg	480	
ac	ctt	ctt	tttt		
tt	aaagatat	ttatgtaagg	agaataaaa	ttgaatacaa	540

PF77877_sequence_listing_formatiertSA.txt

ttcttttttt catgttggca agatctaaca tggattgtgg tatacagatt cactaaaacc	600
tcgtcacttt gtagatagca agaataatgt atagtctaga taacaagaat aatgtacatt	660
tgttcatgaa attatactga tgaattaaga accatgaaag cacatacggt aagtttcaat	720
ataaataaaa ctatttggtt aaaatagaca tctatttgta ataattagag actaattcat	780
ttacaaactg tataagtgc tttattgtatt attttatttg ttgcgtcatg tatcaatata	840
attaattttc ttccttcggt tgaaaaaata taatctttta ttttagcaaa gggtttaact	900
aaagaaatat aattgctatc aaatataaat aaattataat ctcattaaac tgttcatggt	960
gtctcaagaa tataaccatta aattttattt gtataaggaa ccaaataaca cccgtgaaac	1020
tttacaactt gaaagtaata gtgtactcta agaattgtcaa caaaagttga aatgtaatat	1080
aaataaagaa aagacacgaa gtcaaacatc tatcgaccgg taacagcgtc ggcgacaggt	1140
gtcatcgccg gagacggcaa tggagacgaa cggcatacgg gacacgtagg atgaatcatg	1200
agccaagggt caacgcactt gtcgtggaac aaatggttac aatccggcaa aaccctaatac	1260
atatctgtct tcttgtaatc cgcgagacat atagaacaac acgacgtcgc agtggcatcc	1320
ttttgcaagc tataaccac acgagcctct tcgcacggaa ccttagagca tgcgcaacgg	1380
aggatgacct cgaatcctta gcgcttaatg gttccattag ttttaatatata ataataatat	1440
taagcttaat aaacgagcct ctgccagtca gcatcatcac accaaaagtt aggcccgaat	1500
agtttgaaat tagaaagctc gcaattgagg tctacaggcc aaattcgctc ttagccgtac	1560
aatattactc accggtgcga tgccccccat cgtaggtgaa ggtggaaatt aatggcgcg	1620
ctgatcactg attagtaact attacgtaag cctacgtagc gtcacgtgac gttagctaac	1680
gctacgtagc ctcagctgac gttacgtaag cctacgtagc gtcacgtgag cttagctaac	1740
gctacctagg ctcagctgac gttacgtaac gctagctagc gtcactcctg cagcaaat	1800
acacattgcc actaaacgctc taaacccttg taatttgttt ttgttttact atgtgtgtta	1860
tgtatttgat ttgcgataaa tttttatatt tggactataa tttataacac cttttatgct	1920
aacgtttgcc aacacttagc aatttgcaag ttgattaatt gattctaat tatttttgtc	1980
ttctaaatac atatactaata caactggaaa tgtaaatatt tgctaataatt tctactatag	2040
gagaattaaa gtgagtgaat atgggtaccac aagggttggg gatttaattg ttgcaatgct	2100
gcatggatgg catatacacc aaacattcaa taattcttga ggataataat ggtaccacac	2160
aagatttgag gtgcatgaac gtcacgtgga caaaagggtt	2200

<210> 227
 <211> 3137
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 227	
ctgatttagg attcacatga tccaaaaagg aaatccagaa gcactaatca gacattggaa	60
gtaggattaa tcagtgatca gtaactatta aattcaatta accgcggaac tctacatttt	120

PF77877_sequencelisting_formatiertSA.txt

tgaattgaaa	aaaaattggg	aattactctt	tctttttctc	catattgacc	atcatactca	180
ttgctgatcc	atgtagattt	cccggacatg	aagccattta	caatgagtca	aaaaaaagtt	240
gttttgatga	gtcactgcta	caataatgta	agatgataaa	actcagacct	caatcacaga	300
ggcaaacaac	aacactcatt	agtcattgatt	ttttacccaa	acaaaaagat	gttatagagc	360
tttaagaaaa	aaaaaaatta	aaattacaaa	tcgggtctgg	aagagtggta	gattgatttt	420
tagaagttaa	tattccttct	ttttgggttc	ggtaagaatg	atcatcatgc	ctgtcttgtc	480
ttttacaatt	tccgtaaacg	tgcaatgatg	tcagattggg	aaaagtagct	cagcttttagc	540
taagcaaatt	cgaattagtc	aaaattaact	aatttaatac	tcataatgct	ttccactgat	600
atgttttcac	attgcaatat	ggctcagctt	acttaatatg	atgatgggta	agaagaaatc	660
gtcaatcata	acgagcattt	gactagtggc	catgagacct	ggatgatatt	tggttgattg	720
aagcagcaaa	aaaaaaaaaa	acacctaagc	atgtatttta	tatatctatg	atggaaatta	780
tgcaatccag	gggtctagta	cataactgat	gaagctataa	aaaaaaaaac	atatctaaaa	840
aactatttat	acaaaggcaa	ataaagttaa	ttgctgctct	acatgtcggc	cacagatggg	900
acggatccaa	tgtctatgga	aaatttgatg	cacgttagct	ccttcttttg	cgcgtccagc	960
atcttcattt	gcagcgagta	tgaaccctat	aaagataaaa	taaaaagagt	agagaatctg	1020
tcaatctttt	cctgatttaa	tatgcacatt	caaactagtc	attcaatgtc	tctatgcatt	1080
gggtcaaatac	cactaaacta	agcctaagac	atccaatatg	atacaagaga	tgcttcaaga	1140
ttaggtagca	agaaccaata	aagaaaaagc	gaatggaact	tacaggagga	gtgtaaccag	1200
gaagaacttg	agaatgtgca	accaagaagt	ctccgggttc	aacaggacaa	gttggtctcag	1260
agcaaagtgc	atgagtctcg	gagtgaatgt	gccatccaaa	gtatgtaact	tcaatcacca	1320
gcttcccacc	cgtaatccca	cgccctttat	taaaagaaaa	acacatatca	taaacaacac	1380
attcattatc	atcacaaagg	aaacatcttt	ctatcattgg	catcaaataa	aaaaaagtaa	1440
aaaagaagta	acctgtgggtg	gcagagatgg	taaaggtagc	tccgtagctg	gctcgccttg	1500
agctataggg	ttaggagata	tattaacctc	tttcactttc	acttcatact	ctgcgttctc	1560
ctctgcaatt	aacaaaatac	attacactat	caaggcagag	agctccccag	aacaaaataa	1620
aaatcgaaac	tttgacacta	cgaaacgatc	aattacgagt	gaaaagcgaa	aaagaatcga	1680
actttaacaa	caagagccgt	cacaaaggaa	gagtgtcaaa	ggtaccacag	tattggacat	1740
cgggtggtgg	tcgaacaatc	gttgagaaga	cgaggagaag	aggaagaatc	gcgattctcg	1800
acatcgttga	tggaatctcg	gaggggtgat	cgatgatcaa	aagcccaaag	gaggttaaac	1860
caggagcgga	gcagagtaac	tttacttctc	ttttatatcc	tcatggaatg	taggcgtcat	1920
cgtgaccgtt	cgtttagcta	ggtcattctt	gcctttacag	taaaacggac	ggctagattt	1980
cgtttagaga	agttatctga	tatgaatgat	tgcacctgat	tatccgtcat	aacgaaccat	2040
caggattaac	caactttgac	tgcatacctt	cttatttatg	acctcttctt	ccttattttc	2100
ttaaagatat	ttatgtaagg	agaataaaat	ttgaatacaa	ttcttttttt	catgttgcca	2160

PF77877_sequencelisting_formatiertSA.txt

agatctaaca tggattgtgg tatacagatt cactaaaacc tcgtcacttt gtagatagca	2220
agaataatgt atagtctaga taacaagaat aatgtacatt tgttcatgaa attatactga	2280
tgaattaaga accatgaaag cacatacggt aagtttcaat ataaataaaa ctatttggtta	2340
aaaatagaca tctattttgta ataattagag actaattcat ttacaaactg tataagtgca	2400
ttattgtatt attttatttg ttgcgtcatg tatcaatata attaatTTTC ttccttcggt	2460
tgaaaaaata taatctttta ttttagcaaa gggtttaact aaagaaatat aattgctatc	2520
aaatataaat aaattataat ctcatataac tgttcatggt gtctcaagaa tataaccatta	2580
aattttatTT gtataaggaa ccaaataaca cccgtgaaac ttacaaactt gaaagtaata	2640
gtgtactcta agaatgtcaa caaaagtTga aatgtaatat aaataaagaa aagacacgaa	2700
gtcaaacatc tatcgaccgg taacagcgTc ggcgacaggt gtcacTgccg gagacggcaa	2760
tggagacgaa cggcatacgg gacacgtagg atgaatcatg agccaagggt caacgcactt	2820
gtcgtggaac aaatggttac aatccggcaa aaccctaatc atatctgtct tcttgtaatc	2880
cgcgagacat atagaacaac acgacgtcgc agtggcatcc ttttgcaagc tataaccac	2940
acgagcctct tcgcacggaa ccttagagca tgcgcaacgg aggatgaccc cgaatcctta	3000
gcgcttaatg gttccattag ttttaatata ataataatat taagcttaat aaacgtaagg	3060
attggtccat aattaggtgc tggacggact cgtcattgtg ttacgtgtcc gaatttgagt	3120
ggattcgggc cggcttt	3137

<210> 228
 <211> 1100
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 228	
tatttttgtt catgtcttat tttctttttt cctaattgtaa ctatgagagg cttaaaaact	60
gtaaaatcag caaaacaata tacaattaca gtaaaaaatg tcacatacta agttctatat	120
atgactacaa gtctacaact caactaatca tccacataaa taattagttt tgtcataatt	180
atattatagt aagtacctga agaaaagata aagccatttc tggacaacat catctcgtat	240
tggcatcttt atacgtggac gacaaaatct atcacaataa tagttgctag atatagatac	300
atgaattttg taatatgatt aattaattgg cgcttcataa ctaaaataac taataaaggg	360
taaatgttct taaagtttca taattaatta tgtttcagag tggttgcatt atagtagttt	420
aaaattcaga agtgtacgcg acgagaaaag agatttgctg gtgactattg catcatcttt	480
gacatggaaa aaatcttaga taagaatagt ttgaaattag aaagctcgca attgaggtct	540
accaaaatta gaaattagaa agctcgcaat ccagtcagca tcatcacacc aaaagttagg	600
cccgaatagt ttgaaattag aaagctcgca attgaggtct acaggccaaa ttcgctctta	660
gccgtacaat attactcacc ggtgcgatgc ccccatcgt aggtgaagggt ggaaattaat	720
ggcgcgcctg atcactgatt agtaactatt acgtaagcct acgtagcgTc acgtgacgtt	780

Page 247

PF77877_sequencelisting_formatiertSA.txt

agctaacgct acgtagcctc agctgacgtt acgtaagcct acgtagcgtc acgtgagctt	840
agctaacgct acctaggctc agctgacgtt acgtaacgct acgtagcgtc actcctgcag	900
caaatttaca cattgccact aaacgtctaa acccttgtaa tttgtttttg ttttactatg	960
tgtgttatgt atttgatttg cgataaattt ttatatattg tactaaattt ataacacctt	1020
ttatgctaac gtttgccaac acttagcaat ttgcaagttg attaattgat tctaaattat	1080
ttttgtcttc taaatacata	1100

<210> 229
 <211> 811
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 229	
aatttttctg atttaggatt cacatgatcc aaaaaggaaa tccagaagca ctaatcagac	60
attggaagta ggattaatca gtgatcagta actattaaat tcaattaacc gcggacatct	120
acatttttga attgaaaaaa aattggtaat tactctttct ttttctccat attgaccatc	180
atactcattg ctgatccatg tagattttcc ggacatgaag ccattttactc tgaccctact	240
ccacaaatat atttttatatt ataaaaaggt ggccattgta tactatgtgt gcgtatacag	300
gaataaaaaat gtgtcaatgt atatgtaaac tgattccatc ttatatgtaa tgtgcgtgtg	360
taaatgaaga tactagtatc catgtgtcgc ctacttgatt tgttcaactg taactcataa	420
tatctcaaga ttctttcttt tttttctacg aatatcgcaa tctataatac cattaaatta	480
ttgtaacaaa attggttgac atttataaaa tgaaaaagaa gagaagagca tttaaacacg	540
actgatgaaa gtccaatgta gctagataaa ccacgcgtgg tggatcaatgc gttccattcc	600
aaaaggatcc gagttcgaat ccgcaccaca ccagattttc actgcgcgtg gccatgaagc	660
tttcgcattc tcgctcctga gaatggttct ccatTTTTTT tttccagtgt agctagatac	720
cggctcgaat ctaggtttat aatatgctga caatgtaatg ataattaata catcaaaaca	780
tgtgtttctg aacaaaaata aaaacttttt t	811

<210> 230
 <211> 2900
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 230	
gaaaaacctg catctccaaa aatgtttcaa tggcttaaaa acagagaaaa tgagtggaaat	60
attagataga tctaccttta tagaacacac aaaaatacat atctaaaatt attaaatctt	120
cctttaaatg agtggaagat gagaaccatg tgatgaaaaa cctgcaaaac aagataaatt	180
agtaagaaaa acatgagaca gaaacaataa attgatataa agtttgatgt ttataagttc	240

PF77877_sequencelisting_formatiertSA.txt

aaagggatta aagagaggtt tgagagtttt agaacgagga acataccatt tttgttgcag	300
ccatttgaga ggagaagaga gaatgtgtaa atgttttttt atataaggag acaaaaattc	360
caataaggtt aaatattttt gatcagaaga cttactagac gacttacttg taagtcgccc	420
agaagacttc aatattttta gcgggaaact aaaatatttt tagcgggagt tagaagaccc	480
taaacataac ccttaacta aattaactaa ctaaatactt cataaaatca aattaaactt	540
aaaaagtgtt tactatacac agaaataatc acatgtagat ataaatttaa tttttcaaaa	600
aaacatttaa gctttccaaa atctaaccct aagaatacat acaatactac aacatatgtt	660
gccaaaccct agaccaaaga atatcatgat tcactacttt cactcatcta tgttgaaaac	720
aattcaattt tattatatct taatttatat cacttaaaac tgtttataat tacatgattt	780
taattttccg tttatcaaaa tattttttac aaaatttata aattattttt aggatcaact	840
ataccagacg acttccatgg acgccgtaca gaagactaaa cagaatctca caagactcag	900
aagacgtagc ggggatatat tcataaaaaat gagttctgtt tttttgtttg gtcacaaggg	960
gctggttgta atttcacaag gcttttggtt tacttttgca tttgattcaa gtttgggtat	1020
acttttgcaa tcaaaatcaa gttttgagtc atatttggtt aatcgcccta tataaaataa	1080
aattttaaaa agtaatgaat ctacatattt tgtaattttt aaaaaattta gttaacaatt	1140
ataataacac aaaacttaag aaaaagttat aattgtcgta tttttttctc ttttcttttc	1200
tatgtaatat ttttatataa gtaataatgt gaatagaatt tatcaaatca tatgttagaa	1260
taattattat ataattttat acatttaaaa atttaaatat aatcaagata tatacatgta	1320
tttatatatt accagatcag agcagatatc cgtttcccaa aattttaata tttgtgattt	1380
gcttcgattt taatggatat tgatttttag tatttttttg cttcaaaagt ttatggatat	1440
tcggaatttt cggatcgaat cgaaacgaat aacgcatcaa atcaaattta acggataaaa	1500
ccttagtaac acatgcataa accttagtga acttctcaag ctttcgattc tctatcttat	1560
ttatctatga aattaattaa cataattttc cttgaattaa cataattgga ctaacgcata	1620
ttcgagctga agtcaaaatt cccaaaactt gttcttgata tgagtaaaac tgttcgtctg	1680
atgtaaactc ttactgtagt tgtattacaa actaatgata aagtatgcat tttctatttt	1740
attataaatt tacattacta gttgataaca tattgacaac tagaaagcgt gagagagaga	1800
tactcggtta gccgagatgt atatccacag ttggagtcctt tggatttcat atccagaatt	1860
gggtcgcaaa ctttcagtac aaagttatga catctccatg gtatatatcg acgtgtctat	1920
atatcatatt aaagaaaggt ttgtagtatt tgggttaggta caaatgcat caacttttga	1980
atztatatcc atgtacatat atacccttgg ttacaaggac acctacccat acatacgcat	2040
aagtgacaaa tagcaaaata tctacacatc gcatgacccc gttctttttt atgataaggt	2100
tgtgattttt gtggttcttt tttttcatct cttacattga ttcagtatgt tgtccaaaaa	2160
aaaaacagtg attcagtatt atatcgagta aattcacaag aacgtagcta caatgtagat	2220
gatttattaa caattttaca agagacaagc aaatgtcgag caatcatatt ctataatatc	2280
aacctaaaag agttaaatcc ataaaattag ttggcaacga gcgatagtat gaaagttagg	2340

Page 249

PF77877_sequencelisting_formatiertSA.txt

tgatgacaaa agttgctata ttgcttcaac tatattttca taaattttatt tgtctggatg	2400
aaaaccacaa aatttttaaaa atataatttt gattggtaat atgtaaataa cgggatccta	2460
tattttaacc agtcagcatc atcacaccaa aagttaggcc cgaatagttt gaaattagaa	2520
agctcgcaat tgaggcttac aggccaaatt cgctcttagc cgtacaatat tactcaccgg	2580
tgcgatgccc cccatcgtag gtgaagggtg aaattaatgg cgcgcctgat cactgattag	2640
taactattac gtaagcctac gtagcgtcac gtgacgttag ctaacgctac gtagcctcag	2700
ctgacgttac gtaagcctac gtagcgtcac gtgagcttag ctaacgctac ctaggctcag	2760
ctgacgttac gtaacgctag ctagcgtcac tcctgcagca aatttacaca ttgccactaa	2820
acgtctaaac ctttgaattt tgtttttgtt ttactatgtg tgttatgtat ttgatttgcg	2880
ataaattttt atatttggtg	2900

<210> 231
 <211> 1800
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 231	
tttttctgat ttaggattca catgatccaa aaaggaaatc cagaagcact aatcagacat	60
tggaagtagg attaatcagt gatcagtaac tattaatctc aattaaccgc ggacatctac	120
atTTTTgaat tgaaaaaaa ttggttaatta ctctttcttt ttctccatat tgaccatcat	180
actcattgct gatccatgta gatttcccg acatgaagcc atttacaatt gaatatatcc	240
tcacatatga aatatatttt ttttttacia attacaccta ttaaattata cttgatcggg	300
catctgatat atttgaaaga accctatcag ccagctattc ataatttaca taaaagaaaa	360
ttacgtgctt aaaatctctc taaaaaaa aaaagacaaa gacatcaaac tgatccatga	420
aagtaaaatg gagtgatttt taattttatc ttcagaccaa tgttatcaat gtagcccata	480
tattaatact aaaacaactt ctgcacaaac acacgaatca aagcctcgtg tttcatcgta	540
gcttttagcta aaatttccca aaagcaaatt caatagtatt ttactagggtc aaaccacaa	600
gagaaaaaga aagtcaatcc caaggatcaa gaaatgagaa gtgagaggag aatgctttat	660
tgggtttgct aataactaat aagacatgaa gcagactgaa aacatctggt tttgtccaaa	720
aaagaaggaa gtcagattcc aaaactgcgc acctacattg tttaatactc actcacacat	780
acattcatgt ttttactggt tatacacagt caataattta tacacagctc catgttttaa	840
tatttaccca tctctctttt gtagtctatc gtagactttc acttggtgtcc ccctcatgcg	900
gcaacatcct cagcaacttg atttactata tacaataata caaatcataa gatatttggt	960
aggagctggg ttgtaaatta tttcgatata atactgaagc gaagggaacca gcaatctttt	1020
tagctgatca gaacaatctt actaacgtgt gtctttgtaa gaaaatccaa cttttacttt	1080
ttcaggaggg agtgtagcgg attatgtata aataactcga agagtgggtgc acaaagttca	1140

PF77877_sequence_listing_formatiertSA.txt

agtgtttgtg	taaaatgttc	gacaagacat	tgactaaagc	attccgaaca	tgtcaacaaa	1200
actacaattc	taaaattgca	aaaagctgct	aaacggtgga	atagcattta	acacgcattc	1260
tataccaaac	atTTTTTTTt	ttgaacacca	aagaaaccaa	acctaattgc	aaccatcgta	1320
tggaactat	agaactaaat	caaactaaca	aattcttatt	gtatattctt	aaaaacatcc	1380
ttataagaca	gtttttccaa	atgaatcttt	agacttcatt	gtactaatat	gtttaaaata	1440
atataattat	gtatttaatt	tcttgaaagt	ttcgctgcta	agaggcaatt	atctttttat	1500
atTTTTTTt	ctcttatttt	caaattctaa	ttaattttct	tgagaggttt	atccgatgat	1560
gatattctta	tttcaactca	atccacgagt	aatgtgttta	gcaccacatc	taaccatttg	1620
gagctgtac	tagctctatc	tttccaaact	taactttctt	gagtgccttat	ttatataaag	1680
catcagtata	tgGCCCAacc	caagaaaagc	tgaacaaaat	tagcaacaat	agcaagggac	1740
gaactgcagc	tcttcttggt	tgctcgtgcct	tccaattctc	gactttccgt	ggaagaacat	1800

<210> 232
 <211> 1600
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 232	
gatgaggaag	aagtaataag gaaaagaagt ttgaagatca gatggtgatg gggaaagagg 60
atgatatggc	agaagaactt gaagaggggtg agatacggag tgtagatgag gagcatgagg 120
ctgaagaaga	tgatgtgaat gagatggttg cttggagcaa tgatgaggat gaggaccttg 180
gttggcaaac	aatgaacct ataaggataa ataatgagct caaggtagct atccttcagc 240
atttcacatt	tcataatcat agctgttagt ggttgagttc tttttattgt ctctaagcct 300
ttgttaactg	tttgctaact ccaaaccctt tttaactttt gcaggagctt cctccagttc 360
cacctgtgga	tgtcactttg gaaccacatc atgtcatgct tcctgttgga gttgttcttt 420
cggtatcata	aaataaactc tacctgtgcy ctattgcttg ctaaacctaa aaccattgtg 480
atttctgatg	ttccaggtagc tgagcacacc actgacacaa gtaatagtgg agggaatgga 540
aaagcatagt	cctttggccg aagggttctat cctatggata agtgaaagaa gaacgccatt 600
gggactgggtg	gatgagatct ttgcacaagt tgagtgcctt tactatagtg tgaggttcaa 660
ttcagaaaac	gaagtgcgcy agggggttag tgaaggatca cctgtctcat tcgttgctga 720
gtacgctcag	catatttctc atatcaagga actgcagaag aaaggttacg atgcatcagg 780
agataacgac	gaggaggttag cagaggagct tgagttctca gatgatgaga aagaagcccc 840
aatacataaa	aatgcagaag atggaaaaga gagggatgat ggatgaccaa aaagatggta 900
acgcaagaaa	caagaagaag aaaaacaatg atctcggaac gtctacaagc aatgactcag 960
gggaatggac	agagaaccgt ggggttagtt ctttatcctc caaccgttct gatcctcaaa 1020
tggtgatcc	ggtttcgaac catcagccac gacctcagat ggtgggtttt cctccaccgt 1080
ttggaggaaa	atgatcaccg aaccgcgccg tgcgcgggtc gtcggtgagc cagagtttca 1140

PF77877_sequencelisting_formatiertSA.txt

gcaggccgcc caggcggccc aggtcgccat tgatgcgggc cagctcgcg acgtgctcat	1200
agtcacacgac gcccgtagatt ttgtagccct ggccgacggc cagcaggtag gccgacaggc	1260
tcattgccggc cgccgccgcc ttttcctcaa tcgctcttcg ttcgtctgga aggcagtaca	1320
ccttgatagg tgggctgccc ttcctgggtg gcttggtttc atcagccatc cgcttgccct	1380
catctgttac gccggcggta gccggccagc ctcgcagagc aggattcccg ttgagcaccg	1440
ccagggtcga ataagggaca gtgaagaagg aacaccgcgt cgcgggtggg cctacttcac	1500
ctatctgcc cggctgacgc cggttgatac accaaggaag gtctacacga accctttggc	1560
aaaatcctgt atatcgtgcg aaaaaggatg gatataccga	1600

<210> 233
 <211> 3284
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 233	
ccattaattt ccaccttcac ctacgatggg gggcatcgca ccggtgagta atattgtacg	60
gctaagagcg aatttggcct gtagacctca attgcgagct ttctaatttc aaactattcg	120
ggcctaactt ttggtgtgat gaaagtgtga gaatatcttc atattagaca attctgtaga	180
ttttatttaa tgaaagtgtg agaatatctt tttgtacact atttatcaat ttaataaaaa	240
aatataatat aatttaagat gaaccaacat atttctctaa attctgaatt ttattttcat	300
gggtgacacgt ggatacgaag caatgttgta atgtttatcg attaatatat aatgtatggt	360
atatgtttgt tgtactaaca acaagatttc atacatttca aacgaaaaag agagattgat	420
gtgatcagta ttattgcttt taaaaacta ttgaagggtc agcgagttct tagtaagtc	480
gaatccttgt aataatctct gttccaacgg gcaaacatgc agctgtttaa ctatcgacgc	540
cgtttgacct attttttctt cttctttgtt ttcttctca tttgtacatg cgtgcaagcc	600
tactgacggt tggatgcctt ggcacgcact tcaacaactc tatatccttc ctggtgaggg	660
tatgtacgct ttttaagctt ttttcttgga cgcccttgag cttcttgctt ggaggtggga	720
gggtgagaag attagccctc ttgctagagc tttgttcgct cctgctgttg cttgtaagct	780
tggattctgg gctagattcg ttgctctccc tctctggctt caacctactg ttcacactgc	840
tttgtgtatc tgtgtactg tgtgtactgg tagcttctac ctcgccttct tcttctttat	900
ctctcacaac ttcgacggtg ttggtagcgt tggacctaa ggatcacttc ctagatcagc	960
tactttcggt caacgtcagg ttgagactag ctctaacggt ggtggttact ggcttgaggt	1020
tcttaacggt ggacttaact ttcagataga gcaccacttg ttccctaggc ttcaccactc	1080
ttactacgct caaatagctc agtaaaatca actgtgtcca cattatcagt tttgtgtata	1140
cgatgaaata gggtaattca aaatctagct tgatatgcct tttggttcat tttaaccttc	1200
tgtaaacatt ttttcagatt ttgaacaagt aaatccaaaa aaaaaaaaaa aaatctcaac	1260

PF77877_sequencelisting_formatiertSA.txt

tcaacactaa attatttttaa tgtataaaaag atgcttaaaa catttggctt aaaagaaaga	1320
agctaaaaac atagagaact cttgtaaatt gaagtatgaa aatatactga attgggtatt	1380
atatgaattht ttctgattta ggattcacat gatccaaaaa ggaaatccag aagcactaat	1440
cagacattgg aagtaggatt aatcagtgat cagtaactat taaattcaat taaccgcgga	1500
catctacatt tttgaattga aaaaaaattg gtaattactc tttctttttc tccatattga	1560
ccatcatact cattgctgat ccatgtagat ttcccggaca tgaagccatc agtttccaat	1620
gaaccctcag ttccagatgc tgaacaacaa caggccacag tctccaatga acccacattht	1680
ccaaatgcaa ccgcagtttc ctatgaaccc tcagttccaa atgctgaaca ataacaggcc	1740
acagtctcaa ggggtttaacg ctgggaagtc ttctgagcgg ggaaaggggc caccatggtc	1800
gtggcagaga tagttgtagg ggtcggtttg gacgtgggcg agggcaacag tgtggatgaa	1860
actgtatctg tgaagcattt tgatgtgtgt gaaaagcatg ttttatttg tttgtatgc	1920
caaatttttg tggtaaatta aattaactca gttatgatta ataatgaacg ccgttgccga	1980
gatcgaaccc gggtcacccg cgtgacaggc gggaaactt gccactatac tacaacgact	2040
ttgttgthaa cacaatttac aagtctaaac aaacctthaa gtagctgtta tatttggttt	2100
aaaaggcggg aacttacgta attagtggct ttcttttgaa gcaaacaccc aaaaaggthc	2160
atcatctcca tgtcatctc gtacgcttcg aactacacta aactgatcac tctactaaa	2220
cagthaagct cttacgcgaa ccaaggaaac catgagcaag ctctcaacct ctttcgcaa	2280
atgcaatctt ctttcgcctt acctctcgac gcacacgtct tctcactcgc cctcaaatcc	2340
tgcgctgcag ctttccgtcc tgccctcggc gaatccatcc atgcccacac cctcaaatct	2400
aactttctct caaacccatt cgtgggatcc gctctactcg atatgtatgg taaatgcgtc	2460
tctgtttctc acgctcgcaa actgttcgac gaaattcccc agaggaaacgc tgtgtctgg	2520
aacgcgatga tttcgatta cacgcatcgt ggaaacatca gggaagctgt cgagtgtat	2580
gaggcgatgg atgttatgcc aaatgagctt tctttcaatg ctatcataaa gggtttagtg	2640
agtacagagg atgggtctta taaagcaatt ggattctata ggaagatggg tgagtttaga	2700
ttcaagccta ctttgattac tcttcttgcg ctagtatcag cttgttctgt catcggggcg	2760
tttcggttg taaaagagat tcattcatat gcttttagga atctgattga gccgcacccg	2820
cagttgaaaa gcgggttggt agaggcgtat gggagggtgcg gaagcattga ttacgtgcaa	2880
ttgggtgttg agagcatggg tgatagggat gtgggtgctt ggagtagctt ggtgtctgct	2940
tatgcgcttc acggtgacgc tgaatccgcc ctacagagcat ttcaagaaat ggaatctgct	3000
aaagtacgac ctgatgacat agcgtttctg aacgtgctga aggcctgtag tcacgctggg	3060
ttagctgatg aggctatttg ttactttaag aggatgcagg atggttacgg tttgagtga	3120
agcaaggacc attactcgtg tttggtggat gttttaagca gagtggggag gtttgaagaa	3180
gcttacaaag tgattcaagc tatgcctgag aagccaacgg ctaagacatg gggggctctg	3240
cttggagcgt gtaggaacta cggggagggt gagcttgcg agat	3284

PF77877_sequencelisting_formatiertSA.txt

<210> 234
<211> 1700
<212> DNA
<213> Artificial

<220>
<223> flanking sequence

```

<400> 234
attgatgtga tcagtattat tgctttttaca aaactattga aggttcagcg agttcttagt      60
aaagtcgaat ccttgtaata atctctgttc caacgggcaa acatgcagct gttaaactat      120
cgacgcggtt tgacctatTTT tttcttcttc tttgttttct tcctcatttg tattactatt      180
ttataagttt tgtgtagcgt tgtaaagcctt tgacgctacg tagcgttacc taaggtcacg      240
tgagtctagg taggccttagc taatctcagg tgacgctacg tagccttacc taacgtcagg      300
tgaggctagc tagcgttagc taacctcacc tgacgctacg tagcgttacg taacgtcacg      360
tgagcctagg tagccttacg taacgtcagg tgacgctacg tagacaatca gtaaattgaa      420
cggagaatat tattcataaa aatacgatag taacgggtga tatattcatt agaatgaacc      480
gaaaccggcg gtaaggatct gagctacaca tgctcagggtt ttttacaacg tgcacaacag      540
aattgaaagc aaatatcatg cgatcatagg cgtctcgcat atctcattaa agcagcaatc      600
aattattcat taatcactac tcagccttac cacccttctc agcaccaggT ctagtTccca      660
tcttaccat atgctgaagc attgagctaa ggtagatcc aacggtaggg aagtgcgggt      720
acttaaaacc gagcttctct atgtgagtcc taaccacagg agctatttga gcgtagtaag      780
agtggTgaag ctaggggaac aagtggTgct ctatctgaaa gttaagtcca ccgttaagaa      840
ctccaagcca gtaaccacca acgtagagc tagtctcaac ctgacgttga acgaaagtag      900
ctgatctagg aagtgatccc ttaggtccaa cgctaccaac accgtcgaag ttgtgagaga      960
taaagaagaa gaaggcgagg tagaagctac cagtacacac agtagcacag atacacaaag     1020
cagtgtgaac agtaggttga agccagagag ggagagcaac gaatctagcc cagaatccaa     1080
gcttacaagc aacagcagga gcgaacaaag ctctagcaag agggctaata ttctcaccct     1140
cccacctcca agcaagaagc tcaagggcgt ccaagaaaag aagcttaaaa gcgtacatag     1200
cctcaccagg aaggatatag agttgttgaa gtgcgtgcc aaggcatccaa ccgtcagtag     1260
gctattctgt agattttatt taatgaaagt gtgagaatat ttagacaatt ctgtagattt     1320
tatttaatga aagtgtgaga atattttttt aaggcccga tagtttgaaa ttagaaagct     1380
cgcaattgag gtctacaggc caaattcgct cttagccgta caatattact caccggtgcg     1440
atgcccccca tcgtaggtga aggtggaaat taatggcgcg cctgatcact gattagtaac     1500
tattacgtaa gcctacgtag cgtcacgtga cgttagctaa cgctacgtag cctcagctga     1560
cgttacgtaa gcctacgtag cgtcacgtga gcttagctaa cgctacctag gctcagctga     1620
cgttacgtaa cgctagctag cgtcactcct gcagcaaatt tacacattgc cactaaacgt     1680
ctaaaccctt gtaatttgtt

```

<210> 235

PF77877_sequence1isting_formatiertSA.txt

<211> 1532
<212> DNA
<213> Artificial

<220>
<223> flanking sequence

<400> 235
gtggttaaggc tgagtagtga ttaatgaata attgattgct gctttaatga gatatgcgag 60
acgcctatga tcgcatgata tttgctttca attctgttgt gcacgttgta aaaaacctga 120
gcatgtgtag ctacagatcct taccgccggt ttccggttcatt tctaataaat atatcacccg 180
ttactatcgt atttttatga ataataattct ccgttcaatt tactgattgt ctacgtagcg 240
tcacctgacg ttacgtaagg ctacctaggc tcacgtgacg ttacgtaacg ctacgtagcg 300
tcagggtgagg ttagctaacg ctagctagcc tcacctgacg ttaggtaagg ctacgtagcg 360
tcacctgaga ttagctaagc ctacctagac tcacgtgacc ttaggtaacg ctacgtagcg 420
tcaaagcttt acaacgctac acaaaaactgc ttgcgtttct tctctcatta cgagaatata 480
cttttttcaa tattgcttca aaaactttct gtcattgtgaa ttgattttta gatatatgtt 540
taaaaaatac ttcctccccg aaaataagat tttctaaagt gtccgattat taagaattca 600
ttaaatattt ataatttaaat ttttctttta ctttattata catcttctaa taacttttta 660
ccaataaaat ttaatcaatt caaatatttt tatttaaatgt ttcttaaaag tataaaaaat 720
atcttaatca tatagaaaat atatttttgt ggaacaagta aaaatctaaa acatcttact 780
ttcaggaacg gaggtaatag atagttacat taaagggtctc aacattacta ttttaagtct 840
attcacttgt tttgcttgct tgctaaccaa acaaggttta ctagtttaat taatatatta 900
ataaaaaat ccaatatatg accttgacca agacaaatgt gctagagtag tattaacggc 960
gtcagttgcc gttaatccca tttacaaaaa tatatatact acaagggaaat ctcttctctc 1020
tctctcacca ttcaatcatt tccatctttt tcaaaatctc cttttccac tctctctctc 1080
tctcgcttga agaacaagat tgggtatattt gttacaacgg gctagtttat caatatcttt 1140
caciaataaa gaagaagaag gtgatatctt tgagggttgat atctcgaaga aaatggggaa 1200
gaaagagcag aaagatcatc attcaacagt agaaagcgac gacaaagtcg aagctgttct 1260
tcattctcctt cgtaaacatt ctctctcac tcttaaacag gtttgtttac gaattaatta 1320
tctcactgat ctttcattaa tctatcagct tttttttttt gaagtgtggt ttttttatat 1380
tctcgggtta ataaatattg caggagaagt tctgtaacag agcttggtgc agtagattct 1440
tgagaacaaa aggagacaat gcgaagaaag cagctaaaca gttaagggtca tgcctttcat 1500
ggagatcttc tcttggtatc ggtatactct tc 1532

<210> 236
<211> 1200
<212> DNA
<213> Artificial

<220>
<223> flanking sequence

PF77877_sequencelisting_formatiertSA.txt

```

<400> 236
gtgacgttac gtaacgctac gtagcgctac gtgagggttag ctaacgctag ctagcctcac      60
ctgacgttag gtaaggctac gtagcgctac ctgagattag ctaagcctac ctagactcac      120
gtgaccttag gtaacgctac gtagcgctaa agctttacaa cgctacacaa aaatgcttgc      180
gtttcttctc tcattacgag aatatacttt tttcaatatt gcttcaaaaa ctttctgtca      240
tgtgaatttg attttagata tatgttttaa aaatacttcc tccccgaaaa taagattttc      300
taaagtgttc gattattaag aattcattaa atatttataa tttaattttt cttttacttt      360
attatacatt ttctaataac tttttaccaa taaaatttaa tcaattcaaa tattttttatt      420
taatgtttct taaaagtata aaaaatatct taatcatata gaaaatatat ttttgtggaa      480
caagtaaaaa tctaaaacat cttactttca ggaacggagg taatagatag ttacattaaa      540
ggtctcaaca ttactatttt aagtctattc acttggttttg cttgcttgct aaccaaacaa      600
agtttactag tttaattaat atattaataa aaatatccaa tatatgacct tgaccaagac      660
aaatgtgcta gagtagtatt aacggcgctc gttgccgtta atcccattta ccaaaatata      720
tatactacaa gggaatctct tctctctctc tcaccattca atcattttcca tctttttcaa      780
aatctccttt tccactctc tctctctctc gcttgaagaa caagattggg atatttggtta      840
caacgggcta gtttatcaat atctttcaca aataaagaag aagaagggtga tatctttgag      900
gttgatatct cgaagaaaat ggggaagaaa gagcagaaag atcatcattc aacagtagaa      960
agcgacgaca aagtcgaagc tgttcttcat ctcttcgta aacattctcc tctcactctt     1020
aaacagggtt gtttacgaat taattatctc actgatcttt cattaatcta tcagcttttt     1080
ttttttgaag tgctggtttt ttatatctc ggggtaataa atattgcagg agaagttctg     1140
taacagagct tgtgtcagta gattcttgag aacaaaagga gacaatgcga agaaagcagc     1200

```

```

<210> 237
<211> 1600
<212> DNA
<213> Artificial

```

```

<220>
<223> flanking sequence

```

```

<400> 237
aaaagaaata taaaagaata tgaccaaaaa agtaaacgtg agtgagagaa taagaaaatg      60
actacaaaat ataatagcct caattatctt caaaactaag ttgacattta attatgcttt     120
tgcaagatat ttacttttgt tgttcgatca tatttaatga ttattttggt tttgaaacaa     180
atattaacat tatatatatt gtgtctatat tgaactgttg taaattataa acatcaaaat     240
tttaatgtta tcttaattat aatttctaact actagtatat tcaaaaatca aaataaacat     300
attttataaa atagtgccag tacgtagtat gggagataat actagtggct ttataaaggg     360
aaacattgtc tctaaaatct cagataaaat gttaaaacac acttattcac aattatgaag     420
at ttgaaata tctgaaattt caaattgatg cacttggtag aaagcaaagg ttcaacgcta     480
agtctacaag gtgtaataat gaagtgaaaa tgctagttta gattaccctt gatatgtgac     540

```

PF77877_sequence_listing_formatiertSA.txt

tgaacatagg gtggagcgtc agtgagtcca tggagtacag aagctaaaca agagacatgg	600
ttaagcacca gaatcaactc gttctccata gagtccagct tttgagatat atgtgaatag	660
ccttgttgca atatacttgt gagtggcagg cgtgatctta ttaacgaaag tccaaattct	720
gaacaaagtt tatatcaagc tacgatggaa atatggaatc cgtatcaaaa tcaactgtac	780
tgtatcatat ggtgcagatt tttagctcga ctctaccacc ttgcgtttac ttttgtgatg	840
aacattgcga ttatatatga ggacctaaat agaggggaaaa tgtatgaaga caggatccta	900
agaatgaaaa accagcatcc ccaagatgtg gcaccaagtg ctatcgacca caaactacgc	960
tggacatact ctgatatagt tcgttaagaa atcaaaatgt caacacatat aaataagcag	1020
tcagcatcat cacacaaaa gttaggcccg aatagtttga aattagaaag ctcgcaattg	1080
aggtctacag gccaaattcg ctcttagccg tacaatatta ctcaccggtg cgatgcccc	1140
catcgtaggt gaaggtggaa attaatggcg cgctgatca ctgattagta actattacgt	1200
aagcctacgt agcgtcacgt gacgttagct aacgctacgt agcctcagct gacgttacgt	1260
aagcctacgt agcgtcacgt gagcttagct aacgctacct aggctcagct gacgttacgt	1320
aacgctagct agcgtcactc ctgcagcaaa ttacacatt gccactaaac gtctaaaccc	1380
ttgtaatttg tttttgtttt actatgtgtg ttatgtattt gatttgcgat aaatttttat	1440
atttggtagt aaattttataa caccttttat gctaacgttt gccaacactt agcaatttgc	1500
aagtgtatta attgattcta aattatTTTT gtcttctaaa tacatatact aatcaactgg	1560
aaatgtaaat atttgcta atttctacta taggagaatt	1600

<210> 238
 <211> 1677
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 238	
taattgaaat tcgttattag gtttctaagc tgttttaaca gtcactgggt taatatctct	60
cgaatcttgc atggaaaatg ctcttaccat tggtttttaa ttgaaatgtg ctcatatggg	120
ccgtggtttc caaattaaat aaaactacga tgtcatcgag aagtaaaatc aactgtgtcc	180
acattatcag ttttgtgtat acgatgaaat agggtaattc aaaatctagc ttgatatgcc	240
ttttggttca ttttaacctt ctgtaaacat ttttccagat tttgaacaag taaatccaaa	300
aaaaaaaaaa aaaatctcaa ctcaacacta aattatttta atgtataaaa gatgcttaaa	360
acatttggct taaaagaaag aagctaaaaa catagagaac tcttgtaa at tgaagtatga	420
aaatatactg aattgggtat tatatgaatt tttctgattt aggattcaca tgatccaaaa	480
aggaaatcca gaagcactaa tcagacattg gaagtaggat taatcagtga tcagtaacta	540
ttaaattcaa ttaaccgcgg acatctacat ttttgaattg aaaaaaaatt ggtaattact	600
ctttcttttt ctccatattg accatcatat tcattgtaag acacacagat gaagaagtca	660
aatagctcga cattcctttg gtctgggtcca gtgatgtcga ctacacaaagc gaagattgca	720

Page 257

PF77877_sequencelisting_formatiertSA.txt

tgaatagact atcatgtgtt tgctatgtat gagtactatg gaatcgaggg atcattttatt	780
tttcatgtca ttgttcttgg aggttgtgtg gagaggcatc accattaatc ttctgaacat	840
cagctatact aatcattaat tggaatcagc gactgcaaat tatggcagag gatgttggaa	900
atagtaccac cacattccta atccactatg ctttccaagc tgcagtaatt tgagttggag	960
acgggagttt tgctcattta ctcaggctct tggacaaaca aatgtgaaat cgcatatctg	1020
ctcaatccga cataactaatc aaagggtcaag aatttttttt agagaagatg aaaaccataa	1080
tgaaagcatc taatgtttat agaaaattac caaaaatacc acattttatga aaaattatca	1140
aaaatacaat attcatagta tcacttttca tattttacaat aaccacgttt gttctcaatt	1200
ttaacgaaga acaaacgaca ttataatcc taagataatt ttttctaatt caaaaataat	1260
tttcgatttt caaaaaaaaa attgaaaaaa aaattgaaaa gaaaaattca aaacaaaatt	1320
atatgaaagt tcaaatttga aaaatgataa ttcaaaaaca taaaaaata tatttttatt	1380
taaataatta tttattatat atatatagac catggagcaa gggggcggtg gccccggggc	1440
ccaaactttt tttcccatat ataatgtcaa caaggaccgc atttttagaa aaaaaaatag	1500
gtataaagga gtccaaaaaa ttcaaattag ttatatatgt atgtaaaaaa atattaaaat	1560
ttattttgcc caagggccta tagattcatt gggccgaccc tggggttggg gttgtgtgtg	1620
tgtcattcta taattaaccg gcaaaaactc caaaattttt atttaacaaa tgtataa	1677

<210> 239
 <211> 5600
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 239	
attttagatt tagtcatatt tttaacttaa ttattaatta taataaatat ttttagtgat	60
tttagatgata aattttcatt gtcttgagaa taataaaaaa aaaatctaag gataaatatca	120
tagttaaatt tatatgatat ttacttcagt aatattaaaa tattatatac atttttatta	180
tatttggttt agtaatatta aatggattct attttaaatt tcttatgaca atcaaaacca	240
cttagtgtga taatttctga aaaaaattgg caaaaaaatc aaaaatactt atcttattat	300
ttgtagtgat ttttctctct ctcatgttaa aattttgaat gtttaaagtc tttattatct	360
ttaataaata attagattaa atttttaata tataattacc cataatttaa aacaaatttc	420
attaatttta aaatcatcat tatctaaaaa gattatatat tatgttatcc aaaaatattt	480
tacatcataa tatttttaaa taaatataaa tttatgtata ttgttttatg tatatatgaa	540
tgtttttaag tttattttac ataatcaaat atattttaca aaaataattt ttatcatata	600
taaaatttaa catttaatta attattaaat atttcaaaag tatgaatata acttattctc	660
atggttttta attgataata tatctattta caattttttg taaaattatt aaacccgcaa	720
gtatggacaa aacacctagt atatatatat ggaacaaaga atacagacaa aacacctagt	780

PF77877_sequencelisting_formatiertSA.txt

atatatatattt ggaacaaaaa atatacgtac atatatttata tacatgaata acttatatat	840
cacttagaaa taggataatc aattgacatt aaactctctt aaattatata ttgtatagaa	900
ctatagatat acgtataaaa tatttataaa agataactac actatatata gaaacagata	960
atgatacatc cagcaaaatt cttctggaaa agaaacagag tggtttcgcg tcagcacacc	1020
tacgttgatc attggaaatt ggaatattga aacacgcttc aaatcaacga ctattaatta	1080
ccaatacacc ctggctttgg ggtgagagtt gatcggttaa ttatccaata catgccgttg	1140
gttaattagg attatataaa aaatcgatca tctattagaa tcgattacgg ttaaatagggt	1200
ataaaaatgg agagaattga atcagttata aatttgtttt cagttaaaat atttctatga	1260
tcttcaatcg atttcggtat ttataactca acatggaaaa aatttcfaat gtatttcttc	1320
taaaagcaaa agaacttata aaaactatca ttttatccaa aacacaaaaa tagtctttta	1380
caatctttta cagccttcac ataaacgaaa acaaaagtga acaatttctt ttacagcct	1440
ttacacaaaa aagactacga tgaactatga taaaatttca taatctaaaa acattaatga	1500
ggtaaagact ctctcaaatg ggatattctt cgaaaatttt cataatcgaa cgatatactt	1560
gaatttgcaa ctcatgaccg aaattgtccc aatccataat actctttgac accctatcag	1620
atcccaacgt tgtccctggt ttcgaaacca ccatttcaaa catgaacata tcacaaaata	1680
aacatttaga caccaaatat ctgctaagcg cttacgtaag ctgagctgac gctacctagc	1740
gttagctaac gtcacgtgac gctacctagc gttacgtaac gtcagctgag gctagctagc	1800
tgaattaacg ccgaattaat tcgggggagc tggattttag tactggattt tggttttagg	1860
aattagaaat ttatttgata gaagtatttt acaaatataa atacatacta agggtttctt	1920
atatgtctaa cacatgagcg aaaccctata ggaaccctaa ttcccttatc tgggaactac	1980
tcacacatta ttatggagaa actcgagctt gtcgatcact cggctcttagc tcccttttgc	2040
tttccatcgg atggcttgat gtacttttgc acgtagaagt ttccgaagag gaacaagagg	2100
gagatcatgt agtagaagag gatcttgatg agccattgtg gatatggagc gttgggtttc	2160
atatcgtagt aagcttgac caagttgagc atgaactgga acatctggaa ttgggtgagg	2220
tatcttcccc agaagaggtta cttgttcttg agctttgggg aagatctcaa gcaagcagcc	2280
aagaagtagt aagcgtacat caacacgtgc actccagagt tgagagcagc actccaataa	2340
gcctctcctc ctggagcgtg gtgagcaata gcccaccaga taaggagat agaagagtgg	2400
tggtacacgt ggaggaaaga aatctgtctg gtggatctct tgaggatcat gatcacggta	2460
tccatgaact ccacgtactt ggacatgtag aagaggtaaa cgaggatagc catctccttg	2520
tgctttgggt tataagcgtt tccccacaag gaatatctcc aggtgatagc ttggttaagcg	2580
ataccacgc acatgtaaag agacaaagcg aagcagaaca agttgtgcac caacacaaaa	2640
gcttgcaaca agaattggctc agaagctctt ggcttgagat ctctagcctt gatccaaagc	2700
aatcctccga tcacgatggt caagtaaaca gacactccca acacaattgg agttggagaa	2760
tcaacgagtg gcaatccctt agtagttggg gtatcagtca actcaactcc gaaagatccc	2820
aacaaagcgt tcactccttg ggaaaccttt ccattccaact ctccgtagaa cctctcaaca	2880

Page 259

PF77877_sequencelisting_formatiertSA.txt

acttccatgg	tttcttctaa	agctgaaagt	gaaccattat	tacaacttaa	cactcaactc	2940
acaagaggag	aagcaacaaa	gcttatgtaa	ggatttagta	ttaaggccaa	aaaaacacag	3000
atcaaattca	attattgaag	ctttacttat	caagttatca	tataaccaat	gaagacggta	3060
attcaaaaga	aaaataaaaag	ggttttagta	ataattgata	cgtttacctt	tgccgattca	3120
gagacagtga	agcttaaaca	gtactggcta	tgaagaaatt	ataatcgtgt	aaaacttagt	3180
gagtgtgtat	gaatgaaagt	attgcaaaat	cctcattata	tagactacat	gcataactag	3240
ttgcatgtaa	attttagt	ttcttcatta	ttgcatcctc	caagtggatg	tcattggtttt	3300
acacatggct	tccatgcaaa	tcatttccaa	aatattttta	aactttccac	agggcatcca	3360
tgcatgcacc	tcaaaacttg	tgtgtggtta	cattgttgtc	ttgaaaaatt	actaaacctt	3420
ttgtccacgt	gacgttcacg	cacctcaaat	cttgtgtggt	accattatta	tcctcaagaa	3480
ttattgaatg	tttgggtgat	atgccatcca	tgacgacatt	caacaattaa	atctccaaac	3540
cttgtggtac	catattcact	cactttaatt	ctcctatagt	agaaatatta	gcaaatat	3600
acatttccag	ttgatttagta	tatgtattta	gaagacaaaa	ataatttaga	atcaattaat	3660
caacttgcaa	attgctaagt	gttggcaaac	gtagcataa	aagggtgtat	aaatttagta	3720
ccaaatataa	aaatttatcg	caaatcaaat	acataacaca	catagtaaaa	caaaaacaaa	3780
ttacaagggt	ttagacgttt	agtggcaatg	tgtaaatgtg	ctgcaggagt	gacgctagct	3840
agcgttacgt	aacgtcagct	gagcctaggt	agcgttagct	aagctcacgt	gacgctacgt	3900
aggcttacgt	aacgtcagct	gaggctacgt	agcgttagct	aacgtcacgt	gacgctacgt	3960
aggcttacgt	aatagttact	aatcagtgat	caggcgcgcc	attaatttcc	accttcacct	4020
acgatggggg	gcatcgaccc	ggtgagtaat	attgtacggc	taagagcgaa	tttggcctgt	4080
agacctcaat	tgcgagcttt	ctaatttcaa	actattcggg	cctaactttt	ggtgtgatga	4140
tgctgactgt	ttcgacgtta	attgatccta	cactatgtag	gtcatatcca	tcgtttta	4200
ttttggccac	cattcaattc	tgtcttgcct	ttagggatgt	gaatatgaac	ggccaaggta	4260
agagaataaa	aataatccaa	attaaagcaa	gagaggccaa	gtaagataat	ccaaatgtac	4320
acttgtcatt	gccaaaatta	gtaaaatact	cggcattatt	tattcccaca	cattattaaa	4380
ataccgtata	tgtattggct	gcatttgcac	gaataatact	acgtgtaagc	ccaaaagaac	4440
ccacgtgtag	cccatgcaaa	gttaacactc	acgaccccat	tcctcagtct	ccactatata	4500
aaccacccat	ccccaatctc	accaaaccac	ccacacaact	cacaactcac	tctcacacct	4560
taaagaacca	atcaccacca	aaaaatttca	cgatttggaa	tttgattcct	gcgatcacag	4620
gtatgacagg	ttagattttg	ttttgtatag	ttgtatacat	acttctttgt	gatgttttgt	4680
ttacttaatc	gaatttttgg	agtgttttaa	ggtctctcgt	ttagaaatcg	tggaatat	4740
cactgtgtgt	gtgttcttat	gattcacagt	gtttatgggt	ttcatgttct	ttgttttatc	4800
attgaatggg	aagaaatttc	gttgggatac	aaatttctca	tgttcttact	gatcgttatt	4860
aggagtgttg	ggaaaaagga	agagtttttt	tggttggttc	gagtgtattat	gaggttat	4920

PF77877_sequence_listing_formatiertSA.txt

ctgtatttga tttatgagtt aatggtcgtt ttaatgttgt agacatggga aaaggatctg	4980
agggaagatc tgctgctaga gagatgactg ctgaggctaa cggagataag agaaagacca	5040
tcctcattga gggagtgttg tacgatgcta ccaacttcaa acaccagga ggttccatta	5100
ttaacttcct caccgaggga gaagctggag ttgatgctac ccaagcttac agagagtcc	5160
atcagagatc cggaaaggct gataagtacc tcaagtcctt cccaaagttg gatgcttcta	5220
agggtggagtc taggttctct gctaaggagc aggctagaag ggacgctatg accagggatt	5280
acgctgcttt cagagaggag ttggttgctg agggatactt cgatccatct atcccacaca	5340
tgatctacag agtggaggag attgtggctt tgttcgcttt gtctttctgg ttgatgtcta	5400
aggcttctcc aacctctttg gttttgggag tggatgatgaa cggaaatcgct caaggaagat	5460
gcggatgggt tatgcacgag atgggacacg gatctttcac tggagtatat tggctcgatg	5520
ataggatgtg cgagttcttc tacggagttg gatgtggaat gtctggacac tactggaaga	5580
accagcactc taagcaccac	5600

<210> 240
 <211> 1321
 <212> DNA
 <213> Artificial

<220>
 <223> flanking sequence

<400> 240	
taaagatata ttaggcaatg agtttatgat gttatgttta tatagtttat ttcattttta	60
attgaaaagc attattttta tcgaaatgaa tctagtatac aatcaatatt tatgtttttt	120
catcagatac tttcctatth tttggcacct ttcacgagac tactgattta tttcaatgtg	180
tatgcatgca tgagcatgag tatacacatg tcttttataa tgcatgtaaa gcgtaacgga	240
ccacaaaaga ggatccatac aaatacatct catcgcttcc tctactattc tccgacacac	300
acactgagca tgggtgctta acactctggt gagttctagt acttctgcta taatgttaaa	360
ttttatatta tatacctact tctctctctt cgctctgtta tgttcgattt cgaaaggatt	420
tcaagatcaa agatgatgag aaaaggatcc ttttcgatat ttaagacaag gaaagaaagg	480
acgaggttga aattttcggg acttggaggg ctaaagtga agagactgaa tctgaagatg	540
tcgtttctcg aaactttgag atacagaatc atgtctatca ttgaaggaat ggttttggtt	600
tctaagcttg ctttcttctt tctctgttgc ggttgcatat tttaacacgt tagttttttt	660
tttttcgttt ttttgaacgt caacaatgtc tttttgtac tctttagctc atgtgtataa	720
ttctaaattc ttccaataac ataccaaca aattattcgt atctgatttt tatagttttt	780
aacctgttaa tgtaattaat ctaagtgtaa tttttaggct aaatgttaaa ttttatatta	840
aagttttgta acttgaaatt acattcttct tatagcggat aaacagaaaa tgctcttaaa	900
caaatcctga aacaagtaaa aaatacaaca gaaaaatcta acgtttaatt cttaaaacct	960
caaatcctt atttttacag ctttcaaagt ttaacagctg gaaacctgta gaaatcaga	1020
cacagcctct caagttttct ggacaataaa tactggtaac gtaagaaaac caattaatga	1080

PF77877_sequencelisting_formatiertSA.txt

taccgtcgtt cagtagatag aactgacgat gtgaagatta attgtttctg taatatactg	1140
aatttgaaaa tttatcatca tcatgttaac ggaagttgtc tgtaaaagta gttgattacc	1200
tgttatcgtg taaagtagtt agtaatttct tgcttatttg aaaaatagag aacatttaac	1260
atgtattttt aaataggcac gaccatgcta ctgaacttta tgaaatgctt tggaatctta	1320
t	1321

<210> 241
 <211> 100
 <212> DNA
 <213> Artificial

<220>
 <223> amplicon

<400> 241	
aagacgtccg caatgtgtta ttaagttgtc taagcgtcaa tttgttgtcg gcaagatctc	60
tgacactcaa ctaaaatggt ggattttccc ttccaggtgt	100

<210> 242
 <211> 148
 <212> DNA
 <213> Artificial

<220>
 <223> amplicon

<400> 242	
cacacacctc cccaatccat ggatatgttc tctcttttct caatcaattt gtttacctc	60
aaacactgat agtttaaact gaaggcggga aacgacaatc tgatcactga ttagtaacta	120
aggcctttaa ttaatctaga ggcgcgcc	148

<210> 243
 <211> 147
 <212> DNA
 <213> Artificial

<220>
 <223> amplicon

<400> 243	
ggcgcgcctc tagattaatt aaaggcctta gttactaatc agtgatcaga ttgtcgtttc	60
ccgccttcag tttaaactat cagtgttgct ttagtggta atcaaaagat gaacagtatc	120
ttctcgatcg atgatttctc cgatccc	147

<210> 244
 <211> 118
 <212> DNA
 <213> Artificial

<220>
 <223> amplicon

<400> 244	
cacaaaagc aaccaagaga gacgtcttta atgtactgaa ttagtaact gaaggcggga	60

PF77877_sequencelisting_formatiertSA.txt
aacgacaatc tgatcactga ttagtaacta aggcctttaa ttaatctaga ggcgcgcc 118

<210> 245
<211> 110
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 245
gcggacatct acatttttga attgaaaaaa aattggtaat tactctttct tttctccat 60
attgaccatc atactcattg taagacacac agatgaagaa gtcaaatagc 110

<210> 246
<211> 95
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 246
cactgagcat ggtgcttaaa cactctgggtg agttctagta cttctgctat aatgttaaatt 60
tttatattat atacctactt cctctctctc gctct 95

<210> 247
<211> 101
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 247
ctctttcttt ttctccatat tgaccatcat actcattgct gatccatgta gatttcccgg 60
acatgaagcc atttgtcaac gtcgttggtt gatttcgtta a 101

<210> 248
<211> 197
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 248
caattaaccg cggacatcta cattttttta ctgctattct ttcatattag caactgggtg 60
attactgaat tagtacagat gtaactaaca tatatattgg atattattat tatccaaaag 120
agctattcaa ctttttaagc atatgtatat acatgtttta ttgattttat tagtatttct 180
tgctcttggt gttttgc 197

<210> 249
<211> 138
<212> DNA
<213> Artificial

<220>

PF77877_sequence_listing_formatiertSA.txt

<223> amplicon

<400> 249
aattaaccgc ggacatctac atttttgaat tgaaaaaaaa ttggaatta ctctttcttt 60
ttctccatat tgaccatcat actcattgct gatccatgta gatttcccgg ttctttttct 120
cagactactc actgcccg 138

<210> 250
<211> 137
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 250
ctctttcttt ttctccatat tgaccatcat actcattgct gatccatgta gatttcccgg 60
acatgaagcc atttacaatc catgtcctta taaatggttt atatactctt ataaataatt 120
tgctttctca tgcctca 137

<210> 251
<211> 113
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 251
ctctttcttt ttctccatat tgaccatcat actcattgct gatccatgta gatttcccgg 60
acatgaagcc atttacaatg agtcaaaaaa aagtgtgttt gatgagtcac tgc 113

<210> 252
<211> 160
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 252
ctctttcttt ttctccatat tgaccatcat actcattgct gatccatgta gatttcccgg 60
acatgaagcc atttactctg accctactcc acaaatatat ttttatttat aaaaggtgg 120
ccattgtata ctatgtgtgc gtatacagga ataaaaatgt 160

<210> 253
<211> 169
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 253
ccatattgac catcactctc attgctgatc catgtagatt tcccggacat gaagccattt 60
acaattgaat atatcctcac atatgaaata tatttttttt ttacaaatta cacctattaa 120

PF77877_sequencelisting_formatiertSA.txt
attatacttg atcggtcatc tgatatattt gaaagaaccc tatcagcca 169

<210> 254
<211> 576
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 254
gacctcaatt gcgagctttc taatttcaaa ctattcgggc ctaacttttg gtgtgatgaa 60
agtgtgagaa tatttccata ttagacaatt ctgtagattt tatttaatga aagtgtgaga 120
atattttttt gtacactatt tatcaattta ataaaaaaat ataataataat ttaagatgaa 180
ccaacatatt tctctaaatt ctgaatttta ttttcatggg gacacgtgga tacgaaacaa 240
tgttgtaatg tttatcgatt aatatataat gtatgttata tgtttggtgt actaacaaca 300
agatttcata catttcaaac gaaaaagaga gattgatgtg atcagtatta ttgcttttac 360
aaaactattg aagggttcagc gagttccttag taaagtcgaa tccttgtaat aatctctgtt 420
ccaacgggca aacatgcagc tgttaaacta tcgacgccgt ttgacctatt ttttcttctt 480
ctttgttttc ttcctcattt gtacatgcgt gcaagcctac tgacggttgg atgccttggc 540
acgcacttca acaactctat atccttcctg gtgagg 576

<210> 255
<211> 189
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 255
cgtgccaagg catccaaccg tcagtaggct attctgtaga ttttatttaa tgaaagtgtg 60
agaatattta gacaattctg tagattttat ttaatgaaag tgtgagaata tttttttaag 120
gcccgaatag tttgaaatta gaaagctcgc aattgaggtc tacaggccaa attcgctctt 180
agccgtaca 189

<210> 256
<211> 91
<212> DNA
<213> Artificial

<220>
<223> amplicon

<400> 256
gcctacctag actcacgtga ccttaggtaa cgctacgtag cgtaaagct ttacaacgct 60
acacaaaaat gcttgcgttt cttctctcat t 91

MATERIALS AND METHODS FOR PUFA PRODUCTION, AND PUFA-CONTAINING COMPOSITIONS

FIELD OF THE INVENTION

5

The invention generally pertains to the field of manufacture of fatty acids, particularly for large-scale production of very long chain polyunsaturated fatty acids (VLC-PUFAs, also called polyunsaturated fatty acids or PUFAs), e.g. eicosapentaenoic acid (EPA), omega-3 docosapentaenoic acid (DPA) and docosahexaenoic acid (DHA). The invention particularly is concerned with the production of VLC-PUFAs in plants and thus inter alia provides nucleic acids for transformation of plants to enable such transformed plants to produce VLC-PUFAs. To this end, the invention also provides transgenic constructs and expression vectors containing desaturase and elongase genes and host cells into which the constructs and expression vectors have been introduced. The present invention also relates to methods for the manufacture of oil, fatty acid- or lipids-containing compositions, and to such oils and lipids as such. In addition, the invention is concerned with methods for further improving the production of VLC-PUFAs in plants.

15

BACKGROUND OF THE INVENTION

20

Fatty acids are carboxylic acids with long-chain hydrocarbon side groups that play a fundamental role in many biological processes. Fatty acids are rarely found free in nature but, rather, occur in esterified form as the major component of lipids. As such, lipids/fatty acids are sources of energy (e.g., beta-oxidation). In addition, lipids/fatty acids are an integral part of cell membranes and, therefore, are indispensable for processing biological or biochemical information.

25

Long chain polyunsaturated fatty acids (VLC-PUFAs) such as docosahexaenoic acid (DHA, 22:6(4,7,10,13,16,19)) are essential components of cell membranes of various tissues and organelles in mammals (nerve, retina, brain and immune cells). Clinical studies have shown that DHA is essential for the growth and development of the brain in infants, and for maintenance of normal brain function in adults (Martinetz, M. (1992) J. Pediatr. 120:S129 S138). DHA also has significant effects on photoreceptor function involved in the signal transduction process, rhodopsin activation, and rod and cone development (Giusto, N.M., et al. (2000) Prog. Lipid Res. 39:315-391). In addition, some positive effects of DHA were also found on diseases such as hypertension, arthritis, atherosclerosis, depression, thrombosis and cancers (Horrocks, L.A. and Yeo, Y.K. (1999) Pharmacol. Res. 40:211-215). Therefore, appropriate dietary supply of the fatty acid is important for human health. Because such fatty acids cannot be efficiently synthesized by infants, young children and senior citizens, it is particularly important for these individuals to adequately intake these fatty acids from the diet (Spector, A.A. (1999) Lipids 34:S1 S3).

35

40

EPA and also ARA (arachidonic acid, 20:4n-6 (5,8,11,14)) are both delta 5 (d5) essential fatty acids. They form a unique class of food and feed constituents for humans and animals. EPA belongs to the n-3 series with five double bonds in the acyl chain. EPA is found in marine food and is abundant in oily fish from North Atlantic. ARA belongs to the n-6 series with four double bonds. The lack of a double bond in the delta-3 position confers on ARA different properties than those found in EPA. The eicosanoids produced from ARA (sometimes abbreviated "AA") have strong inflammatory and platelet aggregating properties, whereas those derived from EPA have anti-inflammatory and anti-platelet aggregating properties. ARA can be obtained from some foods such as meat, fish and eggs, but the concentration is low.

Gamma-linolenic acid (GLA, C18:3n-6 (6,9,12)) is another essential fatty acid found in mammals. GLA is the metabolic intermediate for very long chain n-6 fatty acids and for various active molecules. In mammals, formation of long chain polyunsaturated fatty acids is rate-limited by delta-6 desaturation. Many physiological and pathological conditions such as aging, stress, diabetes, eczema, and some infections have been shown to depress the delta-6 desaturation step. In addition, GLA is readily catabolized from the oxidation and rapid cell division associated with certain disorders, e.g., cancer or inflammation. Therefore, dietary supplementation with GLA can reduce the risks of these disorders. Clinical studies have shown that dietary supplementation with GLA is effective in treating some pathological conditions such as atopic eczema, premenstrual syndrome, diabetes, hypercholesterolemia, and inflammatory and cardiovascular disorders.

A large number of beneficial health effects have been shown for DHA or mixtures of EPA and DHA.

Although biotechnology offers an attractive route for the production of specialty fatty acids, current techniques fail to provide an efficient means for the large scale production of unsaturated fatty acids. Accordingly, there exists a need for an improved and efficient method of producing very long chain poly unsaturated fatty acids (VLC-PUFAs), such as EPA and DHA.

To make possible the fortification of food and/or of feed with polyunsaturated omega-3-fatty acids, there is still a great need for a simple, inexpensive process for the production of each of the aforementioned long chain polyunsaturated fatty acids, especially in eukaryotic systems.

SUMMARY OF THE INVENTION

The invention is thus concerned with providing a reliable source for easy manufacture of VLC-PUFAs. To this end the invention is also concerned with providing plants reliably

producing VLC-PUFAS, preferably EPA and/or DHA. The invention is also concerned with providing means and methods for obtaining, improving and farming such plants, and also with VLC-PUFA containing oil obtainable from such plants, particularly from the seeds thereof. Also, the invention provides uses for such plants and parts thereof.

5

According to the invention there is thus provided a T-DNA for expression of a target gene in a plant. The invention beneficially provides a system for transformation of plant tissue and for generation of recombinant plants, wherein the recombinant plant differs from the respective parental plant (for the purposes of the present invention the parental plant is termed a wild-type plant regardless of whether or not such parental plant is as such found in nature) by the introduction of T-DNA. The T-DNA introduced into the parental plant beneficially has a length of at least 30000 nucleotides.

10

The invention also provides plants with a genotype that confers a heritable phenotype of high seed oil VLC-PUFA content in one or more of their tissues or components, preferably a high content of EPA and/or DHA in seed oil. The invention further provides material comprising a high VLC-PUFA content relative to their total oil content, preferably a high content of EPA and/or DHA. Also, the invention provides exemplary events of Brassica plants. Most beneficially the invention provides oil comprising a high VLC-PUFA content, preferably a high content of EPA and/or DHA.

15

20

The invention also provides methods of producing an oil, wherein the oil has a high VLC-PUFA content, a high content of EPA and/or DHA. In particularly preferred aspects these methods are for producing a corresponding plant oil.

25

The invention also provides methods for creating a plant, such that the plant or progeny thereof can be used as a source of an oil, wherein the oil has a high VLC-PUFA content, a high content of EPA and/or DHA. Thus, the invention beneficially also provides methods for the production of plants having a heritable phenotype of high seed oil VLC-PUFA content in one or more of their tissues or components, preferably a high content of EPA and/or DHA in seed oil.

30

The invention also provides means for optimizing a method for creating plants according to the invention. In this respect, the invention provides a system of methods for analyzing enzyme specificities, particularly for analyzing desaturase reaction specificity and for analyzing elongase specificities, for optimization of a metabolic pathway and for determining CoA-dependence of a target desaturase.

35

DETAILED DESCRIPTION OF THE INVENTION

40

Various aspects of the invention are hereinafter described in more detail. It is to be understood that the detailed description is not intended to limit the scope of the claims.

The term "polyunsaturated fatty acids (PUFA)" as used herein refers to fatty acids comprising at least two, preferably, three, four, five or six, double bonds. Moreover, it is to be understood that such fatty acids comprise, preferably from 18 to 24 carbon atoms in the fatty acid chain. More preferably, the term relates to long chain PUFA (VLC-PUFA) having from 20 to 24 carbon atoms in the fatty acid chain. Particularly, polyunsaturated fatty acids in the sense of the present invention are DHGLA 20:3 (8,11,14), ARA 20:4 (5,8,11,14), iARA 20:4(8,11,14,17), EPA 20:5 (5,8,11,14,17), DPA 22:5 (4,7,10,13,16), DHA 22:6 (4,7,10,13,16,19), 20:4 (8,11,14,17), more preferably, arachidonic acid (ARA) 20:4 (5,8,11,14), eicosapentaenoic acid (EPA) 20:5 (5,8,11,14,17), and docosahexaenoic acid (DHA) 22:6 (4,7,10,13,16,19). Thus, it will be understood that most preferably, the methods provided by the present invention pertaining to the manufacture of EPA and/or DHA. Moreover, also encompassed are the intermediates of VLC-PUFA which occur during synthesis. Such intermediates are, preferably, formed from substrates by the desaturase, keto-acyl-CoA-synthase, keto-acyl-CoA-reductase, dehydratase and enoyl-CoA-reductase activity of the polypeptide of the present invention. Preferably, substrates encompass LA 18:2 (9,12), GLA 18:3 (6,9,12), DHGLA 20:3 (8,11,14), ARA 20:4 (5,8,11,14), eicosadienoic acid 20:2 (11,14), eicosatetraenoic acid 20:4 (8,11,14,17), eicosapentaenoic acid 20:5 (5,8,11,14,17). Systematic names of fatty acids including polyunsaturated fatty acids, their corresponding trivial names and shorthand notations used according to the present invention are given in table Table 18.

The term "cultivating" as used herein refers to maintaining and growing the transgenic plant under culture conditions which allow the cells to produce the said polyunsaturated fatty acid, i.e. the PUFA and/or VLC-PUFA referred to above. This implies that the polynucleotide of the present invention is expressed in the transgenic plant so that the desaturase, elongase as also the keto-acyl-CoA-synthase, keto-acyl-CoA-reductase, dehydratase and enoyl-CoA-reductase activity is present. Suitable culture conditions for cultivating the host cell are described in more detail below.

The term "obtaining" as used herein encompasses the provision of the cell culture including the host cells and the culture medium or the plant or plant part, particularly the seed, of the current invention, as well as the provision of purified or partially purified preparations thereof comprising the polyunsaturated fatty acids, preferably, ARA, EPA, DHA, in free or in CoA bound form, as membrane phospholipids or as triacylglyceride esters. More preferably, the PUFA and VLC-PUFA are to be obtained as triglyceride esters, e.g., in form of an oil. More details on purification techniques can be found elsewhere herein below.

40

The term "polynucleotide" according to the present invention refers to a desoxyribonucleic acid or ribonucleic acid. Unless stated otherwise, "polynucleotide" herein refers to a single strand of a DNA polynucleotide or to a double stranded DNA polynucleotide. The length of a polynucleotide is designated according to the invention by the specification of a number of basepairs ("bp") or nucleotides ("nt"). According to the invention, both specifications are used interchangeably, regardless whether or not the respective nucleic acid is a single or double stranded nucleic acid. Also, as polynucleotides are defined by their respective nucleotide sequence, the terms nucleotide/polynucleotide and nucleotide sequence/polynucleotide sequence are used interchangeably, thus that a reference to a nucleic acid sequence also is meant to define a nucleic acid comprising or consisting of a nucleic acid stretch the sequence of which is identical to the nucleic acid sequence.

In particular, the term "polynucleotide" as used in accordance with the present invention as far as it relates to a desaturase or elongase gene relates to a polynucleotide comprising a nucleic acid sequence which encodes a polypeptide having desaturase or elongase activity. Preferably, the polypeptide encoded by the polynucleotide of the present invention having desaturase, or elongase activity upon expression in a plant shall be capable of increasing the amount of PUFA and, in particular, VLC-PUFA in, e.g., seed oils or an entire plant or parts thereof. Whether an increase is statistically significant can be determined by statistical tests well known in the art including, e.g., Student's t-test with a confidentiality level of at least 90%, preferably of at least 95% and even more preferably of at least 98%. More preferably, the increase is an increase of the amount of triglycerides containing VLC-PUFA of at least 5%, at least 10%, at least 15%, at least 20% or at least 30% compared to wildtype control. Preferably, the VLC-PUFA referred to before is a polyunsaturated fatty acid having a C20, C22 or C24 fatty acid body, more preferably EPA or DHA. Lipid analysis of oil samples are shown in the accompanying Examples.

The fatty acid esters with polyunsaturated C20- and/or C22-fatty acid molecules can be isolated in the form of an oil or lipid, for example, in the form of compounds such as sphingolipids, phosphoglycerides, lipids, glycolipids such as glycosphingolipids, phospholipids such as phosphatidylethanolamine, phosphatidylcholine, phosphatidylserine, phosphatidylglycerol, phosphatidylinositol or diphosphatidylglycerol, monoacylglycerides, diacylglycerides, triacylglycerides or other fatty acid esters such as the acetylcoenzyme A esters which comprise the polyunsaturated fatty acids with at least two, three, four, five or six, preferably five or six, double bonds, from the organisms which were used for the preparation of the fatty acid esters. Preferably, they are isolated in the form of their diacylglycerides, triacylglycerides and/or in the form of phosphatidylcholine, especially preferably in the form of the triacylglycerides. In addition to these esters, the polyunsaturated fatty acids are also present in the non-human transgenic organisms or host cells, preferably in the plants, as free fatty acids or bound in other compounds. As a rule, the various abovementioned compounds (fatty acid esters and free fatty acids) are present

in the organisms with an approximate distribution of 80 to 90% by weight of triglycerides, 2 to 5% by weight of diglycerides, 5 to 10% by weight of monoglycerides, 1 to 5% by weight of free fatty acids, 2 to 8% by weight of phospholipids, the total of the various compounds amounting to 100% by weight. In the process of the invention, the VLC-PUFAs which have been produced are produced in a content as for DHA of at least 5,5% by weight, at least 6% by weight, at least 7% by weight, advantageously at least 8% by weight, preferably at least 9% by weight, especially preferably at least 10,5% by weight, very especially preferably at least 20% by weight, as for EPA of at least 9,5% by weight, at least 10% by weight, at least 11% by weight, advantageously at least 12% by weight, preferably at least 13% by weight, especially preferably at least 14,5% by weight, very especially preferably at least 30% by weight based on the total fatty acids in the non-human transgenic organisms or the host cell referred to above. The fatty acids are, preferably, produced in bound form. It is possible, with the aid of the polynucleotides and polypeptides of the present invention, for these unsaturated fatty acids to be positioned at the sn1, sn2 and/or sn3 position of the triglycerides which are, preferably, to be produced.

In a method or manufacturing process of the present invention the polynucleotides and polypeptides of the present invention may be used with at least one further polynucleotide encoding an enzyme of the fatty acid or lipid biosynthesis. Preferred enzymes are in this context the desaturases and elongases as mentioned above, but also polynucleotide encoding an enzyme having delta-8-desaturase and/or delta-9-elongase activity. All these enzymes reflect the individual steps according to which the end products of the method of the present invention, for example EPA or DHA are produced from the starting compounds linoleic acid (C18:2) or linolenic acid (C18:3). As a rule, these compounds are not generated as essentially pure products. Rather, small traces of the precursors may be also present in the end product. If, for example, both linoleic acid and linolenic acid are present in the starting host cell, organism, or the starting plant, the end products, such as EPA or DHA, are present as mixtures. The precursors should advantageously not amount to more than 20% by weight, preferably not to more than 15% by weight, more preferably, not to more than 10% by weight, most preferably not to more than 5% by weight, based on the amount of the end product in question. Advantageously, only EPA or more preferably only DHA, bound or as free acids, is/are produced as end product(s) in the process of the invention in a host cell. If the compounds EPA and DHA are produced simultaneously, they are, preferably, produced in a ratio of at least 1:2 (DHA:EPA), more preferably, the ratios are at least 1:5 and, most preferably, 1:8. Fatty acid esters or fatty acid mixtures produced by the invention, preferably, comprise 6 to 15% of palmitic acid, 1 to 6% of stearic acid, 7-85% of oleic acid, 0.5 to 8% of vaccenic acid, 0.1 to 1% of arachic acid, 7 to 25% of saturated fatty acids, 8 to 85% of monounsaturated fatty acids and 60 to 85% of polyunsaturated fatty acids, in each case based on 100% and on the total fatty acid content of the organisms. DHA as a preferred long chain polyunsaturated fatty acid is present in the fatty acid esters or fatty acid mixtures in a concentration of, preferably, at least 0.1; 0.2; 0.3;

0.4; 0.5; 0.6; 0.7; 0.8; 0.9 or 1%, based on the total fatty acid content. Moreover, the fatty acid esters or fatty acid mixtures which have been produced by the method of the invention, preferably, comprise further fatty acids selected from the group of the fatty acids erucic acid (13-docosaenoic acid), sterculic acid (9,10-methyleneoctadec-9-enoic acid), malvalic acid (8,9-methyleneheptadec-8-enoic acid), chaulmoogric acid (cyclopentenododecanoic acid), furan fatty acid (9, 12-epoxyoctadeca-9, 11-dienoic acid), vernolic acid (9,10-epoxyoctadec-12-enoic acid), tariric acid (6-octadecynoic acid), 6-nonadecynoic acid, santalbic acid (t11-octadecen-9-ynoic acid), 6,9-octadecenynoic acid, pyrulic acid (t10-heptadecen-8-ynoic acid), crepenyninic acid (9-octadecen-12-ynoic acid), 13,14-dihydrooropheic acid, octadecen-13-ene-9,11-diynoic acid, petroselenic acid (cis-6-octadecenoic acid), 9c,12t-octadecadienoic acid, calendulic acid (8t10t12coctadecatrienoic acid), catalpic acid (9t11t13c-octadecatrienoic acid), eleostearic acid (9c11 t13t-octadecatrienoic acid), jacaric acid (8c1 Ot12c-octadecatrienoic acid), puniolic acid (9c11 t13c-octadecatrienoic acid), parinaric acid (9c11 t13t15c-octadecatetraenoic acid), pinolenic acid (all-cis-5,9,12-octadecatrienoic acid), laballenic acid (5,6-octadecadienallenic acid), ricinoleic acid (12-hydroxyoleic acid) and/or coriolic acid (13-hydroxy-9c, 11t-octadecadienoic acid). The fatty acid esters or fatty acid mixtures produced by the process of the present invention, preferably, comprise less than 0.1 %, based on the total fatty acids, or no butyric acid, no cholesterol, no clupanodonic acid (= docosapentaenoic acid, C22:5M,8,12,15,21) and no nisinic acid (tetracosahexaenoic acid, C23:6L13,8,12,15,18,21).

Chemically pure VLC-PUFAs or fatty acid compositions can also be synthesized by the methods described herein. To this end, the fatty acids or the fatty acid compositions are isolated from a corresponding sample via extraction, distillation, crystallization, chromatography or a combination of these methods. These chemically pure fatty acids or fatty acid compositions are advantageous for applications in the food industry sector, the cosmetic sector and especially the pharmacological industry sector.

The term "desaturase" encompasses all enzymatic activities and enzymes catalyzing the desaturation of fatty acids with different lengths and numbers of unsaturated carbon atom double bonds. Specifically this includes delta 4 (d4)-desaturase, catalyzing the dehydrogenation of the 4th and 5th carbon atom; Delta 5 (d5)-desaturase catalyzing the dehydrogenation of the 5th and 6th carbon atom; Delta 6 (d6)-desaturase catalyzing the dehydrogenation of the 6th and 7th carbon atom; Delta 8 (d8)-desaturase catalyzing the dehydrogenation of the 8th and 9th carbon atom; Delta 9 (d9)-desaturase catalyzing the dehydrogenation of the 9th and 10th carbon atom; Delta 12 (d12)-desaturase catalyzing the dehydrogenation of the 12th and 13th carbon atom; Delta 15 (d15)-desaturase catalyzing the dehydrogenation of the 15th and 16th carbon atom.

The terms "elongase" encompasses all enzymatic activities and enzymes catalyzing the elongation of fatty acids with different lengths and numbers of unsaturated carbon atom

double bonds. Especially the term "elongase" as used herein refers to the activity of an elongase, introducing two carbon molecules into the carbon chain of a fatty acid, preferably in the positions 5, 6, 9, 12 and/or 15 of fatty acids.

- 5 In the studies underlying this invention, enzymes with superior desaturase and elongase catalytic activities for the production of VLC-PUFA has been provided.

Polynucleotides encoding polypeptides which exhibit delta-6-elongase activity have been described in WO2001/059128, WO2004/087902 and WO2005/012316, said documents,
10 describing this enzyme from *Physcomitrella patens*, are incorporated herein in their entirety.

Polynucleotides encoding polypeptides which exhibit delta-5-desaturase activity have been described in WO2002026946 and WO2003/093482, said documents, describing this enzyme from *Thraustochytrium* sp., are incorporated herein in their entirety.

15 Polynucleotides encoding polypeptides which exhibit delta-6-desaturase activity have been described in WO2005/012316, WO2005/083093, WO2006/008099 and WO2006/069710, said documents, describing this enzyme from *Ostreococcus tauri*, are incorporated herein in their entirety.

20 Polynucleotides encoding polypeptides which exhibit delta-6-elongase activity have been described in WO2005/012316, WO2005/007845 and WO2006/069710, said documents, describing this enzyme from *Thalassiosira pseudonana*, are incorporated herein in their entirety.

25 Polynucleotides encoding polypeptides which exhibit delta-12-desaturase activity have been described for example in WO2006100241, said documents, describing this enzyme from *Phytophthora sojae*, are incorporated herein in their entirety.

30 Polynucleotides encoding polypeptides which exhibit delta-4-desaturase activity have been described for example in WO2004/090123, said documents, describing this enzyme from *Euglena gracilis*, are incorporated herein in their entirety.

35 Polynucleotides encoding polypeptides which exhibit delta-5-elongase activity have been described for example in WO2005/012316 and WO2007/096387, said documents, describing this enzyme from *Ostreococcus tauri*, are incorporated herein in their entirety.

40 Polynucleotides encoding polypeptides which exhibit omega 3-desaturase activity have been described for example in WO2008/022963, said documents, describing this enzyme from *Phytium irregulare*, are incorporated herein in their entirety.

Polynucleotides encoding polypeptides which exhibit omega 3-desaturase activity have been described for example in WO2005012316 and WO2005083053, said documents, describing this enzyme from *Phytophthora infestans*, are incorporated herein in their entirety.

5

Polynucleotides encoding polypeptides which exhibit delta-4-desaturase activity have been described for example in WO2002026946, said documents, describing this enzyme from *Thraustochytrium* sp., are incorporated herein in their entirety.

10 Polynucleotides coding for a delta-4 desaturase from *Pavlova lutheri* are described in WO2003078639 and WO2005007845. These documents are incorporated herein in their entirety, particularly insofar as the documents relate to the delta-4 desaturase "PIDES 1" and figures 3a-3d of WO2003078639 and figures 3a, 3b of WO2005007845, respectively.

15 Polynucleotides encoding polypeptides which exhibit delta-15-desaturase activity have been described for example in WO2010/066703, said documents, describing this enzyme from *Cochliobolus heterostrophus* C5, are incorporated herein in their entirety.

20 A polynucleotide encoding a polypeptide having a desaturase or elongase activity as specified above is obtainable or obtained in accordance with the present invention for example from an organism of genus *Ostreococcus*, *Thraustochytrium*, *Euglena*, *Thalassiosira*, *Phytophthora*, *Phytium*, *Cochliobolus*, *Physcomitrella*. However, orthologs, paralogs or other homologs may be identified from other species. Preferably, they are obtained from plants such as algae, for example *Isochrysis*, *Mantoniella*, *Cryptocodinium*,
25 algae/diatoms such as *Phaeodactylum*, mosses such as *Ceratodon*, or higher plants such as the *Primulaceae* such as *Aleuritia*, *Calendula stellata*, *Osteospermum spinescens* or *Osteospermum hyoseroides*, microorganisms such as fungi, such as *Aspergillus*, *Entomophthora*, *Mucor* or *Mortierella*, bacteria such as *Shewanella*, yeasts or animals. Preferred animals are nematodes such as *Caenorhabditis*, insects or vertebrates. Among
30 the vertebrates, the nucleic acid molecules may, preferably, be derived from *Euteleostomi*, *Actinopterygii*; *Neopterygii*; *Teleostei*; *Euteleostei*, *Protacanthopterygii*, *Salmoniformes*; *Salmonidae* or *Oncorhynchus*, more preferably, from the order of the *Salmoniformes*, most preferably, the family of the *Salmonidae*, such as the genus *Salmo*, for example from the genera and species *Oncorhynchus mykiss*, *Trutta trutta* or *Salmo trutta fario*. Moreover, the
35 nucleic acid molecules may be obtained from the diatoms such as the genera *Thalassiosira* or *Phaeodactylum*.

Thus, the term "polynucleotide" as used in accordance with the present invention further encompasses variants or derivatives of the aforementioned specific polynucleotides
40 representing orthologs, paralogs or other homologs of the polynucleotide of the present invention. Moreover, variants or derivatives of the polynucleotide of the present invention

also include artificially generated muteins. Said muteins include, e.g., enzymes which are generated by mutagenesis techniques and which exhibit improved or altered substrate specificity, or codon optimized polynucleotides.

- 5 Nucleic acid variants or derivatives according to the invention are polynucleotides which differ from a given reference polynucleotide by at least one nucleotide substitution, addition and/or deletion. If the reference polynucleotide codes for a protein, the function of this protein is conserved in the variant or derivative polynucleotide, such that a variant nucleic acid sequence shall still encode a polypeptide having a desaturase or elongase activity as
- 10 specified above. Variants or derivatives also encompass polynucleotides comprising a nucleic acid sequence which is capable of hybridizing to the aforementioned specific nucleic acid sequences, preferably, under stringent hybridization conditions. These stringent conditions are known to the skilled in the art and can be found in Current Protocols in Molecular Biology, John Wiley & Sons, N. Y. (1989), 6.3.1-6.3.6. A preferred example for
- 15 stringent hybridization conditions are hybridization conditions in 6 ´ sodium chloride/sodium citrate (= SSC) at approximately 45°C, followed by one or more wash steps in 0.2 ´ SSC, 0.1% SDS at 50 to 65°C. The skilled worker knows that these hybridization conditions differ depending on the type of nucleic acid and, for example when organic solvents are present, with regard to the temperature and concentration of the buffer. For example, under
- 20 "standard hybridization conditions" the temperature differs depending on the type of nucleic acid between 42°C and 58°C in aqueous buffer with a concentration of 0.1 to 5 ´ SSC (pH 7.2). If organic solvent is present in the abovementioned buffer, for example 50% formamide, the temperature under standard conditions is approximately 42°C. The hybridization conditions for DNA: DNA hybrids are, preferably, 0.1 ´ SSC and 20°C to 45°C,
- 25 preferably between 30°C and 45°C. The hybridization conditions for DNA:RNA hybrids are, preferably, 0.1 ´ SSC and 30°C to 55°C, preferably between 45°C and 55°C. The abovementioned hybridization temperatures are determined for example for a nucleic acid with approximately 100 bp (= base pairs) in length and a G + C content of 50% in the absence of formamide. The skilled worker knows how to determine the hybridization
- 30 conditions required by referring to textbooks such as the textbook mentioned above, or the following textbooks: Sambrook et al., "Molecular Cloning", Cold Spring Harbor Laboratory, 1989; Hames and Higgins (Ed.) 1985, "Nucleic Acids Hybridization: A Practical Approach", IRL Press at Oxford University Press, Oxford; Brown (Ed.) 1991, "Essential Molecular Biology: A Practical Approach", IRL Press at Oxford University Press, Oxford. Alternatively,
- 35 polynucleotide variants are obtainable by PCR-based techniques such as mixed oligonucleotide primer based amplification of DNA, i.e. using degenerated primers against conserved domains of the polypeptides of the present invention. Conserved domains of the polypeptide of the present invention may be identified by a sequence comparison of the nucleic acid sequences of the polynucleotides or the amino acid sequences of the
- 40 polypeptides of the present invention. Oligonucleotides suitable as PCR primers as well as suitable PCR conditions are described in the accompanying Examples. As a template, DNA

or cDNA from bacteria, fungi, plants or animals may be used. Further, variants include polynucleotides comprising nucleic acid sequences which are at least 50%, at least 55%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 98% or at least 99% identical to the nucleic acid coding sequences shown in any one of the T-DNA sequences given in the corresponding tables of the examples. Of course, the variants must retain the function of the respective enzyme, i.e. a variant of a delta-4-desaturase must retain delta-4-desaturase activity.

The percent identity values are, preferably, calculated over the entire amino acid or nucleic acid sequence region. A series of programs based on a variety of algorithms is available to the skilled worker for comparing different sequences. In a preferred embodiment, the percent identity between two amino acid sequences is determined using the Needleman and Wunsch algorithm (Needleman 1970, J. Mol. Biol. (48):444-453) which has been incorporated into the needle program in the EMBOSS software package (EMBOSS: The European Molecular Biology Open Software Suite, Rice,P., Longden,I., and Bleasby,A, Trends in Genetics 16(6), 276-277, 2000), a BLOSUM62 scoring matrix, and a gap opening penalty of 10 and a gap extension penalty of 0.5. Guides for local installation of the EMBOSS package as well as links to WEB-Services can be found at <http://emboss.sourceforge.net>. A preferred, non-limiting example of parameters to be used for aligning two amino acid sequences using the needle program are the default parameters, including the EBLOSUM62 scoring matrix, a gap opening penalty of 10 and a gap extension penalty of 0.5. In yet another preferred embodiment, the percent identity between two nucleotide sequences is determined using the needle program in the EMBOSS software package (EMBOSS: The European Molecular Biology Open Software Suite, Rice,P., Longden,I., and Bleasby,A, Trends in Genetics 16(6), 276-277, 2000), using the EDNAFULL scoring matrix and a gap opening penalty of 10 and a gap extension penalty of 0.5. A preferred, non-limiting example of parameters to be used in conjunction for aligning two nucleic acid sequences using the needle program are the default parameters, including the EDNAFULL scoring matrix, a gap opening penalty of 10 and a gap extension penalty of 0.5. The nucleic acid and protein sequences of the present invention can further be used as a "query sequence" to perform a search against public databases to, for example, identify other family members or related sequences. Such searches can be performed using the BLAST series of programs (version 2.2) of Altschul et al. (Altschul 1990, J. Mol. Biol. 215:403-10). BLAST using desaturase and elongase nucleic acid sequences of the invention as query sequence can be performed with the BLASTn, BLASTx or the tBLASTx program using default parameters to obtain either nucleotide sequences (BLASTn, tBLASTx) or amino acid sequences (BLASTx) homologous to desaturase and elongase sequences of the invention. BLAST using desaturase and elongase protein sequences of the invention as query sequence can be performed with the BLASTp or the tBLASTn program using default parameters to obtain either amino acid sequences (BLASTp) or nucleic acid sequences (tBLASTn) homologous to desaturase and

elongase sequences of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST using default parameters can be utilized as described in Altschul et al. (Altschul 1997, Nucleic Acids Res. 25(17):3389-3402).

- 5 A polynucleotide comprising a fragment of any nucleic acid, particularly of any of the
aforementioned nucleic acid sequences, is also encompassed as a polynucleotide of the
present invention. The fragments shall encode polypeptides which still have desaturase or
elongase activity as specified above. Accordingly, the polypeptide may comprise or consist
10 of the domains of the polypeptide of the present invention conferring the said biological
activity. A fragment as meant herein, preferably, comprises at least 50, at least 100, at least
250 or at least 500 consecutive nucleotides of any one of the aforementioned nucleic acid
sequences or encodes an amino acid sequence comprising at least 20, at least 30, at least
50, at least 80, at least 100 or at least 150 consecutive amino acids of any one of the
aforementioned amino acid sequences.

- 15 The variant polynucleotides or fragments referred to above, preferably, encode
polypeptides retaining desaturase or elongase activity to a significant extent, preferably, at
least 10%, at least 20%, at least 30%, at least 40%, at least 50%, at least 60%, at least
70%, at least 80% or at least 90% of the desaturase or elongase activity exhibited by any of
20 the polypeptide comprised in any of the T-DNAs given in the accompanying Examples.

- Further enzymes beneficial for the present invention as described in detail in the examples
are acyltransferases and transacylases (cf. WO 2011161093 A1). One group of
acyltransferases having three distinct enzymatic activities are enzymes of the "Kennedy
25 pathway", which are located on the cytoplasmic side of the membrane system of the
endoplasmic reticulum (ER). The ER-bound acyltransferases in the microsomal fraction use
acyl-CoA as the activated form of fatty acids. Glycerol-3-phosphate acyltransferase (GPAT)
catalyzes the incorporation of acyl groups at the sn-1 position of glycerol-3-phosphate. 1-
Acylglycerol-3-phosphate acyltransferase, also known as lysophosphatidic acid
30 acyltransferase (LPAAT), catalyze the incorporation of acyl groups at the sn-2 position of
lysophosphatidic acid (LPA). After dephosphorylation of phosphatidic acid by phosphatidic
acid phosphatase (PAP), diacylglycerol acyltransferase (DGAT) catalyzes the incorporation
of acyl groups at the sn-3 position of diacylglycerols. Further enzymes directly involved in
TAG biosynthesis - apart from the said Kennedy pathway enzymes - are the phospholipid
35 diacylglycerol acyltransferase (PDAT), an enzyme that transfers acyl groups from the sn-2
position of membrane lipids to the sn-3 position of diacylglycerols, and
diacylglyceroldiacylglycerol transacylase (DDAT), an enzyme that transfers acylgroups from
the sn-2 position of one diacylglycerol-molecule to the sn-3 position of another
diacylglycerol-molecule. Lysophospholipid acyltransferase (LPLAT) represents a class of
40 acyltransferases that are capable of incorporating activated acyl groups from acyl-CoA to
membrane lipids, and possibly catalyze also the reverse reaction. More specifically,

LPLATs can have activity as lysophosphatidylethanolamine acyltransferase (LPEAT) and lysophosphatidylcholine acyltransferase (LPCAT). Further enzymes, such as lecithin cholesterol acyltransferase (LCAT) can be involved in the transfer of acyl groups from membrane lipids into triacylglycerides, as well. The documents WO 98/54302 and WO 98/54303 disclose a human LPAAT and its potential use for the therapy of diseases, as a diagnostic, and a method for identifying modulators of the human LPAAT. Moreover, a variety of acyltransferases with a wide range of enzymatic functions have been described in the documents WO 98/55632, WO 98/55631, WO 94/13814, WO 96/24674, WO 95/27791, WO 00/18889, WO 00/18889, WO 93/10241, Akermoun 2000, Biochemical Society Transactions 28: 713-715, Tumaney 1999, Biochimica et Biophysica Acta 1439: 47-56, Fraser 2000, Biochemical Society Transactions 28: 715- 7718, Szymne 1984, Biochem. J. 223: 305-314, Yamashita 2001, Journal of Biological Chemistry 276: 26745-26752, and WO 00/18889.

The term "expression control sequence" as used herein refers to a nucleic acid sequence which is capable of governing, i.e. initiating and controlling, transcription of a nucleic acid sequence of interest, in the present case the nucleic sequences recited above. Such a sequence usually comprises or consists of a promoter or a combination of a promoter and enhancer sequences. Expression of a polynucleotide comprises transcription of the nucleic acid molecule, preferably, into a translatable mRNA. Additional regulatory elements may include transcriptional as well as translational enhancers. The following promoters and expression control sequences may be, preferably, used in an expression vector according to the present invention. The cos, tac, trp, tet, trp-tet, lpp, lac, lpp-lac, lacIq, T7, T5, T3, gal, trc, ara, SP6, λ -PR or λ -PL promoters are, preferably, used in Gram-negative bacteria. For Gram-positive bacteria, promoters amy and SPO2 may be used. From yeast or fungal promoters ADC1, AOX1r, GAL1, MF α , AC, P-60, CYC1, GAPDH, TEF, rp28, ADH are, preferably, used. For animal cell or organism expression, the promoters CMV-, SV40-, RSV-promoter (Rous sarcoma virus), CMV-enhancer, SV40-enhancer are preferably used. From plants the promoters CaMV/35S (Franck 1980, Cell 21: 285-294), PRP1 (Ward 1993, Plant. Mol. Biol. 22), SSU, OCS, lib4, usp, STLS1, B33, nos or the ubiquitin or phaseolin promoter. Also preferred in this context are inducible promoters, such as the promoters described in EP 0388186 A1 (i.e. a benzylsulfonamide-inducible promoter), Gatz 1992, Plant J. 2:397-404 (i.e. a tetracyclin-inducible promoter), EP 0335528 A1 (i.e. a abscisic-acid-inducible promoter) or WO 93/21334 (i.e. a ethanol- or cyclohexenol-inducible promoter). Further suitable plant promoters are the promoter of cytosolic FBPase or the ST-LSI promoter from potato (Stockhaus 1989, EMBO J. 8, 2445), the phosphoribosyl-pyrophosphate amidotransferase promoter from Glycine max (Genbank accession No. U87999) or the node-specific promoter described in EP 0249676 A1. Particularly preferred are promoters which enable the expression in tissues which are involved in the biosynthesis of fatty acids. Also particularly preferred are seed-specific promoters such as the USP promoter in accordance with the practice, but also other promoters such as the LeB4, DC3,

phaseolin or napin promoters. Further especially preferred promoters are seed-specific promoters which can be used for monocotyledonous or dicotyledonous plants and which are described in US 5,608,152 (napin promoter from oilseed rape), WO 98/45461 (oleosin promoter from *Arabidopsis*, US 5,504,200 (phaseolin promoter from *Phaseolus vulgaris*),
5 WO 91/13980 (Bce4 promoter from Brassica), by Baeumlein et al., Plant J., 2, 2, 1992:233-239 (LeB4 promoter from a legume), these promoters being suitable for dicots. The following promoters are suitable for monocots: lpt-2 or lpt-1 promoter from barley (WO 95/15389 and WO 95/23230), hordein promoter from barley and other promoters which are suitable and which are described in WO 99/16890. In principle, it is possible to use all
10 natural promoters together with their regulatory sequences, such as those mentioned above, for the novel process. Likewise, it is possible and advantageous to use synthetic promoters, either additionally or alone, especially when they mediate a seed-specific expression, such as, for example, as described in WO 99/16890. In a particular embodiment, seed-specific promoters are utilized to enhance the production of the desired
15 PUFA or VLC-PUFA.

The term "operatively linked" as used herein means that the expression control sequence and the nucleic acid of interest are linked so that the expression of the said nucleic acid of interest can be governed by the said expression control sequence, i.e. the expression
20 control sequence shall be functionally linked to the said nucleic acid sequence to be expressed. Accordingly, the expression control sequence and, the nucleic acid sequence to be expressed may be physically linked to each other, e.g., by inserting the expression control sequence at the 5' end of the nucleic acid sequence to be expressed. Alternatively, the expression control sequence and the nucleic acid to be expressed may be merely in
25 physical proximity so that the expression control sequence is capable of governing the expression of at least one nucleic acid sequence of interest. The expression control sequence and the nucleic acid to be expressed are, preferably, separated by not more than 500 bp, 300 bp, 100 bp, 80 bp, 60 bp, 40 bp, 20 bp, 10 bp or 5 bp.

30 Preferred polynucleotides of the present invention comprise, in addition to a promoter, a terminator sequence operatively linked to the nucleic acid sequence of interest.

The term "terminator" as used herein refers to a nucleic acid sequence which is capable of terminating transcription. These sequences will cause dissociation of the transcription
35 machinery from the nucleic acid sequence to be transcribed. Preferably, the terminator shall be active in plants and, in particular, in plant seeds. Suitable terminators are known in the art and, preferably, include polyadenylation signals such as the SV40-poly-A site or the tk-poly-A site or one of the plant specific signals indicated in Loke et al. (Loke 2005, Plant Physiol 138, pp. 1457-1468), downstream of the nucleic acid sequence to be expressed.

40

The invention furthermore relates to recombinant nucleic acid molecules comprising at least one nucleic acid sequence which codes for a polypeptide having desaturase and/or elongase activity which is modified by comparison with the nucleic acid sequence in the organism from which the sequence originates in that it is adapted to the codon usage in one or more plant species.

For the purposes of the invention "recombinant" means with regard to, for example, a nucleic acid sequence, an expression cassette (=gene construct) or a vector comprising the nucleic acid sequences used in the process according to the invention or a host cell transformed with the nucleic acid sequences, expression cassette or vector used in the process according to the invention, all those constructions brought about by recombinant methods in which either the nucleic acid sequence, or a genetic control sequence which is operably linked with the nucleic acid sequence, for example a promoter, or are not located in their natural genetic environment or have been modified by recombinant methods.

Preferably, the plant cell of the present invention is an oilseed crop plant cell. More preferably, said oilseed crop is selected from the group consisting of flax (*Linum* sp.), rapeseed (*Brassica* sp.), soybean (*Glycine* and *Soja* sp.), sunflower (*Helianthus* sp.), cotton (*Gossypium* sp.), corn (*Zea mays*), olive (*Olea* sp.), safflower (*Carthamus* sp.), cocoa (*Theobroma cacao*), peanut (*Arachis* sp.), hemp, camelina, crambe, oil palm, coconuts, groundnuts, sesame seed, castor bean, lesquerella, tallow tree, sheanuts, tungnuts, kapok fruit, poppy seed, jojoba seeds and perilla. Preferred plants to be used for introducing the polynucleotide or T-DNA of the invention are plants which are capable of synthesizing fatty acids, such as all dicotyledonous or monocotyledonous plants, algae or mosses. It is to be understood that host cells derived from a plant may also be used for producing a plant according to the present invention. Preferred plants are selected from the group of the plant families Adelotheceaceae, Anacardiaceae, Arecaceae, Asteraceae, Apiaceae, Betulaceae, Boraginaceae, Brassicaceae, Bromeliaceae, Caricaceae, Cannabaceae, Convolvulaceae, Chenopodiaceae, Compositae, Crypthecodiniaceae, Cruciferae, Cucurbitaceae, Ditrichaceae, Elaeagnaceae, Ericaceae, Euphorbiaceae, Fabaceae, Geraniaceae, Gramineae, Juglandaceae, Lauraceae, Leguminosae, Linaceae, Malvaceae, Moringaceae, Marchantiaceae, Onagraceae, Olacaceae, Oleaceae, Papaveraceae, Piperaceae, Pedaliaceae, Poaceae, Solanaceae, Prasinophyceae or vegetable plants or ornamentals such as *Tagetes*. Examples which may be mentioned are the following plants selected from the group consisting of: Adelotheceaceae such as the genera *Physcomitrella*, such as the genus and species *Physcomitrella patens*, Anacardiaceae such as the genera *Pistacia*, *Mangifera*, *Anacardium*, for example the genus and species *Pistacia vera* [pistachio], *Mangifera indica* [mango] or *Anacardium occidentale* [cashew], Asteraceae, such as the genera *Calendula*, *Carthamus*, *Centaurea*, *Cichorium*, *Cynara*, *Helianthus*, *Lactuca*, *Locusta*, *Tagetes*, *Valeriana*, for example the genus and species *Calendula officinalis* [common marigold], *Carthamus tinctorius* [safflower], *Centaurea cyanus* [cornflower],

- Cichorium intybus [chicory], Cynara scolymus [artichoke], Helianthus annuus [sunflower], Lactuca sativa, Lactuca crisper, Lactuca esculenta, Lactuca scariola L. ssp. sativa, Lactuca scariola L. var. integrata, Lactuca scariola L. var. integrifolia, Lactuca sativa subsp. romana, Locusta communis, Valeriana locusta [salad vegetables], Tagetes lucida, Tagetes erecta or
- 5 Tagetes tenuifolia [african or french marigold], Apiaceae, such as the genus Daucus, for example the genus and species Daucus carota [carrot], Betulaceae, such as the genus Corylus, for example the genera and species Corylus avellana or Corylus columna [hazelnut], Boraginaceae, such as the genus Borago, for example the genus and species Borago officinalis [borage], Brassicaceae, such as the genera Brassica, Melanosinapis,
- 10 Sinapis, Arabidopsis, for example the genera and species Brassica napus, Brassica rapa ssp. [oilseed rape], Sinapis arvensis Brassica juncea, Brassica juncea var. juncea, Brassica juncea var. crispifolia, Brassica juncea var. foliosa, Brassica nigra, Brassica sinapioides, Melanosinapis communis [mustard], Brassica oleracea [fodder beet] or Arabidopsis thaliana, Bromeliaceae, such as the genera Anana, Bromelia (pineapple), for example the
- 15 genera and species Anana comosus, Ananas ananas or Bromelia comosa [pineapple], Caricaceae, such as the genus Carica, such as the genus and species Carica papaya [pawpaw], Cannabaceae, such as the genus Cannabis, such as the genus and species Cannabis sativa [hemp], Convolvulaceae, such as the genera Ipomea, Convolvulus, for example the genera and species Ipomoea batatas, Ipomoea pandurata, Convolvulus
- 20 batatas, Convolvulus tiliaceus, Ipomoea fastigiata, Ipomoea tiliacea, Ipomoea triloba or Convolvulus panduratus [sweet potato, batate], Chenopodiaceae, such as the genus Beta, such as the genera and species Beta vulgaris, Beta vulgaris var. altissima, Beta vulgaris var. Vulgaris, Beta maritima, Beta vulgaris var. perennis, Beta vulgaris var. conditiva or Beta vulgaris var. esculenta [sugarbeet], Cryptocodiniaceae, such as the genus
- 25 Cryptocodium, for example the genus and species Cryptocodium cohnii, Cucurbitaceae, such as the genus Cucurbita, for example the genera and species Cucurbita maxima, Cucurbita mixta, Cucurbita pepo or Cucurbita moschata [pumpkin/squash], Cymbellaceae such as the genera Amphora, Cymbella, Okedenia, Phaeodactylum, Reimeria, for example the genus and species Phaeodactylum tricornutum,
- 30 Ditrichaceae such as the genera Ditrichaceae, Astomiopsis, Ceratodon, Chrysoblastella, Ditrichum, Distichium, Eccremidium, Lophidion, Philibertiella, Pleuridium, Saelania, Trichodon, Skottsbergia, for example the genera and species Ceratodon antarcticus, Ceratodon columbiae, Ceratodon heterophyllus, Ceratodon purpureus, Ceratodon purpureus, Ceratodon purpureus ssp. convolutus, Ceratodon, purpureus spp. stenocarpus,
- 35 Ceratodon purpureus var. rotundifolius, Ceratodon ratodon, Ceratodon stenocarpus, Chrysoblastella chilensis, Ditrichum ambiguum, Ditrichum brevisetum, Ditrichum crispatisimum, Ditrichum difficile, Ditrichum falcifolium, Ditrichum flexicaule, Ditrichum giganteum, Ditrichum heteromallum, Ditrichum lineare, Ditrichum lineare, Ditrichum montanum, Ditrichum montanum, Ditrichum pallidum, Ditrichum punctulatum, Ditrichum
- 40 pusillum, Ditrichum pusillum var. tortile, Ditrichum rhynchostegium, Ditrichum schimperii, Ditrichum tortile, Distichium capillaceum, Distichium hagenii, Distichium inclinatum,

Distichium macounii, *Eccremidium floridanum*, *Eccremidium whiteleggei*, *Lophidion strictus*,
Pleuridium acuminatum, *Pleuridium alternifolium*, *Pleuridium holdridgei*, *Pleuridium*
mexicanum, *Pleuridium ravenelii*, *Pleuridium subulatum*, *Saelania glaucescens*, *Trichodon*
borealis, *Trichodon cylindricus* or *Trichodon cylindricus* var. *oblongus*, Elaeagnaceae such
5 as the genus *Elaeagnus*, for example the genus and species *Olea europaea* [olive],
Ericaceae such as the genus *Kalmia*, for example the genera and species *Kalmia latifolia*,
Kalmia angustifolia, *Kalmia microphylla*, *Kalmia polifolia*, *Kalmia occidentalis*, *Cistus*
chamaerhodendros or *Kalmia lucida* [mountain laurel], Euphorbiaceae such as the genera
10 *Manihot*, *Janipha*, *Jatropha*, *Ricinus*, for example the genera and species *Manihot*
utilissima, *Janipha manihot*, *Jatropha manihot*, *Manihot aipil*, *Manihot dulcis*, *Manihot*
manihot, *Manihot melanobasis*, *Manihot esculenta* [manihot] or *Ricinus communis* [castor-
oil plant], Fabaceae such as the genera *Pisum*, *Albizia*, *Cathormion*, *Feuillea*, *Inga*,
Pithecolobium, *Acacia*, *Mimosa*, *Medicago*, *Glycine*, *Dolichos*, *Phaseolus*, *Soja*, for example
15 the genera and species *Pisum sativum*, *Pisum arvense*, *Pisum humile* [pea], *Albizia*
berteriana, *Albizia julibrissin*, *Albizia lebeck*, *Acacia berteriana*, *Acacia littoralis*, *Albizia*
berteriana, *Albizia berteriana*, *Cathormion berteriana*, *Feuillea berteriana*, *Inga fragrans*,
Pithecellobium berterianum, *Pithecellobium fragrans*, *Pithecolobium berterianum*,
Pseudalbizia berteriana, *Acacia julibrissin*, *Acacia nemu*, *Albizia nemu*, *Feuillea*
julibrissin, *Mimosa julibrissin*, *Mimosa speciosa*, *Sericanrda julibrissin*, *Acacia lebeck*,
20 *Acacia macrophylla*, *Albizia lebbek*, *Feuillea lebeck*, *Mimosa lebeck*, *Mimosa speciosa*
[silk tree], *Medicago sativa*, *Medicago falcata*, *Medicago varia* [alfalfa], *Glycine max*
Dolichos soja, *Glycine gracilis*, *Glycine hispida*, *Phaseolus max*, *Soja hispida* or *Soja max*
[soybean], Funariaceae such as the genera *Aphanorrhagma*, *Entosthodon*, *Funaria*,
Physcomitrella, *Physcomitrium*, for example the genera and species *Aphanorrhagma*
25 *serratum*, *Entosthodon attenuatus*, *Entosthodon bolanderi*, *Entosthodon bonplandii*,
Entosthodon californicus, *Entosthodon drummondii*, *Entosthodon jamesonii*, *Entosthodon*
leibergii, *Entosthodon neoscoticus*, *Entosthodon rubrisetus*, *Entosthodon spathulifolius*,
Entosthodon tucsoni, *Funaria americana*, *Funaria bolanderi*, *Funaria calcarea*, *Funaria*
californica, *Funaria calvescens*, *Funaria convoluta*, *Funaria flavicans*, *Funaria groutiana*,
30 *Funaria hygrometrica*, *Funaria hygrometrica* var. *arctica*, *Funaria hygrometrica* var.
calvescens, *Funaria hygrometrica* var. *convoluta*, *Funaria hygrometrica* var. *muralis*,
Funaria hygrometrica var. *utahensis*, *Funaria microstoma*, *Funaria microstoma* var.
obtusifolia, *Funaria muhlenbergii*, *Funaria orcuttii*, *Funaria plano-convexa*, *Funaria polaris*,
Funaria ravenelii, *Funaria rubriseta*, *Funaria serrata*, *Funaria sonorae*, *Funaria sublimbatus*,
35 *Funaria tucsoni*, *Physcomitrella californica*, *Physcomitrella patens*, *Physcomitrella readeri*,
Physcomitrium australe, *Physcomitrium californicum*, *Physcomitrium collenchymatum*,
Physcomitrium coloradense, *Physcomitrium cupuliferum*, *Physcomitrium drummondii*,
Physcomitrium eurytomum, *Physcomitrium flexifolium*, *Physcomitrium hookeri*,
Physcomitrium hookeri var. *serratum*, *Physcomitrium immersum*, *Physcomitrium*
40 *kellermanii*, *Physcomitrium megalocarpum*, *Physcomitrium pyriforme*, *Physcomitrium*
pyriforme var. *serratum*, *Physcomitrium rufipes*, *Physcomitrium sandbergii*, *Physcomitrium*

subsp. *subphaericum*, *Physcomitrium washingtoniense*, Geraniaceae, such as the genera *Pelargonium*, *Cocos*, *Oleum*, for example the genera and species *Cocos nucifera*, *Pelargonium grossularioides* or *Oleum cocois* [coconut], Gramineae, such as the genus *Saccharum*, for example the genus and species *Saccharum officinarum*, Juglandaceae, such as the genera *Juglans*, *Wallia*, for example the genera and species *Juglans regia*, *Juglans ailanthifolia*, *Juglans sieboldiana*, *Juglans cinerea*, *Wallia cinerea*, *Juglans bixbyi*, *Juglans californica*, *Juglans hindsii*, *Juglans intermedia*, *Juglans jamaicensis*, *Juglans major*, *Juglans microcarpa*, *Juglans nigra* or *Wallia nigra* [walnut], Lauraceae, such as the genera *Persea*, *Laurus*, for example the genera and species *Laurus nobilis* [bay], *Persea americana*, *Persea gratissima* or *Persea persea* [avocado], Leguminosae, such as the genus *Arachis*, for example the genus and species *Arachis hypogaea* [peanut], Linaceae, such as the genera *Linum*, *Adenolinum*, for example the genera and species *Linum usitatissimum*, *Linum humile*, *Linum austriacum*, *Linum bienne*, *Linum angustifolium*, *Linum catharticum*, *Linum flavum*, *Linum grandiflorum*, *Adenolinum grandiflorum*, *Linum lewisii*, *Linum narbonense*, *Linum perenne*, *Linum perenne* var. *lewisii*, *Linum pratense* or *Linum trigynum* [linseed], Lythraeae, such as the genus *Punica*, for example the genus and species *Punica granatum* [pomegranate], Malvaceae, such as the genus *Gossypium*, for example the genera and species *Gossypium hirsutum*, *Gossypium arboreum*, *Gossypium barbadense*, *Gossypium herbaceum* or *Gossypium thurberi* [cotton], Marchantiaceae, such as the genus *Marchantia*, for example the genera and species *Marchantia berteroana*, *Marchantia foliacea*, *Marchantia macropora*, Musaceae, such as the genus *Musa*, for example the genera and species *Musa nana*, *Musa acuminata*, *Musa paradisiaca*, *Musa* spp. [banana], Onagraceae, such as the genera *Camissonia*, *Oenothera*, for example the genera and species *Oenothera biennis* or *Camissonia brevipes* [evening primrose], Palmae, such as the genus *Elaeis*, for example the genus and species *Elaeis guineensis* [oil palm], Papaveraceae, such as the genus *Papaver*, for example the genera and species *Papaver orientale*, *Papaver rhoeas*, *Papaver dubium* [poppy], Pedaliaceae, such as the genus *Sesamum*, for example the genus and species *Sesamum indicum* [sesame], Piperaceae, such as the genera *Piper*, *Artanthe*, *Peperomia*, *Steffensia*, for example the genera and species *Piper aduncum*, *Piper amalago*, *Piper angustifolium*, *Piper auritum*, *Piper betel*, *Piper cubeba*, *Piper longum*, *Piper nigrum*, *Piper retrofractum*, *Artanthe adunca*, *Artanthe elongata*, *Peperomia elongata*, *Piper elongatum*, *Steffensia elongata* [cayenne pepper], Poaceae, such as the genera *Hordeum*, *Secale*, *Avena*, *Sorghum*, *Andropogon*, *Holcus*, *Panicum*, *Oryza*, *Zea* (maize), *Triticum*, for example the genera and species *Hordeum vulgare*, *Hordeum jubatum*, *Hordeum murinum*, *Hordeum secalinum*, *Hordeum distichon*, *Hordeum aegiceras*, *Hordeum hexastichon*, *Hordeum hexastichum*, *Hordeum irregulare*, *Hordeum sativum*, *Hordeum secalinum* [barley], *Secale cereale* [rye], *Avena sativa*, *Avena fatua*, *Avena byzantina*, *Avena fatua* var. *sativa*, *Avena hybrida* [oats], *Sorghum bicolor*, *Sorghum halepense*, *Sorghum saccharatum*, *Sorghum vulgare*, *Andropogon drummondii*, *Holcus bicolor*, *Holcus sorghum*, *Sorghum aethiopicum*, *Sorghum arundinaceum*, *Sorghum caffrorum*, *Sorghum cernuum*, *Sorghum dochna*, *Sorghum drummondii*, *Sorghum durra*,

Sorghum guineense, Sorghum lanceolatum, Sorghum nervosum, Sorghum saccharatum, Sorghum subglabrescens, Sorghum verticilliflorum, Sorghum vulgare, Holcus halepensis, Sorghum miliaceum, Panicum militaceum [millet], Oryza sativa, Oryza latifolia [rice], Zea mays [maize], Triticum aestivum, Triticum durum, Triticum turgidum, Triticum hybernum, 5 Triticum macha, Triticum sativum or Triticum vulgare [wheat], Porphyridiaceae, such as the genera Chrootheca, Flintiella, Petrovanella, Porphyridium, Rhodella, Rhodosorus, Vanhoefenia, for example the genus and species Porphyridium cruentum, Proteaceae, such as the genus Macadamia, for example the genus and species Macadamia intergrifolia [macadamia], Prasinophyceae such as the genera Nephroselmis, Prasinococcus, 10 Scherffelia, Tetraselmis, Mantoniella, Ostreococcus, for example the genera and species Nephroselmis olivacea, Prasinococcus capsulatus, Scherffelia dubia, Tetraselmis chui, Tetraselmis suecica, Mantoniella squamata, Ostreococcus tauri, Rubiaceae such as the genus Cofea, for example the genera and species Cofea spp., Coffea arabica, Coffea canephora or Coffea liberica [coffee], Scrophulariaceae such as the genus Verbascum, for 15 example the genera and species Verbascum blattaria, Verbascum chaixii, Verbascum densiflorum, Verbascum lagurus, Verbascum longifolium, Verbascum lychnitis, Verbascum nigrum, Verbascum olympicum, Verbascum phlomoides, Verbascum phoenicum, Verbascum pulverulentum or Verbascum thapsus [mullein], Solanaceae such as the genera Capsicum, Nicotiana, Solanum, Lycopersicon, for example the genera and species 20 Capsicum annuum, Capsicum annuum var. glabriusculum, Capsicum frutescens [pepper], Capsicum annuum [paprika], Nicotiana tabacum, Nicotiana alata, Nicotiana attenuata, Nicotiana glauca, Nicotiana langsdorffii, Nicotiana obtusifolia, Nicotiana quadrivalvis, Nicotiana repanda, Nicotiana rustica, Nicotiana sylvestris [tobacco], Solanum tuberosum [potato], Solanum melongena [eggplant], Lycopersicon esculentum, Lycopersicon 25 lycopersicum, Lycopersicon pyriforme, Solanum integrifolium or Solanum lycopersicum [tomato], Sterculiaceae, such as the genus Theobroma, for example the genus and species Theobroma cacao [cacao] or Theaceae, such as the genus Camellia, for example the genus and species Camellia sinensis [tea]. In particular preferred plants to be used as transgenic plants in accordance with the present invention are oil fruit crops which comprise 30 large amounts of lipid compounds, such as peanut, oilseed rape, canola, sunflower, safflower, poppy, mustard, hemp, castor-oil plant, olive, sesame, Calendula, Punica, evening primrose, mullein, thistle, wild roses, hazelnut, almond, macadamia, avocado, bay, pumpkin/squash, linseed, soybean, pistachios, borage, trees (oil palm, coconut, walnut) or crops such as maize, wheat, rye, oats, triticale, rice, barley, cotton, cassava, pepper, 35 Tagetes, Solanaceae plants such as potato, tobacco, eggplant and tomato, Vicia species, pea, alfalfa or bushy plants (coffee, cacao, tea), Salix species, and perennial grasses and fodder crops. Preferred plants according to the invention are oil crop plants such as peanut, oilseed rape, canola, sunflower, safflower, poppy, mustard, hemp, castor-oil plant, olive, Calendula, Punica, evening primrose, pumpkin/squash, linseed, soybean, borage, trees (oil 40 palm, coconut). Especially preferred are sunflower, safflower, tobacco, mullein, sesame, cotton, pumpkin/squash, poppy, evening primrose, walnut, linseed, hemp, thistle or

safflower. Very especially preferred plants are plants such as safflower, sunflower, poppy, evening primrose, walnut, linseed, or hemp, or, most preferred, plants of family Brassicaceae.

- 5 The invention is also concerned with providing constructs for establishing high content of VLC-PUFAs in plants or parts thereof, particularly in plant oils.

As such, the invention provides a T-DNA for expression of a target gene in a plant, wherein the T-DNA comprises a left and a right border element and at least one expression cassette
10 comprising a promotor, operatively linked thereto a target gene, and downstream thereof a terminator, wherein the length of the T-DNA, measured from left to right border element and comprising the target gene, has a length of at least 30000 bp, and the expression cassette is separated from the closest border of the T-DNA by a separator of at least 500 bp length.

- 15 The invention thus provides nucleic acids, i.e. polynucleotides. A polynucleotide according to the present invention is or comprises a T-DNA according to the present invention. Thus, a T-DNA according to the present invention is a polynucleotide, preferably a DNA, and most preferably a double stranded DNA. A "T-DNA" according to the invention is a nucleic acid capable of eventual integration into the genetic material (genome) of a plant. The skilled
20 person understands that for such integration a transformation of respective plant material is required, preferred transformation methods and plant generation methods are described herein.

According to the invention are also provided nucleic acids comprising a T-DNA as defined
25 according to the present invention. For example, a T-DNA of the present invention may be comprised in a circular nucleic acid, e.g. a plasmid, such that an additional nucleic acid section is present between the left and right border elements, i.e. "opposite" of the expression cassette(s) according to the present invention. Such circular nucleic acid may be mapped into a linear form using an arbitrary starting point, e.g. such that the definition
30 "left border element – expression cassette – right border element – additional nucleic acid section opposite of the expression cassette" defines the same circular nucleic acid as the definition "expression cassette – right border element – additional nucleic acid section opposite of the expression cassette – left border element". The additional nucleic acid section preferably comprises one or more genetic elements for replication of the total
35 nucleic acid, i.e. the nucleic acid molecule comprising the T-DNA and the additional nucleic acid section, in one or more host microorganisms, preferably in a microorganism of genus Escherichia, preferably E. coli, and/or Agrobacterium. Preferable host microorganisms are described below in more detail. Such circular nucleic acids comprising a T-DNA of the present invention are particularly useful as transformation vectors; such vectors and are
40 described below in more detail.

The T-DNA length is preferably large, i.e. it has a minimum length of at least 30000 bp, preferably more than 30000 bp, more preferably at least 40000 bp, even more preferably at least 50000 bp and most preferably at least 60000 bp. Preferably, the length of the T-DNA is in a range of any of the aforementioned minimum lengths to 120000bp, more preferably in a range of any of the aforementioned minimum lengths to 100000bp, even more preferably in a range of any of the aforementioned minimum lengths to 90000 bp, even more preferably in a range of any of the aforementioned minimum lengths to 80000 bp. With such minimum lengths it is possible to introduce a number of genes in the form of expression cassettes such that each individual gene is operably linked to at least one promoter and at least one terminator. As is shown hereinafter in the examples section, the invention makes use of such minimum length T-DNA for introducing the genes required for the metabolic pathway of VLC-PUFA production in plants, e.g. oil seed plants, preferably plants of genus Brassica. Also, the length of the T-DNA is preferably limited as described before to allow for easy handling.

In 3' direction of the T-DNA left border element or in 5' direction of the T-DNA right border element, a separator is present setting the respective border element apart from the expression cassette comprising the target gene. The separator in 3' direction of the T-DNA left border element does not necessarily have the same length and/or sequence as the separator in 5' direction of the T-DNA right border element, as long as both separators suffice to the further requirements given below.

The separator or spacer is a section of DNA predominantly defined by its length. Its function is to separate a target gene from the T-DNA's left or right border, respectively. As will be shown in the examples, introducing a separator effectively separates the gene of interest from major influences exerted by the neighbouring genomic locations after insertion of the T-DNA into a genomic DNA. For example it is commonly believed that not all genomic loci are equally suitable for expression of a target gene, and that the same gene under the control of the same promoter and terminator may be expressed in different intensity in plants depending on the region of integration of the target gene (and its corresponding promoter and terminator) in the plant genome. It is generally believed that different regions of a plant genome are accessible with differing ease for transcription factors and/or polymerase enzymes, for example due to these regions being tightly wound around histones and/or attached to the chromosomal backbone (cf. for example Deal et al., Curr Opin Plant Biol. Apr 2011; 14(2): 116–122) or other scaffold material (cf. e.g. Fukuda Y., Plant Mol Biol. 1999 Mar; 39(5): 1051-62). The mechanism of achieving the above mentioned benefits by the T-DNA of the present invention is not understood it is convenient to think of the spacer as a means for physically providing a buffer to compensate for strain exerted by DNA winding by neighbouring histones or chromosomal backbone or other scaffold attached regions. As a model it can be thought that to transcribe a target gene, the DNA has to be partially unwound. If neighbouring regions of the target gene resist such unwinding, for

example because they are tightly wound around histones or otherwise attached to a scaffold or backbone such that rotation of nucleic acid strands is limited, the spacer allows to distribute the strain created by the unwinding attempt over a longer stretch of nucleic acid, thereby reducing the force required for unwinding at the target gene.

5

The separator also can be longer than 500 bp, and preferably is at least 800bp in length, more preferably at least 1000 bp. Longer spacers allow for even more physical separation between the target gene and the nearest genomic flanking region.

- 10 The separator preferably has a sequence devoid of matrix or scaffold attachment signals. Preferably, the separator or spacer does not comprise more than once for a length of 500 bp, preferably not more than once for a length of 1000 bp, a 5-tuple which occurs in the spacers described below in the examples for 20 or more times, summarized over all spacers given in the examples. Those tuples are, in increasing frequency in the spacers given in the examples: AGCCT, CGTAA, CTAAC, CTAGG, GTGAC, TAGGC, TAGGT, 15 AAAAA, AACGC, TTAGC, ACGCT, GCTGA, ACGTT, AGGCT, CGTAG, CTACG, GACGT, GCTTA, AGCTT, CGCTA, TGACG, ACGTG, AGCTG, CACGT, CGTGA, CGTTA, AGCGT, TCACG, CAGCT, CGTCA, CTAGC, GCGTC, TTACG, GTAGC, TAGCG, TCAGC, TAGCT, AGCTA, GCTAG, ACGTA, TACGT. By reducing the frequency of occurrence of one or 20 more of the aforelisted tuples compared to the separators or spacers as given in the examples, a further increase in expression of a target gene in the T-DNA can be achieved.

- The separator may contain a selectable marker. A selectable marker is a nucleic acid section whose presence preferably can be verified in seed without having to wait for the 25 sprouting or full growth of the plant. Preferably the selectable marker conveys a phenotypical property to seed or to a growing plant, for example herbicide tolerance, coloration, seed surface properties (e.g. wrinkling), luminescence or fluorescence proteins, for example green fluorescent protein or luciferase. If for exhibiting the phenotypical feature an expression of a marker gene is required, then the separator correspondingly comprises 30 the marker gene as selectable marker, preferably in the form of an expression cassette. Inclusion of a selectable marker in the separator is particularly advantageous since the marker allows to easily discard non-transformant plant material. Also, in such unexpected case where the T-DNA integrates in a location of the plant genome where the length and/or nucleobase composition of the spacer is insufficient to overcome gene silencing effects 35 caused by the neighbouring genomic DNA, the selectable marker allows to easily discard such unfortunately badly performing exceptional transformants. Thus, preferably the separator comprises an expression cassette for expression of a herbicide tolerance gene. Such separator greatly reduces the chance of having to cultivate a transformant where silencing effects are so strong that even the expression of the selectable marker gene is 40 greatly reduced or fully inhibited. According to the invention, the separator preferably does not comprise a desaturase or elongase gene, and also preferably does not comprise a

promotor or operatively linked to a desaturase or elongase gene. Thus, the T-DNA of the present invention in preferred embodiments is useful for effective separation of the desaturase and elongase genes essential for the production of VLC-PUFAs from any influence of effects caused by neighbouring genomic plant DNA.

5

For the production of VLC-PUFAs in plants, the invention also provides a T-DNA comprising the coding sequences of any single of the tables given in the examples, preferably comprising the coding sequences and and promotors of any single of the tables given in the examples, more preferably the coding sequences and promotors and terminators of any
10 single of the tables given in the examples, and most preferably the expression cassettes of any single of the tables of the examples.

Also, the invention provides a T-DNA for production of VLC-PUFAs in a plant, wherein the T-DNA comprises a left and a right border element and in between one or more expression
15 cassette(s), wherein the length of the T-DNA, measured from left to right border element and comprising the one ore more expression cassettes, has a length of at least 30000 bp, and the expression cassette(s) closest to a left or right border element, respectively, is separated from said closest border element of the T-DNA by a separator of at least 500 bp length. It is to be understood that the one or more expression cassette(s) each comprise a
20 promotor, operatively linked to a target gene, and downstream thereof a terminator, wherein the target gene of a respective expression cassette is a desaturase or elongase gene as required for production of a VLC-PUFA. Preferably at least one and most preferably all of the target genes codes/code for a desaturase or elongase as given in any of the tables in the examples section, and further preferably at least one and most preferably all expression
25 cassettes consist of a combination of promotor, desaturase/elongase gene and terminator as given in any of the examples below.

In one embodiment a plant of the invention comprises one or more T-DNA of the present invention comprising one or more expression cassetts encoding for one or more d5Des, one or more d6Elo, one or more d5Des, one or more o3Des, one or more d5Elo and one or
30 more D4Des, preferably for at least one CoA-dependent D4Des and one Phospholipid-dependent d4Des. In one embodiment, the T-DNA encodes also one or more d12Des.

In one embodiment, the plant of the invention or a part thereof as described herein comprises one or more T-DNAs of the invention which encode for at least two d6Des, at least two d6Elo and/or, at least two o3Des. In one embodiment, the present plant of the
35 invention or a part thereof comprise a T-DNA comprising one or more expression cassetts encoding for at least one CoA-depenent d4Des and at least one phopho-lipid dependent d4Des. In one embodiment the activities of the enzymes expressed by the one or more T-DNAs in the plant of the invention or a prat thereof are encode and express polpeptides having the activities shown in column 1 of fig 19. In one embodiment the plant of the
40 invention comprises at least one T-DNA as shown in columns 1 to 9 in Table 17. In one embodiment, one T-DNA of the present invention comprises one or more gene expression

cassetts encoding for the activities or enzymes listed in Table 17 flanked by the R-regions and one flanked by the R2 regions.

In one embodiment, at least one T-DNA comprises an expression cassette which encodes for at least one d12Des. In one embodiment, the T-DNA or T-DNAs comprise one or more expression cassettes encoding one or more d5Des(Tc_GA), o3Des(Pir_GA), d6Elo(Tp_GA) and/or d6Elo(Pp_GA). Such plants of the present invention have shown particularly high amounts and concentrations of VLC-PUFAs over three or more generations and under different growth conditions

In one embodiment the T-DNA of the invention encodes for the activities of column 1 as disclosed in Table 19, preferably of gene combinations disclosed in Table 17, even more preferred for promoter-gene combinations as described in Table 17

As described in detail in the examples, with regards to the production of VLC-PUFAs three desaturase genes are particularly prone to gene dosage effects (also called "copy number effects"), such that increasing the number of expression cassettes comprising these respective genes leads to a stronger increase in VLC-PUFA levels in plant oils than increasing the number of expression cassettes of other genes. These genes are the genes coding for delta-12-desaturase activity, for delta-6-desaturase activity and omega-3-desaturase activity. Thus, according to the invention each expression cassette comprising a gene coding for a delta-12-desaturase, delta-6-desaturase or omega-3-desaturase is separated from the respective closest left or right border element by a separator and optionally one or more expression cassettes. It is to be understood that where the T-DNA of the present invention comprises more than one expression cassette comprising a gene of the same function, these genes do not need to be identical concerning their nucleic acid sequence or the polypeptide sequence encoded thereby, but should be functional homologs. Thus, for example, to make use of the gene dosage effect described herein a T-DNA according to the present invention may comprise, in addition to optionally a multiplicity of genes coding for delta-6-desaturases and/or omega-3-desaturases, two, three, four or more expression cassettes each comprising a gene coding for a delta-12-desaturase, wherein the delta-12-desaturase polypeptides coded by the respective genes differ in their amino acid sequence. Likewise, a T-DNA of the present invention may comprise, in addition to optionally a multiplicity of genes coding for delta-12-desaturases and/or omega-3-desaturases, two, three, four or more expression cassettes each comprising a gene coding for a delta-6-desaturase, wherein the delta-6-desaturase polypeptides coded by the respective genes differ in their amino acid sequence, or a T-DNA of the present invention may comprise, in addition to optionally a multiplicity of genes coding for delta-12-desaturases and/or delta-6-desaturases, two, three, four or more expression cassettes each comprising a gene coding for a omega-3-desaturase, wherein the omega-3-desaturase polypeptides coded by the respective genes differ in their amino acid sequence.

According to the invention, the T-DNA may also comprise, instead of one or more of the afore mentioned coding sequences, a functional homolog thereof. A functional homolog of a coding sequence is a sequence coding for a polypeptide having the same metabolic function as the replaced coding sequence. For example, a functional homolog of a delta-5-desaturase would be another delta-5-desaturase, and a functional homolog of a delta-5-elongase would be another delta-5-elongase. The functional homolog of a coding sequence preferably codes for a polypeptide having at least 40% sequence identity to the polypeptide coded for by the corresponding coding sequence given in the corresponding table of the examples, more preferably at least 41%, more preferably at least 46%, more preferably at least 48%, more preferably at least 56%, more preferably at least 58%, more preferably at least 59%, more preferably at least 62%, more preferably at least 66%, more preferably at least 69%, more preferably at least 73%, more preferably at least 75%, more preferably at least 77%, more preferably at least 81%, more preferably at least 84%, more preferably at least 87%, more preferably at least 90%, more preferably at least 92%, more preferably at least 95%, more preferably at least 96%, more preferably at least 97%, more preferably at least 98% and even more preferably at least 99%. Likewise, a functional homolog of a promotor is a sequence for starting transcription of a coding sequence located within 500 bp for a proximal promotor or, for a distal promotor, within 3000 bp distant from the promotor TATA box closest to the coding sequence. Again, a functional homolog of a plant seed specific promotor is another plant seed specific promotor. The functional homolog of a terminator, correspondingly, is a sequence for ending transcription of a nucleic acid sequence.

The examples describe particularly preferred T-DNA sequences. As described above, the skilled person understands that the coding sequences, promotors and terminators described therein can be replaced by their functional homologs. However, the examples also describe that according to the invention, certain combinations of promotors and coding sequences, or certain combinations of promotors driving the expression of their corresponding coding sequences, or certain coding sequences or combinations thereof are particularly advantageous; such combinations or individual coding sequences should according to the invention not be replaced by functional homologs of the respective element (here: coding sequence or promotor).

A T-DNA of the present invention preferably comprises two or more genes, preferably all genes, susceptible to a gene dosage effect. As described herein, it is advantageous for achieving high conversion efficiencies of certain enzymatic activities, e.g. delta-12-desaturase, delta-6-desaturase and/or omega-3-desaturase activity, to introduce more than one gene coding for an enzyme having the desired activity into a plant cell. When introducing T-DNA into plant cells, generally transformation methods involving exposition of plant cells to microorganisms are employed, e.g. as described herein. As each microorganism may comprise more than one nucleic acid comprising a T-DNA of the

present invention, recombinant plant cells are frequently obtained comprising two or more T-DNAs of the present invention independently integrated into the cell's genetic material. Thus, by combining genes susceptible to a gene dosage effect on one construct for transformation allows to easily exploit the independence of transformations to achieve a higher frequency of multiple insertions of such T-DNAs. This is particularly useful for transformation methods relying on co-transformation to keep the size of each construct to be transformed low. Also, where a construct comprises all genes susceptible to a gene dosage effect it is beneficially easy to increase the the number of such genes in a plant cell by over-transformation, e.g. transforming a plant cell with the T-DNA of the present invention, wherein the plant cell had previously been transformed with the same T-DNA or other genetic material.

The invention accordingly also provides a construct comprising a T-DNA according to the present invention, wherein the construct preferably is a vector for transformation of a plant cell by microorganism-mediated transformation, preferably by *Agrobacterium*-mediated transformation. Correspondingly, the invention also provides a transforming microorganism comprising one T-DNA according to the present invention, preferably as a construct comprising said T-DNA. Preferably the microorganism is of genus *Agrobacterium*, preferably a disarmed strain thereof, and preferably of species *Agrobacterium tumefaciens* or, even more preferably, of species *Agrobacterium rhizogenes*. Corresponding strains are for example described in WO06024509A2, and methods for plant transformation using such microorganisms are for example described in WO13014585A1. These WO publications are incorporated herein in their entirety, because they contain valuable information about the creation, selection and use of such microorganisms.

The term "vector", preferably, encompasses phage, plasmid, viral vectors as well as artificial chromosomes, such as bacterial or yeast artificial chromosomes. Moreover, the term also relates to targeting constructs which allow for random or site-directed integration of the targeting construct into genomic DNA. Such target constructs, preferably, comprise DNA of sufficient length for either homologous or heterologous recombination as described in detail below. The vector encompassing the polynucleotide of the present invention, preferably, further comprises selectable markers for propagation and/or selection in a host. The vector may be incorporated into a host cell by various techniques well known in the art. If introduced into a host cell, the vector may reside in the cytoplasm or may be incorporated into the genome. In the latter case, it is to be understood that the vector may further comprise nucleic acid sequences which allow for homologous recombination or heterologous insertion. Vectors can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. The terms "transformation" and "transfection", conjugation and transduction, as used in the present context, are intended to comprise a multiplicity of prior-art processes for introducing foreign nucleic acid (for example DNA) into a host cell, including calcium phosphate, rubidium chloride or calcium

chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, natural competence, carbon-based clusters, chemically mediated transfer, electroporation or particle bombardment. Suitable methods for the transformation or transfection of host cells, including plant cells, can be found in Sambrook et al. (Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989) and other laboratory manuals, such as Methods in Molecular Biology, 1995, Vol. 44, Agrobacterium protocols, Ed.: Gartland and Davey, Humana Press, Totowa, New Jersey. Alternatively, a plasmid vector may be introduced by heat shock or electroporation techniques. Should the vector be a virus, it may be packaged in vitro using an appropriate packaging cell line prior to application to host cells.

Preferably, the vector referred to herein is suitable as a cloning vector, i.e. replicable in microbial systems. Such vectors ensure efficient cloning in bacteria and, preferably, yeasts or fungi and make possible the stable transformation of plants. Those which must be mentioned are, in particular, various binary and co-integrated vector systems which are suitable for the T-DNA-mediated transformation. Such vector systems are, as a rule, characterized in that they contain at least the vir genes, which are required for the Agrobacterium-mediated transformation, and the sequences which delimit the T-DNA (T-DNA border). These vector systems, preferably, also comprise further cis-regulatory regions such as promoters and terminators and/or selection markers with which suitable transformed host cells or organisms can be identified. While co-integrated vector systems have vir genes and T-DNA sequences arranged on the same vector, binary systems are based on at least two vectors, one of which bears vir genes, but no T-DNA, while a second one bears T-DNA, but no vir gene. As a consequence, the last-mentioned vectors are relatively small, easy to manipulate and can be replicated both in *E. coli* and in Agrobacterium. These binary vectors include vectors from the pBIB-HYG, pPZP, pBecks, pGreen series. Preferably used in accordance with the invention are Bin19, pBI101, pBinAR, pGPTV and pCambia. An overview of binary vectors and their use can be found in Hellens et al, Trends in Plant Science (2000) 5, 446-451. Furthermore, by using appropriate cloning vectors, the polynucleotides can be introduced into host cells or organisms such as plants or animals and, thus, be used in the transformation of plants, such as those which are published, and cited, in: Plant Molecular Biology and Biotechnology (CRC Press, Boca Raton, Florida), chapter 6/7, pp. 71-119 (1993); F.F. White, Vectors for Gene Transfer in Higher Plants; in: Transgenic Plants, vol. 1, Engineering and Utilization, Ed.: Kung and R. Wu, Academic Press, 1993, 15-38; B. Jené et al., Techniques for Gene Transfer, in: Transgenic Plants, vol. 1, Engineering and Utilization, Ed.: Kung and R. Wu, Academic Press (1993), 128-143; Potrykus 1991, Annu. Rev. Plant Physiol. Plant Molec. Biol. 42, 205-225.

More preferably, the vector of the present invention is an expression vector. In such an expression vector, i.e. a vector which comprises the polynucleotide of the invention having

the nucleic acid sequence operatively linked to an expression control sequence (also called "expression cassette") allowing expression in prokaryotic plant cells or isolated fractions thereof.

- 5 Most important, the invention also provides a plant or seed thereof, comprising, integrated in its genome, a T-DNA of the present invention.

Such T-DNA preferably allows for the expression of all genes required for production of VLC-PUFAs in plants and particularly in the seeds thereof, particularly in oilseed plants, and
10 most beneficially in plants or seeds of family Brassicaceae, preferably of genus Brassica and most preferably of a species comprising a genome of one or two members of the species Brassica oleracea, Brassica nigra and Brassica rapa, thus preferably of the species Brassica napus, Brassica carinata, Brassica juncea, Brassica oleracea, Brassica nigra or Brassica rapa. Particularly preferred according to the invention are plants and seeds of the
15 species Brassica napus and Brassica carinata.

The plants of the present invention are necessarily transgenic, i.e. they comprise genetic material not present in corresponding wild type plant or arranged differently in corresponding wild type plant, for example differing in the number of genetic elements. For
20 example, the plants of the present invention comprise promoters also found in wild type plants, but the plants of the present invention comprise such promoter operatively linked to a coding sequence such that this combination of promoter and coding sequence is not found in the corresponding wild type plant.

25 The plants and seeds of the present invention differ from hitherto produced plants for production of VLC-PUFAS in a number of advantageous features, some of which are described in detail in the examples. In particular, T-DNAs of the present invention allow for the generation of transformant plants (also called "recombinant plants" and seeds thereof with a high transformation frequency, with a high stability of T-DNA insertions over multiple
30 generations of self-fertilized plants, unchanged or unimpaired phenotypical and agronomic characteristics other than VLC-PUFA production, and with high amounts and concentration of VLC-PUFAs, particularly EPA and/or DHA, in the oil of populations of such transformed plants and their corresponding progeny. The latter feature is particularly striking considering that even one full integration of the T-DNA required for establishing the metabolic pathway
35 for VLC-PUFA production, optionally with an additional integration of a partial T-DNA of the present invention, is enough for reliable production of VLC-PUFAs and particularly of EPA and/or DHA in the combined seeds of corresponding populations of plant clones.

While previously reported expression of VLC-PUFAs either focus on the PUFA
40 concentrations or amounts found in individual seeds, such reported amounts or concentrations are of limited value for deciding on agronomical usefulness, because seed-

to-seed variability and plant-to-plant variability in VLC-PUFA amounts per seed are high even for identical clones cultivated side by side under identical greenhouse conditions. Also, it has now been found and is reported below in the examples that the concentration of VLC-PUFAs is negatively correlated with seed oil content in *Brassica napus*, such that the mere statement of VLC-PUFA concentration in %(w/w) of all fatty acids of a plant oil is not indicative of the VLC-PUFA amount achievable by agricultural (i.e. large scale) growing of corresponding clones. In summary, it has been notoriously difficult to distil from reported VLC-PUFA amounts or concentrations which genes, promoters, gene-promotor combinations, gene-gene combinations etc. are beneficial for VLC-PUFA synthesis in oilseed plants.

Also, it is important to note that VLC-PUFA amounts or concentrations can indeed be increased by increasing the number of expression cassettes of functionally identical genes. And it is also important to note that even though many prior art documents purport to comprise applicable technical teachings, e.g. to combine desaturases having a particular property, e.g. CoA-dependence, it is not known how to reduce such alleged technical teachings to practice, particularly as such documents only teach requirements (i.e. functional claim features) but not solutions for these requirements (i.e. structural features). For example, such prior art documents frequently comprise only one example of a single gene and leave the reader with the instruction to start a research program to find other enzymes satisfying the functional definition given therein, provided that any other enzyme exists that satisfies those functional requirements.

Unless stated otherwise, a plant of the present invention comprising a T-DNA of the present invention can also be a plant comprising a part of a T-DNA of the present invention, where such part is sufficient for the production of a desaturase and/or elongase coded for in the corresponding full T-DNA of the present invention. Such plants most preferably comprise at least one full T-DNA of the present invention in addition to the part of a T-DNA of the present invention as defined in the previous sentence. Such plants are hereinafter also termed "partial double copy" plants. Event LBFDAU is an example of a plant comprising a part of a T-DNA of the present invention, and still being a plant of the present invention. In one embodiment the T_DNA is a full T-DNA.

Preferred plants of the present invention comprise one or more T-DNA(s) of the present invention comprising expression cassettes comprising, one or more genes encoding for one or more d5Des, one or more d6Elo, one or more d5Des, one or more o3Des, one or more d5Elo and one or more D4Des, preferably for at least one CoA-dependent D4Des and one Phospholipid-dependent d4Des. In one embodiment, at least one T-DNA comprises a expression cassette which encodes for at least one d12Des. In one embodiment, the T-DNA or T-DNAs comprise one or more expression cassettes encoding one or more d5Des(Tc_GA), o3Des(Pir_GA), d6Elo(Tp_GA) and/or d6Elo(Pp_GA). Such plants of the

present invention have shown particularly high amounts and concentrations of VLC-PUFAs over three or more generations and under different growth conditions.

Preferably, the plant cell of the present invention is an oilseed crop plant cell. More preferably, said oilseed crop is selected from the group consisting of flax (*Linum* sp.), rapeseed (*Brassica* sp.), soybean (*Glycine* and *Soja* sp.), sunflower (*Helianthus* sp.), cotton (*Gossypium* sp.), corn (*Zea mays*), olive (*Olea* sp.), safflower (*Carthamus* sp.), cocoa (*Theobroma cacao*), peanut (*Arachis* sp.), hemp, camelina, crambe, oil palm, coconuts, groundnuts, sesame seed, castor bean, lesquerella, tallow tree, sheanuts, tungnuts, kapok fruit, poppy seed, jojoba seeds and perilla. Preferred plants to be used for introducing the polynucleotide or T-DNA of the invention are plants which are capable of synthesizing fatty acids, such as all dicotyledonous or monocotyledonous plants, algae or mosses. Preferred plants are selected from the group of the plant families Adelotheceaceae, Anacardiaceae, Arecaceae, Asteraceae, Apiaceae, Betulaceae, Boraginaceae, Brassicaceae, Bromeliaceae, Caricaceae, Cannabaceae, Convolvulaceae, Chenopodiaceae, Compositae, Crypthecodiniaceae, Cruciferae, Cucurbitaceae, Ditrichaceae, Elaeagnaceae, Ericaceae, Euphorbiaceae, Fabaceae, Geraniaceae, Gramineae, Juglandaceae, Lauraceae, Leguminosae, Linaceae, Malvaceae, Moringaceae, Marchantiaceae, Onagraceae, Olacaceae, Oleaceae, Papaveraceae, Piperaceae, Pedaliaceae, Poaceae, Solanaceae, Prasinophyceae or vegetable plants or ornamentals such as *Tagetes*. Examples which may be mentioned are the following plants selected from the group consisting of: Adelotheceaceae such as the genera *Physcomitrella*, such as the genus and species *Physcomitrella patens*, Anacardiaceae such as the genera *Pistacia*, *Mangifera*, *Anacardium*, for example the genus and species *Pistacia vera* [pistachio], *Mangifera indica* [mango] or *Anacardium occidentale* [cashew], Asteraceae, such as the genera *Calendula*, *Carthamus*, *Centaurea*, *Cichorium*, *Cynara*, *Helianthus*, *Lactuca*, *Locusta*, *Tagetes*, *Valeriana*, for example the genus and species *Calendula officinalis* [common marigold], *Carthamus tinctorius* [safflower], *Centaurea cyanus* [cornflower], *Cichorium intybus* [chicory], *Cynara scolymus* [artichoke], *Helianthus annuus* [sunflower], *Lactuca sativa*, *Lactuca crispera*, *Lactuca esculenta*, *Lactuca scariola* L. ssp. *sativa*, *Lactuca scariola* L. var. *integrata*, *Lactuca scariola* L. var. *integrifolia*, *Lactuca sativa* subsp. *romana*, *Locusta communis*, *Valeriana locusta* [salad vegetables], *Tagetes lucida*, *Tagetes erecta* or *Tagetes tenuifolia* [african or french marigold], Apiaceae, such as the genus *Daucus*, for example the genus and species *Daucus carota* [carrot], Betulaceae, such as the genus *Corylus*, for example the genera and species *Corylus avellana* or *Corylus colurna* [hazelnut], Boraginaceae, such as the genus *Borago*, for example the genus and species *Borago officinalis* [borage], Brassicaceae, such as the genera *Brassica*, *Melanosinapis*, *Sinapis*, *Arabadopsis*, for example the genera and species *Brassica napus*, *Brassica rapa* ssp. [oilseed rape], *Sinapis arvensis* *Brassica juncea*, *Brassica juncea* var. *juncea*, *Brassica juncea* var. *crispifolia*, *Brassica juncea* var. *foliosa*, *Brassica nigra*, *Brassica sinapioides*, *Melanosinapis communis* [mustard], *Brassica oleracea* [fodder beet] or *Arabidopsis*

thaliana, Bromeliaceae, such as the genera Anana, Bromelia (pineapple), for example the genera and species Anana comosus, Ananas ananas or Bromelia comosa [pineapple], Caricaceae, such as the genus Carica, such as the genus and species Carica papaya [pawpaw], Cannabaceae, such as the genus Cannabis, such as the genus and species

5 Cannabis sativa [hemp], Convolvulaceae, such as the genera Ipomea, Convolvulus, for example the genera and species Ipomoea batatas, Ipomoea pandurata, Convolvulus batatas, Convolvulus tiliaceus, Ipomoea fastigiata, Ipomoea tiliacea, Ipomoea triloba or Convolvulus panduratus [sweet potato, batate], Chenopodiaceae, such as the genus Beta, such as the genera and species Beta vulgaris, Beta vulgaris var. altissima, Beta vulgaris

10 var. Vulgaris, Beta maritima, Beta vulgaris var. perennis, Beta vulgaris var. conditiva or Beta vulgaris var. esculenta [sugarbeet], Cryptecodiniaceae, such as the genus Cryptecodinium, for example the genus and species Cryptecodinium cohnii, Cucurbitaceae, such as the genus Cucurbita, for example the genera and species Cucurbita maxima, Cucurbita mixta, Cucurbita pepo or Cucurbita moschata

15 [pumpkin/squash], Cymbellaceae such as the genera Amphora, Cymbella, Okedenia, Phaeodactylum, Reimeria, for example the genus and species Phaeodactylum tricornutum, Ditrichaceae such as the genera Ditrichaceae, Astomiopsis, Ceratodon, Chrysoblastella, Ditrichum, Distichium, Eccremidium, Lophidion, Philibertiella, Pleuridium, Saelania, Trichodon, Skottsbergia, for example the genera and species Ceratodon antarcticus,

20 Ceratodon columbiae, Ceratodon heterophyllus, Ceratodon purpureus, Ceratodon purpureus, Ceratodon purpureus ssp. convolutus, Ceratodon, purpureus spp. stenocarpus, Ceratodon purpureus var. rotundifolius, Ceratodon ratodon, Ceratodon stenocarpus, Chrysoblastella chilensis, Ditrichum ambiguum, Ditrichum brevisetum, Ditrichum crispatisimum, Ditrichum difficile, Ditrichum falcifolium, Ditrichum flexicaule, Ditrichum giganteum, Ditrichum heteromallum, Ditrichum lineare, Ditrichum lineare, Ditrichum

25 montanum, Ditrichum montanum, Ditrichum pallidum, Ditrichum punctulatum, Ditrichum pusillum, Ditrichum pusillum var. tortile, Ditrichum rhynchostegium, Ditrichum schimperii, Ditrichum tortile, Distichium capillaceum, Distichium hagenii, Distichium inclinatum, Distichium macounii, Eccremidium floridanum, Eccremidium whiteleggei, Lophidion strictus,

30 Pleuridium acuminatum, Pleuridium alternifolium, Pleuridium holdridgei, Pleuridium mexicanum, Pleuridium ravenelii, Pleuridium subulatum, Saelania glaucescens, Trichodon borealis, Trichodon cylindricus or Trichodon cylindricus var. oblongus, Elaeagnaceae such as the genus Elaeagnus, for example the genus and species Olea europaea [olive], Ericaceae such as the genus Kalmia, for example the genera and species Kalmia latifolia,

35 Kalmia angustifolia, Kalmia microphylla, Kalmia polifolia, Kalmia occidentalis, Cistus chamaerhodendros or Kalmia lucida [mountain laurel], Euphorbiaceae such as the genera Manihot, Janipha, Jatropha, Ricinus, for example the genera and species Manihot utilisissima, Janipha manihot, Jatropha manihot, Manihot aipil, Manihot dulcis, Manihot manihot, Manihot melanobasis, Manihot esculenta [manihot] or Ricinus communis [castor-

40 oil plant], Fabaceae such as the genera Pisum, Albizia, Cathormion, Feuillea, Inga, Pithecolobium, Acacia, Mimosa, Medicago, Glycine, Dolichos, Phaseolus, Soja, for example

the genera and species *Pisum sativum*, *Pisum arvense*, *Pisum humile* [pea], *Albizia berteriana*, *Albizia julibrissin*, *Albizia lebbek*, *Acacia berteriana*, *Acacia littoralis*, *Albizia berteriana*, *Albizia berteriana*, *Cathormion berteriana*, *Feuillea berteriana*, *Inga fragrans*, *Pithecellobium berterianum*, *Pithecellobium fragrans*, *Pithecolobium berterianum*,
5 *Pseudalbizia berteriana*, *Acacia julibrissin*, *Acacia nemu*, *Albizia nemu*, *Feuillea julibrissin*, *Mimosa julibrissin*, *Mimosa speciosa*, *Sericanrda julibrissin*, *Acacia lebbeck*, *Acacia macrophylla*, *Albizia lebbek*, *Feuillea lebbeck*, *Mimosa lebbeck*, *Mimosa speciosa* [silk tree], *Medicago sativa*, *Medicago falcata*, *Medicago varia* [alfalfa], *Glycine max*, *Dolichos soja*, *Glycine gracilis*, *Glycine hispida*, *Phaseolus max*, *Soja hispida* or *Soja max*
10 [soybean], *Funariaceae* such as the genera *Aphanorrhagma*, *Entosthodon*, *Funaria*, *Physcomitrella*, *Physcomitrium*, for example the genera and species *Aphanorrhagma serratum*, *Entosthodon attenuatus*, *Entosthodon bolanderi*, *Entosthodon bonplandii*, *Entosthodon californicus*, *Entosthodon drummondii*, *Entosthodon jamesonii*, *Entosthodon leibergii*, *Entosthodon neoscoticus*, *Entosthodon rubrisetus*, *Entosthodon spathulifolius*,
15 *Entosthodon tucsoni*, *Funaria americana*, *Funaria bolanderi*, *Funaria calcarea*, *Funaria californica*, *Funaria calvescens*, *Funaria convoluta*, *Funaria flavicans*, *Funaria groutiana*, *Funaria hygrometrica*, *Funaria hygrometrica* var. *arctica*, *Funaria hygrometrica* var. *calvescens*, *Funaria hygrometrica* var. *convoluta*, *Funaria hygrometrica* var. *muralis*, *Funaria hygrometrica* var. *utahensis*, *Funaria microstoma*, *Funaria microstoma* var.
20 *obtusifolia*, *Funaria muhlenbergii*, *Funaria orcuttii*, *Funaria plano-convexa*, *Funaria polaris*, *Funaria ravenelii*, *Funaria rubriseta*, *Funaria serrata*, *Funaria sonora*, *Funaria sublimbatus*, *Funaria tucsoni*, *Physcomitrella californica*, *Physcomitrella patens*, *Physcomitrella readeri*, *Physcomitrium australe*, *Physcomitrium californicum*, *Physcomitrium collenchymatum*, *Physcomitrium coloradense*, *Physcomitrium cupuliferum*, *Physcomitrium drummondii*,
25 *Physcomitrium eurytomum*, *Physcomitrium flexifolium*, *Physcomitrium hookeri*, *Physcomitrium hookeri* var. *serratum*, *Physcomitrium immersum*, *Physcomitrium kellerianii*, *Physcomitrium megalocarpum*, *Physcomitrium pyriforme*, *Physcomitrium pyriforme* var. *serratum*, *Physcomitrium rufipes*, *Physcomitrium sandbergii*, *Physcomitrium subsphaericum*, *Physcomitrium washingtoniense*, *Geraniaceae*, such as the genera
30 *Pelargonium*, *Cocos*, *Oleum*, for example the genera and species *Cocos nucifera*, *Pelargonium grossularioides* or *Oleum cocois* [coconut], *Gramineae*, such as the genus *Saccharum*, for example the genus and species *Saccharum officinarum*, *Juglandaceae*, such as the genera *Juglans*, *Wallia*, for example the genera and species *Juglans regia*, *Juglans ailanthifolia*, *Juglans sieboldiana*, *Juglans cinerea*, *Wallia cinerea*, *Juglans bixbyi*,
35 *Juglans californica*, *Juglans hindsii*, *Juglans intermedia*, *Juglans jamaicensis*, *Juglans major*, *Juglans microcarpa*, *Juglans nigra* or *Wallia nigra* [walnut], *Lauraceae*, such as the genera *Persea*, *Laurus*, for example the genera and species *Laurus nobilis* [bay], *Persea americana*, *Persea gratissima* or *Persea persea* [avocado], *Leguminosae*, such as the genus *Arachis*, for example the genus and species *Arachis hypogaea* [peanut], *Linaceae*,
40 such as the genera *Linum*, *Adenolinum*, for example the genera and species *Linum usitatissimum*, *Linum humile*, *Linum austriacum*, *Linum bienne*, *Linum angustifolium*, *Linum*

- catharticum, *Linum flavum*, *Linum grandiflorum*, *Adenolinum grandiflorum*, *Linum lewisii*, *Linum narbonense*, *Linum perenne*, *Linum perenne* var. *lewisii*, *Linum pratense* or *Linum trigynum* [linseed], *Lythraeaceae*, such as the genus *Punica*, for example the genus and species *Punica granatum* [pomegranate], *Malvaceae*, such as the genus *Gossypium*, for example the genera and species *Gossypium hirsutum*, *Gossypium arboreum*, *Gossypium barbadense*, *Gossypium herbaceum* or *Gossypium thurberi* [cotton], *Marchantiaceae*, such as the genus *Marchantia*, for example the genera and species *Marchantia berteroana*, *Marchantia foliacea*, *Marchantia macropora*, *Musaceae*, such as the genus *Musa*, for example the genera and species *Musa nana*, *Musa acuminata*, *Musa paradisiaca*, *Musa* spp. [banana], *Onagraceae*, such as the genera *Camissonia*, *Oenothera*, for example the genera and species *Oenothera biennis* or *Camissonia brevipes* [evening primrose], *Palmae*, such as the genus *Elaeis*, for example the genus and species *Elaeis guineensis* [oil palm], *Papaveraceae*, such as the genus *Papaver*, for example the genera and species *Papaver orientale*, *Papaver rhoeas*, *Papaver dubium* [poppy], *Pedaliaceae*, such as the genus *Sesamum*, for example the genus and species *Sesamum indicum* [sesame], *Piperaceae*, such as the genera *Piper*, *Artanthe*, *Peperomia*, *Steffensia*, for example the genera and species *Piper aduncum*, *Piper amalago*, *Piper angustifolium*, *Piper auritum*, *Piper betel*, *Piper cubeba*, *Piper longum*, *Piper nigrum*, *Piper retrofractum*, *Artanthe adunca*, *Artanthe elongata*, *Peperomia elongata*, *Piper elongatum*, *Steffensia elongata* [cayenne pepper], *Poaceae*, such as the genera *Hordeum*, *Secale*, *Avena*, *Sorghum*, *Andropogon*, *Holcus*, *Panicum*, *Oryza*, *Zea* (maize), *Triticum*, for example the genera and species *Hordeum vulgare*, *Hordeum jubatum*, *Hordeum murinum*, *Hordeum secalinum*, *Hordeum distichon*, *Hordeum aegiceras*, *Hordeum hexastichon*, *Hordeum hexastichum*, *Hordeum irregulare*, *Hordeum sativum*, *Hordeum secalinum* [barley], *Secale cereale* [rye], *Avena sativa*, *Avena fatua*, *Avena byzantina*, *Avena fatua* var. *sativa*, *Avena hybrida* [oats], *Sorghum bicolor*, *Sorghum halepense*, *Sorghum saccharatum*, *Sorghum vulgare*, *Andropogon drummondii*, *Holcus bicolor*, *Holcus sorghum*, *Sorghum aethiopicum*, *Sorghum arundinaceum*, *Sorghum caffrorum*, *Sorghum cernuum*, *Sorghum dochna*, *Sorghum drummondii*, *Sorghum durra*, *Sorghum guineense*, *Sorghum lanceolatum*, *Sorghum nervosum*, *Sorghum saccharatum*, *Sorghum subglabrescens*, *Sorghum verticilliflorum*, *Sorghum vulgare*, *Holcus halepensis*, *Sorghum miliaceum*, *Panicum militaceum* [millet], *Oryza sativa*, *Oryza latifolia* [rice], *Zea mays* [maize], *Triticum aestivum*, *Triticum durum*, *Triticum turgidum*, *Triticum hybernum*, *Triticum macha*, *Triticum sativum* or *Triticum vulgare* [wheat], *Porphyridiaceae*, such as the genera *Chrootheca*, *Flintiella*, *Petrovanella*, *Porphyridium*, *Rhodella*, *Rhodosorus*, *Vanhoeffenia*, for example the genus and species *Porphyridium cruentum*, *Proteaceae*, such as the genus *Macadamia*, for example the genus and species *Macadamia intergrifolia* [macadamia], *Prasinophyceae* such as the genera *Nephroselmis*, *Prasinococcus*, *Scherffelia*, *Tetraselmis*, *Mantoniella*, *Ostreococcus*, for example the genera and species *Nephroselmis olivacea*, *Prasinococcus capsulatus*, *Scherffelia dubia*, *Tetraselmis chui*, *Tetraselmis suecica*, *Mantoniella squamata*, *Ostreococcus tauri*, *Rubiaceae* such as the genus *Cofea*, for example the genera and species *Cofea* spp., *Coffea arabica*, *Coffea*

canephora or *Coffea liberica* [coffee], Scrophulariaceae such as the genus *Verbascum*, for example the genera and species *Verbascum blattaria*, *Verbascum chaixii*, *Verbascum densiflorum*, *Verbascum lagurus*, *Verbascum longifolium*, *Verbascum lychnitis*, *Verbascum nigrum*, *Verbascum olympicum*, *Verbascum phlomoides*, *Verbascum phoenicum*,
5 *Verbascum pulverulentum* or *Verbascum thapsus* [mullein], Solanaceae such as the genera *Capsicum*, *Nicotiana*, *Solanum*, *Lycopersicon*, for example the genera and species *Capsicum annuum*, *Capsicum annuum* var. *glabriusculum*, *Capsicum frutescens* [pepper], *Capsicum annuum* [paprika], *Nicotiana tabacum*, *Nicotiana alata*, *Nicotiana attenuata*, *Nicotiana glauca*, *Nicotiana langsdorffii*, *Nicotiana obtusifolia*, *Nicotiana quadrivalvis*,
10 *Nicotiana repanda*, *Nicotiana rustica*, *Nicotiana sylvestris* [tobacco], *Solanum tuberosum* [potato], *Solanum melongena* [eggplant], *Lycopersicon esculentum*, *Lycopersicon lycopersicum*, *Lycopersicon pyriforme*, *Solanum integrifolium* or *Solanum lycopersicum* [tomato], Sterculiaceae, such as the genus *Theobroma*, for example the genus and species *Theobroma cacao* [cacao] or Theaceae, such as the genus *Camellia*, for example the
15 genus and species *Camellia sinensis* [tea]. In particular preferred plants to be used as transgenic plants in accordance with the present invention are oil fruit crops which comprise large amounts of lipid compounds, such as peanut, oilseed rape, canola, sunflower, safflower, poppy, mustard, hemp, castor-oil plant, olive, sesame, *Calendula*, *Punica*, evening primrose, mullein, thistle, wild roses, hazelnut, almond, macadamia, avocado, bay,
20 pumpkin/squash, linseed, soybean, pistachios, borage, trees (oil palm, coconut, walnut) or crops such as maize, wheat, rye, oats, triticale, rice, barley, cotton, cassava, pepper, *Tagetes*, Solanaceae plants such as potato, tobacco, eggplant and tomato, *Vicia* species, pea, alfalfa or bushy plants (coffee, cacao, tea), *Salix* species, and perennial grasses and fodder crops. Preferred plants according to the invention are oilseed crop plants.

25 Most preferably, the plant of the present invention is a plant found in the "Triangle of U", i.e. a plant of genus *Brassica*: *Brassica napus* (AA CC genome; $n=19$) is an amphidiploid plant of the *Brassica* genus but is thought to have resulted from hybridization of *Brassica rapa* (AA genome; $n=10$) and *Brassica oleracea* (CC genome; $n=9$). *Brassica juncea* (AA BB
30 genome; $n=18$) is an amphidiploid plant of the *Brassica* genus that is generally thought to have resulted from the hybridization of *Brassica rapa* and *Brassica nigra* (BB genome; $n=8$). Under some growing conditions, *B. juncea* may have certain superior traits to *B. napus*. These superior traits may include higher yield, better drought and heat tolerance and better disease resistance. *Brassica carinata* (BB CC genome; $n=17$) is an amphidiploid plant of
35 the *Brassica* genus but is thought to have resulted from hybridization of *Brassica nigra* and *Brassica oleracea*. Under some growing conditions, *B. carinata* may have superior traits to *B. napus*. Particularly, *B. carinata* allows for an increase in VLC-PUFA concentrations by at least 20% compared to *B. napus* when transformed with the same T-DNA.

40 The plant of the present invention preferably is a "Canola" plant. Canola is a genetic variation of rapeseed developed by Canadian plant breeders specifically for its oil and meal

- attributes, particularly its low level of saturated fat. Canola herein generally refers to plants of *Brassica* species that have less than 2% erucic acid ($\Delta 13$ -22:1) by weight in seed oil and less than 30 micromoles of glucosinolates per gram of oil free meal. Typically, canola oil may include saturated fatty acids known as palmitic acid and stearic acid, a monounsaturated fatty acid known as oleic acid, and polyunsaturated fatty acids known as linoleic acid and linolenic acid. Canola oil may contain less than about 7%(w/w) total saturated fatty acids (mostly palmitic acid and stearic acid) and greater than 40%(w/w) oleic acid (as percentages of total fatty acids). Traditionally, canola crops include varieties of *Brassica napus* and *Brassica rapa*. Preferred plants of the present invention are spring canola (*Brassica napus* subsp. *oleifera* var. *annua*) and winter canola (*Brassica napus* subsp. *oleifera* var. *biennis*). Furthermore a canola quality *Brassica juncea* variety, which has oil and meal qualities similar to other canola types, has been added to the canola crop family (U.S. Pat. No. 6,303,849, to Potts et al., issued on Oct. 16, 2001; U.S. Pat. No. 7,423,198, to Yao et al.; Potts and Males, 1999; all of which are incorporated herein by reference). Likewise it is possible to establish canola quality *B. carinata* varieties by crossing canola quality variants of *Brassica napus* with *Brassica nigra* and appropriately selecting progeny thereof, optionally after further back-crossing with *B. carinata*, *B. napus* and/or *B. nigra*.
- 20 The invention also provides a plant or seed thereof of family Brassicaceae, preferably of genus *Brassica*, with a genotype that confers a heritable phenotype of seed oil VLC-PUFA content, obtainable or obtained from progeny lines prepared by a method comprising the steps of
- 25 i) crossing a plant of family Brassicaceae, preferably of genus *Brassica*, most preferably of genus *Brassica napus*, *Brassica oleracea*, *Brassica nigra* or *Brassica carinata*, said plant comprising a T-DNA of the present invention and/or part of such T-DNA, with a parent plant of family Brassicaceae, preferably of genus *Brassica*, most preferably of genus *Brassica napus*, *Brassica oleracea*, *Brassica nigra* or *Brassica carinata*, said plant not comprising said T-DNA and/or part thereof, to yield a F1 hybrid,
 - 30 ii) selfing the F1 hybrid for at least one generation, and
 - iii) identifying the progeny of step (ii) comprising the T-DNA of the present invention capable of producing seed comprising VLC-PUFA such that the content of all VLC-PUFA downstream of 18:1n-9 is at least 40% (w/w) of the total seed fatty acid content at an oil content of 40% (w/w), or preferably the content of EPA is at least 12% (w/w) and/or the
- 35 content of DHA is at least 2% (w/w) of the total seed fatty acid content at an oil content of 40% (w/w).

This method allows to effectively incorporate genetic material of other members of family Brassicaceae, preferably of genus *Brassica*, into the genome of a plant comprising a T-DNA of the present invention. The method is particularly useful for combining a T-DNA of the present invention with genetic material responsible for beneficial traits exhibited in other

40

members of family Brassicaceae. Beneficial traits of other members of family Brassicaceae are exemplarily described herein, other beneficial traits or genes and/or regulatory elements involved in the manifestation of a beneficial trait may be described elsewhere.

- 5 The parent plant not comprising the T-DNA of the present invention or part thereof preferably is an agronomically elite parent. In particular, the present invention teaches to transfer heterologous material from a plant or seed of the present invention to a different genomic background, for example a different variety or species.
- 10 In particular, the invention teaches to transfer the T-DNA or part thereof (the latter is particularly relevant for those plants of the present invention which comprise, in addition to a full T-DNA of the present invention, also a part of a T-DNA of the present invention, said part preferably comprising at least one expression cassette, the expression cassette preferably comprising a gene coding for a desaturase or elongase, preferably a delta-12-
- 15 desaturase, delta-6-desaturase and/or omega-3-desaturase) into a species of genus *Brassica carinata*, or to introduce genetic material from *Brassica carinata* or *Brassica nigra* into the plants of the present invention comprising the T-DNA of the present invention and/or a part or two or more parts thereof. According to the invention, genes of *Brassica nigra* replacing their homolog found in *Brassica napus* or added in addition to the homolog
- 20 found in *Brassica napus* are particularly helpful in further increasing the amount of VLC-PUFAs in plant seeds and oils thereof.

- Also, the invention teaches novel plant varieties comprising the T-DNA and/or part thereof of the present invention. Such varieties can, by selecting appropriate mating partners, be
- 25 particularly adapted e.g. to selected climatic growth conditions, herbicide tolerance, stress resistance, fungal resistance, herbivore resistance, increased or reduced oil content or other beneficial features. As shown hereinafter in the examples it is particularly beneficial to provide plants of the present invention wherein the oil content thereof at harvest is lower than that of corresponding wild type plants of the same variety, such as to improve VLC-
- 30 PUFA amounts in the oil of said plants of the present invention and/or VLC-PUFA concentrations in said oil.

- Also, the invention provides a method for creating a plant with a genotype that confers a heritable phenotype of seed oil VLC-PUFA content, obtainable or obtained from progeny
- 35 lines prepared by a method comprising the steps of
- i) crossing a transgenic plant of the invention with a parent plant not comprising a T-DNA of the present invention or part thereof, said parent plant being of family Brassicaceae, preferably of genus *Brassica*, most preferably of genus *Brassica napus*, *Brassica oleracea*, *Brassica nigra* or *Brassica carinata*, to yield a F1 hybrid,
- 40 ii) selfing the F1 hybrid for at least one generation, and

iii) identifying the progeny of step (ii) comprising the T-DNA of the present invention capable of producing seed comprising VLC-PUFA such that the content of all VLC-PUFA downstream of 18:1n-9 is at least 40% (w/w) of the total seed fatty acid content at an oil content of 40% (w/w), or preferably the content of EPA is at least 8% (w/w) and/or the content of DHA is at least 1% (w/w) of the total seed fatty acid content at an oil content of 30% (w/w), preferably at an oil content of 35% (w/w), and more preferably at an oil content of 40% (w/w).

The method allows the creation of novel variants and transgenic species of plants of the present invention, and the seeds thereof. Such plants and seeds exhibit the aforementioned benefits of the present invention. Preferably, the content of EPA is at least 10% by weight, even more preferably at least 13% (w/w), of the total lipid content of the oil. Also preferably, the content of DHA is at least 1.5% by weight, even more preferably at least 2% (w/w), of the total lipid content of the oil. The present invention for the first time allows to achieve such high levels of VLC-PUFA in seed reliably under agronomic conditions, i.e. representative for the real yield obtained from seeds of a commercial field of at least 1 ha planted with plants of the present invention, wherein the plants have a defined copy number of genes for implementing the pathway for production of EPA and/or DHA in said plants, and the copy number being low, i.e. single-copy or partial double copy.

A plant of the present invention also includes plants obtainable or obtained by backcrossing (cross into the non-transgenic, isogenic parent line), and by crossing with other germplasms of the Triangle of U. Accordingly, the invention provides a method for creating a plant with a genotype that confers a heritable phenotype of seed oil VLC-PUFA content, obtainable or obtained from a progeny line prepared by a method comprising the steps of

- i) crossing a transgenic plant of the invention (also called "non-recurring parent") with a parent plant not expressing a gene comprised in the T-DNA of the present invention, said parent plant being of family Brassicaceae, preferably of genus Brassica, most preferably of genus Brassica napus, Brassica oleracea, Brassica nigra or Brassica carinata, to yield a hybrid progeny,
- ii) crossing the hybrid progeny again with the parent to obtain another hybrid progeny,
- iii) optionally repeating step ii) and
- iv) selecting a hybrid progeny comprising the T-DNA of the present invention.

Backcrossing methods, e.g. as described above, can be used with the present invention to improve or introduce a characteristic into the plant line comprising the T-DNA of the present invention. Such hybrid progeny is selected in step iv) which suffices predetermined parameters. The backcrossing method of the present invention thereby beneficially facilitates a modification of the genetic material of the recurrent parent with the desired gene, or preferably the T-DNA of the present invention, from the non-recurrent parent, while retaining essentially all of the rest of the desired genetic material of the recurrent parent,

and therefore the desired physiological and morphological, constitution of the parent line. The selected hybrid progeny is then preferably multiplied and constitutes a line as described herein. Selection of useful progeny for repetition of step ii) can be further facilitated by the use of genomic markers. For example, such progeny is selected for the repetition of step ii) which comprises, compared to other progeny obtained in the previous crossing step, most markers also found in the parent and/or least markers also found in the non-recurring parent except the desired T-DNA of the present invention or part thereof.

Preferably, a hybrid progeny is selected which comprises the T-DNA of the present invention, and even more preferably also comprises at least one further expression cassette from the non-recurring parent of the present invention, e.g. by incorporation of an additional part of the T-DNA of the present invention into the hybrid plant genetic material.

Further preferably a hybrid progeny is obtained wherein essentially all of the desired morphological and physiological characteristics of the parent are recovered in the converted plant, in addition to genetic material from the non-recurrent parent as determined at the 5% significance level when grown under the same environmental conditions.

Further preferably, a hybrid progeny is selected which produces seed comprising VLC-PUFA such that the content of all VLC-PUFA downstream of 18:1n-9 is at least 40% (w/w) of the total seed fatty acid content at an oil content of 40% (w/w), or preferably the content of EPA is at least 8% (w/w) and/or the content of DHA is at least 1% (w/w) of the total seed fatty acid content at an oil content of 30% (w/w), preferably at an oil content of 35% (w/w), and more preferably at an oil content of 40% (w/w).

It is to be understood that such seed VLC-PUFA content is to be measured not from a single seed or from the seeds of an individual plant, but refer to the numeric average of seed VLC-PUFA content of at least 100 plants, even more preferably of at least 200 plants, even more preferably of at least 200 plants half of which have been grown in field trials in different years.

The choice of the particular non-recurrent parent will depend on the purpose of the backcross. One of the major purposes is to add some commercially desirable, agronomically important trait to the line.

The term "line" refers to a group of plants that displays very little overall variation among individuals sharing that designation. A "line" generally refers to a group of plants that display little or no genetic variation between individuals for at least one trait. A "DH (doubled haploid) line," as used in this application refers to a group of plants generated by culturing a haploid tissue and then doubling the chromosome content without accompanying cell division, to yield a plant with the diploid number of chromosomes where each chromosome

pair is comprised of two duplicated chromosomes. Therefore, a DH line normally displays little or no genetic variation between individuals for traits. Lines comprising one or more genes originally comprised in a T-DNA of the present invention in the non-recurring parent also constitute plants of the present invention.

5

The invention is also concerned with a method of plant oil production, comprising the steps of

- i) growing a plant of the present invention such as to obtain oil-containing seeds thereof,
- 10 ii) harvesting said seeds, and
- iii) extracting oil from said seeds harvested in step ii), wherein the oil has a DHA content of at least 1% by weight based on the total lipid content and/or a DHA content of at least 8% by weight based on the total lipid content.

- 15 Again preferably, the content of EPA is at least 10% by weight, even more preferably at least 13% (w/w), of the total lipid content of the oil. Also preferably, the content of DHA is at least 1.5% by weight, even more preferably at least 2% (w/w), of the total lipid content of the oil. As described herein, the plant of the present invention comprises, for the purposes of such method of plant oil production, preferably comprises a T-DNA of the present invention and optionally also one or more additional parts thereof, wherein the part or parts, respectively, comprise at least one expression cassette of the T-DNA of the present invention.

- 25 The invention is also concerned with parts of plants of the present invention. The term "parts of plants" includes anything derived from a plant of the invention, including plant parts such as cells, tissues, roots, stems, leaves, non-living harvest material, silage, seeds, seed meals and pollen. Preferably such plant part comprises a T-DNA of the present invention and/or comprises a content of EPA of at least 10% by weight, even more preferably at least 13% (w/w), of the total lipid content. Also preferably, the content of DHA is at least 1.5% by weight, even more preferably at least 2% (w/w), of the total lipid content of the plant part.
- 30 Parts of plants of the present invention comprising, compared to wild-type plants, elevated content of EPA and/or DHA are particularly useful also for feed purposes, e.g. for aquaculture feed, e.g. as described in AU2011289381A and members of the patent family thereof.

35

- As described in more detail in the examples, selection of the time of seed harvest is particularly beneficial for obtaining optimal amounts of VLC-PUFAs. As the PUFA content is inversely correlated with seed oil content, it is beneficial to harvest the seeds of plants of the present invention before maximum oil content is reached. Also, as described in the examples, the content of VLC-PUFAs changes during seed development. The invention thus provides an easy method of obtaining an oil containing a desired amount of a selected
- 40

VLC-PUFA by harvesting seeds of plants of the present invention when their oil content corresponds to the desired amount of the selected VLC-PUFA or the desired composition of the oil. Thus, it is also possible to create blends of VLC-PUFA containing plant oils by mixing oils obtained by harvesting at different points in time or different degrees of seed ripening.

The plants of the present invention do not necessarily have to comprise a complete T-DNA of the present invention. As described above, by crossing (or back-crossing) methods it is possible to transfer arbitrary genetic material of one line to another line. Thus, by applying such crossing or back-crossing it is possible to transfer one or more, even all, expression cassettes comprised in a plant of the present invention (such plant comprising a T-DNA of the present invention) to another plant line, thereby losing e.g. a left or right border element (or both) and/or a spacer.

Thus, the invention also provides plants comprising genetic material hybridizing to a primer as given in Example 24.

Also, the invention provides plants comprising a heterologous nucleic acid segment inserted in its genetic material. The insertion is according to the invention in one of the below listed flanking regions or between a pair of flanking regions. Due to plant-to-plant variability, each flanking region may differ from the below indicated flanking regions by at most 10% calculated over a consecutive stretch of at least 100nt, preferably by at most 5% calculated over a consecutive stretch of at least – with increasing percentage identity more preferred - 90. 91. 92, 93, 94, 95, 96, 97, 98 or 99, preferred 100% identity for 100 nt. Even more preferably, the flanking region(s) comprise at least – with increasing percentage identity more preferred - 90. 91. 92, 93, 94, 95, 96, 97, 98 or 99, preferred 100% identity for 50 consecutive nucleotides identical to a fragment of a flanking region as given below, even more preferable the length of consecutive identical nucleotides is at least 100.

Table 176 provides an overview of all the flanking sequences of all loci obtained for each event listed in that table. In addition, event specific primers and probes are disclosed for event specific detection. The method for using those primers and probes is described in example 24.

As shown in the examples, insertions in these flanking regions have now been proven to lead to a surprisingly high production of VLC-PUFAs in seed, wherein such production is stable over many generations and under different growth conditions. Thus, insertion of other genetic material at these insertion locations also leads to a stable, high expression of inserted genes compared to insertions at other positions of the plant genome.

The invention is also concerned with establishing and optimizing efficient metabolic VLC-PUFA synthesis pathways. To this end, the invention provides a method for analysing desaturase reaction specificity, comprising the steps of

- 5 i) providing, to a desaturase, a detectably labelled molecule comprising a fatty acid moiety and a headgroup,
- ii) allowing the desaturase to react on the labelled molecule, and
- iii) detecting desaturation products.

10 The labelled molecule preferably is a fatty acid-coenzyme A or a fatty acid-phospholipid, the latter preferably being a lysophosphatidylcholine bound fatty acid. The method advantageously allows to determining desaturase headgroup preference or even headgroup specificity by detecting whether coenzyme A bound fatty acids are desaturated and/or whether phospholipid-bound fatty acids are desaturated.

15 Preferably the desaturase is provided as a microsomal fraction of an organism, preferably of yeast. Transgenic yeasts expressing the desaturase in question are easy to prepare and handle, and microsomal fractions comprising functional desaturases can be reliably and reproducibly prepared thereof without major burden. Microsomal fractions, particularly of yeast, most preferably of *Saccharomyces cerevisiae*, also allow to convert fatty acid-coenzyme A molecules to fatty acids bound to other headgroups by using the yeast's native
20 LPCAT. Likewise, microsomal fractions can be prepared from other cells and organisms.

Preferably the molecule is detectably labelled by including a radioactive isotope instead of a non-radioactive isotope. The isotope preferably is $[^{14}\text{C}]$. Such label is easy to detect, does
25 not interfere in biochemical reactions and can be incorporated in virtually any carbon-containing molecule, thereby allowing sensitively detecting and characterizing any desaturation product.

30 The fatty acid moiety preferably is a PUFA moiety, more preferably a VLC-PUFA moiety and most preferably a VLC-PUFA moiety. This way, the headgroup preference or specificity for economically important desaturases can be determined without having to resort to error prone and laborious feeding of live organisms or living cells.

35 The desaturase is allowed to react on the labelled molecule. If the desaturase can accept the labelled molecule as a substrate, then the desaturation reaction is performed. Preferably, the method is repeated by including, as a positive control, a labelled molecule which had been confirmed to be a substrate for the desaturase.

40 Detection preferably is accomplished using chromatography, most preferably thin layer chromatography. This technique is well known to the skilled person, readily available, very sensitive and allows differentiating even between very similar molecules. Thus, even if the

positive control molecule is similar to the molecule of interest, a clear detection of desaturation products (if desaturation of the molecule occurred) is still possible.

5 The above method allows preparing a collection of specificity data for each desaturase, type of microsomal fraction (e.g. from yeast, plant cells etc.), fatty acid moiety and headgroup. Thus, the method can be used to select a desaturase for a given need, e.g. to accept CoA-bound fatty acids in plant cells for further presentation to an elongase. The method also allows establishing substrate specificity of the desaturase in an organism or organ of interest, e.g. a yeast, a plant leaf cell or a plant seed cell.

10 The invention also provides a method for analysing elongase reaction specificity, comprising the steps of

- i) providing, to an elongase, a detectably labelled elongation substrate and a molecule to be elongated,
- 15 ii) allowing the elongase to elongate the molecule to be elongated using the labelled elongation substrate, and
- iii) detecting elongation products.

20 Unless stated otherwise, the method for analysing elongase reaction specificity is performed corresponding to the method for analysing desaturase reaction specificity for corresponding reasons. The elongation substrate preferably is malonyl-CoA. The elongation substrate is preferably labelled radioactively, most preferably [¹⁴C] malonyl-CoA. Radioactive labelling allows for an easy and sensitive detection of elongation products. Also, labelling of the elongation substrate instead of the molecule to be elongated allows
25 presenting a mixture of molecules to be elongated to the elongase, and only the elongation products will have incorporated significant amounts of label to render them easily detectable. Thus, in a single reaction vessel a multitude of potential molecules to be elongated can be assayed to determine which of these molecules are indeed elongated, and the relative affinity of the elongase to the respective molecule.

30 By combining both methods, it is possible to analyse even complex sequences of desaturation and elongation reactions. The invention thus also provides a method for pathway optimization, comprising the steps of

- i) providing enzymes of a metabolic pathway and one or more substrates to be used
35 by the first enzyme or enzymes of the pathway,
- ii) reacting the enzymes and the substrates to produce products, which in turn are also exposed as potential substrates to the enzymes of the pathway, and
- iii) determining the accumulation of products.

40 The method particularly allows providing desaturases and elongases to form a pathway. This is useful to determine the yield of product(s) of the pathway and of any unwanted side

products. Also, by providing two or more different enzymes which perform the same metabolic function, e.g. a particular desaturation step, e.g. a delta-5 desaturation, it is possible to analyse if the presence of more than one type of enzymes has an effect on product formation, particularly on product formation rate. For such analysis, one would compare the results with a method performed with only one of the at least two enzymes. Thus, if addition of enzymes performing the same metabolic function leads to an increased yield or product formation rate, then this metabolic step is subject to a gene dosage effect. To optimize the pathway in an organism one would correspondingly strive to implement the pathway step using the two or more enzymes as required.

Also, the method advantageously allows determining the mode of action of an enzyme in question. To this end, a helper enzyme is provided to produce a substrate for a target enzyme. The helper enzyme's mode of action is known. The helper enzyme is then provided with a substrate to turn into a product which could be used as a substrate of the target enzyme. Generation of product by the target enzyme is determined, preferably by measuring the amount of product per time or the final amount of product divided by the amount of substrate converted by the helper enzyme. Then the method is repeated using a helper enzyme of a different mode of action, and generation of product by the target enzyme is determined, too. By comparing the product generation by the target enzyme for each mode of action, the mode of action of the target enzyme is defined as being the mode of action of the helper enzyme giving rise to the most intense generation of product by the target enzyme.

For example, to determine the mode of action of a target desaturase, a helper elongase is provided for which it has been text book knowledge that it is utilizing acyl CoA substrate and produces acyl-CoA products. Then, product generation by the target desaturase is measured. In another step, a helper desaturase is provided for which it has been established that it produces phosphatidylcholine-bound fatty acids. Again, product generation by the target desaturase is measured. When comparing the product generation of the target desaturase, the target desaturase can be defined as being a CoA-dependent desaturase if the product generation of the target desaturase under conditions where CoA-bound fatty acids are provided by the helper enzyme is more intense (e.g. higher conversion efficiency) than under conditions where phosphatidylcholine-bound fatty acids are provided by the helper enzyme.

Thus, the invention also provides a method for determining CoA-dependence of a target desaturase, comprising the steps of

- i) providing an elongase to produce a substrate for the target desaturase, and determining conversion efficiency of the target desaturase, and
- ii) providing a non-CoA dependent desaturase to produce the substrate for the target desaturase, and determining conversion efficiency of the target desaturase, and

iii) comparing the target desaturase conversion efficiencies of step i) and ii).

If the conversion efficiency of the target desaturase is larger in step i) than in step ii), then the target desaturase is CoA-dependent. Of course, both steps must be performed under comparable conditions; particularly a substrate limitation of the target desaturase must be avoided.

The method can also be performed by providing an elongase which uses the substrate of the target desaturase. Thus, the invention provides a method for determining CoA-dependence of a target desaturase, comprising the steps of

- i) providing an elongase to elongate the products of the target desaturase, and determining conversion efficiency of the elongase,
- ii) providing the elongase to elongate the products of a comparison desaturase known to be non-CoA dependent, and determining conversion efficiency of the elongase,
- iii) comparing the elongase conversion efficiencies of step i) and ii).

If the elongase conversion efficiency is higher in step i) than in step ii), the target desaturase is CoA-dependence. Without being bound by any particular theory it is presently expected that in such case the desaturation product does not have to be converted into an elongatable CoA-bound fatty acid, thus desaturated product can be immediately utilized by the elongase without accumulation. Of course, both steps must be performed under comparable conditions; particularly a substrate limitation of the elongase must be avoided.

The present invention also relates to oil comprising a polyunsaturated fatty acid obtainable by the aforementioned methods.

The term "oil" refers to a fatty acid mixture comprising unsaturated and/or saturated fatty acids which are esterified to triglycerides. Preferably, the triglycerides in the oil of the invention comprise PUFA or VLC-PUFA moieties as referred to above. The amount of esterified PUFA and/or VLC-PUFA is, preferably, approximately 30%, a content of 50% is more preferred, a content of 60%, 70%, 80% or more is even more preferred. The oil may further comprise free fatty acids, preferably, the PUFA and VLC-PUFA referred to above. For the analysis, the fatty acid content can be, e.g., determined by GC analysis after converting the fatty acids into the methyl esters by transesterification. The content of the various fatty acids in the oil or fat can vary, in particular depending on the source. The oil, however, shall have a non-naturally occurring composition with respect to the PUFA and/or VLC-PUFA composition and content. It is known that most of the fatty acids in plant oil are esterified in triacylglycerides. Accordingly, in the oil of the invention, the PUFAs and VLC-PUFAs are, preferably, also occur in esterified form in the triacylglycerides. It will be understood that such a unique oil composition and the unique esterification pattern of PUFA and VLC-PUFA in the triglycerides of the oil shall only be obtainable by applying the

methods of the present invention specified above. Moreover, the oil of the invention may comprise other molecular species as well. Specifically, it may comprise minor impurities of the polynucleotide or vector of the invention. Such impurities, however, can be detected only by highly sensitive techniques such as PCR.

5

As described above, these oils, lipids or fatty acids compositions, preferably, comprise 6 to 15% of palmitic acid, 1 to 6% of stearic acid, 7-85% of oleic acid, 0.5 to 8% of vaccenic acid, 0.1 to 1% of arachic acid, 7 to 25% of saturated fatty acids, 8 to 85% of monounsaturated fatty acids and 60 to 85% of polyunsaturated fatty acids, in each case based on 100% and on the total fatty acid content of the organisms. Preferred VLC-PUFAs present in the fatty acid esters or fatty acid mixtures is, preferably, at least 5.5% to 20% of DHA and/or 9.5% to 30% EPA based on the total fatty acid content.

Moreover, the fatty acid esters or fatty acid mixtures which have been produced by the process of the invention, preferably, comprise further fatty acids selected from the group of the fatty acids erucic acid (13-docosaenoic acid), sterculic acid (9,10- methyleneoctadec-9-enoic acid), malvalic acid (S,9-methyleneheptadec-S-enoic acid), chaulmoogric acid (cyclopentenododecanoic acid), furan fatty acid (9,12- epoxyoctadeca-9,11-dienoic acid), vernonic acid (9,10-epoxyoctadec-12-enoic acid), tariric acid (6-octadecynoic acid), 6-nonadecynoic acid, santalbic acid (t11-octadecen- 9-ynoic acid), 6,9-octadecenynoic acid, pyrulic acid (t10-heptadecen-S-ynoic acid), crepenyninic acid (9-octadecen-12-ynoic acid), 13, 14-dihydrooropheic acid, octadecen-13-ene-9,11-diynoic acid, petroselenic acid (cis-6-octadecenoic acid), 9c,12octadecadienoic acid, calendulic acid (St10t12c-octadecatrienoic acid), catalpic acid (9t11 t13c-octadecatrienoic acid), eleostearic acid (9c11 t13t-octadecatrienoic acid), jacaric acid (Sc10t12c-octadecatrienoic acid), puniic acid (9c11 t13c-octadecatrienoic acid), parinaric acid (9c11 t13t15c-octadecatetraenoic acid), pinolenic acid (all-cis-5,9,12-octadecatrienoic acid), laballenic acid (5,6-octadecadienallenic acid), ricinoleic acid (12-hydroxyoleic acid) and/or coriolic acid (13-hydroxy-9c, 11t-octadecadienoic acid). The fatty acid esters or fatty acid mixtures produced by the process according to the invention advantageously comprise less than 0.1 %, based on the total fatty acids, or no butyric acid, no cholesterol, no clupanodonic acid (= dpcpsapentaenoic acid, C22:5M,8,12,15,21) and no nisinic acid (tetracosahexaenoic acid, C23:6 L13,8,12,15,18,21).

The oils, lipids or fatty acids according to the invention, preferably, comprise at least 5.5%, 6%, 7% or 7.5%, more preferably, at least 8%, 9%, 10%, 11% or 12%, and most preferably at least 13%,14%,15%,16%. 17%, 18%, 19% or 20% of DHA, or at least 9.5%, 10%, 11% or 12%, more preferably, at least 13%, 14%, 14.5%, 15% or 16%, and most preferably at least 17%,18%,19%,20%. 21%, 22%, 23%, 24%, 25%, 26%, 27%, 28%, 29% or 30% of EPA based on the total fatty acid content of the production host cell, organism, advantageously of a plant, especially of an oil crop such as soybean, oilseed rape, coconut,

40

oil palm, safflower, flax, hemp, castor-oil plant, Calendula, peanut, cacao bean, sunflower or the abovementioned other monocotyledonous or dicotyledonous oil crops.

5 A further embodiment according to the invention is the use of the oil, lipid, fatty acids and/or the fatty acid composition in feedstuffs, foodstuffs, dietary supplies, cosmetics or pharmaceutical compositions as set forth in detail below. The oils, lipids, fatty acids or fatty acid mixtures according to the invention can be used for mixing with other oils, lipids, fatty acids or fatty acid mixtures of animal origin such as, for example, fish oils.

10 The term "composition" refers to any composition formulated in solid, liquid or gaseous form. Said composition comprises the compound of the invention optionally together with suitable auxiliary compounds such as diluents or carriers or further ingredients. In this context, it is distinguished for the present invention between auxiliary compounds, i.e. compounds which do not contribute to the effects elicited by the compounds of the present
15 invention upon application of the composition for its desired purpose, and further ingredients, i.e. compounds which contribute a further effect or modulate the effect of the compounds of the present invention. Suitable diluents and/or carriers depend on the purpose for which the composition is to be used and the other ingredients. The person skilled in the art can determine such suitable diluents and/or carriers without further ado.
20 Examples of suitable carriers and/or diluents are well known in the art and include saline solutions such as buffers, water, emulsions, such as oil/water emulsions, various types of wetting agents, etc.

In a more preferred embodiment of the oil-, fatty acid or lipid-containing composition, the
25 said composition is further formulated as a pharmaceutical composition, a cosmetic composition, a foodstuff, a feedstuff, preferably, fish feed or a dietary supply.

The term "pharmaceutical composition" as used herein comprises the compounds of the present invention and optionally one or more pharmaceutically acceptable carrier. The
30 compounds of the present invention can be formulated as pharmaceutically acceptable salts. Acceptable salts comprise acetate, methylester, Hal, sulfate, chloride and the like. The pharmaceutical compositions are, preferably, administered topically or systemically. Suitable routes of administration conventionally used for drug administration are oral, intravenous, or parenteral administration as well as inhalation. However, depending on the
35 nature and mode of action of a compound, the pharmaceutical compositions may be administered by other routes as well. For example, polynucleotide compounds may be administered in a gene therapy approach by using viral vectors or viruses or liposomes.

Moreover, the compounds can be administered in combination with other drugs either in a
40 common pharmaceutical composition or as separated pharmaceutical compositions wherein said separated pharmaceutical compositions may be provided in form of a kit of

parts. The compounds are, preferably, administered in conventional dosage forms prepared by combining the drugs with standard pharmaceutical carriers according to conventional procedures. These procedures may involve mixing, granulating and compressing or dissolving the ingredients as appropriate to the desired preparation. It will be appreciated that the form and character of the pharmaceutically acceptable carrier or diluent is dictated by the amount of active ingredient with which it is to be combined, the route of administration and other well-known variables. The carrier(s) must be acceptable in the sense of being compatible with the other ingredients of the formulation and being not deleterious to the recipient thereof. The pharmaceutical carrier employed may be, for example, a solid, a gel or a liquid. Exemplary of solid carriers are lactose, terra alba, sucrose, talc, gelatin, agar, pectin, acacia, magnesium stearate, stearic acid and the like. Exemplary of liquid carriers are phosphate buffered saline solution, syrup, oil such as peanut oil and olive oil, water, emulsions, various types of wetting agents, sterile solutions and the like. Similarly, the carrier or diluent may include time delay material well known to the art, such as glyceryl mono-stearate or glyceryl distearate alone or with a wax. Said suitable carriers comprise those mentioned above and others well known in the art, see, e.g., Remington's Pharmaceutical Sciences, Mack Publishing Company, Easton, Pennsylvania. The diluent(s) is/are selected so as not to affect the biological activity of the combination. Examples of such diluents are distilled water, physiological saline, Ringer's solutions, dextrose solution, and Hank's solution. In addition, the pharmaceutical composition or formulation may also include other carriers, adjuvants, or nontoxic, nontherapeutic, nonimmunogenic stabilizers and the like. A therapeutically effective dose refers to an amount of the compounds to be used in a pharmaceutical composition of the present invention which prevents, ameliorates or treats the symptoms accompanying a disease or condition referred to in this specification. Therapeutic efficacy and toxicity of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, e.g., ED₅₀ (the dose therapeutically effective in 50% of the population) and LD₅₀ (the dose lethal to 50% of the population). The dose ratio between therapeutic and toxic effects is the therapeutic index, and it can be expressed as the ratio, LD₅₀/ED₅₀. The dosage regimen will be determined by the attending physician and other clinical factors; preferably in accordance with anyone of the above described methods. As is well known in the medical arts, dosages for anyone patient depends upon many factors, including the patient's size, body surface area, age, the particular compound to be administered, sex, time and route of administration, general health, and other drugs being administered concurrently. Progress can be monitored by periodic assessment. A typical dose can be, for example, in the range of 1 to 1000 µg; however, doses below or above this exemplary range are envisioned, especially considering the aforementioned factors. Generally, the regimen as a regular administration of the pharmaceutical composition should be in the range of 1 I-Ig to 10 mg units per day. If the regimen is continuous infusion, it should also be in the range of 1 I-Ig to 10 mg units per kilogram of body weight per minute, respectively. Progress can be monitored by periodic assessment. However,

depending on the subject and the mode of administration, the quantity of substance administration may vary over a wide range. The pharmaceutical compositions and formulations referred to herein are administered at least once in order to treat or ameliorate or prevent a disease or condition recited in this specification. However, the said
5 pharmaceutical compositions may be administered more than one time, for example from one to four times daily up to a non-limited number of days. Specific pharmaceutical compositions are prepared in a manner well known in the pharmaceutical art and comprise at least one active compound referred to herein above in admixture or otherwise associated with a pharmaceutically acceptable carrier or diluent. For making those specific
10 pharmaceutical compositions, the active compound(s) will usually be mixed with a carrier or the diluent, or enclosed or encapsulated in a capsule, sachet, cachet, paper or other suitable containers or vehicles. The resulting formulations are to be adopted to the mode of administration, i.e. in the forms of tablets, capsules, suppositories, solutions, suspensions or the like. Dosage recommendations shall be indicated in the prescribers or users
15 instructions in order to anticipate dose adjustments depending on the considered recipient.

The term "cosmetic composition" relates to a composition which can be formulated as described for a pharmaceutical composition above. For a cosmetic composition, likewise, it is envisaged that the compounds of the present invention are also, preferably, used in
20 substantially pure form. Impurities, however, may be less critical than for a pharmaceutical composition. Cosmetic compositions are, preferably, to be applied topically.

Preferred cosmetic compositions comprising the compounds of the present invention can be formulated as a hair tonic, a hair restorer composition, a shampoo, a powder, a jelly, a
25 hair rinse, an ointment, a hair lotion, a paste, a hair cream, a hair spray and/or a hair aerosol.

Seeds of two events described in detail in the examples section below have been deposited by applicant(s) at ATCC under the provisions of the Budapest treaty on the International
30 Recognition of the Deposit of Microorganisms for the Purposes of Patent Procedure, i.e. seeds of event "LBFLFK" = ATCC Designation "PTA-121703" and seeds of event "LBFDHG" = ATCC designation "PTA-121704". Applicants have no authority to waive any restrictions imposed by law on the transfer of biological material or its transportation in commerce. Applicants do not waive any infringement of their rights granted under this
35 patent or rights applicable to the deposited events under the Plant Variety Protection Act (7 USC sec. 2321, et seq.), Unauthorized seed multiplication prohibited. This seed may be regulated according to national law. The deposition of seeds was made only for convenience of the person skilled in the art and does not constitute or imply any confession, admission, declaration or assertion that deposited seed are required to fully describe the
40 invention, to fully enable the invention or for carrying out the invention or any part or aspect thereof. Also, the deposition of seeds does not constitute or imply any recommendation to

limit the application of any method of the present invention to the application of such seed or any material comprised in such seed, e.g. nucleic acids, proteins or any fragment of such nucleic acid or protein.

- 5 The invention also provides a commercially relevant source of plant material, preferably of seed. As such, the invention provides a heap of at least 5kg, preferably of at least 10 kg, more preferably of at least 50kg, even more preferably of at least 100 kg, even more preferably of at least 500 kg, even more preferably of at least 1t, even more preferably of at least 2t, even more preferably of at least 5t of plant material, wherein the plant material
10 comprises VLC-PUFAs as described according to the invention. As described herein, it is a merit of the present invention to provide, for the first time, an agronomically reliable source of VLC-PUFA plant oil, and to this end such heap of plant material is provided. The plant material is preferably plant seed, even more preferably seed of VLC-PUFA producing seed, such that the content of all VLC-PUFA downstream of 18:1n-9 is at least 40% (w/w) of the
15 total seed fatty acid content at an oil content of 40% (w/w), or preferably the content of EPA is at least 10% (w/w) and/or the content of DHA is at least 1% (w/w) of the total seed fatty acid content at an oil content of 30% (w/w), or meal of such plant seed. Also, the invention provides a container comprising such plant seed in an amount of at least 5kg, preferably of at least 10 kg, more preferably of at least 50kg, even more preferably of at least 100 kg,
20 even more preferably of at least 500 kg, even more preferably of at least 1t, even more preferably of at least 2t, even more preferably of at least 5t. The invention thus demonstrates that the invention has well eclipsed anecdotal findings of lab scale VLC-PUFA containing plants, and instead has overcome the additional requirements for providing, on a large scale, a reliable source for VLC-PUFA and particularly for EPA and/or
25 DHA in plant oil and plant material.

The invention is further described by means of accompanying examples and figures, which, however, are not intended to limit the scope of the invention described herein.

30 EXAMPLES

Example 1: General cloning methods

- Cloning methods as e.g. use of restriction endonucleases to cut double stranded DNA at specific sites, agarose gel electrophoreses, purification of DNA fragments, transfer of
35 nucleic acids onto nitrocellulose and nylon membranes, joining of DNA-fragments, transformation of *E. coli* cells and culture of bacteria were performed as described in Sambrook et al. (1989) (Cold Spring Harbor Laboratory Press: ISBN 0-87965-309-6). Polymerase chain reaction was performed using Phusion™ High-Fidelity DNA Polymerase (NEB, Frankfurt, Germany) according to the manufactures instructions. In general, primers
40 used in PCR were designed such, that at least 20 nucleotides of the 3' end of the primer anneal perfectly with the template to amplify. Restriction sites were added by attaching the

corresponding nucleotides of the recognition sites to the 5' end of the primer. Fusion PCR, for example described by K. Heckman and L. R. Pease, *Nature Protocols* (2207) 2, 924–932 was used as an alternative method to join two fragments of interest, e.g. a promoter to a gene or a gene to a terminator. Gene Synthesis, as for example described by Czar et al. (Trends in Biotechnology, 2009, 27(2): 63-72), was performed by Life Technologies using their Geneart® service. The Geneart® technology, described in WO2013049227 allows production of genetic elements of a few basepair (bp) in length, and was used in this invention to produce entire plasmids of about 60,000bp. Chemical synthesis of nucleotides to polynucleotides was employed for short DNA fragments, which were then combined in a sequential, modular fashion to fragments of increasing size using a combination of conventional cloning techniques as described in WO2013049227.

Example 2: Different types of plant transformation plasmids suitable to transfer of multiple expression cassettes encoding multiple proteins into the plant genome.

For agrobacteria based plant transformation, DNA constructs preferably meet a number of criteria: (1) The construct carries a number of genetic elements that are intended to be inserted into the plant genome on a so called Transfer DNA (T-DNA) between a 'T-DNA Left Border' (LB) and 'T-DNA Right Border' (2) The construct replicates in *E.coli*, because most cloning steps require DNA multiplication steps in *E.coli*. (3) The construct replicates in *Agrobacterium* (e.g. *A. tumefaciens* or *A. rhizogenes*), because the plant transformation methods rely on using *Agrobacterium* to insert the genetic elements of interest into the plant genome of a cell that was infected by *Agrobacterium*. (4) The construct contains supporting genetic elements that encode proteins which are required for infection of the plant cell, and for transfer and integration of desired genetic elements into the plant genome of an plant cell infected by the *Agrobacterium*, or the construct was used in combination with a second construct containing such supporting genetic elements that was present in the same *Agrobacterium* cell. (5) The constructs can contain selection markers to facilitate selection or identification of bacterial cells that contain the entire construct, and of a plant cell(s) that contains the desired genetic elements. An overview of available plasmids was given in Komori et al (2007).

Agrobacteria mediated transformation results in an almost random integration (with some bias induced by a number of factors) of the desired genetic element into chromosomes of the plant cell. The goal of the transformation was to integrate the entire T-DNA from T-DNA Left border to T-DNA Right border into a random position of a random chromosome. It can also be desirable to integrate the entire T-DNA twice or three times into the genome, for example to increase the plant expression levels of genes encoded by the T-DNA. To avoid

complex Mendelian segregation of multiple integrations, it was preferred to have all T-DNA insertions at one genomic location, ('locus'). Inserting more than 25,000 bp T-DNA into plant genomes has been found to be a particular challenge in the current invention. In particular, it has been found in this invention plasmids carrying a ColE1/pVS1 origin of replication for plasmid replication in *E.coli* and/or *Agrobacterium*, are not stable above ~25,000 bp. Such plasmids of the invention are described in Example 3. Because of this limitation, not more than ~4 to 5 gene expression cassettes can be transferred on one T-DNA containing plasmid into the plant genome. However, for the current invention up to 13 gene expression cassettes having a combined size of about 44,000 bp needed to be transferred into the plant genome. In contrast to plasmids containing the ColE1/pVS1 origin of replication for high copy plasmid replication in *E.coli* and/or *Agrobacterium*, BiBAC plasmids (Hammilton 1997) containing the F factor / pRi origin of replication for single copy plasmid replication in *E.coli* and/or *Agrobacterium* where found to be stable in this invention up to a size of ~60,000 bp. Such plasmids of the invention are described in Example 4. Both approaches described above were followed in the current invention.

Example 3: Assembly of genes required for EPA and DHA synthesis within T-plasmids containing the ColE1/pVS1 origin of replication

For synthesis of VLC-PUFA in *Brassica napus* seeds, the set of genes encoding the proteins of the metabolic VLC-PUFA pathway were combined with expression elements (promoter, terminators, Introns) and transferred into binary t-plasmids that were used for agrobacteria mediated transformation of plants. Attributed to the large number of expression cassettes promoting expression of one protein each, two binary t-plasmids T-DNA where used for cloning of the complete set of proteins required for EPA and DHA synthesis. To this end, the general cloning strategy depicted in Figure 3 was employed. While Figure 3 depicts the general strategy, cloning of the final plant expression vectors described in example 10 to 14 was not restricted to this strategy; specifically a combination of all methods known to one skilled in the art, such as cloning, the use of restriction endonucleases for generation of sticky and blunt ends, synthesis and fusion PCR has been used. Following the modular cloning scheme depicted in Figure 3, genes were either synthesized by GeneArt (Regensburg) or PCR-amplified using Phusion™ High-Fidelity DNA Polymerase (NEB, Frankfurt, Germany) according to the manufactures instructions from cDNA. In both cases an *Nco*I and/or *Asc*I restriction site at the 5' terminus, and a *Pac*I restriction site at the 3' terminus (Figure 3A) were introduced to enable cloning of these genes between functional elements such as promoters and terminators using these restriction sites (see below in this example). Promoter-terminator modules or promoter-intron-terminator modules were created by complete synthesis by GeneArt (Regensburg) or

by joining the corresponding expression elements using fusion PCR as described in example 1 and cloning the PCR-product into the TOPO-vector pCR2.1 (Invitrogen) according to the manufactures instructions (Figure 3B). While joining terminator sequences to promoter sequences or promoter-intron sequences either via synthesis of whole cassettes or using fusion PCR, recognition sequences for the restriction endonucleases depicted in Figure 3 were added to either side of the modules, and the recognition sites for the restriction endonucleases *Nco* I, *Asc* I and *Pac* I were introduced between promoter and terminator or between introns and terminator (see Figure 3B). To obtain the final expression modules, PCR-amplified genes were cloned between promoter and terminator or intron and terminator via *Nco* I and/or *Pac* I restriction sites (Figure 3C). Employing the custom multiple cloning site (MCS) up to three of those expression modules were combined as desired to expression cassettes harbored by either one of pENTR/A, pENTR/B or pENTR/C (Figure 3D). Finally, the Multi-site Gateway™ System (Invitrogen) was used to combine three expression cassette harbored by pENTR/A, pENTR/B and pENTR/C (Figure 3E) to obtain the final binary pSUN T-plasmids for plant transformation VC-LJB2197-1qcz, VC-LJB2755-2qcz rc, VC-LLM306-1qcz rc, VC-LLM337-1qcz rc, VC-LLM338-3qcz rc and VC-LLM391-2qcz rc. An overview of binary vectors and their usage was given by Hellens *et al*, Trends in Plant Science (2000) 5: 446–451.

The structure of the plasmids VC-LJB2197-1qcz, VC-LJB2755-2qcz rc, VC-LLM306-1qcz rc, VC-LLM337-1qcz rc, VC-LLM338-3qcz rc, VC-LLM391-2qcz rc, and VC-LTM217-1qcz rc was given in the Table 1, Table 2, Table 3, Table 4, Table 5, Table 6, and Table 7

Nomeclature of genetic elements:

- j- indicates a junction between two genetic elements
- c- coding sequence
- t- terminator
- p- promotor
- i- intron
- T-DNA Transferred DNA
- RB Right Border of the T-DNA
- LB Left Border of the T-DNA

Table 1 Genetic Elements of plasmid VC-LJB2197-1qcz. Listed are the names of the elements, the position in VC-LJB2197-1qcz (note: start position was larger than stop position for elements encoded by the complementary strand of VC-LJB2197-1qcz), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 148 to 4 of VC-LJB2197-1qcz) and a left border (nucleotides 22232 to 22105 of VC-LJB2197-1qcz). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E.coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LJB2197-1qcz	From	To	Description, Function and Source of Element
b-RB[lm175]	148	4	Right border of T-DNA
p-VfUSP_684bp[LLL894]	329	1012	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	1013	1264	i-Atss18_252bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-d6Elo(Pp_GA2)	1267	2139	<i>Delta-6 ELONGASE</i> from <i>Physcomitrella patens</i>
t-CaMV35S	2140	2355	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-LuCnl(1064bp)	2448	3511	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
i-Atss14_377[LJK32]	3512	3888	i-Atss14_377bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d5Des(Tc_GA2)	3892	5211	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-AgrOCS 192bp[LED12]	5212	5403	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-SBP	5539	7337	Promoter from a <i>SUCROSE-BINDING PROTEIN-RELATED</i> gene from <i>Vicia faba</i>
i-Atss2_455bp[LJK20]	7338	7792	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to + 508bp 5'UTR-Intron only)
c-d6Des(Ot_febit)	7802	9172	<i>Delta-6 DESATURASE</i> from <i>Ostreococcus tauri</i>
t-SiCATHD-pA	9200	9434	Terminator from <i>CATHEPSIN D INHIBITOR</i> gene [CATHD] from <i>Solanum tuberosum</i> [Potato]
p-LuPXR 1727bp[LLL823]	9513	11239	Promoter from <i>PEROXIREDOXIN LIKE PROTEIN</i> gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss1_847bp[LJK19]	11240	12086	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of

Genetic Elements of plasmid VC-LJB2197-1qcz	From	To	Description, Function and Source of Element
			transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d6Elo(Tp_GA2)	12100	12918	<i>Delta-6 ELONGASE</i> from <i>Thalassiosira pseudonana</i>
t-AtPXR 400bp[LLL823]	12974	13373	Terminator from <i>PEROXIREDOXIN LIKE PROTEIN</i> gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-Napin A/B	13543	14206	Promoter from <i>napA/B</i> gene (napin, seed storage protein) from <i>Brassica napus</i>
i-Atss14_377[LJK32]	14207	14583	i-Atss14_377bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d12Des(Ps_GA)	14590	15786	<i>Delta-12 DESATURASE</i> from <i>Phytophthora sojae</i>
t-E9	15805	16362	Terminator from Small Subunit of RuBisCo <i>rbcs</i> gene (E9) from <i>Pisum sativum</i>
t-AtAHAS-3'/UTR[bb003]	16576	17790	Terminator from <i>AtAHASL [csr1-2]</i> of <i>acetohydroxyacid synthase</i> gene from <i>Arabidopsis</i>
p-PcUbi4-2[long]	17823	18804	Promoter from <i>UBIQUITIN</i> gene <i>UBI4-2</i> with internal intron from <i>Petroselinum crispum</i>
c-AtAHASL_A122T_S653N	18812	20824	<i>ACETOHYDROXYACID SYNTHASE LARGE-SUBUNIT</i> gene/CDS with S653N(<i>csr1-2</i>) mutation and A122T SDM mutation from <i>Arabidopsis</i>
t-AtAHAS-3'/UTR[ac321]	20849	22064	Terminator from <i>AtAHASL [csr1-2]</i> of <i>ACETOHYDROXYACID SYNTHASE</i> gene from <i>Arabidopsis</i>
b-JTV_LB	22232	22105	Left border of T-DNA
c-StaA[Im500]	22338	22967	PVS1 partitioning protein
c-VS1orf3[Im500]	23203	22988	VS1orf3
c-repA[Im500]	23294	24469	pVS1 replication protein [<i>repA</i>] gene/CDS
o-pVS1-origin	24535	24729	broad host-range replication origin of plasmid pVS1 (Genbank: AF133831, Itoh et al.1984)
o-ColE1-bom[Im500]	25032	24830	pBR322 bom site, partial, from AF234316 pCambia2301
o-Rep-ColE1	25451	25171	pBR322 origin of replication [<i>ecoli</i>] from AF234316 pCambia2301
c-aadAmod1	26588	25797	Codon Optimized <i>Adenyltransferase [aadA]</i> gene/CDS from SUN100
p-aadA[Im800]	26767	26589	<i>Adenyltransferase [aadA]</i> Spectinomycin Prokaryotic promoter

Table 2: Genetic Elements of plasmid VC-LJB2755-2qcz rc. Listed are the names of the elements, the position in VC-LJB2755-2qcz rc (note: start position was larger than stop position for elements encoded by the complementary strand of VC-LJB2755-2qcz rc), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 148 to 4 of VC-LJB2755-2qcz rc) and a left border (nucleotides 26117 to 25990 of VC-LJB2755-2qcz rc). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E.coli* and/or *agrobacteria*.

Genetic Elements of plasmid VC-LJB2755-2qcz rc	From	To	Description, Function and Source of Element
b-RB[Im175]	148	4	Right border of T-DNA
p-LuPXR 1727bp[LLL823]	342	2068	Promoter from <i>PEROXIREDOXIN LIKE PROTEIN</i> gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss15_758bp[LJK33]	2069	2826	i-Atss15_758bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to + 850 bp (numbering relative to start of transcription) (+128 to + 847 bp 5'UTR-Intron only)
c-o3Des(Pir_GA)	2842	3933	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-AtPXR 400bp[LLL823]	3990	4389	Terminator from <i>PEROXIREDOXIN LIKE PROTEIN</i> gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-LuCnl(1064bp)	4468	5531	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
i-Atss14_377[LJK32]	5532	5908	i-Atss14_377bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d5Des(Tc_GA2)	5912	7231	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-AgrOCS 192bp[LED12]	7232	7423	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-SBP	7559	9357	Promoter from a <i>SUCROSE BINDING RELATED-PROTEIN</i> gene from <i>Vicia faba</i>
i-Atss2_455bp[LJK20]	9358	9812	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to + 508bp 5'UTR-Intron only)
c-d6Des(Ot_febit)	9822	11192	<i>Delta-6 DESATURASE</i> from <i>Ostreococcus tauri</i>
t-StCATHD-pA	11220	11454	Terminator from <i>CATHEPSIN D INHIBITOR</i> gene [CATHD] from <i>Solanum tuberosum</i> [Potato]
p-BnFae1	11533	12962	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica</i>

Genetic Elements of plasmid VC-LJB2755-2qcz rc	From	To	Description, Function and Source of Element
			<i>napus</i>
i-Atss1_847bp[LJK19]	12963	13809	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d6Elo(Tp_GA2)	13812	14630	<i>Delta-6 ELONGASE</i> from <i>Thalassiosira pseudonana</i>
t-bnFae1	14646	15045	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-Napin A/B	15166	15829	Promoter from <i>napA/B</i> gene (napin, seed storage protein) from <i>Brassica napus</i>
i-Atss14_377[LJK32]	15830	16206	i-Atss14_377bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d12Des(Ps_GA)	16213	17409	<i>Delta-12 DESATURASE</i> from <i>Phytophthora sojae</i>
t-E9	17428	17985	Terminator from Small Subunit of RuBisCo <i>rbcs</i> gene (<i>E9</i>) from <i>Pisum sativum</i>
p-VfUSP_684bp[LLL894]	18064	18747	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	18748	18999	i-Atss18_252bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-o3Des(Pl_GA2)	19010	20095	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	20104	20319	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
t-AtAHAS-3'/UTR[ac321]	20460	21675	Terminator from <i>AtAHASL [csr1-2]</i> of <i>ACETOHYDROXYACID SYNTHASE</i> gene from <i>Arabidopsis</i>
p-PcUbi4-2[long]	21708	22689	Promoter from <i>UBIQUITIN</i> gene <i>UBI4-2</i> with internal intron from <i>Petroselinum crispum</i>
c-AtAHASL_A122T_S653N	22697	24709	<i>ACETOHYDROXYACID SYNTHASE LARGE-SUBUNIT</i> gene/CDS with S653N(<i>csr1-2</i>) mutation and A122T SDM mutation from <i>Arabidopsis</i>
t-AtAHAS-3'/UTR[ac321]	24734	25949	Terminator from <i>AtAHASL [csr1-2]</i> of <i>ACETOHYDROXYACID SYNTHASE</i> gene from <i>Arabidopsis</i>
b-JTV_LB	26117	25990	Left border of T-DNA
c-StaA[Im500]	26223	26852	PVS1 partitioning protein

Genetic Elements of plasmid VC-LJB2755-2qcz rc	From	To	Description, Function and Source of Element
c-VS1orf3[Im500]	27088	26873	VS1orf3
c-repA[Im500]	27179	28354	pVS1 replication protein [repA] gene/CDS
o-pVS1-origin	28420	28614	broad host-range replication origin of plasmid pVS1 (Genbank: AF133831, Itoh et al.1984)
o-ColE1-bom[Im500]	28917	28715	pBR322 bom site, partial, from AF234316 pCambia2301
o-Rep-ColE1	29336	29056	pBR322 origin of replication [<i>E. coli</i>] from AF234316 pCambia2301
c-aadAmod1	30473	29682	Codon Optimized <i>Adenyltransferase</i> [aadA] gene/CDS from SUN100
p-aadA[Im800]	30652	30474	<i>Adenyltransferase</i> [aadA] Spectinomycin Prokaryotic promoter

Table 3: Genetic Elements of plasmid VC-LLM306-1qcz rc. Listed are the names of the elements, the position in VC-LLM306-1qcz rc (note: start position was larger than stop position for elements encoded by the complementary strand of VC-LLM306-1qcz rc), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 148 to 4 of VC-LLM306-1qcz rc) and a left border (nucleotides 20180 to 20053 of VC-LLM306-1qcz rc). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in

5 *E.coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LLM306-1qcz rc	From	To	Description, Function and Source of Element
b-RB[Im175]	148	4	Right border of T-DNA
p-LuCnl(1064bp)	342	1405	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
c-d4Des(Eg_GA)	1416	3041	<i>Delta 4 DESATURASE</i> from <i>Euglena gracilis</i>
t-AgrOCS 192bp[LED12]	3063	3254	Terminator from <i>OCTOPINE SYNTHASE</i> gene OCS from <i>Agrobacterium tumefaciens</i>
p-BnFAE1	3448	4877	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	4878	5724	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d5Elo(Ot_GA3)	5732	6634	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFAE1	6651	7050	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-VfSBP_perm3	7099	8897	Promoter derived from a promoter from a <i>SUCROSE-BINDING PROTEIN-RELATED</i> gene from <i>Vicia faba</i>

57

PF 77877

Genetic Elements of plasmid VC-LLM306-1qcz rc	From	To	Description, Function and Source of Element
c-o3Des(Pir_GA)	8901	9992	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-StCATHD-pA	10023	10257	Terminator from <i>CATHEPSIN D INHIBITOR</i> gene [<i>CATHD</i>] from <i>Solanum tuberosum</i> [Potato]
p-VfUSP_684bp[LLL894]	10331	11014	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss15_758bp[LJK33]	11015	11772	i-Atss15_758bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to + 850 bp (numbering relative to start of transcription) (+128 to + 847 bp 5'UTR-Intron only)
c-o3Des(PI_GA2)	11789	12874	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	12924	13139	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-ARC5_perm1	13259	14409	Promoter derived from a promoter from <i>ARC/LINE 5</i> gene from <i>Phaseolus vulgaris</i>
c-d4Des(Tc_GA)	14420	15979	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> sp.
t-pvarc	15993	16592	Terminator of <i>ARC5</i> gene from <i>Phaseolus vulgaris</i>
p-BnFae1	16671	18100	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
c-d6Des(Ot_febit)	18109	19479	<i>Delta-6 DESATURASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	19493	19892	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
b-JTV_LB	20180	20053	Left border of T-DNA
c-StaA[Im500]	20286	20915	PVS1 partitioning protein
c-VS1orf3[Im500]	21151	20936	<i>VS1orf3</i>
c-repA[Im500]	21242	22417	pVS1 replication protein [<i>repA</i>] gene/CDS
o-pVS1-origin	22483	22677	broad host-range replication origin of plasmid pVS1 (Genbank: AF133831, Itoh et al.1984)
o-ColE1-bom[Im500]	22980	22778	pBR322 bom site, partial, from AF234316 pCambia2301
o-Rep-ColE1	23399	23119	pBR322 origin of replication [<i>E. coli</i>] from AF234316 pCambia2301
c-aadAmod1	24536	23745	Codon Optimized <i>Adenyltransferase [aadA]</i> gene/CDS from SUN100
p-aadA[Im800]	24715	24537	<i>Adenyltransferase [aadA]</i> Spectinomycin Prokaryotic promoter

Table 4: Genetic Elements of plasmid VC-LLM337-1qcz rc. Listed are the names of the elements, the position in VC-LLM337-1qcz rc (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand of VC-LLM337-1qcz rc), the function and source of the element.

The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 148 to 4 of VC-LLM337-1qcz rc) and a left border (nucleotides 16953 to 16826 of VC-LLM337-1qcz rc. Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E.coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LLM337-1qcz rc	From	To	Description, Function and Source of Element
b-RB[Im175]	148	4	Right border of T-DNA
p-LuCnl(1064bp)	342	1405	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
c-d4Des(Eg_GA)	1416	3041	<i>Delta-4 DESATURASE</i> from <i>Euglena gracilis</i>
t-AgrOCS 192bp[LED12]	3063	3254	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-BnFae1	3448	4877	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	4878	5724	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d5Elo(Ot_GA3)	5732	6634	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	6651	7050	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-VfSBP_perm3	7099	8897	Promoter derived from a promoter from a <i>SUCROSE-BINDING PROTEIN-RELATED</i> gene from <i>Vicia faba</i>
c-o3Des(Pir_GA)	8901	9992	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-StCATHD-pA	10023	10257	Terminator from <i>CATHEPSIN D INHIBITOR</i> gene [CATHD] from <i>Solanum tuberosum</i> [Potato]
p-VfUSP_684bp[LLL894]	10331	11014	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss15_758bp[LJK33]	11015	11772	i-Atss15_758bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to + 850 bp (numbering relative to start of transcription) (+128 to + 847 bp 5'UTR-Intron only)
c-o3Des(Pi_GA2)	11789	12874	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	12924	13139	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-ARC5_perm1	13259	14409	Promoter derived from a promoter from <i>ARCILINE 5</i> gene from <i>Phaseolus vulgaris</i>

Genetic Elements of plasmid VC-LLM337-1qcz rc	From	To	Description, Function and Source of Element
c-d4Des(Tc_GA)	14420	15979	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> sp.
t-pvarc	15993	16592	Terminator of <i>ARC5</i> gene from <i>Phaseolus vulgaris</i>
b-JTV_LB	16953	16826	Left border of T-DNA
c-StaA[Im500]	17059	17688	PVS1 partitioning protein
c-VS1orf3[Im500]	17924	17709	<i>VS1orf3</i>
c-repA[Im500]	18015	19190	pVS1 replication protein [repA] gene/CDS
o-pVS1-origin	19256	19450	broad host-range replication origin of plasmid pVS1 (Genbank: AF133831, Itoh et al. 1984)
o-ColE1-bom[Im500]	19753	19551	pBR322 bom site, partial, from AF234316 pCambia2301
o-Rep-ColE1	20172	19892	pBR322 origin of replication [<i>E. coli</i>] from AF234316 pCambia2301
c-aadAmod1	21309	20518	Codon Optimized <i>Adenyltransferase</i> [aadA] gene/CDS from SUN100
p-aadA[Im800]	21488	21310	<i>Adenyltransferase</i> [aadA] Spectinomycin Prokaryotic promoter

Table 5: Genetic Elements of plasmid VC-LLM338-3qcz rc. Listed are the name of the element, the position in VC-LLM338-3qcz rc (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand VC-LLM338-3qcz rc), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 148 to 4 of VC-LLM338-3qcz rc) and a left border (nucleotides 17069 to 16942 of VC-LLM338-3qcz rc). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E.coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LLM338-3qcz rc	From	To	Description, Function and Source of Element
b-RB[Im175]	148	4	Right border of T-DNA
p-VfSBP_perm3	341	2139	Promoter derived from a promoter from a <i>SUCROSE-BINDING RELATED-PROTEIN</i> gene from <i>Vicia faba</i>
c-d15Des(Ch_ERTp_GA)	2151	3389	<i>Delta-15 DESATURASE</i> from <i>Cochliobolus heterostrophus</i> C5
t-StCATHD-pA	3420	3654	Terminator from <i>CATHEPSIN D INHIBITOR</i> gene [CATHD] from <i>Solanum tuberosum</i> [Potato]
p-BnFae1	3848	5277	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>

Genetic Elements of plasmid VC-LLM338-3qcz rc	From	To	Description, Function and Source of Element
i-Atss1_847bp[LJK19]	5278	6124	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d5Elo(Ot_GA3)	6132	7034	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	7051	7450	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-VfUSP_684bp[LLL894]	7529	8212	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss15_758bp[LJK33]	8213	8970	i-Atss15_758bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to + 850 bp (numbering relative to start of transcription) (+128 to + 847 bp 5'UTR-Intron only)
c-o3Des(P_GA2)	8987	10072	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	10122	10337	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-ARC5_perm1	10457	11607	Promoter derived from a promoter from <i>ARC/LINE 5</i> gene from <i>Phaseolus vulgaris</i>
c-d4Des(Tc_GA)	11618	13177	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> sp.
t-pvarc	13191	13790	Terminator of <i>ARC5</i> gene from <i>Phaseolus vulgaris</i>
p-LuCnl(1064bp)	13869	14932	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
c-d4Des(Eg_GA)	14943	16568	<i>Delta-4 DESATURASE</i> from <i>Euglena gracilis</i>
t-AgrOCS 192bp[LED12]	16590	16781	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
b-JTV_LB	17069	16942	Left border of T-DNA
c-StaA[Im500]	17175	17804	PVS1 partitioning protein
c-VS1orf3[Im500]	18040	17825	<i>VS1orf3</i>
c-repA[Im500]	18131	19306	pVS1 replication protein [<i>repA</i>] gene/CDS
o-pVS1-origin	19372	19566	broad host-range replication origin of plasmid pVS1 (Genbank: AF133831, Itoh et al. 1984)
o-ColE1-bom[Im500]	19869	19667	pBR322 bom site, partial, from AF234316 pCambia2301
o-Rep-ColE1	20288	20008	pBR322 origin of replication [<i>E. Coli</i>] from AF234316 pCambia2301
c-aadAmod1	21425	20634	Codon Optimized <i>Adenylyltransferase</i> [<i>aadA</i>] gene/CDS from SUN100

Genetic Elements of plasmid VC-LLM338-3qcz rc	From	To	Description, Function and Source of Element
p-aadA[Im800]	21604	21426	Adenyltransferase [aadA] Spectinomycin Prokaryotic promoter

Table 6: Genetic Elements of plasmid VC-LLM391-2qcz rc rc. Listed are the names of the elements, the position in VC-LLM391-2qcz rc rc (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand of VC-LLM391-2qcz rc rc), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 148 to 4 of VC-LLM391-2qcz rc rc) and a left border (nucleotides 10947 to 10820 of VC-LLM391-2qcz rc rc). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E.coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LLM391-2qcz rc	From	To	Description, Function and Source of Element
b-RB[Im175]	148	4	Right border of T-DNA
p-BnFae1	540	1969	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	1970	2816	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d5Elo(Ot_GA3)	2824	3726	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	3743	4142	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-ARC5perm1	4335	5485	Promoter derived from a promoter from <i>ARCILINE 5</i> gene from <i>Phaseolus vulgaris</i>
c-d4Des(Tc_GA)_T564G	5496	7055	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> spp.
t-pvarc	7069	7668	Terminator of <i>Arc5</i> gene from <i>Phaseolus vulgaris</i>
p-LuCnl(1064bp)	7747	8810	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
c-d4Des(Eg_GA)	8821	10446	<i>Delta-4 DESATURASE</i> from <i>Euglena gracilis</i>
t-AgrOCS 192bp[LED12]	10468	10659	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
b-JTV_LB	10947	10820	Left border of T-DNA
c-StaA[Im500]	11053	11682	PVS1 partitioning protein

Genetic Elements of plasmid VC-LLM391-2qcz rc	From	To	Description, Function and Source of Element
c-VS1orf3[Im500]	11918	11703	VS1orf3
c-repA[Im500]	12009	13184	pVS1 replication protein [repA] gene/CDS
o-pVS1-origin	13250	13444	broad host-range replication origin of plasmid pVS1 (Genbank: AF133831, Itoh et al.1984)
o-ColE1-bom[Im500]	13747	13545	pBR322 bom site, partial, from AF234316 pCambia2301
o-Rep-ColE1	14166	13886	pBR322 origin of replication [<i>E. coli</i>] from AF234316 pCambia2301
c-aadAmod1	15303	14512	Codon Optimized <i>Adenyltransferase</i> [aadA] gene/CDS from SUN100
p-aadA[Im800]	15482	15304	<i>Adenyltransferase</i> [aadA] Spectinomycin Prokaryotic promoter

Table 7: Genetic Elements of plasmid VC-LLTM217-1qcz rc. Listed are the names of the elements, the position in VC-LLTM217-1qcz rc (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand of VC-LLTM217-1qcz rc), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 148 to 4 of VC-LLTM217-1qcz rc) and a left border (nucleotides 10659 to 10532 of VC-LLTM217-1qcz rc). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E.coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LTM217-1qcz rc	From	To	Description, Function and Source of Element
b-RB[Im175]	148	4	Right border of T-DNA
p-BnFae1	540	1969	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	1970	2816	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d5Elo(Ot_GA3)	2824	3726	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	3743	4142	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-ARC5_perm1	4335	5485	Promoter derived from a promoter from <i>ARCILINE 5</i> gene from <i>Phaseolus vulgaris</i>

Genetic Elements of plasmid VC-LTM217-1qcz rc	From	To	Description, Function and Source of Element
c-d4Des(Tc_GA)	5496	7055	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> spp.
t-pvarc	7069	7668	Terminator of <i>Arc5</i> gene from <i>Phaseolus vulgaris</i>
p-LuCnl(1064bp)	7747	8810	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
c-d4Des(PI_GA)2	8821	10158	<i>Delta-4 DESATURASE</i> from <i>Pavlova lutheri</i>
t-AgrOCS 192bp[LED12]	10180	10371	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
b-JTV_LB	10659	10532	Left border of T-DNA
c-StaA[Im500]	10765	11394	PVS1 partitioning protein
c-VS1orf3[Im500]	11630	11415	<i>VS1orf3</i>
c-repA[Im500]	11721	12896	pVS1 replication protein [<i>repA</i>] gene/CDS
o-pVS1-origin	12962	13156	broad host-range replication origin of plasmid pVS1 (Genbank: AF133831, Itoh et al.1984)
o-ColE1-bom[Im500]	13459	13257	pBR322 bom site, partial, from AF234316 pCambia2301
o-Rep-ColE1	13878	13598	pBR322 origin of replication [<i>E. coli</i>] from AF234316 pCambia2301
c-aadAmod1	15015	14224	Codon Optimized <i>Adenyltransferase</i> [<i>aadA</i>] gene/CDS from SUN100
p-aadA[Im800]	15194	15016	<i>Adenyltransferase</i> [<i>aadA</i>] Spectinomycin Prokaryotic promoter

Example 4: Assembly of genes required for EPA and DHA synthesis within BiBAC T-plasmids containing the F factor / pRI origin of replication

For synthesis of VLC-PUFA in *Brassica napus* seeds, the set of genes encoding the proteins of the metabolic VLC-PUFA pathway were combined with expression elements (promoter, terminators and introns) and transferred into binary t-plasmids that were used for agrobacteria mediated transformation of plants. While the large number of expression cassettes promoting expression of one protein each, were distributed in example 3 onto two binary t-plasmids T-DNA, in this example all expression cassettes have been combined onto a single binary T-plasmid. The advance of DNA synthesis allows numerous companies to offer services to use a combination of chemical synthesis and molecular biological techniques to synthesize de novo, without an initial template, polynucleotides up to the size of microbial genomes. Synthesis used in the construction of the plasmids described in this example was performed by Life Technologies using their Geneart® service. The Geneart® technology, described in WO2013049227 allows production of genetic elements of a few basepair (bp) length, and was used in this invention to produce the binary T-plasmids for plant transformation VC-RTP10690-1qcz_F, VC-RTP10691-2qcz, VC-LTM595-1qcz rc and VC-LTM593-1qcz rc having a total size of ~61.000bp for each construct. The structure of the plasmids VC-RTP10690-1qcz_F, VC-RTP10691-2qcz, VC-LTM595-1qcz rc and VC-LTM593-1qcz rc is given in: Table 8, Table 9, Table 10 and Table 11.

Table 8: Genetic Elements of plasmid RTP10690-1qcz_F. Listed are the names of the elements, the position in RTP10690-1qcz_F (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand of SEQ ID NO.6), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 59918 to 148 of RTP10690-1qcz_F) and a left border (nucleotides 43853 to 43718 of RTP10690-1qcz_F). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E. coli* and/or agrobacteria.

Genetic Elements of plasmid RTP10690-1qcz_F	From	To	Description, Function and Source of Element
p-VfUSP_684bp[LLL894]	329	1012	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	1013	1264	i-Atss18_252bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-d6Elo(Pp_GA2)	1267	2139	<i>Delta-6 ELONGASE</i> from <i>Physcomitrella patens</i>
t-CaMV35S	2140	2355	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-LuCnl(1064bp)	2448	3511	Promoter from <i>CONLININ</i> gene from <i>Linum</i>

Genetic Elements of plasmid RTP10690-1qcz_F	From	To	Description, Function and Source of Element
			<i>usitatissimum</i>
i-Atss14_377bp[LJK32]	3512	3888	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d5Des(Tc_GA2)	3892	5211	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-AgrOCS 192bp[LED12]	5212	5403	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-SBP	5539	7337	Promoter from a <i>SUCROSE-BINDING PROTEIN-RELATED</i> gene from <i>Vicia faba</i>
i-Atss2_455bp[LJK20]	7338	7792	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to + 508bp 5'UTR-Intron only)
c-d6Des(Ot_febit)	7802	9172	<i>Delta-6 DESATURASE</i> from <i>Ostreococcus tauri</i>
t-StCATHD-pA	9200	9434	Terminator from <i>CATHEPSIN D INHIBITOR</i> gene [CATHD] from <i>Solanum tuberosum</i> [Potato]
p-LuPXR 1727bp[LLL823]	9513	11239	Promoter from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss1_847bp[LJK19]	11240	12086	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d6Elo(Tp_GA2)	12100	12918	<i>Delta-6 ELONGASE</i> from <i>Thalassiosira pseudonana</i>
t-AtPXR 400bp[LLL823]	12974	13373	Terminator from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-Napin A/B	13543	14206	Promoter from <i>napA/B</i> gene (napin, seed storage protein) from <i>Brassica napus</i>
i-Atss14_377bp[LJK32]	14207	14583	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d12Des(Ps_GA2)	14590	15786	<i>Delta-12 DESATURASE</i> from <i>Phytophthora sojae</i>
t-E9	15805	16362	Terminator from Small Subunit of RuBisCo

Genetic Elements of plasmid RTP10690-1qcz_F	From	To	Description, Function and Source of Element
			<i>rbcS</i> gene (E9) from <i>Pisum sativum</i>
p-LuPXR 1727bp[LLL823]	16462	18188	Promoter from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss15_758bp[LJK33]	18189	18946	i-Atss15_758bp[LJK33] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to + 850 bp (numbering relative to start of transcription) (+128 to + 847 bp 5'UTR-Intron only)
c-o3Des(Pir_GA)	18962	20053	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-AtPXR 400bp[LLL823]	20110	20509	Terminator from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-LuCnl(1064bp)	20645	21708	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
i-Atss2_455bp[LJK20]	21709	22163	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to + 508bp 5'UTR-Intron only)
c-d4Des(PI_GA)2	22181	23518	<i>Delta-4 DESATURASE</i> from <i>Pavlova lutheri</i>
t-AgrOCS 192bp[LED12]	23540	23731	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-BnFae1	23925	25354	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	25355	26202	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
T	25513	25513	T inserted [14-T string found verses 13-T string in original i-Atss1_847bp[LJK19]
c-d5Elo(Ot_GA3)	26210	27112	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	27129	27528	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-ARC5_perm1	27681	28831	Promoter derived from a promoter from <i>ARCILINE 5</i> gene from <i>Phaseolus vulgaris</i>
c-d4Des(Tc_GA3)	28842	30401	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> sp.
t-pvarc	30415	31014	Terminator of <i>ARC5</i> gene from <i>Phaseolus vulgaris</i>
p-VfUSP_684bp[LLL894]	31093	31776	Promoter from unknown seed protein gene

Genetic Elements of plasmid RTP10690-1qcz_F	From	To	Description, Function and Source of Element
			USP (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	31777	32028	i-Atss18_252bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-o3Des(Pi_GA2)	32039	33124	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	33133	33348	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-BnSETL-v1[1234bp]	33484	34717	<i>SETL-v1 Brassica napus</i> promoter
c-d5Des(Tc_GA2)	34720	36039	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-BnSETL	36061	36674	<i>SETL-v1 Brassica napus</i> terminator
p-BnSETL-v1[1234bp]	36767	38000	<i>SETL-v1 Brassica napus</i> promoter
c-o3Des(Pir_GA)	38003	39094	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-BnSETL	39116	39729	<i>SETL-v1 Brassica napus</i> terminator
p-YPC105906_PcUbi4-2[long]	39853	40829	MTX Parsley <i>UBI4-2</i> promoter with internal intron
c-AtAHASL_A122T_S653N[minusRES]	40837	42849	<i>ACETOHYDROXYACID SYNTHASE LARGE SUBUNIT</i> gene/CDS from <i>Arabidopsis</i> with S653N (<i>csr1-2</i>) mutation and A122T SDM mutation minus restriction sites
t-AtAHAS-3'UTR[rtp4820]	42850	43629	<i>Arabidopsis</i> (dicot) <i>AtAHASL</i> 3' Un-translated Region [trimmed] terminator for <i>ACETOHYDROXYACID SYNTHASE</i> gene
b-LLB	43853	43718	Left T-DNA Left border from pTi15955 [Genbank #AF242881]
c-KanR_Tn903	45800	44985	Kanamycin Resistance selection gene/CDS
p-Kan[Im500]	45921	45801	Promoter for Kanamycin resistance gene
o-ori-2	47074	47290	ori-2 origin of replication
c-repE	47384	48139	<i>repE</i> gene/CDS
c-sopA	48718	49893	<i>sopA</i> gene/CDS
c-sopB	49893	50864	<i>sopB</i> gene/CDS
c-sopC/incD	50937	51410	<i>incD/sopC</i> partial gene/CDS
c-tral	51913	51972	<i>tral</i> gene/CDS
mf-tral - repA intergenic region	51961	52323	regulatory region of traR dependent quorum sensing regulon - containing 2 tra-boxes (see LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179-188)
o-repA	52324	53541	<i>Rep-A</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)

Genetic Elements of plasmid RTP10690-1qcz_F	From	To	Description, Function and Source of Element
rr-repB	53771	54781	<i>rep-B</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
o-repC	54996	56315	<i>rep-C</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
mf-y4cG	56794	56324	fragment of DNA invertase homolog; similar to Rhizobium sp. NGR234 pNGR234a Y4CG
tr-Tn5	58834	57273	Transposon Tn5 sequence
o-oriT	59130	59298	oriT from pRK310 genbank file
b-RB[rtp4394]	148	59918	Right T-DNA Right border

Table 9: Genetic Elements of plasmid RTP10691-2qcz. Listed are the names of the elements, the position in RTP10691-2qcz (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand of RTP10691-2qcz), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 60923 to 148 of RTP10691-2qcz and a left border (nucleotides 44858 to 44723 of RTP10691-2qcz). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E.coli* and/or agrobacteria.

Genetic Elements of plasmid RTP10691-2qcz	From	To	Description, Function and Source of Element
p-VfUSP_684bp[LLL894]	329	1012	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	1013	1264	i-Atss18_252bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-d6Elo(Pp_GA2)	1267	2139	<i>Delta-6 ELONGASE</i> from <i>Physcomitrella patens</i>
t-CaMV35S	2140	2355	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-LuCnl(1064bp)	2448	3511	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
i-Atss14_377bp[LJK32]	3512	3888	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d5Des(Tc_GA2)	3892	5211	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685

Genetic Elements of plasmid RTP10691-2qcz	From	To	Description, Function and Source of Element
t-AgrOCS 192bp[LED12]	5212	5403	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-SBP	5539	7337	Promoter from a <i>SUCROSE-BINDING RELATED-PROTEIN</i> gene from <i>Vicia faba</i>
i-Atss2_455bp[LJK20]	7338	7792	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to +508bp 5'UTR-Intron only)
c-d6Des(Ot_febit)	7802	9172	<i>Delta-6 DESATURASE</i> from <i>Ostreococcus tauri</i>
t-StCATHD-pA	9200	9434	Terminator from <i>CATHEPSIS D INHIBITOR</i> gene [CATHD] from <i>Solanum tuberosum</i> [Potato]
p-LuPXR 1727bp[LLL823]	9513	11239	Promoter from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss1_847bp[LJK19]	11240	12086	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d6Elo(Tp_GA2)	12100	12918	<i>Delta-6 ELONGASE</i> from <i>Thalassiosira pseudonana</i>
t-AtPXR 400bp[LLL823]	12974	13373	Terminator from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-Napin A/B	13543	14206	Promoter from <i>napA/B</i> gene (napin, seed storage protein) from <i>Brassica napus</i>
i-Atss14_377bp[LJK32]	14207	14583	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to +542 bp (numbering relative to start of transcription) (+201 to +542 bp 5'UTR-Intron only)
c-d12Des(Ps_GA2)	14590	15786	<i>Delta-12 DESATURASE</i> from <i>Phytophthora sojae</i>
t-E9	15805	16362	Terminator from Small Subunit of RuBisCo <i>rbcS</i> gene (<i>E9</i>) from <i>Pisum sativum</i>
p-LuPXR 1727bp[LLL823]	16462	18188	Promoter from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss15_758bp[LJK33]	18189	18946	i-Atss15_758bp[LJK33] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to +850 bp (numbering relative to start of transcription) (+128 to +847 bp 5'UTR-Intron

Genetic Elements of plasmid RTP10691-2qcz	From	To	Description, Function and Source of Element
			only)
c-o3Des(Pir_GA)	18962	20053	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-AtPXR 400bp[LLL823]	20110	20509	Terminator from <i>PEROXIREDOXIN LIKE</i> protein gene PXR (At1g48130) from <i>Arabidopsis thaliana</i>
p-BnSETL-v1[1234bp]	20645	21878	<i>SETL-v1 Brassica napus</i> promoter
c-d5Des(Tc_GA2)	21881	23200	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-BnSETL	23222	23835	<i>SETL-v1 Brassica napus</i> terminator
p-BnFae1	24029	25458	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	25459	26302	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
delTTT	25612	25612	Three T deleted compared to original i-Atss1_847bp[LJK19]
c-d5Elo(Ot_GA3)	26310	27212	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	27229	27628	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-ARC5_perm1	27781	28931	Promoter derived from a promoter from <i>ARCILINE 5</i> gene from <i>Phaseolus vulgaris</i>
c-d4Des(Tc_GA3)	28942	30501	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> sp.
t-pvarc	30515	31114	Terminator of <i>ARC5</i> gene from <i>Phaseolus vulgaris</i>
p-VfUSP_684bp[LLL894]	31193	31876	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	31877	32128	i-Atss18_252bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-o3Des(Pi_GA2)	32139	33224	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	33233	33448	Terminator CaMV35S from <i>35S</i> gene from Cauliflower mosaic virus
p-BnFae1	33642	35071	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>

Genetic Elements of plasmid RTP10691-2qcz	From	To	Description, Function and Source of Element
i-Atss1_847bp[LJK19]	35072	35918	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d4Des(PI_GA)2	35926	37263	<i>Delta-4 DESATURASE</i> from <i>Pavlova lutheri</i>
t-bnFae1	37280	37679	Terminator from <i>FATTY ACID ELONGASE</i> (FAE 1.1) gene from <i>Brassica juncea</i>
p-BnSETL-v1[1234bp]	37772	39005	<i>SETL-v1 Brassica napus</i> promoter
c-o3Des(Pir_GA)	39008	40099	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-BnSETL	40121	40734	<i>SETL-v1 Brassica napus</i> terminator
p-YPC105906_PcUbi4-2[long]	40858	41834	MTX Parsley <i>UBI4-2</i> promoter with internal intron
c-AtAHASL_A122T_S653N[minusRES]	41842	43854	<i>ACETOHYDROXYACID SYNTHASE LARGE SUBUNIT</i> gene/CDS from <i>Arabidopsis</i> with S653N (<i>csr1-2</i>) mutation and A122T SDM mutation minus restriction sites
t-AtAHAS-3'UTR[rtp4820]	43855	44634	<i>Arabidopsis</i> (dicot) <i>AtAHASL</i> 3' Un-translated Region [trimmed] terminator for <i>ACETOHYDROXYACID SYNTHASE</i> gene
b-LLB	44858	44723	Left T-DNA Left border from pTi15955 [Genbank #AF242881]
c-KanR_Tn903	46805	45990	Kanamycin Resistance selection gene/CDS
p-Kan[Im500]	46926	46806	Promoter for Kanamycin resistance gene
o-ori-2	48079	48295	ori-2 origin of replication
c-repE	48389	49144	<i>repE</i> gene/CDS
c-sopA	49723	50898	<i>sopA</i> gene/CDS
c-sopB	50898	51869	<i>sopB</i> gene/CDS
c-sopC/incD	51942	52415	<i>incD/sopC</i> partial gene/CDS
c-tral	52918	52977	<i>tral</i> gene/CDS
mf-tral - repA intergenic region	52966	53328	regulatory region of traR dependent quorum sensing regulon - containing 2 tra-boxes (see LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179-188)
o-repA	53329	54546	<i>Rep-A</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
rr-repB	54776	55786	<i>rep-B</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
o-repC	56001	57320	<i>rep-C</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)

Genetic Elements of plasmid RTP10691-2qcz	From	To	Description, Function and Source of Element
mf-y4cG	57799	57329	fragment of DNA invertase homolog; similar to <i>Rhizobium</i> sp. NGR234 pNGR234a Y4CG
tr-Tn5	59839	58278	Transposon Tn5 sequence
o-oriT	60135	60303	oriT from pRK310 genbank file
b-RB[rtp4394]	60923	148	Right T-DNA Right border

Table 10: Genetic Elements of plasmid VC-LTM595-1qcz rc. Listed are the names of the elements, the position in VC-LTM595-1qcz rc (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand of VC-LTM595-1qcz rc), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 60913 to 148 of VC-LTM595-1qcz rc) and a left border (nucleotides 44848 to 44713 of VC-LTM595-1qcz rc). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E. coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LTM595-1qcz rc	From	To	Description, Function and Source of Element
p-VfUSP_684bp[LLL894]	329	1012	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	1013	1264	i-Atss18_252bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-d6Elo(Pp_GA2)	1267	2139	<i>Delta-6 ELONGASE</i> from <i>Physcomitrella patens</i>
t-CaMV35S	2140	2355	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-LuCnl(1064bp)	2448	3511	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
i-Atss14_377bp[LJK32]	3512	3888	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d5Des(Tc_GA2)	3892	5211	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-AgrOCS 192bp[LED12]	5212	5403	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-SBP	5539	7337	Promoter from a <i>SUCROSE-BINDING RELATED-PROTEIN</i> gene from <i>Vicia faba</i>
i-Atss2_455bp[LJK20]	7338	7792	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to + 508bp 5'UTR-Intron only)
c-d6Des(Ot_febit)	7802	9172	<i>Delta-6 DESATURASE</i> from <i>Ostreococcus tauri</i>
t-StCATHD-pA	9200	9434	Terminator from <i>CATHEPSIS D INHIBITOR</i> gene [<i>CATHD</i>] from <i>Solanum tuberosum</i> [Potato]
p-LuPXR 1727bp[LLL823]	9513	11239	Promoter from <i>PEROXIREDOXIN LIKE</i>

Genetic Elements of plasmid VC-LTM595-1qcz rc	From	To	Description, Function and Source of Element
			protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss1_847bp[LJK19]	11240	12086	i-Atss1_847bp functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d6Elo(Tp_GA2)	12100	12918	<i>Delta-6 ELONGASE</i> from <i>Thalassiosira pseudonana</i>
t-AtPXR 400bp[LLL823]	12974	13373	Terminator from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-Napin A/B	13543	14206	Promoter from <i>napA/B</i> gene (napin, seed storage protein) from <i>Brassica napus</i>
i-Atss14_377bp[LJK32]	14207	14583	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d12Des(Ps_GA2)	14590	15786	<i>Delta-12 DESATURASE</i> from <i>Phytophthora sojae</i>
t-E9	15805	16362	Terminator from Small Subunit of RuBisCo <i>rbcS</i> gene (<i>E9</i>) from <i>Pisum sativum</i>
p-LuPXR 1727bp[LLL823]	16455	18181	Promoter from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss15_758bp[LJK33]	18182	18939	i-Atss15_758bp[LJK33] functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to + 850 bp (numbering relative to start of transcription) (+128 to + 847 bp 5'UTR-Intron only)
c- α 3Des(Pir_GA)	18955	20046	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-AtPXR 400bp[LLL823]	20103	20502	Terminator from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-BnSETL-v1[1234bp]	20638	21871	<i>SETL-v1 Brassica napus</i> promoter
c-d5Des(Tc_GA2)	21874	23193	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-BnSETL	23215	23828	<i>SETL-v1 Brassica napus</i> terminator
p-BnFae1	24022	25451	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	25452	26298	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> ,

Genetic Elements of plasmid VC-LTM595-1qcz rc	From	To	Description, Function and Source of Element
			Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d5Elo(Ot_GA3)	26306	27208	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	27225	27624	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-ARC5_perm1	27771	28921	Promoter derived from a promoter from <i>ARCILINE 5</i> gene from <i>Phaseolus vulgaris</i>
c-d4Des(Tc_GA3)	28932	30491	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> sp.
t-pvarc	30505	31104	Terminator of <i>ARC5</i> gene from <i>Phaseolus vulgaris</i>
p-VfUSP_684bp[LLL894]	31183	31866	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene USP (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	31867	32118	i-Atss18_252bp functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-o3Des(Pi_GA2)	32129	33214	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	33223	33438	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-BnFae1	33632	35061	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	35062	35908	i-Atss1_847bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d4Des(PI_GA)2	35916	37253	<i>Delta-4 DESATURASE</i> from <i>Pavlova lutheri</i>
t-bnFae1	37270	37669	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-BnSETL-v1[1234bp]	37762	38995	<i>SETL-v1 Brassica napus</i> promoter
c-o3Des(Pir_GA)	38998	40089	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-BnSETL	40111	40724	<i>SETL-v1 Brassica napus</i> terminator
p-YPC105906_PcUbi4-2[long]	40848	41824	MTX Parsley (<i>Petroselinum crispum</i>) <i>UBI4-2</i> promoter with internal intron
c-AtAHASL_A122T_S653N[minusRES]	41832	43844	<i>ACETOHYDROXYACID SYNTHASE LARGE-SUBUNIT</i> gene/CDS from

Genetic Elements of plasmid VC-LTM595-1qcz rc	From	To	Description, Function and Source of Element
			<i>Arabidopsis</i> with S653N (<i>csr1-2</i>) mutation and A122T SDM mutation minus restriction sites
t-AtAHAS-3'UTR[rtp4820]	43845	44624	<i>Arabidopsis</i> (dicot) <i>AtAHAS</i> 3' Un-translated Region [trimmed] terminator for ACETOHYDROXYACID SYNTHASE gene
b-LLB	44848	44713	Left T-DNA Left border from pTi15955 [Genbank #AF242881]
c-KanR_Tn903	46795	45980	Kanamycin Resistance selection gene/CDS
p-Kan[Im500]	46916	46796	Promoter for Kanamycin resistance gene
o-ori-2	48069	48285	ori-2 origin of replication
c-repE	48379	49134	<i>repE</i> gene/CDS
c-sopA	49713	50888	<i>sapA</i> gene/CDS
c-sopB	50888	51859	<i>sopB</i> gene/CDS
c-sopC/incD	51932	52405	<i>incD/sopC</i> partial gene/CDS
c-tral	52908	52967	<i>tral</i> gene/CDS
mf-tral - repA intergenic region	52956	53318	regulatory region of traR dependent quorum sensing regulon - containing 2 tra-boxes (see LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179-188)
o-repA	53319	54536	<i>Rep-A</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
rr-repB	54766	55776	<i>rep-B</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
o-repC	55991	57310	<i>rep-C</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
mf-y4cG	57789	57319	fragment of DNA invertase homolog; similar to <i>Rhizobium</i> sp. NGR234 pNGR234a Y4CG
tr-Tn5	59829	58268	Transposon Tn5 sequence
o-oriT	60125	60293	oriT from pRK310 genbank file
b-RB[rtp4394]	148	60913	Right T-DNA Right border

Table 11: Genetic Elements of plasmid VC-LTM593-1qcz rc. Listed are the names of the elements, the position in VC-LTM593-1qcz rc (nucleotide number, note: start position was larger than stop position for elements encoded by the complementary strand of VC-LTM593-1qcz rc), the function and source of the element. The T-DNA integrated into the plant genome during the transformation process was flanked by a right border (nucleotides 59895 to 148 of VC-LTM593-1qcz rc) and a left border (nucleotides 43830 to 43695 of VC-LTM593-1qcz rc). Elements outside of that region (=vector backbone) are required for cloning and stable maintenance in *E. coli* and/or agrobacteria.

Genetic Elements of plasmid VC-LTM593-1qcz rc	From	To	Description, Function and Source of Element
p-VfUSP_684bp[LLL894]	329	1012	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	1013	1264	i-Atss18_252bp functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c-d6Elo(Pp_GA2)	1267	2139	<i>Delta-6 ELONGASE</i> from <i>Physcomitrella patens</i>
t-CaMV35S	2140	2355	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-LuCnl(1064bp)	2448	3511	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
i-Atss14_377bp[LJK32]	3512	3888	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d5Des(Tc_GA2)	3892	5211	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-AgrOCS 192bp[LED12]	5212	5403	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-SBP	5539	7337	Promoter from a <i>SUCROSE-BINDING PROTEIN-RELATED</i> gene from <i>Vicia faba</i>
i-Atss2_455bp[LJK20]	7338	7792	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to + 508bp 5'UTR-Intron only)
c-d6Des(Ot_febit)	7802	9172	<i>Delta-6 DESATURASE</i> from <i>Ostreococcus tauri</i>
t-StCATHD-pA	9200	9434	Terminator from <i>CATHEPSIN D INHIBITOR</i> gene [<i>CATHD</i>] from <i>Solanum tuberosum</i> [Potato]
p-LuPXR 1727bp[LLL823]	9513	11239	Promoter from <i>PEROXIREDOXIN LIKE</i>

Genetic Elements of plasmid VC-LTM593-1qcz rc	From	To	Description, Function and Source of Element
			protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss1_846bp[lrm593]	11240	12085	i-Atss1_847bp functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); 1 bp at poly T stretch shorter compared to original i-Atss1_847bp
c-d6Elo(Tp_GA2)	12099	12917	<i>Delta-6 ELONGASE</i> from <i>Thalassiosira pseudonana</i>
t-AtPXR 400bp[LLL823]	12973	13372	Terminator from peroxiredoxin like protein gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-Napin A/B	13542	14205	Promoter from <i>napA/B</i> gene (napin, seed storage protein) from <i>Brassica napus</i>
i-Atss14_377bp[LJK32]	14206	14582	i-Atss14_377bp[LJK32] functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At5g63190, +166 to + 542 bp (numbering relative to start of transcription) (+201 to + 542 bp 5'UTR-Intron only)
c-d12Des(Ps_GA2)	14589	15785	<i>Delta-12 DESATURASE</i> from <i>Phytophthora sojae</i>
t-E9	15804	16361	Terminator from Small Subunit of RuBisCo <i>rbcS</i> gene (<i>E9</i>) from <i>Pisum sativum</i>
p-BnSETL-v1[1234bp]	16454	17687	<i>SETL-v1 Brassica napus</i> promoter
c- α 3Des(Pir_GA)	17690	18781	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-BnSETL	18803	19416	<i>SETL-v1 Brassica napus</i> terminator
p-VfUSP_684bp[LLL894]	19495	20178	Promoter from <i>UNKNOWN SEED PROTEIN</i> gene <i>USP</i> (accession: X56240) from <i>Vicia faba</i>
i-Atss18_252[LJK36]	20179	20430	i-Atss18_252bp functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At1g01170, + 37 to + 288 bp (numbering relative to start of transcription) (+ 72 to + 282bp 5'UTR-Intron only)
c- α 3Des(Pi_GA2)	20441	21526	<i>Omega-3-DESATURASE</i> from <i>Phytophthora infestans</i>
t-CaMV35S	21535	21750	Terminator CaMV35S from 35S gene from Cauliflower mosaic virus
p-BnSETL-v1[1234bp]	21886	23119	<i>SETL-v1 Brassica napus</i> promoter
c-d5Des(Tc_GA2)	23122	24441	<i>Delta-5 DESATURASE</i> from <i>Thraustochytrium</i> sp. ATCC21685
t-BnSETL	24463	25076	<i>SETL-v1 Brassica napus</i> terminator
p-ARC5_perm1	25223	26373	Promoter derived from a promoter from

Genetic Elements of plasmid VC-LTM593-1qcz rc	From	To	Description, Function and Source of Element
			<i>ARCILINE 5</i> gene from <i>Phaseolus vulgaris</i>
c-d4Des(Tc_GA3)	26384	27943	<i>Delta-4 DESATURASE</i> from <i>Thraustochytrium</i> sp.
t-pvarc	27957	28556	Terminator of <i>ARC5</i> gene from <i>Phaseolus vulgaris</i>
p-LuPXR 1727bp[LLL823]	28649	30375	Promoter from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> from <i>Linum usitatissimum</i>
i-Atss15_758bp[LJK33]	30376	31133	i-Atss15_758bp[LJK33] functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At2g27040, +93 bp to + 850 bp (numbering relative to start of transcription) (+128 to + 847 bp 5'UTR-Intron only)
c-o3Des(Pir_GA)	31149	32240	<i>Omega-3 DESATURASE</i> from <i>Pythium irregulare</i>
t-AtPXR 400bp[LLL823]	32297	32696	Terminator from <i>PEROXIREDOXIN LIKE</i> protein gene <i>PXR</i> (At1g48130) from <i>Arabidopsis thaliana</i>
p-LuCnl(1064bp)	32832	33895	Promoter from <i>CONLININ</i> gene from <i>Linum usitatissimum</i>
i-Atss2_455bp[LJK20]	33896	34350	i-Atss2_455bp functional intron region; intron with partial 5'UTR, <i>Arabidopsis thaliana</i> , Locus At1g65090, +77 to +531bp (numbering relative to start of transcription) (+113 to + 508bp 5'UTR-Intron only)
c-d4Des(PI_GA)2	34360	35697	<i>Delta-4 DESATURASE</i> from <i>Pavlova lutheri</i>
t-AgrOCS 192bp[LED12]	35719	35910	Terminator from <i>OCTOPINE SYNTHASE</i> gene <i>OCS</i> from <i>Agrobacterium tumefaciens</i>
p-BnFae1	36104	37533	Promoter from <i>Beta-KETOACYL-CoA SYNTHASE (FAE1.1)</i> gene from <i>Brassica napus</i>
i-Atss1_847bp[LJK19]	37534	38380	i-Atss1_847bp functional intron region; intron with partial 5' UTR, <i>Arabidopsis thaliana</i> , Locus At1g62290 (aspartyl protease family protein), +1 to +847bp (numbering relative to start of transcription) (+19 to +841bp 5'UTR-Intron only); from QC1153-1/RTP6393.
c-d5Elb(Ot_GA3)	38388	39290	<i>Delta-5 ELONGASE</i> from <i>Ostreococcus tauri</i>
t-bnFae1	39307	39706	Terminator from <i>FATTY ACID ELONGASE (FAE 1.1)</i> gene from <i>Brassica juncea</i>
p-YPC105906_PcUbi4-2[long]	39830	40806	MTX Parsley <i>UBI4-2</i> promoter with internal intron
c-AtAHASL_A122T_S653N[minusRES]	40814	42826	<i>ACETOHYDROXYACID SYNTHASE LARGE-SUBUNIT</i> gene/CDS from <i>Arabidopsis</i> with S653N (<i>csr1-2</i>) mutation

Genetic Elements of plasmid VC-LTM593-1qcz rc	From	To	Description, Function and Source of Element
			and A122T SDM mutation minus restriction sites
t-AtAHAS-3'UTR[rtp4820]	42827	43606	<i>Arabidopsis</i> (dicot) <i>AtAHASL</i> 3' Un-translated Region [trimmed] terminator for ACETOHYDROXYACID SYNTHASE gene
b-LLB	43830	43695	Left T-DNA Left border from pTi15955 [Genbank #AF242881]
c-KanR_Tn903	45777	44962	Kanamycin Resistance selection gene/CDS
p-Kan[Im500]	45898	45778	Promoter for Kanamycin resistance gene
o-ori-2	47051	47267	ori-2 origin of replication
c-repE	47361	48116	<i>repE</i> gene/CDS
c-sopA	48695	49870	<i>sapA</i> gene/CDS
c-sopB	49870	50841	<i>sopB</i> gene/CDS
c-sopC/incD	50914	51387	<i>incD/sopC</i> partial gene/CDS
c-tral	51890	51949	<i>tral</i> gene/CDS
mf-tral - repA intergenic region	51938	52300	regulatory region of traR dependent quorum sensing regulon - containing 2 tra-boxes (see LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179-188)
o-repA	52301	53518	<i>Rep-A</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
rr-repB	53748	54758	<i>rep-B</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
o-repC	54973	56292	<i>rep-C</i> gene from pTiC58 replicon (LI AND FARRAND JOURNAL OF BACTERIOLOGY, Jan. 2000, p. 179..188)
mf-y4cG	56771	56301	fragment of DNA invertase homolog; similar to <i>Rhizobium</i> sp. NGR234 pNGR234a Y4CG
tr-Tn5	58811	57250	Transposon Tn5 sequence
o-oriT	59107	59275	oriT from pRK310 genbank file
b-RB[rtp4394]	148	59895	Right T-DNA Right border

Table 13 compares the order of the gene expression cassettes among all the different constructs and the construct combinations, using short terms for these expression cassettes, see Table 12 for definitions. The data in Examples 10 to 19 demonstrate significant differences among the different construct or construct combinations in terms of the PUFA profile measured in transgenic seed. The differences between constructs and the construct combinations were evident even when eliminating all other sources that affect PUFA levels (e.g. different environments, plant-to-plant variability, seed oil content, T-DNA

copy number). For example VC-RTP10690-1qcz_F and VC-LMT593-1qcz rc are isogenic, i.e. the two constructs contained exactly the same gene expression cassettes. Because of the similarity between RTP10690-1qcz_F and VC-LMT593-1qcz one would expect exactly the same pathway step conversion efficiencies e.g. when comparing the average

5 conversion efficiencies of all single copy events. However, Figure 39 shows that VC-RTP10690-1qcz_F had a Delta-4 DESATURASE conversion efficiency of 32%, (average of T1 seeds of 52 single copy T0 events), whereas VC-LMT593-1qcz rc had a Delta-4 DESATURASE conversion efficiency of 47% (average of T1 seeds of 241 single copy T0 events). This was not expected, and can be explained by transcript levels, which in turn

10 determine protein levels. The transcript levels are affected by the genetic elements that flank the *Delta-4 DESATURASE* cassettes in VC-LMT593-1qcz rc. The observations between the two constructs is an unexpected finding and indicates that not only the genome but also the T-DNA itself impacts the Delta-4 DESATURASE conversion efficiency, that was dependant on "gene dosage" as described in Example 19. Furthermore, the data in

15 Example 10 to 19 demonstrate that it was possible to insulate expression cassettes from such effects. As can be seen in those Examples 10-19 all single copy events were capable of producing almost exactly the same VLC-PUFA levels when eliminating all other sources that affect PUFA levels (e.g. different environments, plant-to-plant variability, seed oil content). This was particularly striking when comparing all the single copy events in

20 Example 18. Comparing the total C20+C22 VLC-PUFA content, which was largely only controlled by how much was converted by the delta-12 desaturase and by the delta-6 desaturase, it was striking to observe there was virtually no difference between e.g. the single copy event LANPMZ obtained from the construct combination VC-LJB2197-1qcz + VC-LLM337-1qcz rc, and all single copy events listed in Example 18. To this end, it is

25 important to note that one side of the T-DNA that encodes either the entire pathway (Example 15 to 18) or at least the first steps of the pathway up to ARA and EPA production (Example 10 to 14) always contains the AHAS gene which confers herbicide tolerance but was not involved in the VLC-PUFA pathway. The other side of the T-DNA encodes either the entire pathway (Example 15 to 18) or at least the first steps of the pathway up to ARA

30 and EPA production (Example 10 to 14) in most cases the *Delta-6 ELONGASE* from *Physcomitrella patens* (except in Example 13 and 14). As described in Example 19, the Delta-6 ELONGASE protein encoded by the *Physcomitrella patens* gene works close to maximum conversion efficiency (>90%), thus any increase in delta-6 elongase enzyme levels due to any effect that increases transcript levels will have virtually no effect on the

35 C20 and C22 VLC-PUFA levels. Effectively, the T-DNA determining the total level of VLC-

PUFA accumulation are flanked on both sides by genes where expression level differences will have no impact on the VLC-PUFA accumulation. As these two genes were encoded by expression cassettes that were several thousand bp in size, it appears the genes inside the T-DNA were shielded/insulated from any effects the genomic environment could have on the expression level of those genes (e.g. the delta-12-desaturase, compare with Example 19). This effect was consistent with the observation that double copy events differ considerably more in total C20 and C22 VLC-PUFA levels: As in many cases the additional T-DNA insertions are not complete (see Example 10 to 18), resulting in exposure of T-DNA internal genes are exposed to the genome. When these genes are susceptible to gene-dosage effects (the conversion efficiency of those genes depends on the amount of transcript and the derived amount of enzyme, compare with Example 19), then in some genomic locations the genomic environment boosted the transcript level.

Table 12: Definition of shorthands used for plant expression cassettes of this invention

Cassette shorthand	Promoter	Intron	Coding sequence	Terminator
USP/c-d6Elo(Pp_GA2)	p-VfUSP_684bp[LLL894]	i-Atss18_252[LJK36]	c-d6Elo(Pp_GA2)	t-CaMV35S
PXR/c-o3Des(Pir_GA)	p-LuPXR 1727bp[LLL823]	i-Atss15_758bp[LJK33]	c-o3Des(Pir_GA)	t-AtPXR 400bp[LLL823]
Conlinin/c-d5Des(Tc_GA2)	p-LuCnI(1064bp)	i-Atss14_377[LJK32]	c-d5Des(Tc_GA2)	t-AgrOCS 192bp[LED12]
SBP/c-d6Des(Ot_febit)	p-SBP	i-Atss2_455bp[LJK20]	c-d6Des(Ot_febit)	t-StCATHD-pA
PXR/c-d6Elo(Tp_GA2)	p-LuPXR 1727bp[LLL823]	i-Atss1_847bp[LJK19]	c-d6Elo(Tp_GA2)	t-AtPXR 400bp[LLL823]
Fae/c-d6Elo(Tp_GA2)	p-BnFae1	i-Atss1_847bp[LJK19]	c-d6Elo(Tp_GA2)	t-bnFae1
Napin/c-d12Des(Ps_GA)	p-Napin A/B	i-Atss14_377[LJK32]	c-d12Des(Ps_GA)	t-E9
USP/c-o3Des(Pi_GA2)	p-VfUSP_684bp[LLL894]	i-Atss18_252[LJK36]	c-o3Des(Pi_GA2)	t-CaMV35S
UBI/AHAS	p-PcUbi4-2[long]	part of PcUBI promoter	c-AtAHASL_A122T_S653N	t-AtAHAS-3'/UTR[ac321]
Conlinin/d4Des(Eg)	p-LuCnI(1064bp)	N/A	c-d4Des(Eg_GA)	t-AgrOCS 192bp[LED12]
SBP/d15Des(Ch)	p-VfSBP_perm3	N/A	c-d15Des(Ch_ERTp_GA)	t-StCATHD-pA
Conlinin/c-d4Des(PI_GA)2_var1	p-LuCnI(1064bp)	i-Atss2_455bp[LJK20]	c-d4Des(PI_GA)2	t-AgrOCS 192bp[LED12]
SETL/c-d5Des(Tc_GA2)	p-BnSETL-v1[1234bp]	N/A	c-d5Des(Tc_GA2)	t-BnSETL
SETL/c-o3Des(Pir_GA)	p-BnSETL-v1[1234bp]	N/A	c-o3Des(Pir_GA)	t-BnSETL
FAE/c-d5Elo(Ot_GA3)	p-BnFAE1	i-Atss1_847bp[LJK19]	c-d5Elo(Ot_GA3)	t-bnFAE1
SETL/c-o3Des(Pir_GA)	p-VfSBP_perm3	N/A	c-o3Des(Pir_GA)	t-StCATHD-pA
ARC/c-d4Des(Tc_GA)_var1	p-ARC5_perm1	N/A	c-d4Des(Tc_GA)	t-pvarc
ARC/c-d4Des(Tc_GA)_var2	p-ARC5_perm1	N/A	c-d4Des(Tc_GA3)	t-pvarc
Conlinin/c-d4Des(PI_GA)2_var2	p-LuCnI(1064bp)	N/A	c-d4Des(PI_GA)2	t-AgrOCS 192bp[LED12]
FAE/c-d4Des(PI_GA)2	p-BnFAE1	i-Atss1_847bp[LJK19]	c-d4Des(PI_GA)2	t-bnFAE1

Table 13: Order and orientation of plant expression cassettes on T-DNAs. Per column, expression cassettes are abbreviated according to Table 12 and listed from top to bottom in the following way: The top row indicated the right border of the first T-DNA introduced into the plant genome; the following proteins are all listed according to sense orientation of transcription, pointing away from the right border. The end of the first T-DNA was indicated by 'LB'. In case a second T-DNA was used to transfer all pathway genes into the plant genome according to example 7 to 11, the right border of this T-DNA was indicated as 'RB2'. The expression cassettes of the second T-DNA are listed in the following rows. Empty cells have been introduced to facilitate comparison of the different constructs.

VC-LJB2197-1qcz + VC-LLM306-1qcz rc	VC-LJB2197-1qcz + VC-LLM337-1qcz rc	VC-LJB2197-1qcz + VC-LLM338-3qcz rc	VC-LJB2755-2qcz + VC-LLM391-2qcz rc	VC-LJB2755-2qcz + VC-LLM217-1qcz rc	RTP10690-1qcz_F	RTP10691-2qcz	VC-LMT595-1qcz rc	VC-LMT593-1qcz rc
RB	RB	RB	RB	RB	RB	RB	RB	RB
USP/c- d6Elo(Pp_GA2)	USP/c- d6Elo(Pp_GA2)	USP/c- d6Elo(Pp_GA2)	PXR/c- o3Des(Pir_GA)	PXR/c- o3Des(Pir_GA)	USP/c- d6Elo(Pp_GA2)	USP/c- d6Elo(Pp_GA2)	USP/c- d6Elo(Pp_GA2)	USP/c- d6Elo(Pp_GA2)
Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)	Conlinin/c- d5Des(Tc_GA2)
SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)	SBP/c- d6Des(Ot_febit)
PXR/c- d6Elo(Tp_GA2)	PXR/c- d6Elo(Tp_GA2)	PXR/c- d6Elo(Tp_GA2)	FAE/c- d6Elo(Tp_GA2)	FAE/c- d6Elo(Tp_GA2)	PXR/c- d6Elo(Tp_GA2)	PXR/c- d6Elo(Tp_GA2)	PXR/c- d6Elo(Tp_GA2)	PXR/c- d6Elo(Tp_GA2)
Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)	Napin/c- d12Des(Ps_GA)
			USP/c- o3Des(Pi_GA2)	USP/c- o3Des(Pi_GA2)	PXR/c- o3Des(Pir_GA)	PXR/c- o3Des(Pir_GA)	PXR/c- o3Des(Pir_GA)	
UBI/AHAS	UBI/AHAS	UBI/AHAS	UBI/AHAS	UBI/AHAS				
LB	LB	LB	LB	LB				
RB2	RB2	RB2	RB2	RB2				
Conlinin/d4Des(Eg)	Conlinin/d4Des(Eg)				Conlinin/c- d4Des(Pi_GA)2_var 1	SETL/c- d5Des(Tc_GA2)	SETL/c- d5Des(Tc_GA2)	SETL/c- o3Des(Pir_GA)
FAE/c- d5Elo(Ot_GA3)	FAE/c- d5Elo(Ot_GA3)	FAE/c- d5Elo(Ot_GA3)	FAE/c- d5Elo(Ot_GA3)	FAE/c- d5Elo(Ot_GA3)	FAE/c- d5Elo(Ot_GA3)	FAE/c- d5Elo(Ot_GA3)	FAE/c- d5Elo(Ot_GA3)	USP/c- o3Des(Pi_GA2)
SETL/c- o3Des(Pir_GA)	SETL/c- o3Des(Pir_GA)							SETL/c- d5Des(Tc_GA2)
					ARC/c- d4Des(Tc_GA) var2	ARC/c- d4Des(Tc_GA) var2	ARC/c- d4Des(Tc_GA) var2	ARC/c- d4Des(Tc_GA) var2
USP/c- o3Des(Pi_GA2)	USP/c- o3Des(Pi_GA2)	USP/c- o3Des(Pi_GA2)			USP/c- o3Des(Pi_GA2)	USP/c- o3Des(Pi_GA2)	USP/c- o3Des(Pi_GA2)	PXR/c- o3Des(Pir_GA)
ARC/c- d4Des(Tc_GA)_var 1	ARC/c- d4Des(Tc_GA)_var 1	ARC/c- d4Des(Tc_GA)_var 1	ARC/c- d4Des(Tc_GA)_var 1	ARC/c- d4Des(Tc_GA)_var 1	SETL/c- d5Des(Tc_GA2)			Conlinin/c- d4Des(Pi_GA)2_var 1
		Conlinin/d4Des(Eg)	Conlinin/d4Des(Eg)	Conlinin/c- d4Des(Pi_GA)2_var 2		FAE/c- d4Des(Pi_GA)2	FAE/c- d4Des(Pi_GA)2	FAE/c- d5Elo(Ot_GA3)
					SETL/c- o3Des(Pir_GA)	SETL/c- o3Des(Pir_GA)	SETL/c- o3Des(Pir_GA)	
					UBI/AHAS	UBI/AHAS	UBI/AHAS	UBI/AHAS

VC-LJB2197-1qcz + VC-LLM306-1qcz rc	VC-LJB2197-1qcz + VC-LLM337-1qcz rc	VC-LJB2197-1qcz + VC-LLM338-3qcz rc	VC-LJB2755-2qcz + VC-LLM391-2qcz rc	VC-LJB2755-2qcz + VC-LLM217-1qcz rc	RTP10690-1qcz_F	RTP10691-2qcz	VC-LMT595-1qcz rc	VC-LMT593-1qcz rc
LB2	LB2	LB2	LB2	LB2	LB	LB	LB	LB

Example 5: Procedure for production of transgenic plants using a Co-Transformation approach

In general, the transgenic rapeseed plants were generated by a modified protocol according to DeBlock et al. 1989, Plant Physiology, 91:694-701). For the generation of rapeseed plants transgenic for two different T-DNAs, the binary vectors described in example 3 were transformed into *Agrobacterium rhizogenes* SHA001 (see WO2006024509 A2 for full description of the *Agrobacterium* used). For the transformation of rapeseed plants (cv. Kumily), a co-transformation strategy was used. Transformation was performed with two different agrobacteria strains harbouring one of the two different plasmids listed in Table 14 and described in detail in Example 3, Example 4, Example 6 and/or Example 7

Table 14: Overview of combinations used in Co-transformation Strategy described in Example 3 for generation of plants harboring two different T-DNAs

ID of Combination	Plasmid containing T-DNA 1 harbored by <i>Agrobacterium tumefaciens</i> clone 1		Plasmid containing T-DNA 2 harbored by <i>Agrobacterium tumefaciens</i> clone 2	
	Plasmid name	Selectable marker for transgenic plants	Plasmid name	Selectable marker for transgenic plants
A	VC-LJB2197-1qcz	AHAS	VC-LLM306-1qcz rc	None
B	VC-LJB2197-1qcz	AHAS	VC-LLM337-1qcz rc	None
C	VC-LJB2197-1qcz	AHAS	VC-LLM338-3qcz rc	None
D	VC-LJB2755-2qcz rc	AHAS	VC-LLM391-2qcz rc	None
E	VC-LJB2755-2qcz rc	AHAS	VC-LTM217-1qcz rc	None

Overnight cultures of the two strains intended to be co-transformed were prepared in YEB medium with antibiotics (20 mg/L chloramphenicol, 5 mg/L tetracycline, 25 mg/L Spectinomycin) and grown at 28°C. On the next day the optical density of the culture was checked at 600 nm wave length. It reached about 1.0. Cultures of lower optical density were extended in cultivation period. Cultures with an optical density of above 1.3 were diluted with YEB medium to an OD of approximately 0.2 and cultured until they reach an OD of 1.0.

Cultures were pelleted at about 4000 g and re-suspended in liquid MS medium (Murashige and Skoog 1962), pH 5.8, 3% sucrose with 100 mg/L Acetosyringone to reach an OD_{600nm} of 0.1.

5 The *Agrobacterium* suspensions corresponding to each of the two constructs to be co-transformed were mixed in equal parts and used for inoculation of hypocotyl segments prepared from 5 days old etiolated seedlings.

Germination took place on half concentrated MS medium, pH 5.6 – 5.8, 1% sucrose, at 23°C in the dark for 5 days. Hypocotyl segments of 4 to 7 mm length were inoculated by dipping. Infected explants were transferred to petri dishes with co-cultivation medium (MS
10 medium, pH 5.6, 3% sucrose, 0.6 g/L MES (2-(N-Morpholino)ethanesulfonic acid), 18 g/L mannitol, 0.7% phytoagar (Duchefa Biochemie, PO Box 809 2003 RV Haarlem, Netherlands, part number SKU:P1003), 100 mg/L Acetosyringone, 200 mg/L L-Cysteine, 1 mg/L 2,4D (2,4-Dichlorophenoxyacetic acid)) carrying one layer of Whatman filter paper on its surface. Petri dishes were sealed with tape and incubated at 23 C under long day
15 conditions (16 h light/8 h darkness) for three days. After the three days co-cultivation period explants were transferred to MS medium, pH 5.6, 3% sucrose, 0.6 g/L MES, 18 g/L mannitol, 0.7% Phytoagar, 1 mg/L 2,4D and 500 mg/L Carbenicillin to prevent *Agrobacterium* growth and incubated for a recovery period under the same physical conditions as for the co-cultivation for 7 days.

20 For selective regeneration explants were transferred after the recovery period to MS medium, pH 5.8, 3% sucrose, 0.7% Phytoagar, 2.5 mg/L AgNO₃, 3 mg/L BAP (6-Benzylaminopurine), 0.1 mg/L GA (Gibberellic acid), 0.1 mg/L NAA (1-Naphthaleneacetic acid), 500 mg/L Carbenicillin, 100 nM Imazethapyr (Pursuit) and cultured for two weeks under long day conditions as described above. Sub-cultivation takes place every two
25 weeks. Hormones were stepwise reduced as follows: BAP 3 to 0.5 to 0.05 mg/L; GA (Gibberellic acid) 0.1 to 0.25 to 0.25 mg/L; NAA 0.1 to 0 to 0 mg/L.

Developing shootlets could be harvested after the second cycle of selective regeneration. Shootlets were cut and transferred to either Elongation/rooting medium (MS medium, pH 5.8, 2% sucrose, 100 mg/L myo-inositol, 40 mg/L Adenine sulphate, 500 mg/L MES, 0.4%
30 Sigma Agar, 150 mg/L Timentin, 0.1 mg/L IBA (Indole-3-butyric acid)) or to rock wool/stone wool or foam mats (Grodan, GRODAN Group P.O. Box 1160, 6040 KD Roermond The Netherlands, or Oasis, 919 Marvin Street, Kent, OH 44240 USA) watered with 1/10 Vol. of MS medium, pH 5.8 without sucrose under ex vitro long day conditions in covered boxes.

35 Shoots were elongated and rooted in *in vitro* medium and were transferred directly to soil.

Either in vitro shoots or GH adapted shoots were sampled for molecular analysis.

The following modifications were successfully tested for transformation and were
40 alternatively used to the above described protocol, once they had been worked out.

Seeds were germinated under low light conditions ($< 50 \mu\text{Mol/m}^2\text{s}$) using MSB5 medium from Duchefa (Duchefa Biochemie, PO Box 809 2003 RV Haarlem, Netherlands), pH 5.8, 3% sucrose and 0.8% Oxoid agar. Germination under light conditions produces explants, which are more stable and easier to handle compared to etiolated hypocotyls.

- 5 The inoculation method can vary but the method used in the invention was inoculating explants in a bath of *Agrobacterium* cells under gentle shaking up to 4 min and sieving the explants after the incubation with shaking. Under this condition the $\text{OD}_{600\text{nm}}$ can be reduced up to 0.01.

- 10 Medium were used either autoclaved (except antibiotics, hormones, additives such as L-cysteine, Acetosyringon, imidazolinone components) or filter sterilized prepared (Agar component autoclaved, allowed to cool to 42 C and then used).

Example 6: Procedure for production of transgenic plants using BiBACs

- 15 For BiBAC transformation the same protocol as described for the co-transformation approach was used except that only one construct was used. According to the prokaryotic kanamycin resistance gene of binary plasmid 50 mg/L kanamycin was used instead of Spectinomycin for *Agrobacterium* growth. It was observed during the course of this work that *Agrobacterium* carrying BiBACs grow very slowly, often taking 18 hours to reach a
- 20 liquid culture $\text{OD}_{600\text{nm}}$ considered optimal for use in plant transformation.
- The table below gives an example for some key data documented during the transformation of the construct LTM593

	VC-LTM593-1qcz rc
Explants inoculated	37 600
Shoots harvested	2 630
Shoots sampled and analyzed for gene AHAS	1 543
Transgenic events with gene AHAS	1 050
Transformation efficiency (%)	2.8
Percentage of events that grown on herbicide seelction plates but where confirmed using qPCR to lack the herbiced resitstance marker (%)	32.0

- 25 The amount of single copy events produced by the plant transformation protocol described above was 45% and 38% of vector backbone-free events selected after transformation of the constructs LTM593 and LTM595, respectively, were single copy events (see Table 15).

Table 15: Statistics of single and double copy events with and without vector backbone in transformation experiments performed with the two BiBAC strains VC-LTM593-1qcz rc and VC-LTM595-1qcz rc

	VC-LTM593-1qcz rc		VC-LTM595-1qcz rc	
	#	%	#	%
Number of transgenic events confirmed to contain at least 1 copy of gene c-AHAS	1050		217	
Single copy	535	50	92	42
Single copy, vector backbone-free	478	45	83	38
Double copy	320	30	49	23
Double copy vector backbone-free	227	22	41	18

- 5 One important key finding for successful transformation was the choice of *Agrobacterium* strain. While the original method (see De Block et al. (1989) Plant Physiology 91:694-701) used the *Agrobacterium tumefaciens* strain C58C1pMP90, the described method was based on the *Agrobacterium rhizogenes* strain SHA001 (see WO2006024509 A2 for SHA001 and SHA017). Even within *Agrobacterium rhizogenes* strains we have realized a
- 10 clear response of transformation success to the strain and construct used (see Table 16).

Table 16: Impact of *Agrobacterium rhizogenes* strains on transformation success of BiBACs

	VC-RTP10690-1qcz_f	VC-LTM593-1qcz rc
Strain used	SHA017	SHA001
Number of inoculated explants	60700	37600
Regeneration efficiency (%)	1.8	4.1
Shoots samples and analysed for gene AHAS	1084	1543
Number of transgenic plants based on the presence of gene c-AHAS	333	1050
Transformation efficiency (TE) (%)	0.6	2.8
Percentage of events that grown on herbicide selection plates but where confirmed using qPCR to lack the herbicide resistance marker (%)	69.3	32.0

Table 17: Transformation Efficiencies of the various plasmids and Agrobacterium strains used. With respect to the integration of the T-DNA, it was possible that multiple copies or single copies of intact or truncated or duplicated, or truncated and duplicated T-DNA's could be inserted into the genome. The terms copy or copies refer to the number of copies of a particular T-DNA or fragment of a T-DNA were inserted into the plant genome. The term locus refers to how many different locations within the plant genome the copy or copies of the T-DNA were inserted into. Locus is defined as region of disequilibrium within the genome an area which varies between plant species and even within cultivars of a given species. For the purpose of this definition this is within one genetic map unit or CentiMorgan.

Outcome	VC-LJB2197-1qcz + VC-LLM337-1qcz rc	VC-LJB2755-2qcz rc + VC-LLM391-2qcz rc	VC-RTP10690-1qcz_f	VC-LTM593-1qcz rc
<i>Agrobacterium</i> strain	SHA001	SHA001	SHA017	SHA001
Transformation efficiency (TE) (%) based on the presence of gene AHAS	17	19.7	0.6	2.8
Percentage of events that grown on herbicide selection plates but were confirmed using qPCR to lack the herbicide resistance marker (%)	1.1	0.6	69.3	32.0
Genes of both T-DNAs present (% co-transformed)	11.2	15.1	n. a.	n. a.
% of single copy events one locus integration	0	0	100	100
Portion of selected "more copy events" (2 to 3 copies) with one locus integration	0	0	n.d.	25 from 33

Example 7: Seed Germination and Plant Growth in the Greenhouse and Field

Transformed plants were cultivated for seed production and phenotypic assessment in both the greenhouse and in the field. Greenhouse growth conditions were a sixteen hour light period followed by an eight hour dark period. The temperature was 20 degrees celsius during the light period (also called the day period) with a level of light corresponding to 200-300 micromoles of photons m⁻² s⁻¹ (this is the incident of light at the top of the plant and lights were adjusted in terms of distance from the plant to

achieve this rate). During the day period the range of light in the greenhouse varied between 130 and 500 micromoles of photons $m^{-2} s^{-1}$. Getting out of the day range just cited triggered either the use of artificial light to bring the level up to 200-300 micromoles of photons $m^{-2} s^{-1}$ or shading and/or shut off of lights to bring the level
5 back to 200-300 micromoles of photons $m^{-2} s^{-1}$. The dark period (also referred to as the night period) temperature was 18 C. Four hours before the light period began the temperature was lowered to 15 C for the remainder of the dark period. Plants were irrigated and treated for insects as necessary. The soil type was 50 % Floradur B Seed + 50 % Floradur B Cutting (including sand and perlite) provided by Floragard
10 (Oldenburg, Germany). Plant growth was enhanced by nutrient supplementation. Nutrients were combined with the daily watering. A 0.1% (w/v) fertilizer solution (Hakaphos Blue 15(N) -10 (P) - 15(K), Compo GmbH & Co KG, Münster, Germany) was used to water the plants. Water was supplied on demand (e.g. depending on plant growth stage, water consumption etc.). To avoid cross-pollination, plants were bagged
15 at the time when the first flowers opened. Plants were checked daily in order to ensure that all open flowers were covered by the bags. Open flowers that were not covered properly were removed.

For field grown plants, the plants were grown in six locations which correspond
20 climatically to USDA growth zones 3a-4b and 5a, and five locations corresponding climatically to USDA growth zones 8a-9b and 11. The plants grown in the regions corresponding to USDA growth zones 3a-4b and 5a were grown in the summer and the plants grown in the regions corresponding to USDA growth zones 8a-9b and 11 were grown in the winter. Standard horticultural practices for canola were followed. Netting
25 and other measures to protect from birds and insects were used as deemed necessary by the growers, as were herbicides and fertilizer applications. The planting density for all locations was eighty seeds per square meter with germination rate of 95 or better percent.

30 In the case where it was necessary to determine germination rates for the purpose of seed quality assurance or control, or where it was advantageous to germinate seeds to obtain cotyledons or seedling tissues, the following protocol was used:
150 mm by 15 mm petri-plates and Whatman (no. 2) filter paper cut into 120 mm disks were used. The filter paper was pre-moistened with sterile deionized water. One

hundred seeds of the appropriate line were obtained and spread evenly across the pre-moistened filter paper.

Clean and sterile tweezers were used to spread the seeds to obtain the uniform pattern as shown above. Additional sterile water was added to ensure the seeds and paper were wetted, but not floating (see above image). The total amount of water used per petri-plate was approximately 20 milliliters. Three plates were done for each genotype tested. The plates were sealed with surgical tape, VWR (1050 Satellite Blvd. Suwanee, GA 30024 USA) catalog number 56222-110. After the plates were sealed, they were then incubated in a germination chamber set to 90% humidity, set to a sixteen hour photoperiod with 20 degrees Celsius day temperature and 15 degrees Celsius night temperature. The light intensity was 90-120 micro-moles per square meter per second. Germination was scored twice, once at four days after placing the plates into the growth chamber and again at eight days after incubation.

15

Example 8: Lipid extraction and lipid analysis of plant oils

The results of genetic modifications in plants or on the production of a desired molecule, e.g. a certain fatty acid, were determined by growing the plant under suitable conditions, e.g. as described below, and analyzing the growth media and/or the cellular components for enhanced production of the desired molecule, e.g. lipids or a certain fatty acid. Lipids were extracted as described in the standard literature including Ullman, Encyclopedia of Industrial Chemistry, Bd. A2, S. 89-90 und S. 443-613, VCH: Weinheim (1985); Fallon, A., et al., (1987) "Applications of HPLC in Biochemistry" in: Laboratory Techniques in Biochemistry and Molecular Biology, Bd. 17; Rehm et al. (1993) Biotechnology, Bd. 3, Kapitel III: "Product recovery and purification", S. 469-714, VCH: Weinheim; Belter, P.A., et al. (1988) Bioseparations: downstream processing for Biotechnology, John Wiley and Sons; Kennedy, J.F., und Cabral, J.M.S. (1992) Recovery processes for biological Materials, John Wiley and Sons; Shaeiwitz, J.A., und Henry, J.D. (1988) Biochemical Separations, in: Ullmann's Encyclopedia of Industrial Chemistry, Bd. B3; Kapitel 11, S. 1-27, VCH: Weinheim; and Dechow, F.J. (1989) Separation and purification techniques in biotechnology, Noyes Publications.

It is acknowledged that extraction of lipids and fatty acids can be carried out using other protocols than those cited above, such as described in Cahoon et al. (1999) Proc. Natl. Acad. Sci. USA 96 (22):12935-12940, and Browse et al. (1986) Analytic Biochemistry 152:141-145. The protocols used for quantitative and qualitative analysis of lipids or fatty acids are described in Christie, William W., Advances in Lipid Methodology, Ayr/Scotland:

Oily Press (Oily Press Lipid Library; 2); Christie, William W., Gas Chromatography and Lipids. A Practical Guide - Ayr, Scotland: Oily Press, 1989, Repr. 1992, IX, 307 S. (Oily Press Lipid Library; 1); "Progress in Lipid Research, Oxford: Pergamon Press, 1 (1952) - 16 (1977) u.d.T.: Progress in the Chemistry of Fats and Other Lipids CODEN.

5

To generate transgenic plants containing the genetic elements described in examples 3 and 4 for production of EPA and DHA in seeds, rapeseed (*Brassica napus*) was transformed as described in examples 5 and 6. Selected plants containing the genetic elements described in examples 3 and 4 were grown until development of mature seeds under the conditions cited in Example 7. Fatty acids from harvested seeds were extracted as described above and analyzed using gas chromatography as described above. The content (levels) of fatty acids is expressed throughout the present invention as percentage (weight of a particular fatty acid) of the (total weight of all fatty acids). Seed oil content is expressed throughout the present invention as percentage of (oil weight) of the (total oil weight of seeds).

10
15

Table 18: Fatty acids analyzed using gas chromatography

Systematic name	Trivial Name	Short hand 1	Short hand 2
Hexadecanoic acid	Palmitic acid	16:0	
(Z)-7-Hexadecenoic acid		16:1n-9	
(Z,Z,Z)-7,10,13-Hexadecatrienoic acid		16:3n-3	
Octadecanoic acid	Stearic acid	18:0	
(Z)-9-Octadecenoic acid	Oleic acid	18:1n-9	OA
(Z,Z)-9,12-Octadecadienoic acid	Linoleic acid	18:2n-6	LA
(Z,Z)-6,9-Octadecadienoic acid		18:2n-9	
(Z,Z,Z)-9,12,15-Octadecatrienoic acid	alpha-Linolenic acid	18:3n-3	ALA
(Z,Z,Z)-6,9,12-Octadecatrienoic acid	gamma-Linolenic acid	18:3n-6	GLA
(Z,Z,Z,Z)-6,9,12,15-Octadecatetraenoic acid	Stearidonic acid	18:4n-3	SDA
Eicosanoic acid	Arachidic acid	20:0	
(Z)-11-Eicosenoic acid	Gondoic acid	20:1n-9	
(Z,Z)-11,14-Eicosadienoic acid		20:2n-6	
(Z,Z,Z)-11,14,17-Eicosatrienoic acid		20:3n-3	
(Z,Z,Z)-8,11,14-Eicosatrienoic acid	Dihomo-gamma-linolenic acid	20:3n-6	DHGLA
(Z,Z,Z,Z)-8,11,14,17-Eicosatetraenoic acid		20:4n-3	
(Z,Z,Z,Z)-5,8,11,14-Eicosatetraenoic acid	Arachidonic acid	20:4n-6	ARA
(Z,Z,Z,Z,Z)-5,8,11,14,17-Eicosapentaenoic acid	Timnodonic acid	20:5n-3	EPA
Docosanoic acid	Behenic acid	22:0	
(Z)-13-Docosenoic acid	Erucic acid	22:1n-9	
(Z,Z,Z,Z)-7,10,13,16-Docosatetraenoic acid	Adrenic acid	22:4n-6	DTA
(Z,Z,Z,Z,Z)-7,10,13,16,19-Docosapentaenoic acid	Clupanodonic acid	22:5n-3	DPAn-3
(Z,Z,Z,Z,Z)-4,7,10,13,16-Docosapentaenoic acid	Osbond acid	22:5n-6	DPAn-6
(Z,Z,Z,Z,Z,Z)-4,7,10,13,16,19-Docosahexaenoic acid		22:6n-3	DHA

Example 9: Non-destructive analysis of lipids in single cotyledons of seedlings

- 5 Transformation of plants according to the methods described in Example 5 and Example 6 results in a random integration of the T-DNA into the genome. It was known that such integrations can also occur in a partial manner, furthermore multiple integrations of complete and partial T-DNAs can occur. A diploid plant contains one haploid chromosome set inherited from the ovule containing progenitor (for simplicity called the mother or female parent), and one haploid chromosome set inherited from the pollen donating progenitor (for simplicity called the father or male parent). In transformation of the T0 plant the T-DNA integrates into random position(s) of random chromosomes and will result in the maternal chromosome carrying the integration(s), and the corresponding paternal chromosome will not carry this integration, resulting in a seed heterozygous for the integration(s). Growing the T0 seed up results in a plant heterozygous for the T-DNA insert(s) and subsequent gametogenesis will result in both pollen and ovules that contain the T-DNA integration and in some pollen and ovules that do not carry the T-DNA insert(s), according to random segregation, as observed by Gregor Mendel (Mendel, 1866). Self pollination of the plant will

result in seeds which will be segregating for the T-DNA insertion(s) according to the ratios observed by Gregor Mendel (Mendel, 1866) and which are now part of the basic general knowledge in the life sciences. Due to the Mendelian segregation; for each integration of the T-DNA, one quarter (~25%) of the T1 seed have lost the integration. 50% of the T1

5 seed will carry the T-DNA integration either on the maternal chromosome (25%), or paternal chromosome (25%); these seeds are 'heterozygous' or 'hemizygous' related to the T-DNA integration. The remaining quarter (~25%) of the T1 seed will carry the T-DNA on the maternal and paternal chromosome; these seeds are 'homozygous' related to the T-DNA integration. For plants that follow such a sexual propagation, it is essential to genetically fix

10 the T-DNA integration(s), by selecting progenies that are homozygous for the T-DNA integration(s); otherwise the T-DNAs insertion(s) and the trait conferred by the T-DNA insertion(s) will continue to segregate and might be lost over a number of generations. In order to identify T1 seedlings where each T-DNA integration that was essential for the trait was present, ideally homozygous, one can perform quantitative PCR to measure the

15 copy number of the T-DNA integration(s) directly. Alternatively one can analyse the trait conferred by the presence of the T-DNAs, which at least enables the identification of all seeds that do not contain all T-DNA of interest (null-segregants). For all constructs described in Example 10 to Example 14, and where indicated, a non-destructive analysis of VLC-PUFA production was performed. To this end, T1 seeds were germinated in the dark

20 for three days on wet filter paper. After three days, one of the two cotyledons was cut off to subject it to lipid analysis as described in Example 8: Lipid extraction and lipid analysis of plant oils, the other cotyledon, including the hypocotyl and root, was planted in soil. As an example, the result from the lipid content analysis of these cotyledons from segregating T1 seedlings of event LANPMZ obtained from the construct combination described in Example

25 11 are shown in Figure 22; the results of event LBDIHN obtained from the construct combination described in Example 15 are shown in Figure 23. In both of these figures, it is observed that one quarter of the seed produce a significant amount of VLC-PUFA, while producing wildtype levels of Oleic acid. One can furthermore see in both figures two additional clusters of seedlings, see Figure 23. Counting the number of seed in these

30 respective clusters, a 1:2:1 segregation ratio was observed for the clusters that produce (~0 VLC-PUFA): (medium level of VLC-PUFAs): (high level of VLC-PUFAs). The observations demonstrate a relationship between 'gene dosage', that was the number of T-DNA copies present in the genome, and VLC-PUFA levels. For all constructs described in Example 10 to Example 13, and where indicated, this relationship was exploited to identify T1 plants

35 where at least one T-DNA locus has become homozygous, or where multiple T-DNA integration loci are at least present, or some are homozygous while others still segregate. The applicability of this method can be demonstrated for event LANPMZ, see Figure 22, all T1 seeds of event LANPMZ are capable of producing EPA and DHA. As this requires the presence of both T-DNAs, it can be concluded that at least one copy of the T-DNA of VC-

40 LJB2197-1qcz and one copy of the T-DNA of VC-LLM337-1qcz rc have inserted into the genome, likely at the same locus. 13 T1 seedlings of those 288 seedlings of event LANPMZ

- having the highest VLC-PUFA levels have been selected and have been grown to mature plants. Copy number analysis on those 13 selected plants shown in Table 40 indicates that both T-DNAs are present in a single copy, and comparison of the T0 plant copy number results against the average result of the 13 T1 plants demonstrates that these single T-DNA
- 5 insertions are homozygous (duplicated copy number). All results combined provide the information that the event LANPMZ contains the T-DNAs of construct VC-LJB2197-1qcz and the T-DNA of construct VC-LLM337-1qcz rc in one copy each, whereby both T-DNAs co-segregate in a single locus.
- 10 For a single T-DNA integration into the genome, 1 out of 4 T1 seed are expected to be homozygous for that T-DNA integration. For each additional T-DNA integration, just one quarter of all seed homozygous for all other T-DNA integrations are homozygous for the additional T-DNA integration, consequently for two T-DNA integration events into the genome 1 out of 16 T1 seed are expected to be homozygous for both T-DNA integration;
- 15 for three T-DNA integration into the genome 1 out of 64 T1 seed are expected to be homozygous for all three T-DNA integration; for four T-DNA integration into the genome 1 out of 256 T1 seed are expected to be homozygous for all four T-DNA integration; and so forth. All plants Example 10 to Example 14 contain a minimum of two T-DNA insertion events (one from each plasmid) in order for the plant to contain all the necessary genes to
- 20 generate all the required enzymes to reconstitute the PUFA pathway sufficiently to generate the VLC-PUFAs: DHA and EPA as well as ARA.

Example 10: Plants containing the T-DNAs of plasmid VC-LJB2197-1qcz and VC-LLM306-1qcz rc (combination A in example 5) for production of EPA and DHA in seeds

- 25 In this example, the genetic elements required for EPA and DHA synthesis were transferred into the plant genome on two different T-DNAs. To this end, the two different plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc containing two different T-DNAs were cloned into agrobacteria, and plant tissue was incubated according Example 5 at the same time with
- 30 these two agrobacterial cultures that are identical apart from containing either VC-LJB2197-1qcz or VC-LLM306-1qcz rc. Due to the selectable herbicide resistance marker, regenerated plants contained at least the T-DNA of VC-LJB2197-1qcz. Only those plants were kept, that also contained the T-DNA of plasmid VC-LLM306-1qcz rc as confirmed by PCR, conducted as described in Example 24, which contains a description of PCR used for
- 35 gene expression and gene copy number determination. Only plants containing both the T-DNA of plasmid VC-LJB2197-1qcz as well as the T-DNA of plasmid VC-LLM306-1qcz rc contain all the genetic elements required for EPA and DHA synthesis in seeds. The genetic elements of VC-LJB2197-1qcz, and the function of each of the elements, are listed in Table 1. The genetic elements of VC-LLM306-1qcz rc, and the function of each of the elements,
- 40 are listed in Table 3. For convenience, all enzymes expressed in seeds of plants carrying

both T-DNA of VC-LJB2197-1qcz and VC-LLM306-1qcz rc that are required for EPA and DHA synthesis are additionally listed in Table 19.

Table 19: Combined list of useful genes of EPA and DHA synthesis carried by the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc.

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA)	VC-LJB2197-1qcz	1196	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d6Des(Ot_febit)	VC-LJB2197-1qcz	1370	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Des(Ot_febit)	VC-LLM306-1qcz rc	1370	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Pp_GA2)	VC-LJB2197-1qcz	872	Delta-6 elongase from <i>Physcomitrella patens</i>
c-d6Elo(Tp_GA2)	VC-LJB2197-1qcz	818	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
c-d5Des(Tc_GA2)	VC-LJB2197-1qcz	1319	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-o3Des(Pi_GA2)	VC-LLM306-1qcz rc	1085	Omega-3-desaturase from <i>Phytophthora infestans</i>
c-o3Des(Pir_GA)	VC-LLM306-1qcz rc	1091	Omega-3 desaturase from <i>Pythium irregulare</i>
c-d5Elo(Ot_GA3)	VC-LLM306-1qcz rc	902	Delta-5 elongase from <i>Ostreococcus tauri</i>
c-d4Des(Eg_GA)	VC-LLM338-3qcz rc	1625	Delta-4 desaturase from <i>Euglena gracilis</i>
c-d4Des(Tc_GA)	VC-LLM306-1qcz rc	1559	Delta-4 desaturase from <i>Thraustochytrium</i> sp.

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc cultivated in greenhouses during the summer.

- 10 The data in Table 20, Table 21 and Table 22 show that there was an increase in DHA and EPA content when comparing one versus two copies of each of the T-DNAs (VC-LJB2197-1qcz and VC-LLM306-1qcz rc) in the plant. The copy number of the construct VC-LJB2197-1qcz has been determined by measuring the left border of the T-DNA in the T0 generation

and not other genetic elements along the T-DNA (see Table 20). It was possible that the 88 plants representing the single copy category do in fact contain additional T-DNA insertions, and that the 86 plant representing the double copy category might in fact lack parts of the T-DNA. Therefore, due to insufficient data to correctly classify T0 plants into “single copy” and “double copy” groups, both populations overlap. Comparisons between two and three copies of the T-DNA’s revealed that there was a minimal increase in DHA and EPA, suggesting that two copies of each gene was sufficient to reach maximum performance of the VLC-PUFA biosynthesis pathway (C20 and C22 PUFAs, including, but not limited to, EPA, DHA and ARA) when considering copy numbers up to three. Of note was that the majority of insertions in this example are one or two copy events. Table 23 indicates that with respect to the PUFA pathway or the copy number of the T-DNA encoding genes of the PUFA pathway, there was no significant affect on plant morphology or development when the plant carries one, two or three copies of the T-DNA’s of interest.

Table 20: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T0 plants where the average of all copy number assays listed in this table was 0.51-1.49, dc: all T0 plants where the average of all copy number assays listed in this table was 1.51-2.49, tc: all T0 plants where the average of all copy number assays listed in this table was 2.51-3.49.

Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Des(Ot_febit) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.								Copy number assays targeting the T-DNA of VC-LLM306-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target j-p-BnFAE_t-PvARC located near the left T-DNA border and target c-d4Des(Eg_GA) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.						
Event	c-AHAS	j-t-E9-p3-2	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	c-d6Des(Ot_febit)	j-t-CaMV_p-LuCr1-2	j-i-Atss18_c-d6Elo(Pp_GA2)	c-d6Des(Ot_febit)	j-p-BnFAE_t-PvARC	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SNP)	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Eg_GA)
sc (n=88)	1.2										1.1	1.2		1.1
dc (n=86)	1.6										1.8	2.4		1.7
tc (n=5)	1.9										3.4	4.2		3.2

5

Table 21: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 20. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T0 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0 n-9	20:1 n-6	20:2 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-3	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=88)	4.9 ± 0.9	0.3 ± 0.1	0.1 ± 0	2.9 ± 0.6	39.3 ± 8.2	28.4 ± 5.8	0.7 ± 4.4	5.8 ± 1.3	0.4 ± 0.6	0.1 ± 0.2	0.8 ± 0.1	0.9 ± 0.2	0.3 ± 0.3	1.6 ± 0.8	0.9 ± 0.6	2.2 ± 1.7	3.3 ± 1.4	0.3 ± 0.1	0.3 ± 0.3	1.3 ± 0.7	0.5 ± 0.3	0.2 ± 0.3		
dc (n=86)	4.8 ± 1	0.3 ± 0.1	0.1 ± 0	3 ± 0.7	37.9 ± 9.2	27.9 ± 6.4	1.1 ± 5.7	5.8 ± 1.4	0.7 ± 0.7	0.1 ± 0.1	0.8 ± 0.2	0.9 ± 0.2	0.8 ± 0.3	1.6 ± 1	1 ± 0.5	2 ± 1.6	4 ± 2.1	0.3 ± 0.1	0.6 ± 0.4	1.8 ± 0.9	0.8 ± 0.5	0.4 ± 0.3		

tc (n=5)	5 ± 0.9	0.3 ± 0.1	0.1 ± 0	3.1 ± 0.7	39.1 ± 8.1	28.4 ± 4.5	0.5 ± 0.3	6.1 ± 1.5	0.9 ± 0.6	0.2 ± 0.1	0.8 ± 0.2	0.9 ± 0.2	0.7 ± 0.6	0.3 ± 0.2	2.1 ± 2.1	1.2 ± 1	1.9 ± 2.4	4 ± 2.9	0.3 ± 0.1	0 ± 0	0.7 ± 0.4	1.9 ± 1.1	0 ± 0	0.8 ± 0.5	0.8 ± 0.9	

Table 22: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 20. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b		
sc (n=1)	4.9	0.2	0.0	3.5	23.1	34.2	0.2	5.4	0.4	0.2	0.8	0.9	2.5	1.1	3.0	2.4	3.5	13.5	0.3	0.0	0.0	0.0	0.0	0.0		
dc (n=1)	7.1	0.0	0.0	4.5	3.2	44.5	1.5	0.3	0.0	0.0	1.0	1.1	2.3	0.5	9.8	1.8	0.0	12.6	0.4	0.0	1.3	4.9	0.0	2.8	0.6	
tc (n=1)	3.4	0.1	0.0	2.8	29.4	27.4	0.6	6.6	1.0	0.3	0.7	0.9	1.1	0.5	1.5	1.6	2.6	10.4	0.3	0.0	1.1	5.1	0.0	1.9	0.5	

Table 23: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events were grouped into the categories indicated in the first column as described in Table 20. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad)

Category of T0 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
sc (n=88)	68.6 ± 9.2	1 ± 0	1.5 ± 1.4	2.2 ± 1.7	3.1 ± 3.1	3 ± 0	3 ± 0	5 ± 0	3.3 ± 2.5	3.8 ± 0.6	115.9 ± 12.6	3.6 ± 0.4	4.1 ± 1.9
dc (n=86)	69.4 ± 8.8	1 ± 0	1.5 ± 1.1	2.2 ± 1.5	2.9 ± 2.7	3 ± 0	3 ± 0.2	5 ± 0	2.9 ± 2.3	3.8 ± 0.6	115.8 ± 10.2	3.7 ± 0.4	4.5 ± 1.8
tc (n=5)	72.2 ± 8.2	1 ± 0	1 ± 0	1.6 ± 1.3	2.4 ± 0.9	3 ± 0	3 ± 0	5 ± 0	2.4 ± 1.5	4 ± 0	117 ± 9.7	4 ± 0.5	4 ± 0.8

B. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc cultivated in greenhouses during winter

The copy number analysis indicates that LALTHK was homozygous for two copies of the VC-LJB2197-1qcz T-DNA and homozygous for one copy of the VC-LLM306-1qcz rc while LALJCX was homozygous for two copies of both T-DNAs (VC-LJB2197-1qcz and VC-LLM306-1qcz rc). The other events were still partially segregating for the T-DNAs but contained at least one copy of each T-DNA in all plants. Event LALTHK had no accumulation of DHA, which illustrates the effects of truncations which can occur during insertion of the T-DNA. The events, with the exception of LALTHK, are, within error, similar to one another in terms of EPA+DHA accumulation. The similarity in copy numbers of the events, see Table 23, indicates that insertion site effects that could enhance or repress gene expression are impacting all events equally. The lack of significant variation in EPA and DHA accumulation suggests that there may be a buffering effect in the construct design, such that the T-DNA's integrate into the genome in a manner that minimizes positional effects in gene expression in the T-DNA. The event with the highest VLC-PUFA accumulation, in particular EPA and DHA, was LALFWA which had a maximum accumulation of 4.2 percent DHA and 16 percent EPA with respect to total fatty acid content in the mature seed, but on the average was similar to the other events.

Table 24: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. The T1 plants underwent a selection from 250 segregating T1 seedlings using half-kernel analysis, where the correlation of VCL-PUFA levels with copy number was employed to select for homozygous plants, or on case of multilocus events to select for plants where one or more loci are homozygous. A copy number of ~2 therefore was indicative for one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth. Odd results of 3 and 5 indicate that at least some of the selected T1 plants carry a heterozygous locus.

Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Des(Ot_febit) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.		Copy number assays targeting the T-DNA of VC-LLM306-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target j-p-BnFAE_t-PvARC located near the left T-DNA border and target c-d4Des(Eg_GA) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.												
Event	c-AHAS	j-t-E9-p3-2	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	c-d6Des(Ot_febit)	j-t-CaMV_p-LuCl-2	j-i-Atss18_c-d6Elo(Pp_GA2)	c-d6Des(Ot_febit)	j-p-BnFAE_t-PvARC	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SNP)	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Eg_GA)
LALJAU (n=18)	3.1 (T0: 2)									1.3 (T0: 1.1)				
LALFWA (n=16)	3.1 (T0: 1.8)									2.6 (T0: 1.9)				(T0: 1.9)
LALJDF (n=17)	3.2 (T0: 2)									3.3 (T0: 2)				
LALTHK (n=15)	3.8 (T0: 2.1)									2.1 (T0: 1.1)				
LALTLE (n=18)	3.4 (T0: 2.8)									2.4 (T0: 2.4)				
LALIVY (n=16)	3 (T0: 1.9)									3.1 (T0: 2.1)				
LALJCX (n=16)	3.4 (T0: 1.9)									3.4 (T0: 1.8)				

Table 25: Fatty acid profiles of T2 seeds harvested from T1 cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column, along with the number of T2 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1n-7	16:3n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3n-3	18:3n-6	18:4n-3	20:0	20:1n-9	20:2n-6	20:3n-3	20:3n-6	20:4n-3	20:4n-6	20:5n-3	22:0	22:1n-9	22:4n-6	22:5n-3	22:5n-6	22:6n-3	unknown peak a	unknown peak b

LALJAU (n=18)	4.5± 0.1	0.1± 0	0±0	3.6± 0.4	21.5± 1.8	31.6± 0.9	0.8± 0.2	3.3± 0.3	1.9± 0.7	0.2± 0.1	0.9± 0.1	0.7± 0.1	0.8± 0.4	0.1± 0.2	3.7± 0.6	1.6± 0.4	8.6± 2.7	9.6± 1.4	0.3± 0	0±0	0.8± 0.2	3.3± 0.6	0±0	1.7± 0.5	0.1± 0.2	
LALFWA (n=16)	4.5± 0.5	0.1± 0	0±0	3.5± 0.5	20±2	30± 2.1	1± 0.1	3.8± 0.4	2.6± 0.3	0.4± 0.1	0.8± 0.1	0.6± 0	0.2± 0.1	0±0	3.7± 0.4	1.9± 0.4	5.6± 2.3	11.6± 2.2	0.2± 0.1	0±0	1.4± 0.3	4.7± 1.1	0±0	2.6± 0.8	0.5± 0.4	0.4± 0
LALJDF (n=17)	4.3± 0.7	0.2± 0.1	0± 0.1	3.3± 0.5	20.7± 4.1	29.3± 4	2.5± 5.9	4.1± 0.4	2.4± 0.5	0.7± 1.1	0.8± 0.1	0.7± 0.1	0.3± 0.1	0±0	2.7± 0.4	1.7± 0.3	4.6± 0.6	13.1± 3	0.3± 0	0±0	0.9± 0.3	4.7± 1.2	0.1± 0.3	2.2± 0.6	0.2± 0.2	0.2± 0
LALTHK (n=15)	4.7± 0.6	0.1± 0.1	0±0	3.7± 0.4	21.4± 1.8	32.9± 1.9	0± 0.1	4.9± 0.6	0.6± 0.1	1± 0±0	1± 0.1	0.9± 0.1	1.7± 0.3	0.7± 0.2	2.2± 0.3	1.6± 0.2	4.3± 0.8	18.9± 2.5	0.4± 0.1	0±0	0±0	0±0	0±0	0±0	0±0	
LALTLE (n=18)	4.6± 0.6	0.1± 0	0±0	3.6± 0.4	24.1± 4.5	29.8± 2.2	1± 0.3	4.2± 0.5	2± 0.6	0.3± 0.1	0.9± 0.1	0.7± 0.1	0.3± 0.3	0± 0.1	3± 0.2	2± 0.3	3.8± 0.9	10.9± 3	0.1± 0.1	0±0	1.4± 0.6	4.7± 1.1	0±0	2.3± 0.8	0.2± 0.3	0.6± 0.1
LALIVY (n=16)	5.4± 1	0.2± 0.1	0±0	3.6± 0.4	21.6± 2.9	30.9± 2	0.9± 0.2	4.4± 0.5	2.1± 0.5	0.3± 0.1	0.8± 0.1	0.6± 0.2	0.3± 0.2	0.1± 0.1	2.8± 0.2	1.9± 0.3	4.2± 1.2	10.4± 1.8	0.3± 0.1	0±0	1.3± 0.3	4.4± 0.9	0±0	2.4± 0.6	0.6± 0.2	0.5± 0.3
LALJCX (n=16)	5± 0.1	0.2± 0	0±0	3.4± 0.2	23.9± 1.6	32.4± 1.1	1.1± 0.1	4.1± 0.4	2.5± 0.3	0.4± 0	0.8± 0	0.7± 0	0.2± 0	0±0	2.5± 0.7	1.3± 0.3	4.2± 0.3	9.9± 0.7	0.3± 0	0±0	1.1± 0.2	3.8± 0.3	0±0	1.7± 0.2	0.4± 0.2	

Table 26: Fatty acid profiles of one T2 seed batch per event harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T2 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1n-7	16:3n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:2n-3	18:3n-6	18:3n-3	18:4n	20:0	20:1n-9	20:2n-6	20:3n-3	20:3n-6	20:4n-3	20:4n-6	20:5n-3	22:0	22:1n-9	22:4n-6	22:5n-3	22:5n-6	22:6n-3	unknown peak a	unknown peak b
LALJAU (n=1)	4.9	0.2	0.0	4.7	18.8	30.6	1.1	3.1	3.6	0.4	1.0	0.6	0.1	0.0	2.4	1.1	5.7	12.6	0.4	0.0	1.3	4.4	0.0	2.8	0.0	0.0	
LALFWA (n=1)	3.8	0.1	0.0	3.2	16.1	26.2	1.2	4.4	3.0	0.5	0.7	0.7	0.3	0.1	2.9	2.4	3.6	16.0	0.1	0.0	1.9	7.4	0.0	4.2	0.7	0.4	
LALJDF (n=1)	3.5	0.1	0.1	2.8	15.8	27.7	1.2	3.7	3.6	0.5	0.7	0.7	0.3	0.0	2.6	1.9	5.5	18.0	0.3	0.0	1.4	6.2	0.0	3.2	0.1	0.2	
LALTHK (n=1)	4.7	0.0	0.0	4.2	18.6	30.7	0.0	4.6	0.6	0.0	1.1	0.9	2.0	1.0	2.2	1.7	4.6	22.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0		
LALTLE (n=1)	3.3	0.2	0.1	2.8	15.0	24.9	1.5	3.3	3.3	0.5	0.7	0.6	0.5	0.0	3.1	2.2	5.7	17.6	0.3	0.0	2.4	6.9	0.0	4.1	0.5	0.5	
LALIVY (n=1)	5.9	0.3	0.0	3.9	16.5	26.5	0.9	4.2	2.3	0.5	0.9	0.7	0.5	0.3	2.6	2.2	3.9	14.2	0.4	0.0	1.7	6.7	0.0	4.2	0.6	0.0	
LALJCX (n=1)	6.1	0.7	0.2	2.3	22.0	15.1	15.3	6.6	2.5	0.5	0.6	0.6	0.5	0.0	1.2	0.9	4.6	10.0	0.4	0.0	0.8	5.5	0.0	3.5	0.0	0.0	

Table 27: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were rated per event. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique

(9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes(#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad),

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
LALJAU (n=18)	62.2 ± 2.3	1 ± 0	1 ± 0	1 ± 0	1.9 ± 1	3 ± 0	3 ± 0	5 ± 0	1.3 ± 0.7	4 ± 0	129.7 ± 5.5	4.7 ± 0.2	2.1 ± 1
LALFWA (n=16)	61.6 ± 3.3	1 ± 0	1.2 ± 0.8	1 ± 0	3.5 ± 2.4	3 ± 0	3 ± 0	5 ± 0	3.1 ± 2.6	3.9 ± 0.5	127.7 ± 6.2	4.9 ± 0.4	3.5 ± 1.8
LALJDF (n=17)	58.7 ± 2.6	1 ± 0	1 ± 0	1 ± 0	1.6 ± 0.8	3 ± 0	3 ± 0	5 ± 0	1.2 ± 0.6	4 ± 0	128 ± 6.2	5 ± 0.2	2.4 ± 0.6
LALTHK (n=15)	62.1 ± 5.5	1 ± 0	1 ± 0	1 ± 0	1.7 ± 1.1	3 ± 0	3 ± 0	5 ± 0	1.1 ± 0.5	4 ± 0	124.3 ± 5	4.8 ± 0.3	3.1 ± 1.2
LALTLE (n=18)	67.8 ± 6.7	1 ± 0	1 ± 0	1 ± 0	1.7 ± 0.8	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	126.7 ± 5.2	4.4 ± 0.3	4.2 ± 1.7
LALIVY (n=16)	69.5 ± 6.2	1 ± 0	2.7 ± 1.4	1.3 ± 0.6	2.4 ± 1.4	3 ± 0	3 ± 0	5 ± 0	1.6 ± 0.9	3.3 ± 1	127.1 ± 5.8	4.4 ± 0.4	4.9 ± 3.2
LALJCX (n=16)	64.2 ± 2.7	1 ± 0	2.7 ± 0.7	1 ± 0	1.4 ± 0.6	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	131.4 ± 5.7	4.5 ± 0.3	2.2 ± 0.9

C. Fatty acid profiles, copy number measurements, and phenotypic observations of T2 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc cultivated in greenhouses during summer

Copy number analysis, see Table 28, indicates that the chosen events are largely
5 homozygous for the genes encoded on the T-DNAs of VC-LJB2197-1qcz and VC-LLM306-
1qcz rc. All constructs but LALTLE had two copies of the T-DNAs inserted into the genome.
LALTLE appeared to have more than two copies with some segregation still ongoing.
Based on the copy number analysis, LALJDF had integrated one copy of the
d4Des(Eg_GA) gene and LALTLE was segregating for one or two copies of that gene. The
10 EPA and DHA data in Table 29 and Table 30 indicated the events perform equally well with
perhaps LALJDF accumulating less DHA, based on Table 30. Plant morphology was the
same for all the events examined. As discussed in part B, the event to event variation was
minimal, suggesting that the impacts of insertion site position effects (both negative and
positive) were similar for all events. The lack of insertion site effects indicates that the
15 plasmid design/T-DNA topology was exerting a normalizing effect/mitigates insertion site
effects.

Table 28: Copy number measurement of T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column, along with the number of T2 plants that were measured per event. The T2 plants underwent a selection from 250 segregating T2 seedlings using half-kernel analysis, where the correlation of VCL-PUFA levels with copy number was employed to select for homozygous plants, or in case of multilocus events to select for plants where one or more loci are homozygous. A copy number of ~2 therefore was indicative for one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth. Odd results of 3 and 5 indicate that at least some of the selected T2 plants carry a heterozygous locus.

Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Des(Ot_febit) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.								Copy number assays targeting the T-DNA of VC-LLM306-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target j-p-BnFAE_t-PvARC located near the left T-DNA border and target c-d4Des(Eg_GA) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.						
Event	c-AHAS	j-t-E9-p3-2	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	c-d6Des(Ot_febit)	j-t-CaMV_p-LuCnl-2	j-i-Atss18_c-d6Elo(Pp_GA2)	c-d6Des(Ot_febit)	j-p-BnFAE_t-PvARC	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SNP)	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Eg_GA)
LALFWA (n=30)	4.0	3.6	3.7	3.9	7.7	4.6	3.7	7.7	3.5	3.7			3.5	3.5
LALJDF (n=30)	4.2	3.9	3.9	3.8	8.5	3.3	3.5	8.5	5.1	4.1			4.0	2.2
LALTLE (n=30)	5.2	4.6	4.7	5.0	8.9	4.4	1.8	8.9	2.6	3.6			4.6	3.2
LALIVY (n=30)	4.1	3.6	3.7	3.8	8.1	4.4	5.4	8.1	3.7	4.0			3.8	3.5

Table 29: Fatty acid profiles of T3 seeds harvested from T2 cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column, along with the number of T3 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</

LALFWA (n=30)	4.9± 0.2	0.3± 0.1	0.2± 0	4.4± 0.2	19.9 ±0.9	29.5 ±0.8	1.3± 0.1	3.2± 0.2	3± 0.2	0.4± 0	0.9± 0.1	0.6± 0	0.3± 0	0±0	3.8± 0.6	2.1± 0.3	4± 0.4	11.3 ±0.6	0.3± 0	1.7± 0.2	4.3± 0.3	0±0	2.5± 0.2	0.7± 0.2	0.3± 0
LALJDF (n=30)	5.4± 0.3	0.3± 0	0.2± 0	4.4± 0.2	21.4 ±0.7	30.1 ±1.1	1.2± 0.1	3.8± 0.3	2.7± 0.2	0.4± 0	0.9± 0	0.6± 0	0.1± 0.1	0±0	2.2± 0.2	1.4± 0.1	4.3± 0.2	12.4 ±0.7	0.2± 0.1	1± 0.1	4.4± 0.4	0±0	2.2± 0.2	0.1± 0.1	0.2± 0.1
LALTLE (n=30)	5.2± 0.4	0.3± 0	0.2± 0.1	4.6± 0.3	20.3 ±0.8	28.7 ±0.8	1.3± 0.2	3.4± 0.3	2.8± 0.2	0.4± 0.1	0.8± 0.1	0.5± 0.1	0.3± 0.1	0.1± 0.1	2.3± 0.2	1.6± 0.2	3.9± 0.2	12.1 ±0.7	0.2± 0.1	1.9± 0.2	4.9± 0.3	0±0	2.9± 0.4	0.5± 0.1	0.3± 0.1
LALIVY (n=30)	5.3± 0.6	0.3± 0.1	0.2± 0	4.8± 0.5	20.4 ±1.4	29.6 ±1	1.2± 0.2	3.6± 0.2	2.7± 0.3	0.4± 0	0.9± 0.1	0.6± 0	0.4± 0.1	0.1± 0.1	2.5± 0.3	1.7± 0.3	4± 0.7	11.4 ±0.7	0.3± 0	1.5± 0.1	4.5± 0.4	0±0	2.7± 0.4	0.5± 0.2	0.3± 0.1
WT Kumily (n=46)	5± 0.1	0.4± 0	0.2± 0	2.6± 0.1	66.3± 1.7	16.8± 1.3	6.1± 0.4	0±0	0±0	0±0	0	0.9± 0	1.2± 0	0±0	0±0	0±0	0±0	0±0	0.5± 0	0±0	0±0	0±0	0±0	0±0	0±0

Table 30: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1n -7	16:3n -3	18:0	18:1n -9	18:2n -6	18:2n -9	18:3n -3	18:3n -6	18:4n -3	20:0	20:1n -9	20:2n -6	20:3n -3	20:3n -6	20:4n -3	20:4n -6	20:5n -3	22:0	22:1n -9	22:4n -6	22:5n -3	22:5n -6	22:6n -3	unkn own peak a	unkn own peak b
LALFWA (n=1)	5.4	0.4	0.2	4.6	17.5	27.9	1.1	2.9	3.3	0.4	0.9	0.5	0.3	0.0	3.7	2.0	4.5	12.7	0.3	0.0	2.2	5.0	0.0	3.2	0.6	0.3
LALJDF (n=1)	5.1	0.3	0.2	4.5	19.7	28.9	1.1	3.8	2.8	0.5	0.9	0.6	0.1	0.0	2.4	1.6	4.4	13.7	0.3	0.0	1.1	5.1	0.0	2.5	0.2	0.2
LALTLE (n=1)	5.8	0.1	0.1	5.5	20.1	27.3	1.9	3.1	3.5	0.2	0.4	0.3	0.2	0.0	1.9	0.7	4.0	13.4	0.1	0.0	1.1	5.5	0.0	4.2	0.2	0.1
LALIVY (n=1)	5.5	0.4	0.2	4.4	18.4	28.6	1.1	3.4	3.3	0.4	0.9	0.5	0.3	0.0	2.2	1.4	5.3	12.8	0.3	0.0	1.8	5.0	0.0	3.4	0.2	0.2
LALHCY (n=1)	7.6	1.1	0.7	2.3	19.7	25.6	0.9	6.3	3.6	0.7	0.8	0.6	0.0	0.0	1.2	1.1	3.9	10.4	0.0	0.0	1.0	7.0	0.0	3.4	0.0	0.0

5

Table 31: Phenotypic rating of T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were rated per event. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes(#), PH: plant height (cm), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	Oil	Protein

10

LALFWA (n=30)	57.3±2.2	9±0	8.9±0.4	8.9±0.4	7.2±1	3±0	3±0	5±0	8±1.2	3.9±0.4	126.8±4.3		
LALJDF (n=30)	58.1±2.5	9±0	9±0	9±0	7.7±0.5	3±0	3±0	5±0	8.2±0.9	4±0	130.2±0.9		
LALTLE (n=30)	59.9±2.8	9±0	8.1±1.3	8.8±0.5	7.2±0.9	3±0	3±0	5±0	7.7±1.3	3.9±0.5	128±2.8		
LALIVY (n=30)	59.6±2.9	9±0	8.8±0.9	8.6±1	6.8±1.3	3±0	3±0	5±0	7.3±1.7	3.8±0.6	126.8±3.3		
WT Kumily (n=46)												34.9±1.1	32.2±1

D. Fatty acid profiles, copy number measurements, and phenotypic observations of T2 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc cultivated in field trials in USDA growth zones 3a-4b and 5a during summer.

- 5 The field data on Table 32 and Table 33 indicate a consistent performance across generations for T2 and T3. The data show that the PUFA (EPA and DHA) accumulation was higher for greenhouse grown plants. Besides levels in VLC-PUFA, there was also a difference in seed oil content observed compared to the greenhouse (e.g. comparing Table 34 and Table 31). Results of this analysis are described in Example 20. The field data also
- 10 demonstrate that the greenhouse data accurately indicated the consistency between events with respect to EPA and DHA accumulation, though not overall levels. As remarked upon in part C, the event to event variation was low for this construct, indicating that the T-DNAs/T-DNA design seem to be exerting a buffering/mitigating effect on gene silencing and other positional effects.

Table 32: Fatty acid profiles of T3 seeds harvested from T2 cultivated in the field corresponding to USDA growth zones 3a-4b and 5a. Field trials of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc are given below. The events are indicated in the first column, along with the number of T3 seed aliquots representing a plot were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LALFWA (n=30)	5.1± 0.2	0.3± 0.1	0.1± 0	2.6± 0.2	25.1 ±1.8	30.8 ±1.4	1.1± 0.1	5.9± 0.9	1.8± 0.2	0.3± 0.1	0.7± 0	0.7± 0	0.4± 0.1	0.1± 0.1	2.6± 0.3	1.4± 0.2	4.4± 1.2	8.5± 1.2	0.3± 0	1.2± 0±0	4.4± 0.5	0±0	0±0	1.4± 0.2	0.5± 0.2	0.3± 0.1
LALJDF (n=30)	5.1± 0.3	0.3± 0	0.1± 0	2.7± 0.2	24.4 ±1.7	29.4 ±1.5	1.2± 0.1	5.6± 0.4	1.8± 0.2	0.3± 0	0.7± 0	0.7± 0	0.4± 0.1	0.1± 0	2.2± 0.1	1.3± 0.1	4.5± 0.4	11.1 ±0.9	0.2± 0.1	0.9± 0±0	5.1± 0.4	0±0	0±0	1.4± 0.2	0.1± 0.1	0.4± 0.1
LALTLE (n=30)	5.4± 0.2	0.3± 0.1	0.1± 0	2.7± 0.2	26.4 ±3.2	28.1 ±1	1.2± 0.2	5.6± 0.6	1.7± 0.3	0.3± 0.1	0.7± 0	0.7± 0	0.5± 0.2	0±0.1	2.1± 0.2	1.2± 0.1	3.9± 0.5	9.6± 1.2	0.2± 0.1	1.5± 0±0	5.3± 0.6	0±0	0±0	1.5± 0.2	0.4± 0.2	0.5± 0.1
LALIVY (n=29)	5.2± 0.4	0.3± 0.1	0.1± 0	2.9± 0.3	26.7 ±3.1	28.3 ±2.2	1± 0.2	6.3± 0.6	1.4± 0.3	0.3± 0	0.7± 0.1	0.8± 0.1	0.6± 0.2	0.2± 0.1	2.1± 0.2	1.4± 0.1	3.3± 0.5	9.2± 1.1	0.3± 0.1	1.3± 0±0	5± 0.1	0±0	0±0	1.5± 0.2	0.5± 0.1	0.5± 0.1
WT Kumily (n=60)	5± 0.3	0.4± 0	0.1± 0.1	2± 0.1	56.2 ±4.2	23.3 ±1.7	0± 0.1	9.5± 0.7	0.1± 0.2	0±0	0.7± 0	1.1± 0.1	0.1± 0.1	0±0	0.3	0.2± 0.3	0.2± 0.5	0.4± 1.1	0.3± 0.1	0± 0±0	0.2± 0.6	0±0	0±0	0± 0.2		

5

Table 33: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in USDA growth zones 3a-4b and 5a field trials of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1n -7	16:3n -3	18:0	18:1n -9	18:2n -6	18:2n -9	18:3n -3	18:3n -6	18:4n -3	20:0	20:1n -9	20:2n -6	20:3n -3	20:3n -6	20:4n -3	20:4n -6	20:5n -3	22:0	22:1n -9	22:4n -6	22:5n -3	22:5n -6	22:6n -3	unkn own peak a	unkn own peak b
LALFWA (n=1)	5.2	0.3	0.1	2.6	25.0	28.2	1.1	5.0	2.1	0.4	0.6	0.6	0.3	0.0	2.7	1.4	4.5	10.5	0.3	0.0	1.4	5.2	0.0	1.8	0.4	0.3
LALJDF (n=1)	5.7	0.3	0.1	2.7	23.1	23.6	1.3	6.0	2.3	0.4	0.8	0.8	0.4	0.0	2.3	1.3	5.4	13.5	0.3	0.0	1.0	6.3	0.0	1.8	0.0	0.3
LALTLE (n=1)	5.5	0.3	0.1	2.6	24.9	26.7	1.3	4.7	2.1	0.4	0.7	0.6	0.4	0.1	2.1	1.2	5.0	10.9	0.3	0.0	1.8	5.8	0.0	1.9	0.2	0.5
LALIVY (n=1)	5.9	0.2	0.1	3.5	24.5	23.7	1.3	5.6	2.1	0.4	0.9	0.8	0.5	0.0	2.5	1.4	4.8	11.3	0.3	0.0	1.7	5.9	0.0	1.9	0.4	0.4

Table 34: Phenotypic rating of T2 plants cultivated in the field of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM306-1qcz rc. The events are indicated in the first column, along with the number of field plots that where rated per event. Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	Oil	protein
LALFWA (n=30)	38.2 ± 1	27.9 ± 0.6
LALJDF (n=30)	37.6 ± 1.2	27.9 ± 0.8
LALTLE (n=30)	38.2 ± 0.9	27.5 ± 0.7
LALIVY (n=29)	37.6 ± 0.6	27.8 ± 0.5
WT Kurnilly (n=60)	38.7 ± 1.1	

Example 11: Plants containing the T-DNAs of plasmid VC-LJB2197-1qcz and VC-LLM337-1qcz rc (combination B in example 5) for production of EPA and DHA in seeds

In this example, the genetic elements required for EPA and DHA synthesis were transferred into the plant genome on two different T-DNAs. To this end, the two different plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc containing two different T-DNAs were cloned into agrobacteria, and plant tissue was incubated according to Example 5 at the same time with these two agrobacterial cultures that were identical apart from containing either VC-LJB2197-1qcz or VC-LLM337-1qcz rc. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of VC-LJB2197-1qcz. Only those plants were kept, that also contained the T-DNA of plasmid VC-LLM337-1qcz rc as confirmed by PCR, conducted as described in Example 24, which contains PCR protocols for both gene expression and copy number analysis. Only plants containing the T-DNA of plasmid VC-LJB2197-1qcz as well as the T-DNA of plasmid VC-LLM337-1qcz rc combined all the genetic elements required for EPA and DHA synthesis in seeds. The genetic elements of VC-LJB2197-1qcz and the function of each element were listed in Table 1. The genetic elements of VC-LLM337-1qcz rc and the function of each element were listed in Table 4. For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of VC-LJB2197-1qcz and VC-LLM337-1qcz rc that were required for EPA and DHA synthesis are additionally listed on Table 35.

Table 35: Combined list of genes essential of EPA and DHA synthesis carried by the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc.

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA)	VC-LJB2197-1qcz	1196	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d6Des(Ot_febit)	VC-LJB2197-1qcz	1370	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Pp_GA2)	VC-LJB2197-1qcz	872	Delta-6 elongase from <i>Physcomitrella patens</i>
c-d6Elo(Tp_GA2)	VC-LJB2197-1qcz	818	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
c-d5Des(Tc_GA2)	VC-LJB2197-1qcz	1319	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length	Enzymatic function and source of encoded protein
c-o3Des(Pi_GA2)	VC-LLM337-1qcz rc	1085	Omega-3-desaturase from <i>Phytophthora infestans</i>
c-o3Des(Pir_GA)	VC-LLM337-1qcz rc	1091	Omega-3 desaturase from <i>Pythium irregulare</i>
c-d5Elo(Ot_GA3)	VC-LLM337-1qcz rc	902	Delta-5 elongase from <i>Ostreococcus tauri</i>
c-d4Des(Eg_GA)	VC-LLM337-1qcz rc	1625	Delta-4 desaturase from <i>Euglena gracilis</i>
c-d4Des(Tc_GA)	VC-LLM337-1qcz rc	1559	Delta-4 desaturase from <i>Thraustochytrium</i> sp.

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc cultivated in greenhouses during summer

- 5 Table 34 indicates that the T-DNA integrated as predominantly single and double copies. As observed in Example 10 there was an increase in EPA and DHA between one copy and two copies of the T-DNA from the two constructs, see Table 36, but less of a difference between two and three copies. The T1 data in Table 37 reflects this as well. As noted in Example 10, there was no observed alteration of the phenotype of the plants bearing the T-
- 10 DNA from both constructs, regardless of copy number (up to three).

Table 36: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T1 plants where the average of all copy number assays listed in this table was 0.51-1.49, dc: all T1 plants where the average of all copy number assays listed in this table was 1.51-2.49, tc: all T1 plants where the average of all copy number assays listed in this table was 2.51-3.49.

Category of T0 plants	Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-i-Atss18_c-d6Elo(Pp_GA2) near the right T-DNA border.							Copy number assays targeting the T-DNA of VC-LLM337-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target j-t-PvARC-p3 located near the left T-DNA border and target c-d4Des(Eg_GA) near the right T-DNA border.							
	c-AHAS	j-t-E9-p3-2	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-t-CaMV_p-LuCnl-2	c-d6Elo(Pp_GA)	j-i-Atss18_c-d6Elo(Pp_GA2)	j-t-PvARC-p3	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SN P)	j-i-Atss15_c-o3Des(Pi_GA2)	c-o3Des(Pir_GA)	j-p-VfSBPperm3_c-o3Des(Pir_GA)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Eg_GA)
sc (n=563)	1.1					1.1			1.2	1.2	1.2	1.2			1.2
dc (n=423)	1.4					1.6			2.0	1.9	2.0	1.8			2.2
tc (n=17)	2.0					2.6			2.8	1.8	3.2	2.4			3.8

Table 37: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 36. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=563)	5.1 ± 0.6	0.3 ± 0.1	0.1 ± 0	3 ± 0.5	40.6 ± 6.2	29.4 ± 4.2	0.7 ± 4.7	6 ± 1.1	0.5 ± 0.6	0.1 ± 0.2	0.8 ± 0.1	0.9 ± 0.2	0.9 ± 0.6	0.3 ± 0.3	1.6 ± 0.8	0.9 ± 0.5	2.1 ± 1.3	3.4 ± 1.2	0.3 ± 0.1	0 ± 0	0.4 ± 0.3	1.5 ± 0.5	0 ± 0	0.6 ± 0.3	0.3 ± 0.3
dc (n=423)	5 ± 0.8	0.3 ± 0.1	0.1 ± 0	3.1 ± 0.6	38.6 ± 8.2	28.8 ± 5.3	1.1 ± 5.9	5.9 ± 1.2	0.7 ± 0.6	0.1 ± 0.1	0.8 ± 0.1	0.9 ± 0.2	0.8 ± 0.6	0.3 ± 0.3	1.7 ± 0.9	1 ± 0.5	2.1 ± 1.5	4.3 ± 2	0.3 ± 0.1	0 ± 0	0.6 ± 0.4	1.9 ± 0.9	0 ± 0	0.8 ± 0.5	0.4 ± 0.3
tc (n=17)	5 ± 0.9	0.3 ± 0.1	0.1 ± 0	3.1 ± 0.7	39.1 ± 8.1	28.4 ± 4.5	0.5 ± 0.3	6.1 ± 1.5	0.9 ± 0.6	0.2 ± 0.1	0.8 ± 0.2	0.9 ± 0.2	0.7 ± 0.6	0.3 ± 0.2	2.1 ± 2.1	1.2 ± 1	1.9 ± 2.4	4 ± 2.9	0.3 ± 0.1	0 ± 0	0.7 ± 0.4	1.9 ± 1.1	0 ± 0	0.8 ± 0.5	0.8 ± 0.9

5

Table 38: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 36. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=1)	3.6	0.1	0.1	2.8	37.6	22.1	0.8	6.4	0.5	0.3	0.8	1.2	1.1	0.6	1.8	2.1	2.9	9.0	0.4	0.0	0.5	3.5	0.0	1.6	0.3
dc (n=1)	7.1	0.0	0.0	4.5	3.2	1.5	44.5	0.3	0.0	0.0	1.0	1.1	2.3	0.5	9.8	1.8	0.0	12.6	0.4	0.0	1.3	4.9	0.0	2.8	0.6
tc (n=1)	3.4	0.1	0.0	2.8	29.4	27.4	0.6	6.6	1.0	0.3	0.7	0.9	1.1	0.5	1.5	1.6	2.6	10.4	0.3	0.0	1.1	5.1	0.0	1.9	0.5

10 Table 39: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 36. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed,

116

1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
sc (n=563)	66.1 ± 8.3	1 ± 0	1.4 ± 1.1	1.7 ± 1.6	3 ± 2.8	3 ± 0	3 ± 0.1	5 ± 0	3.2 ± 2.6	3.8 ± 0.6	119.5 ± 9.8	4.7 ± 0.6	4.8 ± 2.5
dc (n=423)	66 ± 7.5	1 ± 0	1.4 ± 1.2	1.7 ± 1.4	3 ± 2.9	3 ± 0	3 ± 0.1	5 ± 0.1	3.1 ± 2.6	3.7 ± 0.7	119.2 ± 9.5	4.6 ± 0.6	5 ± 2.3
tc (n=17)	64.6 ± 7.4	1 ± 0	1.5 ± 1.5	2.8 ± 2.5	4.4 ± 3.7	3 ± 0	3 ± 0	5 ± 0	4.5 ± 3.5	3.9 ± 0.5	117.1 ± 10.5	4.6 ± 0.4	6.5 ± 2.2

B. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc cultivated in greenhouses during winter

The data on Table 39 indicate that the integration of these two T-DNA's (VC-LJB2197-1qcz and VC-LLM337-1qcz rc), has occurred in such a way as to introduce copy number variation of individual genes on a given T-DNA (indicating truncations and deletions along with multiple copies being inserted). For example the event LAMABL on Table 39 was segregating for a single copy of AHAS (homozygous), two copies of j-t-StCAT_p2_p-LuPXR (homozygous), possibly three copies of c-d6Elo(Pp_GA) likely homozygous, though it could be three copies which are not homozygous for all three, and three copies of ji-Atss18_c-d6Elo(Pp_GA2) (homozygous for all three). Data on Table 42 to Table 45 for fatty acid profile indicates some variation among the events, though not large differences. The highest event average for both DHA and EPA for the events listed on Table 41 was LAMRHL which has DHA of 1.9 and EPA of 10.5 with respect to percent of the total fatty acid content of the seed and contains what was likely a single copy of the T-DNA of VC-LJB2197-1qcz still segregating, while VC-LLM337-1qcz rc seems to be a single copy homozygous insertion. The event, LANMGC, with the lowest levels of EPA and DHA combined, contained EPA of 3.7 and 0.8 for DHA with respect to percent of the total fatty acid content of the seed. LANMGC appeared to be homozygous single copy for VC-LJB2197 and carried at least two separate integrations of VC-LLM337. For the highest single plant level of EPA and DHA, event LAMRHL had 5 percent of DHA and 13.7 percent of EPA with respect to percentage of total fatty acids in the seed, Table 43. The data indicate that the location of the insertion site is important for EPA and DHA accumulation in this combination of constructs. As seen in previous examples, comparison of single copy insertions versus double copy insertions revealed that between single copy and double copy containing plants there was an increase in VLC-PUFA levels, but between double and triple copy containing plants there was less distinction. Table 46 displays phenotypic scoring/assessment and shows some small differences in aerial phenotype among events and between the transformed plants and untransformed reference.

Table 40: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. The T1 plants underwent a selection from 250 segregating T1 seedlings using half-kernel analysis, where the correlation of VCL-PUFA levels with copy number was employed to select for homozygous plants, or in the case of multilocus events to select for plants where one or more loci are homozygous. A copy number of ~2 therefore was indicative for one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth. Odd results of 3 and 5 indicate that at least some of the selected T1 plants carry a heterozygous locus.

Event	Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-i-Atss18_c-d6EIo(Pp_GA2) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.							Copy number assays targeting the T-DNA of VC-LLM337-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target j-t-PvARC-p3 located near the left T-DNA border and target c-d4Des(Eg_GA) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.							
	c-AHAS	j-t-E9-p3-2	c-d6EIo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-t-CaMV_p-LuCnI-2	c-d6EIo(Pp_GA)	j-i-Atss18_c-d6EIo(Pp_GA2)	j-t-PvARC-p3	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SNP)	j-i-Atss15_c-o3Des(Pi_GA2)	c-o3Des(Pir_GA)	j-p-VfSBPperm3_c-o3Des(Pir_GA)	j-i-Atss1_c-d5EIo(Ot_GA3)	c-d4Des(Eg_GA)
LALHCY (n=15)	2.9 (T0: 1.8)	4.4		4.6	3.5	1.9 (T0: 1.1)	2.0	2.9	2.9 (T0: 2.1)		(T0: 2.6)	(T0: 2.1)	4.5		3.0
LALIAO (n=15)	3 (T0: 1.8)	2.7		3.3	3.6	2.8 (T0: 1.9)	3.1	3.2	2.8 (T0: 2)		(T0: 2.2)	(T0: 1.9)	2.9		1.5
LALJKA (n=15)	2 (T0: 1.1)	2.0		2.0	4.1	3.6 (T0: 1.9)	3.8	3.5	3.8 (T0: 2)		(T0: 1.9)		4.0		5.5
LALLTL (n=11)	1.7 (T0: 1.8)	3.5		3.5	3.1	3.2 (T0: 3)	3.2	2.3	2.4 (T0: 2)		(T0: 1.9)		2.3		2.8
LALQAM (n=15)	3.4 (T0: 1.9)	3.3		3.3	3.1	3.3 (T0: 1.9)	3.3	2.9	3.1 (T0: 2)		(T0: 2.1)		1.6		1.6
LALQDS (n=14)	2.7 (T0: 2)	2.8		3.6	2.3	2.3 (T0: 2.2)	2.3	2.8	2.9 (T0: 2)		(T0: 1.9)		4.0		2.8
LALRCQ (n=14)	3.2 (T0: 2)	3.2		3.3	3.0	3.2 (T0: 2.1)	3.3	3.0	3.2 (T0: 2.1)		(T0: 2.2)		4.4		4.3
LALWKF (n=14)	1.9 (T0: 1.2)	1.9		4.8	4.8	4.7 (T0: 3.2)	4.8	1.4	1.3 (T0: 1)		(T0: 1)		1.3		1.3
LAMABL (n=8)	1.8 (T0: 1)	1.9		3.6	5.8	5.2 (T0: 3.7)	5.6	1.9	1.8 (T0: 1)		(T0: 1)	(T0: 1.2)	1.8		3.5
LAMCKI (n=10)	2 (T0: 1)	3.9		3.6	2.7	2.3 (T0: 1)	2.0	3.8	4 (T0: 1.9)		(T0: 2.1)	(T0: 1.8)	3.9		3.9

LAMCLE (n=14)	3 (TO: 2)	3.0		4.3	4.2	4.2 (TO: 2.9)	4.4	2.5	2.4 (TO: 2)		(TO: 2)	(TO: 2.1)	3.4		1.3
LAMCLF (n=9)	1.6 (TO: 1)	3.3		4.1	4.7	4.4 (TO: 2.8)	3.8	2.2	1.8 (TO: 2.1)		(TO: 1.9)	(TO: 1.4)	1.8		1.8
LAMEUB (n=15)	1.9 (TO: 1)	2.1		3.6	3.9	3.7 (TO: 2.2)	3.8	1.3	1.2 (TO: 1)		(TO: 1)		1.2		1.1
LAMEUU (n=13)	1.9 (TO: 0.9)	3.8		3.3	5.6	5.4 (TO: 2.8)	5.2	3.1	3.8 (TO: 1.9)		(TO: 1.9)		3.7		3.7
LAMFJO (n=15)	2 (TO: 1.1)	2.1		2.0	2.1	2 (TO: 0.9)	2.0	1.1	1.1 (TO: 0.5)		(TO: 0.8)		1.2		1.1
LAMIRY (n=10)	1.9 (TO: 1)	1.9		2.6	2.7	2.7 (TO: 2)	2.8	1.7	2 (TO: 2.3)		(TO: 2)		3.1		2.1
LAMJIC (n=9)	1.9 (TO: 1.1)	1.7		1.6	2.5	1.8 (TO: 1)	1.8	2.3	1.8 (TO: 1)		(TO: 1)		1.8		1.8
LAMPJB (n=13)	2.8 (TO: 2)	2.9		3.6	4.4	4.1 (TO: 3)	4.1	2.6	2.8 (TO: 2.1)		(TO: 1)	(TO: 1.8)	2.8		2.6
LAMQDL (n=14)	2 (TO: 1)	2.1		2.3	2.6	2.3 (TO: 1)	2.0	0.0	2.6 (TO: 2)		(TO: 1)	(TO: 1)	1.3		1.3
LAMQNE (n=14)	2.6 (TO: 1.1)	2.6		2.7	2.8	2.8 (TO: 1.3)	2.5	2.0	1.5 (TO: 1.1)		(TO: 0.9)	(TO: 1.9)	4.0		4.2
LAMQSF (n=14)	3.5 (TO: 2.1)	4.5		3.8	4.7	4.2 (TO: 3.2)	4.0	2.9	3.7 (TO: 3.9)		(TO: 4.2)	(TO: 2.2)	3.6		3.6
LAMRCO (n=14)	2.8 (TO: 1.9)	3.7		6.6	6.5	6 (TO: 4.1)	5.5	1.8	1.3 (TO: 1.1)		(TO: 1)	(TO: 2.1)	3.9		2.5
LAMRDS (n=15)	3.2 (TO: 1.9)	3.2		3.0	3.6	3 (TO: 1.8)	3.0	3.0	3 (TO: 2)		(TO: 1.9)	(TO: 1.7)	3.1		2.6
LAMRHL (n=14)	2 (TO: 1.3)	2.2		3.2	2.8	2.1 (TO: 1.5)	1.9	4.1	3.8 (TO: 2.7)		(TO: 1.3)	(TO: 1.3)	1.9		2.0
LAMRJK (n=15)	3 (TO: 2)	3.0		2.9	1.3	1.2 (TO: 0.9)	1.0	3.0	4.5 (TO: 2.9)		(TO: 1.9)	(TO: 1.7)	2.9		2.7
LAMRNQ (n=9)	2.2 (TO: 1.9)	2.1		2.2	2.3	2.3 (TO: 2.1)	2.1	2.5	2 (TO: 1.9)		(TO: 2)	(TO: 1.9)	2.0		2.7
LAMVUB (n=15)	2.1 (TO: 1.1)	2.1		2.1	2.7	2.1 (TO: 1)	2.1	0.6	0.8 (TO: 0.8)		(TO: 0.9)		1.1		0.8
LAMYDP (n=14)	3.9 (TO: 2)	4.0		3.7	4.2	3.8 (TO: 1.9)	3.9	3.2	3.4 (TO: 2.1)		(TO: 1.9)	(TO: 1.7)	3.3		3.2
LANBCH (n=14)	3.5 (TO: 1.9)	3.2		3.3	4.0	3.5 (TO: 2)	3.4	3.5	3 (TO: 1.8)		(TO: 2)		3.3		3.3
LANCEG (n=4)	4 (TO: 2.1)	4.0		3.5	5.9	5.4 (TO: 2.9)	3.6	3.6	4.1 (TO: 2)		(TO: 2)		4.1		1.9
LANCOX (n=10)	2.2 (TO: 1)	2.5		2.2	5.4	5.1 (TO: 4.3)	4.5	1.7	1.7 (TO: 1)		(TO: 1.1)		1.8		2.6
LANFEF (n=15)	2.1 (TO: 1.1)	2.0		2.3	2.6	2.1 (TO: 1)	2.1	1.0	0.7 (TO: 1.1)		(TO: 1)	(TO: 1.8)	2.9		2.9
LANMGC (n=15)	4.2 (TO: 1.9)	4.0		4.1	4.7	4.2 (TO: 2)	4.2	2.2	3.8 (TO: 1.9)		(TO: 2)		4.0		6.0
LANMOM (n=10)	1.4 (TO: 1.2)	1.4		3.0	2.7	2 (TO: 1.1)	1.5	3.5	2.9 (TO: 1.9)		(TO: 1.9)		2.9		4.8
LANPMZ (n=13)	2.1 (TO: 1.1)	2.1		2.0	2.3	2.2 (TO: 1)	2.2	2.0	2.1 (TO: 1.1)		(TO: 1.1)		2.1		1.9
LANTLE (n=15)	2.7 (TO: 2)	2.8		2.7	3.3	2.8 (TO: 2)	3.0	2.5	2.2 (TO: 2)		(TO: 1.9)		2.3		2.3
LANTSP (n=12)	1.4 (TO: 1)	1.3		2.9	3.7	3 (TO: 1.9)	3.0	0.6	1.5 (TO: 0.9)		(TO: 1.6)		2.5		3.3
LANUCB (n=14)	2 (TO: 1.1)	2.1		4.6	4.5	3.5 (TO: 2.1)	3.1	1.1	0.9 (TO: 2.1)		(TO: 2.8)		2.3		2.3
LAOBGQ (n=15)	1.4 (TO: 1)	1.4		6.1	5.2	4 (TO: 2.8)	4.2	1.6	2.7 (TO: 1.8)		(TO: 2.1)	(TO: 1.8)	2.8		4.0
LAOHLR (n=14)	1.9 (TO: 1.2)	4.9		4.0	4.3	3.7 (TO: 2)	3.1	2.1	1.7 (TO: 1.1)		(TO: 1)		1.7		1.7
LAOIAT (n=15)	2.2 (TO: 1.9)	3.4		3.2	3.8	3.4 (TO: 3)	3.3	2.3	2.2 (TO: 1.9)		(TO: 1.9)	(TO: 1.9)	2.3		1.2

LAOKLP (n=15)	2.1 (T0: 0.8)	2.1		2.1	2.5	2.2 (T0: 1)	2.1	1.4	1.2 (T0: 0.7)		(T0: 1)	(T0: 0.6)	1.2		1.2
LAOKTE (n=15)	3 (T0: 2)	2.8		3.5	3.5	3.3 (T0: 2.1)	3.2	3.0	2.4 (T0: 2)		(T0: 1.9)	(T0: 2.1)	2.5		2.4
LAPKLS (n=12)	3.4 (T0: 2.1)	3.1		3.6	4.2	3.1 (T0: 2.1)	3.2	2.5	1.9 (T0: 2)		(T0: 2.1)		2.0		2.1
LAPKXM (n=15)	3.2 (T0: 1.8)	3.2		3.8	4.2	3.3 (T0: 2)	3.4	3.7	2.9 (T0: 1.9)		(T0: 1.9)		3.6		0.0
LAPKZJ (n=15)	3.3 (T0: 1.4)	3.2		3.6	4.3	3.2 (T0: 1.9)	3.3	2.0	1.6 (T0: 2)		(T0: 1.9)		1.7		1.6
LAPWJD (n=14)	2.1 (T0: 1.1)	2.0		2.3	2.8	2.1 (T0: 1)	2.1	2.4	2 (T0: 1)		(T0: 1)		2.2		2.1
LAPWLP (n=14)	1.3 (T0: 1.1)	1.2		3.1	3.4	2.8 (T0: 1.9)	2.9	0.0	1.3 (T0: 1)		(T0: 1.1)		2.3		2.3
LAQYTA (n=15)	4.5 (T0: 2.8)	5.1		5.0	3.2	2.6 (T0: 2.1)	2.8	2.4	2.2 (T0: 1.9)		(T0: 2)	(T0: 2.4)	3.2		3.3
LAQYUT (n=15)	4.3 (T0: 1.9)	3.9		4.6	4.3	3 (T0: 2)	2.8	3.6	2.8 (T0: 1.6)		(T0: 1.9)	(T0: 0.6)	3.0		4.3
LAQYWQ (n=15)	2.6 (T0: 1.2)	2.8		5.6	5.9	4.5 (T0: 3)	4.6	3.2	2.7 (T0: 2)		(T0: 1.9)	(T0: 2.2)	2.6		1.4
LAQZME (n=12)	1.4 (T0: 1.2)	1.3		3.7	4.4	3.8 (T0: 2.3)	4.0	1.8	1.4 (T0: 1.1)		(T0: 1.2)	(T0: 1.2)	1.4		1.3

Table 41: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; sc: all T1 plants where the average of all copy number assays listed in this table was 1.51-2.49, dc: all T1 plants where the average of all copy number assays listed in this table was 3.51-4.49, tc: all T1 plants where the average of all copy number assays listed in this table was 5.51-6.49. The number of T1 plants fulfilling these criteria are displayed in parentheses.

Event	Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with assay A1 located near the left T-DNA border and assay A13 near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.						Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with assay A1 located near the left T-DNA border and assay A13 near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.								
c-AHAS	j-t-E9-p3-2	c-d6ElIo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-t-CaMV_p-LuCnI-2	c-d6ElIo(Pp_GA)	j-i-Atss18_c-d6ElIo(Pp_GA2)	j-t-PvARC-p3	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SNP)	j-i-Atss15_c-o3Des(Pi_GA2)	c-o3Des(Pir_GA)	j-p-VfSBPperm3_c-o3Des(Pir_GA)	j-i-Atss1_c-d5ElIo(Ot_GA3)	c-d4Des(Eg_GA)	

sc (n=296)	1.9	2.1		2.6	2.7	2.4	2.3	1.5	1.6				1.8		1.7
dc (n=198)	3.4	3.7		4.2	4.8	4.2	4.2	3.2	3.4				3.8		3.6
tc (n=2)	4.0	5.6		7.6	7.5	7.1	6.3	4.6	4.4				5.9		4.7

Table 42: Fatty acid profiles of T2 seeds harvested from T1 cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc The events are indicated in the first column, along with the number of T2 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b
LALHCY (n=15)	4.9± 0.1	0.3± 0		4± 0.2	23.7 ±1	32± 0.9	1.2± 0.1	4.2± 0.4	2.2± 0.2	0.3± 0	0.8± 0	0.3± 0.3	0.2± 0	0.1± 0	4.4± 1.4	2.5± 0.7	2.9± 0.4	8.1± 0.8	0.3± 0		1.3± 0.1	3.1± 0.3	0±0	1.9± 0.2	1.2± 0.5	
LALIAO (n=15)	5± 0.2	0.2± 0		2.9± 0.4	26.8 ±3.4	30.8 ±1.6	0.6± 0.2	5.5± 0.9	0.9± 0.4	0.2± 0.1	0.7± 0.1	0.8± 0.1	1.2± 0.7	0.4± 0.3	2.5± 0.4	1.6± 0.1	3.7± 1.3	9.9± 2.5	0.3± 0.1		0.7± 0.3	3.3± 1	0±0	1.2± 0.4	0.2± 0.3	0.6± 0.2
LALJKA (n=15)	5.4± 0.2	0.3± 0		2.7± 0.5	25.3 ±2.2	36.4 ±1.1	0.6± 0.1	5.7± 0.5	2.2± 0.3	0.5± 0.1	0.7± 0.1	0.6± 0	0.1± 0.1	0.1± 0	1.7± 1	1± 0.5	2.2± 0.5	6.9± 1.5	0.3± 0		1.3± 0.2	3.4± 0.9	0±0	1.8± 0.4	0.6± 0.5	
LALLTL (n=11)	5± 0.2	0.3± 0		3.6± 0.3	28.5 ±4.4	31.5 ±1.1	0.8± 0.2	4.6± 0.5	1.3± 0.4	0.2± 0	0.8± 0	0.6± 0.3	0.6± 0.2	0.2± 0.1	2.6± 1	1.3± 0.6	6± 2.4	6.2± 1.5	0.3± 0		1.1± 0.4	2.4± 0.6	0±0	1.3± 0.4	0.6± 0.5	
LALQAM (n=15)	5.4± 0.8	0.3± 0.1		3.8± 0.2	23.3 ±1.4	32.7 ±1	0.5± 0.2	3.8± 0.3	1± 0.4	0.1± 0	0.8± 0	0.7± 0.1	1.5± 0.9	0.4± 0.2	3.5± 0.8	1.5± 0.2	6.4± 1.4	8± 1.3	0.3± 0		0.9± 0.3	2.9± 0.7	0±0	1.6± 0.4	0.3± 0.1	
LALQDS (n=14)	5± 0.1	0.3± 0		3.2± 0.4	29.1 ±2.4	35.7 ±1.1	0.6± 0.1	6.2± 0.6	1± 0.2	0.2± 0	0.8± 0.1	0.5± 0.2	0.4± 0.2	0.2± 0.1	1.5± 0.5	1± 0.2	2.4± 0.6	6.7± 0.7	0.3± 0		0.7± 0.1	2.7± 0.3	0±0	1± 0.2	0.3± 0.1	
LALRCQ (n=14)	5.1± 0.1	0.3± 0		4± 0.5	23± 1.1	33.2 ±1.2	1± 0.2	3.5± 0.5	2.3± 0.2	0.2± 0	0.8± 0.1	0.6± 0	0.2± 0.1		5.1± 1.6	1.7± 0.4	4.1± 0.7	6.6± 0.9	0.3± 0		1.9± 0.3	2.8± 0.4	0±0	1.8± 0.3	1.1± 0.4	
LALWKF (n=14)	5.3± 0.1	0.3± 0.1		3.7± 0.3	26.7 ±6.7	27.6 ±3.6	1.3± 0.4	3.3± 0.3	2.2± 0.7	0.3± 0.1	0.8± 0	0.7± 0.1	0.6± 0.5	0.2± 0.2	2.1± 0.5	0.9± 0.3	9.3± 2.7	8.8± 1.5	0.3± 0.1		0.7± 0.3	2.9± 0.6	0±0	1.6± 0.5	0.1± 0.1	
LAMABL (n=8)	4.8± 0.2	0.3± 0		3.3± 0.5	27.8 ±6.3	30± 3.8	1.4± 0.2	3.7± 0.5	2.7± 0.7	0.4± 0.1	0.8± 0.1	0.7± 0.1	0.3± 0.1		1.3± 0.4	0.6± 0.1	7± 0.8	8.6± 1.7	0.3± 0		1.3± 0.3	3.2± 0.4	0±0	1.4± 0.3	0.1± 0.1	
LAMCKI (n=10)	5.1± 0.1	0.2± 0		3.5± 0.2	26.4 ±0.7	33.8 ±0.5	1.1± 0	4.2± 0.2	1.8± 0.2	0.2± 0	0.8± 0	0.6± 0	0.1± 0		3.9± 0.6	1.7± 0.2	2.9± 0.2	6.8± 0.6	0.3± 0		1.2± 0.1	2.7± 0.3	0±0	1.3± 0.1	0.9± 0.1	
LAMCLE (n=14)	4.9± 0.2	0.2± 0.1		3.4± 0.2	25.1 ±2.4	32.2 ±1.6	1.1± 0.3	3.5± 0.3	2.4± 0.6	0.3± 0.1	0.8± 0	0.7± 0.1	0.4± 0.2	0± 0.1	2.3± 0.5	1± 0.2	5.8± 1.3	8.4± 1.3	0.1± 0.1		1.8± 0.4	3.4± 0.6	0±0	1.8± 0.5	0.1± 0.2	

LAMCLF (n=9)	5.1± 0.1	0.3± 0		3.6± 0.1	24.7 ±3.5	28.5 ±2	1.1± 0.6	2.8± 0.5	2± 0.6	0.2± 0.1	0.8± 0	0.6± 0.1	1.4± 0.7	0.1± 0.1	2.8± 0.7	1± 0.2	9.7± 2.2	9.4± 1	0.3± 0		1± 0.3	2.8± 0.5		1.5± 0.3	0± 0.1	
LAMEUB (n=15)	5± 0.2	0.3± 0.1		3.8± 0.5	28.4 ±5.6	29.7 ±2.1	0.9± 0.3	3.4± 0.6	1.3± 0.4	0.1± 0.1	0.9± 0.1	0.8± 0.1	1± 0.4	0.2± 0.1	2.7± 0.3	1.1± 0.3	8.4± 2.9	7.6± 1.9	0.3± 0		0.5± 0.2	2.2± 0.7		1.2± 0.5	0.1± 0.1	
LAMEUU (n=13)	5± 0.1	0.1± 0.1		3.3± 0.4	25.8 ±4.8	34.3 ±1.8	1.4± 0.3	4.2± 0.7	2.1± 0.4	0.2± 0.1	0.9± 0.1	0.7± 0.1	0.2± 0.2	1.8± 1.8	1.4± 1.5	1.2± 0.3	3.1± 0.8	7.8± 1.1	0.2± 0.2		1.4± 0.2	3± 0.4		1.5± 0.3	0.3± 0.3	
LAMFJO (n=15)	5.1± 0.7	0.2± 0.1		3.5± 0.7	26.5 ±1.9	32.9 ±0.8	0.2± 0.1	4.5± 0.4	0.4± 0.1		0.9± 0	1± 0.1	2.2± 0.7	1.7± 1.9	3.7± 0.6	2± 0.3	4.7± 1.8	6.2± 0.7	0.3± 0.1		0.3± 0.2	2.2± 0.3	0± 0.1	1± 0.2	0.4± 0.3	
LAMIRY (n=10)	5± 0.2	0.3± 0		3.5± 0.3	26.9 ±6.8	30.9 ±2.8	0.6± 0.1	4.6± 0.5	1.2± 0.3	0.2± 0	0.8± 0	0.7± 0.2	1.1± 0.2	0.4± 0.1	2.4± 0.4	1.4± 0.3	4.5± 0.9	9.1± 2.1	0.3± 0		1± 0.2	3± 0.6		1.6± 0.4	0.5± 0.1	
LAMJIC (n=9)	5.8± 0.4	0.2± 0.1		3.1± 0.5	28.5 ±6.6	33.1 ±3.9	0.6± 0.2	5.3± 1.2	1.3± 0.6	0.2± 0.1	0.8± 0.1	0.7± 0.1	0.5± 0.3	0.1± 0.1	2.6± 0.4	1.3± 0.3	3.9± 1.3	6.2± 1.8	0.3± 0.1		0.9± 0.3	2.6± 1		1.4± 0.4	0.4± 0.1	
LAMPJB (n=13)	4.8± 0.1	0.1± 0		3.1± 0.3	24.1 ±1.7	33.6 ±0.9	0.9± 0.2	3.7± 0.5	2.2± 0.5	0.3± 0.1	0.8± 0.1	0.7± 0	0.4± 0.3		2.8± 0.4	1.2± 0.2	5.5± 2.2	8.7± 1	0± 0.1		1.5± 0.3	3.2± 0.4		2± 0.3	0.1± 0.3	
LAMQDL (n=14)	5± 0.5	0.2± 0		2.7± 0.4	26.4 ±2.2	31.2 ±1	0.2± 0	5.2± 0.6	0.4± 0.1	0.1± 0	0.7± 0.1	1± 0.1	2.8± 0.5	1± 0.2	3.7± 0.4	2.1± 0.4	4.7± 2	6.7± 1.2	0.3± 0		0.4± 0.1	2.7± 0.7		0.8± 0.2	0.4± 0.2	1.1± 0.1
LAMQNE (n=14)	6.9± 1.3	0.3± 0.1		2.7± 0.3	27.8 ±2.6	31.8 ±0.7	0.8± 0.1	4.9± 0.6	1.3± 0.1	0.2± 0	0.7± 0.1	0.7± 0.1	0.4± 0.1	0.2± 0.1	4± 1.7	1.9± 0.8	2.7± 1	5.9± 1.1	0.3± 0		1.2± 0.2	2.8± 0.6		1.2± 0.3	0.8± 0.6	0.4± 0.1
LAMQSF (n=14)	5.2± 0.1	0.3± 0		3.4± 0.3	24.3 ±2.7	31.5 ±1.2	0.8± 0.4	4.5± 0.7	2± 0.8	0.3± 0.1	0.8± 0.1	0.6± 0.1	0.6± 0.2	0.2± 0.2	1.9± 0.6	1.3± 0.5	4.1± 1.5	10.6± ±1.7	0.3± 0		1.1± 0.2	3.6± 0.5		1.8± 0.5	0.3± 0.3	
LAMRCO (n=14)	5.5± 0.6	0.3± 0.1		4.4± 0.6	23.9 ±6.8	28.4 ±3.1	1.3± 0.4	2.7± 0.4	3.4± 0.8	0.3± 0.1	1± 0.2	0.6± 0.1	0.4± 0.2	0.1± 0.1	3.7± 0.8	1.3± 0.3	5.7± 1.3	8.7± 1.7	0.4± 0.1		1.8± 0.4	3.3± 0.8		2.1± 0.6	0.4± 0.2	0.4± 0.1
LAMRDS (n=15)	4.8± 0.1		0.3± 0±0	3.6± 0.4	23.4 ±1.7	32.7 ±1.3	1.1± 0.2	3.4± 0.5	2.3± 0.3	0.2± 0	0.9± 0.1	0.7± 0	0.2± 0.1	5.4± 0.9	0± 0.1	1.2± 0.1	3.4± 0.8	8.2± 0.7	0.4± 0.1		2± 0.4	3.5± 0.3		1.8± 0.3	0.5± 0.3	
LAMRHL (n=14)		0.3± 6±1		3.5± 0.5	26.5 ±6	26.2 ±3.9	0.6± 0.1	3.7± 0.8	1± 0.3	0.2± 0.1	0.9± 0.1	0.8± 0.2	1.6± 0.6	0.4± 0.1	3± 0.6	1.9± 0.4	4.6± 0.8	10.5± ±1.9	0.4± 0		1± 0.3	3.9± 1		1.9± 0.5	0.3± 0.2	1.4± 0.4
LAMRIK (n=15)	4.9± 0.2	0.1± 0		3.6± 0.4	26.4 ±2.9	33± 1	1± 0.2	4.1± 0.6	2± 0.4	0.2± 0.1	0.9± 0.1	0.7± 0.1	0± 0.1	0.5± 0.1	2.6± 1.4	1.3± 0.3	4.4± 1.3	7.7± 1.2	0.1± 0.2		1.3± 0.4	3.2± 0.6		1.5± 0.2	0.2± 0.4	
LAMRNQ (n=9)	4.8± 0.1	0.2± 0		2.7± 0.4	29.6 ±3.8	32.2 ±0.9	0.5± 0.1	5.1± 0.8	0.9± 0.2	0.1± 0	0.8± 0.1	0.9± 0	1.2± 0.2	0.3± 0.1	2.8± 0.7	1.3± 0.3	4.6± 1.3	6± 1.2	0.3± 0		0.9± 0.1	2.4± 0.3		1.2± 0.3	0.4± 0.2	0.6± 0.2
LAMVUB (n=15)	4.9± 0.3	0.2± 0		3.6± 0.4	24.6 ±1.9	33.4 ±0.5	0.2± 0.1	4.8± 0.4	0.4± 0.1		0.9± 0	1± 0.1	2.8± 0.5	1± 0.2	4± 0.4	2.4± 0.3	4± 1.4	6.7± 1	0.4± 0		0.5± 0.1	2.3± 0.4		1.3± 0.3	0.6± 0.2	
LAMYDP (n=14)	5.1± 0.5	0.2± 0.1		4± 0.8	23.1 ±2.3	31.7 ±1.1	1.2± 0.1	4.1± 0.5	2.4± 0.3	0.3± 0	0.9± 0.1	0.6± 0	0.3± 0.1		2.5± 0.4	1.3± 0.3	4.1± 0.8	10.3± ±1.6	0.3± 0.1		1.3± 0.3	3.6± 0.7		2.1± 0.5	0.4± 0.2	
LANBCH (n=14)	4.7± 0.8	0.2± 0.1	0±0	3.4± 0.4	25± 3.9	32.7 ±1.5	0.8± 0.2	4.7± 0.5	1.5± 0.5	0.2± 0.1	0.8± 0.1	0.7± 0.1	0.5± 0.2	0.2± 0.1	2.3± 0.4	1.5± 0.2	3.5± 0.5	9.2± 1.8	0.3± 0	0±0	1.3± 0.4	3.7± 0.9	0±0	2± 0.6	0.5± 0.1	0.3± 0

LANCEG (n=4)	4.9± 0.1	0.1± 0.1		3.3± 0.2	23.8 ±1.2	33.2 ±0.5	0.9± 0.1	3.7± 0.4	2± 0.3	0.3± 0	0.8± 0	0.7± 0	0.2± 0.1	5.5± 0.2	0.2± 0.1	0.7± 0.1	1.5± 0.4	10.8 ±0.4	0.3± 0.1		1.2± 0.1	3.8± 0.2		1.7± 0.2		
LANCOX (n=10)	5.1± 0.7	0.2± 0.1		3.1± 0.2	25± 2.5	35.5 ±1.3	0.7± 0.1	4.1± 0.3	2.1± 0.3	0.3± 0	0.8± 0.1	0.7± 0		7.2± 2.4	0.2± 0.1	0.6± 0.1	1.6± 0.3	7.3± 1.5	0.3± 0.1		0.9± 0.4	2.7± 0.7	0± 0.1	1.4± 0.5		
LANFEF (n=15)	5.1± 0.3	0.1± 0.1		3.5± 0.4	27.2 ±1	34.3 ±1.1	0.2± 0.1	4.5± 0.9	0.3± 0		0.8± 0.1		2.5± 0.3	0.8± 0.2	3.5± 0.5	1.6± 0.4	3.3± 1.4	5.5± 0.5	0.2± 0.1		1± 0.1	2.2± 0.3		1.1± 0.1	0.8± 0.2	0.9± 0
LANMGC (n=15)	5.6± 0.9	0.2± 0.1		4± 0.5	25.1 ±1.9	33.1 ±1.8	1± 0.2	4.3± 0.3	2.1± 0.2	0.2± 0	0.9± 0.1	0.7± 0	0.2± 0		7.9± 1.3	3.6± 0.7	1.4± 0.5	3.7± 1.3	0.3± 0		0.7± 0.2	1.5± 0.6		0.8± 0.4	2.4± 0.6	
LANMOM (n=10)	5.4± 0.4	0.2± 0		2.8± 0.2	26.9 ±3.1	31.8 ±1.3	0.8± 0.2	4.9± 0.5	1.4± 0.4	0.2± 0.1	0.8± 0.1	0.7± 0.1	0.6± 0.3	0.2± 0.1	2± 0.3	1.2± 0.2	3.9± 0.5	8.6± 1.5	0.3± 0		1.2± 0.2	3.7± 0.7		1.5± 0.4	0.4± 0.1	0.3± 0.1
LANPMZ (n=13)	4.8± 0.6	0.2± 0.1		3.7± 0.3	26.2 ±1.4	34.4 ±1	0.3± 0.1	5± 0.4	0.5± 0.1	0.1± 0	0.9± 0	0.9± 0.1	1.5± 0.3	0.5± 0.2	3± 0.2	2± 0.3	2.7± 0.3	6.9± 0.8	0.4± 0		0.8± 0.2	2.8± 0.6		1.5± 0.3	0.7± 0.1	1± 0.1
LANTLE (n=15)	5± 0.4	0.2± 0.1		2.4± 0.4	26.7 ±4	32.7 ±1.2	0.4± 0.3	6.1± 0.8	1± 0.5	0.1± 0.1	0.6± 0.1	0.8± 0.2	1.4± 1	0.5± 0.5	2.5± 0.5	1.7± 0.4	3.9± 1.4	7.9± 1.9	0± 0.1		0.7± 0.4	3.3± 0.8		1.5± 0.4	0.1± 0.2	0.4± 0.2
LANTSP (n=12)	4.9± 0.2	0.2± 0	0.1± 0	3.3± 0.3	35.9 ±6.9	26.8 ±4	0.8± 0.2	4.6± 0.9	1.1± 0.4	0.2± 0.1	0.9± 0.1	0.9± 0.2	0.8± 0.3	0.2± 0.1	2.1± 0.4	1.2± 0.2	3.4± 0.9	6.6± 1.8	0.4± 0		1± 0.4	2.5± 0.7		1.3± 0.4	0.4± 0.2	0.4± 0.3
LANUCB (n=14)	5± 0.5	0.3± 0		2.9± 0.4	28.2 ±4.5	28.8 ±2.2	1.5± 0.6	3.8± 0.8	2.7± 1.5	0.4± 0.3	0.7± 0.1	0.7± 0.1	0.5± 0.5	0.1± 0.1	2.2± 0.7	1.1± 0.3	5.7± 1.9	9.2± 1.4	0.2± 0.1		0.9± 0.3	3.3± 0.5		1.3± 0.4	0± 0.1	0.6± 0.5
LAOBGQ (n=15)	5.2± 0.4	0.2± 0.1		3.5± 0.3	31.8 ±7.9	29.2 ±4.2	1.2± 0.4	3.9± 0.6	2.5± 0.7	0.4± 0.2	0.8± 0.1	0.7± 0.1	0.2± 0.2		2.1± 0.9	1.1± 0.5	3.9± 0.6	7.3± 1.5	0.2± 0.2		1.1± 0.3	2.9± 0.6		1.4± 0.4	0.1± 0.3	0.1± 0.1
LAOHLR (n=14)	5.1± 0.2	0.2± 0		3.5± 0.3	26.5 ±6.1	33± 2.7	1.1± 0.2	3.7± 0.7	2.1± 0.4	0.2± 0	0.9± 0.1	0.7± 0.1	0.1± 0.1		4.1± 1.6	1.4± 0.5	5.3± 0.8	6.8± 1.2	0.3± 0.1		0.8± 0.2	2.3± 0.4		1.2± 0.3	0.3± 0.3	
LAOJAT (n=15)	5.1± 0.5	0.1± 0.1		2.8± 0.7	28.7 ±4	34± 1.8	0.6± 0.1	5± 0.8	1.3± 0.4	0.1± 0.1	0.6± 0.1	0.8± 0.1	0.7± 0.4	0.1± 0.2	1.5± 0.5	0.9± 0.2	4.3± 0.7	7.9± 1.3			0.8± 0.3	2.9± 0.4		1.4± 0.3	0±0 0.1	
LAOKLP (n=15)	4.7± 0.4	0.2± 0		3.1± 0.2	26± 2.2	32.5 ±1.3	0.2± 0	5.2± 0.5	0.3± 0		0.8± 0		2.5± 0.7	1± 0.2	3.5± 0.4	2.1± 0.3	4.4± 1.6	6.5± 0.9	0.3± 0		0.5± 0.1	2.5± 0.6		1.2± 0.3	0.5± 0.2	1.1± 0.6
LAOKTE (n=15)	4.7± 0.3	0.2± 0.1	0.1± 0	2.8± 0.4	27.1 ±7.8	31.4 ±2.3	0.5± 0.3	5.5± 1.7	0.9± 0.6	0.1± 0.1	0.8± 0.1	0.8± 0.1	1.2± 0.7	0.4± 0.2	2.5± 0.8	1.6± 0.4	4.1± 2.2	8.2± 2.9	0.3± 0.1		0.9± 0.4	3.3± 1		1.6± 0.6	0.4± 0.2	0.5± 0.2
LAPKLS (n=12)	5.2± 0.3	0.2± 0.1	0±0	3.7± 0.5	23.8 ±1.9	33.6 ±0.7	0.9± 0.1	4.1± 0.5	1.9± 0.4	0.2± 0.1	0.8± 0.1	0.7± 0	0.4± 0.3	0.1± 0.1	3.1± 0.5	1.5± 0.4	6± 2.3	7.9± 1.5	0.2± 0.1		0.8± 0.3	2.6± 0.7		1.4± 0.5	0.3± 0.3	0.4± 0.2
LAPKXM (n=15)	4.6± 0.3	0.2± 0	0±0	3.2± 0.3	26.1 ±2	32± 0.9	0.7± 0.2	5.2± 0.5	1.2± 0.4	0.2± 0.1	0.8± 0.1	0.8± 0.1	0.9± 0.7	0.3± 0.3	2.3± 0.4	1.7± 0.2	3.1± 0.7	9.8± 2	0.3± 0		0.9± 0.3	3.4± 0.7		1.4± 0.4	0.4± 0.3	0.5± 0.2
LAPKZJ (n=15)	5.1± 0.5	0.1± 0.1	0±0	3.6± 0.4	24.6 ±1.9	31.8 ±1.6	0.4± 0.2	4.7± 0.7	0.6± 0.3		0.8± 0.1	0.9± 0.2	2.1± 0.8	0.8± 0.4	3.4± 0.5	2.1± 0.5	4.9± 2.1	7.7± 1.1	0.2± 0.2		0.6± 0.3	2.8± 0.5		1.4± 0.3	0.4± 0.5	1± 0.2
LAPWJD (n=14)	5.1± 0.4	0.1± 0.1	0±0	3.6± 0.1	27± 0.9	34± 0.7	0.3± 0.1	4.9± 0.2	0.5± 0.1		0.8± 0.1	0.9± 0.1	1.6± 0.4	0.6± 0.2	3.4± 0.2	2.2± 0.2	2.5± 0.3	6.2± 0.3	0.2± 0.2		0.7± 0.1	2.5± 0.2		1.3± 0.1	0.7± 0.1	0.8± 0.1

LAPWLP (n=14)	4.5± 0.4	0.2± 0	0±0	3± 0.3	32.5 ±6.3	23.1 ±3.7	0.5± 0.3	5.1± 0.8	0.5± 0.3	0.1± 0.1	0.8± 0.1	1.2± 0.2	2.5± 0.9	0.9± 0.4	2.2± 0.4	1.8± 0.4	3.5± 0.7	10± 2.3	0.3± 0	0±0	0.7± 0.2	3.6± 1	0±0	1.7± 0.6	0.2± 0.2	1.3± 0.4
LAQYTA (n=15)	5.6± 0.2	0±0	0±0	3.3± 0.3	24.7 ±1.3	31.5 ±1.3	1.3± 0.2	4.1± 0.5	2.1± 0.3	0.1± 0.1	0.7± 0.1	0.6± 0	0.2± 0.2	0±0	3.6± 1.6	1.6± 0.8	5.8± 2.6	8.2± 1.4	0±0	0±0	1± 0.2	2.9± 0.5	0±0	1.4± 0.3	0.5± 0.7	0.5± 0.2
LAQYUT (n=15)	5.5± 0.3	0.2± 0	0±0	3.3± 0.3	26.6 ±4	33.4 ±1.5	1± 0.2	4± 0.6	2.2± 0.5	0.2± 0.1	0.7± 0.1	0.6± 0.1	0.1± 0.1	0±0	3.7± 2.1	1.5± 0.8	4.1± 1.4	7.1± 1.5	0.1± 0.1	0±0	1.1± 0.2	2.4± 0.5	0±0	1.3± 0.3	0.5± 0.6	0.2± 0.2
LAQYWQ (n=15)	5.6± 0.2	0.2± 0.1	0±0	3.9± 0.5	26.9 ±6	30.3 ±2.1	1.3± 0.4	4.1± 0.6	2.5± 0.8	0.3± 0.1	0.8± 0.1	0.6± 0.1	0.2± 0.2	0±0	2.3± 1.1	1.1± 0.6	6.5± 3	7.9± 2	0.1± 0.1	0±0	0.8± 0.4	2.5± 0.7	0±0	1.4± 0.6	0.2± 0.4	0.2± 0.2
LAQZME (n=12)	5.3± 0.7	0.2± 0.1	0±0	2.5± 0.2	33.3 ±6.9	24.1 ±4.6	0.5± 0.1	4.1± 0.5	0.9± 1	0.2± 0.1	0.7± 0.1	1.1± 0.4	1.3± 1.1	0.6± 0.3	2.7± 0.2	1.8± 0.3	5.6± 0.5	8.2± 1.2	0.3± 0	0±0	0.7± 0.3	3± 0.5	0±0	1.6± 0.6	0.1± 0.1	1.4± 1.1

Table 43: Fatty acid profiles of one T2 seed batch per event harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T2 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LALHCY (n=1)	7.6	1.1	0.7	2.3	19.7	25.6	0.9	6.3	3.6	0.7	0.8	0.6	0.0	0.0	1.2	1.1	3.9	10.4	0.0	0.0	1.0	7.0	0.0	3.4	0.0	0.0
LALIAO (n=1)	5.1	0.2	0.0	3.1	23.3	31.4	0.8	4.2	1.4	0.2	0.8	0.7	0.7	0.1	2.4	1.5	5.7	13.2	0.4	0.0	0.6	2.7	0.0	1.1	0.0	0.4
LALJKA (n=1)	5.6	0.3	0.0	2.1	22.4	34.6	0.5	6.2	2.6	0.6	0.6	0.6	0.2	0.1	1.0	0.7	2.9	9.4	0.3	0.0	1.6	4.9	0.0	2.3	0.4	
LALLTL (n=1)	5.4	0.3	0.0	3.6	24.5	31.8	0.9	5.0	1.7	0.3	0.8	0.0	0.3	0.2	2.8	1.9	2.8	8.6	0.3	0.0	1.7	3.7	0.0	2.2	1.1	
LALQAM (n=1)	7.1	0.5	0.0	3.9	21.1	30.2	0.8	4.0	1.7	0.2	0.8	0.5	0.5	0.2	2.3	1.2	6.2	10.4	0.3	0.0	1.3	4.3	0.0	2.2	0.3	0.0
LALQDS (n=1)	5.3	0.3	0.0	3.4	25.3	35.7	0.7	6.1	1.4	0.3	0.8	0.0	0.3	0.2	1.6	1.2	2.4	8.3	0.4	0.0	0.9	3.4	0.0	1.5	0.4	0.0
LALRCQ (n=1)	5.0	0.3	0.0	3.6	23.0	32.7	1.0	4.0	2.3	0.3	0.8	0.6	0.3	0.1	3.5	1.5	3.8	8.4	0.3	0.0	2.0	3.5	0.0	2.1	0.9	0.0
LALWKF (n=1)	5.5	0.3	0.0	3.7	23.0	29.0	1.4	3.4	2.9	0.4	0.8	0.6	0.3	0.1	1.9	1.2	5.9	11.3	0.3	0.0	1.2	3.9	0.0	2.4	0.2	0.0
LAMABL (n=1)	4.6	0.3	0.0	3.7	24.3	31.5	1.4	3.4	2.8	0.3	0.9	0.6	0.2	0.0	1.1	0.6	7.3	10.1	0.3	0.0	1.2	3.6	0.0	1.5	0.0	0.0
LAMCKI (n=1)	5.1	0.2	0.0	3.4	25.6	33.0	1.1	4.2	2.0	0.3	0.8	0.6	0.1	0.0	3.9	1.8	3.1	7.7	0.3	0.0	1.3	3.0	0.0	1.5	0.9	
LAMCLE (n=1)	4.8	0.2	0.0	3.9	22.2	31.9	1.3	3.3	3.1	0.4	0.9	0.6	0.0	0.0	2.0	1.1	3.8	10.5	0.0	0.0	2.8	4.3	0.0	2.8	0.0	0.0
LAMCLF (n=1)	5.2	0.3	0.0	3.8	24.0	27.7	1.7	3.1	3.1	0.3	0.8	0.5	0.7	0.0	1.9	0.9	7.5	11.2	0.3	0.0	1.3	3.6	0.0	1.9	0.2	0.0
LAMEUB (n=1)	5.4	0.4	0.0	4.7	26.2	27.5	1.0	3.4	1.5	0.2	1.0	0.7	1.2	0.3	2.6	1.8	3.8	11.1	0.3	0.0	0.8	3.6	0.0	2.2	0.3	0.0
LAMEUU (n=1)	10.9	1.2	1.0	2.9	16.4	27.3	0.0	8.4	2.3	0.7	1.0	0.7	0.0	0.0	1.1	0.7	4.5	6.6	0.3	0.0	1.4	6.3	0.0	4.5	0.0	0.0
LAMFJO (n=1)	5.5	0.4	0.0	2.4	26.8	30.6	0.2	7.3	0.4	0.1	0.6	0.8	2.1	1.0	1.7	1.4	2.8	7.4	0.2	0.0	0.9	4.5	0.0	1.8	0.5	0.5
LAMIRY (n=1)	5.1	0.3	0.0	3.7	23.0	30.3	0.7	4.5	1.4	0.2	0.8	0.7	1.1	0.3	2.4	1.6	4.4	11.6	0.3	0.0	1.1	3.7	0.0	2.0	0.5	0.0

125

PF 77877

LAMJIC (n=1)	6.3	0.3	0.0	2.9	24.5	28.3	0.7	6.4	1.3	0.3	0.7	0.7	0.7	0.2	2.7	1.7	4.9	9.4	0.3	0.0	1.1	4.3	0.0	1.8	0.5	0.0
LAMPJB (n=1)	4.9	0.2	0.0	3.2	24.2	32.0	1.1	4.0	2.7	0.4	0.8	0.7	0.0	0.0	2.2	1.1	4.0	10.3	0.0	0.0	1.8	4.0	0.0	2.4	0.0	0.0
LAMQDL (n=1)	4.3	0.2	0.0	2.4	24.7	28.5	0.2	6.1	0.5	0.1	0.8	1.1	2.6	1.4	3.6	2.9	2.5	9.4	0.4	0.0	0.7	4.7	0.0	1.3	0.8	1.1
LAMQNE (n=1)	7.6	0.4	0.0	2.7	25.4	30.7	0.7	4.7	1.4	0.2	0.7	0.6	0.5	0.2	3.0	1.5	3.6	7.8	0.3	0.0	1.4	3.7	0.0	1.7	0.8	0.3
LAMQSF (n=1)	5.4	0.3	0.0	3.8	20.3	30.2	0.5	3.9	3.6	0.5	0.8	0.6	0.4	0.1	1.3	0.9	6.1	13.3	0.3	0.0	1.0	4.0	0.0	2.4	0.0	0.0
LAMRCO (n=1)	6.7	0.4	0.0	4.2	14.8	26.6	1.0	2.4	4.7	0.5	1.0	0.4	0.3	0.0	3.9	1.5	6.7	12.3	0.4	0.0	2.6	5.3	0.0	3.5	0.5	0.0
LAMRDS (n=1)	4.9	0.0	0.0	3.4	20.9	31.3	1.4	2.7	2.7	0.2	0.9	0.6	0.3	6.6	0.0	1.2	4.0	9.1	0.3	0.0	2.7	3.8	0.0	2.1	0.7	0.0
LAMRHL (n=1)	6.4	0.3	0.0	4.0	19.7	23.4	0.8	2.6	1.1	0.2	1.0	0.7	1.9	0.5	4.4	2.7	4.7	13.7	0.3	0.0	1.3	5.0	0.0	2.8	0.6	1.8
LAMRJK (n=1)	5.0	0.2	0.0	3.6	25.5	31.1	1.5	4.3	2.6	0.4	0.9	0.7	0.0	0.0	2.8	1.4	4.0	9.5	0.0	0.0	1.3	3.8	0.0	1.7	0.0	
LAMRNQ (n=1)	5.0	0.2	0.1	3.1	23.5	31.7	0.6	4.2	1.2	0.2	0.8	0.8	1.4	0.4	3.4	1.8	5.5	8.5	0.3	0.0	1.1	3.0	0.0	1.8	0.5	0.9
LAMVUB (n=1)	4.3	0.2	0.0	3.2	21.9	33.5	0.2	4.8	0.4	0.1	0.8	1.0	3.0	1.2	3.7	2.4	4.7	8.4	0.3	0.0	0.6	3.0	0.0	1.7	0.6	
LAMYDP (n=1)	3.4	0.1	0.0	2.9	19.2	29.9	1.1	4.6	2.8	0.4	0.7	0.7	0.4	0.1	2.0	1.5	4.2	14.1	0.3	0.0	1.9	5.7	0.0	3.3	0.5	0.2
LANBCH (n=1)	3.7	0.1	0.0	3.2	19.5	31.2	1.0	4.7	2.2	0.4	0.8	0.7	0.3	0.0	1.9	1.6	4.5	12.5	0.3	0.0	2.1	5.7	0.0	3.2	0.0	0.3
LANCEG (n=1)	5.0	0.0	0.0	3.7	22.4	33.6	0.8	4.1	2.0	0.3	0.9	0.6	0.1	5.5	0.4	0.7	1.3	11.2	0.2	0.0	1.2	4.0	0.0	2.0	0.0	0.0
LANCOX (n=1)	4.9	0.2	0.0	3.2	22.1	33.9	0.6	4.4	2.3	0.4	0.8	0.6	0.0	4.9	0.3	0.8	1.6	10.5	0.3	0.0	1.4	4.1	0.0	2.6	0.0	0.0
LANFEF (n=1)	5.3	0.0	0.0	2.5	28.8	32.0	0.0	6.0	0.3	0.0	0.6	1.0	2.7	1.1	2.7	1.6	2.4	6.3	0.0	0.0	1.0	2.9	0.0	1.1	0.9	0.8
LANMGC (n=1)	5.2	0.2	0.0	3.4	25.2	33.1	1.0	4.1	2.2	0.2	0.8	0.6	0.2	0.0	5.1	2.3	2.7	6.5	0.3	0.0	1.1	2.6	0.0	1.4	1.3	0.0
LANPMZ (n=1)	3.6	0.1	0.0	3.1	22.5	32.7	0.3	5.8	0.4	0.1	0.8	1.0	2.0	0.8	3.0	2.6	2.7	8.8	0.4	0.0	1.2	4.1	0.0	2.2	0.9	1.0
LANMOM (n=1)	5.3	0.2	0.0	2.8	19.6	32.5	0.8	4.5	2.2	0.4	0.7	0.6	0.4	0.2	2.3	1.6	4.3	11.9	0.3	0.0	1.5	4.6	0.0	2.5	0.4	0.3
LANTLE (n=1)	4.4	0.3	0.0	2.3	19.0	31.5	0.5	5.3	1.6	0.3	0.6	0.7	1.4	0.7	3.2	2.5	5.1	11.6	0.2	0.0	1.0	4.7	0.0	2.6	0.2	0.4
LANTSP (n=1)	5.3	0.2	0.0	2.9	23.5	32.1	0.8	4.6	1.9	0.3	0.7	0.7	0.4	0.1	2.3	1.5	3.6	9.9	0.3	0.0	1.8	3.9	0.0	2.3	0.6	0.1
LANUCB (n=1)	4.8	0.3	0.0	3.4	25.7	27.9	2.1	3.6	4.2	0.6	0.8	0.7	0.1	0.0	1.9	1.1	4.2	10.7	0.3	0.0	1.3	4.0	0.0	1.9	0.0	0.3
LAOBGQ (n=1)	4.8	0.2	0.0	3.4	23.0	34.0	0.9	3.9	2.0	0.2	0.9	0.7	0.4	0.0	2.4	1.2	4.8	9.2	0.4	0.0	1.6	3.8	0.0	1.9	0.0	0.2
LAOHLR (n=1)	5.5	0.2	0.0	3.2	21.7	34.5	1.1	3.2	2.3	0.2	0.8	0.6	0.0	0.0	4.6	1.6	6.0	8.4	0.3	0.0	1.1	2.6	0.0	1.6	0.3	0.0
LAOJAT (n=1)	5.3	0.2	0.0	2.9	22.5	34.1	0.8	5.0	2.3	0.4	0.6	0.6	0.4	0.0	2.1	1.3	4.3	10.3	0.0	0.0	1.0	3.6	0.0	2.0	0.0	0.2
LAOKLP (n=1)	5.0	0.2	0.0	3.1	22.9	32.5	0.2	5.5	0.4	0.1	0.8	1.0	3.0	1.3	3.2	2.5	3.4	8.4	0.3	0.0	0.7	3.3	0.0	1.8	0.6	0.0
LAOKTE (n=1)	4.9	0.2	0.0	2.6	21.3	29.8	0.9	4.6	1.9	0.3	0.7	0.6	0.3	0.2	2.3	1.6	5.4	12.6	0.3	0.0	1.4	4.8	0.0	2.4	0.4	0.3
LAPKLS (n=1)	5.7	0.3	0.0	3.8	20.0	32.5	1.1	3.9	3.0	0.4	0.8	0.6	0.0	0.0	3.1	2.0	4.0	10.6	0.2	0.0	1.4	3.5	0.0	2.3	0.6	0.1
LAPKXM (n=1)	4.4	0.2	0.0	3.6	23.0	33.1	0.8	4.3	1.7	0.2	0.9	0.7	0.5	0.0	2.3	1.6	4.3	13.3	0.4	0.0	0.6	2.5	0.0	1.2	0.0	0.3
LAPKZI (n=1)	4.8	0.1	0.0	3.7	23.2	30.4	0.4	4.7	0.6	0.1	0.9	1.0	2.2	0.9	3.4	2.7	2.9	9.2	0.4	0.0	0.9	3.7	0.0	1.9	0.8	1.1
LAPWJD (n=1)	5.5	0.1	0.0	3.5	25.6	35.2	0.4	4.6	0.7	0.0	0.8	0.8	1.5	0.6	3.4	2.1	2.7	6.6	0.2	0.0	0.8	2.4	0.0	1.4	0.6	0.7
LAPWLP (n=1)	4.5	0.1	0.0	2.9	28.2	18.2	0.5	4.7	0.5	0.2	0.8	1.2	2.9	1.1	1.9	2.1	3.6	15.9	0.4	0.0	0.7	4.8	0.0	3.2	0.0	1.7
LAQYTA (n=1)	5.3	0.0	0.0	3.0	24.8	30.1	1.2	4.3	2.1	0.1	0.7	0.6	0.4	0.0	2.1	1.1	7.5	10.2	0.0	0.0	0.9	3.7	0.0	1.5	0.0	0.5
LAQYUT (n=1)	5.6	0.2	0.0	3.5	21.5	32.5	1.4	3.0	3.1	0.3	0.7	0.6	0.0	0.0	4.6	1.6	6.8	8.9	0.0	0.0	1.0	2.6	0.0	1.6	0.0	0.3
LAQYWQ (n=1)	5.8	0.3	0.0	4.3	22.3	30.0	2.1	3.6	4.1	0.6	0.8	0.5	0.3	0.0	1.7	1.1	3.8	11.5	0.0	0.0	1.5	3.5	0.0	1.9	0.0	0.1
LAQZME (n=1)	6.3	0.3	0.0	2.5	21.7	30.7	0.7	3.3	2.7	0.4	0.6	0.6	0.7	0.2	2.7	1.6	6.4	10.3	0.3	0.0	1.2	3.8	0.0	2.6	0.1	0.2

Table 44: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 41. The number of T1 plants fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=296)	4.9 ± 0.5	0.2 ± 0.1	0 ± 0	3.2 ± 0.6	28.5 ± 5.4	31 ± 4	0.5 ± 0.3	4.7 ± 1	0.8 ± 0.5	0.1 ± 0.1	0.8 ± 0.1	0.9 ± 0.2	1.6 ± 0.9	0.7 ± 1.2	2.7 ± 0.9	1.6 ± 0.6	4.6 ± 2.3	7.2 ± 1.9	0.3 ± 0.1	0 ± 0	0.7 ± 0.3	2.7 ± 0.7	0 ± 0	1.3 ± 0.4	0.3 ± 0.3	0.9 ± 0.5
dc (n=198)	5.1 ± 0.6	0.2 ± 0.1	0 ± 0	3.5 ± 0.6	23.7 ± 3.1	32.2 ± 2.5	1.1 ± 0.3	4.1 ± 0.7	2.3 ± 0.6	0.3 ± 0.1	0.8 ± 0.1	0.6 ± 0.1	0.3 ± 0.2	0.4 ± 1.4	3 ± 2	1.6 ± 0.8	4 ± 1.8	9.1 ± 2.8	0.3 ± 0.1	0 ± 0	1.4 ± 0.5	3.4 ± 1.2	0 ± 0	1.8 ± 0.6	0.6 ± 0.7	0.3 ± 0.2
tc (n=2)	5.6 ± 0.4	0.3 ± 0	0 ± 0	4.4 ± 0.7	22 ± 1.5	30.2 ± 0.1	1.6 ± 0.7	3.6 ± 1.2	3.1 ± 0.7	0.4 ± 0.1	0.9 ± 0	0.6 ± 0	0.3 ± 0.1	0.1 ± 0.1	3.5 ± 1.5	1.7 ± 0.4	3.4 ± 1.1	9.7 ± 3	0.3 ± 0	0 ± 0	1.6 ± 0.2	3.6 ± 1.4	0 ± 0	2.2 ± 0.7	0.7 ± 0	

Table 45: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 41. For each category, the fatty acid profile of the plant having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1n -7	16:3n -3	18:0	18:1n -9	18:2n -6	18:2n -9	18:3n -3	18:3n -6	18:4n -3	20:0	20:1n -9	20:2n -6	20:3n -3	20:3n -6	20:4n -3	20:4n -6	20:5n -3	22:0	22:1n -9	22:4n -6	22:5n -3	22:5n -6	22:6n -3	unknown peak a	unknown peak b
sc (n=1)	5.3	0.3	0.0	3.2	26.0	32.3	0.6	4.5	1.0	0.2	0.8	0.8	1.1	0.4	1.8	1.1	5.7	9.3	0.4	0.0	0.7	3.2	0.0	1.4	0.0	0.0
dc (n=1)	4.5	0.1	0.0	2.9	28.2	18.2	0.5	4.7	0.5	0.2	0.8	1.2	2.9	1.1	1.9	2.1	3.6	15.9	0.4	0.0	0.7	4.8	0.0	3.2	0.0	1.7
tc (n=1)	3.5	0.1	0.0	2.7	18.2	26.4	0.4	4.6	0.9	0.2	0.7	0.9	2.0	0.7	2.2	1.9	5.5	16.7	0.3	0.0	1.2	6.6	0.0	3.3	0.2	1.0

Table 46: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were rated per event. DFF: days to first flower (days), DF:

deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes(#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
LALHCY (n=15)	59.3 ± 2.6	1 ± 0	1 ± 0	1 ± 0	1.3 ± 0.5	3 ± 0	3 ± 0	5 ± 0	1.7 ± 1.1	4 ± 0	136 ± 3.9	4.7 ± 0.2	3.3 ± 1.1
LALIAO (n=15)	65.9 ± 3.2	1 ± 0	1.2 ± 0.8	1.3 ± 0.5	1.8 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1.3 ± 1.3	3.5 ± 0.9	124.3 ± 3.7	4 ± 0.5	3 ± 0.7
LALJKA (n=15)	62.1 ± 5.5	1 ± 0	1 ± 0	1.1 ± 0.3	2.5 ± 2.2	3 ± 0	3 ± 0	5 ± 0	1.6 ± 1.8	3.6 ± 0.7	126 ± 5.1	4.6 ± 0.2	3.4 ± 2
LALLTL (n=11)	55.3 ± 2.2	1 ± 0	1 ± 0	1 ± 0	1.5 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1.2 ± 0.6	4 ± 0	128.6 ± 5.5	4.5 ± 0.2	2.2 ± 1.2
LALQAM (n=15)	58.3 ± 2.8	1 ± 0	1 ± 0	1 ± 0	2.7 ± 2.1	3 ± 0	3 ± 0	5 ± 0	2.1 ± 2.3	4 ± 0	133.7 ± 4	4.8 ± 0.2	4.7 ± 1.8
LALQDS (n=14)	54.5 ± 3.1	1 ± 0	1 ± 0	1.6 ± 0.9	2.6 ± 1.8	3 ± 0	3 ± 0	5 ± 0	1.9 ± 1.6	4 ± 0	127.1 ± 5.4	4.6 ± 0.2	3.4 ± 1.4
LALRCQ (n=14)	61.7 ± 1.7	1 ± 0	1 ± 0	1 ± 0	2.1 ± 1.1	3 ± 0	3 ± 0	5 ± 0	1.9 ± 1.5	3.7 ± 0.7	127.1 ± 3.8	4.8 ± 0.3	3.3 ± 1.2
LALWKF (n=14)	62.1 ± 3.2	1 ± 0	1.4 ± 1.1	1 ± 0	1.4 ± 0.8	3 ± 0	3 ± 0	5 ± 0	1.2 ± 0.6	4 ± 0	132.9 ± 5.8	4.5 ± 0.2	3.1 ± 0.8
LAMABL (n=8)	56.1 ± 1.6	1 ± 0	2.9 ± 1.6	2.1 ± 0.6	6.5 ± 2	3 ± 0	3 ± 0	5 ± 0	5 ± 2.3	4 ± 0	123.1 ± 4.6	4.1 ± 0.4	5.3 ± 1.6
LAMCKI (n=10)	61.5 ± 2.4	1 ± 0	1 ± 0	1 ± 0	1.6 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	131 ± 3.9	4.1 ± 0.2	2.8 ± 0.6
LAMCLE (n=14)	65.4 ± 1.9	1 ± 0	1.4 ± 1.1	1.5 ± 0.8	2 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1.3 ± 0.6	3.7 ± 0.7	124.3 ± 4.3	4.3 ± 0.3	3 ± 1
LAMCLF (n=9)	66.4 ± 4.3	1 ± 0	1.3 ± 1	1 ± 0	1.1 ± 0.3	3 ± 0	3 ± 0	5 ± 0	1 ± 0	3.1 ± 1.1	121.1 ± 3.3	4 ± 0.5	2.1 ± 0.3
LAMEUB (n=15)	57.7 ± 2.4	1 ± 0	1 ± 0	1.5 ± 0.7	4.5 ± 2.3	3 ± 0	3 ± 0	5 ± 0	3.9 ± 2.3	4 ± 0	128.3 ± 3.6	4.2 ± 0.4	3.1 ± 1
LAMEUU (n=13)	65.8 ± 3.6	1 ± 0	1.5 ± 1.1	1.5 ± 0.9	2.2 ± 1.9	3 ± 0	3 ± 0	5 ± 0	2.1 ± 1.7	3.7 ± 0.8	126.2 ± 4.2	4.2 ± 0.4	3.2 ± 0.7
LAMFJO (n=15)	64.7 ± 2.9	1 ± 0	1.6 ± 1.2	1.1 ± 0.3	3.7 ± 2.4	3 ± 0	3 ± 0	5 ± 0	2.3 ± 1.7	4 ± 0	123.7 ± 3.5	4.1 ± 0.5	4.1 ± 2.4
LAMIRY (n=10)	54.7 ± 2.3	1 ± 0	1 ± 0	1 ± 0	2.2 ± 2.1	3 ± 0	3 ± 0	5 ± 0	1.6 ± 1.9	4 ± 0	123 ± 4.2	4.9 ± 0.2	3.3 ± 1.7
LAMIJC (n=9)	60.1 ± 2.9	1 ± 0	2 ± 1.5	2.7 ± 2.5	5.3 ± 3.1	3 ± 0	3 ± 0	5 ± 0	3.6 ± 2	3.3 ± 1	111.1 ± 26.8	3.9 ± 0.7	4.4 ± 1.1
LAMPJB (n=13)	64.8 ± 2.5	1 ± 0	1.1 ± 0.3	1 ± 0	2.1 ± 0.8	3 ± 0	3 ± 0	5 ± 0	1.5 ± 0.9	4 ± 0	123.5 ± 2.4	4.6 ± 0.3	3.8 ± 1.5
LAMQDL (n=14)	67.9 ± 4.5	1 ± 0	1.2 ± 0.8	1.6 ± 0.8	2.6 ± 2.3	3 ± 0	3 ± 0	5 ± 0	1.6 ± 0.9	4 ± 0	117.1 ± 6.4	3.5 ± 0.4	3.8 ± 1.6
LAMQNE (n=14)	71.9 ± 6.2	1 ± 0	1.2 ± 0.8	1 ± 0	1.5 ± 1.3	3 ± 0	3 ± 0	5 ± 0	1.1 ± 0.5	4 ± 0	119.3 ± 3.3	4.2 ± 0.3	3.6 ± 1.3
LAMQSF (n=14)	61.1 ± 1.8	1 ± 0	1 ± 0	1 ± 0	1.6 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1.1 ± 0.5	4 ± 0	123.9 ± 4	3.9 ± 0.5	2.6 ± 0.7
LAMRCO (n=14)	62.1 ± 2.9	1 ± 0	1 ± 0	1.6 ± 1	2.9 ± 1.7	3 ± 0	3 ± 0	5 ± 0	2.1 ± 1.3	4 ± 0	119.3 ± 4.3	3.9 ± 0.4	3.9 ± 2.1
LAMRDS (n=15)	63.7 ± 2.3	1 ± 0	1.4 ± 1.1	1.1 ± 0.3	1.9 ± 1.4	3 ± 0	3 ± 0	5 ± 0	1.4 ± 1.1	4 ± 0	125.7 ± 3.7	4.4 ± 0.4	2.7 ± 1.3
LAMRHL (n=14)	67.7 ± 4	1 ± 0	1 ± 0	1 ± 0	2.9 ± 2	3 ± 0	3 ± 0	5 ± 0	2.7 ± 2.4	4 ± 0	122.1 ± 2.6	4.1 ± 0.5	4.1 ± 1.1
LAMRJK (n=15)	63.4 ± 2.6	1 ± 0	1.3 ± 1	1 ± 0	3.5 ± 2	3 ± 0	3 ± 0	5 ± 0	2.5 ± 1.6	4 ± 0	124.7 ± 4.4	4.5 ± 0.4	3.8 ± 1.1
LAMRNQ (n=9)	63.1 ± 3	1 ± 0	1 ± 0	1 ± 0	1.1 ± 0.4	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	121.9 ± 2.6	3.8 ± 0.5	2.6 ± 1.3
LAMVUB (n=15)	65.5 ± 3.3	1 ± 0	1 ± 0	1 ± 0	3.3 ± 2.6	3 ± 0	3 ± 0	5 ± 0	2.3 ± 1.9	4 ± 0	124.3 ± 4.2	4.6 ± 0.3	4.2 ± 2.2
LAMYDP (n=14)	64.1 ± 4.6	1 ± 0	1 ± 0	1 ± 0	1.9 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1.4 ± 0.9	4 ± 0	123.2 ± 3.7	4.5 ± 0.3	3.9 ± 1.4
LANBCH (n=14)	64.4 ± 2.8	1 ± 0	1 ± 0	1 ± 0	1.1 ± 0.4	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	123.9 ± 3.5	4.2 ± 0.2	3.1 ± 0.7

LANCEG (n=4)	67.3 ± 3.3	1 ± 0	1 ± 0	1.3 ± 0.5	1.3 ± 0.5	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	123.8 ± 2.5	4.1 ± 0.4	2.5 ± 0.6
LANCOX (n=10)	66.3 ± 3.2	1 ± 0	1 ± 0	1.6 ± 0.8	4.2 ± 2.3	3 ± 0	3 ± 0	5 ± 0	2.9 ± 1.4	3.6 ± 0.8	127.5 ± 2.6	4.6 ± 0.3	4 ± 1.5
LANFEF (n=15)	67.4 ± 2.4	1 ± 0	1.2 ± 0.8	1.1 ± 0.4	1.5 ± 0.6	3 ± 0	3 ± 0	5 ± 0	1.1 ± 0.5	4 ± 0	127 ± 3.2	4.7 ± 0.3	2.9 ± 0.5
LANMGC (n=15)	64.2 ± 2	1 ± 0	1 ± 0	1 ± 0	2.3 ± 2.2	3 ± 0	3 ± 0	5 ± 0	1.7 ± 1.6	4 ± 0	123.7 ± 4	4.4 ± 0.3	3 ± 0.8
LANMOM (n=10)	65.9 ± 3.1	1 ± 0	1 ± 0	1 ± 0	1.4 ± 1	3 ± 0	3 ± 0	5 ± 0	1.1 ± 0.3	4 ± 0	119.5 ± 3.7	3.4 ± 0.7	3.3 ± 1.2
LANPMZ (n=13)	65.3 ± 3.1	1 ± 0	1 ± 0	1 ± 0	1.2 ± 0.4	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	124.2 ± 3.4	4.4 ± 0.2	2.4 ± 0.5
LANTLE (n=15)	55.6 ± 2	1 ± 0	2.5 ± 1.7	3.1 ± 0.9	1.9 ± 1.8	3 ± 0	3 ± 0	5 ± 0	1.3 ± 0.6	3.9 ± 0.5	106 ± 9.3	3.2 ± 0.3	2.6 ± 0.8
LANTSP (n=12)	65.3 ± 3.4	1 ± 0	1 ± 0	1.2 ± 0.4	1.3 ± 0.5	3 ± 0	3 ± 0	5 ± 0	1.2 ± 0.6	4 ± 0	124.6 ± 4	4.1 ± 0.4	3.8 ± 1.3
LANUCB (n=14)	58.3 ± 2.2	1 ± 0	1.2 ± 0.8	2.6 ± 0.6	1.9 ± 0.8	3 ± 0	3 ± 0	5 ± 0	1.4 ± 0.7	4 ± 0	117.9 ± 5.4	3.6 ± 0.3	3.1 ± 1
LAOBGQ (n=15)	67.8 ± 3.4	1 ± 0	1 ± 0	1.1 ± 0.4	1.2 ± 0.4	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	127 ± 3.2	4.2 ± 0.3	3.1 ± 0.6
LAOHLR (n=14)	61.7 ± 2.7	1 ± 0	1 ± 0	1 ± 0	1.1 ± 0.4	3 ± 0	3 ± 0	5 ± 0	1 ± 0	3.9 ± 0.5	123.2 ± 4.2	4.2 ± 0.5	2.8 ± 0.7
LAOJAT (n=15)	60.3 ± 2.8	1 ± 0	1 ± 0	1.4 ± 0.6	1.4 ± 0.5	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	124.3 ± 5	4 ± 0.4	4.8 ± 1.6
LAOKLP (n=15)	62 ± 2.9	1 ± 0	1 ± 0	1.1 ± 0.4	1.9 ± 1.5	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	125.7 ± 3.2	4.1 ± 0.3	3.8 ± 1.9
LAOKTE (n=15)	62.9 ± 3.7	1 ± 0	1.4 ± 1.1	1.7 ± 0.6	2.1 ± 1.1	3 ± 0	3 ± 0	5 ± 0	1.3 ± 1	4 ± 0	122.3 ± 4.2	3.7 ± 0.5	5.6 ± 2.7
LAPKLS (n=12)	66.3 ± 2.7	1 ± 0	1 ± 0	1.7 ± 0.9	1.9 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1.2 ± 0.6	2.8 ± 1	118.3 ± 6.2	4.2 ± 0.3	4.5 ± 1.4
LAPKXM (n=15)	68.2 ± 3.2	1 ± 0	1.2 ± 0.8	1.9 ± 0.7	1.3 ± 0.5	3 ± 0	3 ± 0	5 ± 0	1 ± 0	3.2 ± 1	127.3 ± 2.6	4 ± 0.4	3.5 ± 0.5
LAPKZJ (n=15)	67.9 ± 2.7	1 ± 0	1.2 ± 0.8	1.1 ± 0.3	1.5 ± 0.5	3 ± 0	3 ± 0	5 ± 0	1 ± 0	3.9 ± 0.5	127 ± 3.2	4.2 ± 0.3	3.3 ± 0.8
LAPWJD (n=14)	68.3 ± 2.9	1 ± 0	1 ± 0	1.1 ± 0.4	1.7 ± 0.9	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	126.1 ± 4	4.6 ± 0.3	3.1 ± 0.3
LAPWLP (n=14)	64.9 ± 4	1 ± 0	1.5 ± 1.3	2 ± 1.4	3.6 ± 3	3 ± 0	3 ± 0	5 ± 0	2.6 ± 2.8	3.6 ± 0.9	119.3 ± 8.7	3.5 ± 0.4	4.1 ± 0.9
LAQYTA (n=15)	59.2 ± 3.9	1 ± 0	1.2 ± 0.8	2.6 ± 0.8	2.1 ± 1.5	3 ± 0	3 ± 0	5 ± 0	1.7 ± 1	3.7 ± 0.7	111.3 ± 6.1	3.6 ± 0.3	4.2 ± 1.3
LAQYUT (n=15)	66.3 ± 3	1 ± 0	1 ± 0	1.1 ± 0.3	1.6 ± 0.5	3 ± 0	3 ± 0	5 ± 0	1 ± 0	3.7 ± 0.7	126.3 ± 3	4.3 ± 0.2	3.7 ± 0.6
LAQYWQ (n=15)	66.7 ± 4.6	1 ± 0	1 ± 0	1.6 ± 0.7	2.5 ± 1.8	3 ± 0	3 ± 0	5 ± 0	1.2 ± 0.6	4 ± 0	124 ± 3.9	4.1 ± 0.4	3.8 ± 0.7
LAQZME (n=12)	64.3 ± 4.7	3 ± 3.6	1.8 ± 1.5	1.5 ± 0.5	4.1 ± 3.4	3 ± 0	3 ± 0	5 ± 0	2.8 ± 3.3	4 ± 0	124.2 ± 5.1	4.2 ± 0.4	4.8 ± 2.8

Table 47: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-

1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 41. The number of T1 plants fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf

- 5 (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
sc (n=296)	62.9 ± 4.8	1 ± 0	1.2 ± 0.7	1.4 ± 0.9	2.5 ± 2	3 ± 0	3 ± 0	5 ± 0	1.7 ± 1.6	3.9 ± 0.4	123.9 ± 8	4.2 ± 0.6	3.6 ± 1.6

dc (n=198)	63.4±4.5	1±0.6	1.2±0.7	1.2±0.5	2±1.6	3±0	3±0	5±0	1.6±1.4	3.8±0.5	123.9±10.4	4.2±0.4	3.6±1.6
tc (n=2)	59.5±0.7	1±0	1±0	1±0	1±0	3±0	3±0	5±0	1±0	4±0	125±0	3.7±0.1	3.5±0.7

C. Fatty acid profiles, copy number measurements, and phenotypic observations of T2 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc cultivated in greenhouses during summer

Table 48 shows the copy number analysis of select events. The events comprised one to
5 two homozygous insertions and some had additional insertions still segregating. For
example LANBCH segregated as homozygous for one T-DNA insertions for each construct,
while LANPMZ segregated as homozygous for two T-DNA insertions for each construct.
LALXOL seems to segregate for one insertion of VC-LLM337-1qcz rc, not homozygous,
and for one homozygous insertion of LJB2197-1qcz_F with another copy which was not
10 homozygous with the exception of the region around j-t-StCAT_p2_p-LuPXR, which seems
to be a double copy event homozygous for each copy. For the T2 events selected,
combined DHA and EPA levels were from nine to thirteen percent of the total fatty acids
present in the seed. Whereas the selected T3 events had combined DHA and EPA levels
varying from eleven to twenty three percent, with LALWPA having a DHA level of five
15 percent and an EPA level of eighteen percent with respect to total fatty acid content in the
seed, see Table 50. The selected events exhibited no morphological or anatomical defects
relative to one another or to wild type.

Table 48: Copy number measurement of T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. As the T2 plants underwent two cycles of selecting homozygous plants, all plants of all events are homozygous for all T-DNA insertions. A copy number of ~2 therefore was indicative of one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth. Odd results of 3 and 5 indicate that at least some of the selected T1 plants carry a heterozygous locus.

Event	Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-i-Atss18_c-d6Elo(Pp_GA2) near the right T-DNA border.							Copy number assays targeting the T-DNA of VC-LLM337-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target j-t-PvARC-p3 located near the left T-DNA border and target c-d4Des(Eg_GA) near the right T-DNA border.							
	c-AHAS	j-t-E9-p3-2	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-t-CaMV_p-LuCnl-2	c-d6Elo(Pp_GA)	j-i-Atss18_c-d6Elo(Pp_GA2)	j-t-PvARC-p3	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SNP)	j-i-Atss15_c-o3Des(Pi_GA2)	c-o3Des(Pir_GA)	j-p-VfSBPperm3_c-o3Des(Pir_GA)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Eg_GA)
LANBCH (n=30)	4.0	3.7	4.1	4.0	4.4	4.0	3.8	2.9	3.9				3.8	3.8	3.8
LANPMZ (n=74)	2.0	2.0	2.0	2.0	1.6	2.0	2.0	1.8	2.1				2.0	2.0	2.1
LAOIKC (n=29)	2.1	4.0	3.9	4.2	4.3	4.1	4.3	2.3	2.0				2.1	2.3	2.2
LALHBO (n=29)	4.1	3.9	4.1	4.0	3.9	3.9	3.8	3.9	3.5				3.8	2.1	2.0
LALRCH (n=30)	4.1	3.8	4.0	3.9	3.4	4.1	4.0	3.9	4.1				3.6	3.8	4.0
LALWPA (n=29)	4.0	3.9	4.1	6.0	5.7	4.1	3.9	2.3	3.6				3.5	3.4	3.6
LALXOL (n=15)	2.1	2.1	2.1	4.1	2.7	2.0	2.1	0.9	1.2				1.2	1.1	1.2
LALXVM (n=30)	3.8	3.6	3.9	3.5	1.8	2.0	1.9	2.5	2.5				2.4	2.2	2.3
LALZGS (n=24)	1.9	4.0	3.8	4.0	1.8	2.0	2.0	2.1	2.0				2.0	2.1	2.2
LAMADR (n=44)	4.0	3.9	3.8	4.0	4.6	4.0	3.9	2.5	3.4				3.1	3.0	3.1
LAMQJH (n=30)	4.0	4.0	4.0	3.9	2.9	4.1	4.1	4.5	4.1				4.0	3.9	4.2
LAMQUI (n=36)	2.2	2.1	4.0	3.7	3.5	3.6	3.8	1.5	1.3				2.9	5.2	5.5
LAMRUR (n=30)	3.6	3.7	3.4	3.7	4.1	3.6	3.8	3.7	3.6				3.8	4.3	3.9

LANPSF (n=30)	4.0	4.0	3.8	3.9	4.1	3.9	4.1	1.5	3.5				3.4	4.3	3.9

Table 49: Fatty acid profiles of T3 seeds harvested from T2 cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc The events are indicated in the first column, along with the number of T3 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LANBCH (n=30)	4.5 ± 0.6	0.2 ± 0	0.1 ± 0	4 ± 0.2	22.2 ± 1.1	31.1 ± 0.7	1 ± 0.1	4 ± 0.2	1.8 ± 0.2	0.2 ± 0	0.8 ± 0	0.6 ± 0	0.5 ± 0.1	0.1 ± 0	2.6 ± 0.3	1.8 ± 0.1	3.3 ± 0.1	11.4 ± 0.5	0.3 ± 0		1.7 ± 0.1	4.4 ± 0.2		2.3 ± 0.2	0.6 ± 0.1	0.4 ± 0.1
LANPMZ (n=74)	5 ± 0.4	0.2 ± 0		3.6 ± 0.4	26.3 ± 2.1	35.2 ± 1.6	0.4 ± 0.1	4.6 ± 0.6	0.7 ± 0.2	0.1 ± 0.1	0.8 ± 0.1	0.8 ± 0.1	1.1 ± 0.4	0.3 ± 0.2	2.4 ± 0.3	1.5 ± 0.2	3.1 ± 0.4	7.2 ± 0.8	0.3 ± 0.1		1 ± 0.1	2.9 ± 0.5		1.5 ± 0.3	0.4 ± 0.1	0.5 ± 0.1
LAOIKC (n=29)	5.1 ± 0.6	0.2 ± 0	0.1 ± 0	3.6 ± 0.3	22.1 ± 1.7	30.8 ± 1	0.9 ± 0.1	4 ± 0.3	1.8 ± 0.2	0.2 ± 0	0.8 ± 0.1	0.6 ± 0	0.5 ± 0.1	0.1 ± 0	3.1 ± 0.8	1.6 ± 0.3	5.9 ± 0.5	10.3 ± 0.8	0.3 ± 0		1.3 ± 0.1	4 ± 0.3		1.8 ± 0.2	0.4 ± 0.1	0.3 ± 0
LALHBO (n=29)	4.4 ± 0.3	0.2 ± 0.1		3.9 ± 0.4	19.6 ± 2.3	28.8 ± 1.5	0.6 ± 0.1	4.9 ± 0.3	1.3 ± 0.3	0.2 ± 0.1	0.9 ± 0.1	0.7 ± 0	0.9 ± 0.3	0.3 ± 0.1	2.4 ± 0.3	2 ± 0.2	4.3 ± 0.3	13.4 ± 1.9	0.3 ± 0		1.3 ± 0.2	5.7 ± 0.8		2.7 ± 0.4	0.4 ± 0.1	0.6 ± 0.1
LALRCH (n=30)	4.6 ± 0.2	0.2 ± 0	0.1 ± 0	3.7 ± 0.3	22.3 ± 1.2	30.1 ± 1	0.9 ± 0.1	4.2 ± 0.2	1.6 ± 0.2	0.2 ± 0	0.8 ± 0	0.7 ± 0	0.7 ± 0.2	0.2 ± 0.1	2.7 ± 0.3	1.8 ± 0.2	4 ± 0.4	11.2 ± 0.8	0.3 ± 0		1.8 ± 0.1	4.5 ± 0.4		2.3 ± 0.4	0.6 ± 0.1	0.6 ± 0.2
LALWPA (n=29)	4.4 ± 0.2	0.2 ± 0.1		3.3 ± 0.2	17.3 ± 1.6	25.6 ± 1.4	1 ± 0.1	4.4 ± 0.4	2.3 ± 0.3	0.4 ± 0.1	0.8 ± 0	0.7 ± 0	0.5 ± 0.2	0.2 ± 0	2 ± 0.2	1.6 ± 0.1	5.7 ± 0.7	14.8 ± 1.5	0.4 ± 0		2.1 ± 0.2	7.3 ± 0.8		4 ± 0.7	0.5 ± 0.1	0.3 ± 0.1
LALXOL (n=15)	4.4 ± 0.3	0.2 ± 0		4.4 ± 0.6	21.4 ± 1.1	28.4 ± 1.2	0.4 ± 0.1	3.5 ± 0.3	0.8 ± 0.2	0.1 ± 0	0.9 ± 0.1	0.9 ± 0.1	2.5 ± 0.5	0.5 ± 0.2	2.2 ± 0.3	1.3 ± 0.3	8.7 ± 2.1	11.6 ± 1.3	0.3 ± 0		0.8 ± 0.2	3.5 ± 0.8		1.8 ± 0.4	0.1 ± 0.1	1 ± 0.2
LALXVM (n=30)	4.5 ± 1	0.2 ± 0		3.8 ± 0.4	21.3 ± 1.6	28.8 ± 1.7	0.7 ± 0.2	4.5 ± 0.6	1.2 ± 0.6	0.2 ± 0.1	0.8 ± 0.1	0.8 ± 0.1	1.5 ± 0.8	0.5 ± 0.3	2.7 ± 0.3	1.9 ± 0.3	4.7 ± 0.9	11.7 ± 1.3	0.3 ± 0		1.4 ± 0.4	5.1 ± 0.8		2.3 ± 0.3	0.4 ± 0.2	0.8 ± 0.4
LALZGS (n=24)	4.5 ± 0.7	0.3 ± 0		3.4 ± 0.5	21.8 ± 1.8	29.4 ± 1.4	0.6 ± 0.1	4.2 ± 0.5	1.2 ± 0.3	0.2 ± 0	0.8 ± 0.1	0.7 ± 0.1	1.3 ± 0.3	0.3 ± 0.1	2.6 ± 0.3	1.8 ± 0.3	5.6 ± 0.6	12.1 ± 1.2	0.3 ± 0		1.2 ± 0.1	4.7 ± 0.6		2.1 ± 0.4	0.2 ± 0.2	0.8 ± 0.2
LAMADR (n=44)	3.7 ± 1.6	0.2 ± 0	0.1 ± 0	4 ± 0.5	22.3 ± 2.8	32.5 ± 1.5	0.8 ± 0.2	4.3 ± 0.6	1.9 ± 0.4	0.3 ± 0.1	0.9 ± 0.1	0.7 ± 0	0.5 ± 0.2	0.1 ± 0	2.2 ± 0.4	1.4 ± 0.2	4.4 ± 2	10.8 ± 1.6	0.3 ± 0		1.6 ± 0.2	4.1 ± 0.5		2.1 ± 0.3	0.5 ± 0.2	0.3 ± 0.1
LAMQJH (n=30)	4.9 ± 0.3	0.3 ± 0	0.1 ± 0.1	3.8 ± 0.3	21.9 ± 1.7	30.9 ± 1.1	1 ± 0.2	4.3 ± 0.3	2.2 ± 0.2	0.3 ± 0.1	0.8 ± 0	0.6 ± 0	0.2 ± 0.1	0 ± 0	3 ± 0.5	1.7 ± 0.2	3.4 ± 0.4	10.7 ± 1	0.3 ± 0.1		1.8 ± 0.2	4.4 ± 0.6		2.3 ± 0.5	0.7 ± 0.1	0.2 ± 0
LAMQUI (n=36)	3.2 ± 2	0.2 ± 0.1	0.1 ± 0	3.1 ± 0.8	25.1 ± 2.7	26 ± 1.4	1.1 ± 0.3	4.5 ± 0.9	1.5 ± 0.4	0.2 ± 0.1	0.7 ± 0.1	0.8 ± 0.1	1.1 ± 0.7	0.3 ± 0.2	2.2 ± 0.4	1.3 ± 0.3	4.7 ± 1.7	11.6 ± 2.2	0.2 ± 0		2.4 ± 0.4	6.1 ± 0.9		2.3 ± 0.6	0.6 ± 0.1	0.7 ± 0.3

LAMRUR (n=30)	4.9± 0.3	0.2± 0	0.2± 0.1	3.9± 0.3	23.4 ±1.7	32± 1.1	1.1± 0.2	4± 0.5	2.3± 0.3	0.3± 0	0.8± 0.1	0.7± 0	0.2± 0.1	0±0	2.9± 0.6	1.5± 0.2	4± 0.4	9.4± 0.9	0.2± 0.1	0±0	1.6± 0.2	3.7± 0.3	0±0	1.9± 0.3	0.6± 0.1	0.2± 0.1
LANPSF (n=30)	4.7± 0.2	0.3± 0	0.1± 0	3.9± 0.2	23.2 ±1.3	30.9 ±0.9	0.8± 0.1	4.5± 0.5	1.7± 0.3	0.3± 0	0.8± 0.1	0.7± 0	0.5± 0.1	0.1± 0	2.2± 0.2	1.5± 0.1	3.7± 0.7	9.9± 0.8	0.3± 0	0±0	2.1± 0.2	4.4± 0.4	0±0	2.3± 0.2	0.7± 0.2	0.3± 0.1
WT Kumily (n=46)	5± 0.1	0.4± 0	0.2± 0	2.6± 0.1	66.3± 1.7	16.8± 1.3	6.1± 0±0	0.9± 0±0	0.9± 0±0	1.2± 0	0±0	0±0	0±0	0±0	0±0	0±0	0±0	0.5± 0	0±0	0±0	0±0	0±0	0±0	0±0	0±0	0±0

Table 50: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LANBCH (n=1)	4.6	0.2	0.1	3.9	21.3	30.3	1.1	4.0	2.0	0.3	0.8	0.6	0.4	0.1	2.5	1.8	3.3	12.4	0.3	0.0	1.8	4.8	0.0	2.5	0.7	0.3
LANPMZ (n=1)	4.6	0.3	0.1	4.0	22.6	32.2	0.3	5.2	0.7	0.1	0.9	0.8	1.4	0.5	2.6	2.1	3.1	9.7	0.3	0.0	1.1	4.2	0.0	2.3	0.5	0.5
LAOIKC (n=1)	7.9	0.5	0.1	3.2	19.0	28.4	0.8	3.4	1.9	0.2	0.7	0.5	0.5	0.1	3.0	1.6	6.5	12.2	0.3	0.0	1.5	4.6	0.0	2.2	0.3	0.4
LALHBO (n=1)	4.1	0.1	0.0	3.6	16.4	26.5	0.6	4.8	1.5	0.3	0.9	0.7	1.1	0.4	2.7	2.3	4.3	16.6	0.4	0.0	1.4	7.0	0.0	3.5	0.5	0.6
LALRCH (n=1)	4.1	0.2	0.1	3.6	20.5	28.5	0.8	4.3	1.3	0.2	0.7	0.7	1.2	0.3	2.7	2.0	4.6	12.3	0.3	0.0	1.8	5.0	0.0	3.3	0.6	1.0
LALWPA (n=1)	4.7	0.2	0.0	3.0	14.6	20.2	1.1	4.7	2.8	0.7	0.8	0.7	0.7	0.2	1.6	1.6	5.4	18.1	0.4	0.0	2.0	10.0	0.0	5.7	0.5	0.4
LALXOL (n=1)	4.6	0.2	0.0	4.9	21.0	26.0	0.5	4.2	0.7	0.2	1.0	0.9	2.3	0.9	2.1	1.9	3.4	14.0	0.4	0.0	1.1	5.4	0.0	2.7	0.4	1.1
LALXVM (n=1)	4.7	0.3	0.0	3.7	18.3	26.9	0.5	4.5	0.8	0.2	0.8	0.9	2.4	0.8	2.7	2.2	4.7	14.3	0.3	0.0	1.1	5.6	0.0	2.8	0.4	1.1
LALZGS (n=1)	4.6	0.3	0.0	2.5	19.0	28.4	0.6	3.7	1.5	0.2	0.6	0.7	1.2	0.3	2.7	1.9	7.0	14.1	0.2	0.0	1.4	5.5	0.0	2.9	0.0	0.7
LAMADR (n=1)	4.2	0.2	0.1	3.6	17.2	29.3	0.9	3.4	3.1	0.4	0.7	0.7	0.5	0.1	2.6	1.5	5.8	14.7	0.3	0.0	2.1	5.1	0.0	2.7	0.5	0.3
LAMQJH (n=1)	4.8	0.3	0.1	3.0	17.7	28.1	0.7	4.6	2.3	0.4	0.7	0.6	0.4	0.1	2.2	1.5	4.7	14.4	0.4	0.0	2.2	6.8	0.0	3.5	0.5	0.2
LAMQUI (n=1)	0.2	0.1	0.1	3.8	24.4	25.8	1.2	2.4	1.9	0.4	0.7	0.8	1.1	0.3	2.2	1.6	4.0	14.9	0.2	0.0	2.2	7.3	0.0	3.1	0.6	0.8
LAMRUR (n=1)	4.9	0.2	0.3	4.2	20.3	32.0	1.1	3.2	2.7	0.3	0.8	0.6	0.0	0.0	3.0	1.7	4.0	11.3	0.3	0.0	1.8	3.8	0.0	2.7	0.6	0.3
LANPSF (n=1)	4.7	0.3	0.0	3.9	20.8	30.7	0.8	4.1	2.0	0.3	0.8	0.6	0.5	0.1	2.4	1.4	4.5	11.4	0.3	0.0	2.1	4.7	0.0	2.6	0.6	0.4
LANBCH (n=1)	4.6	0.2	0.1	3.9	21.3	30.3	1.1	4.0	2.0	0.3	0.8	0.6	0.4	0.1	2.5	1.8	3.3	12.4	0.3	0.0	1.8	4.8	0.0	2.5	0.7	0.3

134

Table 51: Phenotypic rating of T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were rated per event. DFF: days to first flower (days), DF:

deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes(#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
LALHCY (n=1)	59.1 ± 3.3	9 ± 0	8.9 ± 0.4	9 ± 0	7 ± 0.9	3 ± 0	3 ± 0	5 ± 0	7.5 ± 1.4	4 ± 0.2	129.2 ± 3.5				
LANBCH (n=30)	51.9 ± 3.1	9 ± 0.2	8.5 ± 0.7	9 ± 0.2	8.1 ± 0.7	3 ± 0	3 ± 0	5 ± 0	8 ± 0.7	5 ± 0.8	127.7 ± 6.6			35.2 ± 2.8	30 ± 2
LANPMZ (n=74)	57.3 ± 1.6	9 ± 0	8.9 ± 0.4	9 ± 0	7.3 ± 0.7	3 ± 0	3 ± 0	5 ± 0	7.9 ± 1.1	4 ± 0	125.3 ± 5				
LAOIKC (n=29)	65.2 ± 2.1	9 ± 0	7.1 ± 1.7	7.4 ± 1.1	6.2 ± 2.9	3 ± 0	3 ± 0	5 ± 0	7.7 ± 2	4.1 ± 0.4	118.8 ± 5.8	4.9 ± 0.5	5.3 ± 2.3		
LALHBO (n=29)	61.3 ± 1.9	9 ± 0	7.9 ± 1.3	8.8 ± 0.4	7.3 ± 0.5	3 ± 0	3 ± 0	5.1 ± 0.4	8 ± 0.9	3.9 ± 0.4	128.3 ± 3.3				
LALRCH (n=30)	61.3 ± 1.8	9 ± 0	8.2 ± 1.4	7.8 ± 1	7.7 ± 1.9	3 ± 0	3 ± 0	5 ± 0	8.2 ± 1.3	3.8 ± 0.6	125 ± 3	5.2 ± 0.4	3.7 ± 1		
LALWPA (n=29)	60.4 ± 3.9	9 ± 0	9 ± 0	9 ± 0	7.6 ± 1.1	3 ± 0	3 ± 0	5 ± 0	7.6 ± 1.1	4.9 ± 0.8	127.3 ± 3.7				
LALXOL (n=15)	60.7 ± 4.6	9 ± 0	8.9 ± 0.7	8.2 ± 0.8	7.6 ± 0.9	3 ± 0	3 ± 0	5 ± 0	8.4 ± 0.9	4 ± 0.6	126 ± 4.6	5.4 ± 0.4	3.3 ± 1.3		
LALXVM (n=30)	56.7 ± 4	8.7 ± 1.3	9 ± 0	8.9 ± 0.4	7.3 ± 1.3	3 ± 0	3 ± 0	5 ± 0	7.3 ± 1.4	5.6 ± 1.3	121 ± 24.4				
LALZGS (n=24)	56.9 ± 6	9 ± 0	8.4 ± 1.3	9 ± 0	7.8 ± 1	3 ± 0	3 ± 0	5 ± 0	7.9 ± 0.9	5.1 ± 0.7	128.4 ± 5.5				
LAMADR (n=44)	59.9 ± 2.6	9 ± 0	8.7 ± 0.9	8.8 ± 0.5	7.5 ± 1.1	3 ± 0	3 ± 0	5 ± 0	8.2 ± 1.2	4 ± 0.2	126.5 ± 5.3				
LAMQJH (n=30)	60.3 ± 3.1	9 ± 0	8.5 ± 1.1	8.3 ± 0.6	8.1 ± 0.9	3 ± 0	3 ± 0	5 ± 0	8.6 ± 0.9	3.9 ± 0.3	124 ± 4.6	5.3 ± 0.4	4.7 ± 1.3		
LAMQUI (n=36)	59.6 ± 1.9	9 ± 0	9 ± 0	9 ± 0	8.3 ± 0.7	3 ± 0	3 ± 0	5 ± 0	8.3 ± 0.7	4.9 ± 0.5	129.3 ± 4.5				
LAMRUR (n=30)	55.1 ± 2.9	9 ± 0	9 ± 0	9 ± 0	7.3 ± 0.8	3 ± 0	3 ± 0	5 ± 0	7.4 ± 0.9	5.7 ± 0.8	126.8 ± 4.4				
LANPSF (n=30)	59.1 ± 3.3	9 ± 0	8.9 ± 0.4	9 ± 0	7 ± 0.9	3 ± 0	3 ± 0	5 ± 0	7.5 ± 1.4	4 ± 0.2	129.2 ± 3.5				
WT Kumily (n=46)														34.9 ± 1.1	32.2 ± 1

D. Fatty acid profiles of T2 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc cultivated in field trials in USDA growth zones 3a-4b and 5a during summer.

5 Field data from the T3 seed indicate that field values are lower for EPA and DHA than what was observed in the greenhouse, with values ranging from six to thirteen percent of the total fatty acid content of the seed for EPA and DHA combined. These data show a difference in seed oil content observed in field studies compared to the greenhouse (e.g. comparing Table 54 with Table 51), see also Example 10. Results of this analysis are described in Example 20.

Table 52: Fatty acid profiles of T3 seeds harvested from T2 cultivated in the field in field trials, corresponding to USDA zones 3a-4b and zone 5a, of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc The events are indicated in the first column, along with the number of T3 seed aliquots representing a plot were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

		16:1	16:3		18:1	18:2	18:2	18:3	18:3	18:4		20:1	20:2	20:3	20:3	20:4	20:4	20:5		22:1	22:4	22:5	22:5		22:6	unkn own peak a	unkn own peak b
Event	16:0	n-7	n-3	18:0	n-9	n-6	n-9	n-3	n-6	n-3	20:0	n-9	n-6	n-3	n-6	n-3	n-6	n-3	22:0	n-9	n-6	n-3	n-6	n-3			
LANBCH (n=30)	5.1± 0.2	0.4± 0		2.6± 0.1	26± 1.9	31.3 ±1	0.7± 0.1	6.2± 0.4	1.2± 0.2	0.2± 0	0.7± 0	0.7± 0.1	0.2± 0	1.9± 0.1	1.1± 0.1	3.4± 0.3	8.9± 0.8	0.3± 0		1.4± 0.2	4.7± 0.4		1.5± 0.2	0.4± 0.1	0.3± 0.1		
LANPMZ (n=30)	4.9± 0.1	0.3± 0		2.4± 0.1	30.7 ±1.5	32.1 ±0.8	0.3± 0	6.9± 0.3	0.5± 0.1	0.1± 0	0.7± 0	0.9± 0	1.4± 0.3	0.5± 0.1	2± 0.1	1.2± 0.1	2.9± 0.2	5.8± 0.5	0.3± 0		0.8± 0.1	3.3± 0.2		1± 0.1	0.4± 0.1	0.5± 0.1	
LAOIKC (n=31)	5.2± 0.2	0.3± 0		2.5± 0.1	26± 2.2	31.4 ±1.1	0.8± 0.1	5.5± 0.3	1.4± 0.2	0.2± 0	0.7± 0	0.7± 0.1	0.6± 0.1	0.1± 0	2.4± 0.2	1.1± 0.1	5.7± 0.5	8± 0.6	0.2± 0		1.1± 0.1	4.1± 0.3		1.2± 0.2	0.1± 0.1	0.4± 0.1	
LALHBO (n=29)	5.1± 0.2	0.2± 0.1		2.5± 0.2	28± 6.4	30.3 ±2	0.6± 0.2	6.7± 1.1	1.1± 0.4	0.2± 0.1	0.7± 0	0.8± 0.1	0.9± 0.2	0.3± 0.1	1.9± 0.4	1.1± 0.2	3.8± 1	8.5± 2.1	0.3± 0		0.9± 0.3	4.2± 1		1.2± 0.3	0.1± 0.1	0.4± 0.1	
LALWPA (n=30)	5± 0.4	0.3± 0		2.2± 0.2	21.3 ±2.7	28.8 ±1.8	0.8± 0.1	5.5± 0.5	1.6± 0.3	0.3± 0.1	0.7± 0	0.8± 0	1± 0.2	0.3± 0	2.3± 0.3	1.3± 0.1	6± 1.4	11.1 ±1.3	0.3± 0		1.5± 0.1	5.9± 0.7		2± 0.3	0.3± 0.2	0.5± 0.1	
LALXOL (n=29)	5.1± 0.2	0.3± 0.1		2.6± 0.2	26.8 ±1.9	29.7 ±1.8	0.4± 0.1	6± 0.8	0.8± 0.2	0.2± 0.1	0.7± 0	1± 0.1	2.1± 0.7	0.5± 0.2	1.9± 0.2	1± 0.1	5.5± 1.6	8.5± 1	0.3± 0		0.8± 0.1	3.8± 0.6		1.1± 0.2	0±0	0.8± 0.2	
LALXVM (n=30)	5± 0.3	0.3± 0		2.4± 0.1	29± 4	29.9 ±1.3	0.5± 0.1	6.3± 0.9	0.8± 0.2	0.2± 0	0.7± 0	0.9± 0.1	1.3± 0.4	0.4± 0.1	2± 0.3	1.1± 0.1	4.4± 1.3	7.7± 1.8	0.3± 0		0.8± 0.2	3.9± 0.9		1.1± 0.3	0.2± 0.1	0.6± 0.2	
LALZGS (n=29)	5.1± 0.2	0.2± 0.1		2.6± 0.2	25.1 ±1.4	30.6 ±1.2	0.6± 0.1	5.9± 0.4	1± 0.1	0.2± 0	0.7± 0	0.8± 0	1± 0.2	0.3± 0.1	2.3± 0.1	1.2± 0.1	5.7± 0.5	8.8± 0.5	0.2± 0.1		0.9± 0.1	4.5± 0.2		1.2± 0.1	0±0	0.7± 0.1	
LAMADR (n=30)	5.1± 0.1	0.2± 0.1		2.7± 0.2	25.9 ±1	32± 1.2	0.7± 0.1	5.9± 0.4	1.3± 0.2	0.2± 0	0.7± 0	0.8± 0	0.7± 0.1	0.2± 0	2.1± 0.1	1± 0.1	4.7± 0.6	8± 0.7	0.3± 0		1.3± 0.1	4.1± 0.3		1.2± 0.1	0.2± 0.1	0.4± 0.1	
LAMQUI (n=30)	4.7± 0.2	0.3± 0.1		2.5± 0.2	28.8 ±1.9	29± 1.6	0.8± 0.2	5.7± 0.5	1.2± 0.2	0.2± 0	0.6± 0	0.9± 0.1	1± 0.3	0.2± 0.1	1.7± 0.3	0.8± 0.1	4.6± 0.9	7.6± 1	0.2± 0		2.1± 0.3	4.6± 0.7		1.4± 0.2	0.5± 0.1	0.5± 0.1	
LAMRUR (n=29)	5.1± 0.3	0.3± 0		2.6± 0.1	28.5 ±2.3	32± 1.9	0.8± 0.2	5.8± 0.8	1.3± 0.2	0.2± 0	0.7± 0.1	0.7± 0.1	0.4± 0.1	0± 0.1	2.1± 0.2	1± 0.1	3.8± 0.6	7.2± 0.7	0.2± 0.1		1.3± 0.2	3.9± 0.4		1.2± 0.2	0.3± 0.1	0.3± 0.1	
LANPSF (n=28)	5.1± 0.2	0.3± 0.1		2.6± 0.1	26.9 ±1.8	31.4 ±1.4	0.7± 0.2	6.1± 0.7	1.2± 0.3	0.2± 0	0.7± 0	0.8± 0	0.7± 0.2	0.2± 0.1	1.9± 0.2	1± 0.1	3.9± 0.9	7.6± 1.1	0.3± 0		1.7± 0.2	4.2± 0.4		1.4± 0.2	0.6± 0.2	0.4± 0.1	
WT Kumily (n=60)	5± 0.3	0.4± 0	0.1± 0.1	2± 0.1	56.2 ±4.2	23.3 ±1.7	0± 0.1	9.5± 0.7	0.1± 0.2	0.7± 0	1.1± 0.1	0.1± 0.1	0±0	0.2± 0.3	0.1± 0.3	0.2± 0.5	0.4± 1.1	0.3± 0.1	0±0		0± 0.2	0.2± 0.6		0± 0.2			

Table 53: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in field trials, corresponding to USDA zones 3a-4b and zone 5a, of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LANBCH (n=30)	5.3	0.4	0.1	2.5	25.5	29.5	0.7	6.1	1.3	0.3	0.6	0.7	0.8	0.2	1.9	1.1	3.7	10.1	0.2	0.0	1.4	5.2	0.0	1.6	0.2	0.4
LANPMZ (n=30)	5.1	0.3	0.0	2.3	27.1	31.5	0.2	6.9	0.4	0.1	0.7	0.9	2.1	0.8	2.4	1.5	3.0	6.8	0.3	0.0	0.9	4.1	0.0	1.4	0.5	0.6
LAOIKC (n=31)	5.3	0.3	0.0	2.6	23.3	32.0	0.8	5.3	1.5	0.2	0.7	0.7	0.5	0.1	2.5	1.2	6.1	8.9	0.2	0.0	1.2	4.5	0.0	1.4	0.1	0.4
LALHBO (n=29)	5.2	0.4	0.1	2.5	25.8	29.0	0.8	5.5	1.5	0.3	0.7	0.7	0.7	0.2	2.1	1.2	4.5	10.6	0.3	0.0	1.1	4.9	0.0	1.6	0.0	0.4
LALWPA (n=30)	5.9	0.4	0.0	2.0	15.4	27.9	0.8	5.2	2.5	0.5	0.7	0.7	0.9	0.2	2.7	1.4	7.1	13.2	0.4	0.0	1.8	6.9	0.0	2.7	0.0	0.4
LALXOL (n=29)	5.2	0.2	0.0	2.7	24.3	28.8	0.5	5.9	0.9	0.2	0.7	1.0	2.3	0.6	1.9	1.1	5.3	10.1	0.3	0.0	0.9	4.8	0.0	1.4	0.0	1.0
LALXVM (n=30)	4.9	0.3	0.1	2.4	26.7	28.2	0.5	5.3	0.8	0.2	0.7	0.9	1.6	0.5	2.1	1.2	5.3	10.2	0.3	0.0	0.8	4.5	0.0	1.4	0.1	0.9
LALZGS (n=29)	5.4	0.3	0.0	2.4	24.5	29.1	0.6	5.6	1.1	0.2	0.6	0.8	1.1	0.3	2.5	1.3	6.3	9.6	0.2	0.0	1.0	4.9	0.0	1.5	0.0	0.7
LAMADR (n=30)	5.2	0.3	0.0	2.6	25.6	30.1	0.7	5.5	1.4	0.3	0.7	0.8	0.8	0.1	2.1	1.0	5.4	9.1	0.3	0.0	1.3	4.5	0.0	1.5	0.0	0.4
LAMQUI (n=30)	4.4	0.4	0.0	2.3	26.7	26.2	0.9	5.3	1.2	0.2	0.6	0.9	1.3	0.3	2.0	1.0	5.0	9.8	0.2	0.0	2.4	6.0	0.0	1.7	0.6	0.7
LAMRUR (n=29)	6.3	0.3	0.0	2.8	34.5	23.3	0.5	4.5	1.1	0.2	0.5	0.5	0.4	0.1	2.3	1.2	3.5	9.6	0.2	0.0	1.1	5.1	0.0	1.7	0.0	0.3
LANPSF (n=28)	5.0	0.3	0.1	2.5	26.6	29.7	0.8	4.9	1.6	0.3	0.7	0.7	0.5	0.1	1.9	1.0	5.4	9.2	0.3	0.0	1.7	4.6	0.0	1.5	0.4	0.3

Table 54: Phenotypic rating of T2 plants cultivated in the field of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of field plots that where rated per event. Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	Oil	protein
LANBCH (n=30)	37.9 ± 1.2	27.9 ± 0.9
LANPMZ (n=30)	38.7 ± 1	27.8 ± 0.9
LAOIKC (n=31)	38.8 ± 1.1	28.1 ± 2.7
LALHBO (n=29)	37.9 ± 1.4	28.2 ± 0.7
LALWPA (n=30)	36.5 ± 1.4	28 ± 0.7
LALXOL (n=29)	38.4 ± 1.1	27.7 ± 0.6
LALXVM (n=30)	38.3 ± 1.1	27.7 ± 1
LALZGS (n=29)	39.5 ± 0.7	27.2 ± 0.6
LAMADR (n=30)	38.7 ± 0.9	27.6 ± 0.5
LAMQUI (n=30)	38.3 ± 0.9	28.7 ± 0.8
LAMRUR (n=29)	38.3 ± 1.1	27.8 ± 0.8
LANPSF (n=28)	38.4 ± 1.1	27.6 ± 0.8
WT Kumily (n=60)	38.7 ± 1.1	

**E. Fatty acid profiles copy number measurements, and phenotypic observations of
T3 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz
rc cultivated in greenhouses during winter**

The data indicate that EPA and DHA are still being synthesized by the plant in the T4
5 seed/generation.

Table 55: Copy number measurement of T3 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T3 plants that were measured per event. As the T3 plants underwent two cycles of selecting homozygous plants, all plants of all events are homozygous for all T-DNA insertions. A copy number of ~2 therefore was indicative for one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth.

Event	Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-i-Atss18_c-d6Elo(Pp_GA2) near the right T-DNA border.							Copy number assays targeting the T-DNA of VC-LLM337-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target j-t-PvARC-p3 located near the left T-DNA border and target c-d4Des(Eg_GA) near the right T-DNA border.							
	c-AHAS	j-t-E9-p3-2	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-t-CaMV_p-LuCnl-2	c-d6Elo(Pp_GA)	j-i-Atss18_c-d6Elo(Pp_GA2)	j-t-PvARC-p3	c-d4Des(Tc_GA)	c-o3Des(Pi_GA2_SNP)	j-i-Atss15_c-o3Des(Pi_GA2)	c-o3Des(Pir_GA)	j-p-VfSBPperm3_c-o3Des(Pir_GA)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Eg_GA)
LANPMZ (n=74)	1.9				2	2.02			1.94				2.04		1.88

Table 56: Fatty acid profiles of T4 seeds harvested from T3 plants cultivated in greenhouses of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T4 seed aliquots representing a plot were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0 n-7	16:1 n-3	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:2 n-3	18:3 n-6	18:3 n-3	18:4 n-3	20:0 n-9	20:1 n-6	20:2 n-3	20:3 n-6	20:3 n-3	20:4 n-6	20:4 n-3	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-3	22:6 n-3	unkn own peak a	unkn own peak b
LANPMZ (n=30)	5.3 ± 0.3	0.2 ± 0	0 ± 0	3.6 ± 0.8	25.2 ± 5.3	38.1 ± 2.8	0.5 ± 0.1	4.1 ± 0.6	1.1 ± 0.3	0.1 ± 0.1	0.8 ± 0.2	0.7 ± 0	0.5 ± 0.1	0.1 ± 0.1	1.9 ± 0.2	0.9 ± 0.1	3.8 ± 0.6	6.9 ± 1.3	0.3 ± 0.1	0 ± 0	1.2 ± 0.4	2.6 ± 0.5	0 ± 0	1.5 ± 0.6	0.2 ± 0.1	0.3 ± 0.1

5 Table 57: Fatty acid profiles of one T4 seed batch per event harvested from T3 plants cultivated in greenhouses of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T4 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0 n-7	16:1 n-3	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:2 n-3	18:3 n-6	18:3 n-3	18:4 n-3	20:0 n-9	20:1 n-6	20:2 n-3	20:3 n-6	20:3 n-3	20:4 n-6	20:4 n-3	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-3	22:6 n-3	unkn own peak a	unkn own peak b
LANPMZ (n=1)	4.9	0.2	0.0	4.0	19.5	38.5	0.5	3.6	1.6	0.2	1.0	0.7	0.4	0.0	1.6	0.8	4.8	9.2	0.4	0.0	1.7	3.8	0.0	2.5	0.0	0.2

142

Table 58: Phenotypic rating of T3 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that where rated per event. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes(#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
LANPMZ (n=30)	42.4 ± 2	8.2 ± 0.8	8.7 ± 0.7	9 ± 0	8 ± 0.7	3 ± 0	5 ± 0	5 ± 0		5.2 ± 0.8	128.5 ± 8.5				

F. Fatty acid profiles and phenotypes of T3 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc cultivated in field trials in USDA growth zones 8a-9a during winter

5 The data indicate that in the field the T4 seed are making EPA and DHA, but at lower levels than seen in the summer field trial (Part D). The greenhouse data show higher oil content compared to the summer field trials (Comparison of Table 61 with Table 54). This data was analyzed in detail in Example 20.

Table 59: Fatty acid profiles of T4 seeds harvested from T3 plants cultivated in the field in USDA growth zones 8a-9a of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T4 seed aliquots representing a plot were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LANPMZ (n=56)	5.2 ± 0.5	0.3 ± 0.1	0.1 ± 0.2	2.6 ± 0.5	35.6 ± 2.7	30.4 ± 1.8	0.3 ± 0.1	7.1 ± 0.5	0.5 ± 0.3	0.1 ± 0.1	0.6 ± 0	0.9 ± 0.1	1.3 ± 0.3	0.4 ± 0.1	1.6 ± 0.2	1 ± 0.1	2.5 ± 0.3	4.5 ± 0.6	0.2 ± 0.1	0 ± 0	0.5 ± 0.3	2.6 ± 0.3	0 ± 0	0.7 ± 0.2	0.3 ± 0.1	0.5 ± 0.1
LAOIKC (n=16)	5.3 ± 0.2	0.3 ± 0	0 ± 0	2.5 ± 0.2	32.6 ± 2.2	29.9 ± 0.9	0.7 ± 0.1	5.9 ± 0.4	1 ± 0.2	0.2 ± 0	0.6 ± 0	0.7 ± 0	0.6 ± 0.1	0 ± 0	2.1 ± 0.1	1 ± 0.1	4.6 ± 0.4	6.2 ± 0.5	0.2 ± 0	0 ± 0	0.8 ± 0.1	3.3 ± 0.2	0 ± 0	0.9 ± 0.2	0 ± 0.1	0.4 ± 0.1
WT Kumily (n=83)	5.1 ± 0.5	0.4 ± 0.1	0.1 ± 0.1	2.1 ± 0.5	59.1 ± 1.8	21.3 ± 1.5	0 ± 0.1	9.5 ± 0.7	0 ± 0.1	0.6 ± 0.1	1 ± 0	0.1 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0.1 ± 0.1	0.3 ± 0	0 ± 0	0 ± 0	0 ± 0.1	0 ± 0.1	0 ± 0	0 ± 0	5.1 ± 0.5	0.4 ± 0.1

5 Table 60: Fatty acid profiles of one T4 seed batch per event harvested from T3 plants cultivated in the field in USDA growth zones 8a-9a of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T4 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LANPMZ (n=1)	4.9	0.3	0.0	2.3	31.2	32.0	0.2	7.6	0.4	0.1	0.6	0.9	1.6	0.6	1.6	1.1	2.8	5.7	0.2	0.0	0.8	3.3	0.0	1.1	0.4	0.5
LAOIKC (n=1)	5.4	0.3	0.0	2.4	29.6	30.3	0.7	5.5	1.4	0.2	0.5	0.7	0.5	0.0	2.2	1.1	5.4	7.3	0.2	0.0	1.0	3.6	0.0	1.3	0.0	0.3

10 Table 61: Phenotypic rating of T3 plants cultivated in the field in USDA growth zones 8a-9b of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of field plots that were rated per event. Oil: oil content in T4 seeds harvested from T3 plants (% of seed weight), Protein: Protein content in T4 seeds harvested from T3 plants (% of seed cake without oil)

Event	Oil	Protein
LANPMZ (n=56)	43.9 ± 7.8	23.2 ± 3.2
LAOIKC (n=16)	42.6 ± 4	23.1 ± 3

WT Kumily (n=83)	45.3 ± 3.9	

G. Fatty acid profiles and phenotypes of T4 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc cultivated in field trials in USDA growth zones 3a-4b and 5a during summer.

5 The data indicate that through the T5 generation the transformants are still producing EPA and DHA at a level consistent with the field trial in summer 2012 (described in part D). An additional observation is that the oil levels are comparable between these two field trials.

Table 62: Fatty acid profiles of T5 seeds harvested from T4 plants cultivated in the field in USDA growth zones 3a-4b and 5a of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of T4 seed aliquots representing a plot were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown own peak a	unknown own peak b
LANPMZ (n=124)	4.5 ± 0.4	0.2 ± 0.1	0 ± 0	2.8 ± 0.4	34.7 ± 3.9	33 ± 4.8	0.1 ± 0.2	6.5 ± 0.8	0.6 ± 0.2	0.1 ± 0.1	0.7 ± 0.1	0.9 ± 0.1	0.7 ± 0.3	0.2 ± 0.1	1.7 ± 0.3	1.2 ± 1.3	2.8 ± 0.6	4.3 ± 1.9	0.3 ± 0.1	0 ± 0	0.7 ± 0.4	2.8 ± 0.6	0 ± 0.2	0.8 ± 0.3	0.1 ± 0.2	0.4 ± 0.2
WT Kumily (n=56)	4.5 ± 0.5	0.1 ± 0.1	0 ± 0	1.8 ± 1	60 ± 3.8	22.5 ± 3.6	0.6 ± 1.5	7.9 ± 2.2	0.1 ± 0.1	0.8 ± 0 ± 0	1 ± 0.2	0.1 ± 0.4	0 ± 0	0 ± 0	0.2 ± 0.8	0 ± 0	0 ± 0	0 ± 0.1	0.2 ± 0.2	0 ± 0	0 ± 0.1	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0

- 5 Table 63: Fatty acid profiles of one T5 seed batch per event harvested from T3 plants cultivated in the field in USDA growth zones 3a-4b and 5a of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T5 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown own peak a	unknown own peak b
LANPMZ (n=1)	5.6	0.3	0.0	2.7	21.8	32.3	0.0	6.3	0.9	0.0	0.8	0.8	1.5	0.5	2.2	1.5	4.7	8.0	0.4	0.0	1.6	5.1	0.0	2.7	0.0	0.4

- 10 Table 64: Phenotypic rating of T4 plants cultivated in the field in USDA growth zones 3a-4b and 5a of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM337-1qcz rc. The events are indicated in the first column, along with the number of field plots that were rated per event. Oil: oil content in T4 seeds harvested from T3 plants (% of seed weight), Protein: Protein content in T4 seeds harvested from T3 plants (% of seed cake without oil)

Event	Oil	Protein
LANPMZ (n=124)	39.7 ± 2.7	25.8 ± 1.4
WT Kumily (n=56)	40.6 ± 2.3	26.4 ± 1.3

Example 12: Plants containing the T-DNAs of plasmid VC-LJB2197-1qcz and VC-LLM338-3qcz rc (combination C in example 5) for production of EPA and DHA in seeds

In this example, the genetic elements required for EPA and DHA synthesis were transferred into the plant genome on two different T-DNA. To this end, the two different plasmids VC-LJB2197-1qcz and VC-LLM338-3qcz rc containing two different T-DNAs were cloned into Agrobacteria, and plant tissue was incubated according to example 5 at the same time with these two agrobacterial cultures that are identical apart from containing either VC-LJB2197-1qcz or VC-LLM338-3qcz rc. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of VC-LJB2197-1qcz. Only those plants where kept, that also contained the T-DNA of plasmid VC-LLM338-3qcz rc as confirmed by PCR, conducted as described in example 5. Only plants containing the T-DNA of plasmid VC-LJB2197-1qcz as well as the T-DNA of plasmid VC-LLM338-3qcz rc combine all the genetic elements required for EPA and DHA synthesis in seeds. The genetic elements of VC-LJB2197-1qcz and the function of each element are listed in Table 1. The genetic elements of VC-LLM338-3qcz rc and the function of each element was listed in Table 5. For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of VC-LJB2197-1qcz and VC-LLM338-3qcz rc that are required for EPA and DHA synthesis are additionally listed in Table 65.

Table 65: Combined list of genes essential of EPA and DHA synthesis carried by the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM338-3qcz rc.

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA)	VC-LJB2197-1qcz	1196	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d15Des(Ch_ERTp_GA)	VC-LLM338-3qcz rc	1238	Delta-15 desaturase from <i>Cochliobolus heterostrophus</i> C5
c-d6Des(Ot_febit)	VC-LJB2197-1qcz	1370	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Pp_GA2)	VC-LJB2197-1qcz	872	Delta-6 elongase from <i>Physcomitrella patens</i>
c-d6Elo(Tp_GA2)	VC-LJB2197-1qcz	818	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
c-d5Des(Tc_GA2)	VC-LJB2197-1qcz	1319	Delta-5 desaturase from

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length (bp)	Enzymatic function and source of encoded protein
			Thraustochytrium sp. ATCC21685
c-o3Des(Pi_GA2)	VC-LLM338-3qcz rc	1085	Omega-3-desaturase from <i>Phytophthora infestans</i>
c-d5Elo(Ot_GA3)	VC-LLM338-3qcz rc	902	Delta-5 elongase from <i>Ostreococcus tauri</i>
c-d4Des(Eg_GA)	VC-LLM338-3qcz rc	1625	Delta-4 desaturase from <i>Euglena gracilis</i>
c-d4Des(Tc_GA)	VC-LLM338-3qcz rc	1559	Delta-4 desaturase from <i>Thraustochytrium</i> sp.

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM338-3qcz rc cultivated in greenhouses during summer

- 5 The data in Table 67 and Table 68 indicate that for this construct the increase in EPA and DHA, when comparing single copy to double copy events, was more subtle, but double copy events still had an increase in EPA and DHA over single copy events. As observed in the other examples, there was no significant observed alteration of the phenotype of the plants bearing the T-DNA from both constructs..

10

Table 66: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM338-3qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T1 plants where the average of all copy number assays listed in this table was 0.51-1.49, dc: all T1 plants where the average of all copy number assays listed in this table was 1.51-2.49, tc: all T1 plants where the average of all copy number assays listed in this table was 2.51-3.49.

Category of T0 plants	Copy number assays targeting the T-DNA of VC-LJB2197-1qcz. Assays are listed according to the position of the assay target along the T-DNA, with assay of target c-AHAS was located near the left T-DNA border and assay of target c-d6Elo(Pp_GA) near the right T-DNA border.		Copy number assays targeting the T-DNA of VC-LLM338-3qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with assay of target c-d4Des(Eg_GA) was located near the left T-DNA border and assay of target c-d15Des(Ch_ERTp_GA) near the right T-DNA border.	
	c-AHAS	c-d6Elo(Pp_GA)	c-d4Des(Eg_GA)	c-d15Des(Ch_ERTp_GA)
sc (n=240)	1.0	1.0	1.2	1.2
dc (n=117)	1.6	1.7	1.8	2.0

5

Table 67: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM338-3qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 66. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b
sc (n=240)	5.8 ± 0.9	0.4 ± 0.3	0 ± 0	2.8 ± 0.9	34.2 ± 5.7	30.5 ± 3.3	0.2 ± 1.2	7.9 ± 1.6	0.7 ± 0.5	0.2 ± 0.2	0.9 ± 0.1	0.9 ± 0.1	1 ± 0.6	0.3 ± 0.3	1.6 ± 0.6	1 ± 0.5	3.5 ± 1.7	3 ± 1.1	0.4 ± 0.2	0 ± 0	0.5 ± 0.3	2.1 ± 0.8	0 ± 0	1.4 ± 0.6	0.4 ± 0.4	
dc (n=117)	5.8 ± 0.9	0.4 ± 0.2	0 ± 0	2.9 ± 0.4	31.7 ± 6.5	30.3 ± 3.3	0.2 ± 0.2	7.9 ± 1.9	1.3 ± 1.1	0.4 ± 0.5	0.9 ± 0.1	0.8 ± 0.1	0.7 ± 0.5	0.2 ± 0.2	1.8 ± 1	1.1 ± 0.6	4 ± 2.1	3.2 ± 1.3	0.4 ± 0.2	0 ± 0	0.8 ± 0.4	2.6 ± 0.9	0 ± 0.1	1.8 ± 0.6	0.6 ± 0.6	

10

Table 68: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM338-3qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 66. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b
sc (n=1)	6.0	0.3	0.1	3.8	19.5	34.3	0.2	4.4	1.0	0.2	0.8	0.7	1.9	0.6	2.0	1.3	8.0	8.9	0.3	0.0	0.7	3.1	0.0	1.9	0.0	
dc (n=1)	5.8	0.4	0.0	3.2	19.5	29.5	0.1	8.5	1.6	0.7	0.9	0.7	1.7	0.7	1.6	1.2	6.5	7.2	0.4	0.0	0.9	4.9	0.0	3.9	0.3	

5

Table 69: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2197-1qcz and VC-LLM338-3qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 66. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad)

10

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
sc (n=240)	81.4 ± 12.3	1.3 ± 0.6	1.9 ± 1.1	2.2 ± 1.3	2.1 ± 1.3	3 ± 0.1	4.6 ± 0.7	5 ± 0.3	3.1 ± 1.4	3.6 ± 0.9	93.7 ± 15.3	2.3 ± 0.7	7.4 ± 1.7
dc (n=117)	78.6 ± 10.1	1.3 ± 0.5	1.9 ± 1	2.3 ± 1.4	2.4 ± 1.2	3 ± 0.1	4.6 ± 0.7	5 ± 0	3.1 ± 1.4	3.9 ± 4.6	93.1 ± 17.4	2.2 ± 0.6	7.5 ± 1.5

152

Example 13: Plants containing the T-DNAs of plasmid VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc (combination D in example 5) for production of EPA and DHA in seeds

In this example, the genetic elements required for EPA and DHA synthesis were transferred into the plant genome on two different T-DNAs. To this end, the two different plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc containing two different T-DNAs were cloned into agrobacteria, and plant tissue was incubated according to example 5 at the same time with these two agrobacterial cultures that are identical apart from containing either VC-LJB2755-2qcz rc or VC-LLM391-2qcz rc. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of VC-LJB2755-2qcz rc. Only those plants were kept, that also contained the T-DNA of plasmid VC-LLM391-2qcz rc as confirmed by PCR, conducted as described in example 5. Only plants containing the T-DNA of plasmid VC-LJB2755-2qcz rc as well as the T-DNA of plasmid VC-LLM391-2qcz rc combine all the genetic elements required for EPA and DHA synthesis in seeds. The genetic elements of VC-LJB2755-2qcz rc and the function of each element are listed in Table 2. The genetic elements of VC-LLM391-2qcz rc and the function of each element was listed in Table 6. For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc that are required for EPA and DHA synthesis are additionally listed Table 70.

20

Table 70: Combined list of genes essential of EPA and DHA synthesis carried by the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc.

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA)	VC-LJB2755-2qcz rc	1196	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d5Des(Tc_GA2)	VC-LJB2755-2qcz rc	1319	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-d6Des(Ot_febit)	VC-LJB2755-2qcz rc	1370	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Tp_GA2)	VC-LJB2755-2qcz rc	818	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
c-o3Des(Pi_GA2)	VC-LJB2755-2qcz rc	1085	Omega-3-desaturase from <i>Phytophthora infestans</i>
c-o3Des(Pir_GA)	VC-LJB2755-2qcz rc	1091	Omega-3 desaturase from

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length (bp)	Enzymatic function and source of encoded protein
			<i>Pythium irregulare</i>
c-d5Elo(Ot_GA3)	VC-LLM391-2qcz rc	902	Delta-5 elongase from <i>Ostreococcus tauri</i>
c-d4Des(Eg_GA)	VC-LLM391-2qcz rc	1625	Delta-4 desaturase from <i>Euglena gracilis</i>
c-d4Des(Tc_GA)_T564 G	VC-LLM391-2qcz rc	1559	Delta-4 desaturase from <i>Thraustochytrium</i> spp.

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc cultivated in greenhouses during summer

- 5 The data in Table 72, Table 73 and Table 74 show that this combination of constructs was able to insert the T-DNA into the genome, but EPA and DHA accumulation was again at a more subtle level than observed in previous examples. None the less the constructs successfully recapitulated the pathway to generate EPA and DHA and ARA with no impact on the aerial portion of the plant.

Table 71: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Considering that each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T0 plants where the average of all copy number assays listed in this table was 0.51-1.49, dc: all T0 plants where the average of all copy number assays listed in this table was 1.51-2.49

Event	Copy number assays targeting the T-DNA of VC-LJB2755-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-p-LuPXR_i-Atss15 near the right T-DNA border.								Copy number assays targeting the T-DNA of VC-LLM391-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-d4Des(Eg_GA) located near the left T-DNA border and target j-i-Atss1_c-d5Elo(Ot_GA3) near the right T-DNA border.							
	c-AHAS	c-o3Des(Pi_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-i-Atss1_c-d6Elo(Tp_GA2)	c-o3Des(Pir_GA)	j-p-LuPXR_i-Atss15	c-d4Des(Eg_GA)	j-t-PvARC-p-LuChl	j-i-Atss2_c-d4Des(Tc_GA3)	c-d4Des(Tc_GA)	j-p-PvARC5_t-BnFAE	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	
sc (n=184)	1.0							1.1	1.0	1.0		1.0		1.1		
dc (n=6)	1.0							2.1	1.1	1.5				2.2		

Table 72: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Considering that each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 71. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b
sc (n=184)	5.4 ± 0.5	0.3 ± 0.1	0.2 ± 0.1	3 ± 0.4	39.5 ± 5.1	31.2 ± 2.9	0.4 ± 0.1	6.1 ± 0.9	1.3 ± 0.5	0.3 ± 0.1	0.7 ± 0.1	0.8 ± 0.1	0.1 ± 0.1	0 ± 0	1.3 ± 0.4	0.8 ± 0.2	1.3 ± 0.6	4.2 ± 1.4	0.3 ± 0	0 ± 0	0.4 ± 0.2	1.5 ± 0.5	0 ± 0	0.6 ± 0.3	0.2 ± 0.1	
dc (n=6)	4.7 ± 0.8	0.3 ± 0.1	0.1 ± 0.1	2.9 ± 0.4	34.2 ± 5.2	30.6 ± 3.9	0.8 ± 0.6	5.8 ± 0.9	3.8 ± 0.4	0.9 ± 0.8	0.7 ± 0.1	0.8 ± 0	0.1 ± 0.1	0 ± 0	1.9 ± 1.3	1.2 ± 0.8	1.2 ± 1	5.9 ± 5.8	0.3 ± 0	0 ± 0	0.5 ± 0.2	1.9 ± 1.3	0 ± 0	0.6 ± 0.4	0.6 ± 0.6	

5

Table 73: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 71. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b
sc (n=1)	3.8	0.1	0.1	2.8	41.9	22.2	1.0	5.5	1.9	0.4	0.8	1.0	0.1	0.0	2.1	1.6	1.4	8.4	0.4	0.0	0.5	2.6	0.0	1.0	0.3	
dc (n=1)	3.6	0.1	0.0	2.6	25.9	28.4	1.3	4.7	3.9	1.0	0.7	0.8	0.1	0.1	2.3	1.6	2.7	14.0	0.4	0.0	0.6	3.6	0.0	1.4	0.2	

156

Table 74: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 71. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
sc (n=184)	61.7 ± 7.8	1 ± 0	1.4 ± 1.2	1.6 ± 1.4	2.9 ± 2.5	3 ± 0	3 ± 0.1	5 ± 0	3.2 ± 2.5	3.7 ± 0.7	121.7 ± 9.4	4.9 ± 0.6	5.5 ± 2.1
dc (n=6)	63.7 ± 8	1 ± 0	1 ± 0	1.8 ± 1.3	2.8 ± 0.4	3 ± 0	3 ± 0	5 ± 0	2.8 ± 1	3.3 ± 1	123.3 ± 5.2	4.9 ± 1.2	5.5 ± 1.8

B. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc cultivated in greenhouses during winter.

The data on Table 75, Table 76, Table 77, Table 78, Table 79, Table 80, Table 81 and
5 Table 82 demonstrate that this pair of constructs was successful in recapitulating the
pathway to generate VLC-PUFA (C20 and C22, including EPA, DHA and ARA). The copy
number for each gene varied from homozygous single insertion of the T-DNA to insertions
of parts of the T-DNA's and/or deletions of the T-DNA after insertion into the genome. The
fatty acid profile indicated that some events (see Table 78, event LAPCSC) were able to
10 accumulate up to 18 percent EPA and DHA combined). Table 75 indicates that LAPCSC
was largely homozygous for a single insertion of each T-DNA with the exception of region of
j-p-LuPXR_i-Atss15 on construct VC-LJB2755-2qcz, which contained at least four copies of
the regions around that marker. The data presented on Table 81 indicate there was no
obvious alteration of the phenotype of the plants bearing T-DNA corresponding to the
15 constructs VC-LJB2755-2qcz and VC-LLM391-2qcz rc.

Table 75: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. The T1 plants underwent a selection from 250 segregating T1 seedlings using half-kernel analysis, where the correlation of VCL-PUFA levels with copy number was employed to select for homozygous plants, or on case of multilocus events to select for plants where one or more loci are homozygous. A copy number of ~2 therefore was indicative for one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth. Odd results of 3 and 5 indicate that at least some of the selected T1 plants carry a heterozygous locus.

Event	Copy number assays targeting the T-DNA of VC-LJB2755-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-p-LuPXR_i-Atss15 near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity of all plants per event was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.								Copy number assays targeting the T-DNA of VC-LLM391-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-d4Des(Eg_GA) located near the left T-DNA border and target j-i-Atss1_c-d5Elo(Ot_GA3) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.							
	c-AHAS	c-o3Des(Pi_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-i-Atss1_c-d6Elo(Tp_GA2)	c-o3Des(Pir_GA)	j-p-LuPXR_i-Atss15	c-d4Des(Eg_GA)	j-t-PvARC-p-LuChl	j-i-Atss2_c-d4Des(Tc_GA3)	c-d4Des(Tc_GA)	j-p-PvARC5_t-BnFAE	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	
LAPCTC (n=11)	1.3 (T0: 1.1)			2.3		2.1		4.6 (T0: 3.6)	1.7 (T0: 1)	N/A (T0: 1.2)		1.7		1.7 (T0: 1.1)		
LAPCSC (n=11)	1.4 (T0: 1)			2.7		2.6		5.1 (T0: 4)	1.6 (T0: 1)	N/A (T0: 1)		1.7		1.6 (T0: 1.1)		
LAPYTJ (n=15)	1.7 (T0: 0.9)			3.2		3.3		3.2 (T0: 2.1)	1.7 (T0: 1.1)	N/A (T0: 1.1)		1.8		1.7 (T0: 1.1)		
LAQKQS (n=15)	1.5 (T0: 1.1)			1.7		1.4		2 (T0: 1.3)	1.4 (T0: 1)	N/A (T0: 1.1)		1.5		1.4 (T0: 1)		
LAPARV (n=15)	2 (T0: 1.1)			1.9		2.0		2 (T0: 1.1)	1.2 (T0: 1.1)	N/A (T0: 0.9)		1.2		1.2 (T0: 1.1)		
LAPCMY (n=15)	2 (T0: 1)			2.0		2.1		2.2 (T0: 1.1)	1.7 (T0: 1)	N/A (T0: 1.1)		1.7		1.9 (T0: 1.2)		
LAPBOW (n=15)	2 (T0: 1)			1.9		2.1		2 (T0: 1)	2 (T0: 1)	N/A (T0: 1.2)		1.9		2.1 (T0: 1.1)		
LAPAWA (n=15)	1.9 (T0: 1.1)			2.0		2.0		2.1 (T0: 1.1)	1.5 (T0: 1)	N/A (T0: 1)		1.5		1.5 (T0: 1.2)		
LAPBYW (n=13)	2 (T0: 1)			2.0		2.2		2.3 (T0: 1)	1.3 (T0: 1)	N/A (T0: 0.8)		1.3		1.5 (T0: 1.1)		
LAPQEP (n=15)	1.4 (T0: 0.9)			2.8		2.6		4 (T0: 3.1)	1.3 (T0: 0.9)	N/A (T0: 1.2)		1.4		1.4 (T0: 1.1)		
LAODDN (n=15)	2.1 (T0: 1.1)			2.0		2.1		2.1 (T0: 1.1)	2 (T0: 1)	N/A (T0: 1.1)		2.0		2.1 (T0: 1.1)		
LAPAUX (n=10)	1.5 (T0: 1)			1.6		1.7		1.7 (T0: 1)	1 (T0: 0.9)	N/A (T0: 0.8)		1.0		1.1 (T0: 0.6)		
LAPZOJ (n=10)	1.8 (T0: 1)			2.1		1.9		2 (T0: 1.1)	1.8 (T0: 1)	N/A (T0: 1.2)		1.9		1.9 (T0: 1)		

Table 76: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; sc: all T1 plants where the average of all copy number assays listed in this table was 1.51-2.49, dc: all T1 plants where the average of all copy number assays listed in this table was 3.51-4.49, tc: all T1 plants where the average of all copy number assays listed in this table was 5.51-6.49. The number of T1 plants fulfilling these criteria are displayed in parentheses.

Category of T1 plants	Copy number assays targeting the T-DNA of VC-LJB2755-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-p-LuPXR_j-Atss15 near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity of all plants per event was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.						Copy number assays targeting the T-DNA of VC-LLM391-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-d4Des(Eg_GA) located near the left T-DNA border and target j-i-Atss1_c-d5Elo(Ot_GA3) near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.							
	c-AHAS	c-o3Des(Pi_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-i-Atss1_c-d6Elo(Tp_GA2)	c-o3Des(Pir_GA)	j-p-LuPXR_j-Atss15	c-d4Des(Eg_GA)	j-t-PvARC-p-LuCnl	j-i-Atss2_c-d4Des(Tc_GA3)	c-d4Des(Tc_GA)	j-p-PvARC5_t-BnFAE	c-d5Elo(Ot_GA3)
sc (n=140)	1.8			2.1		2.1		2.6	1.6			1.6		1.6

Table 77: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T2 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0 n-9	20:1 n-6	20:2 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-3	22:6 n-3	unkn own peak a	unkn own peak b
LAPCTC (n=11)	5.1± 0.2	0.3± 0		3± 0.3	28.2± ±5.5	28.9± ±1.6	1.3± 0.2	5± 0.2	3± 0.5	0.8± 0.2	0.9± 0.1	0.7± 0.1	0.2± 0	0.1± 0	2.2± 0.4	1.8± 0.5	1.2± 0.4	10.9± ±2.1	0.4± 0	0.6± 0.2	3.5± 1.1	1.3± 0.4	0.4± 0.2	0.2± 0.1
LAPCSC (n=11)	5.1± 0.1	0.3± 0		3.2± 0.4	27.9± ±4.2	28.8± ±2.3	1.3± 0.2	4.9± 0.4	3.2± 0.6	0.8± 0.2	0.9± 0.1	0.7± 0.1	0.2± 0.1	0.1± 0	2.1± 0.4	1.7± 0.5	1.3± 0.3	11.4± ±2.4	0.4± 0.1	0.6± 0.1	3.4± 1	1.2± 0.3	0.3± 0.1	0.2± 0.1

LAPYTJ (n=15)	5.9± 0.3	0.3± 0.1	0±0	3.3± 0.6	26.5 ±1.9	34± 1.6	0.9± 0.2	4.9± 0.7	2.1± 0.3	0.4± 0.1	0.8± 0.1	0.6± 0	0±0	0±0	2.2± 0.3	1.3± 0.3	2.9± 0.5	8.4± 1.7	0.1± 0.1	0±0	0.9± 0.3	2.8± 0.5	0±0	1.2± 0.3	0.2± 0.2	0.1± 0.1
LAQKQS (n=15)	5.3± 0.3	0.3± 0.1	0±0	3.2± 0.6	32.7 ±8	29.7 ±2.7	1.1± 0.3	5.3± 0.5	2.6± 0.6	0.6± 0.1	0.9± 0.2	0.7± 0.1	0.1± 0.1	0±0	1.7± 0.6	1.3± 0.5	1.1± 0.2	8.8± 3.2	0.2± 0.2	0±0	0.5± 0.3	2.4± 0.6	0±0	1± 0.4	0.2± 0.2	0.1± 0.1
LAPARV (n=15)	5.3± 0.2	0.3± 0	0±0	3.5± 0.3	26.5 ±1.9	36± 1.2	0.7± 0.1	5.4± 0.3	1.9± 0.2	0.4± 0.1	0.9± 0.1	0.7± 0	0±0	0±0	1.9± 0.3	1.4± 0.2	1.7± 0.3	8.4± 1.6	0.4± 0	0±0	0.6± 0.2	2.4± 0.5	0±0	1.2± 0.3	0.3± 0.2	
LAPCMY (n=15)	6.2± 1.3	0.3± 0.1	0±0	2.4± 1.4	34± 8.6	26.7 ±4.5	0.5± 0.3	6.5± 1.4	1.9± 0.4	0.4± 0.1	1± 0.2	0.7± 0.1	0.1± 0.1	0±0	2.5± 0.5	1.8± 0.4	1.6± 0.4	7.9± 2	0.4± 0.1	0±0	0.6± 0.3	2.6± 0.8	0±0	1.2± 0.4	0.3± 0.2	
LAPBOW (n=15)	5.1± 0.6	0.2± 0.1	0±0	2.9± 0.2	27.3 ±2.6	34.9 ±0.9	0.7± 0	5.6± 0.6	1.9± 0.2	0.4± 0	0.8± 0.1	0.7± 0	0.1± 0	0±0	2± 0.3	1.4± 0.2	1.6± 0.1	7.8± 1.1	0.3± 0	0±0	0.9± 0.2	3.1± 0.7	0±0	1.3± 0.4	0.6± 0.1	0.1± 0
LAPAWA (n=15)	5.2± 0.1	0.3± 0	0±0	3.1± 0.2	28.3 ±1.3	35.9 ±1.1	0.7± 0.1	5.3± 0.3	1.7± 0.2	0.3± 0	0.8± 0.1	0.7± 0	0.1± 0.1	0±0	2.1± 0.2	1.4± 0.2	1.6± 0.1	7.4± 0.7	0.3± 0	0±0	0.7± 0.2	2.2± 0.5	0±0	1± 0.3	0.5± 0.2	
LAPBYW (n=13)	5.6± 0.3	0.3± 0.1	0±0	2.6± 1.2	28.4 ±1.2	36± 1.2	0.7± 0.1	5.4± 0.3	1.7± 0.2	0.4± 0	0.8± 0.1	0.7± 0	0.1± 0.1	0.1± 0.1	1.9± 0.2	1.4± 0.2	1.6± 0.1	7.9± 0.8	0.4± 0.1	0±0	0.5± 0.2	2± 0.4	0±0	1± 0.2	0.3± 0.2	
LAPQEP (n=15)	5± 0.3	0.3± 0	0±0	2.7± 0.3	38.1 ±5.8	26.7 ±4	1.1± 0.3	6.1± 0.9	1.2± 0.2	0.3± 0	0.8± 0.1	0.8± 0.1	0.2± 0.1	0.1± 0	1.6± 0.4	1.5± 0.4	0.7± 0.2	7.7± 1.6	0.4± 0	0±0	0.4± 0.1	2.8± 0.7	0±0	0.7± 0.2	0.3± 0.1	0.2± 0.1
LAODDN (n=15)	5.2± 0.6	0.2± 0.1	0±0	3.1± 0.3	28± 2	35.8 ±1.1	0.7± 0.1	5.9± 0.4	1.6± 0.2	0.4± 0	0.8± 0.1	0.7± 0	0±0	0±0	2± 0.2	1.4± 0.2	1.2± 0.1	7.1± 0.9	0.4± 0	0±0	0.8± 0.1	2.8± 0.4	0±0	1.1± 0.3	0.6± 0.1	0.1± 0
LAPAUZ (n=10)	5.5± 0.5	0.3± 0	0±0	2.8± 0.3	31.3 ±7.3	34.9 ±2.5	0.5± 0.1	6.1± 0.6	1.5± 0.5	0.4± 0.1	0.8± 0.1	0.7± 0.1	0.1± 0	0±0	1.7± 0.5	1.2± 0.4	1.7± 0.5	8.3± 3.4	0.4± 0	0±0	0.2± 0.1	1.1± 0.4	0±0	0.4± 0.2	0± 0.1	
LAPZOI (n=10)	5.6± 0.6	0.3± 0	0±0	3± 0.3	34.1 ±6.8	33.5 ±2.8	0.6± 0.2	6.5± 0.6	1.3± 0.3	0.3± 0.1	0.8± 0.1	0.7± 0.1	0±0	0±0	1.6± 0.4	1.1± 0.3	1± 0.2	5.5± 1.5	0.2± 0.1	0±0	0.4± 0.2	2.2± 0.6	0±0	0.8± 0.3	0.3± 0.2	0±0

Table 78: Fatty acid profiles of one T2 seed batch per event harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column. Fatty acid profiles of T2 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LAPCTC (n=1)	5.1	0.3	0.0	2.7	25.2	29.7	1.3	4.8	2.6	0.5	0.8	0.6	0.3	0.1	2.4	1.9	1.9	14.1	0.3	0.0	0.4	3.3	0.0	1.0	0.2	0.3
LAPCSC (n=1)	5.0	0.3	0.0	3.4	20.8	25.8	1.7	5.2	3.5	1.0	0.8	0.6	0.3	0.1	2.5	2.7	1.0	15.1	0.3	0.0	0.6	5.3	0.0	1.9	0.4	0.3
LAPYTJ (n=1)	5.5	0.3	0.0	3.0	24.0	31.1	1.1	4.9	2.4	0.5	0.8	0.6	0.0	0.0	2.4	1.7	2.8	10.8	0.3	0.0	1.1	4.1	0.0	1.7	0.5	0.3
LAQKQS (n=1)	5.8	0.3	0.0	3.6	24.4	31.3	1.4	4.7	3.9	0.9	0.8	0.6	0.0	0.0	2.2	1.8	1.5	13.8	0.0	0.0	0.0	1.8	0.0	1.0	0.0	0.0

LAPARV (n=1)	5.3	0.2	0.0	3.2	24.3	34.2	0.6	5.6	2.0	0.5	0.8	0.6	0.1	0.0	2.0	1.5	2.3	11.9	0.3	0.0	0.6	2.4	0.0	1.1	0.3	
LAPCMY (n=1)	8.1	0.5	0.0	0.0	51.4	1.0	0.0	9.5	2.3	0.6	1.2	1.0	0.1	0.0	2.9	2.1	2.4	12.5	0.5	0.0	0.3	2.6	0.0	0.8	0.0	
LAPBOW (n=1)	3.8	0.1	0.0	2.3	21.5	33.7	0.7	6.7	2.3	0.6	0.7	0.7	0.1	0.1	2.2	1.8	2.0	10.8	0.4	0.0	1.5	5.2	0.0	2.1	0.7	0.1
LAPAWA (n=1)	5.3	0.3	0.0	3.4	26.2	36.5	0.7	4.8	1.8	0.4	0.9	0.7	0.0	0.0	2.7	1.9	1.7	8.7	0.4	0.0	0.5	1.7	0.0	0.9	0.3	
LAPBYW (n=1)	5.5	0.3	0.0	0.0	29.4	36.1	0.6	5.8	1.8	0.4	0.8	0.8	0.1	0.0	1.9	1.5	1.7	9.5	0.4	0.0	0.4	1.7	0.0	0.8	0.3	
LAPQEP (n=1)	4.9	0.4	0.0	2.3	36.6	23.9	1.5	5.7	1.3	0.4	0.7	0.8	0.3	0.1	1.9	1.6	1.0	10.9	0.4	0.0	0.3	3.7	0.0	0.7	0.3	0.3
LAODDN (n=1)	3.8	0.1	0.0	2.6	24.1	36.0	0.8	5.7	2.0	0.4	0.8	0.7	0.0	0.0	2.3	1.8	1.6	9.4	0.4	0.0	1.1	3.8	0.0	1.6	0.6	0.1
LAPAUZ (n=1)	5.5	0.3	0.0	3.1	25.6	33.6	0.7	5.4	1.9	0.4	0.8	0.6	0.1	0.0	2.4	1.7	2.3	12.8	0.3	0.0	0.2	1.5	0.0	0.5	0.0	
LAPZOI (n=1)	5.7	0.3	0.0	2.1	25.8	31.3	0.4	7.9	2.2	0.7	0.6	0.6	0.0	0.0	1.3	1.0	2.1	9.3	0.0	0.0	1.0	5.6	0.0	2.2	0.0	0.0

Table 79: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 76. The number of T1 plants fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=143)	5.4 ± 0.7	0.3 ± 0.1	2.9 ± 0.7	29.6 ± 5.5	32.8 ± 6.2	0.8 ± 0.3	5.6 ± 0.8	1.9 ± 0.6	0.4 ± 0.2	0.8 ± 0.1	0.7 ± 0.1	0.1 ± 0.1	0 ± 0	2 ± 0.4	1.5 ± 0.3	1.5 ± 0.5	8.3 ± 2	0.3 ± 0.1	0.6 ± 0.3	2.6 ± 0.7	1.1 ± 0.4	0.4 ± 0.2	0.1 ± 0.1		

Table 80: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 76. For each category, the fatty acid profile of the plant having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b	
sc (n=1)	5.1	0.3	0.0	2.7	25.2	29.7	1.3	4.8	2.6	0.5	0.8	0.6	0.3	0.1	2.4	1.9	1.9	14.1	0.3	0.0	0.4	3.3	0.0	1.0	0.2	0.3

Table 81: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T1 plants that where rated per event. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes(#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
LAPCTC (n=11)	67.5 ± 1.5	1 ± 0	1 ± 0	1 ± 0	1.8 ± 0.6	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	129.5 ± 3.5	3.6 ± 0.6	3.6 ± 0.9		
LAPCSC (n=11)	68.6 ± 3.3	1 ± 0	1 ± 0	1 ± 0	1.7 ± 0.6	3 ± 0	3 ± 0	5 ± 0	1 ± 0	3.6 ± 0.8	126.4 ± 3.2	3.2 ± 0.3	3.9 ± 0.5		
LAPYTI (n=15)	72.3 ± 7.1	1 ± 0	1.4 ± 1.1	1.1 ± 0.5	1.6 ± 0.8	3 ± 0	3 ± 0	5 ± 0	1.3 ± 0.7	4 ± 0	123 ± 4.9	3.6 ± 0.3	3.5 ± 0.8		
LAQKQS (n=15)	67.4 ± 4.4	1 ± 0	1.4 ± 0.8	1.1 ± 0.3	3.1 ± 1.6	3 ± 0	3 ± 0	5 ± 0	1.8 ± 1.5	4 ± 0	130.3 ± 4.8	3.8 ± 0.5	3.7 ± 1		
LAPARV (n=15)	68.1 ± 2.6	1 ± 0	1.2 ± 0.8	1 ± 0	2.3 ± 2.1	3 ± 0	3 ± 0	5 ± 0	1.3 ± 0.9	4 ± 0	128 ± 3.2	4 ± 0.6	3.9 ± 1.3		
LAPCMY (n=15)	68.7 ± 2.4	1 ± 0	1 ± 0	1 ± 0	1.7 ± 0.6	3 ± 0	3 ± 0	5 ± 0	1 ± 0	3.9 ± 0.5	130.7 ± 1.8	3.6 ± 0.4	3.3 ± 0.7		
LAPBOW (n=15)	68.1 ± 0.9	1 ± 0	1 ± 0	1 ± 0	1.2 ± 0.6	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	127.3 ± 3.2	4 ± 0.4	3.7 ± 1	35.3 ± 1.3	29.2 ± 0.3
LAPAWA (n=15)	66.5 ± 1.4	1 ± 0	1 ± 0	1 ± 0	1.2 ± 0.4	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	128.7 ± 3.5	3.7 ± 0.4	2.6 ± 0.5		
LAPBYW (n=13)	65.7 ± 2.6	1 ± 0	1.2 ± 0.8	1.2 ± 0.6	1.7 ± 0.6	3 ± 0	3 ± 0	5 ± 0	1.2 ± 0.6	3.8 ± 0.6	128.1 ± 5.2	4 ± 0.5	3.9 ± 1.7		
LAPQEP (n=15)	66.9 ± 2.6	1 ± 0	1.2 ± 0.8	1 ± 0	1.7 ± 0.7	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	128 ± 4.6	3.2 ± 0.3	3.3 ± 0.6		
LAODDN (n=15)	69.3 ± 2	1 ± 0	1 ± 0	1 ± 0	1.2 ± 0.4	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	125.7 ± 3.2	3.9 ± 0.5	3.8 ± 1.2	36.6 ± 1.2	27.9 ± 0.4
LAPAUx (n=10)	70 ± 4.5	1 ± 0	1.3 ± 0.9	1 ± 0	3.1 ± 2.3	3 ± 0	3 ± 0	5 ± 0	2.4 ± 2.1	3.8 ± 0.6	130 ± 2.4	4.3 ± 0.5	4.5 ± 1.4		
LAPZOI (n=10)	68 ± 6.7	1 ± 0	1.2 ± 0.6	1 ± 0	1.1 ± 0.3	3 ± 0	3 ± 0	5 ± 0	1 ± 0	4 ± 0	126.5 ± 3.4	3.8 ± 0.6	3.3 ± 0.9		

Table 82: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 76. The number of T1 plants fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
sc (n=143; n=30 for oil and protein)	67.9 ± 3	1 ± 0	1.1 ± 0.5	1 ± 0.2	1.7 ± 1.1	3 ± 0	3 ± 0	5 ± 0	1.1 ± 0.7	3.9 ± 0.3	127.9 ± 4	3.6 ± 0.4	3.5 ± 1.1	36 ± 1.4	28.5 ± 0.8

C. Fatty acid profiles, copy number measurements, and phenotypic observations of T2 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc cultivated in greenhouses during summer.

5 The data in Table 83 indicate the copy number of the selected events was a single insertion which was homozygous in the T3 seed. Fatty acid profile measurements, see Table 84 and Table 85, indicated the combination of T-DNAs from VC-LJB2755-2qcz and VC-LLM391-2qcz rc are capable of bringing in the VLC-PUFA pathway to successfully accumulate ARA, EPA and DHA. The data on Table 86 show that there was no significant impact on the aerial portion of the plant caused by VC-LJB2755-2qcz and VC-LLM391-2qcz rc.

5

Table 83: Copy number measurement of T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. As the T2 plants underwent two cycles of selecting homozygous plants, all plants of all events are homozygous for all T-DNA insertions. A copy number of ~2 therefore was indicative for one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth. Odd results of 3 and 5 indicate that at least some of the selected T1 plants carry a heterozygous locus.

Event	Copy number assays targeting the T-DNA of VC-LJB2755-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-p-LuPXR_i-Atss15 near the right T-DNA border.							Copy number assays targeting the T-DNA of VC-LLM391-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-d4Des(Eg_GA) located near the left T-DNA border and target j-i-Atss1_c-d5Elo(Ot_GA3) near the right T-DNA border.							
	c-AHAS	c-o3Des(Pi_GA)	j-i-Atss18_c-d12Des(Pi_GA)	j-i-Atss14_c-d12Des(Pi_GA)	c-d6Elo(Tp_GA)	j-i-Atss1_c-d6Elo(Tp_GA)	c-o3Des(Pir_GA)	j-p-LuPXR_i-Atss15	c-d4Des(Eg_GA)	j-t-PVARC-p-LuCnl	j-i-Atss2_c-d4Des(Tc_GA3)	c-d4Des(Tc_GA)	j-p-PvARC5_t-BnFAE	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)
LAPBOW (n=54)	1.9	2.0					2.0	2.4	2.0				2.0		2.0
LAODDN (n=63)	1.9	2.0					2.0	2.1	2.0				2.0		1.9

166

Table 84: Fatty acid profiles of T3 seeds harvested from T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T3 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

		16:1	16:3		18:1	18:2	18:2	18:3	18:3	18:4		20:1	20:2	20:3	20:3	20:4	20:4	20:5		22:1	22:4	22:5	22:5	22:6	unkn own peak a	unkn own peak b
Event	16:0	n-7	n-3	18:0	n-9	n-6	n-9	n-3	n-6	n-3	20:0	n-9	n-6	n-3	n-6	n-3	n-6	n-3	22:0	n-9	n-6	n-3	n-6	n-3		
LAPBOW (n=54)	5.3 ± 0.3	0.3 ± 0.1	0.2 ± 0.1	3.4 ± 0.2	26.8 ±1.9	35.6 ±2.1	0.6 ± 0.1	6.1 ± 0.8	1.6 ± 0.2	0.4 ± 0.1	0.8 ± 0.1	0.7 ± 0	0.1 ± 0.1	0 ±0	1.8 ± 0.3	1.4 ± 0.3	1.4 ± 0.2	7.1 ± 0.8	0.3 ± 0.1	0 ±0	1 ± 0.1	3.2 ± 0.5	0 ±0	1.3 ± 0.3	0.6 ± 0.2	0.1 ± 0.1
LAODDN (n=63)	5.4 ± 0.4	0.3 ± 0.1	0.2 ± 0.1	3.5 ± 0.4	27.7 ±2.4	35.4 ±1.8	0.6 ± 0.1	6.5 ± 0.8	1.4 ± 0.2	0.4 ± 0	0.8 ± 0.1	0.7 ± 0	0.1 ± 0.1	0 ±0	1.8 ± 0.2	1.4 ± 0.2	1 ± 0.2	6.8 ± 0.6	0.3 ± 0.1	0 ±0	0.8 ± 0.1	3 ± 0.3	0 ±0	1.1 ± 0.3	0.6 ± 0.1	0.1 ± 0.1
WT Kumily (n=46)	5 ± 0.1	0.4 ± 0	0.2 ± 0	2.6 ± 0.1	66.3 ±1.7	16.8 ±1.3	0.6 ± 0	6.1 ± 0.4	0 ±0	0 ±0	0 ±0	0.9 ± 0	1.2 ± 0	0 ±0	0 ±0	0 ±0	0 ±0	0 ±0	0.5 ± 0	0 ±0	0 ±0	0 ±0	0 ±0	0 ±0	0 ±0	0 ±0

5 Table 85: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b
LAPBOW (n=1)	5.7	0.3	0.2	3.3	24.1	34.3	0.6	6.1	2.0	0.5	0.7	0.6	0.0	0.0	2.1	1.7	1.6	8.7	0.1	0.0	1.1	3.8	0.0	1.7	0.7	0.0
LAODDN (n=1)	5.3	0.3	0.2	3.1	25.1	34.7	0.7	6.0	1.8	0.5	0.7	0.7	0.0	0.0	2.2	2.0	1.1	8.7	0.3	0.0	0.8	3.6	0.0	1.5	0.7	0.1

10 Table 86: Phenotypic rating of T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T1 plants that were rated per event. Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	Oil	protein
LAPBOW (n=54)	34.8 ± 2.9	30.8 ± 2.3
LAODDN (n=63)	36.6 ± 3	28.6 ± 2.4

WT Kumily (n=46)	34.9 ± 1.1	32.7 ± 1.1

D. Fatty acid profiles, copy number measurements, and phenotypic observations of T2 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc cultivated in field trials in USDA growth zones 3a-4b and 5a during the summer

- 5 Field data for the T3 seed from the events carrying the T-DNA from VC-LJB2755-2qcz and VC-LLM391-2qcz rc, shown in Table 87 and Table 88, indicate that the plants are capable of making VLC-PUFAs in the field (ARA, EPA and DHA), though not at the level observed in the greenhouse. However, there was also a difference in seed oil content observed compared to the greenhouse (e.g. comparing Table 89 with Table 86). These observations
- 10 are in agreement with previous examples where it was observed that increased oil contents in the field grown plants concomitant with a decrease in VLC-PUFAs, in particular EPA, DHA and ARA. A more detailed description of the observations regarding oil content and VLC-PUFAs is given in Example 20.

Table 87: Fatty acid profiles of T3 seeds harvested from T2 cultivated in the field, corresponding to USDA growth zones 3a-4b and 5a, for field trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T3 seed aliquots representing a plot where measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LAPBOW (n=31)	5.3 ± 0.2	0.4 ± 0.1	0 ± 0	2.4 ± 0.1	31.9 ± 1.6	33.3 ± 1	0.6 ± 0.1	7.7 ± 0.5	1.4 ± 0.2	0.4 ± 0.1	0.6 ± 0	0.7 ± 0	0.1 ± 0.1	0 ± 0	1.5 ± 0.1	0.9 ± 0.1	1.6 ± 0.2	5.5 ± 0.5	0.2 ± 0.1	0 ± 0	0.9 ± 0.1	3.1 ± 0.3	0 ± 0	0.8 ± 0.1	0.4 ± 0.1	0.1 ± 0.1
LAODDN (n=31)	5.1 ± 0.2	0.4 ± 0	0.1 ± 0	2.5 ± 0.2	32.1 ± 2.3	33.4 ± 1.4	0.6 ± 0.1	7.9 ± 0.5	1.3 ± 0.2	0.4 ± 0.1	0.6 ± 0	0.7 ± 0	0.2 ± 0.1	0.1 ± 0.1	1.3 ± 0.1	0.8 ± 0.1	1.4 ± 0.2	5.7 ± 0.7	0.3 ± 0	0 ± 0	0.8 ± 0.1	3.1 ± 0.4	0 ± 0	0.8 ± 0.1	0.4 ± 0.1	0.1 ± 0
WT Kumily (n=60)	5 ± 0.3	0.4 ± 0	0.1 ± 0.1	2 ± 0.1	56.2 ± 4.2	23.3 ± 1.7	0 ± 0.1	9.5 ± 0.7	0.1 ± 0.2	0 ± 0	0.7 ± 0	1.1 ± 0.1	0.1 ± 0.1	0 ± 0	0.2 ± 0.3	0.1 ± 0.3	0.2 ± 0.5	0.4 ± 1.1	0.3 ± 0.1	0 ± 0	0 ± 0.2	0.2 ± 0.6	0 ± 0	0 ± 0.2		

- 5 Table 88: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in USDA growth zones 3a-4b and 5a for field trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LAPBOW (n=1)	5.5	0.4	0.1	2.3	30.3	32.9	0.6	7.6	1.8	0.5	0.6	0.7	0.1	0.0	1.6	1.0	1.7	6.5	0.1	0.0	1.0	3.5	0.0	1.1	0.2	0.1
LAODDN (n=1)	5.4	0.4	0.0	2.6	30.1	33.3	0.7	6.9	1.5	0.4	0.6	0.6	0.1	0.0	1.5	0.9	1.8	6.8	0.2	0.0	1.0	3.5	0.0	0.9	0.4	0.1

- 10 Table 89: Phenotypic rating of T2 plants cultivated in USDA growth zones 3a-4b and 5a for field trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of field plots that were rated per event. Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	Oil	protein
LAPBOW (n=31)	38.7 ± 1.2	28 ± 1.1
LAODDN (n=31)	38.3 ± 1.4	27.9 ± 1.2

WT Kumily (n=60)	38.7 ± 1.1	

E. Fatty acid profiles, copy number measurements, and phenotypic observations of T3 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc cultivated in greenhouses during winter.

- 5 T4 seed from T3 plants from the event LAODDN, which was homozygous for T-DNA from both VC-LJB2755-2qcz and VC-LLM391-2qcz rc (see Table 90) accumulated VLC-PUFAs (in particular ARA, EPA and DHA, see Table 91 and Table 92). The combination of EPA and DHA was up to approximately ten percent of the total fatty acid content in the seed for this event.

5

Table 90: Copy number measurement of T3 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. As the T3 plants underwent two cycles of selecting homozygous plants, all plants of all events are homozygous for all T-DNA insertions. A copy number of ~2 therefore was indicative for one homozygous locus, a copy number of ~4 indicative for two homozygous loci or indicative for one homozygous locus containing two copies of the target gene measured by the assay, and so forth. Odd results of 3 and 5 indicate that at least some of the selected T1 plants carry a heterozygous locus.

Event	Copy number assays targeting the T-DNA of VC-LJB2755-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-p-LuPXR_i-Atss15 near the right T-DNA border.								Copy number assays targeting the T-DNA of VC-LLM391-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-d4Des(Eg_GA) located near the left T-DNA border and target j-i-Atss1_c-d5Elo(Ot_GA3) near the right T-DNA border.							
LAODDN (n=30)	1.92		2.0					1.9	1.8			1.9	2.1		1.9	
	c-AHAS	c-o3Des(Pi_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss14_c-d4Des(Pir_GA)	c-d6Elo(Tp_GA)	j-i-Atss1_c-d6Elo(Tp_GA2)	c-o3Des(Pir_GA)	j-p-LuPXR_i-Atss15	c-d4Des(Eg_GA)	j-t-PvARC-p-LuCnI	j-i-Atss2_c-d4Des(Tc_GA3)	c-d4Des(Tc_GA)	j-p-PvARC5_t-BnFAE	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	

173

Table 91: Fatty acid profiles of T4 seeds harvested from T3 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T4 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

																									unkn own peak a	unkn own peak b
Event	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0 n-9	20:1 n-6	20:2 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-3	22:6 n-3				
LAODDN (n=30)	5.3 ± 0.5	0.3 ± 0	0 ± 0	3.3 ± 0.7	27.2 ± 2.5	37.7 ± 4.1	2.3 ± 5.1	5.1 ± 0.7	1.7 ± 0.3	0.4 ± 0.1	0.8 ± 0.1	0.6 ± 0.1	0.1 ± 0.1	0 ± 0	0.2	0.3 ± 0.5	1.3 ± 0.2	6.5 ± 0.8	0.2 ± 0.2	1 ± 0.3	2.7 ± 0.4	0 ± 0	1.3 ± 0.4	0.1 ± 0.1	0.4 ± 0	

PF 77877

Table 92: Fatty acid profiles of one T4 seed batch per event harvested from T3 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column. Fatty acid profiles of T4 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1n-7	16:3n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3n-3	18:3n-6	18:4n-3	20:0	20:1n-9	20:2n-6	20:3n-3	20:3n-6	20:4n-3	20:4n-6	20:5n-3	22:0	22:1n-9	22:4n-6	22:5n-3	22:5n-6	22:6n-3	unknown peak a	unknown peak b
LAODDN (n=1)	5.2	0.2	0.0	3.7	24.2	39.5	0.4	4.8	2.0	0.5	0.9	0.6	0.1	0.1	1.0	0.0	1.5	7.7	0.4	0.0	1.3	3.3	0.0	1.9	0.3	0.1

- 5 Table 93: Phenotypic rating of T3 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T1 plants that were rated per event. DFF: days to first flower (days), DF: deformed flower (9=deformed, 1=normal), DL: deformed leaf (9=deformed, 1=normal), DP: deformed plant (9=deformed, 1=normal), DS: deformed silique (9=deformed, 1=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH
LAODDN (n=30)	43.5 ± 4.1	8.5 ± 0.5	7.8 ± 0.8	9 ± 0	7.9 ± 1	3 ± 0	4.6 ± 0.7	4.5 ± 0.7	8.8 ± 0.4	5 ± 0.8	115 ± 12.5

174

F. Fatty acid profiles, copy number measurements, and phenotypic observations of T3 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc cultivated in field trials in USDA growth zones 8a-9a in the winter.

- Field data for T4 seed of two events carrying homozygous T-DNA insertions from VC-
- 5 LJB2755-2qcz and VC-LLM391-2qcz rc (see Table 83 and Table 90 and Table 84, Table 87, Table 91) indicate these events do accumulate EPA, DHA and ARA when grown in the greenhouse and field, though as consistently observed, the field grown material did not accumulate the VLC-PUFAs (ARA, EPA, DHA) to the extent observed in the greenhouse (see Table 94 and Table 95 in comparison with Table 91, Table 92, Table 87 and Table 88).
- 10 As observed in in Example 11 part F, higher oil content was observed compared to the summer field trials (Comparison Table 96 with Table 89). This phenomenon is analyzed in detail in Example 20.

Table 94: Fatty acid profiles of T4 seeds harvested from T3 cultivated in the field corresponding to USDA growth zones 8a-9a for field trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T4 seed aliquots representing a plot were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LAPBOW (n=16)	5.3 ± 0.2	0.4 ± 0	0 ± 0	2.4 ± 0.2	36.1 ± 3.1	31.3 ± 2	0.5 ± 0.1	7.9 ± 0.5	1.3 ± 0.3	0.4 ± 0.1	0.6 ± 0	0.7 ± 0	0.1 ± 0.1	0 ± 0	1.2 ± 0.1	0.8 ± 0.1	1.4 ± 0.2	4.5 ± 0.5	0.2 ± 0	0 ± 0	0.7 ± 0.2	2.7 ± 0.2	0 ± 0	0.7 ± 0.2	0.3 ± 0.2	0.1 ± 0.1
LAODDN (n=47)	5.5 ± 0.6	0.5 ± 0.2	0.2 ± 0.3	2.7 ± 0.5	36.8 ± 3.2	30.3 ± 2.2	0.6 ± 0.2	7.9 ± 0.5	1.3 ± 0.3	0.4 ± 0.1	0.6 ± 0.1	0.7 ± 0	0.1 ± 0.1	0 ± 0	1 ± 0.1	0.8 ± 0.1	1.2 ± 0.2	4.7 ± 0.7	0.2 ± 0	0 ± 0	0.4 ± 0.3	2.6 ± 0.3	0 ± 0	0.6 ± 0.2	0.2 ± 0.1	0.1 ± 0.1
WT Kumily (n=83)	5.1 ± 0.5	0.4 ± 0.1	0.1 ± 0.1	2.1 ± 0.5	59.1 ± 1.8	21.3 ± 1.5	0 ± 0.1	9.5 ± 0.7	0 ± 0.1	0 ± 0	0.6 ± 0.1	1 ± 0.1	0.1 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0.1	0.1 ± 0.1	0.3 ± 0	0 ± 0.1	0 ± 0.1	0 ± 0.1	0 ± 0	0 ± 0	5.1 ± 0.5	0.4 ± 0.1

- 5 Table 95: Fatty acid profiles of one T4 seed batch per event harvested from T3 plants cultivated in the field corresponding to USDA growth zones 8a-9a for field trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column. Fatty acid profiles of T4 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LAPBOW (n=1)	5.3	0.4	0.0	2.3	31.5	34.0	0.5	7.3	1.8	0.6	0.6	0.7	0.1	0.0	1.2	0.8	1.8	5.5	0.2	0.0	1.0	3.1	0.0	1.1	0.2	0.0
LAODDN (n=1)	5.6	0.4	0.0	2.1	33.8	31.1	0.7	8.0	1.5	0.5	0.5	0.7	0.1	0.0	1.2	0.8	1.6	6.2	0.1	0.0	0.7	3.3	0.0	1.0	0.2	0.1

- 10 Table 96: Phenotypic rating of T3 plants cultivated in the field corresponding to USDA growth zones 8a-9a for trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of field plots that were rated per event. Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	Oil	protein
LAPBOW (n=16)	42.9 ± 4.2	23.3 ± 3.1
LAODDN (n=47)	43.5 ± 3.8	22.7 ± 2.7

WT Kumily (n=83)	45.3 ± 3.9	

G. Fatty acid profiles, copy number measurements, and phenotypic observations of T4 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc cultivated in field trials in USDA zones 3a-4b and 5a during the summer.

The data indicate that through the T5 generation the event LAODDN was still producing EPA and DHA at a level consistent with the field trial (described in part D). Also oil content was comparable between these two field trials.

Table 97: Fatty acid profiles of T5 seeds harvested from T4 cultivated in the field corresponding to USDA growth zones 3a-3b and 5a for field trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of T4 seed aliquots representing a plot where measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LAODDN (n=142)	4.7 ± 0.4	0.2 ± 0.1	0 ± 0	2.8 ± 0.4	34.8 ± 3.5	33.8 ± 4.8	0.3 ± 0.3	7.7 ± 1	1.1 ± 0.4	0.2 ± 0.2	0.7 ± 0.1	0.8 ± 0.1	0.1 ± 0.1	0.1 ± 0.1	1.2 ± 0.3	1.1 ± 1.2	1.4 ± 0.4	4.5 ± 1.9	0.3 ± 0.1	0 ± 0	0.5 ± 0.4	2.9 ± 0.5	0.1 ± 0.2	0.7 ± 0.2	0.1 ± 0.2	0.1 ± 0.1
WT Kumily (n=56)	4.5 ± 0.5	0.1 ± 0.1	0 ± 0	1.8 ± 1	60 ± 3.8	22.5 ± 3.6	0.6 ± 1.5	7.9 ± 2.2	0.1 ± 0.1	0 ± 0	0.8 ± 0.2	1 ± 0.4	0.1 ± 0	0 ± 0	0.2 ± 0.8	0 ± 0	0 ± 0	0 ± 0.1	0.2 ± 0.2	0 ± 0	0 ± 0.1	0 ± 0	0 ± 0	0 ± 0	0 ± 0	0 ± 0

- 5 Table 98: Fatty acid profiles of one T5 seed batch per event harvested from T4 plants cultivated in the field corresponding to USDA growth zones 3a-3b and 5a for field trials of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column. Fatty acid profiles of T5 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LAODDN (n=1)	4.5	0.2	0.0	2.6	30.3	30.8	0.4	5.8	0.6	0.1	0.6	0.9	0.3	0.4	2.4	1.3	3.7	8.1	0.3	0.0	0.0	4.2	1.2	1.2	0.0	0.0

- 10 Table 99: Phenotypic rating of T4 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LLM391-2qcz rc. The events are indicated in the first column, along with the number of field plots that were rated per event. Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	Oil	protein
LAODDN (n=47)	39.9 ± 4.4	25.4 ± 1.8
WT Kumily (n=56)	40.6 ± 2.3	26.4 ± 1.3

Example 14: Plants containing the T-DNAs of plasmid VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc (combination E in example 5) for production of EPA and DHA in seeds

In this example, the genetic elements required for EPA and DHA synthesis were transferred into the plant genome on two different T-DNAs. To this end, the two different plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc containing two different T-DNAs were cloned into *Agrobacterium*, and plant tissue was incubated according to example 5 at the same time with these two *agrobacterial* cultures that are identical apart from containing either VC-LJB2755-2qcz rc or VC-LTM217-1qcz rc rc. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of VC-LJB2755-2qcz rc. Only those plants were kept, that also contained the T-DNA of plasmid VC-LTM217-1qcz rc rc as confirmed by PCR, conducted as described in example 5. Only plants containing the T-DNA of plasmid VC-LJB2755-2qcz rc as well as the T-DNA of plasmid VC-LTM217-1qcz rc combined all the genetic elements required for EPA and DHA synthesis in seeds. The genetic elements of VC-LJB2755-2qcz rc and the function of each element are listed in Table 2. The genetic elements of VC-LTM217-1qcz rc and the function of each element were listed in Table 7. For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc that were required for EPA and DHA synthesis are additionally listed Table 100.

Table 100: Combined list of genes essential of EPA and DHA synthesis carried by the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc.

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA)	VC-LJB2755-2qcz rc	1196	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d6Des(Ot_febit)	VC-LJB2755-2qcz rc	1370	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Tp_GA2)	VC-LJB2755-2qcz rc	818	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
c-d5Des(Tc_GA2)	VC-LJB2755-2qcz rc	1319	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-o3Des(Pi_GA2)	VC-LJB2755-2qcz rc	1085	Omega-3-desaturase from <i>Phytophthora infestans</i>
c-o3Des(Pir_GA)	VC-LJB2755-2qcz rc	1091	Omega-3 desaturase from <i>Pythium irregulare</i>

Genes encoding enzymes for EPA and DHA synthesis	Plasmid containing T-DNA with the gene	Length (bp)	Enzymatic function and source of encoded protein
c-d5Elo(Ot_GA3)	VC-LTM217-1qcz rc	902	Delta-5 elongase from <i>Ostreococcus tauri</i>
c-d4Des(Pl_GA)2	VC-LTM217-1qcz rc	1338	Delta-4 desaturase from <i>Pavlova lutheri</i>
c-d4Des(Tc_GA)	VC-LTM217-1qcz rc	1560	Delta-4 desaturase from <i>Thraustochytrium</i> spp.

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc cultivated in greenhouses during winter.

- 5 Table 102 and Table 103 indicate the single copy events for insertions of VC-LJB2755-2qcz and VC-LTM217-1qcz rc did not accumulate as much EPA and DHA as the double copy events. Table 103 indicates that the combined EPA and DHA content, for the highest producers in T1 seed, was in the range of 15 percent of the total fatty acid content of the seed (5% of the total seed fatty acid content being DHA and 10% being EPA).

Table 101: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T1 plants where the average of all copy number assays listed in this table was 0.51-1.49, dc: all T1 plants where the average of all copy number assays listed in this table was 1.51-2.49, tc: all T1 plants where the average of all copy number assays listed in this table was 2.51-3.49.

Event	Copy number assays targeting the T-DNA of VC-LJB2755-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-p-LuPXR_i-Atss15 near the right T-DNA border.							Copy number assays targeting the T-DNA of VC-LTM217-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-d4Des(Eg_GA) located near the left T-DNA border and target j-i-Atss1_c-d5Elo(Ot_GA3) near the right T-DNA border.							
	c-AHAS	c-o3Des(Pi_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-i-Atss1_c-d6Elo(Tp_GA2)	c-o3Des(Pir_GA)	j-p-LuPXR_i-Atss15	c-d4Des(PI_GA)2	j-t-PvARC-p-LuChl	j-i-Atss2_c-d4Des(Tc_GA3)	c-d4Des(Tc_GA)	j-p-PvARC5_t-BnFAE	c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)
sc (n=139)	1.2	1.2					1.2	1.2	1.2		1.1	1.2			1.1
dc (n=77)	1.6	1.8			2.0		1.8	1.8	1.9		1.9	1.7			1.9

Table 102: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 101. The number of T1 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=139)	5.1 ± 0.5	0.3 ± 0.1	0 ± 0.1	3.7 ± 0.8	37.8 ± 7.2	32 ± 4.4	0.4 ± 0.3	4.6 ± 0.6	1.7 ± 1.2	0.3 ± 0.3	0.9 ± 0.1	0.8 ± 0.1	0 ± 0.1	0 ± 0	1.4 ± 0.6	0.8 ± 0.4	1.8 ± 0.7	4.8 ± 1.8	0.4 ± 0.1	0 ± 0.3	0.2 ± 0.2	0.8 ± 0.5	0.3 ± 0.4	1.4 ± 0.6	0.1 ± 0.2	0 ± 0.1
dc (n=77)	5 ± 0.4	0.3 ± 0.1	0 ± 0.1	3.7 ± 0.6	35.5 ± 7.4	32.8 ± 4.4	0.5 ± 0.2	4.7 ± 0.8	1.8 ± 0.7	0.3 ± 0.1	0.9 ± 0.1	0.8 ± 0.1	0 ± 0.1	0 ± 0	1.5 ± 0.8	0.9 ± 0.5	1.7 ± 0.6	5.5 ± 2.6	0.3 ± 0.1	0 ± 0	0.3 ± 0.2	1 ± 0.5	0.4 ± 0.4	1.7 ± 0.6	0.2 ± 0.3	0 ± 0.1

5

Table 103: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 101. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=1)	5.0	0.4	0.0	2.9	32.0	26.7	1.3	3.3	3.4	0.6	0.9	0.8	0.1	0.0	1.6	1.0	2.7	10.3	0.4	0.0	1.2	0.0	0.0	5.2	0.2	0.1
dc (n=1)	5.1	0.2	0.1	5.1	23.3	31.7	0.7	3.8	2.9	0.6	1.0	0.8	0.2	0.1	1.7	1.3	2.2	12.5	0.4	0.0	0.5	1.9	0.7	3.0	0.2	0.1

10 Table 104: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 101. The number of T1 plants fulfilling these criteria are displayed in parentheses. TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Category of T1 plants	TKW	SC	Oil	Protein
sc (n=139)	4.3 ± 0.5	5 ± 1.8	33.3 ± 1.6	30.5 ± 0.6

dc (n=77)	4.1±0.5	5.3±2	33.5±3	29.7±1.1

B. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc cultivated in greenhouses during summer.

- Measurements carried out on plants from selected T1 events indicated single copy
- 5 homozygous insertions of the T-DNA corresponding to VC-LJB2755-2qcz and VC-LTM217-1qcz rc (see table 104, in particular the table legend) and the T2 accumulates EPA and DHA in similar levels as the T1. Measurements on T2 seed (see Table 106 and Table 107) showed that EPA and DHA accumulated up to 13% of the total fatty acid content of the seed (with ca. 3% of the seed total fatty acid content being DHA).

Table 105: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. Homozygous plants of the T1 generation of these two events have been selected using Half Kernel Analysis (Example 9). Based on the proven ability to discriminate homozygous and heterozygous seeds using half kernel analysis, it can be assumed all T1 plants in Table 106, Table 107, and Table 108 are homozygous, but no copy number analysis has been performed to confirm this.

Event	Copy number assays targeting the T-DNA of VC-LJB2755-2qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target j-p-LuPXR_j-Atss15 near the right T-DNA border.								Copy number assays targeting the T-DNA of VC-LTM217-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-d4Des(Eg_GA) located near the left T-DNA border and target j-i-Atss1_c-d5Elo(Ot_GA3) near the right T-DNA border.					
	c-AHAS	c-o3Des(Pi_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-i-Atss1_c-d6Elo(Tp_GA2)	c-o3Des(Pir_GA)	j-p-LuPXR_j-Atss15	c-d4Des(Pi_GA)2	j-t-PVARC-p-LuCnl	j-i-Atss2_c-d4Des(Tc_GA3)	c-d4Des(Tc_GA)	j-p-PVARC5_t-BnFAE	c-d5Elo(Ot_GA3)
LBAIID (n=1)	1.1	1.0					1.0	1.0	1.2		1.0			1.1
LBAPPG (n=1)	1.0	1.0					1.0	1.0	1.2		1.1			0.9

5

Table 106: Fatty acid profiles of T2 seeds harvested from homozygous T1 cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. The events are indicated in the first column, along with the number of T2 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

																							unkn own peak a	unkn own peak b		
Event	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0 n-9	20:1 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-3	22:6 n-3				
LBAIID (n=20)	5.1 ± 0.2	0.2 ± 0	0 ± 0	3.6 ± 0.3	23.6 ± 1.8	38.4 ± 0.9	0.5 ± 0.1	4.9 ± 0.3	2.1 ± 0.2	0.5 ± 0.1	0.9 ± 0.1	0.6 ± 0	0.1 ± 0	0.1 ± 0	1.2 ± 0.1	0.9 ± 0.1	1.8 ± 0.2	8.1 ± 0.8	0.4 ± 0	0 ± 0	0.7 ± 0.1	1.8 ± 0.2	0.8 ± 0.1	3.4 ± 0.4	0.3 ± 0.1	0 ± 0
LBAPPG (n=18)	5.6 ± 0.5	0.3 ± 0.1	0 ± 0	4.3 ± 0.3	24.2 ± 2.7	39.9 ± 1.2	0.3 ± 0.1	4.7 ± 0.3	2 ± 0.3	0.4 ± 0.1	1 ± 0.1	0.6 ± 0	0.1 ± 0	0 ± 0	1 ± 0.1	0.7 ± 0.2	1.8 ± 0.2	6.9 ± 1.2	0.4 ± 0	0 ± 0	0.6 ± 0.1	1.6 ± 0.2	0.6 ± 0.2	2.9 ± 0.5	0 ± 0.1	0 ± 0

Table 107: Fatty acid profiles of one T2 seed batch per event harvested from homozygous T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T2 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LBAIID (n=1)	5.2	0.3	0.0	3.7	20.9	37.3	0.4	5.3	2.4	0.6	0.9	0.6	0.1	0.1	1.0	0.8	2.0	9.2	0.4	0.0	0.8	2.2	1.0	4.5	0.3	0.0
LBAPPG (n=1)	4.9	0.2	0.0	4.6	22.3	38.8	0.3	4.7	2.1	0.5	1.2	0.7	0.1	0.0	1.2	0.9	2.0	8.2	0.5	0.0	0.6	1.8	0.7	3.7	0.0	0.0

- 5 Table 108: Fatty acid profiles of T2 seeds harvested from homozygous T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LJB2755-2qcz rc and VC-LTM217-1qcz rc. Plants of all events combined have been grouped into the category "sc". The number of T1 plants fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1n -7	16:3n -3	18:0	18:1n -9	18:2n -6	18:2n -9	18:3n -3	18:3n -6	18:4n -3	20:0	20:1n -9	20:2n -6	20:3n -3	20:3n -6	20:4n -3	20:4n -6	20:5n -3	22:0	22:1n -9	22:4n -6	22:5n -3	22:5n -6	22:6n -3	unkn own peak a	unkn own peak b
sc (n=38)	2.6 ± 0.2	0.1 ± 0	2 ± 0 ± 0	12 ± 0.2	19.5 ± 1.1	0.2 ± ± 0.6	0	2.4 ± 0.1	1 ± 0.1	0.2 ± 0	0.5 ± 0	0.3 ± 0	0 ± 0	0 ± 0	0.5 ± 0.1	0.4 ± 0.1	0.9 ± 0.1	3.7 ± 0.6	0.2 ± 0	0 ± 0	0.3 ± 0	0.8 ± 0.1	0.3 ± 0.1	1.6 ± 0.3	0.1 ± 0.1	0 ± 0

Example 15: Plants containing the T-DNA of plasmid RTP10690-1qcz_F for production of EPA and DHA in seeds

All genetic elements required for EPA and DHA synthesis described in this example, were transferred on a single T-DNA using a BiBAC plasmid into the plant genome. To this end, the plasmid RTP10690-1qcz_F was cloned into agrobacteria, and plant tissue was incubated according to example 6 with this agrobacterial culture. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of RTP10690-1qcz_F. The genetic elements of RTP10690-1qcz_F and the function of each element are listed in Table 8. For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of RTP10690-1qcz_F that required for EPA and DHA synthesis are additionally listed Table 109.

Table 109: List of genes essential of EPA and DHA synthesis carried by the T-DNA of plasmid RTP10690-1qcz_F.

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA2)	1197	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d6Des(Ot_febit)	1371	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Pp_GA2)	873	Delta-6 elongase from <i>Physcomitrella patens</i>
c-d6Elo(Tp_GA2)	819	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
c-d5Des(Tc_GA2)	1320	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
2 copies of c-d5Des(Tc_GA2)	1320	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-o3Des(Pi_GA2)	1086	Omega-3-desaturase from <i>Phytophthora infestans</i>
2 copies of c-o3Des(Pir_GA)	1092	Omega-3 desaturase from <i>Pythium irregulare</i>
c-d5Elo(Ot_GA3)	903	Delta-5 elongase from <i>Ostreococcus tauri</i>

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
c-d4Des(PI_GA)2	1338	Delta-4 desaturase from Pavlova lutheri
c-d4Des(Tc_GA3)	1560	Delta-4 desaturase from Thraustochytrium sp.

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNA of plasmids RTP10690-1qcz_F cultivated in greenhouses during winter

- 5 As Table 110 indicates there were fewer insertion events of this construct observed than for other constructs, with more single copy events than double copy, by approximately four fold. Fatty acid profile data on Table 111 and Table 112 indicated that DHA and EPA can accumulate up to 4% of the total seed fatty acid content in the T1 with similar performance between single and double copy events, within error. Table 113 demonstrates that there
- 10 was no significant aerial phenotype associated with this construct in the T0.

Table 110: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc.

Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T0 plants where the average of all copy number assays listed in this table was 0.51-1.49, dc: all T0 plants where the average of all copy number assays listed in this table was 1.51-2.49, tc: all T0 plants where the average of all copy number assays listed in this table was 2.51-3.49.

	Copy number assays targeting the T-DNA of RTP10690-1qcz_F. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Elo(Pp_GA)near the right T-DNA border.														
Category of T0 plants	c-AHAS		c-d5Des(Tc_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss2_c-d4Des(Tc_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(PI_GA)2	j-i-Atss2_c-d4Des(PI_GA)-195R	j-p-LuPXR_i-Atss15	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-i-Atss2_c-d6Des(Ot-febit_GA)	c-d5Des(Tc_GA)	c-d6Elo(Pp_GA)
sc (n=52)	1.1	2.0	1.2	1.0	1.1	1.0		1.0	1.2	1.0	1.1	1.0	2.0	1.1	
dc (n=12)	1.6	3.5	2.0	1.8	1.9	2.0		1.9	2.2	1.8	2.1	1.8	3.5	1.8	

5

Table 111: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 110. The number of T0 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=52)	5.1 ± 0.7	0.3 ± 0.1	3.1 ± 0.4	43.8 ± 7.3	28.3 ± 4.5	0.3 ± 0.2	5.1 ± 0.8	0.8 ± 0.4	0.1 ± 0.1	0.9 ± 0.1	1 ± 0.1	0.5 ± 0.6	0.2 ± 0.3	2.2 ± 0.7	1.1 ± 0.4	1.6 ± 0.5	3.2 ± 1	0.4 ± 0.1	0 ± 0	0.1 ± 0.1	1.1 ± 0.4	0 ± 0	0.5 ± 0.3	0.1 ± 0.1	0.2 ± 0.2
dc (n=12)	5.2 ± 0.4	0.3 ± 0.1	3.5 ± 0.5	39 ± 6.7	30.1 ± 3	0.5 ± 0.2	4.5 ± 0.6	1.6 ± 0.6	0.2 ± 0.1	0.9 ± 0.1	0.9 ± 0.1	0.3 ± 0.4	0.1 ± 0.1	3.1 ± 1	1.2 ± 0.4	2 ± 1.4	3.7 ± 1.3	0.4 ± 0	0 ± 0	0.3 ± 0.2	1.2 ± 0.4	0 ± 0	0.7 ± 0.3	0.2 ± 0.2	0.1 ± 0.2

10

Table 112: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 110. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=1)	5.5	0.3	0.0	4.1	27.2	33.6	0.7	4.1	1.9	0.3	0.9	0.7	0.3	0.2	4.5	2.1	2.7	5.8	0.4	0.0	0.3	2.2	0.1	1.4	0.4	0.2
dc (n=1)	5.3	0.3	0.0	3.8	31.9	32.9	0.6	3.8	1.6	0.2	0.9	0.8	0.4	0.2	3.6	1.5	2.7	5.7	0.4	0.0	0.3	1.7	0.0	1.1	0.2	0.3

5

Table 113: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc. Considering each event was in this generation represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 110. The number of T0 plants/events fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (1=deformed, 9=normal), DL: deformed leaf (1=deformed, 9=normal), DP: deformed plant (1=deformed, 9=normal), DS: deformed silique (1=deformed, 9=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
sc (n=52)	61.4 ± 15.5	8.7 ± 1.2	8.7 ± 1.2	8.8 ± 0.9	7.6 ± 2.5	3 ± 0	5.4 ± 7.9	5.9 ± 6.9	7.3 ± 2.6	4.9 ± 1.3	123.8 ± 7.5			35.4 ± 2.4	30.1 ± 1.1
dc (n=12)	56.3 ± 9.6	9 ± 0	9 ± 0	9 ± 0	8.1 ± 2.1	3 ± 0	4.3 ± 1	5 ± 0	8.1 ± 2.1	5 ± 0.9	125.4 ± 5.4			34.8 ± 1.1	29.9 ± 1

191

B. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNA of plasmids RTP10690-1qcz_F cultivated in greenhouses during summer

- 5 Data in Table 115 and Table 116 indicate a similar performance of the T2 seed as that of the T1 seed with respect to EPA and DHA, see also Table 111 and Table 112 for comparison. The selected events all performed at a similar level and segregated for one to two copies of each gene.

Table 114: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event.

Copy number assays targeting the T-DNA of RTP10690-1qcz_F. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Elo(Pp_GA)near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity of all plants per event was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.														
Event	c-AHAS	c-d5Des(Tc_GA)	j-i-Atss18_c-o3Des(Pl_GA2)	j-i-Atss2_c-d4Des(Tc_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Pl_GA)2	j-i-Atss2_c-d4Des(Pl_GA) -195R	j-p-LuPXR_j-Atss15	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-i-Atss2_c-d6Des(Ot febit_GA)	c-d5Des(Tc_GA)	c-d6Elo(Pp_GA)
LBDGCA (n=94)	1.5 (T0: 1)	3.2 (T0: 2)	1.6 (T0: 1.4)	(T0: 1)	(T0: 1.2)	1.7 (T0: 0.9)	1.6	1.6 (T0: 1)	(T0: 1.2)	1.7 (T0: 1)	(T0: 1.1)	(T0: 1.1)	3.2 (T0: 2)	1.6 (T0: 1)
LBDGBP (n=20)	(T0: 1.1)	(T0: 2.1)	(T0: 1.4)	(T0: 1.2)	(T0: 1.3)	(T0: 1.1)		(T0: 1.1)	(T0: 1.3)	(T0: 1)	(T0: 1)	(T0: 1.2)	(T0: 2.1)	(T0: 1)
LBDIHN (n=114)	1.6 (T0: 1.2)	3.3 (T0: 2.2)	1.6 (T0: 1.7)	(T0: 1.1)	(T0: 1.2)	1.7 (T0: 1)	1.6	1.6 (T0: 1.1)		1.7 (T0: 1)	(T0: 0.9)	(T0: 1.2)	3.3 (T0: 2.2)	1.6 (T0: 1.1)

Table 115: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event.

event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LBDGCA (n=90)	5.7± 0.5	0.2± 0.1	0± 0.1	4.1± 0.7	36.4 ± 7.3	32.5 ± 3.9	0.5± 0.2	4.5± 0.9	1.7± 0.7	0.2± 0.1	1.1± 0.2	0.8± 0.1	0.2± 0.1	0± 0	2.6± 0.6	1± 0.2	1.9± 0.7	3.3± 1.2	0.4± 0.1	0± 0	0.4± 0.2	1.4± 0.5	0± 0	0.6± 0.3	0.3± 0.1	0.1± 0.1
LBDGBP (n=20)	5.4± 0.5	0.3± 0	0± 0	3.9± 0.4	25.4 ± 2.3	37.1 ± 1.6	0.5± 0	3.4± 0.2	2.4± 0.3	0.2± 0	1± 0.1	0.6± 0	0.1± 0	0± 0	2.3± 0.2	0.9± 0.2	3.8± 0.5	7.5± 1.6	0.4± 0	0± 0	0.6± 0.1	2.4± 0.4	0± 0.2	1.7± 0.7	0± 0	0± 0
LBDIHN (n=110)	4.9± 0.4	0.2± 0.1	0± 0	3.6± 0.5	32.5 ± 7.6	34.5 ± 4.1	0.6± 0.2	4.4± 1	1.7± 0.7	0.2± 0.1	0.9± 0.1	0.8± 0.1	0.3± 0.2	0.1± 0.1	2.3± 0.4	1.1± 0.4	2.7± 0.9	5.2± 1.6	0.4± 0.1	0± 0	0.4± 0.2	1.9± 0.6	0± 0	0.9± 0.4	0.2± 0.1	0.1± 0.1

Table 116: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T2 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Events	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LBDGCA (n=1)	5.5	0.2	0.0	3.3	29.2	31.8	0.9	5.3	2.8	0.4	0.7	0.7	0.1	0.1	2.9	1.2	3.6	5.9	0.3	0.0	0.6	2.6	0.0	1.3	0.4	0.1
LBDGBP (n=1)	5.2	0.3	0.0	3.9	20.3	35.1	0.5	3.6	2.7	0.3	1.0	0.6	0.1	0.0	2.6	1.3	4.4	10.8	0.4	0.0	0.7	3.3	0.0	3.0	0.0	0.0
LBDIHN (n=1)	5.0	0.3	0.0	3.5	23.8	36.3	0.6	2.6	2.6	0.2	0.9	0.6	0.1	0.0	2.8	1.1	4.1	9.1	0.4	0.0	1.0	2.8	0.0	2.1	0.0	0.1

- 5 Table 117: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid RTP10690-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Events	Oil	Protein
LBDGCA (n=90)	34.1 ± 3.1	30.1 ± 1.9
LBDIHN (n=110)	35.3 ± 2.7	29.9 ± 1.8

Example 16: Plants containing the T-DNA of plasmid RTP10691-2qcz for production of EPA and DHA in seeds

- All genetic elements required for EPA and DHA synthesis described in this example, were transferred on a single T-DNA using a BiBAC plasmid into the plant genome. To this end, the plasmid RTP10691-2qcz was cloned into agrobacteria, and plant tissue was incubated according to example 6 with this agrobacterial culture. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of RTP10691-2qcz. The genetic elements of RTP10691-2qcz and the function of each element are listed in Table 9.
- For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of RTP10691-2qcz that required for EPA and DHA synthesis are additionally listed in Table 118.

Table 118: List of genes essential of EPA and DHA synthesis carried by the T-DNA of plasmid RTP10691-2qcz.

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA2)	1196	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d6Des(Ot_febit)	1371	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Pp_GA2)	873	Delta-6 elongase from <i>Physcomitrella patens</i>
c-d6Elo(Tp_GA2)	819	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
2 copies of c-d5Des(Tc_GA2)	1320	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-o3Des(Pi_GA2)	1086	Omega-3-desaturase from <i>Phytophthora infestans</i>
2 copies of c-o3Des(Pir_GA)	1092	Omega-3 desaturase from <i>Pythium irregulare</i>
c-d5Elo(Ot_GA3)	903	Delta-5 elongase from <i>Ostreococcus tauri</i>
c-d4Des(PI_GA)2	1337	Delta-4 desaturase from <i>Pavlova lutheri</i>
c-d4Des(Tc_GA3)	1560	Delta-4 desaturase from

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
		<i>Thraustochytrium</i> sp.

Example 17: Plants containing the T-DNA of plasmid VC-LTM595-1qcz rc for production of EPA and DHA in seeds

- 5 All genetic elements required for EPA and DHA synthesis described in this example, were transferred on a single T-DNA using a BiBAC plasmid into the plant genome. To this end, the plasmid VC-LTM595-1qcz rc was cloned into agrobacteria, and plant tissue was incubated according to example 6 with this agrobacterial culture. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of VC-LTM595-1qcz rc. The genetic elements of VC-LTM595-1qcz rc and the function of each element are listed in Table 10. For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of VC-LTM595-1qcz rc that required for EPA and DHA synthesis are additionally listed Table 119.

- 15 **Table 119: List of genes essential of EPA and DHA synthesis carried by the T-DNA of plasmid VC-LTM595-1qcz rc.**

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA2)	1197	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d6Des(Ot_febit)	1371	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Pp_GA2)	873	Delta-6 elongase from <i>Physcomitrella patens</i>
c-d6Elo(Tp_GA2)	819	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
c-d5Des(Tc_GA2)	1320	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-d5Des(Tc_GA2)	1320	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-o3Des(Pi_GA2)	1086	Omega-3-desaturase from

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
		Phytophthora infestans
2 copies of c-o3Des(Pir_GA)	1092	Omega-3 desaturase from Pythium irregulare
c-d5Elo(Ot_GA3)	903	Delta-5 elongase from Ostreococcus tauri
c-d4Des(PI_GA)2	1338	Delta-4 desaturase from Pavlova lutheri
c-d4Des(Tc_GA3)	1560	Delta-4 desaturase from Thraustochytrium sp.

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNA of plasmids VC-LTM595-1qcz rc cultivated in greenhouses during summer

- 5 Similar to VC-RTP10690-1qcz_F, the number of insertions of the entire T-DNA was not as high as obtained for the multi-construct transformations, see Table 120. Table 121 and Table 122 show the fatty acid profile measurements for single, double and triple copy T-DNA, and indicate that the double copy constructs perform marginally better than the single copy constructs and perhaps marginally better than the triple copy constructs in terms of
- 10 EPA and DHA accumulation. The fatty acid profile data further indicate that the accumulation of EPA and DHA in the T1 seed was up to 10% of the total fatty acids with up to 2% of the total fatty acids in the seed being DHA. Phenotypic measurements, shown on Table 123, indicated some variability in flowering time (as represented by DFF).

Table 120: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc.

Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T0 plants where the average of all copy number assays listed in this table except the assay c-d5Des(Tc_GA) was 0.51-1.49, dc: all T0 plants where the average of all copy number assays listed in this table was 1.51-2.49, tc: all T0 plants where the average of all copy number assays listed in this table was 2.51-3.49.

Copy number assays targeting the T-DNA of VC-LTM595-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Elø(Pp_GA) near the right T-DNA border.														
Category of T0 plants	c-AHAS	j-p-BnSETL-v1_c-o3Des(Pir_GA)	c-d4Des(PI_GA)2	j-i-Atss18_c-o3Des(Pi_GA2)	j-p-PvARC5_t-BnFAE	j-i-Atss1_c-d5Elø(Ot_GA3)	c-d5Des(Tc_GA)	j-p-LuPXR_i-Atss15	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elø(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-i-Atss2_c-d6Des(Ot_febit_GA)	c-d5Des(Tc_GA)	c-d6Elø(Pp_GA)
sc (n=24)	1.1		1.0	1.0	0.9	0.9	1.9	1.1		1.0	0.9	1.1	1.9	1.0
dc (n=7)	2.2		2.3	2.1	2.0	1.9	3.8	2.3		2.2	2.3	2.1	3.8	1.9
tc (n=3)	2.4		2.4	1.9	2.5	2.0	4.6	3.3		2.4	2.9	2.4	4.6	2.4

5

Table 121: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 120. The number of T0 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1n-7	16:3n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3n-3	18:3n-6	18:4n-3	20:0	20:1n-9	20:2n-6	20:3n-3	20:3n-6	20:4n-3	20:4n-6	20:5n-3	22:0	22:1n-9	22:4n-6	22:5n-3	22:5n-6	22:6n-3	unknown n peak a	unknown n peak b
sc (n=24)	5.2 ± 0.6	0.3 ± 0.1	0 ± 0	3 ± 0.4	41.2 ± 4.8	28.6 ± 2.3	0.3 ± 0.1	5.9 ± 0.6	0.6 ± 0.3	0.1 ± 0.1	0.8 ± 0.1	0.9 ± 0.1	0.6 ± 0.3	0.3 ± 0.1	1.9 ± 0.7	1.2 ± 0.5	1.5 ± 0.3	3.5 ± 0.8	0.4 ± 0.1	0 ± 0	0.3 ± 0.1	1.2 ± 0.3	0 ± 0.1	1.1 ± 0.3	0.4 ± 0.2	0.3 ± 0.2
dc (n=7)	5.6 ± 1.4	0.3 ± 0.2	0 ± 0	3.7 ± 0.7	34.4 ± 7.3	31.2 ± 3.4	0.4 ± 0.2	5.7 ± 1.4	1.5 ± 0.5	0.2 ± 0.2	0.9 ± 0.2	0.8 ± 0.2	0.3 ± 0.2	0.1 ± 0.1	2.7 ± 0.8	1.5 ± 1	1.6 ± 0.8	3.8 ± 2.2	0.4 ± 0	0 ± 0	0.6 ± 0.4	1.5 ± 0.8	0.2 ± 0.1	1.6 ± 0.6	0.7 ± 0.1	0.2 ± 0.1
tc (n=3)	4.1 ± 1.3	0.2 ± 0.1	0 ± 0	3 ± 0.1	45.4 ± 8.4	26.2 ± 2.2	0.4 ± 0.3	6 ± 0.9	1.7 ± 2	0.2 ± 0.3	0.8 ± 0	1 ± 0.1	0.3 ± 0.2	0.1 ± 0.1	1.5 ± 0.4	0.7 ± 0.1	1.5 ± 0.7	3.3 ± 1.6	0.4 ± 0	0 ± 0	0.5 ± 0.3	1 ± 0.4	0.2 ± 0.1	1.1 ± 0.5	0.3 ± 0.1	0.2 ± 0.1

Table 122: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 120. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1n-7	16:3n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3n-3	18:3n-6	18:4n-3	20:0	20:1n-9	20:2n-6	20:3n-3	20:3n-6	20:4n-3	20:4n-6	20:5n-3	22:0	22:1n-9	22:4n-6	22:5n-3	22:5n-6	22:6n-3	unknown peak a	unknown peak b
sc (n=1)	6.3	0.4	0.0	3.4	34.6	29.8	0.4	5.3	1.0	0.1	0.8	0.8	0.6	0.3	2.9	1.6	1.8	4.6	0.3	0.0	0.5	1.6	0.2	1.6	0.7	0.3
dc (n=1)	4.9	0.2	0.0	2.8	25.8	33.9	0.3	4.8	1.7	0.3	0.7	0.7	0.5	0.2	3.2	1.7	2.8	7.4	0.4	0.0	1.2	2.9	0.2	2.3	0.8	0.3
tc (n=1)	4.5	0.2	0.0	3.1	37.8	28.0	0.7	5.7	3.9	0.5	0.8	0.9	0.1	0.0	1.6	0.6	1.8	4.8	0.4	0.0	0.8	1.3	0.3	1.5	0.4	0.1

Table 123: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc. Considering each event in this generation was represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 120.

The number of T0 plants/events fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (1=deformed, 9=normal), DL: deformed leaf (1=deformed, 9=normal), DP: deformed plant (1=deformed, 9=normal), DS: deformed silique (1=deformed, 9=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC
sc (n=24)	44.8 ± 17.3	9 ± 0	8.7 ± 1.1	9 ± 0	6.7 ± 2.4	3 ± 0	4.7 ± 0.8	5 ± 0	6.7 ± 2.4	4.7 ± 1	123.5 ± 7.7	4.4 ± 0.5	1.6 ± 0.9
dc (n=7)	47.1 ± 10.3	9 ± 0	8.7 ± 0.8	9 ± 0	4.7 ± 2.6	3 ± 0	5 ± 0	5 ± 0	4.7 ± 2.6	4.7 ± 1.1	122.9 ± 5.7	4.3 ± 0.9	2.1 ± 1.5
tc (n=3)	42.3 ± 2.5	9 ± 0	9 ± 0	9 ± 0	6 ± 4.4	3 ± 0	5 ± 0	5 ± 0	6 ± 4.4	5 ± 1.7	125 ± 10	4.2 ± 0.2	4.3 ± 3.2

B. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNA of plasmids VC-LTM595-1qcz rc cultivated in greenhouses during winter

5 The data Table 124, Table 125 and Table 126 indicate that a variety of copy numbers for the genes contained on the T-DNA were obtained, with copy number values ranging from 1 to 3. The performance of the events selected for measurements of fatty acid profiles (see Table 127 and Table 128) was similar to that observed in the previous example with the EPA and DHA combined value being approximately ten percent of the total fatty acid content of the seed, for the upper end of values. The data in Table 129 indicate, as
10 observed in prior generations for this construct (see example 17 part A), that there was some variation in flowering time among the various events.

Table 124: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM595-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. The T1 plants underwent a selection from 250 segregating T1 seedlings, using zygosity analysis as illustrated in Table 125, keeping only plants that are homozygous for the desired number of loci (which are indicated in the last column of Table 125). A copy number of ~2 therefore was indicative for one homozygous copy, a copy number of ~4 indicative for two homozygous copies (located either at one or at two different loci) and so forth. Odd results of 3, 5, 7, 9 etc indicate that at least some of the selected T1 plants carry at least one heterozygous locus. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the result observed in the T0 generation (indicated in parentheses). For some events this was not the case because during selection of T1 plants, undesired loci have been segregated out while retaining only desired loci in a homozygous state.

Event	Copy number assays targeting the T-DNA of VC-LTM595-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6El o(Pp_GA) near the right T-DNA border.														Conclusion from individual assays: number of T-DNA copies inserted into the genome
	c-AHAS	c-d5Des(Tc_GA)	J-I-Atss18_c-03Des(Pl_GA2)	J-I-Atss2_c-d4Des(Tc_GA3)	J-I-Atss1_c-d5El o(Ot_GA3)	c-d4Des(Pl_GA)2	J-I-Atss2_c-d4Des(Pl_GA)-195R	J-p-LuPXR_J-Atss15	J-I-Atss14_c-d12Des(Ps_GA)	c-d6El o(Tp_GA)	J-t-StCAT_p2_p-LuPXR	J-I-Atss2_c-d6Des(Ot_febit_GA)	c-d5Des(Tc_GA)	c-d6El o(Pp_GA)	
LBEDTZ	4.1 (T0: 2.2)	4	4 (T0: 2)	4 (T0: 1.8)	4 (T0: 1.8)	4.3 (T0: 1.8)	8.1 (T0: 3.8)	3.8 (T0: 2.5)	5.7	5 (T0: 2.8)	4.7 (T0: 2.8)	5.5 (T0: 3.1)	8.1 (T0: 3.8)	4.1 (T0: 2)	partial double copy
LBEDUA	4.3 (T0: 2.7)	4.2	4 (T0: 2.3)	3 (T0: 2.2)	3 (T0: 2)	4.5 (T0: 2.3)	8 (T0: 4)	4 (T0: 2.4)	4.3	3.7 (T0: 2.2)	3.6 (T0: 2.4)	4 (T0: 2.1)	8 (T0: 4)	3.8 (T0: 2.4)	partial double copy
LBEDWU	4.2 (T0: 1.8)	3.4	3.3 (T0: 1.9)	2.7 (T0: 1.6)	2.7 (T0: 1.7)	3.6 (T0: 1.7)	6.7 (T0: 3.5)	3.2 (T0: 1.9)	3.2	3.3 (T0: 1.7)	3 (T0: 1.7)	3.3 (T0: 1.8)	6.7 (T0: 3.5)	3.9 (T0: 2.1)	partial double copy
LBEFME	(T0: 2.6)		(T0: 2.5)	(T0: 2.6)	(T0: 2.4)		(T0: 3.7)	(T0: 3)		(T0: 2.4)	(T0: 2.7)	(T0: 2)	(T0: 3.7)	(T0: 1.1)	partial double copy
LBEEIL	(T0: 2.4)		(T0: 2.7)	(T0: 2.5)	(T0: 2.5)		(T0: 3.7)	(T0: 2)		(T0: 1.9)	(T0: 2)	(T0: 1.8)	(T0: 3.7)	(T0: 2.1)	partial double copy
LBEEBO	(T0: 2.1)		(T0: 2.7)	(T0: 1.8)	(T0: 1.6)	(T0: 1.9)	(T0: 3.6)	(T0: 1.9)		(T0: 2)	(T0: 2.1)	(T0: 1.8)	(T0: 3.6)	(T0: 2.1)	partial double copy
LBERLW	(T0: 2.1)		(T0: 1.4)	(T0: 1.7)	(T0: 1.6)		(T0: 2.6)	(T0: 2)		(T0: 1.2)	(T0: 0.9)	(T0: 1.6)	(T0: 2.6)	(T0: 1.6)	partial double copy

Table 125: Observed Medelian segregation of the genotype of T1 seeds of events from construct VC-LTM595-1qcz rc. The segregation has been analysed at three positions of the T-DNA. For each position, the number of seedlings have been counted that have a copy number (arithmetically rounded) of 0, 1, 2, 3, 4, 5,

6, 7, 8, 9, 10, 11 and 12. The of seedlings counted for each copy number category are separated by colon, displaying the categories in the following order: 0 : 1 : 2 : 3 : 4 : 5 : 6 : 7 : 8 : 9 : 10 : 11 : 12. Listed are the observed copy number segregation ratios for T1 seeds segregating for one or more unlinked genomic loci, which contain one or more linked copies of T-DNA insertions. The observed frequencies for each assay have been compared against expected frequencies for various locus configurations listed in Table 136 using Chi-Square analysis. The last column displays the total number of loci that are segregating in the genome of a given event. Many events contain truncated insertions, as was evident when some assays indicate single copy insertion at e.g. the left border (e.g. event LBEDTZ), while other position on the T-DNA clearly indicate a double copy insertion that are either inserted in one locus (e.g. event LBEDTZ), or in two loci (e.g. event LBEDWU)

Event	Copy number ratios measured near the left border of the T-DNA using an assay targetting c-AHAS	Copy number ratios measured using T-DNA internal assays targeting reagonis that had copy number results indicating truncated T-DNA insertions using assay A04 (target: j-i-Atss18_c-o3Des(Pi_GA2)), or A10 (target: c-d6Elo(Tp_GA)), or A11 (target j-t-StCAT_p2_p-LuPXR)	Copy number ratios measured near the right border of the T-DNA using an assay targetting c-d6Elo(Pp_GA)	Most likely number of loci containing one or more T-DNA copies, tested using Chi-Square test
LBEDTZ	084:001:111:002:050:000:000:000:000:000:000:000	A10: 085:000:001:111:002:043:002:000:000:000:000:000	084:000:111:000:052:001:000:000:000:000:000:000	single locus
LBEDUA				double locus
LBEDWU	023:071:098:043:014:000:000:000:000:000:000:000	A10: 023:075:098:048:004:000:000:000:000:000:000:000	023:071:099:045:011:000:000:000:000:000:000:000	double locus
LBFEFME	011:025:039:062:040:041:023:005:001:000:000:001:000	A11: 010:024:043:063:073:027:004:001:001:000:000:000:000	059:137:052:000:000:000:000:000:000:000:000:000	triple locus
LBEEIL	075:020:044:051:039:018:001:000:000:000:000:000	A04: 073:020:046:050:046:010:001:000:000:000:000:000	075:020:043:052:039:017:002:000:000:000:000:000	triple locus
LBEEBO	019:072:090:055:012:000:000:000:000:000:000:000	A10: 019:073:090:052:015:000:000:000:000:000:000:000	065:118:059:007:000:000:000:000:000:000:000:000	double locus
LBERLW	012:039:057:058:050:023:010:000:000:000:000:000	A10: 010:046:065:034:009:000:000:000:000:000:000:000	011:072:096:054:014:000:000:000:000:000:000:000	double locus

Table 126: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event.

Copy number assays targeting the T-DNA of VC-LTM595-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6EIo(Pp_GA)near the right T-DNA border. Copy number results obtained on the T0 plants are indicated in parentheses. Homozygosity of all plants per event was indicated if the average result of the selected T1 plants was about two fold higher than the T0 generation.														
Event	c-AHAS	c-d5Des(Tc_GA)	j-i-Atss18_c- o3Des(Pi_GA2)	j-i-Atss2_c- d4Des(Tc_GA3)	j-i-Atss1_c- d5EIo(Ot_GA3)	c-d4Des(Pi_GA)2	j-i-Atss2_c- d4Des(Pi_GA)-195R	j-p-LuPXR_i-Atss15	j-i-Atss14_c- d12Des(Ps_GA)	c-d6EIo(Tp_GA)	j-t-StCAT_p2_p- LuPXR	j-i-Atss2_c- d6Des(Ot febit_GA)	c-d5Des(Tc_GA)	c-d6EIo(Pp_GA)
LBDGCA (n=94)	1.5 (T0: 1)	3.2 (T0: 2)	1.6 (T0: 1.4)	(T0: 1)	(T0: 1.2)	0.9	1.6	1.6 (T0: 1)	(T0: 1.2)	1.7 (T0: 1)	(T0: 1.1)	(T0: 1.1)	3.2 (T0: 2)	1.6 (T0: 1)
LBDGBP (n=20)	(T0: 1.1)	(T0: 2.1)	(T0: 1.4)	(T0: 1.2)	(T0: 1.3)	(T0: 1.1)		(T0: 1.1)	(T0: 1.3)	(T0: 1)	(T0: 1)	(T0: 1.2)	(T0: 2.1)	(T0: 1)
LBDIHV (n=114)	1.6 (T0: 1.2)	3.3 (T0: 2.2)	1.6 (T0: 1.7)	(T0: 1.1)	(T0: 1.2)	1.7 (T0: 1)	1.6	1.6 (T0: 1.1)		1.7 (T0: 1)	(T0: 0.9)	(T0: 1.2)	3.3 (T0: 2.2)	1.6 (T0: 1.1)

203

5 Table 127: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event.

																									unkn own peak a	unkn own peak b
event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3		
LBEDTZ (n=34)	4.9 ± 0.2 0.2	0.2 ± 0	2.4 ± 0.2 0 ± 0	28 ± 1.7 0.2	31.1 ± 2.2 1.7	1.3 ± 0.2 ± 2.2	4.9 ± 0.2 0.2	4.9 ± 0.5 2	0.8 ± 0.3 0.3	0.8 ± 0.1 0.1	0.7 ± 0.1 0.1	0.1 ± 0.1 0	0.1 ± 0.8 0	3.9 ± 0.5 0.5	1.5 ± 0.4 0.4	2.4 ± 1.6 1.6	4.7 ± 0 0	0.4 ± 0 0 ± 0	0.9 ± 0.1 0 ± 0	1.8 ± 0.6 0.1	0.8 ± 0.1 0.6	1.7 ± 0.6 0.1	1.2 ± 0.3 0.6	1.2 ± 0.3 0.3	0.2 ± 0.1 0.1	
LBEDUA (n=4)	7.7 ± 0.2 0.2	0.4 ± 0.1 0.1	3.6 ± 0.5 0 ± 0	24.3 ± 0.7 0.5	32.6 ± 1 ± 0.7	0.9 ± 0.1 ± 1	4.1 ± 0.4 0.1	2.4 ± 0.2 0.2	0.3 ± 0 0	1.1 ± 0.1 0.1	0.7 ± 0 0	0.1 ± 0 0	0.1 ± 0 0	3.9 ± 0.6 0.6	1.4 ± 0.1 0.1	2.2 ± 0.2 0.2	6.5 ± 0.3 0.3	0.5 ± 0 0	1.1 ± 0 0 ± 0	1.8 ± 0.2 0	0.7 ± 0.1 0.2	2.5 ± 0.1 0.1	0.8 ± 0.1 0.1	0.8 ± 0.1 0.1	0.1 ± 0 0	
LBEDWU (n=6)	6.4 ± 0.4 0.4	0.3 ± 0.1 0.1	5.1 ± 0.9 0 ± 0	26.4 ± 3.4 0.9	31.5 ± 1.2 ± 3.4	0.8 ± 0.2 ± 1.2	4.4 ± 0.2 0.2	2.1 ± 0.5 0.5	0.3 ± 0.1 0.1	1.4 ± 0.2 0.2	0.7 ± 0.1 0.1	0.1 ± 0 0	0.2 ± 0.1 0.1	3.3 ± 0.3 0.3	1.4 ± 0.2 0.2	1.7 ± 0.2 0.2	6.1 ± 1.4 1.4	0.6 ± 0.1 0.1	1 ± 0 0 ± 0	1.8 ± 0.4 0.2	0.6 ± 0.2 0.4	2.6 ± 0.5 0.2	0.9 ± 0.2 0.5	0.9 ± 0.2 0.2	0.1 ± 0 0	

Table 128: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that where measured per event. For each event, the fatty acid profile of the plant having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Events	16:0	16:1n-7	16:3n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3n-3	18:3n-6	18:4n-3	20:0	20:1n-9	20:2n-6	20:3n-3	20:3n-6	20:4n-3	20:4n-6	20:5n-3	22:0	22:1n-9	22:4n-6	22:5n-3	22:5n-6	22:6n-3	unknown n peak a	unknown n peak b
LBEDTZ (n=1)	4.9	0.2	0.0	2.5	26.4	27.0	1.3	5.6	2.2	0.3	0.8	0.7	0.1	0.1	4.3	2.4	2.0	8.5	0.3	0.0	0.9	3.2	0.9	3.3	1.7	0.3
LBEDUA (n=1)	8.0	0.4	0.0	3.9	23.6	32.3	0.9	4.2	2.1	0.2	1.2	0.7	0.1	0.1	3.9	1.5	2.2	6.7	0.5	0.0	1.1	2.0	0.7	2.7	0.9	0.1
LBEDWU (n=1)	6.1	0.3	0.0	4.9	22.2	32.8	0.8	4.8	1.9	0.3	1.2	0.6	0.1	0.1	3.0	1.4	1.7	7.7	0.5	0.0	1.3	2.5	0.9	3.4	1.2	0.1

Table 129: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM595-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. DFF: days to first flower (days), DF: deformed flower (1=deformed, 9=normal), DL: deformed leaf (1=deformed, 9=normal), DP: deformed plant (1=deformed, 9=normal), DS: deformed silique (1=deformed, 9=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Events	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
LBEDTZ (n=34)	46.7 ± 3.7	8.9 ± 0.5	7.8 ± 0.6	7.9 ± 0.4	8.8 ± 0.7	3 ± 0	4 ± 0	5 ± 0	9 ± 0	5.2 ± 0.6	102.6 ± 7.1	3.4 ± 1.2	3.7 ± 1.1	36.3	30.5
LBEDUA (n=4)	60.8 ± 2.6	5.3 ± 1.5	8 ± 0	3.8 ± 0.5	5.5 ± 0.6	3 ± 0	5 ± 0	5 ± 0	6.3 ± 0.5	4.5 ± 0.6	83.8 ± 2.5	3.7 ± 0	8 ± 0.8	32.4	30.9
LBEDWU (n=6)	47.2 ± 2.7	6 ± 0	8 ± 0	3.5 ± 0.8	5.8 ± 0.4	3 ± 0	4 ± 0	4.8 ± 0.4	6.7 ± 1.8	4.3 ± 0.5	71.7 ± 12.1	2.5 ± 0.3	6.7 ± 2.1	33.8	30.0

Example 18: Plants containing the T-DNA of plasmid VC-LTM593-1qcz rc for production of EPA and DHA in seeds

All genetic elements required for EPA and DHA synthesis described in this example, were transferred on a single T-DNA using a BiBAC plasmid into the plant genome. To this end, the plasmid VC-LTM593-1qcz rc where cloned into agrobacteria, and plant tissue was incubated according to example 6 with this agrobacterial culture. Due to the selectable herbicide resistance marker, regenerated plants contained the T-DNA of VC-LTM593-1qcz rc . The genetic elements of VC-LTM593-1qcz rc and the function of each element are listed in Table 11. For convenience, all enzymes expressed in seeds of plants carrying both T-DNA of VC-LTM593-1qcz rc that are required for EPA and DHA synthesis are additionally listed Table 130.

Table 130: List of genes essential of EPA and DHA synthesis carried by the T-DNA of plasmid VC-LTM593-1qcz rc .

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
c-d12Des(Ps_GA2)	1197	Delta-12 desaturase from <i>Phytophthora sojae</i>
c-d6Des(Ot_febit)	1371	Delta-6 desaturase from <i>Ostreococcus tauri</i>
c-d6Elo(Pp_GA2)	873	Delta-6 elongase from <i>Physcomitrella patens</i>
c-d6Elo(Tp_GA2)	819	Delta-6 elongase from <i>Thalassiosira pseudonana</i>
2 copies of c-d5Des(Tc_GA2)	1320	Delta-5 desaturase from <i>Thraustochytrium</i> sp. ATCC21685
c-o3Des(Pi_GA2)	1086	Omega-3-desaturase from <i>Phytophthora infestans</i>
2 copies of c-o3Des(Pir_GA)	1092	Omega-3 desaturase from <i>Pythium irregulare</i>
c-d5Elo(Ot_GA3)	903	Delta-5 elongase from <i>Ostreococcus tauri</i>
c-d4Des(PI_GA)2	1338	Delta-4 desaturase from <i>Pavlova lutheri</i>
c-d4Des(Tc_GA3)	1560	Delta-4 desaturase from

Genes encoding enzymes for EPA and DHA synthesis	Length (bp)	Enzymatic function and source of encoded protein
		<i>Thraustochytrium</i> sp.

Fatty acid Profile in selected T1 seed batches

A. Fatty acid profiles, copy number measurements, and phenotypic observations of T0 plants carrying T-DNAs of plasmid VC-LTM593-1qcz rc cultivated in greenhouses during summer

One observation from the data on Table 131 was that there was a higher number of insertion events obtained from VC-LTP593-1qcz than obtained from the BiBAC constructs in examples 16 or 17. The data on Table 132 and Table 133 indicate that with respect to VLC-PUFA accumulation, in particular EPA and DHA, double copy events accumulated more than single copy events and that triple copy events accumulated more than double copy events, with accumulation for the triple copy events being approximately eight percent of total fatty acids (EPA and DHA combined, with 1.6% accumulation of total fatty acids being DHA). The highest amount accumulated was approximately fifteen percent of the total fatty acid content in the seed being EPA and DHA combined, with 3 percent of the total seed fatty acid content being DHA, see Table 133. The aerial phenotype of this construct in the T0 plant and T1 seed showed less variation than that seen in examples 16 or 17.

Table 131: Copy number measurement of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. Considering each event was in this generation represented by only 1 plant, all events have been grouped into the categories indicated in the first column; sc: all T1 plants where the average of all copy number assays listed in this table except the assay c-d5Des(Tc_GA) was 0.51-1.49, dc: all T1 plants where the average of all copy number assays listed in this table was 1.51-2.49, tc: all T1 plants where the average of all copy number assays listed in this table was 2.51-3.49.

Event	Copy number assays targeting the T-DNA of VC-LTM593-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Elo(Pp_GA) near the right T-DNA border.													
	c-AHAS	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Pi_GA)2	j-p-LuPXR_j-Atss15	j-p-PVARC5_t-BnSETL	c-d5Des(Tc_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-p-BnSETL-v1_c-o3Des(Pir_GA)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-i-Atss2_c-d6Des(Ot_febit_GA)	c-d5Des(Tc_GA)	c-d6Elo(Pp_GA)
sc (n=275)	1.1	1.2	1.1	1.1	1.0	2.1	1.1			1.1	1.1	1.0	2.1	1.1
dc (n=49)	1.7	1.6	1.8	1.7	1.6	3.5	1.9			1.9	2.3	1.8	3.5	1.7
tc (n=11)	2.6		3.0	3.2	2.5	5.3	3.0			2.9	3.8	2.6	5.3	2.8

5

Table 132: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM593-1qcz rc. Considering each event was in this generation represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 131. The number of T0 plants/events fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0 n-9	20:1 n-6	20:2 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
sc (n=275)	5.1±0.5	0.3±0.1	0.1±0.1	3.2±0.5	41.3±5.3	29.6±2.9	0.4±0.2	6±0.9	0.8±0.4	0.1±0.1	0.8±0.1	0.9±0.1	0.4±0.1	0.1±0.1	2±0.5	1.2±0.3	1.4±0.5	3.8±1.2	0.3±0.1	0±0.1	0.9±0.3	0.9±0.3	0.1±0.1	0.2±0.1
dc (n=49)	5.3±0.6	0.3±0.1	0±0.1	3.5±0.5	34.4±5.9	31±2.6	0.5±0.2	5.5±1.1	1.5±0.5	0.2±0.1	0.8±0.1	0.7±0.1	0.3±0.1	0.1±0.1	2.7±0.8	1.5±0.5	2.2±1.4	5.9±2.4	0.3±0	0±0.1	1.3±0.4	1.2±0.5	0.2±0.2	0.2±0.1
tc (n=11)	5.6±0.6	0.3±0.1	0±0.1	3.7±0.6	28±5.6	31.6±2.1	0.9±0.4	5.1±0.5	2.2±0.8	0.3±0.1	0.8±0.1	0.7±0.1	0.3±0.2	0.1±0.1	4.7±1.7	2.8±1.3	1.7±1.2	6.6±3.7	0.3±0.1	0±0.2	1.5±0.7	1.6±0.9	0.6±0.9	0.3±0.1

Table 133: Fatty acid profiles of T1 seeds harvested from T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. Considering each event was in this generation represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 131. For each category, the fatty acid profile of the plant/event having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b
sc (n=1)	4.7	0.2	0.2	3.2	25.1	36.0	0.6	5.0	2.2	0.3	0.7	0.6	0.4	0.1	2.6	1.3	4.1	8.6	0.2	0.0	0.2	1.8	0.0	1.6	0.0	0.2
dc (n=1)	5.4	0.2	0.0	3.1	23.8	29.4	0.5	4.9	1.8	0.2	0.7	0.7	0.8	0.1	3.5	2.2	4.1	12.3	0.3	0.0	0.2	2.7	0.0	2.4	0.1	0.5
tc (n=1)	5.7	0.2	0.1	3.7	21.5	32.7	0.6	4.8	1.9	0.3	0.9	0.6	0.9	0.4	1.8	1.3	3.0	12.4	0.4	0.0	0.5	2.6	0.1	3.2	0.0	0.4

Table 134: Phenotypic rating of T0 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM593-1qcz rc. Considering each event was in this generation represented by only 1 plant, all events have been grouped into the categories indicated in the first column as described in Table 131. The number of T0 plants/events fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (1=deformed, 9=normal), DL: deformed leaf (1=deformed, 9=normal), DP: deformed plant (1=deformed, 9=normal), DS: deformed silique (1=deformed, 9=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), Protein: Protein content (% of seed cake without oil)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
sc (n=275)	56.5 ± 6.1	9 ± 0	8.6 ± 1.1	9 ± 0	5 ± 4.1	3 ± 0	4.9 ± 0.5	5 ± 0	4.8 ± 2.9	5 ± 1.1	123.9 ± 8.9	4.6 ± 0.6	1.8 ± 1.7	36.5 ± 1.1	29.1 ± 0.8
dc (n=49)	57.4 ± 6	8.9 ± 1	8.4 ± 1.4	8.9 ± 0.5	4.3 ± 2.7	3 ± 0	4.8 ± 0.8	5 ± 0	4.3 ± 2.7	5 ± 1.2	119.1 ± 15.7	4.5 ± 0.6	1.6 ± 1.2	36.2 ± 1.5	28.7 ± 1.2
tc (n=11)	60.3 ± 5.5	9 ± 0	8.5 ± 1	9 ± 0	3.5 ± 2.2	3 ± 0	5 ± 0	5 ± 0	3.5 ± 2.2	4.8 ± 1.5	125.9 ± 7	4.4 ± 0.6	3.5 ± 2.9		

B. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNAs of plasmids VC-LTM593-1qcz rc cultivated in greenhouses during winter

Specific events were examined further for copy number and displayed a variation in
5 insertion number for the T-DNA from single insertion to partial double insertions along with
double insertions. Additionally there were some variations in gene copy number
(corresponding to the partial insertions and possible deletions), see Table 135, Table 136
and Table 137. The fatty acid profile data shown on Table 138 and Table 139 indicate an
upper range of accumulation of combined EPA and DHA of eighteen percent of the total
10 seed fatty acid content (event LBFDAU). In the event LBFDAU the percent of total seed
fatty acid content being EPA is 15% and total seed fatty acid content being DHA is 3% in
the T1. LBFDAU was analysed with a copy number indicative of a partial double copy.
Another example of specific events having higher levels of EPA and DHA was LBFGKN
with approximately 12 percent of the total seed fatty acid content being EPA and DHA, with
15 10 percent of the total seed fatty acid content being EPA and 2% being DHA. The T1
generation LBFGKN had only a single copy insertion event for VC-LTM593-1qcz rc, though
data on Table 140, Table 141 and Table 142 indicate that double copy double locus events
tended to accumulate more EPA and DHA combined than other copy and locus numbers
with respect to the T2 seed fatty acid profile. This observation likely reflects the nature of
20 insertion site effects and the various factors that affect the generation of elite events. Table
142 indicates that with respect to the aerial phenotype of the plants there was a range of
flowering times, as indicated by DFF (days to the first flower) from 36-48. Event LBFDAU
did not vary significantly from the majority of other events with a DFF value of 43, thus
showing no significant effect on the aerial phenotype or significant impact on total oil or
25 protein accumulation in the seed in the T1 plant and T2 seed.

Table 135: Copy number measurement of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. The T1 plants underwent a selection from 250 segregating T1 seedlings, using zygosity analysis as illustrated in Table 137, keeping only plants that are homozygous for the desired number of loci (which are indicated in the last column of Table 137). A copy number of ~2 therefore was indicative for one homozygous copy, a copy number of ~4 indicative for two homozygous copies (located either at one or at two different loci) and so forth. Odd results of 3, 5, 7, 9 etc indicate that at least some of the selected T1 plants carry at least one heterozygous locus. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the result observed in the T0 generation (indicated in parentheses). For some events this was not the case because during selection of T1 plants, undesired loci have been segregated out while retaining only desired loci in a homozygous state.

Event	Copy number assays targeting the T-DNA of VC-LTM593-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Elo(Pp_GA) near the right T-DNA border.														
	c-AHAS	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Pi_GA)2	j-p-LuPXR_j-Atss15	j-p-PvARC5_t-BnSETL	c-d5Des(Tc_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-p-BnSETL-v1_c-o3Des(Pir_GA)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-i-Atss2_c-d6Des(Ot febit_GA)	c-d5Des(Tc_GA)	c-d6Elo(Pp_GA)	Conclusion from individual assays: number of T-DNA copies inserted into the genome
LBFDGG (n=50)	2.1 (TO: 1.1)	2	2 (TO: 1.3)	1.8 (TO: 1.1)	(TO: 1)	4.2 (TO: 2.2)	2 (TO: 1.1)	1.9	2	2.1 (TO: 1.1)	2.2 (TO: 1)	2.1 (TO: 1)	4.2 (TO: 2.2)	1.9 (TO: 1)	single copy
LBFGKN (n=50)	2.1 (TO: 1)	2.2	2.1 (TO: 1.3)	2.2 (TO: 1.1)	(TO: 0.8)	4.2 (TO: 2)	2.2 (TO: 1.2)	2.1	2.1	2.1 (TO: 1)	2.2 (TO: 1)	2.1 (TO: 1.1)	4.2 (TO: 2)	1.9 (TO: 1.1)	single copy
LBFIHE (n=34)	2 (TO: 1)	2.2	2.1 (TO: 1.1)	2.1 (TO: 1.2)	(TO: 1)	4.1 (TO: 1.9)	2.2 (TO: 1.1)	2.3	2.3	2.1 (TO: 1)	2.1 (TO: 1.2)	2.3 (TO: 1)	4.1 (TO: 1.9)	2.1 (TO: 1.1)	single copy
LBFLDI (n=60)	2.5 (TO: 1)	2.3	2.4 (TO: 1.1)	2.4 (TO: 1)	(TO: 1)	4.4 (TO: 1.9)	2.2 (TO: 1.2)	2.3	2.4	2.3 (TO: 0.8)	2.3 (TO: 1)	2.3 (TO: 0.9)	4.4 (TO: 1.9)	2.5 (TO: 1)	single copy
LBFPNF (n=52)	1.9 (TO: 1.1)	2.1	2.1 (TO: 1.1)	2.1 (TO: 1.3)	(TO: 1)	5.6 (TO: 2.8)	1.9 (TO: 1)	2.1	2	2 (TO: 1.2)	4 (TO: 1.9)	4.1 (TO: 1.7)	5.6 (TO: 2.8)	4.2 (TO: 1.9)	partial double copy
LBFNSQ (n=51)	2 (TO: 1.1)	2	1.9 (TO: 1.2)	1.9 (TO: 1.1)	(TO: 1.6)	7.1 (TO: 3.1)	3.8 (TO: 1.9)	4	3.9	3.7 (TO: 1.9)	4.1 (TO: 1.9)	3.8 (TO: 1.9)	7.1 (TO: 3.1)	2 (TO: 0.7)	partial double copy
LBFDGL (n=57)	2.1 (TO: 1)	2.2	3.9 (TO: 2)	3.9 (TO: 1.7)	(TO: 1.9)	6.7 (TO: 2.9)	3.8 (TO: 2)	3.8	4.1	3.8 (TO: 1.7)	4 (TO: 1.9)	3.8 (TO: 1.4)	6.7 (TO: 2.9)	1.8 (TO: 0.7)	partial double copy

LBFIEF (n=6)	4.2 (TO: 2.5)	3.7	3.6 (TO: 2.7)	3.7 (TO: 2.7)	(TO: 2)	6.4 (TO: 3.5)	3.8 (TO: 2.3)	4.2	4.1	3.6 (TO: 2.3)	3.8 (TO: 2.6)	3.7 (TO: 1.6)	6.4 (TO: 3.5)	2.1 (TO: 0.8)	partial double copy
LBFBAY (n=50)	2 (TO: 1.1)	2.2 (TO: 1.3)	3.7 (TO: 1.5)	4 (TO: 1.7)	(TO: 1.4)	8.2 (TO: 3.7)	3.8 (TO: 1.8)	3.9	3.9	4 (TO: 1.9)	3.7 (TO: 2)	4.1 (TO: 1.7)	8.2 (TO: 3.7)	6.3 (TO: 2.9)	partial double copy
LBFPNC (n=32)	2.1 (TO: 1.1)	2	2.3 (TO: 1.2)	2 (TO: 1)	(TO: 1.4)	7.5 (TO: 3.4)	4.2 (TO: 1.7)	4	3.8	3.8 (TO: 1.8)	4.1 (TO: 1.8)	4.2 (TO: 1.4)	7.5 (TO: 3.4)	4 (TO: 1.9)	partial double copy
LBFGHQ (n=46)	3.6 (TO: 1.8)	3.8	4.1 (TO: 1.8)	4 (TO: 2.2)	(TO: 1.7)	6.1 (TO: 3.1)	3.8 (TO: 1.7)	3.8	3.7	2.1 (TO: 1.1)	2 (TO: 1.1)	2 (TO: 1.1)	6.1 (TO: 3.1)	2 (TO: 1)	partial double copy
LBFAZB (n=49)	3.9 (TO: 1.8)	4 (TO: 1.7)	3.9 (TO: 1.8)	3.9 (TO: 1.7)	(TO: 1.3)	6.6 (TO: 3.1)	3.7 (TO: 1.8)	4.1	4	3.8 (TO: 1.7)	4 (TO: 1.8)	3.7 (TO: 1.3)	6.6 (TO: 3.1)	1.9 (TO: 0.6)	partial double copy
LBFGKW (n=72)	3.8 (TO: 1.8)	3.8	4.2 (TO: 2.1)	4.1 (TO: 1.9)	(TO: 1.6)	7 (TO: 3.2)	3.9 (TO: 2)	4	4	4 (TO: 1.7)	3.6 (TO: 1.8)	3.7 (TO: 1.5)	7 (TO: 3.2)	1.7 (TO: 0.6)	partial double copy
LBFNRU (n=58)	3.8 (TO: 1.9)	4	3.8 (TO: 1.9)	3.7 (TO: 2)	(TO: 1.7)	7 (TO: 3.2)	4 (TO: 1.7)	3.7	3.9	3.8 (TO: 1.7)	4.2 (TO: 1.9)	3.8 (TO: 1.6)	7 (TO: 3.2)	1.9 (TO: 0.8)	partial double copy
LBFGIZ (n=43)	3.8 (TO: 1.9)	4.1	3.9 (TO: 1.9)	3.8 (TO: 2.1)	(TO: 1.6)	7 (TO: 2.8)	4.2 (TO: 1.8)	3.8	3.9	3.8 (TO: 1.7)	4.3 (TO: 1.5)	3.8 (TO: 1.5)	7 (TO: 2.8)	1.9 (TO: 0.8)	partial double copy
LBFIGM (n=56)	4.1 (TO: 2)	3.9	3.8 (TO: 2)	3.8 (TO: 1.7)	4 (TO: 1.5)	7.6 (TO: 2.8)	3.9 (TO: 1.7)	3.9	3.8	3.8 (TO: 1.8)	4.2 (TO: 2.2)	4.1 (TO: 1.6)	7.6 (TO: 2.8)	1.9 (TO: 0.6)	partial double copy
LBFNRR (n=61)	3.7 (TO: 1.9)	4.2	4 (TO: 2.2)	3.8 (TO: 2)	(TO: 1.7)	7.1 (TO: 2.8)	4.3 (TO: 2)	3.8	4.1	3.9 (TO: 1.7)	4.3 (TO: 1.6)	3.9 (TO: 1.6)	7.1 (TO: 2.8)	1.9 (TO: 0.7)	partial double copy
LBFNTK (n=69)	4.1 (TO: 1.9)	4.1	3.9 (TO: 2.1)	3.9 (TO: 2)	4 (TO: 1.7)	7.6 (TO: 2.9)	4 (TO: 1.8)	3.9	4.1	3.8 (TO: 1.7)	4.3 (TO: 1.9)	4.1 (TO: 1.5)	7.6 (TO: 2.9)	1.9 (TO: 0.7)	partial double copy
LBFGJA (n=42)	3.7 (TO: 1.6)	3.7	3.9 (TO: 2.1)	3.6 (TO: 2.1)	(TO: 1.7)	7.6 (TO: 3.6)	3.4 (TO: 1.7)	3.8	3.7	4.1 (TO: 1.9)	3.9 (TO: 1.9)	3.6 (TO: 1.9)	7.6 (TO: 3.6)	3.9 (TO: 2.1)	double copy
LBFIIV (n=58)	3.9 (TO: 1.7)	4	3.9 (TO: 2.4)	1.9 (TO: 1)	(TO: 1.8)	7.7 (TO: 3.9)	3.9 (TO: 1.8)	3.9	4	3.9 (TO: 2)	4 (TO: 2.6)	4.2 (TO: 1.8)	7.7 (TO: 3.9)	3.9 (TO: 2)	double copy
LBFLER (n=52)	3.8 (TO: 1.9)	3.9	3.9 (TO: 2.3)	3.8 (TO: 1.9)	(TO: 1.7)	7.7 (TO: 3.3)	3.9 (TO: 2.2)	4	4	4.1 (TO: 1.8)	4.2 (TO: 2.3)	4 (TO: 1.6)	7.7 (TO: 3.3)	3.8 (TO: 1.9)	double copy
LBFLDL (n=44)	3.8 (TO: 1.7)	3.9	3.8 (TO: 2)	3.8 (TO: 1.8)	(TO: 1.8)	7.8 (TO: 3.5)	3.9 (TO: 2.1)	3.8	4.1	4.1 (TO: 1.8)	4.1 (TO: 2.1)	3.9 (TO: 1.6)	7.8 (TO: 3.5)	3.8 (TO: 1.9)	double copy
LBFNQW (n=51)	3.8 (TO: 1.8)	3.9	3.9 (TO: 1.9)	3.9 (TO: 1.9)	(TO: 1.6)	7.9 (TO: 3.4)	3.9 (TO: 1.8)	3.9	4	4.2 (TO: 1.6)	4.2 (TO: 2)	3.9 (TO: 1.9)	7.9 (TO: 3.4)	3.9 (TO: 1.8)	double copy
LBFBAP (n=19)	2 (TO: 1.1)	2 (TO: 1.2)	2 (TO: 1)	1.8 (TO: 1.3)	(TO: 1.1)	7.5 (TO: 2.8)	3.8 (TO: 1.8)	3.9	3.8	5.7 (TO: 2.3)	5.5 (TO: 2.3)	5.7 (TO: 1.8)	7.5 (TO: 2.8)	4 (TO: 2.4)	partial triple copy
LBFDAU (n=10)	2 (TO: 1.1)	2	3.8 (TO: 1.9)	3.8 (TO: 1.8)	(TO: 1.5)	7.3 (TO: 3.7)	3.8 (TO: 2)	3.9	3.9	3.7 (TO: 1.8)	3.9 (TO: 2.4)	4.1 (TO: 1.7)	7.3 (TO: 3.7)	3.7 (TO: 1.9)	partial double copy

LBFPRA (n=16)	2.1 (TO: 2)	2	6 (TO: 3)	1.8 (TO: 1.8)	(TO: 2)	7.4 (TO: 4.7)	3.8 (TO: 2.8)	4.1	3.7	3.7 (TO: 2.4)	3.9 (TO: 3.1)	3.7 (TO: 2.3)	7.4 (TO: 4.7)	3.8 (TO: 2.8)	partial double copy
LBFIU (n=11)	2.2 (TO: 2)	2.5	2.4 (TO: 2.2)	2.4 (TO: 2.1)	(TO: 1.7)	6.5 (TO: 4.2)	2.6 (TO: 1.9)	3.2	4.9	4.3 (TO: 2.3)	4.2	4 (TO: 2.6)	6.5 (TO: 4.2)	3.8 (TO: 3)	partial double copy
LBFDKD (n=2)	3.6 (TO: 1.6)	3.7	3.6 (TO: 2.1)	3.9 (TO: 2.2)	(TO: 1.8)	7.6 (TO: 3.4)	2.9 (TO: 2.1)	3.5	3.6	3.8 (TO: 1.9)	4.3 (TO: 2)	4.3 (TO: 1.8)	7.6 (TO: 3.4)	4 (TO: 1.6)	double copy
LBFDJG (n=12)	3.6 (TO: 1.6)	3.7	4 (TO: 1.8)	3.7 (TO: 1.6)	(TO: 1.9)	8 (TO: 3.6)	3.6 (TO: 2)	4	3.9	4.1 (TO: 1.9)	4.1 (TO: 2.2)	3.7 (TO: 1.9)	8 (TO: 3.6)	4.5 (TO: 1.9)	double copy
LBFLFK (n=15)	3.7 (TO: 2)	3.9	3.7 (TO: 2.4)	3.6 (TO: 2.3)	(TO: 2)	7.5 (TO: 5.2)	4.1 (TO: 2.2)	3.7	3.8	3.8 (TO: 1.3)	4.1 (TO: 2.4)	3.9 (TO: 1.8)	7.5 (TO: 5.2)	4 (TO: 2)	double copy
LBFLCG (n=15)	3.8 (TO: 1.9)	3.9	3.7 (TO: 2.3)	3.7 (TO: 1.9)	(TO: 1.7)	9 (TO: 5.1)	3.8 (TO: 1.9)	3.9	3.9	3.7 (TO: 2)	3.9 (TO: 2.5)	5.6 (TO: 2.2)	9 (TO: 5.1)	3.9 (TO: 2)	double copy
LBFPQM (n=12)	4 (TO: 2)	3.8	4.1 (TO: 1.8)	4.1 (TO: 2)	(TO: 1.5)	7.6 (TO: 3.7)	3.9 (TO: 2)	4	3.8	3.8 (TO: 1.8)	4 (TO: 2)	4.2 (TO: 1.5)	7.6 (TO: 3.7)	4.1 (TO: 1.8)	double copy
LBFDHG (n=5)	4.2 (TO: 1.9)	4	3.8 (TO: 2.3)	3.8 (TO: 1.8)	(TO: 1.6)	7.7 (TO: 3.3)	3.9 (TO: 1.9)	3.7	3.6	3.8 (TO: 2)	3.9 (TO: 2.3)	3.9 (TO: 1.7)	7.7 (TO: 3.3)	3.9 (TO: 1.9)	double copy
LBFCYC (n=0)	(TO: 3)		(TO: 2.2)	(TO: 2)	(TO: 2)	(TO: 3)	(TO: 3.4)			(TO: 2)	(TO: 2.1)	(TO: 1.8)	(TO: 3)	(TO: 0.6)	partial double copy
LBFBAJ (n=0)	(TO: 1)	(TO: 1.1)	(TO: 1.1)	(TO: 1)	(TO: 1.7)	(TO: 4.8)	(TO: 2)			(TO: 2)	(TO: 2.5)	(TO: 1.8)	(TO: 4.8)	(TO: 2)	partial double copy
LBFDJI (n=0)	(TO: 1.1)		(TO: 1.2)	(TO: 1)	(TO: 1)	(TO: 3)	(TO: 2)			(TO: 1.5)	(TO: 2.5)	(TO: 2.1)	(TO: 3)	(TO: 1.7)	partial double copy
LBFGGO (n=0)	(TO: 1)		(TO: 1)	(TO: 1.1)	(TO: 1)	(TO: 2.6)	(TO: 1)			(TO: 2.1)	(TO: 2.1)	(TO: 2)	(TO: 2.6)	(TO: 1.9)	partial double copy
LBFLFP (n=0)	(TO: 0.9)		(TO: 1.2)	(TO: 1.2)	(TO: 1.8)	(TO: 3.5)	(TO: 2)			(TO: 1.8)	(TO: 2.1)	(TO: 1.7)	(TO: 3.5)	(TO: 1.7)	partial double copy
LBFNQV (n=0)	(TO: 1.1)		(TO: 1.2)	(TO: 1)	(TO: 1)	(TO: 2.7)	(TO: 1.8)			(TO: 1.7)	(TO: 2.3)	(TO: 1.7)	(TO: 2.7)	(TO: 2)	partial double copy
LBFNLT (n=0)	(TO: 1.1)		(TO: 1.2)	(TO: 1)	(TO: 1.8)	(TO: 3.3)	(TO: 1.8)			(TO: 1.8)	(TO: 2.2)	(TO: 1.8)	(TO: 3.3)	(TO: 1.9)	partial double copy
LBFLGC (n=0)	(TO: 1)		(TO: 1.1)	(TO: 1.1)	(TO: 1)	(TO: 2.5)	(TO: 1.1)			(TO: 3)	(TO: 2.6)	(TO: 2.2)	(TO: 2.5)	(TO: 1.8)	partial double copy
LBFLCW (n=0)	(TO: 0.9)		(TO: 1.2)	(TO: 1)	(TO: 0.8)	(TO: 3.6)	(TO: 1.7)			(TO: 1.5)	(TO: 2)	(TO: 1.6)	(TO: 3.6)	(TO: 1.5)	partial double copy
LBFPZJ (n=0)	(TO: 2)		(TO: 1.8)	(TO: 1.9)	(TO: 1)	(TO: 3.5)	(TO: 1)			(TO: 2.3)	(TO: 3)	(TO: 2.4)	(TO: 3.5)	(TO: 2.4)	partial double copy

LBFNSS (n=0)	(TO: 1.1)		(TO: 1)	(TO: 1.2)	(TO: 1.1)	(TO: 2.5)	(TO: 1.8)			(TO: 2.3)	(TO: 2.5)	(TO: 2)	(TO: 2.5)	(TO: 2)	partial double copy
LBGAOR (n=0)	(TO: 1.1)		(TO: 1.8)	(TO: 2)	(TO: 1.7)	(TO: 2.9)	(TO: 1.8)			(TO: 1.8)	(TO: 1.1)	(TO: 1)	(TO: 2.9)	(TO: 1.1)	partial double copy
LBFZOE (n=0)	(TO: 1)		(TO: 1)	(TO: 1.1)	(TO: 1.1)	(TO: 2.8)	(TO: 1)			(TO: 1.1)	(TO: 2.1)	(TO: 1.7)	(TO: 2.8)	(TO: 1.8)	partial double copy
LBFDJS (n=0)	(TO: 1)		(TO: 1.2)	(TO: 1)	(TO: 1)	(TO: 2.9)	(TO: 1.2)			(TO: 0.9)	(TO: 2.2)	(TO: 1.9)	(TO: 2.9)	(TO: 1.9)	partial double copy
LBFDKC (n=0)	(TO: 1)		(TO: 1)	(TO: 1.2)	(TO: 1.8)	(TO: 2.5)	(TO: 2.2)			(TO: 1.7)	(TO: 1.6)	(TO: 1.4)	(TO: 2.5)	(TO: 0.6)	partial double copy
LBFDKA (n=5)	4.2 (TO: 1.6)	3.8	5.4 (TO: 2.6)	5.2 (TO: 3.1)	(TO: 2.4)	10.1 (TO: 5.6)	4.8 (TO: 3.1)	6	5.7	5.7 (TO: 3.3)	5.7 (TO: 3.9)	5.9 (TO: 2.9)	10.1 (TO: 5.6)	5.7 (TO: 3.5)	partial triple copy
LBFLGH (n=0)	(TO: 0.9)		(TO: 1)	(TO: 1.1)	(TO: 1.1)	(TO: 2.9)	(TO: 2.3)			(TO: 2.5)	(TO: 3)	(TO: 2.1)	(TO: 2.9)	(TO: 2.5)	partial triple copy
LBFNUS (n=0)	(TO: 1.1)		(TO: 1)	(TO: 0.9)	(TO: 1.4)	(TO: 3.9)	(TO: 2.2)			(TO: 2.3)	(TO: 3.1)	(TO: 2.3)	(TO: 3.9)	(TO: 3.3)	partial triple copy
LBFLCH (n=0)	(TO: 1.8)		(TO: 2.1)	(TO: 2.1)	(TO: 2.3)	(TO: 5)	(TO: 3.1)			(TO: 2.3)	(TO: 5.3)	(TO: 3.3)	(TO: 5)	(TO: 3.4)	partial triple copy
LBFZMI (n=0)	(TO: 3.3)		(TO: 2.1)	(TO: 2)	(TO: 1.5)	(TO: 4.6)	(TO: 2.2)			(TO: 1.7)	(TO: 1.9)	(TO: 2.9)	(TO: 4.6)	(TO: 2.6)	partial triple copy
LBFIDT (n=7)	3.8 (TO: 1.5)	4	4.3 (TO: 2.2)	4.2 (TO: 1.9)	(TO: 1.5)	8.5 (TO: 4.5)	4 (TO: 2.5)	4.3	4.3	4.3 (TO: 2.5)	3.8 (TO: 3.8)	4.2 (TO: 2.4)	8.5 (TO: 4.5)	3.9 (TO: 2.4)	partial triple copy
LBFAZW (n=0)	(TO: 1.8)	(TO: 2)	(TO: 2.1)	(TO: 1.8)	(TO: 1.4)	(TO: 4.5)	(TO: 1.7)			(TO: 2.5)	(TO: 3.3)	(TO: 2.4)	(TO: 4.5)	(TO: 2.5)	partial triple copy
LBFBBI (n=0)	(TO: 2)	(TO: 2)	(TO: 1.9)	(TO: 1.5)	(TO: 1.6)	(TO: 4.2)	(TO: 1.9)			(TO: 1.9)	(TO: 2.7)	(TO: 1.9)	(TO: 4.2)	(TO: 1.7)	partial triple copy
LBFAZW (n=0)	(TO: 1.8)	(TO: 2)	(TO: 2.1)	(TO: 1.8)	(TO: 1.4)	(TO: 4.5)	(TO: 1.7)			(TO: 2.5)	(TO: 3.3)	(TO: 2.4)	(TO: 4.5)	(TO: 2.5)	partial triple copy

Table 136: Expected Mendelian segregation of the genotype in T1 seeds for some possible T-DNA insertion scenarios. Listed are the expected copy number segregation ratios for T1 seeds segregating for one or more unlinked genomic loci, which contain one or more linked copies of T-DNA insertions. sc: single copy, dc: double copy

	Ratio of copy numbers (cn) expected T1 seed segregating for given locus configuration												
Locus configuration	cn=0	cn=1	cn=2	cn=3	cn=4	cn=5	cn=6	cn=7	cn=8	cn=9	cn=10	cn=11	cn=12
1 sc locus	1	2	1										
1 dc locus	1		2		1								
2 sc loci	1	4	6	4	1								
2 sc loci, 1 dc locus	1	2	3	4	3	2	1						
3 sc loci, 1 dc locus	1	4	8	12	14	12	8	4	1				

- 5 Table 137: Observed Medelian segregation of the genotype of T1 seeds of events from construct VC-LTM593-1qcz rc. The segregation has been analysed at three positions of the T-DNA. For each position, the number of seedlings have been counted that have a copy number (arithmetically rounded) of 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12. The of seedlings counted for each copy number category are separated by colon, displaying the categories in the following order: 0 : 1 : 2 : 3 : 4 : 5 : 6 : 7 : 8 : 9 : 10 : 11 : 12. Listed are the observed copy number segregation ratios for T1 seeds segregating for one or more unlinked genomic loci, which contain one or more linked copies of T-DNA insertions. The observed frequencies for each assay have been compared against expected frequencies for various
- 10 locus configurations listed in Table 136 using Chi-Square analysis. The last column displays the total number of loci that are segregating in the genome of a given event. Many events contain truncated insertions, as was evident when some assays indicate single copy insertion at e.g. the left border (e.g. event LBFDAU, LPPFNC), while other positions on the T-DNA clearly indicate a double copy insertion that was either inserted in one locus (e.g. event LBFPCNC), or in two loci (e.g. event LBFDAU)

Event	Copy number ratios measured near the left border of the T-DNA using assay A1	Copy number ratios measured using T-DNA internal assays targeting reagrions that had copy number results indicating truncated T-DNA insertions using assay A06, or A08, or A09, or A10	Copy number ratios measured near the right border of the T-DNA using assay A12	Most likely number of loci containing one or more T-DNA

				copies, tested using Chi- Square test
LBFDGG	073 : 122 : 053 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A07 : 076 : 119 : 053 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	073 : 123 : 052 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFGKN	057 : 131 : 059 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A07 : 057 : 130 : 059 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	057 : 130 : 060 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFIHE	076 : 125 : 042 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 075 : 123 : 035 : 009 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	076 : 122 : 036 : 010 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFLDI	068 : 101 : 059 : 018 : 003 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 075 : 094 : 062 : 015 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	068 : 106 : 053 : 018 : 002 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFPNF	065 : 128 : 055 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 066 : 000 : 127 : 001 : 053 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000	064 : 001 : 127 : 001 : 051 : 002 : 002 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFNSQ	063 : 109 : 066 : 005 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 063 : 000 : 110 : 011 : 049 : 010 : 000 : 000 : 000 : 000 : 000 : 000 : 000	063 : 114 : 061 : 005 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFDGL	072 : 113 : 062 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 072 : 000 : 108 : 007 : 061 : 000 : 001 : 000 : 000 : 000 : 000 : 000 : 000	073 : 113 : 061 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFI EF	042 : 000 : 018 : 020 : 013 : 002 : 004 : 000 : 001 : 000 : 000 : 000 : 000	A12 : 042 : 000 : 025 : 015 : 012 : 005 : 000 : 001 : 000 : 000 : 000 : 000 : 000	041 : 032 : 020 : 005 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFBV	068 : 128 : 053 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A04 : 068 : 000 : 128 : 000 : 053 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	068 : 000 : 000 : 122 : 006 : 000 : 044 : 009 : 000 : 000 : 000 : 000 : 000	one locus
LBFPNC	043 : 074 : 035 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 043 : 002 : 072 : 001 : 034 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	043 : 000 : 074 : 001 : 034 : 000 : 001 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFGHQ	067 : 000 : 113 : 007 : 051 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 065 : 110 : 057 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	066 : 104 : 059 : 003 : 003 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFAZB	078 : 001 : 158 : 002 : 055 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 078 : 001 : 151 : 008 : 055 : 002 : 001 : 000 : 000 : 000 : 000 : 000 : 000	078 : 161 : 054 : 003 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus
LBFGKW	047 : 000 : 124 : 007 : 070 : 000 : 001 : 000 : 000 : 000 : 000 : 000 : 000	A13 : 047 : 000 : 124 : 012 : 065 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	047 : 129 : 073 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	one locus

[illegible]

	000	000 : 000	000	isolation of one locus
LBFDKD	007 : 031 : 045 : 018 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A07 : 007 : 031 : 045 : 017 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	007 : 031 : 044 : 017 : 003 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFDJG	026 : 078 : 088 : 036 : 014 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 029 : 072 : 085 : 035 : 017 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	026 : 076 : 077 : 037 : 022 : 004 : 001 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFLFK	018 : 062 : 096 : 058 : 015 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A11 : 018 : 061 : 096 : 059 : 015 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	018 : 061 : 098 : 057 : 015 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFLCG	015 : 059 : 087 : 068 : 015 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 016 : 058 : 087 : 067 : 016 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	016 : 056 : 090 : 065 : 015 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFPQM	008 : 058 : 094 : 060 : 014 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 008 : 058 : 094 : 062 : 012 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	008 : 058 : 095 : 061 : 012 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFDHG	022 : 064 : 084 : 037 : 004 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A07 : 023 : 062 : 090 : 033 : 005 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	023 : 063 : 089 : 034 : 005 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFCYO	091 : 001 : 002 : 013 : 090 : 001 : 006 : 031 : 001 : 000 : 000 : 000 : 000	A14 : 059 : 126 : 051 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	059 : 126 : 051 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFBAL	056 : 140 : 048 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 017 : 056 : 093 : 064 : 014 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	016 : 056 : 091 : 032 : 043 : 005 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFDJI	151 : 285 : 171 : 003 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 051 : 073 : 118 : 157 : 149 : 036 : 023 : 002 : 001 : 000 : 000 : 000 : 000	049 : 152 : 228 : 129 : 041 : 003 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFGGO	017 : 034 : 030 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 009 : 011 : 030 : 023 : 008 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	009 : 011 : 031 : 023 : 007 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFLFP	047 : 094 : 053 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A04 : 046 : 092 : 056 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	010 : 038 : 069 : 049 : 027 : 001 : 001 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFNQV	174 : 289 : 138 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A04 : 174 : 286 : 138 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	049 : 163 : 210 : 126 : 048 : 003 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFNLT	149 : 279 : 145 : 010 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A07 : 015 : 067 : 130 : 063 : 033 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	029 : 146 : 214 : 136 : 055 : 007 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFLGC	064 : 121 : 057 : 005 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 013 : 034 : 059 : 060 : 049 : 026 : 006 : 000 : 002 : 000 : 000 : 000 : 000	013 : 068 : 112 : 048 : 008 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFLCW	207 : 283 : 098 : 003 : 000 : 000 : 000	A12 : 065 : 152 : 224 : 131 : 018 : 000	064 : 156 : 232 : 110 : 022 : 001 : 000	double

	000 : 000 : 000 : 000 : 000 : 000 : 000	001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	000 : 000 : 000 : 000 : 000 : 000 : 000	locus
LBFZPJ	060 : 000 : 129 : 000 : 059 : 000 : 001 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 013 : 032 : 042 : 066 : 059 : 029 : 008 : 000 : 000 : 000 : 000 : 000 : 000	013 : 032 : 044 : 065 : 049 : 036 : 010 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFNSS	155 : 359 : 142 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 044 : 094 : 127 : 183 : 113 : 058 : 033 : 003 : 002 : 000 : 000 : 000 : 000	042 : 163 : 268 : 141 : 039 : 003 : 001 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBGACR	149 : 302 : 144 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A04 : 040 : 158 : 274 : 103 : 019 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	161 : 310 : 120 : 003 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFZOE	026 : 060 : 035 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 010 : 025 : 051 : 026 : 008 : 002 : 000 : 000 : 000 : 000 : 000 : 000 : 000	010 : 025 : 049 : 031 : 006 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFDIS	048 : 131 : 060 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 008 : 043 : 090 : 074 : 026 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	008 : 043 : 089 : 075 : 025 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	double locus
LBFDKC	001 : 109 : 133 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A07 : 001 : 000 : 109 : 008 : 126 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	001 : 108 : 132 : 004 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	no wildtypes
LBFDKA	015 : 072 : 101 : 052 : 008 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 001 : 012 : 041 : 054 : 076 : 045 : 018 : 001 : 000 : 000 : 000 : 000 : 000	001 : 012 : 041 : 053 : 069 : 050 : 019 : 003 : 000 : 000 : 000 : 000 : 000	triple locus
LBFGLH	061 : 137 : 051 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 015 : 034 : 052 : 068 : 039 : 026 : 012 : 002 : 001 : 000 : 000 : 000 : 000	014 : 033 : 053 : 060 : 045 : 030 : 012 : 001 : 000 : 000 : 000 : 000 : 000	triple locus
LBFNUS	054 : 137 : 058 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 003 : 016 : 048 : 054 : 034 : 008 : 003 : 000 : 000 : 000 : 000 : 000 : 000	004 : 020 : 071 : 081 : 060 : 010 : 003 : 000 : 000 : 000 : 000 : 000 : 000	triple locus
LBFLLH	019 : 077 : 090 : 052 : 011 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 019 : 039 : 013 : 006 : 050 : 050 : 021 : 008 : 019 : 013 : 009 : 002 : 000	019 : 039 : 013 : 041 : 063 : 027 : 026 : 013 : 007 : 000 : 000 : 000 : 000	triple locus
LBFZMI	017 : 016 : 036 : 038 : 023 : 027 : 005 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 017 : 043 : 061 : 033 : 008 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	007 : 015 : 039 : 051 : 034 : 014 : 002 : 000 : 000 : 000 : 000 : 000 : 000	triple locus
LBFIDT	069 : 000 : 131 : 000 : 045 : 001 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 015 : 033 : 058 : 064 : 048 : 015 : 012 : 002 : 000 : 000 : 000 : 000	003 : 018 : 050 : 056 : 061 : 031 : 019 : 008 : 000 : 000 : 000 : 000 : 000	triple locus, isolation of one locus
LBFZAW	013 : 065 : 109 : 041 : 006 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 004 : 021 : 073 : 086 : 040 : 010 : 001 : 000 : 000 : 000 : 000 : 000 : 000	003 : 018 : 069 : 079 : 048 : 013 : 002 : 000 : 001 : 000 : 000 : 000 : 000	trippel locus
LBFBBI	005 : 057 : 139 : 040 : 004 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 009 : 030 : 074 : 066 : 051 : 014 : 001 : 000 : 000 : 000 : 000 : 000 : 000	005 : 065 : 127 : 044 : 004 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	trippel locus

LBFAZW	013 : 065 : 109 : 041 : 006 : 000 : 000 : 000 : 000 : 000 : 000 : 000 : 000	A12 : 004 : 021 : 073 : 086 : 040 : 010 : 001 : 000 : 000 : 000 : 000 : 000 : 000	003 : 018 : 069 : 079 : 048 : 013 : 002 : 000 : 001 : 000 : 000 : 000 : 000	trippel locus

Table 138: Fatty acid profiles of T2 seeds harvested from T1 cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T2 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LBFDGG (n=50)	4.8± 0.2	0.2± 0	0±0	2.9± 0.3	28.3± 1.5	35.6± 1	0.8± 0.1	4.5± 0.3	1.9± 0.2	0.4± 0.1	0.8± 0.1	0.7± 0	0.1± 0	0.1± 0	2.7± 0.2	1.5± 0.1	2.2± 0.3	7.7± 0.8	0.4± 0	0±0	0.3± 0.1	1.9± 0.2	0.2± 0	1.4± 0.3	0.3± 0.1	0.2± 0.1
LBFGKN (n=50)	4.6± 0.3	0.1± 0	0±0	3± 0.2	28.3± 1.6	35.2± 0.7	1± 0.1	4.6± 0.3	2± 0.3	0.5± 0.2	0.8± 0	0.7± 0	0.2± 0	0.1± 0	2.8± 0.2	1.4± 0.1	2.3± 0.2	8.1± 0.9	0.4± 0	0±0	0.3± 0	1.9± 0.2	0±0	1.4± 0.3	0.2± 0	0.2± 0
LBFIHE (n=34)	5.4± 0.9	0.2± 0.1	0±0	3.1± 0.4	26.6± 2.1	34.7± 1.4	0.9± 0.2	3.9± 0.4	2.6± 0.9	0.3± 0.1	1± 0.1	0.9± 0.1	0.2± 0.1	0.1± 0	3.1± 0.3	1.5± 0.2	2.5± 0.4	8.4± 1	0.4± 0	0±0	0.3± 0.1	1.6± 0.2	0.1± 0	1.5± 0.3	0.2± 0.1	0.3± 0.1
LBFLDI (n=60)	6.6± 1.2	0.3± 0.1	0±0	2.2± 0.2	31.1± 3.3	30± 1.9	0.7± 0.2	6± 0.6	1.1± 0.3	0.2± 0.1	0.8± 0.1	0.8± 0.1	0.4± 0.3	0.2± 0.1	2.6± 0.2	1.6± 0.2	1.7± 0.2	8.2± 1.7	0.4± 0	0±0	0.3± 0.1	2.4± 0.5	0.1± 0	1.4± 0.3	0.3± 0	0.4± 0.1
LBFPNF (n=52)	5± 0.2	0.2± 0	0±0	2.5± 0.2	30.5± 1.3	27.8± 1.1	1.8± 0.2	4.5± 0.4	2.9± 0.3	0.4± 0.1	0.8± 0.1	0.7± 0.1	0.1± 0	0±0	3.5± 0.3	1.5± 0.4	2.5± 0.2	9.8± 0.8	0.4± 0	0±0	0.3± 0	2.7± 0.3	0.1± 0	1.2± 0.1	0.3± 0	0.2± 0.1
LBFNSQ (n=51)	5± 0.4	0.1± 0	0±0	2.7± 0.5	26.9± 1.6	35.7± 1.9	0.8± 0.2	5.4± 0.6	1.5± 0.2	0.3± 0.1	0.8± 0.1	0.4± 0.4	0.2± 0.1	0.1± 0	4.3± 0.6	2.2± 0.3	1.6± 0.4	6.8± 1.4	0.4± 0	0±0	0.4± 0	1.7± 0.3	0.1± 0	1.3± 0.3	0.6± 0.2	0.5± 0.3
LBFDGL (n=57)	4.9± 0.1	0.1± 0	0±0	3± 0.4	26.9± 2.2	36.3± 1.9	0.6± 0.2	5.8± 0.7	1.5± 0.8	0.3± 0.1	0.8± 0.1	0.7± 0	0.2± 0	0.1± 0	4.7± 0.7	3± 0.5	0.8± 0.3	5.5± 1.8	0.4± 0	0±0	0.3± 0.1	1.4± 0.3	0.1± 0	1± 0.4	0.9± 0.3	0.2± 0.1
LBFIEF (n=6)	5± 0.2	0.1± 0	0±0	3.4± 0.4	27.6± 2.9	36.2± 2.1	0.6± 0.1	5.7± 0.5	1.5± 0.2	0.4± 0.2	1± 0.1	0.7± 0	0.2± 0	0.1± 0.1	4.2± 0.3	2.5± 0.3	0.7± 0.3	5.2± 0.8	0.4± 0	0±0	0.4± 0.1	1.6± 0.3	0.1± 0	1± 0.3	0.9± 0.2	0.2± 0
LBFBV (n=50)	5.1± 0.2	0.2± 0	0±0	2.6± 0.3	29.5± 1.3	27.2± 1.4	1.6± 0.2	5.3± 0.3	1.6± 0.1	0.3± 0	0.8± 0.2	0.7± 0	0.1± 0	0.1± 0.1	10.9± 0.7	6.5± 0.5	0.1± 0.1	1.8± 0.7	0.4± 0	0±0	0.1± 0.1	0.8± 0.3	0.1± 0.1	0.3± 0.1	3± 0.5	0.7± 0.1
LBFPNC (n=32)	4.8± 0.3	0.1± 0	0±0	3.9± 0.7	26.7± 1.7	35.6± 1	0.8± 0.1	3.3± 0.5	1.7± 0.3	0.2± 0.1	1.1± 0.2	0.7± 0	0.2± 0	0±0	4.9± 0.9	2± 0.4	2.4± 0.7	6.9± 1.6	0.4± 0.1	0±0	0.3± 0.1	1.9± 0.5	0.1± 0	0.9± 0.2	0.4± 0.2	0.4± 0.1
LBFGHQ (n=46)	5.1± 0.2	0.1± 0.1	0±0	2.4± 0.1	30.7± 1.3	35± 1.7	0.5± 0.1	7.7± 0.6	1.3± 0.2	0.4± 0.1	0.9± 0.3	0.8± 0.1	0.1± 0	0.1± 0	2.5± 0.3	1.7± 0.2	0.6± 0.1	4.9± 0.7	0.4± 0	0±0	0.3± 0	1.9± 0.3	0.2± 0	1± 0.2	0.8± 0.1	0.3± 0.1
LBFAZB (n=49)	4.9± 0.1	0.1± 0	0±0	3.1± 0.2	28.4± 1.6	34.1± 1.1	1± 0.1	4.7± 0.4	1.9± 0.3	0.3± 0.1	0.8± 0.1	0.6± 0.1	0.1± 0.1	0.1± 0	6.3± 0.7	3.3± 0.3	0.8± 0.2	4.5± 0.9	0.3± 0	0±0	0.4± 0	1.4± 0.2	0.1± 0	0.9± 0.2	1.5± 0.3	0.2± 0

LBFGKW (n=72)	5.1± 0.2	0.2± 0	0±0	2.5± 0.2	30.1 ±1.3	32.1 ±1.6	1.1± 0.1	6.1± 0.4	1.7± 0.3	0.2± 0.1	0.8± 0.1	0.7± 0	0.1± 0	0.1± 0	6± 0.7	3.3± 0.4	0.5± 0.1	4.1± 0.8	0.4± 0	0±0	0.4± 0.1	1.5± 0.3	0.1± 0	0.8± 0.2	1.7± 0.3	0.3± 0.1
LBFNRU (n=58)	5± 0.2	0.2± 0	0±0	2.6± 0.2	31.8 ±2.5	29.2 ±1.9	1± 0.1	7.1± 0.5	1.2± 0.2	0.2± 0	0.8± 0.1	0.8± 0	0.1± 0	0.1± 0	5.9± 0.7	3.6± 0.5	0.4± 0.1	4.2± 0.9	0.4± 0	0±0	0.4± 0	1.7± 0.4	0.1± 0	0.9± 0.3	1.9± 0.4	0.3± 0.1
LBFGIZ (n=43)	4.9± 0.6	0.2± 0.1	0±0	2.6± 0.4	30.5 ±3	30± 2.6	1± 0.2	6.2± 0.8	1.3± 0.2	0.2± 0	0.8± 0.1	0.7± 0	0.2± 0	0.2± 0	5.7± 0.8	3.5± 0.5	0.6± 0.1	5.3± 1.1	0.4± 0	0±0	0.4± 0.1	2.1± 0.4	0.1± 0	1± 0.2	1.7± 0.4	0.4± 0.1
LBFIGM (n=56)	4.8± 0.4	0.2± 0	0±0	2.3± 0.2	31.9 ±2.7	30.6 ±2.7	1± 0.1	6.3± 0.7	1.3± 0.2	0.2± 0	0.7± 0.1	0.8± 0.1	0.1± 0	0.1± 0	5± 0.7	2.5± 0.3	1± 0.2	5.4± 1	0.4± 0	0±0	0.4± 0.1	2± 0.5	0.4± 2.2	1± 0.2	1.2± 0.2	0.3± 0.1
LBFNRR (n=61)	5± 0.2	0.2± 0	0±0	2.8± 0.4	31.4 ±1.5	30± 2.1	1.1± 0.1	7± 0.6	1.3± 0.2	0.3± 0	0.9± 0.1	0.8± 0.1	0.1± 0	0.1± 0	5.3± 1.2	3.5± 0.3	0.4± 0.1	4.4± 1.1	0.4± 0	0±0	0.3± 0	1.7± 0.4	0±0	0.8± 0.2	1.7± 0.3	0.3± 0.1
LBFNTK (n=69)	5.1± 0.4	0.2± 0	0±0	2.5± 0.2	29.6 ±1.4	29± 1.8	1.3± 0.2	6.4± 0.6	1.5± 0.3	0.1± 0.1	0.8± 0.1	0.8± 0	0.1± 0	0.1± 0	6.7± 0.8	3.8± 0.5	0.6± 0.2	5± 0.9	0.4± 0	0±0	0.5± 0.1	2± 0.4	0.1± 0	0.9± 0.2	1.8± 0.3	0.5± 0.1
LBFGJA (n=42)	5.2± 0.2	0.2± 0	0±0	3.1± 0.2	27.7 ±0.8	34.5 ±0.8	1.9± 0.2	3.3± 0.2	5.8± 0.9	0.5± 0.2	0.8± 0	0.7± 0.1	0.1± 0	0.1± 0	4.7± 0.6	1.5± 0.2	1.3± 0.2	3.8± 0.6	0.3± 0	0±0	0.7± 0.1	1.4± 0.2	0.1± 0	0.8± 0.2	1.2± 0.2	0.1± 0
LBFIFV (n=58)	4.8± 0.4	0.1± 0	0±0	3.2± 0.3	27.6 ±1.5	37.3 ±0.9	0.8± 0.1	3.7± 0.2	1.8± 0.3	0.2± 0	0.9± 0.1	0.7± 0.2	0.1± 0	0.1± 0	6.3± 0.6	2.5± 0.2	1.3± 0.2	4.2± 0.7	0.4± 0	0±0	0.4± 0.1	1.1± 0.2	0.1± 0	1.1± 0.3	1± 0.2	0.2± 0
LBFLER (n=52)	4.7± 0.1	0.1± 0	0±0	3.1± 0.2	28.7 ±2	33.9 ±1.1	1± 0.1	4.4± 0.3	1.9± 0.5	0.3± 0	0.9± 0	0.7± 0	0.1± 0	0.1± 0	5.9± 0.6	2.9± 0.3	1.1± 0.2	5.3± 0.7	0.4± 0	0±0	0.5± 0.1	1.7± 0.2	0±0	1± 0.2	1.1± 0.2	0.2± 0.1
LBFLDL (n=44)	4.8± 0.1	0.1± 0	0±0	3.4± 0.3	28± 1	34.6 ±1	1± 0.1	4.2± 0.2	2.2± 0.5	0.3± 0	0.9± 0.1	0.7± 0	0.1± 0	0.1± 0	5.2± 0.6	2.5± 0.4	1.2± 0.3	5.5± 0.7	0.4± 0	0±0	0.6± 0.1	1.9± 0.2	0.1± 0	0.8± 0.2	1± 0.2	0.2± 0
LBFNQW (n=51)	4.8± 0.2	0.1± 0	0±0	3.2± 0.3	27.6 ±1.5	33.5 ±1.1	1± 0.1	4.2± 0.3	2± 0.3	0.3± 0	1.3± 0.3	0.9± 0.1	0.2± 0.1	0.1± 0.1	5.3± 0.5	2.7± 0.4	1.1± 0.2	6.2± 1	0.4± 0	0±0	0.5± 0.1	2± 0.3	0.1± 0	0.9± 0.2	0.8± 0.4	0.5± 0.1
LBFBAP (n=19)	4.8± 0.1	0.1± 0	0±0	3± 0.2	26± 0.9	33.8 ±1	1.2± 0.1	3.4± 0.2	2.4± 0.3	0.3± 0	0.8± 0	0.7± 0	0.2± 0	0.1± 0	7.4± 0.7	2.9± 0.3	2.1± 0.3	6.2± 0.8	0.3± 0	0±0	0.3± 0	1.7± 0.2	0.1± 0	1.1± 0.1	0.6± 0.1	0.4± 0.1
LBFDAU (n=10)	5.2± 1	0.2± 0	0±0	3.3± 0.3	20.5 ±0.9	31.8 ±0.5	0.9± 0.1	4.1± 0.2	2.5± 0.2	0.3± 0	0.9± 0.1	0.6± 0.1	0.2± 0	0.1± 0	4.2± 0.2	3.1± 0.3	1.6± 0.3	13.9 ±1	0.4± 0	0±0	0.2± 0	2.3± 0.2	0.1± 0	2.6± 0.4	0.4± 0.1	0.3± 0
LBFPRA (n=16)	4.9± 0.2	0.2± 0	0±0	2.6± 0.6	25.4 ±2.2	31± 1.3	1.3± 0.2	5.4± 0.8	2± 0.4	0.2± 0.1	0.8± 0.1	0.8± 0	0.1± 0	0.1± 0	2.9± 0.6	1.6± 0.3	3± 0.3	12.3 ±1.4	0.4± 0	0±0	0.2± 0	2.7± 0.2	0±0	1.4± 0.2	0.1± 0	0.4± 0.1
LBFIFU (n=11)	4.7± 0.2	0.1± 0	0±0	3.8± 0.9	25.9 ±2.6	34.7 ±1.3	1.1± 0.3	3.6± 0.6	2.7± 0.9	0.3± 0.1	0.9± 0.1	0.7± 0	0.1± 0	0.1± 0	4.2± 0.6	1.7± 0.3	2.7± 0.5	8± 1.8	0.3± 0	0±0	0.4± 0.1	2± 0.3	0.1± 0.1	1.3± 0.4	0.3± 0.2	0.2± 0
LBFDKD (n=2)	5.1± 0.2	0.2± 0	0±0	3± 0.9	26.1 ±3.9	35.6 ±0.6	0.6± 0	4.8± 0.7	1.3± 0.4	0.2± 0.1	0.9± 0.2	0.8± 0	0.3± 0	0.2± 0	5.1± 1.6	3± 1.3	0.9± 0.4	5.7± 0.7	0.4± 0	0±0	0.5± 0.1	2.2± 0.5	0.1± 0	1.1± 0.2	1.4± 0.7	0.3± 0
LBFDJG (n=12)	4.4± 0.1	0.1± 0	0±0	3.4± 0.3	27.3 ±1.4	33.1 ±1.9	1.1± 0.2	3.6± 0.1	2.1± 0.4	0.4± 0.1	0.9± 0.1	0.6± 0.2	0.1± 0	0±0	6.1± 1.1	2.6± 0.4	1.6± 0.4	6.8± 1.4	0.4± 0	0±0	0.4± 0.1	1.7± 0.2	0.1± 0	1.3± 0.4	1± 0.4	0.4± 0.1
LBFLFK (n=15)	5.1± 0.3	0.2± 0	0±0	2.5± 0.1	28.7 ±1.6	29± 1.7	1.2± 0.2	5.6± 0.4	1.5± 0.2	0.2± 0	0.8± 0	0.7± 0	0.1± 0	0.1± 0	3.8± 0.3	2.4± 0.1	1.3± 0.1	9.9± 0.8	0.4± 0.1	0±0	0.5± 0	3± 0.3	0.1± 0	1.8± 0.2	0.6± 0.1	0.3± 0.1

LBFLCG (n=15)	4.9± 0.3	0.1± 0	0±0	3.6± 0.3	25.8 ±1.4	34.1 ±0.8	0.9± 0.1	4.4± 0.2	1.9± 0.2	0.3± 0	0.9± 0	0.6± 0	0.1± 0	0.1± 0	3.7± 0.5	2.2± 0.3	1.4± 0.2	9± 0.7	0.3± 0	0±0	0.4± 0.1	2.5± 0.2	0.1± 0	1.6± 0.3	0.6± 0.2	0.2± 0
LBFPQM (n=12)	5.2± 0.3	0.1± 0	0±0	3.8± 0.4	26.3 ±1.2	31.6 ±1	1.2± 0.1	4.3± 0.4	1.8± 0.2	0.2± 0	1.1± 0.1	0.9± 0.1	0.2± 0.1	0.2± 0	4.8± 0.6	3± 0.4	1.1± 0.2	8.2± 1.1	0.4± 0	0±0	0.4± 0.1	2.2± 0.2	0.1± 0	1.5± 0.2	0.8± 0.1	0.5± 0.2
LBFDHG (n=5)	5.4± 0.1	0.2± 0	0±0	2.3± 0.2	24± 0.6	34± 0.7	1± 0.1	4.1± 0.2	2.7± 0.1	0.3± 0	0.7± 0	0.7± 0	0.1± 0	0.1± 0	3± 0.1	1.7± 0.1	1.7± 0.1	10.4 ±0.8	0.4± 0	0±0	0.6± 0.1	2.4± 0.1	0.3± 0	2.7± 0.2	0.5± 0	0.2± 0
LBFDKA (n=5)	5.1± 0.3	0.1± 0	0±0	3.7± 0.4	24.2 ±2.8	29.7 ±1.1	1.5± 0.3	4.4± 0.3	1.8± 0.1	0.2± 0	1.1± 0.1	0.9± 0.1	0.2± 0.1	0.2± 0	7.6± 0.6	5.1± 0.8	0.6± 0.1	6.6± 1	0.4± 0	0±0	0.3± 0.1	2± 0.3	0.1± 0	1.3± 0.5	1.8± 0.2	0.9± 0
LBFDIT (n=7)	5± 0.1	0.2± 0	0±0	2.6± 0.1	27± 1.7	30.8 ±1.2	1.1± 0.2	6.2± 0.4	1.8± 0.2	0.4± 0.1	0.8± 0	0.7± 0	0.1± 0	0.1± 0	4.5± 1.3	3± 0.9	1± 0.2	8.2± 0.6	0.4± 0	0±0	0.5± 0.1	2.6± 0.2	0.1± 0	1.7± 0.2	1± 0.3	0.3± 0.1

Table 139: Fatty acid profiles of one T2 seed batch per event harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qc rc. The events are indicated in the first column. Fatty acid profiles of T2 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1n-7	16:3n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3n-3	18:3n-6	18:4n-3	20:0	20:1n-9	20:2n-6	20:3n-3	20:3n-6	20:4n-3	20:4n-6	20:5n-3	22:0	22:1n-9	22:4n-6	22:5n-3	22:5n-6	22:6n-3	unknown peak a	unknown peak b
LBFDGG (n=1)	4.6	0.2	0.0	2.6	26.6	34.2	0.8	4.6	2.0	0.3	0.8	0.7	0.1	0.1	2.7	1.6	2.8	9.7	0.4	0.0	0.3	2.2	0.2	1.9	0.2	0.3
LBFGKN (n=1)	4.7	0.2	0.0	3.0	25.0	34.6	0.8	4.3	2.2	0.3	0.8	0.7	0.2	0.1	3.1	1.7	2.5	10.4	0.3	0.0	0.4	2.4	0.1	2.0	0.2	0.2
LBFIHE (n=1)	4.8	0.1	0.0	3.0	23.7	34.1	0.9	3.6	4.0	0.4	1.0	0.9	0.2	0.1	3.1	1.3	3.3	10.3	0.4	0.0	0.3	1.9	0.1	1.8	0.2	0.3
LBFLDI (n=1)	6.4	0.1	0.0	2.1	28.5	28.4	0.9	5.9	1.2	0.2	0.7	0.7	0.3	0.2	3.0	1.9	1.7	10.8	0.3	0.0	0.4	3.3	0.2	1.7	0.4	0.4
LBFPNF (n=1)	5.4	0.2	0.0	2.3	26.9	28.9	1.3	5.1	3.0	0.4	0.8	0.7	0.1	0.0	3.3	1.6	2.8	11.0	0.4	0.0	0.2	3.2	0.1	1.7	0.3	0.2
LBFNSQ (n=1)	4.7	0.1	0.0	2.4	23.6	34.2	1.0	4.7	2.2	0.4	0.7	0.0	0.3	0.1	4.3	2.3	2.3	10.2	0.4	0.0	0.5	2.2	0.1	2.0	0.4	0.7
LBFDGL (n=1)	4.9	0.1	0.0	2.5	23.9	32.2	1.0	6.0	1.7	0.3	0.7	0.7	0.1	0.1	4.6	2.9	1.4	10.1	0.4	0.0	0.3	2.0	0.2	2.2	1.0	0.3
LBFIEF (n=1)	4.7	0.1	0.0	3.0	27.0	37.2	0.6	5.1	1.4	0.2	1.0	0.7	0.2	0.3	4.3	2.6	0.9	5.9	0.4	0.0	0.5	1.4	0.1	1.2	0.7	0.2
LBFBV (n=1)	5.9	0.2	0.0	2.5	23.9	27.6	1.0	5.7	1.8	0.3	0.9	0.7	0.1	0.3	10.2	7.6	0.3	4.2	0.5	0.0	0.0	2.0	0.0	1.1	2.6	0.4
LBFPNC (n=1)	4.7	0.1	0.0	2.3	19.8	35.1	0.6	3.9	2.7	0.3	0.6	0.7	0.2	0.1	4.3	1.8	4.6	11.4	0.3	0.0	0.6	3.9	0.1	1.1	0.4	0.3
LBFGHQ (n=1)	5.4	0.2	0.0	2.3	28.7	31.5	0.5	9.0	1.4	0.6	0.9	0.8	0.1	0.1	2.6	2.1	0.6	6.5	0.4	0.0	0.3	2.8	0.2	1.6	0.9	0.4
LBFAZB (n=1)	5.1	0.1	0.0	3.1	26.6	30.1	1.6	4.7	2.5	0.4	0.8	0.6	0.0	0.1	5.4	2.9	1.6	8.7	0.4	0.0	0.4	2.2	0.1	1.5	0.9	0.3
LBFGKW (n=1)	4.4	0.2	0.0	2.0	26.5	31.5	1.2	6.8	1.9	0.3	0.6	0.7	0.1	0.1	6.7	4.1	0.5	5.9	0.3	0.0	0.4	2.0	0.2	1.2	2.0	0.3
LBFNRU (n=1)	5.0	0.2	0.0	2.5	27.2	26.6	0.9	8.0	1.4	0.3	0.8	0.7	0.1	0.2	6.0	4.6	0.4	7.0	0.4	0.0	0.4	3.0	0.1	1.8	1.9	0.3
LBFGIZ (n=1)	5.2	0.2	0.0	2.3	27.3	31.2	0.7	6.1	1.5	0.2	0.7	0.4	0.2	0.2	5.3	3.1	1.0	7.4	0.4	0.0	0.5	2.8	0.1	1.4	1.4	0.5

223

PF 77877

LBFIGM (n=1)	4.9	0.1	0.0	2.5	28.9	29.6	1.6	5.8	1.8	0.3	0.8	0.8	0.1	0.1	5.0	2.5	1.5	7.9	0.4	0.0	0.4	2.2	0.1	1.5	0.9	0.4
LBFNRR (n=1)	4.8	0.1	0.0	2.8	27.3	26.9	1.9	6.5	1.9	0.3	0.9	0.8	0.1	0.1	5.4	3.7	0.8	8.9	0.4	0.0	0.3	2.5	0.1	1.6	1.1	0.5
LBFNTK (n=1)	4.9	0.2	0.0	2.4	29.0	27.5	1.1	6.8	1.4	0.2	0.7	0.7	0.2	0.1	5.9	3.6	1.0	7.3	0.4	0.0	0.6	3.0	0.1	1.1	1.5	0.4
LBFGJA (n=1)	5.2	0.2	0.0	3.0	27.1	33.5	2.1	3.4	5.2	0.6	0.8	0.7	0.1	0.1	4.2	1.6	1.5	5.4	0.3	0.0	0.7	1.6	0.2	1.2	1.0	0.2
LBFIFV (n=1)	4.8	0.1	0.0	3.4	21.6	34.4	0.8	3.5	2.8	0.3	0.9	0.7	0.2	0.1	6.8	2.9	2.2	7.6	0.4	0.0	0.6	1.8	0.3	2.6	1.0	0.2
LBFLER (n=1)	5.1	0.2	0.0	2.8	22.8	32.5	1.1	3.7	4.1	0.5	0.8	0.7	0.1	0.1	6.4	3.2	1.7	7.9	0.3	0.0	0.7	2.1	0.1	1.9	1.1	0.2
LBFLDL (n=1)	4.7	0.1	0.0	3.4	26.9	33.7	1.0	4.4	1.8	0.2	0.9	0.7	0.1	0.1	4.6	2.6	1.2	7.8	0.4	0.0	0.6	2.4	0.1	1.3	0.8	0.3
LBFNQW (n=1)	4.8	0.1	0.0	2.7	24.8	33.0	1.1	4.3	2.0	0.3	1.6	0.9	0.2	0.1	5.1	3.0	1.3	8.6	0.3	0.0	0.5	2.5	0.1	1.4	0.9	0.4
LBFBAP (n=1)	4.9	0.1	0.0	3.2	24.5	31.9	1.4	3.2	2.7	0.3	0.8	0.7	0.2	0.1	7.6	3.1	2.5	7.6	0.3	0.0	0.3	1.9	0.0	1.3	0.7	0.4
LBFDAU (n=1)	4.6	0.2	0.0	3.4	18.7	31.8	0.9	4.1	2.9	0.4	0.8	0.7	0.2	0.1	4.2	3.4	1.5	15.1	0.3	0.0	0.2	2.5	0.1	3.0	0.4	0.3
LBFPRA (n=1)	4.8	0.1	0.0	3.2	21.9	28.7	1.8	4.4	2.7	0.3	0.9	0.8	0.1	0.1	3.6	2.0	3.4	15.6	0.4	0.0	0.2	2.5	0.0	1.8	0.1	0.5
LBFIFU (n=1)	4.8	0.1	0.0	3.2	22.4	34.7	0.9	4.5	2.5	0.3	0.7	0.6	0.2	0.1	4.2	2.3	2.1	9.6	0.2	0.0	0.5	2.5	0.2	2.3	0.6	0.2
LBFDKD (n=1)	5.0	0.2	0.0	2.4	28.9	35.2	0.6	5.3	1.0	0.1	0.7	0.8	0.3	0.2	4.0	2.1	1.2	6.2	0.4	0.0	0.6	2.5	0.1	1.0	0.9	0.3
LBFDJG (n=1)	4.4	0.1	0.0	3.3	25.4	32.3	1.2	3.5	2.3	0.5	0.9	0.7	0.1	0.1	5.5	2.6	2.1	9.0	0.4	0.0	0.4	1.8	0.1	1.9	0.6	0.4
LBFLFK (n=1)	5.2	0.2	0.0	2.5	26.2	29.0	1.2	5.9	1.7	0.3	0.8	0.7	0.1	0.1	3.4	2.4	1.3	11.4	0.4	0.0	0.5	3.4	0.1	2.3	0.6	0.3
LBFLCG (n=1)	5.0	0.2	0.0	4.4	22.6	34.7	0.7	4.1	2.1	0.3	1.1	0.6	0.1	0.1	3.4	2.1	1.6	10.1	0.4	0.0	0.5	2.6	0.1	2.3	0.6	0.2
LBFPQM (n=1)	5.1	0.2	0.0	3.3	25.7	30.4	1.4	4.4	1.9	0.3	1.0	0.9	0.2	0.2	4.3	2.5	1.8	10.2	0.4	0.0	0.4	2.6	0.1	1.8	0.6	0.5
LBFDHG (n=1)	5.4	0.2	0.0	2.1	23.9	33.5	1.1	4.0	2.6	0.3	0.7	0.7	0.1	0.1	3.0	1.8	1.7	11.4	0.4	0.0	0.6	2.4	0.3	2.8	0.5	0.2
LBFDKA (n=1)	5.6	0.2	0.0	3.2	20.9	30.0	1.3	3.9	1.9	0.2	1.0	1.0	0.3	0.2	8.3	5.8	0.7	7.6	0.3	0.0	0.4	2.2	0.1	1.8	2.0	0.9
LBFIDT (n=1)	5.1	0.2	0.0	2.6	26.4	32.0	1.0	5.7	2.0	0.4	0.8	0.7	0.1	0.1	3.5	2.2	1.3	9.1	0.4	0.0	0.6	2.8	0.1	2.0	0.7	0.2

Table 140: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column; as defined in Table 131. In addition to those categories, the category "dc" was sub-divided into the category dc sl: all T1 plants where the average of all copy number assays listed in Table 135 was 3.51-4.49, and the zygosity analysis listed in Table 137 revealed a single locus insertion of both copies, and into the category dc dl: all T1 plants where the average of all copy number assays listed in Table 135 was 3.51-4.49, and the zygosity analysis listed in Table 137 revealed a double locus insertion of both copies. The number of T1 plants fulfilling these criteria are displayed in parentheses. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b

sc (n=172)	5.1± 0.9	0.2± 0.1	0±0	2.8± 0.5	29.1 ±3	33.8 ±2.8	0.8± 0.2	4.8± 0.9	1.9± 0.7	0.3± 0.2	0.8± 0.1	0.8± 0.1	0.2± 0.2	0.1± 0.1	2.8± 0.3	1.5± 0.2	2.1± 0.4	7.9± 1.3	0.4± 0	0±0	0.3± 0.1	1.9± 0.4	0.1± 0.1	1.4± 0.3	0.3± 0.1	0.3± 0.1
dc (n=813)	4.9± 0.4	0.2± 0	0±0	2.9± 0.5	29.1 ±2.6	32± 3.1	1.1± 0.3	5.3± 1.3	1.9± 1	0.3± 0.1	0.9± 0.2	0.7± 0.1	0.1± 0	0.1± 0	5.9± 1.7	3.1± 1.1	0.9± 0.5	5.1± 2.1	0.4± 0	0±0	0.4± 0.1	1.7± 0.5	0.1± 0.6	1± 0.4	1.4± 0.7	0.3± 0.1
dc sl (n=700)	4.9± 0.4	0.2± 0	0±0	2.8± 0.4	29.4 ±2.5	31.9 ±3.2	1.1± 0.3	5.4± 1.4	1.9± 1.1	0.3± 0.1	0.8± 0.2	0.7± 0.1	0.1± 0	0.1± 0	6± 1.7	3.2± 1.2	0.9± 0.6	4.8± 1.7	0.4± 0	0±0	0.4± 0.2	1.7± 0.5	0.1± 0.6	0.9± 0.3	1.4± 0.7	0.3± 0.2
dc dl (n=64)	5± 0.5	0.2± 0	0±0	3.2± 0.6	26.3 ±2.5	32.2 ±2.4	1.1± 0.2	4.5± 0.7	1.9± 0.4	0.3± 0.1	0.9± 0.1	0.7± 0.1	0.1± 0	0.1± 0	4.3± 1.1	2.5± 0.5	1.4± 0.3	9±2	0.4± 0	0±0	0.4± 0.1	2.4± 0.5	0.1± 0.1	1.7± 0.5	0.7± 0.3	0.3± 0.1

Table 141: Fatty acid profiles of T2 seeds harvested from T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column as defined in the description of Table 140. For each category, the fatty acid profile of the plant having the highest EPA+DHA levels was shown. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

Category of T1 plants	16:0 n-7	16:1 n-3	16:3 n-3	18:0 n-9	18:1 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0 n-9	20:1 n-6	20:2 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0 n-9	22:1 n-6	22:4 n-3	22:5 n-6	22:5 n-3	22:6 n-3	unkn own peak a	unkn own peak b		
sc (n=1)	6.4	0.1	0.0	3.0	23.7	34.1	0.9	3.6	4.0	0.4	1.0	0.9	0.2	0.1	3.1	1.3	3.3	10.3	0.4	0.0	0.3	1.9	0.1	1.8	0.2	0.3
dc (n=1)	4.6	0.1	0.0	2.3	19.8	35.1	0.6	3.9	2.7	0.3	0.6	0.7	0.2	0.1	4.3	1.8	4.6	11.4	0.3	0.0	0.6	3.9	0.1	1.1	0.4	0.3
dc sl (n=1)	4.8	0.1	0.0	2.3	19.8	35.1	0.6	3.9	2.7	0.3	0.6	0.7	0.2	0.1	4.3	1.8	4.6	11.4	0.3	0.0	0.6	3.9	0.1	1.1	0.4	0.3
dc dl (n=1)	4.6	0.3	0.0	2.7	20.4	31.3	0.8	3.9	2.3	0.3	0.7	0.5	0.2	0.1	3.9	2.5	2.4	13.7	0.3	0.0	0.3	2.6	0.2	2.9	0.4	0.2

Table 142: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were rated per event. DFF: days to first flower (days), DF: deformed flower (1=deformed, 9=normal), DL: deformed leaf (1=deformed, 9=normal), DP: deformed plant (1=deformed, 9=normal), DS: deformed silique (1=deformed, 9=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
LBFDGG (n=50)	43.6±2.7	9±0	9±0	9±0	8.1±1.6	3±0	5±0	5±0	8.1±1.6	4.5±0.8	118.8±6.1	4.4±0.3	3.5±0.9	36.1	30.2

226

LBFGKN (n=50)	43.3±1.7	9±0	9±0	9±0	8.1±0.7	3±0	5±0	5±0	8.1±0.7	5.1±0.8	112.4±4.1	4.4±0.3	3±0.8	36.9	30.1
LBFIHE (n=34)	47.4±5.1	9±0	9±0	9±0	6.6±1.6	3±0	5±0	5±0	6.6±1.6	5.6±0.9	105.7±6.3	4.2±0.5	3.8±0.6	36.0	29.4
LBFLDI (n=60)	35.8±2.9	9±0	7.5±0.6	8.9±0.7	8.2±1.1	3±0	4±0.5	4±0	8.4±1.2	5.4±0.9	94±5.1	3.6±0.8	4.8±1.8	36.9	30.1
LBFPNF (n=52)	35.3±2.2	9±0	7.6±0.6	8.8±0.5	8.4±0.6	3±0	3.9±0.3	4±0	8.3±1.2	5.3±0.9	88.4±7.9	3.6±0.9	3.5±0.7	39.1	28.3
LBFNISQ (n=51)	45.2±7	9±0	7.7±0.9	6.8±1.3	6.8±1.2	3±0	5±0.2	4.1±0.5	8.7±0.6	5±1	109.6±10.9	3.4±0.3	4.4±1.8	37.5	28.7
LBFDGL (n=57)	43.9±2.4	9±0	9±0	9±0	7.7±0.8	3±0	5±0	5±0	7.7±0.8	5.1±0.8	109.4±6.6	4.1±0.4	2.8±0.7	36.9	29.9
LBFIIEF (n=6)	47.2±5	9±0	9±0	9±0	4±2	3±0	5±0	5±0	4±2	6.2±0.8	98.3±4.1	3.4±0.3	3.8±1.1	38.9	29.9
LBFBAY (n=50)	46.6±1.6	9±0	7.4±0.8	9±0	8.9±0.3	3±0	5±0	4±0	9±0	3.5±0.5	125.1±5.6	2.7±0.3	3.9±1.1	39.0	28.0
LBFPNC (n=32)	44.6±4.2	9±0	9±0	8.3±0.7	3±0	5±0	5±0	8.3±0.7	5.5±0.9	105.6±5.6	4.1±0.3	2.8±0.5	39.4	28.3	27.8
LBFGHQ (n=46)	44.4±4	9±0	7.3±1.9	9±0	8.9±0.3	3±0	5±0	4±0	9±0.1	3.9±0.7	124.5±6.2	2.6±0.3	3.7±0.9	38.3	27.8
LBFAZB (n=49)	47.6±3.2	9±0	9±0	9±0	7.9±0.8	3±0	5±0	5±0	7.9±0.8	5.1±0.8	112.3±4.9	3.9±0.4	2.6±0.6	38.2	29.4
LBFGKW (n=72)	46.7±1.9	9±0	7.3±0.5	9±0	8.9±0.3	3±0	5±0	4±0	8.9±0.3	4.1±0.6	125.2±6.2	2.6±0.3	3.7±0.8	38.8	27.9
LBFNRU (n=58)	41.4±1.7	9±0	7.6±0.6	8.9±0.7	8.2±0.7	3±0	5±0	4±0	8.9±0.8	5.6±0.8	117±5	2.6±0.3	3.6±1.3	39.5	27.6
LBFGIZ (n=43)	41.5±2.8	9±0	7.6±0.6	9±0	8.3±0.5	3±0	5±0	4±0	8.9±0.3	5.3±0.9	113.5±5.9	2.4±0.2	3.9±0.7	38.4	28.6
LBFIGM (n=56)	36.1±1.3	9±0	6.7±0.8	9±0.3	8.8±0.4	3±0	2.7±0.7	4±0	8.8±0.5	3.9±0.7	107.6±9	2.7±0.3	3.4±0.8	39.1	28.6
LBFNRR (n=61)	41.3±2.2	9±0	7.8±0.6	9±0	8±0.6	3±0	5±0	4±0	9±0	5.3±0.6	116.5±6.3	2.9±0.3	3.2±0.9	40.6	27.1
LBFNTR (n=69)	34.5±2.8	8±0	6.6±1.1	9±0	8.7±0.5	3±0	2.4±0.6	4±0	8.8±0.7	3.7±0.6	93.4±8.2	2.8±0.3	3.8±0.8	39.8	28.3
LBFGIA (n=42)	45.1±1	9±0	9±0	9±0	7.6±0.5	3±0	5±0	5±0	7.6±0.5	4.3±1.1	113.3±2.4	4.9±0.2	2.4±0.8	32.9	25.6
LBFIIV (n=58)	42.4±0.6	9±0	9±0	9±0	8.8±0.6	3±0	5±0	5±0	8.8±0.6	4.5±0.8	113.1±2.4	4.2±0.2	2.6±0.6	37.3	29.4
LBFLER (n=52)	45.1±3.5	9±0	9±0	9±0	8.5±0.7	3±0	5±0	5±0	8.5±0.7	5.6±1	108.3±6.8	3.9±0.3	2.6±0.7	40.8	27.7
LBFLDL (n=44)	44.7±3.7	9±0	9±0	9±0	8.5±0.6	3±0	5±0	5±0	8.5±0.6	5.1±0.8	109.3±5.3	4±0.2	2.6±0.8	38.6	29.2
LBFNQW (n=51)	42.8±1.9	9±0	9±0	9±0	8.7±0.5	3±0	5±0	5±0	8.7±0.5	5.7±0.9	105.5±6.3	4.1±0.3	3.1±0.5	38.4	28.9
LBFBAP (n=19)	43.3±1.8	9±0	9±0	9±0	8.9±0.2	3±0	5±0	5±0	8.9±0.2	4.6±0.8	117.4±6.1	4±0.5	2.4±0.5	38.7	28.8
LBFDAU (n=10)	43.6±1.7	9±0	9±0	9±0	9±0	3±0	5±0	5±0	8.5±1.6	4.4±0.8	110±5.8	4.5±0.5	2.6±0.5	34.5	30.2
LBFPRA (n=16)	47.8±2.5	9±0	7.9±0.8	7.8±0.4	7.4±0.8	3±0	5.2±0.4	4±0	9±0	5.6±0.8	123.4±4	4.2±0.6	2.3±0.8	38.1	28.2
LBFIUV (n=11)	46.8±6.4	9±0	8.7±0.9	8.7±0.9	7.3±1.1	3±0	5±0	5±0	7.3±1.1	5.6±1.1	103.6±8.1	3.8±0.5	3.5±0.9	37.4	28.7
LBFDKD (n=2)	43±4.2	9±0	9±0	9±0	7.5±0.7	3±0	5±0	5±0	7.5±0.7	5±1.4	107.5±10.6	4.3±0.8	4±1.4	36.6	31.2
LBFDIG (n=12)	45.1±1	9±0	9±0	9±0	8.8±0.6	3±0	5±0	5±0	8.8±0.6	4.3±1	104.2±29.8	3.8±0.2	2.8±0.5	37.7	29.8
LBFLFK (n=15)	42.5±5.5	9±0	7.9±1.2	8.7±1.3	8.1±1.3	3±0	4.9±0.5	4±0	8.9±0.4	5.1±1.2	113.7±9	4.1±1	3.7±0.6	39.3	27.2
LBFLCG (n=15)	42.5±0.6	9±0	9±0	9±0	9±0	3±0	5±0	5±0	8.7±1	4.5±0.8	113.7±2.3	4.3±0.5	2.7±0.8	37.7	29.1
LBFPQM (n=12)	42.7±2.5	9±0	9±0	9±0	8.7±0.5	3±0	5±0	5±0	8.7±0.5	5.5±1	110±6	4.2±0.5	2.8±0.4	39.2	27.7
LBFDHG (n=5)	44.8±3	9±0	9±0	9±0	6.4±0.9	3±0	5±0	5±0	6.4±0.9	4.2±0.8	115±0	4.2±0.2	5±0	33.5	28.0
LBFDKA (n=5)	48.6±1.7	9±0	9±0	9±0	9±0	3±0	5±0	5±0	9±0	5.6±0.9	108±4.5	3.8±0.2	2.4±0.5	40.0	26.6

LBFIDT (n=7)	46.3 ± 1.3	9 ± 0	7.7 ± 0.5	9 ± 0	8 ± 0	3 ± 0	5 ± 0	4 ± 0	9 ± 0	4.1 ± 0.7	125.7 ± 6.7	2.5 ± 0.2	3.7 ± 0.5	38.1	28.0

Table 143: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. Plants of all events combined have been grouped into the categories indicated in the first column as defined in the description of Table 140. The number of T1 plants fulfilling these criteria are displayed in parentheses. DFF: days to first flower (days), DF: deformed flower (1=deformed, 9=normal), DL: deformed leaf (1=deformed, 9=normal), DP: deformed plant (1=deformed, 9=normal), DS: deformed silique (1=deformed, 9=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), 5 LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Category of T1 plants	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	oil	protein
sc (n=177)	41.5 ± 5.2	9 ± 0	8.6 ± 0.7	9 ± 0.4	7.9 ± 1.5	3 ± 0	4.8 ± 0.5	4.8 ± 0.4	8 ± 1.5	5.1 ± 1	109.1 ± 10.6	3.9 ± 0.6	3.8 ± 1.4	37 ± 1.4	29.5 ± 0.9
dc (n=781)	43.4 ± 4.4	8.9 ± 0.3	8.1 ± 1.1	9 ± 0.3	8.4 ± 0.8	3 ± 0	4.6 ± 0.9	4.5 ± 0.5	8.6 ± 0.8	4.7 ± 1.1	112.2 ± 11	3.3 ± 0.8	3.2 ± 1	38 ± 2.1	28.5 ± 1.2
dc sl (n=677)	43.1 ± 4.4	8.9 ± 0.3	8 ± 1.1	9 ± 0.2	8.5 ± 0.8	3 ± 0	4.6 ± 1	4.4 ± 0.5	8.7 ± 0.8	4.7 ± 1.1	112.3 ± 11	3.3 ± 0.8	3.2 ± 1	38.4 ± 1.8	28.3 ± 1.1
dc dl (n=55)	43.3 ± 3.3	9 ± 0	8.7 ± 0.8	8.9 ± 0.6	8.4 ± 1	3 ± 0	5 ± 0.3	4.8 ± 0.4	8.5 ± 1.1	4.8 ± 1.1	110.8 ± 14.3	3.5 ± 0.7	3.2 ± 0.9	36.6 ± 2.7	28.9 ± 1.7

C. Fatty acid profiles, copy number measurements, and phenotypic observations of T1 plants carrying T-DNAs of plasmids VC-LTM593-1qcz rc cultivated in field trials in USDA growth zone 11 during winter.

Certain events that had higher levels of EPA and DHA were tested in the field and
5 examined for fatty acid profile, aerial phenotype (if any) and copy number in the T1
generation. A variety of constructs were examined including those with partial double copy
insertions, single copy insertions and double copy insertions being represented (see Table
144). Table 145 indicates that LBFDAU had an EPA content of ca. 13% and a DHA content
of ca. 3% of the total seed fatty acid content, and a maximum content for DHA of 3.6% and
10 EPA of 17% of total seed fatty acids (Table 146). Measurements of single seeds from
LBFDAU had as much as 26% EPA and 4.6% DHA, see Table 147. Overall the field
performance of LBFDAU matched or exceeded that of the greenhouse.

Table 144: Copy number measurement of T1 plants cultivated in field, corresponding to USDA growth zone 11, during the winter for field trials of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that were measured per event. The T1 plants underwent a selection from ~80 segregating T1 seedlings, using zygosity analysis similar to the selection performed in the greenhouse (which was illustrated in Table 137), keeping only plants that are homozygous for the desired number of loci. A copy number of ~2 therefore was indicative for one homozygous copy, a copy number of ~4 indicative for two homozygous copies (located either at one or at two different loci) and so forth. Odd results of 3, 5, 7, 9 etc indicate that at least some of the selected T1 plants carry at least one heterozygous locus. Homozygosity was indicated if the average result of the selected T1 plants was about two fold higher than the result observed in the T0 generation (indicated in parentheses). For some events this was not the case because during selection of T1 plants, undesired loci have been segregated out while retaining only desired loci in a homozygous state.

Event	Copy number assays targeting the T-DNA of VC-LTM593-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Elo(Pp_GA) near the right T-DNA border.														
	c-AHAS	j-i-Atss1_c-d5Elo(Ot_GA3)	c-d4Des(Pi_GA)2	j-p-LuPXR_i-Atss15	j-p-PvARC5_t-BnSETL	c-d5Des(Tc_GA)	j-i-Atss18_c-o3Des(Pi_GA2)	j-p-BnSETL-v1_c-o3Des(Pir_GA)	j-i-Atss14_c-d12Des(Ps_GA)	c-d6Elo(Tp_GA)	j-t-StCAT_p2_p-LuPXR	j-i-Atss2_c-d6Des(Ot_febit_GA)	c-d5Des(Tc_GA)	c-d6Elo(Pp_GA)	Conclusion from individual assays: number of T-DNA copies inserted into the genome
LBFDGG (n=5)	2 (T0: 1.1)										1.9 (T0: 1)			1.9 (T0: 1)	single copy
LBFGKN (n=12)	2.1 (T0: 1)										2 (T0: 1)			1.9 (T0: 1.1)	single copy
LBFiHE (n=8)	2.1 (T0: 1)										1.9 (T0: 1.2)			1.9 (T0: 1.1)	single copy
LBFLDI (n=13)	2 (T0: 1)										1.9 (T0: 1)			1.8 (T0: 1)	single copy
LBFPNF (n=9)	2 (T0: 1.1)										3.7 (T0: 1.9)			3.3 (T0: 1.9)	partial double copy
LBFDAU (n=4)	2 (T0: 1.1)										3.8 (T0: 2.4)			3.6 (T0: 1.9)	partial double copy
LBFPRA (n=5)	3.2 (T0: 2)										4.9 (T0: 3.1)			4 (T0: 2.8)	partial double copy
LBFLFK (n=4)	3.9 (T0: 2)										3.4 (T0: 2.4)			3.4 (T0: 2)	partial double copy
LBFLCG (n=3)	4.3 (T0: 1.9)										2.9 (T0: 2.5)			3.4 (T0: 2)	partial double copy
LBFPQM (n=1)	3.7 (T0: 2)										(T0: 2)			3.9 (T0: 1.8)	partial double copy

Table 145: Fatty acid profiles of T2 seeds harvested from T1 cultivated in the field, corresponding to USDA growth zone 11, during winter of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T2 seed batches that were measured per event. Per seed batch a random selection of ~30 seed was measured in two technical repeats.

		16:1	16:3		18:1	18:2	18:2	18:3	18:3	18:4		20:1	20:2	20:3	20:3	20:4	20:4	20:5		22:1	22:4	22:5	22:5	22:6	unkn own peak a	unkn own peak b
Event	16:0	n-7	n-3	18:0	n-9	n-6	n-9	n-3	n-6	n-3	20:0	n-9	n-6	n-3	n-6	n-3	n-6	n-3	22:0	n-9	n-6	n-3	n-6	n-3		
LBFDGG (n=5)	4.4± 0.2	0.2± 0	0.1± 0	2.4± 0.1	32.3± 1.9	34.4± 1.6	0.7± 0	5.3± 0.6	1.5± 0.1	0.4± 0.1	0.6± 0	0.7± 0	0.1± 0		2± 0.2	1.1± 0.2	2.7± 0.3	6.9± 0.7	0.3± 0		0.3± 0	1.9± 0.2	0.1± 0	1.4± 0.3	0.1± 0	
LBFGKN (n=12)	4.8± 0.3	0.2± 0	0.1± 0	2.6± 0.3	27.8± 1.9	36± 1.3	0.5± 0.1	4.8± 0.7	1.5± 0.2	0.4± 0.1	0.7± 0.1	0.7± 0	0.2± 0.1	0.1± 0	2.3± 0.2	1.1± 0.2	3.3± 0.4	8± 0.8	0.3± 0.1		0.4± 0.1	1.9± 0.3	0.1± 0	1.8± 0.4	0.1± 0	
LBFIHE (n=8)	4.9± 0.8	0.3± 0.1	0.1± 0	2.4± 0.4	30.8± 3.1	36.1± 1.2	0.5± 0.1	5.4± 1.3	1.5± 0.5	0.3± 0.1	0.7± 0.1	0.7± 0.1	0.2± 0	0.1± 0	1.9± 0.5	0.9± 0.1	2.8± 0.7	6.4± 1.1	0.3± 0		0.5± 0.1	1.7± 0.3	0.1± 0	1.3± 0.2	0± 0.1	
LBFLDI (n=13)	4.5± 1.1	0.2± 0.1	0.1± 0	2.3± 0.6	30± 5.9	35.4± 6.1	0.5± 0.1	4.1± 0.8	1.3± 0.3	0.3± 0.1	0.6± 0.1	0.7± 0.1	0.2± 0.1	0.1± 0	1.9± 0.5	0.8± 0.2	2.9± 0.8	6.4± 1.6	0.3± 0.1		0.4± 0.1	1.6± 0.3	0.1± 0.1	1.3± 0.4	0.1± 0	
LBFPNF (n=9)	4.7± 0.2	0.2± 0	0.1± 0	2.4± 0.3	29.2± 1.8	31.7± 1	1.1± 0.1	4± 0.6	2.6± 1.4	0.6± 0.1	0.7± 0	0.7± 0	0.1± 0		3.3± 0.4	1.2± 0.1	4.2± 0.5	8.4± 1.1	0.3± 0		0.5± 0.1	2.3± 0.4	0.1± 0	1.5± 0.3	0.1± 0.1	
LBFDAU (n=4)	4.6± 0.2	0.2± 0	0.1± 0	2.3± 0.3	24.3± 3.7	31.2± 2.5	0.8± 0.1	5.2± 0.6	2.2± 0.5	0.4± 0.1	0.6± 0	0.7± 0.1	0.1± 0	0.1± 0	2.5± 0.4	1.7± 0.5	2.9± 0.4	13.4± 3.4	0.3± 0		0.3± 0	2.7± 0.7	0.1± 0	2.7± 0.7	0.1± 0	
LBFPRA (n=5)	4.8± 0.2	0.2± 0	0.1± 0	2.5± 0.4	25.1± 0.9	34.5± 2.4	0.9± 0.2	4.4± 0.7	2.2± 0.2	0.4± 0.1	0.6± 0.1	0.7± 0	0.1± 0	0.1± 0	2.6± 0.6	1.3± 0.3	3.6± 0.6	10.7± 1.9	0.3± 0		0.5± 0.1	2.3± 0.3	0.1± 0	1.7± 0.2	0.1± 0.1	
LBFLFK (n=4)	5.1± 0.8	0.2± 0.1	0.1± 0	2.1± 0.4	27± 4.3	32.3± 0.5	0.8± 0.1	5.4± 0.8	1.9± 0.5	0.4± 0	0.6± 0.1	0.7± 0.1	0.2± 0	0.1± 0	3.1± 0.6	1.7± 0.3	2.7± 0.5	9.5± 1.8	0.3± 0		0.5± 0.2	2.9± 0.4	0.2± 0.1	2.1± 0.5	0.3± 0.1	
LBFLCG (n=3)	4.8± 0.2	0.2± 0	0.1± 0	3± 0.3	26.4± 1.3	33.3± 1	0.8± 0	4.7± 0.7	2± 0.2	0.5± 0.1	0.7± 0	0.7± 0	0.1± 0	0.1± 0	2.3± 0.1	1.2± 0.1	2.9± 0.2	9.9± 0.9	0.3± 0		0.7± 0.1	2.6± 0.3	0.2± 0	2.3± 0.5	0.2± 0	
LBFPQM (n=1)	5.0	0.2	0.1	2.7	26.1	30.8	1.0	4.3	2.3	0.5	0.7	0.6	0.1	0.1	3.4	1.8	2.8	10.8	0.3	0.0	0.5	2.5	0.3	2.5	0.4	

Table 146: Fatty acid profiles of one T2 seed batch per event harvested from T1 plants cultivated in the field, corresponding to USDA growth zone 11, during winter of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T2 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4n-3	20:4 n-6	20:5n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LBFDGG (n=1)	4.5	0.21	0.1	2.4	29.86	33.45	0.71	5.74	1.69	0.45	0.62	0.74	0.12	0.05	2.25	1.38	2.83	8.02	0.29	0	0.35	2.21	0.1	1.79	0	0.13
LBFGKN (n=1)	4.5	0.21	0.09	2.28	26.68	34.29	0.65	4.99	1.73	0.42	0.61	0.69	0.23	0.1	2.43	1.22	3.34	9.74	0.31	0	0.48	2.27	0.17	2.31	0	0.23
LBFIHE (n=1)	4.8	0.22	0.09	2.95	26.2	38.09	0.52	3.19	2.12	0.22	0.78	0.69	0.15	0	2.73	1.03	3.67	8.16	0.35	0	0.59	1.72	0.12	1.55	0	0.09
LBFLDI (n=1)	4.8	0.24	0.09	2.51	27.6	35.76	0.54	4.15	1.66	0.26	0.7	0.69	0.29	0.1	2.63	1.16	3.5	8.32	0.31	0	0.47	1.89	0.19	1.85	0.15	0.21
LBFPNF (n=1)	4.9	0.27	0.13	2.11	26.29	31.14	0.91	5.04	1.72	0.68	0.67	0.7	0.11	0.04	2.8	1.34	4.26	10.24	0.36	0	0.54	3.24	0.14	2.09	0.15	0.12
LBFDAU (n=1)	4.8	0.23	0.14	1.94	20.37	28.27	0.98	5.23	2.78	0.5	0.63	0.62	0.13	0.13	3.08	2.3	2.51	17.57	0.36	0	0.29	3.16	0.09	3.62	0	0.25
LBFPRA (n=1)	4.7	0.16	0.14	1.92	25.56	32.27	1.21	4.87	2.09	0.44	0.51	0.66	0.13	0.07	2.34	1.29	3.67	12.46	0.28	0	0.44	2.58	0.08	1.8	0.08	0.26
LBFLFK (n=1)	4.9	0.21	0.12	2.34	22.43	32.9	0.9	4.55	2.5	0.42	0.66	0.62	0.13	0.07	3.86	2.18	2.37	11.06	0.3	0	0.76	3.2	0.24	2.66	0.46	0.21
LBFLCG (n=1)	5.0	0.27	0.12	2.65	24.88	32.2	0.74	5.16	2.3	0.46	0.69	0.65	0.14	0.09	2.24	1.36	2.85	10.87	0.31	0	0.69	2.92	0.22	2.82	0.21	0.15
LBFPQM (n=1)	5.0	0.22	0.11	2.67	26.07	30.83	1.02	4.34	2.31	0.45	0.69	0.63	0.12	0.07	3.4	1.75	2.78	10.78	0.3	0	0.54	2.53	0.27	2.5	0.4	0.23

5 Table 147: Fatty acid profiles of 95 single seeds of the one seedbatch of event LBFDAU shown in Table 146 having highest EPA+DHA levels .

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1n-9	18:2n-6	18:2n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4n-3	20:4 n-6	20:5n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unkn own peak a	unkn own peak b
LBFDAU seed 1	4.2	0.2	0.2	2.1	11.3	26.5	1.2	3.8	4.3	0.6	0.7	0.5	0.1	0.1	3.3	3.0	1.9	26.2	0.4	0.0	0.6	3.7	0.2	4.9	0.0	0.2
LBFDAU seed 2	5.5	0.3	0.1	2.5	14.3	25.0	0.8	4.5	2.5	0.5	0.7	0.5	0.2	0.1	3.0	2.5	2.5	23.6	0.5	0.0	0.5	3.8	0.3	5.8	0.0	0.2
LBFDAU seed 3	5.1	0.3	0.1	2.0	16.0	25.5	1.2	4.4	3.4	0.6	0.7	0.5	0.1	0.1	3.4	2.5	2.5	23.1	0.3	0.0	0.6	3.3	0.1	4.2	0.0	0.2
LBFDAU seed 4	6.7	0.4	0.2	3.8	15.8	23.5	1.5	4.9	3.3	0.9	1.2	0.5	0.0	0.0	1.7	1.3	1.9	21.2	0.7	0.0	0.8	3.5	0.4	5.8	0.0	0.0
LBFDAU seed 5	5.4	0.4	0.2	1.5	16.1	24.4	1.0	5.4	3.4	0.8	0.6	0.5	0.1	0.1	2.9	2.1	3.5	22.0	0.3	0.0	0.5	3.7	0.2	4.8	0.0	0.2
LBFDAU seed 6	5.5	0.3	0.1	1.9	16.6	25.6	0.9	5.3	3.3	0.7	0.7	0.6	0.1	0.1	2.9	2.3	2.4	21.8	0.3	0.0	0.4	3.4	0.2	4.4	0.0	0.2
LBFDAU seed 7	5.0	0.4	0.2	2.4	16.3	25.3	1.1	4.6	3.5	0.6	0.7	0.5	0.1	0.0	3.6	3.1	2.0	21.9	0.5	0.0	0.5	3.5	0.0	4.3	0.0	0.1
LBFDAU seed 8	5.3	0.3	0.1	2.3	17.4	26.0	1.2	4.1	3.7	0.7	0.7	0.5	0.1	0.1	2.6	2.0	2.7	21.7	0.4	0.0	0.4	3.1	0.2	4.0	0.0	0.2
LBFDAU seed 9	5.3	0.2	0.2	2.4	14.3	27.8	1.0	4.0	4.2	0.6	0.7	0.5	0.1	0.1	3.6	2.9	2.3	21.1	0.4	0.0	0.5	2.8	0.3	4.4	0.0	0.1

LBFDAU seed	10	6.7	0.5	0.2	2.8	15.8	23.3	0.8	5.7	2.9	0.8	0.9	0.5	0.0	0.0	3.1	2.4	2.2	19.8	0.8	0.0	0.6	4.7	0.1	5.4	0.0	0.0
LBFDAU seed	11	5.9	0.6	0.2	3.4	19.3	22.2	1.5	4.0	3.1	0.7	0.9	0.6	0.0	0.0	3.0	2.1	2.0	20.8	0.8	0.0	0.2	4.6	0.0	4.2	0.0	0.0
LBFDAU seed	12	5.2	0.4	0.2	2.2	16.1	25.2	0.8	5.5	3.3	0.7	0.8	0.5	0.1	0.1	3.7	2.9	2.4	20.1	0.4	0.0	0.4	4.2	0.2	4.7	0.0	0.2
LBFDAU seed	13	4.3	0.2	0.1	2.0	17.5	27.7	1.2	4.9	2.9	0.5	0.6	0.6	0.1	0.1	2.9	2.3	2.6	20.7	0.3	0.0	0.4	3.6	0.2	4.1	0.0	0.2
LBFDAU seed	14	4.2	0.3	0.1	2.0	16.4	27.9	0.9	5.1	2.9	0.5	0.6	0.5	0.1	0.1	3.5	3.2	2.0	20.5	0.3	0.0	0.4	3.7	0.1	4.3	0.0	0.2
LBFDAU seed	15	4.5	0.4	0.1	1.5	17.0	25.7	1.1	5.3	2.9	0.6	0.5	0.6	0.1	0.1	3.4	2.4	2.9	19.7	0.3	0.0	0.5	4.8	0.3	5.1	0.0	0.3
LBFDAU seed	16	4.7	0.6	0.2	2.0	17.2	25.9	1.1	5.9	3.0	0.7	0.7	0.5	0.1	0.0	3.2	2.6	2.3	20.1	0.6	0.0	0.7	3.4	0.1	4.3	0.0	0.2
LBFDAU seed	17	4.5	0.3	0.1	2.3	18.4	27.0	1.5	4.6	3.4	0.7	0.7	0.6	0.1	0.0	2.7	1.9	2.8	20.8	0.5	0.0	0.6	2.8	0.1	3.5	0.0	0.2
LBFDAU seed	18	5.1	0.2	0.2	2.9	16.1	27.1	1.5	4.7	4.2	0.7	0.9	0.7	0.0	0.0	2.3	2.3	2.1	19.5	0.7	0.0	0.4	3.4	0.0	4.8	0.0	0.2
LBFDAU seed	19	4.5	0.3	0.1	1.7	18.7	27.0	1.4	4.5	2.9	0.4	0.5	0.6	0.1	0.1	3.1	2.1	2.9	19.8	0.2	0.0	0.5	3.7	0.2	4.3	0.0	0.4
LBFDAU seed	20	5.3	0.2	0.1	2.6	17.9	26.4	1.1	4.4	2.9	0.5	0.7	0.6	0.1	0.1	3.4	2.7	2.8	20.8	0.3	0.0	0.4	3.0	0.1	3.3	0.0	0.2
LBFDAU seed	21	5.2	0.3	0.2	2.1	16.3	27.8	0.7	5.1	3.5	0.7	0.7	0.6	0.2	0.1	3.1	2.4	2.7	19.7	0.4	0.0	0.5	3.6	0.2	4.0	0.0	0.1
LBFDAU seed	22	4.8	0.2	0.1	2.4	17.7	28.9	0.9	4.9	3.1	0.5	0.7	0.6	0.1	0.1	2.4	2.1	2.7	19.9	0.3	0.0	0.4	3.0	0.1	3.8	0.0	0.2
LBFDAU seed	23	4.5	0.2	0.1	1.6	19.4	26.9	1.3	5.6	2.8	0.5	0.5	0.6	0.1	0.1	3.0	2.3	3.1	19.1	0.2	0.0	0.4	3.7	0.1	3.7	0.0	0.2
LBFDAU seed	24	6.6	0.6	0.2	3.4	18.4	23.0	1.0	3.9	4.6	1.1	1.1	0.7	0.0	0.0	3.6	2.0	1.6	17.9	0.7	0.0	0.9	3.7	0.0	4.8	0.0	0.0
LBFDAU seed	25	5.2	0.3	0.2	2.1	16.0	26.6	0.9	4.9	3.7	0.8	0.7	0.6	0.0	0.0	3.9	2.6	2.8	18.0	0.6	0.0	0.7	4.6	0.3	4.4	0.0	0.1
LBFDAU seed	26	5.5	0.6	0.2	2.6	19.9	23.4	2.1	3.8	3.0	0.6	0.8	0.6	0.0	0.0	4.0	2.0	2.8	18.5	0.6	0.0	1.0	3.8	0.2	3.9	0.0	0.2
LBFDAU seed	27	4.5	0.3	0.1	1.7	19.5	26.6	1.5	5.2	2.3	0.5	0.5	0.6	0.1	0.1	3.6	2.5	2.6	18.6	0.3	0.0	0.5	4.1	0.2	3.8	0.0	0.4

LBFDAU seed 28	5.1	0.3	0.2	2.5	17.2	27.3	0.8	4.6	2.9	0.5	0.9	0.5	0.1	0.0	3.7	2.3	3.6	18.6	0.5	0.0	0.5	3.7	0.2	3.8	0.0	0.2
LBFDAU seed 29	5.0	0.3	0.2	3.2	20.0	28.0	1.3	4.7	2.9	0.5	0.9	0.6	0.1	0.0	2.2	1.5	2.3	18.5	0.4	0.0	0.5	2.8	0.2	3.6	0.0	0.2
LBFDAU seed 30	4.7	0.2	0.1	2.4	18.6	29.3	1.6	4.4	3.2	0.5	0.7	0.6	0.1	0.1	2.9	2.1	2.5	18.6	0.3	0.0	0.7	2.7	0.2	3.2	0.0	0.2
LBFDAU seed 31	4.9	0.3	0.1	2.5	18.8	28.0	1.5	4.1	3.0	0.4	0.8	0.6	0.1	0.1	3.9	2.8	1.8	18.2	0.4	0.0	0.6	3.1	0.2	3.6	0.0	0.3
LBFDAU seed 32	4.8	0.3	0.1	2.2	19.6	28.3	1.0	5.5	2.6	0.5	0.6	0.6	0.1	0.1	3.1	2.5	2.4	18.3	0.3	0.0	0.4	3.1	0.1	3.4	0.0	0.2
LBFDAU seed 33	4.6	0.3	0.1	2.3	19.6	28.4	1.3	5.2	3.1	0.6	0.8	0.6	0.1	0.0	2.7	2.0	2.4	18.2	0.4	0.0	0.5	3.1	0.1	3.5	0.0	0.2
LBFDAU seed 34	4.9	0.3	0.1	3.4	19.2	25.9	1.8	4.0	3.1	0.5	1.0	0.7	0.1	0.0	3.9	2.7	2.1	17.9	0.5	0.0	0.6	3.0	0.2	3.7	0.0	0.3
LBFDAU seed 35	4.6	0.3	0.2	2.0	19.1	28.5	1.1	5.7	3.0	0.6	0.6	0.6	0.1	0.1	3.0	2.3	2.6	17.9	0.3	0.0	0.4	3.3	0.1	3.6	0.0	0.2
LBFDAU seed 36	4.2	0.2	0.1	2.1	18.1	30.5	1.0	4.9	2.9	0.4	0.6	0.6	0.1	0.1	3.5	3.0	2.1	17.6	0.3	0.0	0.4	3.2	0.1	3.8	0.0	0.2
LBFDAU seed 37	4.9	0.2	0.1	2.0	19.0	29.0	1.1	5.0	3.0	0.5	0.6	0.6	0.1	0.1	3.1	2.2	2.9	17.8	0.3	0.0	0.4	3.0	0.2	3.5	0.0	0.2
LBFDAU seed 38	4.4	0.3	0.1	1.9	19.7	29.9	1.2	4.5	2.6	0.4	0.6	0.5	0.1	0.1	3.0	2.0	2.6	17.8	0.3	0.0	0.5	3.4	0.2	3.5	0.0	0.2
LBFDAU seed 39	4.8	0.2	0.1	2.2	19.2	28.6	1.0	5.0	2.4	0.4	0.6	0.6	0.1	0.1	4.0	3.2	1.9	17.8	0.3	0.0	0.5	3.1	0.1	3.4	0.0	0.3
LBFDAU seed 40	4.3	0.3	0.1	1.8	20.2	28.8	1.4	4.8	2.6	0.4	0.6	0.6	0.1	0.1	3.2	2.2	2.5	17.7	0.3	0.0	0.5	3.6	0.2	3.5	0.0	0.3
LBFDAU seed 41	5.8	0.4	0.2	3.0	19.3	26.9	0.9	4.6	3.6	0.7	1.0	0.6	0.0	0.0	3.1	1.8	2.1	17.7	0.7	0.0	1.0	3.1	0.1	3.5	0.0	0.0
LBFDAU seed 42	4.6	0.3	0.1	2.3	21.3	27.8	1.2	5.2	2.8	0.6	0.6	0.6	0.1	0.1	2.7	2.1	2.3	18.0	0.3	0.0	0.7	2.9	0.1	3.2	0.0	0.2
LBFDAU seed 43	5.3	0.3	0.2	2.0	18.1	29.2	1.0	4.2	3.1	0.5	0.7	0.6	0.1	0.1	3.4	2.1	3.7	17.6	0.3	0.0	0.5	3.5	0.2	3.4	0.0	0.2
LBFDAU seed 44	4.7	0.3	0.2	1.9	19.3	29.3	1.0	5.7	2.7	0.5	0.7	0.7	0.1	0.1	2.7	2.1	2.6	17.3	0.3	0.0	0.5	3.6	0.2	3.6	0.0	0.2
LBFDAU seed 45	4.3	0.2	0.1	2.2	19.4	29.8	1.1	5.0	2.5	0.4	0.7	0.6	0.1	0.1	3.3	2.6	2.4	17.7	0.3	0.0	0.5	3.2	0.2	3.2	0.0	0.2

LBFDAU seed 46	4.5	0.2	0.2	2.4	18.8	29.0	1.1	5.0	3.7	0.6	0.7	0.6	0.1	0.1	3.1	2.2	2.8	17.1	0.3	0.0	0.5	3.1	0.2	3.5	0.0	0.2
LBFDAU seed 47	4.0	0.2	0.1	1.8	19.2	30.1	1.3	4.9	2.9	0.4	0.6	0.6	0.1	0.1	3.5	2.5	2.6	17.0	0.3	0.0	0.5	3.5	0.2	3.5	0.0	0.3
LBFDAU seed 48	4.3	0.2	0.1	2.0	20.0	30.1	1.3	4.5	2.7	0.4	0.6	0.5	0.1	0.1	3.5	2.3	2.7	16.9	0.3	0.0	0.4	3.1	0.2	3.5	0.0	0.3
LBFDAU seed 49	4.4	0.2	0.1	2.5	18.3	30.1	1.6	3.7	3.2	0.5	0.8	0.6	0.1	0.1	4.3	3.3	2.0	17.2	0.4	0.0	0.4	2.5	0.2	3.2	0.0	0.3
LBFDAU seed 50	4.3	0.3	0.1	1.9	21.5	29.2	1.3	5.2	2.5	0.5	0.6	0.6	0.1	0.1	2.8	2.1	2.3	17.0	0.3	0.0	0.4	3.2	0.2	3.3	0.0	0.2
LBFDAU seed 70	5.3	0.3	0.2	3.1	20.0	28.7	1.4	4.1	3.0	0.4	1.0	0.6	0.1	0.1	3.5	2.3	2.3	16.8	0.5	0.0	0.5	2.4	0.2	3.2	0.0	0.3
LBFDAU seed 71	4.2	0.2	0.1	2.0	22.1	29.1	1.7	4.9	2.3	0.3	0.6	0.6	0.1	0.1	2.9	2.3	2.2	16.7	0.3	0.0	0.7	2.7	0.2	3.3	0.0	0.3
LBFDAU seed 75	4.7	0.2	0.1	2.4	21.4	28.0	2.2	4.8	2.5	0.4	0.7	0.6	0.1	0.1	3.1	2.2	2.4	17.2	0.4	0.0	0.5	2.7	0.2	2.8	0.0	0.3
LBFDAU seed 76	4.7	0.3	0.1	2.1	20.9	28.1	1.0	5.4	3.1	0.6	0.6	0.6	0.1	0.1	2.9	2.1	2.6	16.3	0.3	0.0	0.6	3.4	0.2	3.7	0.0	0.2
LBFDAU seed 77	5.0	0.2	0.1	2.1	18.5	29.7	1.6	4.8	2.9	0.5	0.7	0.6	0.1	0.1	3.9	2.9	2.4	16.7	0.3	0.0	0.5	2.8	0.2	3.3	0.0	0.2
LBFDAU seed 78	4.8	0.2	0.1	1.9	20.1	29.2	1.1	5.1	2.6	0.4	0.6	0.7	0.1	0.1	3.4	2.4	2.7	16.7	0.3	0.0	0.7	3.2	0.2	3.2	0.0	0.2
LBFDAU seed 79	4.3	0.2	0.1	1.9	21.6	28.7	1.5	5.1	2.6	0.4	0.5	0.6	0.1	0.1	3.3	2.3	2.6	16.6	0.3	0.0	0.6	2.9	0.2	3.3	0.0	0.4
LBFDAU seed 80	4.7	0.3	0.2	1.9	19.0	31.0	0.7	4.6	2.7	0.5	0.6	0.6	0.1	0.0	3.3	2.2	2.5	16.1	0.4	0.0	0.6	3.8	0.3	3.7	0.0	0.1
LBFDAU seed 81	4.3	0.2	0.1	2.1	21.0	29.5	1.4	5.1	2.6	0.4	0.6	0.6	0.1	0.1	3.4	2.5	2.3	16.7	0.3	0.0	0.4	3.1	0.1	2.9	0.0	0.2
LBFDAU seed 82	4.5	0.3	0.1	2.0	21.0	29.6	1.4	5.5	2.5	0.5	0.6	0.6	0.1	0.1	2.7	1.9	2.7	16.2	0.3	0.0	0.5	3.2	0.2	3.5	0.0	0.3
LBFDAU seed 83	5.0	0.3	0.1	2.3	20.6	28.3	0.9	5.8	2.8	0.6	0.6	0.6	0.1	0.1	3.0	2.4	2.5	16.2	0.4	0.0	0.5	3.3	0.1	3.3	0.0	0.2
LBFDAU seed 84	6.2	0.5	0.2	2.9	20.3	27.1	0.8	5.6	3.0	0.9	0.9	0.6	0.0	0.0	3.0	2.1	2.1	15.4	0.7	0.0	0.5	3.5	0.0	3.9	0.0	0.0
LBFDAU seed 85	4.1	0.2	0.1	2.2	21.5	30.4	1.4	4.8	2.6	0.4	0.6	0.6	0.1	0.1	3.1	2.4	2.3	16.1	0.4	0.0	0.5	2.6	0.2	3.1	0.0	0.4

235

D. Fatty acid profiles, copy number measurements, and phenotypic observations of T2 plants carrying T-DNAs of plasmids VC-LTM593-1qcz rc cultivated in greenhouses during the summer

5 The data in Table 148 indicate the copy number of the selected events was a single insertion which was homozygous in the T3 seed. Fatty acid profile measurements, see Table 149 and Table 150, indicated the combination of T-DNA from VC-LTM593-1qcz rc are capable of bringing in the VLC-PUFA pathway to successfully accumulate ARA, EPA and DHA. The data on Table 151 show that there was no significant impact on the aerial portion of the plant caused by VC-LTM593-1qcz rc.

Table 148: Copy number measurement of T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T2 plants that were measured per event. For each event, T2 seed batches of two homozygous T1 plants were selected for seeding. Comparison of the results with Table 135 confirms homozygosity of all T2 plants.

Event	Copy number assays targeting the T-DNA of VC-LTM593-1qcz rc. Assays are listed according to the position of the assay target along the T-DNA, with target c-AHAS located near the left T-DNA border and target c-d6Elo(Pp_GA) near the right T-DNA border.															
	c-AHAS	J-I-Atss1_c- d5Elo(Ot_GA3)	c-d4Des(PI_GA)2	J-P-LuPXR_I-Atss15	J-P-PvARC5_t-BnSETL	c-d5Des(Tc_GA)	J-I-Atss18_c- o3Des(PI_GA2)	c-o3Des(PI_GA)	J-P-BnSETL-v1_c- o3DES(Pir_GA)	J-I-Atss14_c- d12Des(Ps_GA)	c-d6Elo(Tp_GA)	J-t-StCAT_p2_p-LuPXR	J-I-Atss2_c-d6Des(Ot febit_GA)	c-d5Des(Tc_GA)	c-d6Elo(Pp_GA)	J-I-Atss18_c- d6Elo(Pp_GA2)
LBFDAU (n=218)	2.0	2.1	4.1		3.8	8.1	4.0	4.0			4.1	4.2	4.0	8.1	4.1	4.0
LBFDGG (n=200)	2.0	2.0	2.0		2.0	4.0	2.0	2.0			2.1	2.1	2.0	4.0	2.2	2.1
LBFGKN (n=182)	2.0	2.0	2.0		2.0	4.2	2.1	1.9			2.0	2.2	2.0	4.2	2.1	2.1
LBFIHE (n=157)	2.1	2.0	2.0		2.1	4.3	2.0	2.0			2.2	2.1	2.0	4.3	2.1	2.0
LBFLDI (n=229)	2.3	2.2	2.3		2.3	4.7	2.3	2.3			2.4	2.4	2.3	4.7	2.4	2.2
LBFPRA (n=196)	2.0	1.9	5.8		3.9	7.9	4.0	4.1			3.9	4.0	3.9	7.9	4.0	1.9
LBFDHG (n=177)	4.1	4.2	4.2		4.0	8.3	4.1	4.1			4.2	4.1	4.0	8.3	4.1	4.0
LBFLFK (n=195)	4.0	4.1	4.0		4.0	8.2	4.0	4.0			4.0	4.0	4.0	8.2	4.0	4.0

5

Table 149: Fatty acid profiles of T3 seeds harvested from T2 cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T3 seed batches representing a plant measured per event. Per seed batch a random selection of ~15 seed was measured in five technical repeats.

Event	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9	22:4 n-6	22:5 n-3	22:5 n-6	22:6 n-3	unknown peak a	unknown peak b

LBFDAU (n=218)	4.8± 0.2	0.2± 0	0±0	4.2± 0.3	23± 1.6	31.5 ±1.2	1.1± 0.2	4.6± 0.4	2.2± 0.4	0.4± 0.1	1± 0.1	0.7± 0	0.1± 0	0.1± 0	4.5± 0.8	3.2± 0.6	1.4± 0.3	10.5 ±1.4	0.4± 0	0±0	0.4± 0.1	2.3± 0.3	0.2± 0.1	2.1± 0.4	0.6± 0.2	0.4± 0.1
LBFDGG (n=200)	5± 0.2	0.2± 0	0±0	3.2± 0.3	30.4 ±2.2	34.1 ±1.6	0.8± 0.1	5± 0.5	1.6± 0.2	0.3± 0	0.9± 0.1	0.7± 0	0.1± 0	0.1± 0	2.4± 0.2	1.4± 0.2	2± 0.3	7± 0.8	0.4± 0	0±0	0.4± 0.1	2± 0.2	0.1± 0	1.3± 0.3	0.3± 0	0.1± 0
LBFGKN (n=182)	4.8± 0.2	0.2± 0	0±0	3.6± 0.4	28.3 ±1.9	34.6 ±1.6	0.7± 0.2	4.7± 0.5	1.8± 0.4	0.3± 0.2	0.9± 0.1	0.7± 0	0.2± 0.1	0.1± 0	2.4± 0.3	1.3± 0.2	2.4± 0.3	7.9± 0.9	0.4± 0	0±0	0.4± 0.1	2± 0.2	0.1± 0.1	1.6± 0.3	0.3± 0.1	0.2± 0.1
LBFIHE (n=157)	4.9± 0.3	0.2± 0	0±0	3.7± 0.6	25.9 ±1.9	32.9 ±1.8	0.8± 0.1	4.7± 0.6	2.4± 0.7	0.3± 0.1	0.8± 0.1	0.7± 0	0.2± 0.1	0.1± 0.1	2.7± 0.3	1.7± 0.3	2.5± 0.4	9.6± 1.3	0.4± 0	0±0	0.4± 0.1	2.2± 0.3	0.2± 0.1	2± 0.5	0.3± 0.1	0.3± 0.1
LBFLDI (n=229)	5.9± 1	0.3± 0.1	0± 0.1	2.9± 0.3	27.8 ±2.5	32.5 ±1.8	0.7± 0.1	4.7± 0.5	1.7± 0.3	0.4± 0.1	0.8± 0.1	0.6± 0.1	0.1± 0	0.1± 0	2.4± 0.3	1.4± 0.2	2.4± 0.4	9.2± 1.5	0.3± 0	0±0	0.5± 0.1	2.6± 0.4	0.1± 0	1.7± 0.4	0.3± 0.1	0.2± 0
LBFPRA (n=196)	5± 0.2	0.2± 0	0±0	3.9± 0.7	23.2 ±2	30.9 ±1.9	1.1± 0.2	3.8± 0.6	2.6± 0.5	0.3± 0.1	0.9± 0.1	0.6± 0	0.1± 0	0.1± 0	3± 0.4	1.7± 0.2	3.5± 0.4	13.5 ±2	0.4± 0	0±0	0.3± 0.1	2.6± 0.3	0.1± 0.1	1.7± 0.3	0.1± 0	0.3± 0.1
LBFDHG (n=177)	5.7± 0.2	0.3± 0	0±0	3.2± 0.5	24.1 ±0.8	34.5 ±1.4	0.8± 0.1	4.4± 0.3	2.5± 0.5	0.3± 0.1	0.9± 0.1	0.7± 0	0.1± 0	0.1± 0	3.1± 0.6	1.9± 0.4	1.5± 0.3	8.5± 1.2	0.4± 0	0±0	0.8± 0.1	2.5± 0.3	0.2± 0.1	2.4± 0.3	0.8± 0.2	0.2± 0.1
LBFLFK (n=195)	5± 0.1	0.2± 0	0.1± 0.1	4± 0.4	25.9 ±1.8	31.9 ±1.3	1± 0.2	4.7± 0.4	1.8± 0.3	0.4± 0.1	1± 0.1	0.7± 0	0.1± 0	0.1± 0	4± 0.9	2.4± 0.5	1.4± 0.3	8.3± 1	0.4± 0	0±0	0.6± 0.1	2.7± 0.5	0.2± 0	1.5± 0.4	0.8± 0.3	0.3± 0.1

Table 150: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmid VC-LTM593-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

	16:1		16:3		18:1		18:2	18:2	18:3	18:3	18:4			20:1	20:2	20:3	20:3	20:4	20:4	20:5	22:1		22:4	22:5	22:5	22:6	unkn own peak a	unkn own peak b
Event	16:0	n-7	n-3	18:0	n-9	n-6	n-9	n-3	n-6	n-3	20:0	n-9	n-6	n-3	n-6	n-3	n-6	n-3	n-6	n-3	22:0	n-9	n-6	n-3	n-6	n-3		
LBFDAU (n=1)	5.1	0.3	0.0	4.7	20.6	27.6	1.1	4.3	2.5	0.5	1.3	0.6	0.2	0.1	4.0	2.8	1.6	14.1	0.5	0.0	0.4	2.8	0.3	3.5	0.5	0.3		
LBFDGG (n=1)	5.2	0.3	0.0	2.9	25.6	33.8	0.7	5.2	2.0	0.4	0.8	0.7	0.2	0.1	2.5	1.6	2.9	9.1	0.4	0.0	0.5	2.4	0.2	2.2	0.3	0.1		
LBFGKN (n=1)	4.8	0.2	0.0	3.7	26.5	30.2	1.2	4.9	2.3	0.3	0.8	0.6	0.2	0.1	2.5	1.4	3.2	10.9	0.3	0.0	0.4	2.4	0.1	2.5	0.2	0.3		
LBFIHE (n=1)	4.4	0.1	0.0	3.0	20.2	29.0	0.8	4.7	2.8	0.5	0.7	0.7	0.4	0.3	2.9	2.1	3.3	15.3	0.3	0.0	0.5	2.9	0.4	3.9	0.2	0.5		
LBFLDI (n=1)	6.7	0.3	0.0	3.0	22.2	28.3	1.1	4.0	2.7	0.7	0.8	0.5	0.1	0.1	3.2	2.1	2.5	13.8	0.4	0.0	0.5	3.4	0.3	2.7	0.5	0.2		
LBFPRA (n=1)	5.0	0.2	0.0	3.5	20.0	27.6	1.4	3.1	3.4	0.4	0.8	0.6	0.1	0.1	2.9	1.9	3.8	19.0	0.3	0.0	0.3	2.7	0.1	2.4	0.1	0.4		
LBFDHG (n=1)	6.0	0.3	0.0	2.6	23.3	29.4	1.1	5.0	2.3	0.4	0.8	0.7	0.1	0.1	2.8	1.9	1.6	12.8	0.4	0.0	0.7	3.3	0.4	3.3	0.6	0.3		
LBFLFK (n=1)	4.9	0.2	0.2	3.8	23.0	31.9	1.0	4.4	2.3	0.5	0.9	0.7	0.1	0.1	3.2	2.1	2.0	11.6	0.3	0.0	0.7	3.0	0.2	2.3	0.5	0.3		

Table 151: Phenotypic rating of T1 plants cultivated in the greenhouse of canola events containing the T-DNAs of plasmids VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T1 plants that where rated per event. DFF: days to first flower (days), DF: deformed flower (1=deformed, 9=normal), DL: deformed leaf (1=deformed, 9=normal), DP: deformed plant (1=deformed, 9=normal), DS: deformed silique (1=deformed, 9=normal), FC: flower color (1=white, 3=optimal, 4=orange/yellow), LD: leaf dentation (3=no dentation, 7=strong dentation), LGC: leaf color (3=yellow, 5=optimal, 7=blueish), LF: fertility (1=low, 9=very high), NoL: number of lobes (#), PH: plant height (cm), TKW: thousand kernel weight (g), SC: seed quality (1=good, 9=bad), Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil)

Event	DFF	DF	DL	DP	DS	FC	LD	LGC	LF	NoL	PH	TKW	SC	Oil	Protein
LBFDAU (n=218)	43.2 ± 2.9	9 ± 0	9 ± 0	8 ± 0	9 ± 0	3 ± 0	4 ± 0.1	5 ± 0	8.6 ± 0.8	5.1 ± 0.6	107.5 ± 7.6	3 ± 0.3	3.7 ± 1.2	35.6	
LBFDGG (n=200)	43 ± 3.7	8.6 ± 1.5	8.5 ± 0.5	8 ± 0	8.6 ± 1.3	3 ± 0	4 ± 0	5 ± 0	8.7 ± 0.7	4.5 ± 0.5	112.1 ± 5.5	3 ± 0.3	3.7 ± 0.7	N/A	
LBFGKN (n=182)	42.5 ± 4.3	8 ± 2.7	8.5 ± 1	7.6 ± 1.6	8.1 ± 1.9	2.9 ± 0.3	4.1 ± 0.8	5 ± 0.3	8.5 ± 1	5 ± 0	111.6 ± 15.2	3.3 ± 0.4	3.3 ± 0.6	36.1	
LBFIHE (n=157)	51.1 ± 5.2	8.9 ± 0.4	8.9 ± 0.5	8.9 ± 0.5	5.2 ± 2.6	3 ± 0	5.1 ± 0.4	4.9 ± 0.4	5.2 ± 2.6	6.6 ± 1.1	139.4 ± 14.7	4 ± 0.5	3.8 ± 1.9	34.1	
LBFLDI (n=229)	48.6 ± 4.5	9 ± 0	9 ± 0	9 ± 0	7.6 ± 2.5	3 ± 0	5 ± 0.1	5 ± 0.1	7.6 ± 2.5	6.2 ± 1.1	145.5 ± 15.9	4.2 ± 0.4	3.1 ± 1.3	N/A	
LBFPRA (n=196)	51.2 ± 2.4	9 ± 0	9 ± 0	9 ± 0	5.8 ± 3.2	3 ± 0	5 ± 0	5 ± 0	5.8 ± 3.2	7.3 ± 1	138.7 ± 16.6	4.2 ± 0.4	2.4 ± 1.5	34.7	
LBFDHG (n=177)	46 ± 3.5	9 ± 0	9 ± 0	8 ± 0	4.7 ± 1.6	3 ± 0	4 ± 0	5 ± 0	8.5 ± 0.8	5.2 ± 0.8	112.5 ± 5.4	3.4 ± 0.4	5.3 ± 1	32.3	
LBFLFK (n=195)	42.3 ± 2.8	9 ± 0	9 ± 0	9 ± 0.3	8.9 ± 0.7	3 ± 0	4 ± 0.1	5 ± 0	8.7 ± 0.9	5.3 ± 0.5	113.4 ± 8	3.3 ± 0.3	3.9 ± 1.5	37.1	

E. Fatty acid profiles, copy number measurements, and phenotypic observations of T2 plants carrying T-DNAs of plasmids VC-LTM593-1qcz rc cultivated in field trials in USDA growth zones 3a-4b and 5a during the summer

Field data for the T3 seed from the events carrying the T-DNA from VC-LTM593-1qcz rc, shown in Table 152 and Table 153, indicate that the plants are capable of making VLC-PUFAs in the field (ARA, EPA and DHA), though not at the level observed in the greenhouse. ANOVA was conducted with using the software JMP 11.0. Analysis was conducted at the 95% confidence level using Tukey test. To compensate for unbalance in the data obtained from the field trial (e.g. due to e.g. weather), Least Square means instead of means were used in the statistical analysis. Common letters in the Table 154, Table 155 and Table 156 indicate no significant difference of the least square means. Table 154 shows the statistical analysis of agronomical parameters.

There was a difference in seed oil content observed compared to the greenhouse (e.g. comparing Table 154 with Table 151), indicating oil content and the fatty acid profile could be linked. These observations are in agreement with previous examples where it was observed that increased oil contents in the field grown plants concomitant with a decrease in VLC-PUFAs, in particular EPA, DHA and ARA. A more detailed description of the observations regarding oil content and VLC-PUFAs is given in Example 20.

For seed yield (kg per ha, data not shown), no statistically relevant difference was found comparing the events against wildtype Kumily (tested using Tukey, 0.05% level).

Table 152: Fatty acid profiles of T3 seeds harvested from T2 cultivated in the field, corresponding to USDA growth zones 3a-4b and 5a, for field trials of canola events containing the T-DNAs of plasmid VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of T3 seed aliquots representing a plot where measured per event. For event LBFGKN, 36 plots and 60 single plants from those plots where measured. Per seed batch a random selection of ~15 seed was measured in five technical repeats.

		16:1	16:3		18:1	18:2	18:2	18:3	18:3	18:4		20:1	20:2	20:3	20:3	20:4	20:4	20:5		22:1	22:4	22:5	22:5	22:6	unkn own peak a	unkn own peak b
Event	16:0	n-7	n-3	18:0	n-9	n-6	n-9	n-3	n-6	n-3	20:0	n-9	n-6	n-3	n-6	n-3	n-6	n-3	22:0	n-9	n-6	n-3	n-6	n-3		
LBFDAU (n=16)	4.7± 0.1	0.2± 0		2.7± 0.1	28.6 ±1.5	29.2 ±0.7	1± 0.1	6.1± 0.3	1.6± 0.1	0.3± 0	0.7± 0	0.7± 0	0.1± 0	0.1± 0.3	3.3± 0.2	2.2± 0.2	2± ±0.7	10.7 0	0.3± 0±0		0.3± 0	2.9± 0.2	0.1± 0	1.6± 0.2	0.3± 0.1	0.3± 0
LBFDGG (n=36)	4.7± 0.1	0.2± 0		2.5± 0.2	34.2 ±1.9	32.3 ±1.2	0.6± 0.1	7± 0.5	1.2± 0.1	0.2± 0	0.6± 0	0.8± 0	0.1± 0	0.1± 0.3	2± 0.2	1.3± 0.2	1.9± 0.7	6.1± 0	0.3± 0±0		0.3± 0	2.1± 0.2	0.1± 0	1.1± 0.2	0.2± 0.1	0.1± 0
LBFGKN (n=36+60)	4.6± 0.2	0.2± 0		2.6± 0.2	33.7 ±1.7	32.8 ±1.4	0.6± 0.1	7.5± 0.6	0.9± 0.1	0.2± 0	0.7± 0.1	0.8± 0.1	0.2± 0	0.1± 0.3	2.1± 0.1	1.2± 0.2	1.8± 0.6	6± 0	0.3± 0±0		0.3± 0.1	2.1± 0.2	0.1± 0	1± 0.1	0.2± 0	0.2± 0
LBFIHE (n=36)	4.8± 0.2	0.2± 0		2.6± 0.2	31.2 ±1.7	33.9 ±1.2	0.6± 0.1	6.7± 0.7	1.3± 0.2	0.3± 0	0.7± 0.1	0.8± 0	0.2± 0	0.1± 0.2	2.1± 0.1	1.2± 0.1	2.4± 0.3	6.7± 0.6	0.3± 0±0		0.3± 0.1	1.9± 0.2	0.1± 0	1.2± 0.2	0.2± 0.1	0.2± 0
LBFLDI (n=36)	4.9± 0.2	0.3± 0		2.5± 0.2	33.4 ±1.7	32.7 ±1.2	0.6± 0.1	6.8± 0.6	1± 0.1	0.2± 0	0.7± 0.1	0.8± 0	0.2± 0	0.1± 0.3	2± 0.2	1.2± 0.2	2± 0.7	6.2± 0	0.3± 0±0		0.3± 0	2.1± 0.2	0.1± 0	1.1± 0.2	0.2± 0	0.2± 0
LBFIDT (n=32)	4.6± 0.1	0.2± 0		2.7± 0.2	30± 1.4	29.9 ±1	0.9± 0.1	6.5± 0.5	1.6± 0.1	0.3± 0	0.7± 0.1	0.7± 0	0.1± 0	0.1± 0.4	4.4± 0.2	2.6± 0.2	1.5± 0.2	6.8± 0.7	0.3± 0±0		0.6± 0.1	2.9± 0.3	0.1± 0	1.2± 0.2	1± 0.1	0.3± 0
LBFPRA (n=36)	4.8± 0.2	0.2± 0		2.6± 0.2	28.4 ±2.1	32.7 ±1.4	0.8± 0.1	5.7± 0.4	1.6± 0.2	0.3± 0.1	0.7± 0	0.8± 0	0.2± 0	0.1± 0.3	2.3± 0.2	1.2± 0.2	3.8± 0.5	9.6± 1	0.3± 0±0		0.3± 0	2.4± 0.3	0.1± 0	1.1± 0.2	0.1± 0	0.2± 0.1
LBFDHG (n=4)	5.2± 0.1	0.2± 0		2.4± 0.1	28.2 ±1.4	29.5 ±1	0.9± 0.2	6.5± 0	1.6± 0.1	0.3± 0	0.6± 0	0.7± 0	0.2± 0	0.1± 0	2.9± 0	1.7± 0	2± 0.1	9.6± 0.4	0.3± 0±0		0.6± 0	3.5± 0.1	0.2± 0	1.9± 0.2	0.5± 0.1	0.3± 0
LBFLFK (n=36)	4.7± 0.2	0.2± 0		2.6± 0.2	30.1 ±1.9	30.2 ±1.1	0.9± 0.1	6.2± 0.4	1.5± 0.2	0.3± 0.1	0.6± 0	0.8± 0	0.1± 0	0.1± 0.3	3.3± 0.2	1.9± 0.2	1.9± 0.2	8.2± 1	0.3± 0±0		0.5± 0	3.2± 0.4	0.1± 0	1.4± 0.3	0.5± 0.1	0.3± 0.1

Table 153: Fatty acid profiles of one T3 seed batch per event harvested from T2 plants cultivated in USDA growth zones 3a-4b and 5a for field trials of canola events containing the T-DNAs of plasmid VC-LTM593-1qcz rc. The events are indicated in the first column. Fatty acid profiles of T3 seed batches representing a field plot having the highest EPA+DHA levels per event are shown. Per seed batch, a random selection of ~30 seed was measured in two technical repeats.

	16:1		16:3		18:1		18:2	18:2	18:3	18:3	18:4		20:1	20:2	20:3	20:3	20:4	20:4	20:5		22:1	22:4	22:5	22:5	22:6	unkn own peak a	unkn own peak b
Event	16:0	n-7	n-3	18:0	n-9	n-6	n-9	n-3	n-6	n-3	20:0	n-9	n-6	n-3	n-6	n-3	n-6	n-3	22:0	n-9	n-6	n-3	n-6	n-3	22:6		
LBFDAU (n=1)	4.9	0.2	0.0	2.6	26.0	28.9	0.8	6.2	1.7	0.3	0.7	0.8	0.2	0.1	3.6	2.4	2.0	12.0	0.3	0.0	0.3	3.2	0.1	2.1	0.4	0.3	
LBFDGG (n=1)	5.0	0.3	0.0	2.7	30.1	33.1	0.5	6.5	1.5	0.3	0.7	0.8	0.2	0.1	2.1	1.4	2.4	7.5	0.3	0.0	0.4	2.4	0.1	1.6	0.2	0.1	
LBFGKN (n=1)	4.4	0.2	0.0	2.6	32.6	31.1	0.7	7.3	1.1	0.3	0.6	0.8	0.2	0.1	2.1	1.3	2.1	7.7	0.3	0.0	0.3	2.5	0.1	1.3	0.2	0.2	
LBFIHE (n=1)	4.8	0.2	0.0	2.5	28.0	33.9	0.6	6.3	1.6	0.3	0.8	0.8	0.2	0.1	2.4	1.5	2.7	8.2	0.3	0.0	0.4	2.3	0.1	1.6	0.2	0.2	
LBFLDI (n=1)	5.2	0.3	0.0	2.5	29.8	33.3	0.4	6.8	1.3	0.4	1.1	0.8	0.2	0.1	1.8	1.2	2.4	7.2	0.4	0.0	0.4	2.4	0.1	1.6	0.2	0.2	
LBFIDT (n=1)	4.7	0.2	0.0	2.6	28.6	28.8	1.0	7.1	1.6	0.3	0.7	0.7	0.1	0.1	4.3	2.6	1.5	8.1	0.3	0.0	0.6	3.4	0.1	1.4	1.0	0.4	
LBFPRA (n=1)	5.1	0.2	0.0	2.6	26.0	31.5	0.7	5.3	1.8	0.3	0.7	0.7	0.2	0.1	2.4	1.3	4.3	11.7	0.3	0.0	0.3	2.8	0.0	1.3	0.1	0.2	
LBFDHG (n=1)	5.1	0.2	0.0	2.4	29.0	28.4	1.0	6.6	1.6	0.3	0.6	0.8	0.1	0.1	2.9	1.7	1.9	10.2	0.3	0.0	0.5	3.5	0.2	1.9	0.5	0.3	
LBFLFK (n=1)	5.1	0.2	0.0	2.6	26.9	29.3	0.8	5.9	1.9	0.4	0.7	0.8	0.1	0.1	3.1	2.0	2.3	10.3	0.3	0.0	0.6	3.9	0.1	2.0	0.5	0.2	

Table 154: Phenotypic rating of T2 plants cultivated in USDA growth zones 3a-4b and 5a for field trials of canola events containing the T-DNAs of plasmid VC-VC-LTM593-1qcz rc. The events are indicated in the first column, along with the number of field plots that where rated per event. Stand: the number of plants that emerged within a 1 meter section of row at GS 14 (4 leaves unfolded), rating of a seedlings ability to grow and develop at GS 14 (4 leaves unfolded, 1= All plants at different growth stages and all plants appear unhealthy, 9= All plants at same growth stage and all plants appear healthy), First flower: date at which plants are at GS 60 (days after emergence), Last flower: date at which plants are at GS 69 (days after emergence), Maturity: Days to Maturity (when average seed moisture is 30 to 35%, and 30 to 40% if the seeds in the pods have developed their mature seed color, either black or yellow), Plant Height: the average height (cm) of five plants in a plot measured from soil level to the top of the plant at GS 69 (cm), Lodging: rating of the average standability of plants in a plot at GS 83 (30% of pods ripe, 1=0 – 10% average lean of plants in plot from horizontal (standing erect), 9=81%+ average lean of plants in plot from horizontal (nearly prostrate)), Shatter: rating of the ability of plants to retain seed in the pod at GS 89 (all pods fully ripe, 1=0 – 10% perished pods, 9=81%+ perished pods), Agron Score: scale of 1-5 with 1 being the best, 5 the worst ranking of plant phenotype (measurements occurred post flower during pods formation and seed development), Moisture (% of seed weight), TKW: thousand kernel weight (g), Oil: oil content (% of seed weight), protein: Protein content (% of seed cake without oil).

Event	Stand		Vigor		First Flower		Last Flower		Maturity		Plant Height		Lodging		Shatter		Agron Score		Moisture		TWK		Oil		Protein	
LBFDAU (n=16)	23.7	a	5.7	bcd	43.8	bc	77.3	abcde	94.5	a	115.5	b	2.3	ab	1.5	a	4.7	ab	9.0	a	3.5	abcc	38.5	bc	26.6	c
LBFDGG (n=36)	23.0	a	5.9	bcd	44.0	bc	77.1	bcd	94.3	a	116.2	b	2.3	b	1.6	a	4.2	ab	8.9	a	3.8	a	38.8	abc	26.3	c
LBFDHG (n=4)	23.4		5.8		43.9		77.2				115.9		2.3		1.5		4.4		9.0		3.7		39.3	abc	26.5	c
LBFGKN (n=36)	22.8	a	6.3	bcd	43.3	c	76.5	cde	94.2	a	118.8	b	2.8	ab	1.8	a	4.1	ab	8.5	a	3.7	ab	36.7	c	26.5	c
LBFIHE (n=36)	21.7	a	5.6	cd	45.7	b	79.7	ab	94.7	a	115.2	b	2.3	b	1.6	a	4.1	ab	8.7	a	3.4	bcd	39.8	ab	26.5	c
LBFLFK (n=36)	22.5	a	5.1	d	45.6	b	78.0	abc	94.3	a	118.4	b	2.6	ab	1.5	a	4.1	ab	8.6	a	3.7	a	38.3	bc	27.1	c
LBFPRA (n=36)	22.5	a	6.3	bcd	44.2	bc	78.1	abc	94.3	a	121.2	b	2.9	ab	1.9	a	4.2	ab	8.5	a	3.5	abc	39.2	abc	26.5	c
Topas	24.8	a	5.2	d	48.1	a	80.9	a	95.3	a	139.7	a	3.2	ab	2.6	a	4.4	a	7.3	b	3.3	cd	37.8	c	26.9	c
Kumily	28.2	a	6.9	ab	43.4	c	76.6	cde	94.2	a	119.9	b	2.8	ab	1.8	a	4.5	a	7.4	b	3.7	ab	39.8	ab	28.5	a
Control 1	28.1	a	7.7	a	42.9	c	73.8	e	89.2	b	121.1	b	3.9	a	2.7	a	3.4	b	7.0	b	3.2	d	39.9	ab	27.1	c
Control 2	25.3	a	6.6	abc	40.7	d	74.3	de	90.3	b	119.1	b	3.8	a	2.7	a	3.4	b	7.0	b	3.1	d	40.7	a	27.4	bc

Table 155: Compositional analysis of T3 seeds of T2 plants cultivated in USDA growth zones 3a-4b and 5a for field trials of canola events containing the T-DNAs of plasmid VC- VC-LTM593-1qcz rc. The events are indicated in the first column. The analysis has been done on 4 BULK, whereby each BULK is a representative sample of all seeds harvested from 4 different geographic regions. Alpha-Tocopherol (mg/100g seed), Beta-Tocopherol (mg/100g seed), Delta-

Tocopherol (mg/100g seed), Gamma-Tocopherol (mg/100g seed), Tocopherol (mg/100g seed), Sinapine ($\mu\text{g/g}$ (ppm)), Phytate (% of seed weight (w/w)), Ash (% of seed weight (w/w)), Crude Fiber (% of seed weight (w/w)), ADF: acid detergent fiber (% of seed weight (w/w)), NDF: neutral detergent fiber (% of seed weight (w/w)). All results have been normalized to the seed weight of seeds having 0% moisture.

Event	Alpha-Tocopherol		Beta-Tocopherol		Delta-Tocopherol		Gamma-Tocopherol		Tocopherols (VitE)		Sinapine		Glucosinolate		Phytate		Ash		Crude Fiber		ADF		NDF	
LBFDAU	13.3	ab	0.25	a	0.58	a	29.5	a	43.7	a	0.64	cd	11.0	bcd	2.3	B	4.5	ab	9.4	a	11.8	ab	14.5	a
LBFDGG	14.1	ab	0.23	a	0.45	bcd	25.6	b	40.4	abc	0.69	bcd	13.1	ab	2.3	B	4.3	ab	9.2	a	10.9	cdef	13.6	ab
LBFGKN	12.9	b	0.23	a	0.52	abc	26.9	ab	40.6	abc	0.70	bc	11.3	bc	2.3	b	4.4	ab	9.3	a	11.0	bcdef	13.5	ab
LBFIHE	13.2	ab	0.23	a	0.45	bcd	22.0	cd	35.9	cde	0.65	cd	15.7	a	2.2	b	4.7	ab	9.1	a	10.8	cdef	13.4	ab
LBFLFK	12.5	b	0.23	a	0.52	abc	25.7	b	38.9	abc	0.68	bcd	12.6	abc	2.3	b	4.3	b	9.6	a	11.3	abcde	13.7	ab
LBFPRA	13.6	ab	0.22	a	0.47	bcd	24.9	bc	39.2	abc	0.62	d	10.9	bcd	2.2	b	4.3	ab	9.6	a	12.0	a	14.6	a
Topas	14.7	ab	0.25	a	0.36	d	16.6	e	31.9	e	0.69	bcd	7.6	d	2.7	a	4.8	a	9.0	a	10.5	ef	12.9	b
Kumily	12.3	b	0.23	a	0.54	ab	24.4	bc	37.5	bcd	0.78	a	11.0	bcd	2.2	b	4.3	b	9.1	a	11.5	abc	14.3	a
Control 1	16.6	a	0.25	a	0.43	cd	24.1	bc	41.4	ab	0.73	ab	9.5	cd	2.3	b	4.6	ab	8.6	a	10.2	f	12.8	b
Control 2	12.0	b	0.20	a	0.45	bcd	20.8	d	33.5	de	0.72	ab	11.9	bc	2.3	b	4.4	ab	9.2	a	10.6	def	13.8	ab

- 5 Table 156: Herbicide tolerance of T2 plants cultivated in USDA growth zones 3a-4b and 5a for field trials of canola events containing the T-DNAs of plasmid VC-VC-LTM593-1qcz rc. The events are indicated in the first column. IMI Injury: injury according to the scale detailed in Table 157 (DAT= days after treatment). Herbicide imazamox was applied at a 2x rate of 70 g imazamox /ha. Brassica napus cv Kumily, which is the non-transgenic comparator line that is otherwise isogenic to the events, was rated at 6 to 7, and was removed from the statistical analysis to make the Tukey test more sensitive to detect significant differences between events that are very similar in their tolerance.

Event	IMI Injury 7 DAT		IMI Injury 14 DAT		IMI Injury 21 DAT	
LBFDAU	2	a	1	ab	1	a
LBFDGG	2	a	1	ab	1	a
LBFDHG	2		1		1	
LBFGKN	2	a	1	ab	1	a
LBFIHE	2	a	2	a	1	a
LBFLFK	2	a	1	b	1	a

Event	IMI Injury 7 DAT		IMI Injury 14 DAT		IMI Injury 21 DAT	
LBFPR	2	a	1	ab	1	a
Topas	1	a	1	b	1	a
Kumily	6		6		7	

Table 157: Canola rating scale for herbicide

% Injury	1-7 Scale	Category	Injury Symptoms	Growth Rates and Recovery Effects
0	1	Excellent	None	None
1-6	2	Very Good	Leaf and petiole epinasty, chlorosis.	Minor or temporary growth effects. Injury and effects should be minor enough to not cause commercialization concerns.
7-14	3	Good	Leaf, petiole and stem epinasty, chlorosis, stem swelling. Leaf cupping may be observed.	This would be the maximum allowable injury for commercial evaluations. Fairly temporary in nature without any effect on final yield and minimal delay in maturity,
15-20	4	Fair	Above symptoms plus stunting in height, smaller leaf size or impact on LAI, in this class: Basal swelling may be observed. Expect recovery and seed production with this set of symptoms but delayed, reduced growth and reduced seed set. Plant stand may be non-uniform upon recovery.	Appearance of unaffected new growth impeded for <7 days. Slight delay in bolting and flower production. Yield impact minimal or small at harvest.
21-40	5	Poor	Injury in this class would be as above and more than evaluator's estimate of the level of commercial acceptance.	Significant delay in plant development, significant malformation s in growth and development vs. control. Malformations persist Serious reduction in maturity, height and harvest yield.
41-79	6	Non Tolerant		Equivalent to suppression as a volunteer crop in a weed control assessment. Minimal regrowth following application. Plants survive but fail to flower and mature as normal.
80-100	7	Susceptible	Severe injury or death.	Severe injury or death.

Example 19: Gene copy number effects on observed conversion efficiencies at each pathway step.

When analysing the VLC-PUFA levels of the various constructs listed in this invention,
5 distinct differences were observed in conversion efficiency at the pathway steps when the
T-DNA copy number increased. This was observed when comparing the VLC-PUFA levels
of (1) events having a single copy T-DNA insertion vs a double copy T-DNA insertion, (2)
heterozygous plants vs homozygous plants, and (3) when analysing segregating single
10 seeds as described in Example 9 and shown in Figure 22 and Figure 23. This demonstrates
a relationship between 'gene dosage', that is the number of T-DNA copies present in the
genome, and VLC-PUFA levels. Upon further investigation it is clear that certain
genes/steps of the VLC-PUFA pathway benefit more in terms of impact on the pathway
when the gene number and/or expression level of the gene or activity at that step is
increased. While the contribution from each gene present, when multiple genes which
15 encode enzymes with identical activities are present, are difficult to assess (e.g. two
different omega-3-desaturases are technically difficult to assess), it was possible to
calculate conversion efficiencies for each pathway step, by using the equations shown in
Figure 2. These conversion efficiencies for each pathway step were calculated for various
populations of plants that represent a certain gene dosage, in order to investigate if the
20 observed increase in conversion efficiency can be assigned to one or more individual
pathway steps (e.g. increasing conversion efficiency due to increased gene dosage at one
early step in the pathway may increase conversion efficiency at a later step simply be
providing more of a limiting substrate).

The conversion efficiencies are sometimes referred to as "apparent" conversion efficiencies
25 because for some of the calculations it is recognized that the calculations do not take into
account all factors that could be influencing the reaction. As an example of factors that may
be influencing a reaction but are not taken into account during the conversion efficiency
calculation; the substrates of the delta-6-desaturase are produced while bound at the sn-2
positions of phospholipids, whereas the product of the delta-6-desaturase is formed while
30 the fatty acid is bound to CoA. It is therefore not immediately clear if the low delta-6-
conversion conversion efficiencies shown in Figure 33 are due to inefficient provision of
substrate to the delta-6-desaturase via trans-esterification from PC (phosphatidylcholine)
bound LA/ALA to CoA bound LA/ALA, or whether the delta-6-desaturase had low activity/low
conversion efficiency.

For the interpretation of the conversion efficiencies it was also important to note that any catalyzed conversion of substrate to product was dependent on the substrate concentration, catalyst (enzyme) concentration, and product concentration.

- 5 Analysing the data pathway step by pathway step, the following observations can be made in Figure 32 to Figure 39:

A. Conversion efficiency of delta-12-desaturation

- 10 The delta-12-desaturase conversion efficiency encompasses all steps that influence substrate concentration, product concentration, and enzyme concentrations. From the data in example 21 it is evident that the delta-12-desaturase, c-d12Des(Ps_GA), enzymatically produces phosphatidylcholine bound 18:2n-6 (Figure 26, Panel A), which implies the product was phosphatidylcholine bound 18:1n-9. The primary flux of newly formed 18:1n-9 was derived from plastid produced 18:1n-9, which was exported into the cytosol, where it was bound to CoA. Therefore, a prerequisite of delta-12-desaturation was the incorporation of CoA-bound 18:1n-9 into the sn2 position of phosphatidylcholine via LPCAT (Lysophosphatidylcholine acetyltransferase EC 2.3.1.23), or via LPAAT (Lysophosphatidic acid acyltransferase E.C. 2.3.1.51), with subsequent conversion of the formed (sn2)18:1n-9-phosphatidic acid into (sn2)18:1n-9-DAG (DAG is an abbreviation for diacylglycerol), whereby (sn2)18:1n-9-DAG was either directly converted into (sn2)18:1n-9-PC (PC is an abbreviation for phosphatidylcholine) substrate for the delta-12-desaturases via PDCT (phosphatidylcholine diacylglycerol cholinephosphotransferase EC 2.7.8.2), or obtains a phosphocholine headgroup via CPT (CPT is an abbreviation for sn-1,2-diacylglycerol:cholinephosphotransferase EC 2.7.8.2) to be converted into (sn2)18:1n-9-PC. The efficiency of this incorporation of plastid synthesized 18:1n-9 directly affects delta-12-desaturase substrate concentration. As mentioned already, PC is converted by PDCT into DAG (demonstrated by Bates et al), which was subsequently converted into TAG. The amount of PC bound delta-12-desaturase substrate and product that was part of the delta-12-desaturase reaction was therefore also directly linked to the substrate specificity of PDCT.

- 35 There was a strong correlation of the delta-12-desaturation conversion efficiency with the copy number of the delta-12-desaturase (Figure 32). This was evident when comparing the average conversion efficiency of T0 single copy plants (across all events per construct), with the average conversion efficiency of T0 double copy plants (across all events per

construct). The same correlation can be seen in the T1 generation. The strong correlation of the delta-12-desaturation conversion efficiency with the copy number of the delta-12-desaturase was also seen when comparing copy number differences due to heterozygous vs homozygous T-DNA integrations: The T0 generation always consist of heterozygous plants, whereas the T1 generation largely consists of homozygous plants due to the selection applied in Example 10 through Example 18. The delta-12-desaturation conversion efficiency increases when comparing the average conversion efficiency of T0 single copy plants (across all events per construct), with the average conversion efficiency of T1 single copy plants (across all events per construct). Similarly, the delta-12-desaturation conversion efficiency increases when comparing the average conversion efficiency of T0 double copy plants (across all events per construct), with the average conversion efficiency of T1 double copy plants (across all events per construct). The only exceptions are:

- T0 single copy events vs T0 double copy events containing the T-DNAs of VC-LJB2197-1qcz and VC-LLM337-1qcz rc: while not as pronounced as for VC-LJB2197-1qcz and VC-LLM306-1qcz rc, there are also subtle differences here in delta-12-desaturase conversion efficiencies. The slight differences are due to insufficient data in the T0 generation to accurately assign the events to the two copy number categories for events containing the T-DNAs of construct VC-LJB2197-1qcz and VC-LLM337-1qcz rc
- T0 single copy events vs T0 double copy events containing the T-DNAs of VC-LJB2197-1qcz and VC-LLM338-3qcz rc: while not as pronounced as for VC-LJB2197-1qcz and VC-LLM306-1qcz rc, also here the subtle differences in delta-12-desaturase conversion efficiencies are due to insufficient data in the T0 generation to accurately assign the events to the two copy number categories for events containing the T-DNAs of construct VC-LJB2197-1qcz and VC-LLM338-3qcz rc
- T1 single copy events vs T1 single copy (single locus) events containing the construct VC-LTM593-1qcz rc: , there was no effect on the conversion efficiency due to the 2-fold copy number difference between these groups. The group of single copy (single locus) events is affected by an additional phenomenon whereby the average VLC-PUFA level in T2 seeds of T1 plants of this homozygous group decreases instead of increasing compared to segregating T1 seeds of heterozygous T0 plants. A further indication that this group was an outlier group can be seen in

Figure 35, where it was evident that the delta-5-desaturase conversion efficiency was significantly lower in homozygous plants compared to heterozygous plants.

Considering the high conversion efficiency of the delta-12-desaturase, it is likely that the provision of substrate via LPCAT is not a bottleneck. Also, the data suggest that efficient removal of delta-12-desaturase products contributes to the high conversion efficiency. However; taking into account the high levels of 18:2n-6 accumulated in the oil and the low delta-6-conversion efficiency, it was evident that not all delta-12-desaturated 18:2n-6 was removed from PC via trans-esterification to CoA (the site of action for the next pathway step). With respect to the fate of 18:2n-6; our observations indicate that the delta-12-desaturated 18:2n-6 was likely removed by the direct conversion of unsaturated PC into DAG via PDCT as discussed by Bates et al. (2014). This activity of PDCT strongly supports a high delta-12-desaturase conversion efficiency by providing fresh 18:1n-9-PC substrate to the delta-12-desaturase, while simultaneously removing 18:2n-6-PC product (by conversion into DAG). However, the latter activity poses a strong bottleneck for the continuation of the pathway, which is evident by the low delta-6-desaturase conversion efficiencies.

This effect of increased conversion efficiency of the delta-12-desaturase has been observed when analyzing the PUFA profile of more than 6,000 plants, that have been obtained by transforming more than 300 multi-gene constructs into *Canola* and *Arabidopsis*, whereby all of these constructs carried genes having the essential activities required for Arachidonic acid synthesis. Across these more than 300 constructs, more than 10 different delta-12-desaturase enzymes have been investigated.

B. Conversion efficiency of delta-6-desaturation

For the delta-6-desaturation, it was of particular importance to highlight that conversion efficiencies observed for this step are dependent on the substrate concentration (which was CoA bound linoleic acid), catalyst concentration (which was the delta-6-desaturase), and product concentration. It was, that PC bound 18:2n-6 produced by the delta-12-desaturase needs to be trans-esterified to CoA before delta-6-desaturation can take place. The absence of accumulation of 18:3n-6 and 18:4n-3 in the examples 10 -18 strongly indicates that CoA-bound 18:3n-6 and CoA-bound 18:4n-3 was efficiently converted by the delta-6-elongase, effectively preventing any significant accumulation of 18:3n-6 and 18:4n-3. In general, delta-6-desaturase conversion efficiencies are low for all constructs. Considering efficient removal of product was not a bottleneck, the low conversion efficiencies can be

either due to low activity of the delta-6-desaturase enzyme, or because of inefficient conversion of PC-bound substrate into CoA-bound substrate. Regardless of this, there was a clear correlation of the delta-6-desaturation conversion efficiency with the copy number of the delta-6-desaturase. In a manner similar to that of the delta-12-desaturase, this was seen regardless of the reason for the copy number increases (heterozygous vs homozygous, single copy genomic integrations vs double copy genomic integrations). In fact, plants of the construct combination VC-LJB2197-1qcz and VC-LLM306-1qcz rc contain an additional copy of the delta-6-desaturase on the T-DNA. It was therefore consistent that the group of 22 double copy T1 plants would have in the T2 seeds the highest delta-6-desaturase conversion efficiencies of all similar double copy groups of different constructs. For the delta-6-desaturase, the same exceptions to this copy number effect as for the delta-12-desaturase are seen. The same for the interpretation mentioned for the delta-12-desaturase of why these exceptions are observed are assumed to be the reasons for the delta-6-desaturase also applies in this case.

- T0 single copy events vs T0 double copy events containing the T-DNAs of VC-LJB2197-1qcz and VC-LLM306-1qcz rc
- T0 single copy events vs T0 double copy events containing the T-DNAs of VC-LJB2197-1qcz and VC-LLM337-1qcz rc
- T0 single copy events vs T0 double copy events containing the T-DNAs of VC-LJB2197-1qcz and VC-LLM338-3qcz rc
- T1 single copy events vs T1 single copy(single locus) events containing the construct VC-LTM593-1qcz rc

As demonstrated for the delta-12-desaturase, the amount of delta-12-desaturase product increases with increasing copy number of the delta-12-desaturases, which not only indicates an increased amount of delta-12-desaturase protein, but also implies an increased amount of substrate for the delta-6-desaturase. As both the delta-12-desaturases and the delta-6-desaturase are contained on the same T-DNA in all examples 10 to 18, the copy number of the delta-6-desaturases will also increase when copy number of the delta-12-desaturase increases, with the exceptions of events where truncated insertion of the T-DNA contain either the delta-12-desaturase and not the delta-6-desaturases, or vice versa.

In summary, not only was the effect of the gene copy duplication of the delta-12-desaturase surprising, but it was also unexpected that the increased copy number of delta-6-

desaturase led to an increased amount of delta-6-desaturase protein, and this increased amount of protein can convert the additional amount of delta-12-desaturated fatty acids with an increased conversion rate. To illustrate the effect, here as an example the comparison of two groups shown in examples 10 to 18 that have a gene copy number difference of "four":

- 5 A. All 275 heterozygous T0 plants containing a single copy of the T-DNA of construct VC-LTM593-1qcz rc
- B. All 64 homozygous T1 plants containing two copies the T-DNA of of construct VC-LTM593-1qcz rc at two different chromosomal loci

10 In group A, the total sum of fatty acid that contain a double bond due to the activity of the delta-12-desaturase was 47.3% and total sum of fatty acids that contain a double bond due to the activity of the delta-6-desaturase was 11.2%. Consequently, 23.7% of all fatty acids that underwent delta-12-desaturation also underwent delta-6-desaturation.

15 In group B, the total sum of fatty acid that contain a double bond due to the activity of the delta-12-desaturase was 61 % and total sum of fatty acid that contain a double bond due to the activity of the delta-6-desaturase was 23.7%. Consequently, 38.8% of all fatty acids that underwent delta-12-desaturation also underwent delta-6-desaturation.

20 As a result of that, the sum of all fatty acids downstream of the delta-6-desaturase in the pathway more than doubled in group B versus group A.

25 This effect of increased conversion efficiency of the delta-6-desaturase has been observed when analyzing the PUFA profile of more than 6.000 plants, that have been obtained by transforming more than 300 multi-gene constructs into Canloa and Arabidopsis, whereby all of these constructs carried genes having the essential activities required for Arachidonic acid synthesis. Across these more than 300 constructs, more than 5 different delta-6-desaturase enzymes have been investigated.

C. Conversion efficiency of delta-6-elongation

30 As was evident in Figure 34, the conversion efficiency of the delta-6-elongation was very high regardless of the copy number. Because of that, copy number mediated effects on the conversion efficiency are sometimes insignificant, but are sometimes clearly observed. E.g. the events obtained for the construct combinations VC-LJB2755-2qcz rc + VC-LLM391-2qcz rc and for the combination LJB2755-2qcz rc and VC-LTM217-1qcz rc contain the

lowest delta-6-elongation conversion efficiencies of all constructs, which can be attributed to the fact that these construct combinations encode just one delta-6-elongation enzyme [c-d6Elo(Tp_GA2)], instead of two [(c-d6Elo(Tp_GA2), c-d6Elo(Pp_GA2))].

5 **D. Conversion efficiency of delta-5-desaturation**

The data in Figure 35 do not indicate a consistent construct independent copy number dependence of the delta-5-desaturase.

E. Conversion efficiency of omega-3-desaturation

- 10 Figure 36 shows the omega-3-desaturase conversion efficiencies that have been calculated by excluding the C18 substrates and products shown in Figure 2, thereby excluding the delta-15-desaturase specific activity of omega-3-desaturases. Figure 37 shows the omega-3-desaturase conversion efficiencies that have been calculated by including the C18 substrates and products, thereby including the delta-15-desaturase specific activity of
- 15 omega-3-desaturases. As both omega-3-desaturases used in the invention have virtually no delta-15-desaturase activity, conclusions on the effect of copy number on the omega-3-desaturase are best drawn from Figure 36. While not as pronounced as observed for the delta-12-desaturase or delta-6-desaturase, there is, in many cases, a clear link between omega-3-desaturases copy number and the omega-3-desaturase conversion efficiency.
- 20 This was particularly evident as plants of the construct combination as VC-LJB2197-1qcz + VC-LLM338-3qcz rc display the lowest omega-3-desaturase conversion efficiency of all other constructs, which can be attributed to the fact that this construct combination encodes just one omega-3-desaturase enzyme [c-o3Des(Pi_GA2)], instead of two [(c-o3Des(Pi_GA2), c-o3Des(Pir_GA2))]. Exceptions to the copy number dependence of the
- 25 omega-3-desaturase conversion efficiency are:

- Plants containing the T-DNAs of construct RTP10690-1qcz_f
- Plants containing the T-DNAs of construct VC-LTM595-1qcz rc
- Plants containing the T-DNAs of VC-LJB2197-1qcz and VC-LLM338-3qcz rc

30 **F. Conversion efficiency of delta-5-elongation**

The complex interdependency of all the pathway step conversion efficiencies between each other can be seen by comparing Figure 38 with Figure 35: the high delta-5-elongation conversion efficiency for two groups of plants containing the T-DNAs of construct VC-LTM593-1qcz rc (813 T1 plants of the double copy group, 700 plants of the double

copy/single locus group) was in fact not due to a high delta-5-elongation conversion efficiency, but rather due to an inefficient supply of substrate to the delta-5-elongase at the delta-5-desaturase pathway step. Similar to the omega-3-desaturase, while not as pronounced as for the delta-12-desaturase or delta-6-desaturase, there was a link between delta-5-elongase copy number and the delta-5-elongase conversion efficiency.

G. Conversion efficiency of delta-4-desaturation

As can be seen in Figure 39, there was no direct evidence for an increase in delta-4-desaturase conversion efficiency to delta-4-desaturase copy number. The highest delta-4-desaturase conversion efficiency has been observed for plants containing the T-DNAs of construct LJB2755-2qcz rc and VC-LTM217-1qcz rc. This construct combination differs only from the combination VC-LJB2755-2qcz rc + VC-LLM391-2qcz rc in replacing the d4Des(Eg) by the c-d4Des(PI_GA)2. As a conclusion of the plant data shown in Example 10 to 18 and the yeast data shown in Example 22, it can be clearly seen that the delta-4-desaturation conversion efficiency reaches an upper limit using the genes c-d4Des(Tc_GA) and d4Des(Eg), that cannot be overcome by increased gene copy numbers. All constructs that encode the c-d4Des(PI_GA)2 instead of d4Des(Eg) have a higher delta-4-desaturation conversion efficiency, and the only exception to that are plants containing the construct RTP10690-1qcz_F. As shown in Example 25, this was due to very low expression of both delta-4-desaturases. This in turn highlights that the conversion efficiency does depend on the gene expression, but cannot overcome an upper limit.

Example 20: Environmental effects on VLC-PUFA levels. Correlation between oil content, VLC-PUFA levels observed conversion efficiencies at each pathway step

Analysing the VLC-PUFA levels presented in the Examples 10 to 18, we have observed that there is, in most cases, a level of variability, within a genetically identical population of plants (e.g. a genetically stable event where all plants are genetically identical), even when these plants are grown in a controlled greenhouse environment. To illustrate the effect more clearly, VLC-PUFA profiles of seed batches having highest EPA+DHA levels among several type of plant populations are shown in the examples 10 to 18. Such plant populations are (1) either genetically identical due to the T-DNA integrations (i.e. all plants of the same event, where either all or at least most are homozygous for all T-DNA integrations in those events), or (2) identical related to the T-DNA copy number, and these populations have been grown in the same environment. For example, out of 249 segregating T1 seedlings,

10 T1 plants for event LBFDAU (see Example 18) have been identified in the greenhouse to be identical in having one complete T-DNA integration, and one truncated T-DNA integration, whereby both T-DNA insertions were found to be homozygous (Table 135). In a field trial conducted in parallel, out of about segregating T1 seedlings, 4 plants have been identified as being homozygous for both T-DNA insertions (Table 144). The average EPA+DHA content measured in randomly selected seed from seed batches of these 10 greenhouse grown plants was found to be 13.9% EPA + 2.6% DHA. Similarly, the EPA+DHA content of the 4 field grown plants was found to be 13.4% EPA + 2.7% DHA. Among the 10 greenhouse grown plants was a plant that produced up to 15.1% EPA + 3.0% DHA (Table 139). Similarly, among the 4 field grown plants was a plant that produced up to 17.6% EPA + 3.6% DHA (Table 146). Analysing single seed of this field grown plant, single seeds having up to 26.2% EPA + 4.9% DHA, or 23.6% EPA + 5.8% DHA were found (Table 147). The lowest EPA+DHA content found among these 95 seed contained 13.5% EPA and 2.5% DHA, and the average content among these seed was 18.2% EPA and 3.7% DHA, which matched the content measured in the random selection of twice 15 seed as shown in Table 146 (17.6% EPA + 3.6% DHA). This event LBFDAU is just a representative example to illustrate for that every event and all constructs exhibit plant-to-plant variability, and seed-to-seed variability. The extent of the plant to plant variability is shown in the examples 10 to 18, where it is shown that the average PUFA profile of a certain population (e.g. all plants belong to the same event and are genetically identical, or all plants are single copy, heterozygous) is always different than the profile observed in individual plants. To illustrate the magnitude of this variability, examples 10 to 18 show the average PUFA profile of such populations and also the profile of the single plant having the highest EPA+DHA levels.

25

In conclusion, while the event LBFDAU was capable of producing in a genetically identical plant population ~13.5% EPA + 2.6% DHA in a given environment, there are individual plants within this population that produce up to ~18% EPA + 3.7% DHA as an average of all seeds produced by this plant, and single seed of this plant can reach up to ~26% EPA and ~5% DHA. These differences in EPA+DHA levels are due to the interaction of the genetic constituents of the event with the environment. However, it was consistently observed that comparable populations yield higher VLC-PUFA levels in the greenhouse compared to the field. This trend usually correlates with lower oil content in the greenhouse, compared to the field. To investigate this observation in more detail, oil content measured in all homozygous seed batches of the single copy event LANPMZ (event described in example 11) was

35

plotted in Figure 40 against the sum of all VLC-PUFA that are downstream of the delta-12-desaturase (see Figure 2) measured in the same seed batches. The same has been done for event LAODDN (event described in example 13), and is plotted Figure 41. This analysis was also done for two events described in example 18, namely for event LBFGKN (Figure 42), and for event LBFLFK (Figure 43). What was observed is a strong correlation between these two parameters. The same analysis for wildtypes (Figure 72) reveals no such correlation, instead, Figure 72 shows a difference between greenhouse grown and field grown wildtype plants, in that field grown wildtype plants have higher levels of 18:2n-6 and 18:3n-3 and lower 18:1n-9 compared to greenhouse grown wildtype plants.

To analyse in detail if this correlation depicted for event LANPMZ in Figure 40 can be attributed to certain pathway steps, conversion efficiencies for each pathway step and for each seedbatch analysed in Figure 40 have been calculated, and plotted in Figure 44, Figure 48, Figure 52, Figure 56, Figure 60, Figure 64, and Figure 68. The same analysis has been done for event LAODDN, and is plotted in Figure 45, Figure 49, Figure 53, Figure 57, Figure 61, Figure 65 and Figure 69. The same analysis was also been done for event LBFGKN, (plotted in Figure 46, Figure 50, Figure 54, Figure 58, Figure 62, Figure 66 and Figure 70), and for event LBFLFK (Figure 47, Figure 51, Figure 55, Figure 59, Figure 63, Figure 67 and Figure 71). Comparing all these figures, one can see that the correlation observed in Figure 40 and Figure 41 is largely attributed to the delta-12-desaturase pathway step (Figure 44 to Figure 47), the delta-6-desaturase pathway step (Figure 48 to Figure 51), and the delta-4-desaturase pathway step (Figure 68 to Figure 71): in these figures, there is a construct and event independent negative correlation between the pathway steps and the seed oil content visible, which cannot be observed for the other pathway steps.

The negative correlation of the delta-12-desaturase pathway with seed oil content in event LANPMZ was observed in wild type plants, as shown in Figure 72. Moreover, Figure 72 shows that field grown wildtype plants have higher levels of 18:2n-6 and 18:3n-3 and lower 18:1n-9 compared to greenhouse grown wildtype plants. This can most likely be explained with previous observations (Xiao et al. 2014), in that the native Canola endogenous delta-12-desaturase was regulated by temperature and that temperature regulation of delta-12-desaturase at the transcript level and protein level is a recurring theme in plants (Kargiotidou et al. 2008, Tang et al. 2005, Sanchez-Garcia et al. 2004) for the regulation of this enzyme, whereby under field conditions the delta-12-desaturase would be up-regulated compared to

greenhouse conditions. However, it can be concluded that there was no regulation of the delta-12-desaturase in dependence of the oil content observed in wildtype canola plant. Consequently comparing Figure 72 with Figure 40 to Figure 43), it can furthermore be concluded that only the introduced transgeneic delta-12-desaturase was subject to a regulation that was seed oil content dependant.

A further observation is that field grown transgenic plants do not have a higher delta-12-desaturase conversion efficiency compared to greenhouse grown plants, even though this was clearly observed for wildtype plants in Figure 72. It can be concluded that the endogenous native delta-12-desaturase does not significantly contribute to the overall observed delta-12-desaturase conversion efficiency in the transgenic plants of the invention.

In addition to plotting pathway step conversion efficiencies vs seed oil content, levels of some key fatty acids have been plotted against seed oil content (Figure 81, Figure 82, Figure 83, Figure 84). The data have been fitted in those figures by using all datapoints of all depicted events to determine the slope of the regression, and by subsequently using all datapoints for single events to determine the intercept of the regression line with the x-axis (0% oil content) of the regressions shown in (Figure 81, Figure 82, Figure 83, Figure 84). The results of this analysis are shown in Table 158.

Table 158: Regressions equations of fitting the data in Figure 81, Figure 82, Figure 83, Figure 84 as described in example 20. Listed are the parameters for the equation (Fatty acid) = (seed oil content) * Slope + Intercept.

Event		EPA+DHA vs oil		ARA vs oil		EPA vs oil		DHA vs oil	
	N	Intercept	Slope	Intercept	Slope	Intercept	Slope	Intercept	Slope
LBFDAU	23	28.054	-0.398	5.774	-0.098	22.053	-0.288	6.003	-0.110
LBFPRA	44	26.075	-0.398	7.399	-0.098	20.762	-0.288	5.315	-0.110
LBFLFK	42	25.280	-0.398	5.788	-0.098	19.578	-0.288	5.703	-0.110
LBFDHG	9	25.058	-0.398	5.235	-0.098	19.167	-0.288	5.892	-0.110
LANBCH	60	24.910	-0.398	7.142	-0.098	19.305	-0.288	5.606	-0.110
LBFGKN	291	23.481	-0.398	5.856	-0.098	17.994	-0.288	5.488	-0.110
LBFIHE	47	22.841	-0.398	6.086	-0.098	17.489	-0.288	5.353	-0.110
LBFDGG	44	22.800	-0.398	5.789	-0.098	17.403	-0.288	5.398	-0.110

Example 21: In vitro demonstration of enzyme activity

F. Desaturase Enzyme Activity in Microsomes Isolated from Transgenic Yeast

Expression of desaturases and elongases was accomplished in *Saccharomyces cerevisiae*. Briefly, yeast strains containing the appropriate plasmid were grown overnight at 30 °C (in SD-medium-uracil + raffinose) and then used to inoculate a larger culture at a starting OD₆₀₀

= 0.2 (in SD-medium-uracil+raffinose+galactose). After 24 hours at 30 °C the culture (typically OD₆₀₀ = 0.6-0.8) was harvested by centrifugation and washed once in 25 mM Tris Buffer (pH 7.6). Preparation of crude extracts and microsomes from yeast expressing genes encoding desaturases and elongases was accomplished using standard procedures.

- 5 Briefly, cells expressing desaturases were resuspended in 2 ml Desaturase Disruption Buffer (0.1M potassium phosphate pH 7.2, 0.33 M sucrose, 4 mM NADH, 1 mg/ml BSA (fatty acid free), 4000 U/ml catalase and protease inhibitors (Complete EDTA-free (Roche)) and disrupted using silica/zirconium beads in a BeadBeater. The crude extract was clarified by centrifugation twice at 8,000xg, 4 °C). After an additional centrifugation at 100,000xg (30
10 minutes at 4 °C) the microsomes were pelleted and ultimately resuspended in Desaturase Disruption Buffer (300 microliters). Protein concentrations in both the crude extract and microsomes were measured using the bicinchoninic acid (BCA) procedure (Smith, P. K., et al (1985) *Anal. Biochem.* (150): 76–85).

15 General Desaturase Activity Assays:

- In the desaturase assay a [¹⁴C]-labeled acyl-CoA was provided as a substrate and after the reaction the acyl-CoAs (and phospholipids) were hydrolyzed and methylated to fatty acid methyl esters (FAMES), which were analyzed using argentation-TLC. The general assay conditions were modified from Banas et al. (Banas et al. (1997) *Physiology, Biochemistry and Molecular Biology of Plant Lipids* (Williams, J.P., Khan, M.U. and Lem, N.W. eds.) pp. 57-59).
- 20

- The assay contained: 1 mg enzyme (crude extract) or 150 µg (microsomal fraction), 10 nmol [¹⁴C]-acyl-CoA (3000 dpm/nmol), 7.2 mM NADH (total), 0.36 mg BSA (total) in a
25 buffer comprised of 0.1 M K-phosphate pH 7.2, 0.33 M sucrose, 4 mM NADH, 1 mg/ml BSA and protease inhibitors in a total volume of 200 µl. After incubation at 30 °C for the desired time, 200 µl of 2 M KOH in MeOH:H₂O (1:4) was added and incubated for 20 minutes at 90 °C. Fatty acids were extracted by addition of 3 M HCl (200 µl), 1.5 ml of MeOH:CHCl₃ (2:1) and CHCl₃ (500 µl). The chloroform phase was recovered, dried
30 under N₂(g) and fatty acids were methylated by addition of 2 ml MeOH containing 2% H₂SO₄ and incubation of 30 minutes at 90 °C. FAMES were extracted by addition of 2 ml H₂O and 2 ml hexane and separated by AgNO₃-TLC and Heptane:Diethyl ether:Acetic Acid (70:30:1) as a solvent. The radioactive lipids were visualized and quantified by electronic autoradiography using Instant Imager.

35

Delta-12 desaturase (*Phytophthora sojae*), c-d12Des(Ps_GA) Enzyme Activity: Enzyme assays were performed using re-suspended microsomes isolated from a yeast strain expressing the c-d12Des(Ps_GA) protein and compared to microsomes isolated from a control yeast strain containing an empty vector (LJB2126). In the presence of

5 [14C]18:1n-9-CoA, 16:0-lysphosphatidylcholine (LPC), and NADH membranes containing c-d12Des(Ps_GA) form an [14C]18:2-fatty acid that can be isolated as a methyl ester and resolves on AgNO₃-TLC [heptane:diethyl ether (90:10)] similar to known synthetic standards. This enzyme activity requires NADH and was not observed in membranes isolated from the empty vector control strain. Control assays without

10 16:0-LPC contain a small-amount of activity, presumably due to endogenous 16:0-LPC found in yeast microsomes. Furthermore, separation of the phospholipids from the free-fatty acids after the enzymatic reaction and characterization of the isolated fatty acid methyl esters demonstrated that all of the c-d12Des(Ps_GA) enzymatically produced 18:2n-6-fatty acid methyl ester (FAME) was found in the phosphatidylcholine fraction.

15 c-d12Des(Ps_GA) enzyme activity may also be demonstrated using other [14C]acyl-CoA's which may include, but are not limited to: [14C]18:2n-6-CoA, [14C]20:3n-6-CoA, [14C]20:4n-6-CoA, [14C]22:5n-3-CoA.

Delta-6 desaturase (*Ostreococcus tauri*), c-d6Des(Ot_febit) Enzyme Activity: c-d6Des(Ot_febit) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d6Des(Ot_febit) protein using an [14C]acyl-CoA in the general assay described above. [14C]Acyl-CoA's may include, but are not limited to: [14C]18:1n-9-CoA, [14C]18:2n-6-CoA, [14C]20:3n-6-CoA, [14C]20:4n-6-CoA, [14C]22:5n-3-CoA. Isolated fatty acid methyl esters derived from enzymatic substrates and

25 products can be resolved using AgNO₃-TLC and Heptane:Diethyl ether:Acetic Acid (70:30:1) as a solvent. Furthermore, the c-d6Des(Ot_febit) enzyme can be shown to directly desaturate an acyl-CoA substrate, as described in section C, as suggested in previous reports (Domergue et al. (2005) Biochem. J. 389: 483-490).

Delta-5 desaturase (*Thraustochytrium* ssp.), c-d5Des(Tc_GA2) Enzyme Activity: c-d5Des(Tc_GA2) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d5Des(Tc_GA2) protein using an [14C]acyl-CoA general assay as described above. [14C]Acyl-CoA's may include, but are not limited to: [14C]18:1n-9-CoA, [14C]18:2n-6-CoA, [14C]20:3n-6-CoA, [14C]20:4n-6-CoA,

30

[¹⁴C]22:5n-3-CoA. Isolated fatty acid methyl esters derived from enzymatic substrates and products can be resolved using Reverse Phase-TLC (Silica gel 60 RP-18) and acetonitrile (100%) as a solvent.

- 5 Omega-3 desaturase (*Phytophthora infestans*), c-o3Des(Pi_GA2) Enzyme Activity: c-o3Des(Pi_GA2) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-o3Des(Pi_GA2) protein using [¹⁴C]acyl-CoA in the general assay described above. [¹⁴C]Acyl-CoA's may include, but are not limited to: [¹⁴C]18:1n-9-CoA, [¹⁴C]18:2n-6-CoA, [¹⁴C]20:3n-6-CoA, [¹⁴C]20:4n-6-CoA,
10 [¹⁴C]22:5n-3-CoA. Isolated fatty acid methyl esters derived from enzymatic substrates and products can be resolved using Reverse Phase-TLC (Silica gel 60 RP-18) and acetonitrile (100%) as a solvent.

- Omega-3 desaturase (*Pythium irregulare*), c-o3Des(Pir_GA) Enzyme Activity: c-o3Des(Pir_GA) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-o3Des(Pir_GA) protein using an [¹⁴C]acyl-CoA in the general assay described above. [¹⁴C]Acyl-CoA's may include, but are not limited to: [¹⁴C]18:1n-9-CoA, [¹⁴C]18:2n-6-CoA, [¹⁴C]20:3n-6-CoA, [¹⁴C]20:4n-6-CoA,
15 [¹⁴C]22:5n-3-CoA. Isolated fatty acid methyl esters derived from enzymatic substrates and products can be resolved using Reverse Phase-TLC (Silica gel 60 RP-18) and acetonitrile (100%) as a solvent.
20

- Delta-4 desaturase (*Thraustochytrium* ssp.), c-d4Des(Tc_GA) Enzyme Activity: c-d4Des(Tc_GA) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d4Des(Tc_GA) protein using an [¹⁴C]acyl-CoA in the general assay described above. [¹⁴C]Acyl-CoA's may include, but are not limited to: [¹⁴C]18:1n-9-CoA, [¹⁴C]18:2n-6-CoA, [¹⁴C]20:3n-6-CoA, [¹⁴C]20:4n-6-CoA,
25 [¹⁴C]22:5n-3-CoA. Isolated fatty acid methyl esters derived from enzymatic substrates and products can be resolved using Reverse Phase-TLC (Silica gel 60 RP-18) and acetonitrile (100%) as a solvent.
30

- Delta-4 desaturase (*Pavlova lutheri*), c-d4Des(PI_GA)2 Enzyme Activity: c-d4Des(PI_GA)2 enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d4Des(PI_GA)2 protein using an [¹⁴C]acyl-CoA in the
35 general assay described above. [¹⁴C]Acyl-CoA's may include, but are not limited to:

[¹⁴C]18:1n-9-CoA, [¹⁴C]18:2n-6-CoA, [¹⁴C]20:3n-6-CoA, [¹⁴C]20:4n-6-CoA, [¹⁴C]22:5n-3-CoA. Isolated fatty acid methyl esters derived from enzymatic substrates and products can be resolved using Reverse Phase-TLC (Silica gel 60 RP-18) and acetonitrile (100%) as a solvent.

5

Delta-4 desaturase (*Euglena gracilis*), c-d4Des(Eg) Enzyme Activity: c-d4Des(Eg) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d4Des(Eg) protein using an [¹⁴C]acyl-CoA in the general assay described above. [¹⁴C]Acyl-CoA's may include, but are not limited to: [¹⁴C]18:1n-9-CoA, [¹⁴C]18:2n-6-CoA, [¹⁴C]20:3n-6-CoA, [¹⁴C]20:4n-6-CoA, [¹⁴C]22:5n-3-CoA. Isolated fatty acid methyl esters derived from enzymatic substrates and products can be resolved using Reverse Phase-TLC (Silica gel 60 RP-18) and acetonitrile (100%) as a solvent.

10

G. Desaturase Activity in Microsomes isolated from Transgenic *Brassica napus*.

15

Microsomes containing recombinant desaturases and elongases capable of synthesizing docosahexaenoic acid (22:6n-3) were isolated from immature seeds from transgenic *B. napus* using a procedure adopted from Bafor, M. et al. Biochem J. (1991) 280, 507-514. Briefly, immature seeds were first separated from canola pods and then the developing embryos were isolated from the seed coat and transferred to ice-cold 0.1M Phosphate buffer (pH 7.2). The developing embryos were then washed with fresh Phosphate buffer, transferred to an ice-cold mortar, and ground to a homogenous solution in Extraction Buffer (0.1 M Phosphate, pH 7.2, 0.33 M sucrose, 1 mg/ml BSA (essentially fatty acid free), 4000U/ml catalase, 4 mM NADH and protease inhibitor-Complete EDTA-free (Roche)). The lysed developing embryo's were diluted 20-fold with additional Extraction Buffer and passed through 2 layers of Miracloth into a centrifuge tube. Following centrifugation at 18,000 x g for 10 minutes at 4 °C, the clarified supernatant was passed through Miracloth into an ultracentrifuge tube. Following centrifugation at 105, 000 xg for 60 minutes at 4 °C, the supernatant was removed from the microsomal pellet, which was then washed once with Extraction Buffer, and then using a Dounce homogenizer resuspended as a homogenous solution in Extraction Buffer (about 1 ml per 500 embryo's).

20

25

30

Enzyme activity can be demonstrated for the desaturases using the assays described above in Section A. for microsomes isolated from yeast expression strains.

35

In summary in Section A we have provided a method that allows unambiguous demonstration of fatty acyl desaturase enzyme activity. We provide data demonstrating that: (1) gene c-d12Des(Ps_GA) encodes a delta-12 desaturase protein from *Phytophthora sojae* (c-d12Des(Ps_GA)) that desaturates oleic acid (18:1n-9) to form linoleic acid (18:2n-6) in both microsomes isolated from a transgenic yeast (Figure 24, panel A) and from a transgenic *B. napus* event (Figure 25, panel A) expressing this protein, (2) gene c-o3Des(Pi_GA2) encodes a protein from *Phytophthora infestans* (c-o3Des(Pi_GA2)) that desaturates arachidonic acid (20:4n-6) to form eicosapentaenoic acid (20:5n-3) in microsomes isolated from a transgenic yeast (Figure 24, panel B) expressing this protein, (3) gene c-o3Des(Pir_GA) encodes an omega-3 desaturase protein from *Pythium irregulare* (c-o3Des(Pir_GA)) that desaturates arachidonic acid (20:4n-6) to form eicosapentaenoic acid (20:5n-3) in microsomes isolated from a transgenic yeast (Figure 24, panel B) expressing this protein, (4) gene c-d4Des(Tc_GA) encodes a delta-4 desaturase protein from *Thraustochytrium* sp. (c-d4Des(Tc_GA)) that desaturates docosapentaenoic acid (22:5n-3) to form docosahexaenoic acid (22:6n-3) in microsomes isolated from a transgenic yeast (Figure 24, panel C) expressing this protein, (5) a transgenic *B. napus* event containing both the gene encoding the delta-4 desaturase protein from *Thraustochytrium* sp, gene c-d4Des(Tc_GA), and the gene c-d4-Des(PI_GA) from *Pavlova Lutheri* contains at least one enzyme, localized to the microsomes, capable of desaturating docosapentaenoic acid (22:5n-3) to form docosahexaenoic acid (22:6n-3) (Figure 25, panel C). Except for the c-d12Des(Ps_GA), which has a known endogenous enzyme in Brassica, all other examples presented contain no detectable endogenous desaturase activity in microsomes isolated from either control yeast strains (Figure 24) or control *Brassica* lines (Figure 25).

Using the methods described in Section A for desaturase proteins the level of expression or detected enzyme activity may be influenced by the presence or absence of fusion tags to the native protein. Fusion tags or proteins to the desaturases may be attached the amino-terminus (N-terminal fusions) or the carboxy-terminus (C-terminal fusions) of the protein and may include but are not limited to: FLAG, hexa-Histidine, Maltose Binding Protein, and Chitin Binding Protein.

We have provided methods to establish enzyme catalyzed desaturation reactions required in an engineered pathway to biosynthesize docosohexaenoic acid (DHA, 22:6n-3) from oleic acid (18:1n-9) in canola. The methods presented in Example 21, Section A were developed to demonstrate desaturase activity in yeast strains expressing individual

desaturases and can be further used to confirm the respective desaturase enzyme activities in transgenic canola, as described and demonstrated in Example 21, Section B.

Furthermore these methods can be incorporated, by one skilled in the art, to measure desaturase enzyme activities in other organisms including, but not limited to:

- 5 *Saccharomyces cerevisiae*, *Arabidopsis thaliana*, *Brassica* spp., *Camelina sativa*, *Carthamus tinctorius*, and *Salvia hispanica*.

H. Desaturase Headgroup (CoA vs PC) Preference

- Fatty acid desaturases catalyze the abstraction of two hydrogen atoms from the
- 10 hydrocarbon chain of a fatty acid to form a double bond in an unsaturated fatty acid and can be classified according to the backbone that their substrate was connected to: an acyl-CoA, an acyl-ACP (ACP, acyl carrier protein) or an acyl-lipid. To date a few examples exist where the acyl-CoA substrate has been confirmed. These involve purified enzymes and examples include a Linoleoyl-CoA Desaturase (Okayasu et al. (1981) Arch. Biochem.
- 15 Biophys. 206: 21-28), a stearoyl-CoA desaturase from rat liver (Strittmatter et al (1974) Proc. Nat. Acad. Sci. USA 71: 4565-4569), and a Stearoyl-ACP desaturase from avocado (Shanklin J and Somerville C (1991) Proc Natl Acad Sci USA 88:2510-2514).

- Alternatively, Heinz and coworkers have reported a strategy employing *in vivo* feeding of
- 20 substrates to yeast strains expressing desaturases to examine substrate specificity of desaturases (Domergue et al. (2003) J. Biol. Chem. 278: 35115-35126 , Domergue et al. (2005) Biochem. J. 389: 483-490). In these studies predictions of a desaturases's preference for acyl-lipid substrates were based on data obtained from a thorough analysis of the desaturated products in the acyl-CoA, phospholipid and neutral lipid pools over a
- 25 growth time course. However, highly active acyltransferases which transfer acyl-groups between various pools (e.g. CoA, ACP, and lipid) may influence or convolute these data (Domergue et al. (2005) Biochem. J. 389: 483-490, Meesapyodsuk, D., Qui, X. (2012) Lipids 47: 227-237). Therefore this approach was still limited by the absence of direct evidence, such as obtained from *in vitro* assays, needed for conclusive determination of the
- 30 substrate form of the desaturase.

- Herein, we provide a previously unreported method to distinguish between enzymes that desaturate acyl-CoA fatty acids from enzymes that desaturate phospholipid linked fatty acids using microsomal preparations of proteins. We have improved upon initial reports of
- 35 similar strategies to generate [¹⁴C]-phosphatidylcholine analogs *in situ* (Stymne, S., and

Stobart, A. K. (1986) *Biochem. J.* 240: 385-393, Griffiths, G., Stobart, A. K., and Stymne, S. (1988) *Biochem. J.* 252: 641-647) by: (1) monitoring the initial acyl-transfer reaction catalyzed by LPCAT to establish that all of the [¹⁴C]-acyl-CoA has been consumed, and (2) including exogenous lysophosphatidyl choline (LPC). Our improvements therefore establish that only [¹⁴C]-phosphatidylcholine analogs are present upon initiation of the desaturase assay and allow for testing of other phospholipids by adding their corresponding lysolipid.

Demonstration of Phosphatidylcholine Specificity:

To test if a desaturase accepts an acyl-lipid (e.g. a phospholipid) substrate the enzyme reaction was performed as described above (Section A, General Desaturase Activity Assays), but after a pre-incubation and in the presence and absence of exogenous lysophosphatidyl choline (LPC). The microsomal fraction of the yeast strain expressing the enzyme of interest was pre-incubated with a [¹⁴C]-labelled acyl-CoA substrate in the presence of 16:0-lysophosphatidyl choline, which was typically 50 µM but may vary from 0 – 500 µM. During the pre-incubation endogenous lysophosphatidyl choline acyl transferase (LPCAT), present in the microsomes, transfers the [¹⁴C]fatty acid from CoA to 16:0-LPC generating, *in situ*, a [¹⁴C]fatty acid-phosphatidylcholine (PC) (Jain et al. (2007) *J. Biol. Chem.* 282:30562-30569, Riekhof et al. (2007) *J. Biol. Chem.* 282:36853-36861, Tamaki et al. (2007) *J. Biol. Chem.* 282:34288-34298)). After a pre-incubation (typically 15 minutes, but may vary from 1 – 300 minutes) essentially all of the [¹⁴C]-labelled acyl-CoA substrate was consumed, as measured by scintillation counting and TLC of the aqueous phase. Control reactions are performed in the absence of exogenous 16:0-LPC.

The reaction was stopped and lipids were extracted using the method of Bligh and Dyer (Bligh, E. G., and Dyer, J. J. (1959) *Can J. Biochem. Physiol.* 37: 911-918), by addition of 200 µl 0.15 M acetic acid and 1 ml MeOH:CHCl₃ (1:1). Part (about 10%) of the CHCl₃ phase (containing phosphatidyl choline (PC) and free fatty acids (FFA's)) was analyzed by scintillation counting and the rest was applied to a silica thin layer chromatography (TLC) plate. The plate was first developed in a polar solvent [CHCl₃:MeOH:acetic acid (90:15:10:3) and then in Heptane:diethylether:acetic acid (70:30:1) to measure incorporation into PC and the amount of FFA's (likely generated by thioesterases). PC and FFA's were scraped off the the plate and methylated by addition of MeOH containing 2% H₂SO₄ at 90 °C for 30 minutes. The methyl esters were extracted in

hexane and analyzed as as described above for the respective enzymes (Example 21, Section A). The upper (aqueous) phase of the reaction mixture extraction contains acyl-CoA's and was hydrolyzed by addition of an equal volume of 2 M KOH in MeOH:H₂O (1:4) and incubated for 20 minutes at 90 °C. Part of the aqueous phase was then
5 analyzed by scintillation counting before fatty acids were extracted by addition of 3 M HCl (1 ml), 3.75 ml of MeOH:CHCl₃ (2:1) and CHCl₃ (1 ml). The chloroform phase was recovered, dried under N₂(g) and fatty acids were methylated by addition of 2 ml MeOH containing 2% H₂SO₄ and incubation of 30 minutes at 90 °C. FAMES were extracted by addition of 2 ml H₂O and 2 ml hexane and separated by AgNO₃-TLC and
10 Heptane:Diethyl ether:acetic acid (70:30:1) as a solvent or Reverse Phase-TLC (Silica gel 60 RP-18 using acetonitrile (100%)). The radioactive lipids were visualized and quantified by electronic autoradiography using Instant Imager.

Delta-12 desaturase (*Phytophthora sojae*), c-d12Des(Ps_GA) Substrate Preference:

15 The c-d12Des(Ps_GA) enzyme activity demonstrated in Section A can be further characterized to establish the backbone of the oleic acid substrate. In the desaturase assay described in Section C containing 16:0-lysphosphatidylcholine (LPC) substantial desaturation was observed. A significantly reduced, but detectable, desaturase activity was observed in control reactions lacking 16:0-LPC which likely results from acylation of
20 endogenous LPC present in the yeast microsomes containing the d12Des(Ps_GA) protein. Additionally, separation of the phospholipids from the free-fatty acids after the enzymatic reaction and characterization of the isolable fatty acid methyl esters demonstrated that all of the d12Des(Ps_GA) enzymatically produced 18:2n-6-fatty acid methyl ester (FAME) was found in the phosphatidylcholine fraction (Figure 26, Panel A).

25

Delta-4 desaturase (*Thraustochytrium* spp.), c-d4Des(Tc_GA) Substrate Preference:

The c-d4Des(Tc_GA) enzyme activity demonstrated in Section A can be further characterized to establish the backbone of the docosopentaenoic acid substrate. In the desaturase assay described in Section C without additional 16:0-lysphosphatidylcholine
30 (LPC), desaturation was observed (Figure 26, Panel B), and likely results from the presence of endogenous 16:0-LPC present in the membranes containing the c-d4Des(Tc_GA) protein. The c-d4Des(Tc_GA) desaturase activity was dramatically stimulated by including additional 16:0-LPC in the assay (Figure 26, Panel B),

consistent with the observation endogenous lysophosphatidyl choline acyl transferase (LPCAT), present in the microsomes, transfers the [^{14}C]22:5n-3 from CoA to 16:0-LPC generating a [^{14}C]22:5n-3-phosphatidylcholine (PC) that was desaturated. Additionally, separation of the phospholipids from the free-fatty acids after the enzymatic reaction and characterization of the isolable fatty acid methyl esters demonstrated that essentially all of the c-d4Des(Tc_GA) enzymatically produced 22:6n-3-fatty acid methyl ester (FAME) was found in the phosphatidylcholine fraction (Figure 26, Panel B and Panel C).

10 Demonstration of acyl-CoA specificity:

The assay conditions were as described above in Section A (General Desaturase Activity Assays). Microsomal protein from yeast expressing d9Des(Sc) was used and to the assay, up to 5 nmol of 20:1-CoA was added. This assay may also include alternative acyl-CoA's such as: 18:1n-9-CoA, 18:2n-6-CoA, 20:3n-6-CoA, 20:4n-6-CoA, 22:5n-3-CoA. The reaction was stopped and lipids were extracted using the method of Bligh and Dyer (Bligh, E. G., and Dyer, J. J. (1959) *Can J. Biochem. Physiol.* **37**, 911-918), by addition of 200 μl 0.15 M acetic acid and 1 ml MeOH:CHCl₃ (1:1). Part (about 10%) of the CHCl₃ phase (containing phosphatidyl choline (PC) and free fatty acids (FFA's)) was analyzed by scintillation counting and the rest was applied to a silica thin layer chromatography (TLC) plate. The plate was first developed in a polar solvent [CHCl₃:MeOH:acetic acid (90:15:10:3) and then in Heptane:diethylether:acetic acid (70:30:1) to measure incorporation into PC and the amount of FFA's (likely generated by thioesterases). PC and FFA's were scraped off the plate and methylated by addition of MeOH containing 2% H₂SO₄ at 90 °C for 30 minutes. The methyl esters were extracted in hexane and analyzed as described above for the respective enzymes (SectionA). The upper (aqueous) phase of the reaction mixture extraction contains acyl-CoA's and was hydrolyzed by addition of an equal volume of 2 M KOH in MeOH:H₂O (1:4) and incubated for 20 minutes at 90 °C. Fatty acids were extracted by addition of 3 M HCl (1 ml), 3.75 ml of MeOH:CHCl₃ (2:1) and CHCl₃ (1 ml). The chloroform phase was recovered, dried under N₂(g) and fatty acids were methylated by addition of 2 ml MeOH containing 2% H₂SO₄ and incubation of 30 minutes at 90 °C. FAMEs were extracted by addition of 2 ml H₂O and 2 ml hexane and separated by AgNO₃-TLC and Heptane:Diethyl ether:acetic acid (70:30:1) as a solvent or Reverse Phase-TLC (Silica

gel 60 RP-18 using acetonitrile (100%)). The radioactive lipids were visualized and quantified by electronic autoradiography using Instant Imager.

To demonstrate acyl-CoA dependency both methods are tested. If desaturation does not occur in the method for determining PC-specificity (LPC addition and preincubation before adding NADH) and the method for determining acyl-CoA specificity (20:1-CoA addition) leads to the desaturated product in the H₂O-phase, it can be concluded that the enzyme was acyl-CoA dependent (see Figure 27).

In summary, we presented a previously unreported method to distinguish between enzymes that desaturate acyl-CoA fatty acids from enzymes that desaturate phospholipid linked fatty acids. This embodiment of the invention uses microsomal preparations of enzymes and does not, as in previous examples, require purification of the enzyme of interest. Furthermore, this embodiment allows isolation of the intact desaturated enzymatic product, allowing characterization of the backbone to which it was linked (e.g. lipid-, CoA-, or free fatty acid). An important consideration was that the endogenous lysophosphatidyl choline acyl transferase (LPCAT) present in yeast-derived microsomes can utilize a broad range of acyl-CoA's (Jain et al. (2007) *J. Biol. Chem.* 282:30562-30569, Riekhof et al. (2007) *J. Biol. Chem.* 282:36853-36861, Tamaki et al. (2007) *J. Biol. Chem.* 282:34288-34298)) making it suitable for generating an extensive variety of different phosphatidylcholine derivatives for assaying desaturase enzymes. LPCAT is able to accept 18:1n-9-CoA and 20:4n-6-CoA and this enzyme can acylate LPC with 22:5n-3-CoA.. Microsomes isolated from any cells or tissue can be used in this embodiment of the invention, including but not limited to bacterial cells (e.g. *Escherichia coli*, *Pseudomonas aeruginosa*, *Bacillus thuringiensis*), mammalian tissue (e.g. liver) and plant tissue (e.g. leaves, roots, seeds, and pods) and could use exogenously supplied lysophosphatidyl choline acyl transferase from *Saccharomyces cerevisiae*, if necessary. Slight modifications to the general method presented here may include a pre-incubation with alternate acyl-CoA's, not the potential desaturase substrate, which could reduce the observed background due to endogenous LPC present in the membranes and also minimize thioesterase degradation of enzyme substrate or product acyl-coA's.

I. Elongase Activity.

Expression of elongase enzymes in yeast was performed as described above for the desaturase enzymes in Section A. Isolation of microsomes containing expressed elongases was generally as described above in Section 1 and by Denic (Denic, V. and Weissman (2007) Cell 130, 663-677). Briefly, cells from a yeast expression culture (50 ml) were resuspended in 1 ml of Elongase Disruption Buffer (20 mM Tris-HCl, pH 7.9, 10 mM MgCl₂, 1 mM EDTA, 5% glycerol, 0.3 M ammonium sulfate, protease inhibitor), mixed with 1 ml silica/zirconium beads (0.5mm) and disrupted in a BeadBeater. After centrifugation (two times for 5 minutes at 8000xg, 4 °C) the crude extract was recovered and after a second centrifugation (100,000xg, 2 hours at 4 °C), the microsomal fraction was resuspended in 500 µl of assay buffer (50 mM HEPES-KOH pH 6.8, 150 mM KOAc, 2 mM MgOAc, 1 mM CaCl₂, protease inhibitor). The protein concentrations in the microsomes were measured according to the BCA method. Resuspended microsomes were aliquoted and frozen in N₂(l) and stored at -80 °C.

In the elongase assay [¹⁴C]-labeled malonyl-CoA and non-labeled acyl-CoA were provided as substrates. After the reaction has proceeded an appropriate time, which may vary between 0 - 300 minutes depending on the purpose of the experiment, the reaction mixture was subjected to hydrolysis and methylation and the FAMES were analyzed by RP-TLC combined with by electronic autoradiography using Instant Imager.

The assay contains about 170 µg microsomal protein, 7.5 nmol [¹⁴C]malonyl-CoA (3000 dpm/nmol), 5 nmol acyl-CoA in a total volume of 100 µl. After incubation for the desired time at 30 °C, the reaction was stopped with the addition of 100 µl of 2 M KOH in MeOH (1:4) followed by a 20 minute incubation at 90 °C. Fatty acids were extracted by addition of 3 M HCl (100 µl), 0.75 ml of MeOH:CHCl₃ (2:1) and CHCl₃ (250 µl). The chloroform phase was recovered, dried under N₂(g), and fatty acids were methylated by addition of 2 ml MeOH containing 2% H₂SO₄ and incubation of 30 minutes at 90 °C. FAMES were extracted by addition of 2 ml H₂O and 2 ml hexane and separated by Reverse Phase-TLC (Silica gel 60 RP-18) using a solvent of acetonitrile:tetrahydrofuran (85:15). The radioactive lipids were visualized and quantified by electronic autoradiography using Instant Imager.

Furthermore, assays may include additional components (e.g. 1 mM NADPH, 2 mM MgCl₂, and 100 µM cerulenin) to complete the fatty acid reduction cycle by endogenous yeast enzymes, but limit further elongation of the acyl- CoA.

- 5 Delta-6 Elongase (*Thalassiosira pseudonana*), c-d6Elo(Tp_GA2) Enzyme Activity: c-d6Elo(Tp_GA2) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d6Elo(Tp_GA2) protein using [14C]malonyl-CoA and an acyl-CoA in the general elongase assay described above. Acyl-CoA's may include, but are not limited to: 18:1n-9-CoA, 18:2n-6-CoA, 18:3n-6-CoA, 20:3n-6-CoA, 20:4n-6-CoA, 20:5n-3-CoA, 22:5n-3-CoA.
- 10

- Delta-6 Elongase (*Physcomitrella patens*), c-d6Elo(Pp_GA2) Enzyme Activity: c-d6Elo(Pp_GA2) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d6Elo(Tp_GA2) protein using [14C]malonyl-CoA and an acyl-CoA in the general elongase assay described above. Acyl-CoA's may include, but are not limited to: 18:1n-9-CoA, 18:2n-6-CoA, 18:3n-6-CoA, 20:3n-6-CoA, 20:4n-6-CoA, 20:5n-3-CoA, 22:5n-3-CoA.
- 15

- Delta-5 Elongase (*Ostreococcus tauri*), c-d5Elo(Ot_GA3) Enzyme Activity: c-d5Elo(Ot_GA3) enzyme activity and substrate specificity can be demonstrated in microsomes isolated from a yeast strain expressing the c-d5Elo(Ot_GA3) protein using [14C]malonyl-CoA and an acyl-CoA in the general elongase assay described above. Acyl-CoA's may include, but are not limited to: 18:1n-9-CoA, 18:2n-6-CoA, 18:3n-6-CoA, 20:3n-6-CoA, 20:4n-6-CoA, 20:5n-3-CoA, 22:5n-3-CoA.
- 20

- 25 In the presence of NADPH and [14C]malonyl-CoA, 18:3n-6-CoA was elongated to 20:3n-6-CoA by the delta-6 Elongases isolated from *Thalassiosira pseudonana* (Tp) and *Physcomitrella patens* (Pp) as shown in Figure 28, panels A and B. In both delta-6 elongase reactions the observed FAME-product co-migrates with 20:3n-6-methyl ester standards and was radioactive, consistent with transfer of two-carbons from [14C]-malonyl-CoA to 18:3n-6-CoA. In the presence of NADPH the fatty acid reduction cycle was completed resulting in a saturated enzymatic product. However in the absence of NADPH a derivative of the direct enzymatic product, 3-keto-20:3n-6-CoA, was isolated
- 30

as a FAME. The isolated enzymatic product was decarboxylated and converted to the 2-keto-19:3n-6-FAME as described previously (Bernert, J.T and Sprecher, H. (1977) J. Biol. Chem. 252:6736-6744 and Paul et al (2006) J. Biol. Chem. 281: 9018-9029).

Appropriate controls demonstrate that this elongation reaction was dependent upon
5 either the Delta-6 Elo (Tp) or the Delta-6 Elo (Pp) and not catalyzed by endogenous yeast enzymes.

In the presence of NADPH and [¹⁴C]malonyl-CoA, 20:5n-3-CoA was elongated to 22:5n-3-CoA by the c-d5Elo(Ot_GA3), and containing either an N-terminal FLAG tag or a C-terminal FLAG tag, as shown in Figure 28, panel C. In the Delta-5 elongase reaction the
10 observed FAME-product co-migrates with a 22:5n-3-methyl ester standard and was radioactive, consistent with transfer of two-carbons from [¹⁴C]-malonyl CoA to 20:5n-3-CoA. In the presence of NADPH the fatty acid reduction cycle was completed resulting in a saturated enzymatic product. However in the absence of NADPH a derivative of the
15 direct 3-keto-22:5n-3-CoA product was isolated as a FAME. The isolated enzymatic product was decarboxylated and a 2-keto-21:5n-3-FAME as described previously (Bernert, J.T and Sprecher, H. (1977) J. Biol. Chem. 252:6736-6744 and Paul et al (2006) J. Biol. Chem. 281: 9018-9029). Appropriate controls demonstrate that this elongation reaction was dependent upon the Delta-5 Elo (Ot) and not catalyzed by
20 endogenous yeast enzymes.

Herein, using a highly sensitive elongase assay, we have demonstrated the enzyme activities of the Delta-6 Elongases used (Figure 28, panel A and B) and a Delta-5 Elongase (Figure 28, panel C), enzymes that are central to engineering canola to
25 biosynthesize docosahexaenoic acid. For each of these elongases we have shown that in the presence of [¹⁴C]malonyl-CoA and the appropriate fatty-acyl CoA ester substrate these enzymes can transfer two-carbons (containing [¹⁴C]) from malonyl-CoA to the appropriate fatty-acyl-CoA ester to synthesize a new fatty acid which has been elongated by two carbons. In some cases a derivative (decarboxylated 2-keto
30 compound) of the direct enzymatic product (3-Keto-acylCoA ester) of the elongase was observed, however in the absence of NADPH only this decarboxylated 2-keto compound was observed, consistent with previous observations by Napier (Bernert, J.T and Sprecher, H. (1977) J. Biol. Chem. 252:6736-6744 and Paul et al (2006) J. Biol.

Chem. 281: 9018-9029).

In summary we have provided a method that allows unequivocal demonstration of fatty acyl elongation enzyme activity. We provide data demonstrating that: (1) gene c-
5 d6Elo(Tp_GA2) encodes a delta-6 elongase protein from *Thalassiosira pseudonana* (c-d6Elo(Tp_GA2)) that converts 18:3n-6-CoA to 20:3n-6-CoA in microsomes isolated from a transgenic yeast (Figure 28, panel A), (2) gene c-d6Elo(Pp_GA2) encodes a delta-6 elongase protein from *Physcomitrella patens* (c-d6Elo(Pp_GA2)) that converts 18:3n-6-CoA to 20:3n-6-CoA in microsomes isolated from a transgenic yeast (Figure 28, panel
10 B), (3) a transgenic *B. napus* event containing both the gene encoding for the delta-6 elongase protein from *Thalassiosira pseudonana*, gene c-d6Elo(Tp_GA2), and the gene encoding for the gene the delta-6 elongase protein from *Physcomitrella patens*, gene c-d6Elo(Pp_GA2), contains at least one enzyme, localized to the microsomes, capable of elongating 18:3n-6-CoA to 20:3n-6-CoA (Figure 28, panel A) (4) gene c-d5-Elo(Ot_GA3)
15 encodes a delta-5 elongase protein from *Ostreococcus tauri* (c-d5Elo(Ot_GA3)) that converts 20:5n-3-CoA to 22:5n-3-CoA in microsomes isolated from both a transgenic yeast (Figure 28, Panel C) and transgenic *B. napus* event (Figure 29, Panel B). In all examples presented no endogenous elongase activity was detected in microsomes isolated from either control yeast strains (Figure 28) or control Brassica lines (Figure
20 29).

Using the methods described in Section D for elongase proteins the level of expression or detected enzyme activity may be influenced by the presence or absence of fusion tags to the native protein. Fusion tags or proteins to the desaturases may be
25 attached the amino-terminus (N-terminal fusions) or the carboxy-terminus (C-terminal fusions) of the protein and may include but are not limited to: FLAG, hexa-Histidine, Maltose Binding Protein, and Chitin Binding Protein.

We have provided methods to establish enzyme catalyzed elongase reactions required
30 in an engineered pathway to biosynthesize docosohexaenoic acid (DHA, 22:6n-3) from oleic acid (18:1n-9) in canola. The methods presented in Example 21 were developed to demonstrate elongase activity in yeast strains expressing individual elongases and can be further used to confirm the respective elongase enzyme activities in transgenic

canola. Furthermore these methods can be incorporated, by one skilled in the art, to establish elongase enzyme activities in other organisms including, but not limited to: *Saccharomyces cerevisiae*, *Arabidopsis thaliana*, *Brassica* spp., *Camelina sativa*, *Carthamus tinctorius*, and *Salvia hispanica*.

5

Example 22: In vivo demonstration of mode of action: substrate specificity, substrate selectivity

Cloning of Genes into Yeast Expression Vectors:

For single gene expression, the yeast expression vector pYES2.1/V5-His-TOPO
10 (Invitrogen) was used. Flanking primers were designed according to the manufacturer's instructions, and genes were amplified from plant expression vectors using the proof-reading polymerase Phusion high-fidelity polymerase (New England Biolabs). After agarose gel electrophoresis PCR fragments were cut out and purified using an EZ-10 spin column gel extraction kit (Bio Basic Inc.), cloned into the yeast expression vector
15 pYES2.1/V5-His-TOPO (Invitrogen), transformed into *E. coli*, and gene orientation was checked by PCR. For co-expression of multiple genes, genes were cloned into pESC yeast expression vectors (Stratagene) under the control of the GAL1 promotor. To do this, appropriate restriction sites were introduced upstream and downstream of coding regions via PCR, followed by fragment isolation, TA-cloning into the pGEM-T vector,
20 release of the gene fragment by enzyme digestion, and ligation into the pESC vector. For all constructs plasmids were isolated using an EZ-10 spin column plasmid DNA miniprep kit (Bio Basic Inc.). All constructs were sequenced prior to yeast transformation. After sequencing, plasmids were transformed into *Saccharomyces cerevisiae* (yeast) strain INVSc1 (Invitrogen), using the Sc EasyComp Transformation
25 Kit (Invitrogen) according to the manufacturer's protocol, and selected on plates lacking the appropriate amino acids.

Expression of Heterologous Genes in Yeast:

Yeast cultures were grown overnight at 30°C in drop out base (DOB-URA: 1.7 g/L yeast
30 nitrogen base, 5 g ammonium sulfate, and complete supplement mixture minus appropriate amino acids for selection) containing 2 % glucose. The OD600 of the overnight yeast cultures were obtained and culture concentrations were standardized between samples. The samples were washed with DOB-URA containing 2 % galactose

and expression was carried out for 3 days at 20 °C in the same media supplemented with exogenous fatty acids and 0.01 % tergitol. For exogenous fatty acid feeding, cells were fed with 0.25 mM of the appropriate fatty acids, except where indicated otherwise. Fatty acid substrates and FAME standards were purchased from Nu-Chek Prep Inc
5 (Elysian, MN).

Fatty Acid Analysis by Gas Chromatography:

5 mL cultures were precipitated by centrifugation and washed once with induction buffer and once with water. The supernatant was removed, and 2 mL of 3N methanolic-HCl
10 (Supelco) was added to the cell pellet. After gentle mixing, the mixture was incubated at 80°C for 40 min, cooled to room temperature, and 1 mL 0.9% NaCl plus 2 mL hexane was added. The sample was vortexed and centrifuged, and the hexane phase was removed and dried under nitrogen gas. Fatty acid methyl esters (FAMES) were resuspended in 100 µl hexane and analyzed by gas chromatography using an Agilent
15 6890N gas chromatograph equipped with a DB-23 column. The thermal program used was 160 °C for 1 min, then temperature was increased to 240 °C at a rate of 4 °C/min. FAMES were identified based on known standards and the conversion percent was calculated as: $[(\text{Product}) \times 100\%] / (\text{Substrate} + \text{Product})$.

Time Course Studies:

Samples were grown overnight at 30°C, sample concentrations were standardized prior to feeding, and cultures were induced at 20°C. For some time course studies, samples were pre-induced overnight prior to feeding as indicated in results. Samples (1 ml of culture) were collected at the indicated time intervals, washed once with 0.5% tergitol
25 and once with double distilled water, and pellets were stored at -80°C until the completion of the time course. Fatty acid extraction and GC analysis basically followed section 3, however 1 mL methanolic HCl and 0.5 mL 0.9% NaCl and 1mL hexane were used for fatty acid extraction, and the final resuspension was performed in 100 µL hexane.

30

Feeding Studies with Individual Fatty Acids:

Samples were grown overnight at 30°C, sample concentrations were standardized prior to feeding, and cultures were induced at 20°C for 3 days. Measurements from at least 3 clones were used to calculate averages.

5 Feeding Studies with Multiple Fatty Acids:

Fatty acids for co-feeding were selected based on results from experiments described above where cells expressing each construct were fed with all possible substrates. The positive substrates for a given enzyme were fed together, however, if one substrate formed a product that also was a known substrate (for example, with certain elongases),
 10 separate mixtures were used. For omega-3-desaturases, two mixtures, each containing SDA as a standard, were used for feeding. Initially, cultures were fed mixtures containing 0.25 mM total fatty acid substrate. However, due to differences in uptake, it was necessary to optimize fatty acid mixtures so that the levels of Substrate A + Product A was equal to Substrate B + Product B within $\pm 5\%$. The final fatty acid
 15 mixtures used were also subjected to GC to obtain an estimation of relative uptake. After appropriate fatty acid mixtures were obtained, induction and feeding was performed as described above (Expression of Heterologous Genes in Yeast). After induction, yeast cells were induced for 3 days at 20 °C before harvesting of cells and GC analysis as described above (Expression of Heterologous Genes in Yeast and Fatty
 20 Acid Analysis by Gas Chromatography). All experiments were replicated three times.

Co-expression Heterologous Genes in Yeast:

Protocols for co-expression of genes basically followed those provided for single gene expression experiments. Cultures were grow overnight at 30°C, sample concentrations
 25 were standardized prior to feeding, and cultures were induced at 20°C for 3 days. The following sets of genes were co-expressed (pY = pYES2.1/V5-His-TOPO ; pT= pESC-Typ, pL=pESC-Leu):

- 1) pY-c-d12Des(Ps_GA) /pT-c-d6Des(Pir_GA)
- 2) pY-c-d12Des(Ps_GA)/pT-c-d6Des(Ot_febit)
- 30 3) pY-c-d6Elo(Tp_GA2)/pT-c-d6Des(Ot_febit)
- 4) pY-c-d6Elo(Tp_GA2)/pT-c-d6Des(Pir_GA)
- 5) pL- c-d6Elo(Tp_GA2)/pY-c-d5Des(Tc_GA2)
- 6) pL-c-d8Des(Eg) /pY-c-d5Des(Tc_GA2)
- 7) pL- c-d6Elo(Tp_GA2)/pY-c-d5Des(Sa)

8) pL-c-d8Des(Eg)/pY-c-d5Des(Sa)

Isolation and Analysis of Lipids:

For expression of desaturases or elongases, yeast cultures were grown overnight at 30°C in drop out base (DOB-ura) containing 2% glucose. The samples were washed with induction media (DOB-ura) containing 2% galactose and expression was induced for 3 days at 20 °C in the same media supplemented with the appropriate fatty acids and 0.01 % tergitol (NP-40). After 3 days of incubation, yeast cells were collected by centrifugation and washed twice with distilled water. Fifteen mL of chloroform:methanol (1:1) was added to the collected yeast pellet and the sample was incubated at room temperature with shaking for 3 hr. After the 3 hr incubation, the sample was centrifuged and the aqueous phase was collected and stored at -20°C. Chloroform:methanol (2:1) was added to the pellet, and it was incubated overnight at 4°C, then subjected to centrifugation. The aqueous phase was collected and pooled with the aqueous phase collected previously. Nine mL of 0.45% NaCl was added to the pooled aqueous phase, the sample was vortexed and the organic phase was collected after separated by centrifugation at 1500 x g for 3 min. The organic phase was dried under nitrogen gas and resuspended in 100 uL of chloroform to give the total fatty acid fraction. 5 uL of the total fatty acid fraction was analyzed by GC, and the remainder was separated by TLC as described below.

TLC plates were heat activated for at least 3 hrs at 120°C before use. The mobile phase used to separate the fatty acids consisted of chloroform : methanol : acetic acid (65:35:8) and primuline (5mg in 100mL acetone : water, 80:20) was used to visualize the separated lipid fractions under UV light. The individual lipid fractions (PC, PE, PI+PS, and neutral lipids) were identified using standards and removed separately from the TLC plate. To extract the lipids from the silica, 400 uL water, 2 mL chloroform and 2 mL methanol were added, the sample was vortexed vigorously, and 2 mL of 0.2 M H₃PO₄/ 1M KCl was added. The lower organic phase was collected and the remaining aqueous phase was re-extracted by adding 2 mL of chloroform. The pooled organic phase was dry under nitrogen gas, and the fatty acid profile of individual lipid fractions was analyzed by gas chromatography. GC was performed by adding 2 mL of 3N methanolic HCl, followed by incubation at 80 °C for 40 min, then adding 1 ml of 0.9% NaCl and 2 mL of hexane and vortexing. The hexane phase was collected, dried under nitrogen gas, and resuspended in 100 µL of hexane for GC analysis. Gas

chromatography was performed using an Agilent 6890N gas chromatograph equipped with a DB-23 column and a thermal program consisting of: 160 °C for 1 min, then temperature was increased to 240 °C at a rate of 4 °C/min. After the initial GC analysis, samples with low concentrations were re-suspended in 40µL of hexane and re-analyzed.

Time Course studies:

Initially, a range of conditions were tested with the c-d5Des(Tc_GA2) (Figure 30). When cultures were fed with 0.25 mM exogenous substrate at the beginning of induction the amounts of product and substrate and the desaturation percentage remained steady from approximately 48-92 hours (Figure 30, Panel A). Therefore, these conditions were used for further time course experiments.

To determine if these conditions were acceptable for all gene constructs, time courses were conducted with yeast cultures expressing all 10 genes individually. The preferred substrate for each enzyme was supplied exogenously (Figure 31).

Although the rate of uptake of fatty acids and the activity of enzymes varied, the levels of product, substrate and percent elongation or desaturation was relatively stable at the 72 hour time point (Figure 31). Therefore data collection at 72 hours was used in all further experiments, except where noted otherwise.

Analysis of all enzymes with all fatty acids:

The major activity of each desaturase and elongase used in the plant construct was determined upon gene isolation. However, many desaturases and elongases have secondary activities. When all enzymes are present together, such secondary activities affect the overall production rates of desired fatty acids, or lead to the production of side-products. In this experiment, we tested all enzymes with all fatty acids that might be expected to be present in a plant expressing all 10 genes. The enzymes and fatty acids used in this experiment are listed below:

	<u>Enzyme</u>	<u>Fatty acid</u>
	c-d12Des(Ps_GA)	18:1n-9
	c-d6Des(Ot_febit)	LA (18:2n-6)
	c-d6Elo(Pp_GA2)	ALA (18:3n-3)
5	c-d6Elo(Tp_GA2)	GLA (18:3n-6)
	c-d5Des(Tc_GA2)	SDA (18:4n-3)
	c-o3Des(Pi_GA2)	DHGLA (20:3n-6)
	c-o3Des(Pir_GA)	ARA (20:4n-6)
	c-d5Elo(Ot_GA3)	DTA (22:4n-6)
10	c-d4Des(Pi_GA)2	DPAAn-3 (22:5n-3)
	c-d4Des(Tc_GA)	DPAAn-6 (22:5n-6)
		DHAn-3 (22:6n-3)

Although each individual substrate fatty acid was tested with each individual enzyme, results are only given for fatty acid/enzyme combinations where a detectable level of activity was obtained (see Table 159, Table 160, and Table 161).

Although we saw some unexpected activities with the desaturases, such as the conversion of GLA to SDA by the c-d5Des(Tc_GA2) and conversion of DHGLA to ARA by the c-d4Des(Tc_GA), these activity levels were low and produce fatty acids that would be expected in the DHA synthesis pathway (Table 159).

Table 159. Conversion percentages of exogenous fatty acids by desaturases.

Enzyme	Substrate	Product	% desaturation
c-o3Des(Pir_GA)	GLA	SDA	2.7 ± 0.05
	DPAAn-6	DHAn-6	6.93 ± 0.85
	ARA	EPA	45.44 ± 2.40
	LA	ALA	6.29 ± 0.28
	DTA	DPAAn-3	25.57 ± 1.16
	DHGLA	ETA	31.64 ± 3.38
c-o3Des(Pi_GA2)	GLA	SDA	7.84 ± 0.53
	DPAAn-6	DHAn-3	4.77 ± 0.78
	ARA	EPA	40.0 ± 3.38

Enzyme	Substrate	Product	% desaturation
	LA	ALA	5.47 ± 0.76
	DTA	DPA _n -3	17.86 ± 0.43
	DHGLA	ETA	39.71 ± 2.37
c-d5Des(Tc_GA2)	DHGLA	ARA	58.03 ± 2.01
	GLA	SDA	0.23 ± 0.06
c-d4Des(Tc_GA)	DPA _n -3	DHA _n -3	20.74 ± 1.43
	DTA	DPA _n -6	17.33 ± 0.24
	DHGLA	ARA	1.15 ± 0.12
c-d4Des(PI_GA)2	DPA _n -3	DHA _n -3	43.78 ± 3.85
	DTA	DPA _n -6	44.26 ± 4.83
c-d12Des(Ps_GA)	18:1	LA	57.04 ± 0.49
	16:1*	16:2	32.42 ± 0.64
c-d6Des(Ot_febit)	LA	GLA	68.82 ± 1.89
	ALA	SDA	71.0 ± 0.68

The elongases generally showed a higher level of side activities (Table 160, Table 161). While the two delta-6 elongases showed similar conversion percentages for the main substrates GLA and SDA, the *P. patens* enzyme showed higher levels of activity on LA and ALA, and only the *P. patens* delta-6 elongases showed detectable activity of ARA and EPA. Nonetheless, activity levels were substantially higher with GLA and SDA, suggesting that if these fatty acids, which were expected to be available in the pathway, would be the preferred substrate of the enzyme.

Table 160. Conversion percentages of exogenous fatty acids by Delta-6 Elongases

Enzyme	Substrate	Product	% Elongation
c-d6Elo(Pp_GA2)	GLA	DHGLA	80.23 ± 0.81
	SDA	20:4 _n -3	85.67 ± 1.18

Enzyme	Substrate	Product	% Elongation
	LA	20:2n-6	20.86 ± 1.23
	ALA	20:3n-3	31.19 ± 0.23
	ARA	DTA	2.42 ± 0.08
	EPA	DPAAn-3	5.16 ± 0.29
c-d6Elo(Tp_GA2)	GLA	DHGLA	70.11 ± 1.37
	SDA	20:4n-3	85.55 ± 0.32
	LA	20:2n-6	2.22 ± 0.15
	ALA	20:3n-3	4.63 ± 0.35

The c-d5Elo(Ot_GA3) was capable of consecutive elongations of most fatty acids (Table 161). However, the highest conversion by a large margin was for the desired EPA to DPAAn-3 conversion. In the engineered plant system, the two delta-4 desaturases are available to desaturate DPAAn-3, preventing further elongation. The levels of fatty acids containing 24 carbons produced by this elongase are small given that high levels of substrate are present in the yeast system and no competing enzymes are present.

Table 161. Conversion percentages of exogenous fatty acids by c-d5Elo(Ot_GA3) elongase. Substrate and Product values represent % of total fatty acids.

Substrate	Product 1	Product 2	Product 3	% Elongation
LA	20:2n-6			
24.34 ± 1.28	0.41 ± 0.07			1.64 ± 0.18
DHGLA	22:3n-6			
12.92 ± 0.93	1.24 ± 0.22			8.73 ± 1.10
DHAn-3	24:6n-3			
9.41 ± 0.86	1.37 ± 0.12			12.84 ± 1.84
DPAAn-3	24:5n-3			
10.85 ± 0.46	2.15 ± 0.28			16.59 ± 2.37
GLA	DHGLA	22:3n-6		
23.95 ± 3.22	1.0 ± 0.13	0.24 ± 0.03		4.91 ± 0.24
ARA	22:4n-6	24:4n-6		
7.12 ± 1.33	11.23 ± 0.28	0.26 ± 0.05		61.92 ± 5.22
EPA	DPAAn-3	24:5n-3		

Substrate	Product 1	Product 2	Product 3	% Elongation
0.85 ± 0.01	6.76 ± 0.85	1.74 ± 0.21		90.8 ± 0.98
SDA	20:4n-3	22:4n-3	24:4n-3	
14.42 ± 1.18	0.47 ± 0.04	4.17 ± 0.12	0.26 ± 0.03	25.48 ± 1.72
ALA	20:3n-3	22:3n-3	24:3n-3	
20.09 ± 3.23	1.79 ± 0.28	1.70 ± 0.35	0.15 ± 0.03	15.38 ± 2.06

Since 20:4n-3 was not commercially available was generated in vivo by co-expression of c-d6Elo(Tp_GA2) with each of the other desaturases or elongases. Therefore upon supplying exogenous SDA, 20:4n-3 was produced by the c-d6Elo(Tp_GA2) and the efficiency of conversion of this fatty acid by the second enzyme was measured.

Table 162. Enzyme activity with 20:4n-3.

Helper Enzyme (delta-6 elongase) pL vector	2 nd enzyme in pY vector	delta-6 elongase conversion efficiency (%)	Conversion efficiency of 2 nd enzyme (%)	Gene dosage effect
c-d6Elo(Tp_GA2)	c-d4Des(Pl_GA)2	70.0 ± 1.2	N/A	N/A
c-d6Elo(Tp_GA2)	c-d4Des(Tc_GA)	69.1 ± 0.7	3.3 ± 0.2	N/A
c-d6Elo(Tp_GA2)	c-d5Des(Tc_GA2)	64.3 ± 1.4	86.2 ± 1.0	N/A
c-d6Elo(Tp_GA2)	c-d6Des(Ot_febit)	72.9 ± 2.1	2.9 ± 0.2	N/A
c-d6Elo(Tp_GA2)	c-d12Des(Ps_GA)	70.3 ± 1.3	N/A	N/A
c-d6Elo(Tp_GA2)	c-o3Des(Pi_GA2)	67.4 ± 3.6	N/A	N/A
c-d6Elo(Tp_GA2)	c-o3Des(Pir_GA)	70.0 ± 1.1	N/A	N/A
c-d6Elo(Tp_GA2)	c-d5Elo(Ot_GA3)	68.8 ± 1.4	80.2 ± 2.5	N/A
c-d6Elo(Tp_GA2)	c-d6Elo(Pp_GA2)	89.8 ± 0.7	N/A	YES (Δ6 ELO)
c-d6Elo(Tp_GA2)	c-d6Elo(Tp_GA2)	90.3 ± 0.8	N/A	YES (Δ6 ELO)

* Cultures were fed with SDA and 20:4n-3 (delta-6 elongation) was produced as a substrate for either desaturases or elongases. Three repeats were measured. pY: pYES2.1/V5-His-TOPO expression vector; pL: pESC-Leu expression vector. All genes were placed under the control of the Gal1 promoter. N/A: not applicable; DES: desaturase; ELO: elongase

The c-d4Des(Tc_GA), the c-d5Des(Tc_GA2), the c-d6Des(Ot_febit), and the c-d5Elo(Ot_GA3) were able to use 20:4n-3 as a substrate (Table 162). The c-d5Des(Tc_GA2) showed the highest conversion percentage, which would be expected as 20:4n-3 was a known substrate for delta-5 desaturases. The c-d5Des(Tc_GA2) was also able to produce 22:4n-3. When using two delta-6 elongases in one construct, a gene dosage effect was observed; the delta-6 elongase activity increased in the presence of two c-d6Elo(Tp_GA2), or a gene pair consisting of a c-d6Elo(Tp_GA2) and a c-d6Elo(Pp_GA2).

A. Fatty acid specificity of desaturases and elongases of this invention

Enzymes were provided with mixtures of fatty acids to allow comparisons of relative activity when two substrates were present concurrently; an enzyme may be more active on substrate A than substrate B when they are supplied individually, but when they are supplied at the same time the relative activity of the enzyme on each substrate could change. Fatty acids of the same length were preferably provided at the same time, since they would be most likely to be present in the plant concurrently. Mixtures of fatty acids were adjusted so that the level of (substrate 1 + product 1) = (substrate 2 + product 2) within $\pm 5\%$.

Table 163. Fatty acid preferences of elongases and desaturases

Gene (Fatty Acid Mix)	Substrate	% conversion
c-d5Elo(Ot_GA3) (EPA/ARA/DHGLA)	EPA	90.36 $\pm$ 2.17
	ARA	40.96 $\pm$ 4.50
	DHGLA	3.14 $\pm$ 0.47
c-d5Elo(Ot_GA3) (DPAn-3/DHA)	DPAn-3	4.75 $\pm$ 0.57
	DHA	5.69 $\pm$ 0.56
c-d5Elo(Ot_GA3) (LA/ALA)	LA	0.57 $\pm$ 0.06
	ALA	13.43 $\pm$ 1.65
c-d5Elo(Ot_GA3) (GLA/SDA)	GLA	2.89 $\pm$ 0.06
	SDA	29.24 $\pm$ 0.73
c-d4-Des(Tc_GA) (DTA/DPAn-3)	DTA	21.01 $\pm$ 2.28
	DPAn-3	25.18 $\pm$ 2.08
c-d4-Des(PI_GA)2 (DTA/DPAn-3)	DTA	34.41 $\pm$ 1.63
	DPAn-3	41.27 $\pm$ 2.07
c-d6-Des(Ot_febit)	LA	56.62 $\pm$ 2.06

Gene (Fatty Acid Mix)	Substrate	% conversion
(LA/ALA)	ALA	77.66 ± 0.80
c-d6-Elo(Pp_GA2)	LA	11.38 ± 0.94
(LA/ALA)	ALA	24.41 ± 1.84
c-d6-Elo(Pp_GA2)	GLA	81.59 ± 1.66
(GLA/SDA)	SDA	85.23 ± 1.28
c-d6-Elo(Tp_GA2)	LA	1.93 ± 0.15
(LA/ALA)	ALA	6.41 ± 0.68
c-d6-Elo(Tp_GA2)	GLA	81.61 ± 1.03
(GLA/SDA)	SDA	87.70 ± 0.87
c-d5-Des(Tc_GA2)	DHGLA	85.0 ± 2.38
(DHGLA/ETA)	ETA	90.75 ± 1.15
	(20:4n-3)	
c-o3-Des(Pi_GA2)	DHGLA	28.82 ± 1.26
(DHGLA/ARA/DTA)	ARA	39.15 ± 1.19
	DTA	7.32 ± 0.63
c-o3Des(Pir_GA)	DHGLA	25.22 ± 1.70
(DHGLA/ARA/DTA)	ARA	53.19 ± 2.52
	DTA	12.66 ± 1.17

As described in Table 163 the relative activities of the omega-3 desaturases follow the same order as described earlier (Table 159), but that the activity of both omega-3 desaturases was lower on DTA when DHGLA and ARA were available. Both delta-4 desaturases showed a preference for the omega-3 substrate when the omega-3 and omega-6 substrates were present in equal amounts. The preference of the c-d6Des(Ot_febit) for the omega-3 substrate was also increased when both substrates are available (Table 163). For the delta-5 elongase, the relative elongation of secondary substrates generally dropped when the primary, or preferred substrate was available (Table 163).

B. Additive enzyme activity supporting MoA (CoA vs PC)

The delta-5 desaturase genes from *S. arctica* and *Thraustochytrium* sp. were cloned into the pYES2.1/V5-His-TOPO expression vector, and both the c-d6Elo(Tp_GA2) and the c-d8Des(Eg) were cloned into the pESC-Leu expression vector. Yeast was transformed with the appropriate vector pairs and selection on DOB-uracil-leucine.

Positive cultures were grown and induced and GC analysis was conducted as described above in Example 23. All cultures were grown concurrently.

Table 164. Deduced mode of action of the Delta-5 desaturases.

Helper Enzyme known to work in PC (delta-8 DES)	delta-5 DES	delta-% DES Conversion efficiency	Deduced MoA of delta-5 DES
c-d8Des(Eg)	c-d5Des(Sa)	38 %	
c-d8Des(Eg)	c-d5Des(Tc_GA2)	36 %	
Helper Enzyme known to work in CoA (delta-6 ELO)	delta-5 DES	delta-% DES Conversion efficiency	
c-d6Elo(Tp_GA2)	c-d5Des(Sa)	32 %	PC
c-d6Elo(Tp_GA2)	c-d5Des(Tc_GA2)	80 %	CoA

5

As described in Table 164, the delta-5 desaturase activity of the c-d5Des(Sa) on HGLA was similar regardless if the DHGLA was derived from elongation in the coenzyme A (CoA) pool or desaturation in the phosphatidylcholine (PC) pool. Conversely, Table 164 also shows that the delta-5 desaturase activity of the c-d5Des(Tc_GA2) was much higher if the DHGLA substrate was derived from elongation in the CoA pool. In combination with data from lipid analysis by TLC, this suggests that the c-d5Des(Tc_GA2) was capable of desaturating substrates in the CoA pool, although it does not indicate that desaturation was limited to this pool.

10

15 The level of delta-6-elongation following desaturation by a desaturase active in the PC pool (c-d6Des(Pir_GA)) and a desaturase thought to be active in the CoA pool (c-d6Des(Ot_febit)) was determined. Since elongation takes place in the acyl-CoA pool, more efficient elongation can occur following desaturation by an acyl-CoA dependant desaturase. The two desaturases were also expressed in the presence of a delta -12 desaturase that was active on PC substrates, to allow the efficiency of subsequent delta -6 desaturation to be compared. Finally, the effects of individual desaturase genes and pairs of desaturase genes on elongase and desaturase activity were compared to determine dosage effects.

20

25 Table 165. Effects of various delta-6 desaturases on subsequent delta-6 elongation*.

Construct	delta- 6 Des %	delta- 6 ELO %
pT-c-d6Des(Ot_febit) & pY-c-d6Elo(Tp_GA2)	44.9 ± 1.0	89.3 ± 1.4
pT-c-d6Des(Pir_GA) & pY-c-d6Elo(Tp_GA2)	19.7 ± 0.5	63.7 ± 4.8

* Cultures were fed with LA and production of GLA (delta-6 desaturation) and HGLA (delta-6 elongation) were measured. pY: pYES2.1/V5-His-TOPO expression vector pT: pESC-trp expression vector. All genes were under the control of the Gal1 promoter.

Table 166. Effects of delta-12 desaturation on subsequent delta-6 elongation*.

Construct	delta-12 DES %	delta-6 DES %
pT-c-d6Des(Ot_febit) & pY-c-d12Des(Ps_GA)	60.2 ± 2.9	23.2 ± 0.1
pT-c-d6Des(Pir_GA) & pY-c-d12Des(Ps_GA)	62.8 ± 1.4	17.1 ± 1.7

* Cultures were supplied with exogenous 18:1n-9. The production of LA (delta-12 desaturation) and GLA (delta-6 desaturation) were measured. pY: pYES2.1/V5-His-TOPO expression vector pT: pESC-trp expression vector. All genes were under the control of the Gal1 promoter.

GLA conversion by the c-d6Elo(Tp_GA2) was higher with GLA derived from desaturation by the c-d6Des(Ot_febit) compared to GLA derived by desaturation with the c-d6Des(Pir_GA) (Table 165). This shows that c-d6Des(Ot_febit) acts in the acyl-CoA pool, making the resulting substrate more readily available for the delta-6 elongase, and therefore resulting in a higher elongase activity. Correspondingly, the delta-6 desaturase activity of the c-d6Des(Ot_febit) was reduced by almost half if the substrate was derived from delta-12 desaturation in the PC pool (Table 165 and Table 166), whereas the the delta-6 desaturase activity of the c-d6Des(Pir_GA) was similar whether the substrate (LA) was derived from delta-12-desaturation of OA in the PC pool, or was supplied exogenously (Table 165 and Table 166). Exogenously supplied substrate was believed to enter the yeast cell in the form of acyl-CoA. In combination with data from lipid analysis by TLC, this data suggests that the c-d6Des(Ot_febit) was acyl-CoA-dependent enzyme, consistent with a previous prediction (Domergue et al. (2005) Biochem. J. 389: 483-490).

Table 167. Effect of substrate pool and gene dosage on delta-6-desaturation and subsequent delta-6-elongation of ALA.

Helper Enzyme (delta-6 elongase) pL vector	First delta-6 desaturase pY vector	Second delta-6 desaturase pT vector	delta-6 desaturase conversion efficiency	delta-6 elongase conversion efficiency	Gene dosage effect	Deduced MoA of 1st delta- 6 desatura se	Deduced MoA of 2nd delta- 6 desaturas e
c-d6Elo(Tp_GA2)	c-d6Des(Ot_febit)	pT vector	64.3 ± 1.5	73.3 ± 0.2	N/A	CoA	N/A
c-d6Elo(Tp_GA2)	c-d6Des(Pir_GA)	pT vector	26.8 ± 11.0	53.0 ± 8.8	N/A	PC	N/A
c-d6Elo(Tp_GA2)	pY vector	c-d6Des(Ot_febit)	60.8 ± 2.3	80.8 ± 0.6	N/A	N/A	CoA

Helper Enzyme (delta-6 elongase) pL vector	First delta-6 desaturase pY vector	Second delta-6 desaturase pT vector	delta-6 desaturase conversion efficiency	delta-6 elongase conversion efficiency	Gene dosage effect	Deduced MoA of 1st delta- 6 desatura se	Deduced MoA of 2nd delta- 6 desaturase
c-d6Elo(Tp_GA2)	pY vector	c-d6Des(Pir_GA)	27.9 ± 0.9	52.0 ± 0.9	N/A	N/A	PC
c-d6Elo(Tp_GA2)	c-d6Des(Ot_febit)	c-d6Des(Pir_GA)	72.5 ± 2.2	71.1 ± 2.1	Yes (DES)	CoA	PC
c-d6Elo(Tp_GA2)	c-d6Des(Pir_GA)	c-d6Des(Pir_GA)	40.5 ± 1.3	47.5 ± 2.0	Yes (DES)	PC	PC
c-d6Elo(Tp_GA2)	c-d6Des(Ot_febit)	c-d6Des(Ot_febit)	72.4 ± 0.9	78.1 ± 0.7	Yes (DES)	CoA	CoA

* Cultures were fed with ALA and production of SDA (delta-6 desaturation) and 20:4n-3 (delta-6 elongation) was measured. pY: pYES2.1/V5-His-TOPO expression vector; pL: pESC-Leu expression vector; pT: PESC-trp. All regulated by Gal1 promoter. N/A: not applicable; DES: desaturation conversion percent. Data from at least 3 clones were used for each measurement.

Table 168. Effect of substrate pool and gene dosage on delta-6-desaturation and subsequent delta-6-elongation of LA.

Helper Enzyme (delta-6 elongase) pL vector	First delta-6 desaturase pY vector	Second delta-6 desaturase pT vector	delta-6 desaturase conversion efficiency	delta-6 elongase conversion efficiency	Gene dosage effect	Deduced MoA of 1st delta- 6 desatura se	Deduced MoA of 2nd delta- 6 desaturase
c-d6Elo(Tp_GA2)	c-d6Des(Ot_febit)	pT vector	60.3 ± 7.0	65.6 ± 1.8	N/A	CoA	N/A
c-d6Elo(Tp_GA2)	c-d6Des(Pir_GA)	pT vector	23.4 ± 15.5	43.2 ± 8.6	N/A	PC	N/A
c-d6Elo(Tp_GA2)	pY vector	c-d6Des(Ot_febit)	48.5 ± 0.2	75.6 ± 1.5	N/A	N/A	CoA
c-d6Elo(Tp_GA2)	pY vector	c-d6Des(Pir_GA)	23.0 ± 0.8	36.9 ± 2.2	N/A	N/A	PC
c-d6Elo(Tp_GA2)	c-d6Des(Ot_febit)	c-d6Des(Pir_GA)	3.0 ± 1.4	60.1 ± 1.9	Yes (DES)	CoA	PC
c-d6Elo(Tp_GA2)	c-d6Des(Pir_GA)	c-d6Des(Pir_GA)	35.1 ± 2.2	35.4 ± 4.8	Yes (DES)	PC	PC
c-d6Elo(Tp_GA2)	c-d6Des(Ot_febit)	c-d6Des(Ot_febit)	62.5 ± 1.4	66.8 ± 2.5	Yes (DES)	CoA	CoA

* Cultures were fed with LA and production of GLA (delta-6 desaturation) and DHGLA (delta-6 elongation), three repeats were measured. pY: pYES2.1/V5-His-TOPO expression vector; pL: pESC-Leu expression vector; pT: PESC-trp. All genes were placed under the control of the Gal1 promoter. N/A: not applicable; DES: desaturation conversion percent.

When co-expressing the c-d6Elo(Tp_GA2) and the c-d6Des(Ot_febit) (CoA), a higher elongase conversion efficiency was achieved compared to co-expressing the c-d6Elo(Tp_GA2) and the c-d6Des(Pir_GA) (PC), regardless of whether n-3 or omega-6 substrate was supplied exogenously (Table 167, Table 168). This was observed whether the relevant desaturase gene was cloned into the pYes vector or the pESC-trp vector. A slight increase in desaturation efficiency was observed in the presence of two

desaturase genes, particularly in cultures supplied with the omega-3 substrate ALA. Compared to cultures carrying a single c-d6Des(Ot_febit), the proportion of substrate elongated was only slightly enhanced in the presence of two acyl-CoA dependant c-d6Des(Ot_febit), or in the presence of both desaturases. Co-expression of the c-d6Elo(Tp_GA2) with two copies of c-d6Des(Pir_GA) (PC) resulted in the lowest elongation conversion level among the cultures carrying two desaturases. The presence of the with acyl-CoA dependent delta-6 desaturase contributed to a higher delta-6 elongation activity whether it was expressed alone or along with a second desaturase, further indicating the usefulness of this gene for VLC-PUFA synthesis.

The effect of substrate pool for various delta-4 desaturases was determined in the presence of a helper enzyme, the c-d5Elo(Ot_GA3), which was known to work in the CoA pool. The gene dosage effect of delta-4 desaturase genes was also determined.

Table 169. Effect of substrate pool and gene dosage effect for delta-4 desaturases (exogenous EPA supplied).

Helper Enzyme (delta-5 elongase) pL vector	First delta-4 desaturase pY vector	Second delta-4 desaturase pT vector	delta-4 desaturase conversion efficiency	Gene dosage effect	Deduced MoA of 1st delta-4 desaturase	Deduced MoA of 2nd delta-4 desaturase
c-d5Elo(Ot_GA3)	c-d4Des(Pl_GA)2	pT vector	29.9 ± 4.0	N/A	CoA	NA
c-d5Elo(Ot_GA3)	c-d4Des(Tc_GA)	pT vector	31.2 ± 2.8	N/A	PC	NA
c-d5Elo(Ot_GA3)	c-d4Des(Pl_GA)2	c-d4Des(Tc_GA)	53.6 ± 1.0	++ (0.88)	CoA	PC
c-d5Elo(Ot_GA3)	c-d4Des(Eg)	c-d4Des(Tc_GA)	36.9 ± 3.5	Yes	PC	PC
c-d5Elo(Ot_GA3)	c-d4Des(Tc_GA)	c-d4Des(Tc_GA)	40.2 ± 0.2	+ (0.64)	PC	PC

* Cultures were fed with EPA and production of DPA (delta-5 elongation) and DHA (delta-4 desaturation) was measured for at least three samples. pY: pYES2.1/V5-His-TOPO expression vector; pL: pESC-Leu expression vector; pT: PESC-trp. All genes were placed under the control of the Gal1 promoter. N/A: not applicable. Dosage effect: number in brackets = conversion efficiency of two-desaturase construct/ (conversion efficiency of single gene A construct + conversion efficiency of single gene B construct).

Table 170. Effect of substrate pool and gene dosage effect for delta-4 desaturases (exogenous ARA supplied).

Helper Enzyme (delta-5 elongase) pL vector	First delta-4 desaturase pY vector	Second delta-4 desaturase pT vector	delta-4 desaturase conversion efficiency	Gene dosage effect	Deduced MoA of 1st delta-4 desaturase	Deduced MoA of 2nd delta-4 desaturase

Helper Enzyme (delta-5 elongase) pL vector	First delta-4 desaturase pY vector	Second delta-4 desaturase pT vector	delta-4 desaturase conversion efficiency	Gene dosage effect	Deduced MoA of 1st delta-4 desaturase	Deduced MoA of 2nd delta-4 desaturase
c-d5Elo(Ot_GA3)	c-d4Des(Pl_GA)2	pT vector	28.8 ± 1.0	N/A	CoA	N/A
c-d5Elo(Ot_GA3)	c-d4Des(Tc_GA)	pT vector	27.0 ± 2.5	N/A	PC	N/A
c-d5Elo(Ot_GA3)	c-d4Des(Pl_GA)2	c-d4Des(Tc_GA)	44.0 ± 0.9	++ (0.79)	CoA	PC
c-d5Elo(Ot_GA3)	c-d4Des(Eg)	c-d4Des(Tc_GA)	29.4 ± 0.6	-	PC	PC
c-d5Elo(Ot_GA3)	c-d4Des(Tc_GA)	c-d4Des(Tc_GA)	32.2 ± 0.8	-	PC	PC

*Cultures were fed with ARA and production of DTA (delta-5 elongation) and DPAn-6 (delta-4 desaturation) were measured. pY: pYES2.1/V5-His-TOPO expression vector; pL: pESC-Leu expression vector; pT: PESC-Trp expression vector. All genes were placed under control of the Gal1 promoter. N/A: not applicable. Dosage effect: number in brackets = conversion efficiency of two-desaturase construct/ (conversion efficiency of single gene A construct + conversion efficiency of single gene B construct).

5

The desaturation levels achieved by the *P. lutheri* and c-d4Des(Tc_GA)s were similar. When two delta-4 desaturases were used, a significant gene dosage effects only observed with the *P. lutheri*/*Thraustochyrium* sp. pair, and the lowest with two copies of the *Thraustocytrium* sp desaturase. These trends were observed in the presence of elongated ARA (Table 170) and EPA (Table 169). However, with the n-6 elongation substrate (ARA), the desaturation conversion percentage was generally slightly lower compared to the omega-3 substrate (EPA).

10

15 Example 23: Spacer Regions Containing Transcription Factor Binding Motifs

20

25

As indicated in examples 3 and 4, between each expression cassette in the constructs used in the invention there is a spacer region of 100-200 base pairs. For the BiBAC T-DNAs, the short stretches of sequence in between the gene cassettes, which had been multi-cloning sites and Gateway site sequences in the co-transformation vectors, were subjected to randomization to maintain the GC content and to remove multiple repeats of identical sequence. The skilled worker would recognize that the presence of multiple repeats within a construct, in particular large multi-gene constructs, could result in internal deletions and rearrangements as the plasmid was cloned into *Escherichia coli* and passaged through the *Agrobacterium* strain/species used. After removal of repeats and adjustment of GC content, the sequences of the spacer regions were then examined for any possible binding sites for transcription factors and other DNA

interacting proteins. The spacer region sequences used are RTP10690_1 through RTP10690_12, including the AtAHAS promoter and terminator, RTP10690_5', LJB2197_5' and LJB2197_1 through LJB2197_4. The underscore numbers also represent the order in which that spacer region appears in the cassette reading from the right border towards the left border, in the sense orientation of the GOI in the proceeding cassette. For example, RTP10690_1 was the sequence after the terminator of the first cassette and before the promoter of the second cassette in the construct VC-RTP10690-1qcz_F. The terminator of the AHAS selection cassette and the 5' region of the first cassette were also examined.

10

>RTP10690_1

TTAATTCAGCTAGCTAGCCTCAGCTGACGTTACGTAACGCTAGGTAGCGTCACGTGAC
GTTAGCTAACGCTAGGTAGCGTCAGCTGAGCTTACGTAAGCGCTTAGCAGATATTT

15

>RTP10690_2

TTACTGATTGTCTACGTAGGCTCAGCTGAGCTTACCTAAGGCTACGTAGGCTCACGTG
ACGTTACGTAAGGCTACGTAGCGTCACGTGAGCTTACCTAACTCTAGCTAGCCTCACG
TGACCTTAGCTAACACTAGGTAGCGTCAGCTCGACGGCCCCG

20

>RTP10690_3

GGCGGAGTGGGGCTACGTAGCGTCACGTGACGTTACCTAAGCCTAGGTAGCCTCAGC
TGACGTTACGTAACGCTAGGTAGGCTCAGCTGACACGGGCAGGACATAG

>RTP10690_4

25

GAATGAAACCGATCTACGTAGGCTCAGCTGAGCTTAGCTAAGCCTACCTAGCCTCACG
TGAGATTATGTAAGGCTAGGTAGCGTCACGTGACGTTACCTAACACTAGCTAGCGTCA
GCTGAGCTTAGCTAACCTACGTAGCCTCACGTGAGCTTACCTAACGCTACGTAGCCT
CACGTGACTAAGGATGACCTACCCATTCTT

30

>RTP10690_5

GCGGCCGCTAGCTAGCCTCAGCTGACGTTACGTAACGCTAGGTAGCGTCACGTGACG
TTAGCTAACGCTAGGTAGCGTCAGCTGAGCTTACGTAAGCGCCACGGGCAGGACATA
GGGACTACTACAA

35

>RTP10690_6

CGAATGAAACCGATCTACGTAGGCTCAGCTGAGCTTACCTAAGGCTACGTAGGCTCAC
GTGACGTTACGTAAGGCTACGTAGCGTCACGTGAGCTTACCTAACTCTAGCTAGCCTC
ACGTGACCTTAGCTAACACTAGGTAGCGTCAGCTTAGCAGATAT

5 >RTP10690_7

CCGTTCAATTTACTGATTGTCTACGTAGCGTCACCTGACGTTACGTAAGGCTACCTAGG
CTCACGTGACGTTACGTAACGCTACGTAGCGTCAGGTGAGGTTAGCTAACGCTAGCTA
GCCTCACCTGACGTTAGGTAAGGCTACGTAGCGTCACCTGAGATTAGCTAAGCCTACC
TAGACTCACGTGACCTTAGGTAACGCTACGTAGCGTCAAAGCTTTACAACGCTACACA

10 AA

>RTP10690_8

TTACCTAACTTAGAACTAAAATCAACTCTTTGTGACGCGTCTACCTAGAGTCAGCTGAG
CTTAGCTAACGCTAGCTAGTGTCAGCTGACGTTACGTAAGGCTAACTAGCGTCACGTG
15 ACCTTACGTAACGCTACGTAGGCTCAGCTGAGCTTAGCTAACCCTAGCTAGTGTCACG
TGAGCTTACGCTACTATAGAAAATGTGTTATAT

>RTP10690_9

TTCAGTCTAAAACAACTACGTAGCGTCACGTGACGTTACCTAAGCCTAGGTAGCCTCA
20 GCTGACGTTACGTAACGCTAGGTAGGCTCAGCTGACTGCAGCAAATTTACACATTGCC
A

>RTP10690_10

TAATTTCGGCGTTAATTCAGCTACGTAGGCTCAGCTGAGCTTACCTAAGGCTACGTAGG
25 CTCACGTGACGTTACGTAAGGCTACGTAGCGTCACGTGAGCTTACCTAACTCTAGCTA
GCCTCACGTGACCTTAGCTAACACTAGGTAGCGTCAGCACAGATGAATACTAGCTGTT
GTTCA

>RTP10690_11

ATCATGATGCTTCTCTGAGCCGTGTTTGCTAGCTAGCCTCAGCTGACGTTACGTAACG
30 CTAGGTAGCGTCACGTGACGTTAGCTAACGCTAGGTAGCGTCAGCTGAGCTTACGTAA
GCGCACAGATGAATACTAGCTGTTGTTTACA

>RTP10690_12

CTTCTCTGAGCCGTGTTTGCTAGCTAGCCTCAGCTGACGTTACGTAACGCTAGGTAGC
GTCACGTGACGTTAGCTAACGCTAGGTAGCGTCAGCTGAGCTTACGTAAGCGCTTAAT
TAAAGTACTGATATCGGTACCAAATCGAATCCAAAAATTACGGATATGAATAT

5 >RTP10690_5'

ATTACAACGGTATATATCCTGCCAGTCAGCATCATCACACCAAAAGTTAGGCCCGAATA
GTTTGAAATTAGAAAGCTCGCAATTGAGGTCTACAGGCCAAATTCGCTCTTAGCCGTAC
AATATTACTACCCGGTGCGATGCCCCCATCGTAGGTGAAGGTGGAAATTAATGGCGC
GCCTGATCACTGATTAGTAACTATTACGTAAGCCTACGTAGCGTCACGTGACGTTAGCT
10 AACGCTACGTAGCCTCAGCTGACGTTACGTAAGCCTACGTAGCGTCACGTGAGCTTAG
CTAACGCTACCTAGGCTCAGCTGACGTTACGTAACGCTAGCTAGCGTCACTCCTGCAG
CAAATTTACACA

>t-A_tAHASL

15 GAGATGAAACCGGTGATTATCAGAACCTTTTATGGTCTTTGTATGCATATGGTAAAAAA
ACTTAGTTTGCAATTTCTGTGTTTGGTAATTTGAGTTTCTTTAGTTGTTGATCTGC
CTGCTTTTTGGTTTACGTCAGACTACTACTGCTGTTGTTGTTTGGTTTCCTTTCTTTCAT
TTTATAAATAAATAATCCGGTTCGGTTTACTCCTTGTGACTGGCTCAGTTTGGTTATTGC
GAAATGCGAATGGTAAATTGAGTAATTGAAATTCGTTATTAGGGTTCTAAGCTGTTTTAA
20 CAGTCACTGGGTTAATATCTCTCGAATCTTGCATGGAAAATGCTCTTACCATTGGTTTTT
AATTGAAATGTGCTCATATGGGCCGTGGTTTCCAAATTAAATAAACTACGATGTCATC
GAGAAGTAAATCAACTGTGTCCACATTATCAGTTTTGTGTATACGATGAAATAGGGTA
ATTCAAAATCTAGCTTGATATGCCTTTTGGTTTCAATTTAACCTTCTGTAAACATTTTTTCA
GATTTTGAACAAGTAAATCCAAAAAAAAAAAAAAAAAATCTCAACTCAACACTAAATTATTT
25 TAATGTATAAAAGATGCTTAAACATTTGGCTTAAAAGAAAGAAGCTAAAAACATAGAGA
ACTCTTGTAATTGAAGTATGAAAATATACTGAATTGGGTATTATATGAATTTTCTGATT
TAGGATTCACATGATCCAAAAGGAAATCCAGAAGCACTAATCAGACATTGGAAGTAG
G

>LJB2197_5'

30 ACATACAAATGGACGAACGGATAAACCTTTTCACGCCCTTTTAAATATCCGATTATTCTA
ATAAACGCTCTTTTCTCTTAGGTTTACCCGCCAATATATCCTGTCAAACACTGATAGTTT
AAACTGAAGGCGGGAAACGACAATCTGATCACTGATTAGTAACTAAGGCCTTTAATTAA
TCTAGAGGCGCGCCGGGCCCCCTGCAGGGAGCTCGGCCGGCCAATTTAAATTGATAT
CGGTACATCGATTACGCCAAGCTATCAACTTTGTATAGAAAAGTTGCCATGATTACGCC
35 AAGCTTGGCCACTAAGGCCAATTTGCGGCCCTGCAGCAAATTTACACA

>LJB2197_1
CAATTTACTGATTGTGTGTCGACGCGATCGCGTGCAAACACTGTACGGACCGTGGCCTAA
TAGGCCGGTACCCAAGTTTGTACAAAAAGCAGGCTCCATGATTACGCCAAGCTTGGC
CACTAAGGCCAATTTAAATCTACTAGGCCGGCCATCGACGGCCCGGACTGTA
5 >LJB2197_2
GGCGGAGTGGGGGGCGCCTACTACCGGTAATTCCCGGGATTAGCGGCCGCTAGTCT
GTGCGCACTTGTATCCTGCAGGTTAGGCCGGCCACACGGGCAGGACATAGGG
>LJB2197_3
AAACCGAATGAAACCGATGGCGCCTACCGGTATCGGTCCGATTGCGGCCGCTTAAAG
10 GGCGAATTCGTTTAAACACTGTACGGACCGTGGCCTAATAGGCCGGTACCACCCAGCT
TTCTTGACAAAGTGGCCATGATTACGCCAAGCTTGGCCACTAAGGCCAATTTAAATCT
ACTAGGCCGGCCATAAGGATGACCTACCCATTCTT
>LJB2197_4
TTAATTCAGGGCCGGCCAAAGTAGGCGCCTACTACCGGTAATTCCCGGGATTAGCGG
15 CCGCTAGTCTGTGCGCACTTGTATCCTGCAGGTTAGGCCGGCCATTAGCAGATATT

Table 171: Cassettes contained in the constructs VC-RTP10960-1qcz_F and VC-LJB2197-1qcz and the spacer regions in front of them, which was 5' of the promoter region. The bold lettering indicates the spacer, which corresponds to the Seq ID's listed above above.

VC-RTP10960-1qcz_F
p-VfUSP_684bp::i-Atss18_252bp::c-d6-Elo[Pp_GA2]::t- CaMV35S
RTP10690_1
p-LuCnl[1064bp]::i-Atss14_377bp::c-d5Des[Tc_GA2]::t- AgrOCS_192bp
RTP10690_2
p-SBP::i-Atss2_455bp::c-d6-Des[Ot_febit]::t-StCATHD-pA
RTP10690_3
p-LuPXR_1727bp::i-Atss1_847bp::c-d6-Elo[Tp_GA2]::t- AtPXR_400bp
RTP10690_4
p-Napin_A/B::i-Atss14_377bp::c-d12Des[Ps_GA2]::t-E9
RTP10690_5
p-LuPXR_1727bp::i-Atss15_758bp::c-

w3Des[pPir_GA]::AtPXR_400bp
RTP10690_6
p-LuCnI[1064bp]::i-Atss2_455bp::c-d4Des[PI_GA]2::t-AgrOCS_192bp
RTP10690_7
p-BnFAE1::i-Atss1_847bp::c-d5Elo[Ot_GA3]::t-bnFAE1
RTP10690_8
p-ARC5_perm1::c-d4Des[Tc_GA3]::t-pvarc
RTP10690_9
p-VfUSP_684bp::i-Atss18_252::c-w3-Des[Pi_GA2]::t-CaMV35S
RTP10690_10
p-BnSETL-v1[1234bp]::c-d5-Des[Tc_GA2]::t-BnSETL
RTP10690_11
p-BnSETL-v1[1234bp]::c-w3Des[Pir_GA]::t-BnSETL
RTP10690_12
RTP10690_5'
t-AtAHASL
VC-LJB2197-1qcz
LJB2197_5'
p-VfUSP_684bp::i-Atss18_252bp::c-d6-Elo[PpGA2]::t-CaMV35S
LJB2197_1
p-LuCnI[1064bp]::i-Atss14_377bp::c-d5Des[Tc_GA2]::t-AgrOCS_192bp
LJB2197_2
p-SBP::i-Atss2_455bp::c-d6-Des[Ot_febit]::t-StCATHD-pA
LJB2197_3
p-LuPXR_1727bp::i-Atss1_847bp::c-d6-Elo[Tp_GA2]::t-AtPXR_400bp
LJB2197_4
p-Napin_A/B::i-Atss14_377bp::c-d12-Des[Ps_GA]::t-E9

Transcription factors are known to bind certain sequences of DNA and from this point of interaction with the chromosome they regulate transcription of a certain gene or subset of genes. The specific sequences which are bound by the transcription factor are referred to as DNA binding motifs and can be in the range of tens of base pairs to as few as four base pairs. The majority of DNA binding motifs consist of less than ten base pairs but those motifs have been documented to be necessary and sufficient for up (or down) regulation of transcription by the transcription factor binding to them. For examples of transcription factor motifs and the enabling data that are used to support the motifs see; Hattori et al., 2002, Keller et al., 1995, Kim et al., 2014, Lopez et al., 2013, Machens et al., 2014, Muino, 2013, Sarkar, 2013, Dubos et al., 2014). Identified motifs have been curated and archived in various data bases, such as PLACE (Higo et al., 1999), which can be accessed and queried by the public. While certain characterized promoters are used as the primary means to regulate expression of a given transgene in the invention, it was possible that alternative and unexpected regulation of a transgene was occurring in the plants described in the invention due to the presence of one or more active transcription factor binding motifs in the spacer region. Examples of artificial/synthetic promoters in the public literature support this line of reasoning; see Kong et al. (2014), Nishikata et al. (2013), and Brown et al. (2014) for examples of promoters made by random assembly of nucleotides and iterative testing as well as specific fragments of known transcriptional activity assembled to make an artificial promoter. Thus the regulatory region of a given transgene in the invention also includes, in addition to the intron, terminator and the promoter used, the spacer region in front of the cassette containing the transgene.

Table 172: lists the spacer region and the transcription factor binding motif present in the region and the nucleotide sequence. Upper case letters denote the motif while surrounding bases indicate examples of sequences that might neighbor the predicted motif but are not necessary for the motif to function in the regulation of transcription

Spacer ID	Detailed Family Information	Sequence
RTP10690_1	Plant G-box/C-box bZIP proteins	gttacgtaACGTcagctgagg
RTP10690_1	Plant G-box/C-box bZIP proteins	ctcagcTGACgttacgtaacg
RTP10690_1	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcctcagctgacgtTACGtaacgcta
RTP10690_1	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_1	GT-box elements	gctgacGTTAcgtaacg
RTP10690_1	Cell-death specification 2	gttacGTAAcg
RTP10690_1	Plant G-box/C-box bZIP proteins	ctagcgttACGTaacgtcagc
RTP10690_1	Opaque-2 like transcriptional activators	agcgttACGTaacgtca

RTP10690_1	Cell-death specification 2	gttacGTAACg
RTP10690_1	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_1	GT-box elements	cctagcGTTAcgtaacg
RTP10690_1	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacctagcgtTACGtaacgtca
RTP10690_1	Plant G-box/C-box bZIP proteins	gtcacgTGACgctacctagcg
RTP10690_1	Plant G-box/C-box bZIP proteins	gctaggttaGCGTcacgtgacg
RTP10690_1	ABA response elements	tagcgtcaCGTGacgtt
RTP10690_1	Plant G-box/C-box bZIP proteins	ctaacgtcACGTgacgtacc
RTP10690_1	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgacgtctac
Spacer ID	Detailed Family Information	Sequence
RTP10690_1	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_1	ABA response elements	taacgtcaCGTGacgct
RTP10690_1	Plant G-box/C-box bZIP proteins	gtacgctcACGTgacgttagc
RTP10690_1	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgacgttag
RTP10690_1	Opaque-2 like transcriptional activators	agcgtcACGTgacgtta
RTP10690_1	Plant G-box/C-box bZIP proteins	gttagctaACGTcacgtgacg
RTP10690_1	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgttagctaacgtCACGTgacgcta
RTP10690_1	Opaque-2 like transcriptional activators	tagctaACGTcacgtga
RTP10690_1	Plant G-box/C-box bZIP proteins	gtcacgTGACgttagctaacg
RTP10690_1	MYB-like proteins	cacgtgacGTTAgctaa
RTP10690_1	Plant G-box/C-box bZIP proteins	ctcacgTGACgctacctagcg
RTP10690_1	Plant G-box/C-box bZIP proteins	gctaggttaGCGTcacgtgacg
RTP10690_1	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtcacgtgagctTACGtaaacgct
RTP10690_1	Vertebrate TATA binding protein factor	gcttacgTAAGctcagc
RTP10690_1	Cell-death specification 2	cttacGTAAGc
RTP10690_1	Plant G-box/C-box bZIP proteins	aagcgcttACGTaacgtcagc
RTP10690_1	Opaque-2 like transcriptional activators	gcgcttACGTaacgtca
RTP10690_1	Cell-death specification 2	cttacGTAAGc
RTP10690_1	Plant G-box/C-box bZIP proteins	ctgagcttACGTaacgctta
RTP10690_1	Opaque-2 like transcriptional activators	gagcttACGTaacgct
RTP10690_1	Vertebrate TATA binding protein factor	gcttacgTAAGcgctta
RTP10690_1	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	tatctgctaagcgctTACGtaagctca
RTP10690_1	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium	tctgctaagcgcttACGTaag
RTP10690_1	Arabidopsis CDC5 homolog	tgctaAGCGct
RTP10690_2	Cell-death specification 2	cttagGTAAGc
RTP10690_2	Opaque-2 like transcriptional activators	gagcctACGTacgctta
RTP10690_2	ABA response elements	taggctcaCGTGacgtt
RTP10690_2	Plant G-box/C-box bZIP proteins	gtaacgtcACGTgagcctacg
RTP10690_2	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgagcctac
RTP10690_2	Opaque-2 like transcriptional activators	aacgtcACGTgagccta
RTP10690_2	Plant G-box/C-box bZIP proteins	gtaggctcACGTgacgttagc
RTP10690_2	Myc-like basic helix-loop-helix binding factors	taggctCACGTgacgttac
RTP10690_2	Opaque-2 like transcriptional activators	aggctcACGTgacgtta
RTP10690_2	Cell-death specification 2	gtaacGTCACg
RTP10690_2	Plant G-box/C-box bZIP proteins	cttacgtaACGTcacgtgacg
RTP10690_2	Opaque-2 like transcriptional activators	tacgtaACGTcacgtga
RTP10690_2	Plant G-box/C-box bZIP proteins	ctcacgTGACgttacgtaagg
RTP10690_2	Plant specific NAC [NAM (no apical meristem), ATAF172,	aggctcacgtgacgtTACGtaaggcta

	CUC2 (cup-shaped cotyledons 2)] transcription factors	
RTP10690_2	Opaque-2 like transcriptional activators	cacgtgACGTtacgtaa
RTP10690_2	GT-box elements	cgtgacGTTAcgtaagg
Spacer ID	Detailed Family Information	Sequence
RTP10690_2	Cell-death specification 2	cttacGTAAcg
RTP10690_2	Plant G-box/C-box bZIP proteins	gtagccttACGTaacgtcacg
RTP10690_2	Opaque-2 like transcriptional activators	agccttACGTaacgtca
RTP10690_2	Cell-death specification 2	gttacGTAAgg
RTP10690_2	Opaque-2 like transcriptional activators	gacgttACGTaaggcta
RTP10690_2	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgtctacgtacgttACGTaacgtca
RTP10690_2	Opaque-2 like transcriptional activators	gacgtcACGTacgtctta
RTP10690_2	Plant G-box/C-box bZIP proteins	gtaaggctACGTacgtcacg
RTP10690_2	Opaque-2 like transcriptional activators	aaggctACGTacgtca
RTP10690_2	Plant G-box/C-box bZIP proteins	ctcacGTACgctacgtaccc
RTP10690_2	Plant G-box/C-box bZIP proteins	gctacgtacGTcagctgagc
RTP10690_2	Plant G-box/C-box bZIP proteins	gtaagctcACGTgacgtacg
RTP10690_2	Myc-like basic helix-loop-helix binding factors	taagctCACGTgacgtac
RTP10690_2	Opaque-2 like transcriptional activators	aagctcACGTgacgtca
RTP10690_2	ABA response elements	taagctcaCGTgacgtc
RTP10690_2	Plant G-box/C-box bZIP proteins	gtagcgtcACGTgagcttacc
RTP10690_2	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgagcttac
RTP10690_2	Opaque-2 like transcriptional activators	agcgtcACGTgagctta
RTP10690_2	GT-box elements	cgtcacGTGAgcttacc
RTP10690_2	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agagttaggttaagctCACGTgacgtca
RTP10690_2	Cell-death specification 2	gttagGTAAgc
RTP10690_2	MYB IIG-type binding sites	tagagttAGTAagc
RTP10690_2	MYB-like proteins	tagctagAGTTaggtaa
RTP10690_2	ABA response elements	tagcctcaCGTGacctt
RTP10690_2	Plant G-box/C-box bZIP proteins	ctaaggctACGTgaggctagc
RTP10690_2	Myc-like basic helix-loop-helix binding factors	taaggtCACGTgaggctag
RTP10690_2	Opaque-2 like transcriptional activators	aaggtcACGTgaggcta
RTP10690_2	Dc3 promoter binding factors	cTCACgtgacc
RTP10690_2	Plant G-box/C-box bZIP proteins	ctagcctcACGTgaccttagc
RTP10690_2	Myc-like basic helix-loop-helix binding factors	tagcctCACGTgaccttag
RTP10690_2	Opaque-2 like transcriptional activators	agcctcACGTgacctta
RTP10690_2	GT-box elements	cctcacGTGAccttagc
RTP10690_2	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agtgttagctaaggtCACGTgaggcta
RTP10690_2	Plant G-box/C-box bZIP proteins	tcgagcTGACgctacctagtg
RTP10690_2	Plant G-box/C-box bZIP proteins	actaggtaGCGTcagctcgac
RTP10690_3	Opaque-2 like transcriptional activators	gacgtcACGTagcccca
RTP10690_3	Plant G-box/C-box bZIP proteins	gtggggctACGTacgtcacg
RTP10690_3	Opaque-2 like transcriptional activators	ggggctACGTacgtca
RTP10690_3	Plant G-box/C-box bZIP proteins	gtcacgTGACgctacgtaccc
RTP10690_3	Plant G-box/C-box bZIP proteins	gctacgtacGCGTcagtgacg
Spacer ID	Detailed Family Information	Sequence
RTP10690_3	ABA response elements	tagcgtcaCGTGacgtt

RTP10690_3	Plant G-box/C-box bZIP proteins	gtaacgtcACGTgacgctacg
RTP10690_3	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgacgctac
RTP10690_3	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_3	ABA response elements	taacgtcaCGTGacgct
RTP10690_3	Plant G-box/C-box bZIP proteins	gtacgctcACGTgacgttacc
RTP10690_3	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgacgttac
RTP10690_3	Opaque-2 like transcriptional activators	agcgtcACGTgacgtta
RTP10690_3	Cell-death specification 2	gtaacGTCAcg
RTP10690_3	Plant G-box/C-box bZIP proteins	cttaggtaACGTcacgtgacg
RTP10690_3	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aggcttaggtaacgtCACGTgacgcta
RTP10690_3	Opaque-2 like transcriptional activators	taggtaACGTcacgtga
RTP10690_3	Plant G-box/C-box bZIP proteins	gtcacgTGACgttacctaagc
RTP10690_3	Opaque-2 like transcriptional activators	cacgtgACGTtacctaa
RTP10690_3	GT-box elements	cgtagcGTTAcctaagc
RTP10690_3	Cell-death specification 2	cttagGTAACg
RTP10690_3	Vertebrate TATA binding protein factor	cgttaccTAAGcctagg
RTP10690_3	Plant G-box/C-box bZIP proteins	gttagcgtAACGTgacgtgagg
RTP10690_3	Plant G-box/C-box bZIP proteins	ctcagcTGACgttacgtaacg
RTP10690_3	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcctcagctgacgtTACGtaacgcta
RTP10690_3	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_3	GT-box elements	gctgacGTTAcgtaacg
RTP10690_3	Cell-death specification 2	gttacGTAACg
RTP10690_3	Plant G-box/C-box bZIP proteins	ctagcgttACGTaacgtcagc
RTP10690_3	Opaque-2 like transcriptional activators	agcgttACGTaacgtca
RTP10690_3	Cell-death specification 2	gttacGTAACg
RTP10690_3	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_3	GT-box elements	cctagcGTTAcgtaacg
RTP10690_3	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gagcctacctagcgtTACGtaacgtca
RTP10690_3	Calmodulin binding / CGCG box binding proteins	gccCGTGtcagctgagc
RTP10690_3	Bel-1 similar region	tgtcctgcccggtTCAGctgagc
RTP10690_4	Dehydration responsive element binding factors	gaatgaaaCCGAtctacgtag
RTP10690_4	Light responsive element motif, not modulated by different light qualities	cgATCTacgta
RTP10690_4	Plant G-box/C-box bZIP proteins	ataatctcACGTgaggctagg
RTP10690_4	Myc-like basic helix-loop-helix binding factors	taatctCACGTgaggctag
RTP10690_4	Opaque-2 like transcriptional activators	aatctcACGTgaggcta
RTP10690_4	ABA response elements	taatctcACGTgaggct
RTP10690_4	Plant G-box/C-box bZIP proteins	ctagcctcACGTgagattatg
RTP10690_4	Myc-like basic helix-loop-helix binding factors	tagcctCACGTgagattat
Spacer ID	Detailed Family Information	Sequence
RTP10690_4	Opaque-2 like transcriptional activators	agcctcACGTgagatta
RTP10690_4	Brassinosteroid (BR) response element	cctcaCGTGagattatg
RTP10690_4	Cell-death specification 2	attatGTAAGg
RTP10690_4	Vertebrate TATA binding protein factor	gattatgTAAGgctagg
RTP10690_4	Plant G-box/C-box bZIP proteins	gtcacgTGACgttacctagcc
RTP10690_4	Plant G-box/C-box bZIP proteins	gctaggtaGCGTcacgtgacg
RTP10690_4	ABA response elements	tagcgtcaCGTGacgtt

RTP10690_4	Plant G-box/C-box bZIP proteins	gtaacgtcACGTgacgctacc
RTP10690_4	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgacgctac
RTP10690_4	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_4	ABA response elements	taacgtcaCGTGacgct
RTP10690_4	Plant G-box/C-box bZIP proteins	gtacgctcACGTgacgttacc
RTP10690_4	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgacgttac
RTP10690_4	Opaque-2 like transcriptional activators	agcgtcACGTgacgtta
RTP10690_4	Cell-death specification 2	gtaacGTCacg
RTP10690_4	Plant G-box/C-box bZIP proteins	gttaggtaACGTcacgtgacg
RTP10690_4	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agtgttaggtaacgtCACGTgacgcta
RTP10690_4	Opaque-2 like transcriptional activators	taggtaACGTcacgtga
RTP10690_4	Plant G-box/C-box bZIP proteins	gtcacgTGACgttacctaaca
RTP10690_4	Opaque-2 like transcriptional activators	cacgtgACGTtacctaa
RTP10690_4	GT-box elements	cgtgacGTTAcctaaca
RTP10690_4	Cell-death specification 2	gttagGTAacg
RTP10690_4	Plant G-box/C-box bZIP proteins	ctcagcTGACgctagctagt
RTP10690_4	Plant G-box/C-box bZIP proteins	actagctaGCGTcagctgagc
RTP10690_4	Telo box (plant interstitial telomere motifs)	gctaaCCCTacgtag
RTP10690_4	Opaque-2 like transcriptional activators	aacctcACGTacgttca
RTP10690_4	Brassinosteroid (BR) response element	gctcaCGTGaggctacg
RTP10690_4	Plant G-box/C-box bZIP proteins	gtaagctcACGTgaggctacg
RTP10690_4	Myc-like basic helix-loop-helix binding factors	taagctCACGTgaggctac
RTP10690_4	Opaque-2 like transcriptional activators	aagctcACGTgaggcta
RTP10690_4	Plant G-box/C-box bZIP proteins	gtacgctcACGTgagcttacc
RTP10690_4	Myc-like basic helix-loop-helix binding factors	tagcctCACGTgagcttac
RTP10690_4	Opaque-2 like transcriptional activators	agcctcACGTgagctta
RTP10690_4	Brassinosteroid (BR) response element	cctcaCGTGagcttacc
RTP10690_4	GT-box elements	cctcacGTGAgcttacc
RTP10690_4	Cell-death specification 2	gttagGTAacg
RTP10690_4	MYB IIG-type binding sites	tagcgctaGGTAacg
RTP10690_4	Core promoter motif ten elements	cttacctAACGctacgtagcc
RTP10690_4	Plant G-box/C-box bZIP proteins	gtgaggctACGTgagcttagg
RTP10690_4	Opaque-2 like transcriptional activators	gaggctACGTgagctta
RTP10690_4	Opaque-2 like transcriptional activators	aacgctACGTgagcttca
RTP10690_4	Root hair-specific cis-elements in angiosperms	aacgctacgtagcctCACGTgacta
RTP10690_4	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aacgctacgtagcctCACGTgactaag
Spacer ID	Detailed Family Information	Sequence
RTP10690_4	ABA response elements	tagcctcaCGTGactaa
RTP10690_4	Plant G-box/C-box bZIP proteins	ccttagtcACGTgaggctacg
RTP10690_4	Myc-like basic helix-loop-helix binding factors	cctagtCACGTgaggctac
RTP10690_4	Opaque-2 like transcriptional activators	ttagtcACGTgaggcta
RTP10690_4	Plant G-box/C-box bZIP proteins	gtacgctcACGTgactaagga
RTP10690_4	Myc-like basic helix-loop-helix binding factors	tagcctCACGTgactaagg
RTP10690_4	Opaque-2 like transcriptional activators	agcctcACGTgactaag
RTP10690_4	GT-box elements	cctcacGTGActaagga
RTP10690_4	MYB IIG-type binding sites	aatgGTAaggtcatc
RTP10690_5	Plant G-box/C-box bZIP proteins	gttaggtaACGTgagctgagg
RTP10690_5	Plant G-box/C-box bZIP proteins	ctcagcTGACgttacgtaacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172,	agcctcagctgacgtTACGtaacgcta

	CUC2 (cup-shaped cotyledons 2)] transcription factors	
RTP10690_5	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_5	GT-box elements	gctgacGTTAcgtaacg
RTP10690_5	Cell-death specification 2	gttacGTAAcg
RTP10690_5	Plant G-box/C-box bZIP proteins	ctagcggtACGTaacgtcagc
RTP10690_5	Opaque-2 like transcriptional activators	agcggtACGTaacgtca
RTP10690_5	Cell-death specification 2	gttacGTAAcg
RTP10690_5	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_5	GT-box elements	cctagcGTTAcgtaacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacctagcgtTACGtaacgtca
RTP10690_5	Plant G-box/C-box bZIP proteins	gtcacgTGACgctacctagcg
RTP10690_5	Plant G-box/C-box bZIP proteins	gctaggtAGCGTcacgtgacg
RTP10690_5	ABA response elements	tagcgtaCGTGacgtt
RTP10690_5	Plant G-box/C-box bZIP proteins	ctaacgtcACGTgacgtacc
RTP10690_5	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgacgctac
RTP10690_5	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_5	ABA response elements	taacgtcaCGTGacgct
RTP10690_5	Plant G-box/C-box bZIP proteins	gtagcgtaACGTgacgttagc
RTP10690_5	Myc-like basic helix-loop-helix binding factors	tagcgtaCACGTgacgttag
RTP10690_5	Opaque-2 like transcriptional activators	agcgtaACGTgacgtta
RTP10690_5	Plant G-box/C-box bZIP proteins	gttagctaACGTcacgtgacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtagtaacgtCACGTgacgcta
RTP10690_5	Opaque-2 like transcriptional activators	tagctaACGTcacgtga
RTP10690_5	Plant G-box/C-box bZIP proteins	gtcacgTGACgttagctaacg
RTP10690_5	MYB-like proteins	cacgtgacGTTAgctaa
RTP10690_5	Plant G-box/C-box bZIP proteins	ctcacgTGACgctacctagcg
RTP10690_5	Plant G-box/C-box bZIP proteins	gctaggtAGCGTcacgtgacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtaacgtgacgtTACGtaacgccc
Spacer ID	Detailed Family Information	Sequence
RTP10690_5	Vertebrate TATA binding protein factor	gcttacTAAGctcagc
RTP10690_5	Cell-death specification 2	cttacGTAAgc
RTP10690_5	Plant G-box/C-box bZIP proteins	tggcgcttACGTaacgtcagc
RTP10690_5	Opaque-2 like transcriptional activators	gcgcttACGTaacgtca
RTP10690_5	Cell-death specification 2	cttacGTAAgc
RTP10690_5	Plant G-box/C-box bZIP proteins	ctgagcttACGTaacgccc
RTP10690_5	Opaque-2 like transcriptional activators	gagcttACGTaacgccc
RTP10690_5	Vertebrate TATA binding protein factor	gcttacTAAGcgcac
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	cctgccgtggcgctTACGtaacgtca
RTP10690_5	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium tumefaciens T-DNA	tgcccggtggcgctTACGtaag
RTP10690_5	Calmodulin binding / CGCG box binding proteins	gccCGTGgcgcttacgt
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcttacgtaacgcccACGGgcaggac

RTP10690_5	Plant G-box/C-box bZIP proteins	tgtcctgcCCGTggcgcttac
RTP10690_6	Dehydration responsive element binding factors	gaatgaaaCCGAtctacgtag
RTP10690_6	Light responsive element motif, not modulated by different light qualities	cgATCTacgta
RTP10690_6	Cell-death specification 2	cttagGTAAGc
RTP10690_6	Opaque-2 like transcriptional activators	gagcctACGTacgctta
RTP10690_6	ABA response elements	taggctcaCGTGacgtt
RTP10690_6	Plant G-box/C-box bZIP proteins	gtaacgtcACGTgacgctacg
RTP10690_6	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgacgctac
RTP10690_6	Opaque-2 like transcriptional activators	aacgtcACGTgacgctta
RTP10690_6	Plant G-box/C-box bZIP proteins	gtaggctcACGTgacgttacg
RTP10690_6	Myc-like basic helix-loop-helix binding factors	taggctCACGTgacgttac
RTP10690_6	Opaque-2 like transcriptional activators	aggctcACGTgacgtta
RTP10690_6	Cell-death specification 2	gtaacGTCAcg
RTP10690_6	Plant G-box/C-box bZIP proteins	cttacgtaACGTcacgtgagc
RTP10690_6	Opaque-2 like transcriptional activators	tacgtaACGTcacgtga
RTP10690_6	Plant G-box/C-box bZIP proteins	ctcacgTGACgttacgtaagg
RTP10690_6	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aggctcacgtgacgtTACGtaaggcta
RTP10690_6	Opaque-2 like transcriptional activators	cacgtgACGTtacgtaa
RTP10690_6	GT-box elements	cgtgacGTTAcgtaagg
RTP10690_6	Cell-death specification 2	cttacGTAAGc
RTP10690_6	Plant G-box/C-box bZIP proteins	gtagccttACGTaacgtcacg
RTP10690_6	Opaque-2 like transcriptional activators	agccttACGTaacgtca
RTP10690_6	Cell-death specification 2	gttacGTAAGg
RTP10690_6	Opaque-2 like transcriptional activators	gacgttACGTaaggcta
Spacer ID	Detailed Family Information	Sequence
RTP10690_6	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacgtacgtTACGtaacgtca
RTP10690_6	Opaque-2 like transcriptional activators	gacgctACGTacgctta
RTP10690_6	Plant G-box/C-box bZIP proteins	gtaaggctACGTacgtcacg
RTP10690_6	Opaque-2 like transcriptional activators	aaggctACGTacgtca
RTP10690_6	Plant G-box/C-box bZIP proteins	ctcacgTGACgctacgtagcc
RTP10690_6	Plant G-box/C-box bZIP proteins	gctacgtaGCGTcacgtgagc
RTP10690_6	Plant G-box/C-box bZIP proteins	gtaagctcACGTgacgctacg
RTP10690_6	Myc-like basic helix-loop-helix binding factors	taagctCACGTgacgctac
RTP10690_6	Opaque-2 like transcriptional activators	aagctcACGTgacgcta
RTP10690_6	ABA response elements	taagctcaCGTGacgt
RTP10690_6	Plant G-box/C-box bZIP proteins	gtagcgctACGTgagcttacc
RTP10690_6	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgagcttac
RTP10690_6	Opaque-2 like transcriptional activators	agcgctACGTgagctta
RTP10690_6	GT-box elements	cgtcacGTGAgcttacc
RTP10690_6	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agagtaggtaagctCACGTgacgcta
RTP10690_6	Cell-death specification 2	gttagGTAAGc
RTP10690_6	MYB IIG-type binding sites	tagagttaGGAAGc
RTP10690_6	MYB-like proteins	tagctagAGTTaggtaa
RTP10690_6	ABA response elements	tagcctcaCGTGacctt

RTP10690_6	Plant G-box/C-box bZIP proteins	ctaaggctACGTgaggctagc
RTP10690_6	Myc-like basic helix-loop-helix binding factors	taaggctCACGtgaggctag
RTP10690_6	Opaque-2 like transcriptional activators	aaggctACGTgaggcta
RTP10690_6	Dc3 promoter binding factors	cTCACgtgacc
RTP10690_6	Plant G-box/C-box bZIP proteins	ctagcctcACGTgaccttagc
RTP10690_6	Myc-like basic helix-loop-helix binding factors	tagcctCACGtgaccttag
RTP10690_6	Opaque-2 like transcriptional activators	agcctcACGTgacctta
RTP10690_6	GT-box elements	cctcacGTGAccttagc
RTP10690_6	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agtgttagctaaggctCACGtgaggcta
RTP10690_6	Plant G-box/C-box bZIP proteins	ctaagcTGACgctacctagtg
RTP10690_7	L1 box, motif for L1 layer-specific expression	aatCAGTaaattgaacg
RTP10690_7	Arabidopsis homeobox protein	caaTTTActga
RTP10690_7	Sucrose box	gaCAATcagtaaattgaac
RTP10690_7	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium tumefaciens T-DNA	tttactgattgtctACGTagc
RTP10690_7	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aatttactgattgtcTACGtagcgta
RTP10690_7	Plant G-box/C-box bZIP proteins	gattgtctACGTagcgtaacc
Spacer ID	Detailed Family Information	Sequence
RTP10690_7	Plant G-box/C-box bZIP proteins	gtcaggTGACgctacgtagac
RTP10690_7	Plant G-box/C-box bZIP proteins	tctacgtaGCGTcacctgacg
RTP10690_7	Plant G-box/C-box bZIP proteins	cgtagcgtaaccTGACgttac
RTP10690_7	Plant G-box/C-box bZIP proteins	cttagcgtACGTcaggtagcg
RTP10690_7	Plant G-box/C-box bZIP proteins	gtcaccTGACgttagcgaagg
RTP10690_7	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtaacctgacgtTACGtaaggcta
RTP10690_7	Opaque-2 like transcriptional activators	cacctgACGTtacgtaa
RTP10690_7	GT-box elements	cctgacGTTAcgtaagg
RTP10690_7	Cell-death specification 2	cttacGTAAcg
RTP10690_7	Plant G-box/C-box bZIP proteins	gtagccttACGTaacgtcagg
RTP10690_7	Opaque-2 like transcriptional activators	agccttACGTaacgtca
RTP10690_7	Cell-death specification 2	gttacGTAAgg
RTP10690_7	Opaque-2 like transcriptional activators	gacgttACGTaaggcta
RTP10690_7	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gagcctaggtagcctTACGtaacgtca
RTP10690_7	ABA response elements	taggctcaCGTGacgtt
RTP10690_7	Plant G-box/C-box bZIP proteins	gtaacgtcACGTgagcctagg
RTP10690_7	Myc-like basic helix-loop-helix binding factors	taacgtCACGtgagcctag
RTP10690_7	Opaque-2 like transcriptional activators	aacgtcACGTgagccta
RTP10690_7	Plant G-box/C-box bZIP proteins	ctaggctcACGTgacgttagc
RTP10690_7	Myc-like basic helix-loop-helix binding factors	taggctCACGtgacgttac
RTP10690_7	Opaque-2 like transcriptional activators	aggctcACGTgacgtta
RTP10690_7	Cell-death specification 2	gtaacGTCAcg
RTP10690_7	Plant G-box/C-box bZIP proteins	gttagcgtAACGTcacgtgagc

RTP10690_7	Opaque-2 like transcriptional activators	tacgtaACGTcacgtga
RTP10690_7	Plant G-box/C-box bZIP proteins	ctcacgTGACgttacgtaacg
RTP10690_7	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aggctcacgtgacgtTACGtaacgcta
RTP10690_7	Opaque-2 like transcriptional activators	cacgtgACGTtacgtaa
RTP10690_7	GT-box elements	cgtgacGTTACgtaacg
RTP10690_7	Cell-death specification 2	gttacGTAACg
RTP10690_7	Plant G-box/C-box bZIP proteins	gtagcgttACGTaacgtcacg
RTP10690_7	Opaque-2 like transcriptional activators	agcgttACGTaacgtca
RTP10690_7	Cell-death specification 2	gttacGTAACg
RTP10690_7	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_7	GT-box elements	cgtagcGTTACgtaacg
RTP10690_7	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacgtagcgtTACGtaacgtca
Spacer ID	Detailed Family Information	Sequence
RTP10690_7	Plant G-box/C-box bZIP proteins	ctgacgctACGTacggttacg
RTP10690_7	Opaque-2 like transcriptional activators	gacgctACGTacggtta
RTP10690_7	Plant G-box/C-box bZIP proteins	gtaacgctACGTacggtcagg
RTP10690_7	Opaque-2 like transcriptional activators	aacgctACGTacggtca
RTP10690_7	Plant G-box/C-box bZIP proteins	ctcaccTGACgctacgtacg
RTP10690_7	Plant G-box/C-box bZIP proteins	gctacgtaGCGTcaggtgagg
RTP10690_7	MYB-like proteins	caggtgagGTTAgctaa
RTP10690_7	Plant G-box/C-box bZIP proteins	cttacctaACGTcaggtgagg
RTP10690_7	Plant G-box/C-box bZIP proteins	ctcaccTGACgttaggtaagg
RTP10690_7	MYB IIG-type binding sites	tgacgttaGGTAagg
RTP10690_7	Cell-death specification 2	gttagGTAAGg
RTP10690_7	GT-box elements	cgttagGTAAGgctacg
RTP10690_7	Opaque-2 like transcriptional activators	gacgctACGTacgctta
RTP10690_7	Plant G-box/C-box bZIP proteins	gtaaggctACGTacggtcacc
RTP10690_7	Opaque-2 like transcriptional activators	aaggctACGTacggtca
RTP10690_7	Plant G-box/C-box bZIP proteins	ctcaggTGACgctacgtacg
RTP10690_7	Plant G-box/C-box bZIP proteins	gctacgtaGCGTcacctgaga
RTP10690_7	Myc-like basic helix-loop-helix binding factors	tagcgtCACctgagattag
RTP10690_7	ABA response elements	tagactcaCGTGacctt
RTP10690_7	Plant G-box/C-box bZIP proteins	ctaaggtcACGTgagcttagg
RTP10690_7	Myc-like basic helix-loop-helix binding factors	taaggtCACGTgagcttag
RTP10690_7	Opaque-2 like transcriptional activators	aaggtcACGTgagctta
RTP10690_7	TEF-box	ctAAGGtcacgtgagcttagg
RTP10690_7	Dc3 promoter binding factors	cTCACgtgacc
RTP10690_7	Plant G-box/C-box bZIP proteins	ctagactcACGTgaccttagg
RTP10690_7	Myc-like basic helix-loop-helix binding factors	tagactCACGTgaccttag
RTP10690_7	Opaque-2 like transcriptional activators	agactcACGTgacctta
RTP10690_7	GT-box elements	actcacGTGAccttagg
RTP10690_7	Cell-death specification 2	cttagGTAACg
RTP10690_7	GT-box elements	ccttagGTAACgctacg
RTP10690_7	GT-box elements	cgtagcGTTAcctaagg
RTP10690_7	Plant G-box/C-box bZIP proteins	ttgacgctACGTacggttacc
RTP10690_7	Opaque-2 like transcriptional activators	gacgctACGTacggtta
RTP10690_7	Plant G-box/C-box bZIP proteins	gtaacgctACGTacggtcaaa
RTP10690_7	Opaque-2 like transcriptional activators	aacgctACGTacggtca
RTP10690_7	Plant specific NAC [NAM (no apical meristem), ATAF172,	gtaaagctttgacgctACGTacggtta

	CUC2 (cup-shaped cotyledons 2)] transcription factors	
RTP10690_7	Plant G-box/C-box bZIP proteins	gctacgtaGCGTcaaagcttt
RTP10690_7	Calcium regulated NAC-factors	taaaGCTTtgacgctacgtag
RTP10690_7	W Box family	aagctTTGAcgctacgt
RTP10690_7	Tracheary-element-regulating cis-elements, conferring TE-specific expression	cgctAAAGctt
RTP10690_7	Vertebrate TATA binding protein factor	cggtgTAAAgctttgac
RTP10690_7	DNA binding with one finger (DOF)	agcggtgTAAAgctttg
Spacer ID	Detailed Family Information	Sequence
RTP10690_7	Mitochondrial HMG-box transcription factor	tgtagcgTTGTaa
RTP10690_8	Secondary wall NACS	gattttagttcTAAGttag
RTP10690_8	AS1/AS2 repressor complex	gagTTGAtt
RTP10690_8	Calmodulin binding / CGCG box binding proteins	agaCGCGtcacaaagag
RTP10690_8	Coupling element 3 sequence	ggtagaCGCGtcacaaaga
RTP10690_8	Plant G-box/C-box bZIP proteins	aggtagacGCGTcacaaagag
RTP10690_8	Plant G-box/C-box bZIP proteins	tctttgTGACgctctacctta
RTP10690_8	Calmodulin binding / CGCG box binding proteins	tgaCGCGtctacctaga
RTP10690_8	Plant G-box/C-box bZIP proteins	gctagtgtcagcTGACgttac
RTP10690_8	Plant G-box/C-box bZIP proteins	cttacgtaACGTcagctgaca
RTP10690_8	Plant G-box/C-box bZIP proteins	gtcagcTGACgttacgtaagg
RTP10690_8	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agtgtcagctgacgtTACGtaaggcta
RTP10690_8	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_8	GT-box elements	gctgacGTTAcgtaagg
RTP10690_8	Cell-death specification 2	cttacGTAAcg
RTP10690_8	Plant G-box/C-box bZIP proteins	ttagccttACGTaacgtcagc
RTP10690_8	Opaque-2 like transcriptional activators	agccttACGTaacgtca
RTP10690_8	Cell-death specification 2	gttacGTAAgg
RTP10690_8	Opaque-2 like transcriptional activators	gacgttACGTaaggcta
RTP10690_8	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctagttagcctTACGtaacgtca
RTP10690_8	MYB-like proteins	tgacgctAGTTacgctt
RTP10690_8	Plant G-box/C-box bZIP proteins	gtcacgTGACgctagttagcc
RTP10690_8	ABA response elements	tagcgtcaCGTGacctt
RTP10690_8	Plant G-box/C-box bZIP proteins	gtaaggtcACGTgacgctagt
RTP10690_8	Myc-like basic helix-loop-helix binding factors	taaggtCACGtgacgctag
RTP10690_8	Opaque-2 like transcriptional activators	aaggtcACGTgacgcta
RTP10690_8	ABA response elements	taaggtaCGTGacgct
RTP10690_8	Dc3 promoter binding factors	gTCACgtgacc
RTP10690_8	Plant G-box/C-box bZIP proteins	ctagcgtcACGTgaccttacg
RTP10690_8	Myc-like basic helix-loop-helix binding factors	tagcgtCACGtgaccttac
RTP10690_8	Opaque-2 like transcriptional activators	agcgtaACGTgacctta
RTP10690_8	GT-box elements	cgtaacGTGAccttacg
RTP10690_8	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcggttacgtaaggcTACGtgacgcta
RTP10690_8	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtaacgtgacgtTACGtaacgcta
RTP10690_8	Cell-death specification 2	gttacGTAAgg

RTP10690_8	Plant G-box/C-box bZIP proteins	gtagcggttACGTaaggctcacg
RTP10690_8	Opaque-2 like transcriptional activators	agcggttACGTaaggctca
Spacer ID	Detailed Family Information	Sequence
RTP10690_8	Cell-death specification 2	cttacGTAAcg
RTP10690_8	Opaque-2 like transcriptional activators	gaccttACGTaacgcta
RTP10690_8	GT-box elements	cgtagcGTTAcgtaagg
RTP10690_8	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gagcctacgtagcggtACGTaaggctca
RTP10690_8	Plant G-box/C-box bZIP proteins	ctgagcctACGTgagcgttacg
RTP10690_8	Opaque-2 like transcriptional activators	gagcctACGTgagcgtta
RTP10690_8	Telo box (plant interstitial telomere motifs)	gctaACCCtagctag
RTP10690_8	ABA response elements	tagtgtcACGTgagcctt
RTP10690_8	Plant G-box/C-box bZIP proteins	gtaagctcACGTgacactagc
RTP10690_8	Myc-like basic helix-loop-helix binding factors	taagctCACGTgacactag
RTP10690_8	Opaque-2 like transcriptional activators	aagctcACGTgacacta
RTP10690_8	ABA response elements	taagctcaCGTGacact
RTP10690_8	Plant G-box/C-box bZIP proteins	ctagtgtcACGTgagcgttacg
RTP10690_8	Myc-like basic helix-loop-helix binding factors	tagtgtCACGTgagcgttac
RTP10690_8	Opaque-2 like transcriptional activators	agtgtcACGTgagcgtta
RTP10690_8	GT-box elements	tgtcacGTGAgcgttacg
RTP10690_8	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium tumefaciens T-DNA	tgtcacgtgagctTACGctac
RTP10690_8	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agtgtcacgtgagctTACGctactata
RTP10690_8	Cell-death specification 2	gtagcGTAAgc
RTP10690_8	Pollen-specific regulatory elements	ctataGAAAatgtgtta
RTP10690_9	CA-rich motif	agtctaaAACAactacgta
RTP10690_9	General transcription factor IID, GTF2D	tcagtctaaaacaactacgtagcgtcacg tGACGttacc
RTP10690_9	Plant G-box/C-box bZIP proteins	gtcacgTGACgctacgtagtt
RTP10690_9	Plant G-box/C-box bZIP proteins	actacgtaGCGTcacgtgacg
RTP10690_9	ABA response elements	tagcgtcaCGTGacgtt
RTP10690_9	Plant G-box/C-box bZIP proteins	gtaacgtcACGTgacgttacg
RTP10690_9	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgacgttac
RTP10690_9	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_9	ABA response elements	taacgtcaCGTGacgtt
RTP10690_9	Plant G-box/C-box bZIP proteins	gtagcgtcACGTgacgttacc
RTP10690_9	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgacgttac
RTP10690_9	Opaque-2 like transcriptional activators	agcgtcACGTgacgtta
RTP10690_9	Cell-death specification 2	gtaacGTCAcg
RTP10690_9	Plant G-box/C-box bZIP proteins	cttaggtaACGTcacgtgacg
RTP10690_9	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aggcttaggtaacgtCACGTgacgcta
Spacer ID	Detailed Family Information	Sequence
RTP10690_9	Opaque-2 like transcriptional activators	taggtaACGTcacgtga

RTP10690_9	Plant G-box/C-box bZIP proteins	gtcacgTGACgttacctaagc
RTP10690_9	Opaque-2 like transcriptional activators	cacgtgACGTtacctaa
RTP10690_9	GT-box elements	cgtgacGTTAcctaagc
RTP10690_9	Cell-death specification 2	cttagGTAACg
RTP10690_9	Vertebrate TATA binding protein factor	cgttaccTAAGcctagg
RTP10690_9	Plant G-box/C-box bZIP proteins	gttacgtaACGTcagctgagg
RTP10690_9	Plant G-box/C-box bZIP proteins	ctcagcTGACgttacgtaacg
RTP10690_9	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcctcagctgacgtTACGtaacgcta
RTP10690_9	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_9	GT-box elements	gctgacGTTACgtaacg
RTP10690_9	Cell-death specification 2	gttacGTAACg
RTP10690_9	Plant G-box/C-box bZIP proteins	ctagcgttACGTaacgtcagc
RTP10690_9	Opaque-2 like transcriptional activators	agcgttACGTaacgtca
RTP10690_9	Cell-death specification 2	gttacGTAACg
RTP10690_9	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_9	GT-box elements	cctagcGTTACgtaacg
RTP10690_9	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gagcctacctagcgtTACGtaacgtca
RTP10690_9	Upstream sequence element of U-snRNA genes	aaatttACACattgcca
RTP10690_10	Opaque-2 like transcriptional activators	gagcctACGTacgtgaa
RTP10690_10	Cell-death specification 2	cttagGTAACg
RTP10690_10	Opaque-2 like transcriptional activators	gagcctACGTacgtcta
RTP10690_10	ABA response elements	taggctcaCGTGacgtt
RTP10690_10	Plant G-box/C-box bZIP proteins	gtaacgtcACGTgagcctacg
RTP10690_10	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgagcctac
RTP10690_10	Opaque-2 like transcriptional activators	aacgtcACGTgagccta
RTP10690_10	Plant G-box/C-box bZIP proteins	gtaggctcACGTgacgttacg
RTP10690_10	Myc-like basic helix-loop-helix binding factors	taggctCACGTgacgttac
RTP10690_10	Opaque-2 like transcriptional activators	aggctcACGTgacgtta
RTP10690_10	Cell-death specification 2	gtaacGTCAc
RTP10690_10	Plant G-box/C-box bZIP proteins	cttacgtaACGTcagctgagc
RTP10690_10	Opaque-2 like transcriptional activators	tacgtaACGTcagctga
RTP10690_10	Plant G-box/C-box bZIP proteins	ctcacgTGACgttacgtaagg
RTP10690_10	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aggctcacgtgacgtTACGtaaggcta
RTP10690_10	Opaque-2 like transcriptional activators	cacgtgACGTtacgtaa
RTP10690_10	GT-box elements	cgtgacGTTACgtaagg
RTP10690_10	Cell-death specification 2	cttacGTAACg
RTP10690_10	Plant G-box/C-box bZIP proteins	gtagccttACGTaacgtcacg
RTP10690_10	Opaque-2 like transcriptional activators	agccttACGTaacgtca
Spacer ID	Detailed Family Information	Sequence
RTP10690_10	Cell-death specification 2	gttacGTAAGg
RTP10690_10	Opaque-2 like transcriptional activators	gacgttACGTaaggcta
RTP10690_10	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacgtagcctTACGtaacgtca
RTP10690_10	Opaque-2 like transcriptional activators	gacgctACGTacgtcta
RTP10690_10	Plant G-box/C-box bZIP proteins	gtaaggctACGTgacgtcacg

RTP10690_10	Opaque-2 like transcriptional activators	aaggctACGTgacgtca
RTP10690_10	Plant G-box/C-box bZIP proteins	ctcacgTGACgctacgtagcc
RTP10690_10	Plant G-box/C-box bZIP proteins	gctacgtaGCGTcacgtgagc
RTP10690_10	Plant G-box/C-box bZIP proteins	gtaagctcACGTgacgctacg
RTP10690_10	Myc-like basic helix-loop-helix binding factors	taagctCACGTgacgctac
RTP10690_10	Opaque-2 like transcriptional activators	aagctcACGTgacgcta
RTP10690_10	ABA response elements	taagctcaCGTgacgct
RTP10690_10	Plant G-box/C-box bZIP proteins	gtacgctcACGTgagcttacc
RTP10690_10	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgagcttac
RTP10690_10	Opaque-2 like transcriptional activators	agcgctcACGTgagctta
RTP10690_10	GT-box elements	cgtcacGTGAgcttacc
RTP10690_10	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agagttaggtaagctCACGTgacgcta
RTP10690_10	Cell-death specification 2	gttagGTAAGc
RTP10690_10	MYB IIG-type binding sites	tagagttaGGTAagc
RTP10690_10	MYB-like proteins	tagctagAGTTaggtaa
RTP10690_10	ABA response elements	tagcctcaCGTGacctt
RTP10690_10	Plant G-box/C-box bZIP proteins	ctaaggctcACGTgaggctagc
RTP10690_10	Myc-like basic helix-loop-helix binding factors	taaggtCACGTgaggctag
RTP10690_10	Opaque-2 like transcriptional activators	aaggctcACGTgaggcta
RTP10690_10	Dc3 promoter binding factors	cTCACgtgacc
RTP10690_10	Plant G-box/C-box bZIP proteins	ctagcctcACGTgaccttagc
RTP10690_10	Myc-like basic helix-loop-helix binding factors	tagcctCACGTgaccttag
RTP10690_10	Opaque-2 like transcriptional activators	agcctcACGTgacctta
RTP10690_10	GT-box elements	cctcacGTGAccttagc
RTP10690_10	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agtgttagctaaggtCACGTgaggcta
RTP10690_10	Plant G-box/C-box bZIP proteins	ctgtgcTGACgctacctagt
RTP10690_10	Plant G-box/C-box bZIP proteins	actaggtaGCGTcagcacaga
RTP10690_10	Myc-like basic helix-loop-helix binding factors	agtattCATCtgtgtgac
RTP10690_10	GAP-Box (light response elements)	acagATGAatactag
RTP10690_11	VIP1 responsive elements	acacgGCTCag
RTP10690_11	Plant G-box/C-box bZIP proteins	gttacgtaACGTcagctgagg
RTP10690_11	Plant G-box/C-box bZIP proteins	ctcagcTGACgttacgtaacg
RTP10690_11	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcctcagctgacgtTACGtaacgcta
RTP10690_11	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
Spacer ID	Detailed Family Information	Sequence
RTP10690_11	GT-box elements	gctgacGTTAcgtaacg
RTP10690_11	Cell-death specification 2	gttacGTAACg
RTP10690_11	Plant G-box/C-box bZIP proteins	ctagcgttACGTaacgtcagc
RTP10690_11	Opaque-2 like transcriptional activators	agcgttACGTaacgtca
RTP10690_11	Cell-death specification 2	gttacGTAACg
RTP10690_11	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_11	GT-box elements	cctagcGTTAcgtaacg
RTP10690_11	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgttacctagcgtTACGtaacgtca
RTP10690_11	Plant G-box/C-box bZIP proteins	gtcacgTGACgctacctagcg
RTP10690_11	Plant G-box/C-box bZIP proteins	gctaggtaGCGTcacgtgacg

RTP10690_11	ABA response elements	tagcgtcaCGTGacggtt
RTP10690_11	Plant G-box/C-box bZIP proteins	ctaacgtcACGTgacgctacc
RTP10690_11	Myc-like basic helix-loop-helix binding factors	taacgtCACGtgacgctac
RTP10690_11	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_11	ABA response elements	taacgtcaCGTGacgct
RTP10690_11	Plant G-box/C-box bZIP proteins	gtacgctcACGTgacggttagc
RTP10690_11	Myc-like basic helix-loop-helix binding factors	tagcgtCACGtgacggttag
RTP10690_11	Opaque-2 like transcriptional activators	agcgtcACGTgacggtta
RTP10690_11	Plant G-box/C-box bZIP proteins	gttagctaACGTcacgtgacg
RTP10690_11	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcggttagctaacgtCACGTgacgcta
RTP10690_11	Opaque-2 like transcriptional activators	tagctaACGTcacgtga
RTP10690_11	Plant G-box/C-box bZIP proteins	gtcacgTGACgttagctaacg
RTP10690_11	MYB-like proteins	cacgtgacGTTAgctaa
RTP10690_11	Plant G-box/C-box bZIP proteins	ctcagcTGACgctacctagcg
RTP10690_11	Plant G-box/C-box bZIP proteins	gctaggtaGCGTcagctgagc
RTP10690_11	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtcagctgagctTACGtaagcgca
RTP10690_11	Vertebrate TATA binding protein factor	gcttacgTAAGctcagc
RTP10690_11	Cell-death specification 2	cttacGTAAGc
RTP10690_11	Plant G-box/C-box bZIP proteins	gtgcgcttACGTaagctcagc
RTP10690_11	Opaque-2 like transcriptional activators	gcgcttACGTaagctca
RTP10690_11	Cell-death specification 2	cttacGTAAGc
RTP10690_11	Plant G-box/C-box bZIP proteins	ctgagcttACGTaagcgca
RTP10690_11	Opaque-2 like transcriptional activators	gagcttACGTaagcgca
RTP10690_11	Vertebrate TATA binding protein factor	gcttacgTAAGcgca
RTP10690_11	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	attcatctgtgcgctTACGtaagctca
RTP10690_11	Plant G-box/C-box bZIP proteins	tcattctgtgcgctTACGtaag
RTP10690_11	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium tumefaciens T-DNA	tcattctgtgcgctTACGtaag
Spacer ID	Detailed Family Information	Sequence
RTP10690_11	Myc-like basic helix-loop-helix binding factors	agtattCATCtgtgcgctt
RTP10690_11	GAP-Box (light response elements)	acagATGAatactag
RTP10690_11	MYB-like proteins	tactagctGTTGttcac
RTP10690_12	VIP1 responsive elements	acacgGCTCag
RTP10690_12	Plant G-box/C-box bZIP proteins	gttacgtaACGTcagctgagg
RTP10690_12	Plant G-box/C-box bZIP proteins	ctcagcTGACgttacgtaacg
RTP10690_12	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcctcagctgacgtTACGtaacgcta
RTP10690_12	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_12	GT-box elements	gctgacGTTAcgtaacg
RTP10690_12	Cell-death specification 2	gttacGTAAGc
RTP10690_12	Plant G-box/C-box bZIP proteins	ctagcggttACGTaagctcagc
RTP10690_12	Opaque-2 like transcriptional activators	agcggttACGTaagctca

RTP10690_12	Cell-death specification 2	gttacGTAACg
RTP10690_12	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_12	GT-box elements	cctagcGTTAcgtaacg
RTP10690_12	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacctagcgtTACGtaacgtca
RTP10690_12	Plant G-box/C-box bZIP proteins	gtcacgTGACgctacctagcg
RTP10690_12	Plant G-box/C-box bZIP proteins	gctaggtaGCGTcacgtgacg
RTP10690_12	ABA response elements	tagcgtaCGTGacggt
RTP10690_12	Plant G-box/C-box bZIP proteins	ctaacgtcACGTgacgctacc
RTP10690_12	Myc-like basic helix-loop-helix binding factors	taacgtCACGtgacgctac
RTP10690_12	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_12	ABA response elements	taacgtcaCGTGacgct
RTP10690_12	Plant G-box/C-box bZIP proteins	gtacgctcACGTgacgttagc
RTP10690_12	Myc-like basic helix-loop-helix binding factors	tagcgtCACGtgacgttag
RTP10690_12	Opaque-2 like transcriptional activators	agcgctcACGTgacgtta
RTP10690_12	Plant G-box/C-box bZIP proteins	gttagctaACGTcacgtgacg
RTP10690_12	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtagctaacgtCACGTgacgcta
RTP10690_12	Opaque-2 like transcriptional activators	tagctaACGTcacgtga
RTP10690_12	Plant G-box/C-box bZIP proteins	gtcacgTGACgttagctaacg
RTP10690_12	MYB-like proteins	cacgtgacGTTAgctaa
RTP10690_12	Plant G-box/C-box bZIP proteins	ctcagcTGACgctacctagcg
RTP10690_12	Plant G-box/C-box bZIP proteins	gctaggtaGCGTcagctgagc
RTP10690_12	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgctcagctgagctTACGtaagcgct
RTP10690_12	Vertebrate TATA binding protein factor	gcttacgTAAGctcagc
Spacer ID	Detailed Family Information	Sequence
RTP10690_12	Cell-death specification 2	cttacGTAAGc
RTP10690_12	Plant G-box/C-box bZIP proteins	aagcgcttACGTaagctcagc
RTP10690_12	Opaque-2 like transcriptional activators	gcgcttACGTaagctca
RTP10690_12	Cell-death specification 2	cttacGTAAGc
RTP10690_12	Plant G-box/C-box bZIP proteins	ctgagcttACGTaagcgctta
RTP10690_12	Opaque-2 like transcriptional activators	gagcttACGTaagcgct
RTP10690_12	Vertebrate TATA binding protein factor	gcttacgTAAGcgctta
RTP10690_12	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	ctttaattaagcgctTACGtaagctca
RTP10690_12	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium tumefaciens T-DNA	ttaattaagcgcttACGTaag
RTP10690_12	Vertebrate TATA binding protein factor	ctttaatTAAGcgctta
RTP10690_12	DNA binding with one finger (DOF)	gcttaattAAAGtactg
RTP10690_12	Arabidopsis homeobox protein	gtaCTGAtatc
RTP10690_12	Dehydration responsive element binding factors	atttggtacCGAAtatcagctac
RTP10690_12	SBP-domain proteins	tatcgGTACcaaatcga
RTP10690_12	Sucrose box	aaAAATtacggatgatgaat
RTP10690_12	MYB proteins with single DNA binding repeat	attcatATCCgtaattt
RTP10690_5	M-phase-specific activator elements	attacAACGgtatat

RTP10690_5	Yeast TATA binding protein factor	aacggtaTATAtcctgc
RTP10690_5	Yeast TATA binding protein factor	ggcaggaTATAtaccgt
RTP10690_5	Vertebrate TATA binding protein factor	cggtaTATAtcctgccca
RTP10690_5	MYB proteins with single DNA binding repeat	gtatatATCCTgccagt
RTP10690_5	Caenorhabditis maternal gene product SKN-1	cagcATCAtcaca
RTP10690_5	Fungal and oomycete pathogen response cluster - promoter motif	ctattcGGGCctaactt
RTP10690_5	Retroviral upstream element	ggccccgaatagTTTGaaatta
RTP10690_5	SBP-domain proteins	tagcCGTAcfaatattac
RTP10690_5	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium tumefaciens T-DNA	gtgagtaaatattgtACGGcta
RTP10690_5	Arabidopsis homeobox protein	aatATTActca
RTP10690_5	Opaque-2 like transcriptional activators	accggTGAGtaaatattg
RTP10690_5	Epstein-Barr virus transcription factor R	atgcccccatcgtaGGTGaa
RTP10690_5	Retroviral PolyA signal	gCCATtaatttcacaccttcac
RTP10690_5	Retroviral upstream element	cgcgccattaaTTTCcacctt
RTP10690_5	L1 box, motif for L1 layer-specific expression	cgccATTaatttcacc
RTP10690_5	Arabidopsis homeobox protein	gaaATTAatgg
RTP10690_5	GT-box elements	gtaataGTTActaatca
RTP10690_5	MYB-like proteins	acgtaatAGTTactaat
Spacer ID	Detailed Family Information	Sequence
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	cactgattagtaactatTACGtaagcc
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	ctgattagtaactatTACGtaagccta
RTP10690_5	Cell-death specification 2	cttacGTAAta
RTP10690_5	Plant G-box/C-box bZIP proteins	gtaggcttACGTaatagttac
RTP10690_5	Cell-death specification 2	attacGTAAGc
RTP10690_5	Vertebrate TATA binding protein factor	tattacgTAAGcctacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacgtaggctTACGtaaatggt
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	actattacgtaagccTACGtagcgtca
RTP10690_5	Plant G-box/C-box bZIP proteins	gtaagcctACGTacggtcacg
RTP10690_5	Opaque-2 like transcriptional activators	aagcctACGTacggtca
RTP10690_5	Plant G-box/C-box bZIP proteins	gtcacgTGACgctacgtaggc
RTP10690_5	Plant G-box/C-box bZIP proteins	cctacgtaGCGTcacgtgacg
RTP10690_5	ABA response elements	tagcgtaCGTGacggtt
RTP10690_5	Plant G-box/C-box bZIP proteins	ctaacgtcACGTgacgctacg
RTP10690_5	Myc-like basic helix-loop-helix binding factors	taacgtCACGTgacgctac
RTP10690_5	Opaque-2 like transcriptional activators	aacgtcACGTgacgcta
RTP10690_5	ABA response elements	taacgtcaCGTGacgct
RTP10690_5	Plant G-box/C-box bZIP proteins	gtacgctcACGTgacgttagc
RTP10690_5	Myc-like basic helix-loop-helix binding factors	tagcgtCACGTgacggttag
RTP10690_5	Opaque-2 like transcriptional activators	agcgctACGTgacgtta
RTP10690_5	Plant G-box/C-box bZIP proteins	gtaggctaACGTcaggtgacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtaggtaacgtCACGTgacgcta

RTP10690_5	Opaque-2 like transcriptional activators	tagctaACGTcacgtga
RTP10690_5	Plant G-box/C-box bZIP proteins	gtcacgTGACgtagctaacg
RTP10690_5	MYB-like proteins	cacgtgacGTTAgctaa
RTP10690_5	Plant G-box/C-box bZIP proteins	ctgaggctACGTacgtagc
RTP10690_5	Opaque-2 like transcriptional activators	gaggctACGTacggtta
RTP10690_5	Opaque-2 like transcriptional activators	aacgctACGTacgctca
RTP10690_5	Plant G-box/C-box bZIP proteins	cttacgtaACGTacgtagg
RTP10690_5	Plant G-box/C-box bZIP proteins	ctcacgTGACgttacgtaagc
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcctcagctgacgtTACGtaagccta
RTP10690_5	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_5	GT-box elements	gctgacGTTAcgtaagc
RTP10690_5	Cell-death specification 2	cttacGTAAcg
RTP10690_5	Plant G-box/C-box bZIP proteins	gtaggcttACGTaacgtcagc
Spacer ID	Detailed Family Information	Sequence
RTP10690_5	Opaque-2 like transcriptional activators	aggcttACGTaacgtca
RTP10690_5	Cell-death specification 2	gttacGTAAcg
RTP10690_5	Plant G-box/C-box bZIP proteins	ctgacgttACGTaacgctacg
RTP10690_5	Opaque-2 like transcriptional activators	gacgttACGTaacctca
RTP10690_5	Vertebrate TATA binding protein factor	cgttacgTAAGcctacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gacgctacgtaggctTACGtaacgtca
RTP10690_5	Plant G-box/C-box bZIP proteins	gtaagcctACGTacggtcacg
RTP10690_5	Opaque-2 like transcriptional activators	aagcctACGTacggtca
RTP10690_5	Plant G-box/C-box bZIP proteins	ctcacgTGACgctacgtaggc
RTP10690_5	Plant G-box/C-box bZIP proteins	cctacgtaGCGTcacgtgagc
RTP10690_5	Plant G-box/C-box bZIP proteins	ctaagctcACGTgacgctacg
RTP10690_5	Myc-like basic helix-loop-helix binding factors	taagctCACGTgacgctac
RTP10690_5	Opaque-2 like transcriptional activators	aagctcACGTgacgcta
RTP10690_5	ABA response elements	taagctcaCGTgacgct
RTP10690_5	Plant G-box/C-box bZIP proteins	gtagcgctACGTgagcttagc
RTP10690_5	Myc-like basic helix-loop-helix binding factors	tagcgctCACGTgacgcttag
RTP10690_5	Opaque-2 like transcriptional activators	agcgctACGTgagctta
RTP10690_5	GT-box elements	cgtcacGTGAgcttagc
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcgtagctaagctCACGTgacgcta
RTP10690_5	Plant G-box/C-box bZIP proteins	gttacgtaACGTcagctgagc
RTP10690_5	Plant G-box/C-box bZIP proteins	ctcacgTGACgttacgtaacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aggctcagctgacgtTACGtaacgcta
RTP10690_5	Opaque-2 like transcriptional activators	cagctgACGTtacgtaa
RTP10690_5	GT-box elements	gctgacGTTAcgtaacg
RTP10690_5	Cell-death specification 2	gttacGTAAcg
RTP10690_5	Plant G-box/C-box bZIP proteins	ctagcggttACGTaacgtcagc
RTP10690_5	Opaque-2 like transcriptional activators	agcggttACGTaacgtca
RTP10690_5	Cell-death specification 2	gttacGTAAcg
RTP10690_5	Opaque-2 like transcriptional activators	gacgttACGTaacgcta
RTP10690_5	GT-box elements	gctagcGTTAcgtaacg
RTP10690_5	Plant specific NAC [NAM (no apical meristem), ATAF172,	gacgctagctagcgtTACGtaacgtca

	CUC2 (cup-shaped cotyledons 2)] transcription factors	
RTP10690_5	Plant G-box/C-box bZIP proteins	caggagTGACgctagctagcg
RTP10690_5	Plant G-box/C-box bZIP proteins	gctagctaGCGTcactcctgc
RTP10690_5	Enhancer element first identified in the promoter of the octopine synthase gene (OCS) of the Agrobacterium tumefaciens T-DNA	ttgctgcaggagtGACGctag
t-AtAHASL	Retroviral PolyA signal	aCCATaaaaggttctgataat
t-AtAHASL	Vertebrate TATA binding protein factor	gaccaTAAaaggttctg
t-AtAHASL	Papilloma virus E2 transcriptional activator	agaccataaaAGGTtct
Spacer ID	Detailed Family Information	Sequence
t-AtAHASL	MADS box proteins	aaagaccatAAAaggttctga
t-AtAHASL	Papilloma virus E2 transcriptional activator	gaaccttttaTGGTctt
t-AtAHASL	GT-box elements	ttttATGGtctttgtat
t-AtAHASL	MYB proteins with single DNA binding repeat	taccaTATGcatacaaa
t-AtAHASL	Arabidopsis homeobox protein	aaaCTTAgttt
t-AtAHASL	MYB-like proteins	aaaactTAGTttgcaat
t-AtAHASL	GT-box elements	gttttgGTAAttgagt
t-AtAHASL	MYB-like proteins	ttcttttAGTTgttgat
t-AtAHASL	Retroviral CCAAT binding factors	aCCAAaaagcaggcatcaacaac
t-AtAHASL	Sucrose box	aaAAAGcaggcatcaac
t-AtAHASL	Legumin Box family	ttgatctGCCTgcttttggttacgt
t-AtAHASL	DNA binding with one finger (DOF)	taaaccAAAGcaggc
t-AtAHASL	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	gcctgcttttgggtTACGtcagacta
t-AtAHASL	Cell-death specification 2	ctgacGTAAac
t-AtAHASL	Plant G-box/C-box bZIP proteins	gtagtcTGACgtaaaccaaaa
t-AtAHASL	Cell-death specification 2	tttacGTCaGa
t-AtAHASL	Plant G-box/C-box bZIP proteins	tttggtttACGTcagactact
t-AtAHASL	Plant G-box/C-box bZIP proteins	gcagtagtagtcTGACgtaaa
t-AtAHASL	Secondary wall NACS	ttataaaatgAAAGaaag
t-AtAHASL	Core promoter initiator elements	ttTCATtttat
t-AtAHASL	Vertebrate TATA binding protein factor	atttaTAAAtgaaaga
t-AtAHASL	Plant TATA binding protein factor	atttTATAaataaat
t-AtAHASL	Vertebrate TATA binding protein factor	ttttaTAAAtaataaat
t-AtAHASL	L1 box, motif for L1 layer-specific expression	tataaaTAAAtaatccg
t-AtAHASL	Retroviral PolyA signal	ataaaTAAAtaatccggttcg
t-AtAHASL	Dehydration responsive element binding factors	ggagtaaaCCGAaccggatta
t-AtAHASL	MYB-like proteins	tcagtttgGTTAttgctg
t-AtAHASL	GT-box elements	agtttgGTTAttgcgaa
t-AtAHASL	Cell-death specification 2	atttcGCAAta
t-AtAHASL	Cell-death specification 2	attgcGAAAtg
t-AtAHASL	Plant nitrate-responsive cis-elements	tcaatttaccattcgatttcgcAATAac caaa
t-AtAHASL	TEF-box	gaATGGtaaattgagtaattg
t-AtAHASL	Cell-death specification 2	attgaGTAAtt
t-AtAHASL	MYB-like proteins	tgaatTCGTtattagg
t-AtAHASL	Telo box (plant interstitial telomere motifs)	tagaaCCCTaataac
t-AtAHASL	Mitochondrial HMG-box transcription factor	attagggTTCTaa
t-AtAHASL	VIP1 responsive elements	aaacaGCTTag
t-AtAHASL	CA-rich motif	ctgttaaAACAgcttagaa

t-AtAHASL	MYB-like proteins	cagtgaCTGTtaaaca
t-AtAHASL	GT-box elements	cactggGTTAatatctc
t-AtAHASL	Circadian control factors	tgggttAATatctct
t-AtAHASL	Myb-related DNA binding proteins (Golden2, ARR, Psr)	AGATtcgag
Spacer ID	Detailed Family Information	Sequence
t-AtAHASL	Legumin Box family	gcattttcCATGcaagattcgagagat
t-AtAHASL	GT-box elements	ttgcATGGaaaatgctc
t-AtAHASL	Retroviral upstream element	ggtaagagcatTTTCcatgca
t-AtAHASL	Mitochondrial HMG-box transcription factor	aagagcaTTTTcc
t-AtAHASL	MYB proteins with single DNA binding repeat	tgggAAATgctcttacc
t-AtAHASL	LFY binding site	aACCAatggttaag
t-AtAHASL	CCAAT binding factors	aaCCAAtgg
t-AtAHASL	LFY binding site	tACCAAtggtttt
t-AtAHASL	Retroviral PolyA signal	ttcaaTTAAaaaccaatggta
t-AtAHASL	Soybean embryo factor 4	ggTTTTtaatt
t-AtAHASL	DNA-binding proteins with the plant specific TCP-domain	cacgGCCCatatg
t-AtAHASL	Root hair-specific cis-elements in angiosperms	atttaatttggaaacCACGgccccat
t-AtAHASL	MADS box proteins	ggTTCaaattaaataaaac
t-AtAHASL	Vertebrate TATA binding protein factor	ttttattTAATttggaa
t-AtAHASL	Sulphur limitation, elements found in genes inducible during sulphur deprivation	agtttTATTtaatttggaaac
t-AtAHASL	High mobility group factors	gtttTATTtaatttg
t-AtAHASL	L1 box, motif for L1 layer-specific expression	ccaaatTAAAtaaaact
t-AtAHASL	Retroviral PolyA signal	ttaaaTAAAAactacgatgca
t-AtAHASL	Opaque-2 like transcriptional activators	actacgatgTCATcgag
t-AtAHASL	Caenorhabditis maternal gene product SKN-1	cgatGTCatcgag
t-AtAHASL	Sucrose box	taAAATcaactgtgtccac
t-AtAHASL	Lentiviral Poly A downstream element	aaCTGTgtccacatt
t-AtAHASL	MYB-like proteins	acaaaactGATAatgtg
t-AtAHASL	Retroviral upstream element	cacattatcagTTTTgtgtat
t-AtAHASL	Core promoter initiator elements	taTCAGttttg
t-AtAHASL	GT-box elements	aataggGTAAttcaaaa
t-AtAHASL	Circadian control factors	taattcaaAATCtag
t-AtAHASL	Lentiviral Tata upstream element	aagggttaaatgAACCAaaaggc
t-AtAHASL	GT-box elements	cagaaggTTAAaatgaa
t-AtAHASL	Heat shock factors	tttaacCTTCgttaaac
t-AtAHASL	Nodulin consensus sequence 1	aAAATgtttac
t-AtAHASL	Circadian control factors	ttgttcaaAATCtga
t-AtAHASL	L1 box, motif for L1 layer-specific expression	aacaagTAAAtccaaaa
t-AtAHASL	Circadian control factors	aaaaaaaaAATCtca
t-AtAHASL	Mitochondrial HMG-box transcription factor	ttgagatTTTTtt
t-AtAHASL	Arabidopsis homeobox protein	taaTTTAgtgt
t-AtAHASL	L1 box, motif for L1 layer-specific expression	caaCACTaaattatttt
t-AtAHASL	Storekeeper motif	cacTAAAttatttta
t-AtAHASL	Arabidopsis homeobox protein	aaaATAAttta
t-AtAHASL	Arabidopsis homeobox protein	taaATTAtttt
t-AtAHASL	Arabidopsis homeobox protein	tatttTAATgt
t-AtAHASL	Vertebrate TATA binding protein factor	atgtaTAAAgatgctt
t-AtAHASL	Nodulin consensus sequence 1	tAAAAGatgct
t-AtAHASL	Storekeeper motif	gctTAAAcatttgg
t-AtAHASL	Myc-like basic helix-loop-helix binding factors	ttaaaACATtggcttaaa
Spacer ID	Detailed Family Information	Sequence
t-AtAHASL	Sucrose box	ttAAAacatttggcttaaa

t-AtAHASL	Secondary wall NACS	catttggttaAAAGaaag
t-AtAHASL	Tracheary-element-regulating cis-elements, conferring TE-specific expression	cttaAAAGaaa
t-AtAHASL	Heat shock factors	taaaaacatagAGAAct
t-AtAHASL	DNA binding with one finger (DOF)	actctgtAAATtgaag
t-AtAHASL	MYB proteins with single DNA binding repeat	cagtATATtttcatact
t-AtAHASL	MADS box proteins	taataCCCAattcagtatatt
t-AtAHASL	MADS box proteins	ataTACTgaattgggtattat
t-AtAHASL	CCAAT binding factors	acCCAAttc
t-AtAHASL	Sucrose box	ctAAATcagaaaaattcat
t-AtAHASL	MADS box proteins	tgaatcctaatacaGAAAaat
LIB2197_5	M-phase-specific activator elements	ggacgAACGgataaa
LIB2197_5	MYB proteins with single DNA binding repeat	aggtttATCCgttcgtc
LIB2197_5	Nodulin consensus sequence 1	gAAAAGgttta
LIB2197_5	DNA binding with one finger (DOF)	gggctgaAAAGgttta
LIB2197_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	acggataaaccttttCACGcccttta
LIB2197_5	E2F-homolog cell cycle regulators	ccttTTCAcgccctt
LIB2197_5	Transposase-derived transcription factors	ttttCACGccctttaa
LIB2197_5	Vertebrate TATA binding protein factor	atattTAAAgggcggtg
LIB2197_5	DNA binding with one finger (DOF)	gatatttaAAAGggcgt
LIB2197_5	Vertebrate TATA binding protein factor	cctttTAAAtatccgat
LIB2197_5	Arabidopsis homeobox protein	ccgATTAttct
LIB2197_5	Retroviral PolyA signal	tctaaTAAAcgctcttttctc
LIB2197_5	Retroviral CCAAT binding factors	tCTAAtaaacgctcttttctcttag
LIB2197_5	DNA binding with one finger (DOF)	ctaagagaAAAGagcgt
LIB2197_5	Nodulin consensus sequence 2	tcttttCTCTtaggt
LIB2197_5	Ethylene response element factors	gGCGGgtaaaccctaagaga
LIB2197_5	DNA binding with one finger (DOF)	tggcgggtAAACctaag
LIB2197_5	MYB proteins with single DNA binding repeat	caggATATattggcggg
LIB2197_5	MYB proteins with single DNA binding repeat	caatatATCCTgtcaaa
LIB2197_5	TALE (3-aa acid loop extension) class homeodomain proteins	tttGACaggatat
LIB2197_5	W Box family	agtgtTTGAcaggatat
LIB2197_5	E2F-homolog cell cycle regulators	tcgtTTCcgccttc
LIB2197_5	Circadian control factors	gaaacgacAATCtga
LIB2197_5	MYB-like proteins	aggcctTAGTtactaat
LIB2197_5	Vertebrate TATA binding protein factor	tagtaacTAAGgccttt
LIB2197_5	Retroviral PolyA signal	attaaTTAAaggccttagtta
LIB2197_5	DNA binding with one finger (DOF)	gattaattAAAGgcctt
LIB2197_5	Arabidopsis homeobox protein	ttaatTAATct
LIB2197_5	Arabidopsis homeobox protein	tagATTaatta
LIB2197_5	Light responsive element motif, not modulated by different light qualities	taATCtagagg
Spacer ID	Detailed Family Information	Sequence
LIB2197_5	Vertebrate TATA binding protein factor	caattTAAAttggccgg
LIB2197_5	L1 box, motif for L1 layer-specific expression	tcaattTAAAttggccg
LIB2197_5	Retroviral upstream element	accgatatacaTTTAaattgg
LIB2197_5	MYB proteins with single DNA binding repeat	accgaTATCaatttaa
LIB2197_5	Dehydration responsive element binding factors	tcgatgaCCGAtatcaattt
LIB2197_5	Plant specific NAC [NAM (no apical meristem), ATAF172,	tatcggtacatcgatTACGccaagcta

	CUC2 (cup-shaped cotyledons 2)] transcription factors	
LIB2197_5	Cell-death specification 2	ttggcGTAAtc
LIB2197_5	MADS box proteins	cttTTCTatacaaagttgata
LIB2197_5	Plant TATA binding protein factor	tttcTATAcaaagtt
LIB2197_5	Pollen-specific regulatory elements	gtataGAAAagttgccca
LIB2197_5	GT-box elements	aatcATGGcaacttttc
LIB2197_5	Arabidopsis homeobox protein	gtaATCATggc
LIB2197_5	Arabidopsis homeobox protein	gccatgATTAc
LIB2197_5	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	aaaagttgccatgatTACGccaagctt
LIB2197_5	Cell-death specification 2	ttggcGTAAtc
LIB2197_5	Calcium regulated NAC-factors	ccaaGCTTggccactaaggcc
LIB2197_5	E2F-homolog cell cycle regulators	caatTTCGcgccctg
LIB2197_1	Arabidopsis homeobox protein	caaTTTActga
LIB2197_1	Motifs of plastid response elements	cacgCGATcgcgtcgacacaatcagta aatt
LIB2197_1	Calmodulin binding / CGCG box binding proteins	gatCGCGtgacacaat
LIB2197_1	Core promoter motif ten elements	gcacgcgATCGcgtcgacaca
LIB2197_1	Calmodulin binding / CGCG box binding proteins	gatCGCGtgcaaacact
LIB2197_1	Root hair-specific cis-elements in angiosperms	tccgtacagtgtttgCACGcgatcg
LIB2197_1	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	ggtcggtacagtgtttgCACGcgatcg
LIB2197_1	SBP-domain proteins	ggtcCGTAcagtgtttg
LIB2197_1	SBP-domain proteins	ggccgGTACccaagttt
LIB2197_1	SBP-domain proteins	agtttGTACaaaaaagc
LIB2197_1	DNA binding with one finger (DOF)	tgtacaaaAAAGcaggc
LIB2197_1	Legumin Box family	caaaaaGCAGgctccatgattacgcc
LIB2197_1	Arabidopsis homeobox protein	tccatgATTAc
LIB2197_1	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	agcaggctccatgatTACGccaagctt
LIB2197_1	Cell-death specification 2	ttggcGTAAtc
LIB2197_1	Calcium regulated NAC-factors	ccaaGCTTggccactaaggcc
Spacer ID	Detailed Family Information	Sequence
LIB2197_1	L1 box, motif for L1 layer-specific expression	tagattTAAAttggcct
LIB2197_1	Circadian control factors	ccaatttaAATCtac
LIB2197_1	Vertebrate TATA binding protein factor	caattTAAAtctactag
LIB2197_1	Light responsive element motif, not modulated by different light qualities	aaATCTactag
LIB2197_2	E2F-homolog cell cycle regulators	gtaaTTCCcgggatt
LIB2197_2	Brassinosteroid (BR) response element	ctgccCGTGtggccggc
LIB2197_3	Core promoter initiator elements	ttTCATtcggt
LIB2197_3	Retroviral upstream element	ggcgccatcggTTTCattcgg
LIB2197_3	Papilloma virus E2 transcriptional activator	ggaccgatacCGGTagg
LIB2197_3	Papilloma virus E2 transcriptional activator	ctaccggtatCGGTccg
LIB2197_3	Dehydration responsive element binding factors	caatcggaCCGAtaccgtag

LIB2197_3	Core promoter motif ten elements	ggccgcaATCGgaccgatacc
LIB2197_3	TEF-box	taAAGGgccaattcgtttaa
LIB2197_3	SBP-domain proteins	ggtcCGTAcagtgttta
LIB2197_3	Activator-, mediator- and TBP-dependent core promoter element for RNA polymerase II transcription from TATA-less promoters	ggGTGGtaccg
LIB2197_3	SBP-domain proteins	ggccgGTACcaccagc
LIB2197_3	Soybean embryo factor 3	gtaccACCCagcttt
LIB2197_3	Arabidopsis homeobox protein	gtaATCATggc
LIB2197_3	Arabidopsis homeobox protein	gccatgATTAc
LIB2197_3	Plant specific NAC [NAM (no apical meristem), ATAF172, CUC2 (cup-shaped cotyledons 2)] transcription factors	caaagtgccatgatTACGccaagctt
LIB2197_3	Cell-death specification 2	ttggcGTAAtc
LIB2197_3	Calcium regulated NAC-factors	ccaaGCTTggccactaaggcc
LIB2197_3	L1 box, motif for L1 layer-specific expression	tagattTAAAttgacct
LIB2197_3	Circadian control factors	ccaatttaAATCtac
LIB2197_3	Vertebrate TATA binding protein factor	caattTAAAtctactag
LIB2197_3	Light responsive element motif, not modulated by different light qualities	aaATCTactag
LIB2197_3	MYB IIG-type binding sites	aatgGGTAggtcatc
LIB2197_4	E2F-homolog cell cycle regulators	gtaaTTCCcgggatt

Of particular note in Table 172 was the surprisingly high number of sequences that contain abscisic acid related transcription factor binding motifs for the construct VC-RTP10690-1qcz_F. Abscisic acid was a plant hormone involved in seed maturation, desiccation, and stress response, see Cutler et al. (2010) for a comprehensive review. Based upon what was known about abscisic acid and its effect on seed maturation, the observed high number of motifs implicated in the regulation of gene expression in response to abscisic acid may have played a role in the observed transcript levels and timing of gene expression for the genes in VC-RTP10690-1qcz_F. In addition to the likely affects on transcription, it is also known in the literature that topography is affected by GC content (see Wachter et al., 2014) and it is prudent to have a GC content in the T-DNA matching that of the host as much as possible. In addition to reducing the possibility of deletions and rearrangements, reducing the amount of repeats would also impact DNA topography and gene regulation (Ramamoorthy et al. 2014). The spacer regions would contribute to the overall impact of the T-DNA upon the local chromatin structure, which in turn will impact how the genes in that region are regulated and transcribed (Parker et al. 2009, Megendorfer et al. 2010)..

Example 24 Gene Expression, Copy number determination and event detection

Plant material representing wild type, the BiBAC VC-RTP10690-1qcz_F, and the co-transformation constructs: VC-LJB2197-1qcz with VC-LLM337-1qcz rc, VC-LJB2755-2qcz rc with VC-LLM391-2qcz rc and VC-LJB2755-2qcz rc with VC-LTM217-1qcz rc were harvested according to the date after pollination. Construct details (genes and promoters) are found in Table 1, Table 2, Table 4, Table 6, Table 7 and Table 8. Based on the day after pollination, which correlated with developmental stage under the growth conditions employed, the seeds were combined into pools. The pooled seeds were immediately frozen in liquid nitrogen and subsequently stored at -80° C. A third of the frozen immature seeds were homogenized using the Precelly®24-Dual technology in 7ml tubes and two ceramic beads (6500Hz, 2-3 times, 20sec). From each pool three aliquots of 50-70mg of tissue were used to isolate the RNA. Frozen tissue was ground to a fine powder and extracted following basic procedures familiar to one who was skilled in the art (see Ruuska et al. 2000 and Focks and Benning, 1998 as well as Sambrook et al. 1989 for an overview on RNA extraction from immature seeds and sample and RNA handling). RNA was extracted according to the protocol "SG-MA_0007-2009 RNA isolation" using Spectrum Plant Total RNA-KIT part number STRN50 (SIGMA-ALDRICH GmbH, Munich, Germany). In average the concentration of total RNA was about 450ng/µl. The 260/280 ratio was at 2.2 and the 260/230 ratio at 2.3.

For cDNA synthesis for qPCR 1µg of total RNA was treated with DNaseI (DEOXYRIBUNUCLEASE I (AMP-D1, Amplification Grade from SIGMA-Aldrich, GmbH) according to the supplier's protocol. After DNaseI treatment, the reverse transcription reaction was performed with the SuperScript™ III First-Strand Synthesis SuperMix for qRT-PCR (Invitrogen, Cat. No. 11752-250) and with a combination of oligo dT and random hexamers to ensure thorough and even representation of all transcripts, regardless of length.

A. Quantitative real time pcr protocol

Transcript measurement by quantitative real time PCR was carried out using procedures considered standard to those skilled in the art; see Livak and Schmittgen (2001). The qPCR reactions were done as simplex TaqMan reactions. The endogenous

reference gene was isolated in house and used due to predicted stability of the transcript based on the observed stability of the transcript corresponding to the orthologue in *Arabidopsis thaliana* during development. The canola ortholog was isolated and the gene, SEQ ID, was part of the glycosyl-phosphatidyl inositol
5 aminotransferase pathway (GPI). The cDNA reactions, described above, were diluted 1:4. 2µl cDNA, which corresponded to 25ng of total RNA, was used per 10µl qPCR reaction with JumpStart TAQ ReadyMix (P2893-400RXN Sigma-Aldrich, GmbH). Primer/probe concentrations were 900 nmol for forward and reverse primer and 100nmol TaqMan probe. The TaqMan probes for targets of interest were labeled with
10 FAM/BHQ1, and the reference gene was labeled with Yakima Yellow/BHQ1.

Each qPCR assay included a 1:1 dilution curve (5 dilution steps) with cDNA from the pool VC-RTP10690-1qcz_F, a no template control, three -RT controls (VC-RTP10690-1qcz_F, VC-LTM593-1qcz rc (~4w) and co-transformation VC-LJB2197-1qcz + VC-
15 LLM337-1qcz rc). From each pool three independent aliquots of cDNA were measured as technical repeats. The ABI PRISM® 7900 sequence detection system (Applied Biosystem) was used with the following PCR Conditions:

Initial denaturation	95°C for 300 seconds	1 cycle
20 Amplification	95°C for 15 seconds/60°C for 60 seconds	repeate for 40 cycles

The raw data were the Ct values for the target and the endogenous reference gene, respectively. The dCt values were calculated by subtraction: Ct(GOI)-Ct(Ref). The Reference dCt value was set to equal zero, which was interpreted as meaning that if there
25 was no difference between GPI and the gene of interest (dCt = 0) the expression was = 1. The fold expression was equal to 2^{-dCt} (where the dCt = (Ct(GOI)-Ct(Ref)-0)). Three samples from each pool were taken and the geomean as well as the geometric positive and negative deviation were calculated. The slopes of dilution curves were calculated for each gene of interest and the endogenous reference gene (GPI) as a measure for the
30 amplification efficiency. Table 173,

Table 174 and Table 175 indicate the probes and primers used to amplify the genes for qPCR assays.

Table 173: Probes used in the qPCR reactions

Target of Interest	Probe	Probe Oligo
c-o3DES(Pi_GA2)	o3DES-594FAM	CGCTCACTTCTTCGTTGCTGGACTCTC
c-o3Des(Pir_GA)	o3DESPIR-198FAM	ATCATCTCTCTCGGAGTTC
c-o3Des(Pir_GA) 3'	o3DESPIR-962FAM	CGCTGCTCCTATCATCCCACTTTCTTCA
j-o3DES(PIR_GA)/t-AtPXR	AtPXR-Fam	TCGACCTAGAGGATCCCCGGCC
j-BnSETL _{prom} /o3DES(PIR_GA)	BnSETL-1186FAM	CTCTGCCAGCGACCAAATCGAAGC
j-o3DES(PIR_GA)/t-BnSETL	BnSETL-Fam	CCTTGTGTTAGTTTAATG
c-d5Elo(Ot_GA3)	E011	TGACAAACAAGCCACCAAGCCCAA
c-d4DES(TC_GA)	D4DES-Tc-FAM	TGCTTCCCCAATGTACGTTGCTAGGTTCT
c-d4Des(Eg_GA)	D4DES-Eg-FAM	AAGGCACATCCTCC
c-d4Des(PI_GA2)	D4DES-PI-770FAM	AGCTTCTTTTCTTGGACGCCCTTGAGC
GPI	Exp3-78-YAK	GGATTCGACATTCCATCGGCTTTGA

Table 174: Forward primers used in qPCR

Target of Interest	Forward Primer	Forward Primer Oligo
c-o3DES(Pi_GA2)	o3DES-572F	CCGCTGTGGTTATCTCTTTGC
c-o3Des(Pir_GA)	o3DESPIR-160F	CTTGGGAGGCTATGTATGTTAGAAGA
c-o3Des(Pir_GA) 3'	o3DESPIR-924F	GCTTTCCCTGAGCTTGTTAGGA
j-o3DES(PIR_GA)/t-AtPXR	o3DesPir-F	GGAGGCTAAGGCTGCTGCTA
j-	BnSETL-	GACCCCTCTCTCTCGTTGTC

Target of Interest	Forward Primer	Forward Primer Oligo
BnSETLprom/o3DES(PIR_GA)	1164-F	
j-o3DES(PIR_GA)/t-BnSETL	BnSETL-1164-F	GACCCCCTCTCTCTCGTTGTC
c-d5Elo(Ot_GA3)	MA54	GCAATCGTTGGTAGCCATGA
c-d4DES(TC_GA)	D4DES-Tc-F	CAAATCGATGCTGAGTGCAGAT
c-d4Des(Eg_GA)	D4DES-EG-F	TGACAAGTAAGCCATCCGTCAGT
c-d4Des(PI_GA2)	D4DES-PI-746-F	CTGGTGAGGCTATGTACGCTTTT
GPI	Exp 3-52F	GATGAATATCCTCCTGATGCTAACC

Table 175: Reverse primers used for qPCR

Target of Interest	Reverse Primer	Reverse Primer Oligo
c-o3DES(Pi_GA2)	o3DES-652R	TCTTAAGTCCCAACTGGAGAGACA
c-o3Des(Pir_GA)	o3DESPIR-262R	AAACCAAGGAGCGTCAAGTCTAGA
c-o3Des(Pir_GA) 3'	o3DESPIR-1026-R	TCAACAACCTCCGTACTTAGCGTACAT
j-o3DES(PIR_GA)/t-AtPXR	AtPXR-R	TGCATGTACGTTATATAGTAGGCTTTTG
j-BnSETLprom/o3DES(PIR_GA)	o3DESPIR-R	GCAGATGTAGAAGCCATGGTTTG
j-o3DES(PIR_GA)/t-BnSETL	o3DESPIR-R	GCAGATGTAGAAGCCATGGTTTG
c-d5Elo(Ot_GA3)	MA55	CGTGTACCACCACGCTTTGT
c-d4DES(TC_GA)	D4DES-Tc-988R	AACACGGTCAAAGCCTTCATAATC
c-d4Des(Eg_GA)	D4DES-Eg-R	ACTTTTCACCACCGACGAAGTT
c-d4Des(PI_GA2)	D4DES-PI-817R	CCTCCACCTCCAAGCAA
GPI	Exp 3-	CTTGCATGATGATCAGGAAAGC

Target of Interest	Reverse Primer	Reverse Primer Oligo
	128R	

B. Transcript analysis of a time course for gene expression of the BiBAC and co-transformations.

Transformants from four constructs were assayed as described above and transcript abundance relative to a single standard was measured as described, following standard protocols known to those skilled in the art as well as instructions provided with the kits employed. The graphs in Figure 16, Figure 17, Figure 18, Figure 19, Figure 20 and Figure 21 represent abundance of the gene listed over time with the error represented by the geometric positive and negative deviation. The time was listed on the abscissa and represents days after pollination and the ordinate contains the expression of the gene of interest relative to an internal standard (canola GPI). Lines with two constructs listed represent co-transformation events.

The gene o3Des(Pi_GA2) driven by the VfUSP promoter with the CaMV35S terminator was present in VC-LJB2755-2qcz, VC-LLM337-1qcz rc and VC-RTP10960-1qcz_F. One observes in Figure 16 that VC-RTP10960-1qcz_F has relatively low transcript accumulation while the co-transformation combination of VC-LJB2755-2qcz and VC-LLM391-2qcz rc contains the highest accumulation. The overall trend for this transcript with the promoter, terminator, intron and spacer region in front of the promoter was to increase over seed development.

The gene d4Des(Pi_GA)2 driven by the LuCnl promoter with the AgrOCS 192bp[LED12] terminator was present in both VC-LTM217-1qcz rc and in VC-RTP10960-1qcz_F. One observes in Figure 19 for both constructs that the accumulation relative to the GPI reference was in the range of 4-12 fold with gradual accumulation over seed development, with VC-RTP10960-1qcz_F accumulating less than VC-LTM217-1qcz rc.

The o3Des(Pir_GA) gene was present in VC-LJB2755-2qcz and VC-RTP10960-1qcz_F driven by the LuCnl promoter with the AtPXR 400bp[LLL823] terminator while it was present in VC-LLM337-1qcz rc driven by the VfSBP_perm3 promoter with the StCATHD-pA terminator. Within error it was difficult to ascribe a pattern to any of the constructs, but as shown in Figure 17, single copy events of the construct combination VC-LJB2755-2qcz and VC-LLM391-2qcz had a peak towards seed maturation that was not observed with any of

the other constructs. An additional copy of the gene driven by the BnSETL promoter and terminated by the BnSETL terminator was present in RTP10960-1qcz_F. However, similar to the d5Des(Tc_GA2) gene controlled by the same set of control elements, the o3Des(Pir_GA) copy under control of the p-BnSETL promoter was expressed at lower levels than the other genes with different control elements (Figure 18).

The gene d4Des(Tc_GA) was contained in VC-LLM337-1qcz rc, RTP10960-1qcz_F and VC-LTM217-1qcz rc and was driven by the ARC5_perm1 promoter with the pvarc terminator. A single point mutant of this gene; d4Des(Tc_GA)_T564G was contained in VC-LLM391-2qcz rc and regulated by the ARC5_perm1 promoter with the pvarc terminator. The overall trend of expression with this spacer region, promoter and terminator combination was an increase over seed development and then a decrease towards seed maturation, as depicted in Figure 20. Interestingly, the construct pair VC-LJB2755-2qcz with VC-LLM391-2qcz rc did not adhere to this trend but rather continued to increase over seed development and had a more robust expression than the other constructs and construct combinations. As previously observed VC-RTP10960-1qcz_F had the lowest level of expression.

VC-LLM337-1qcz rc and VC-LLM391-2qcz rc contain d4Des(Eg_GA) driven by the LuCnl(1064) promoter with the AgrOCS 192bp[LED12] terminator. It can be seen in Figure 21, that similar expression levels that increased during seed development were observed of single copy events containing either one of these two constructs.

Copy Number

To assess whether the entire pathway for PUFA biosynthesis was being brought into the plant and to what extent duplication and/or deletion was occurring in selected events; copy analysis of certain genes along the T-DNA was carried out.

DNA extraction

Brown spotted immature seeds from three events were analyzed, in addition to cotyledons of germinating seedlings of two further events. The gDNA was isolated according to standard protocols consistent with Sambrook et al., 1982. To isolate plant tissue DNA the Wizard Magnetic 96 DNA Plant System was used (Promega, Madison, WI USA part number FF3760). The supplied protocols were followed with the listed changes being implemented in order to increase the amount of extracted DNA: the volume of the extraction buffer was

increased to two hundred microliters and the volume of beads used was increased to ninety microliters with the volume of elution buffer being decreased to twenty microliters.

- Duplex qPCR reactions were performed using JumpStart TaqReadyMix for Quantitative PCR (Sigma, D7440). qPCR assays were validated according to standard protocols for qPCR, see Demeke and Jenkins (2010) and Livak and Schmittgen (2001). The genomic copy numbers were calculated with the ddCt method based on the mean of the reference dCt value of a pool of known single copy events. Using the Excel function "frequency", groups of 0, 1, 2, 3, >4 were counted both target and event wise. A Chi-square test was performed for testing the hypothesis the family was segregating for a single T-DNA. The cutoff of P value was set at > 0.0499 for a single T-DNA segregation.

- PCR for copy number analysis was carried out using the primers and probes listed and according to standard protocols used by those skilled in the art, see Livak and Schmittgen (2001) and Demekes T. and Jenkins RG (2010).

The primer pairs and probes are listed by name below and sequences can be found in the sequence listing:

Target	Forward Primer	Reverse Primer	Probe
c-AHAS	c-AHAS_F	c-AHAS_R	c-AHAS_P
c-d4Des(Eg_GA)	c-d4Des(Eg_GA)_F	c-d4Des(Eg_GA)_R	c-d4Des(Eg_GA)_P
c-d4Des(PI_GA)2	c-d4Des(PI_GA)2_F	c-d4Des(PI_GA)2_R	c-d4Des(PI_GA)2_P
c-d4Des(Tc_GA)	c-d4Des(Tc_GA)_F	c-d4Des(Tc_GA)_R	c-d4Des(Tc_GA)_P
c-d5Des(Tc_GA)	c-d5Des(Tc_GA)_F	c-d5Des(Tc_GA)_R	c-d5Des(Tc_GA)_P
c-d5Elo(Ot_GA3)	c-d5Elo(Ot_GA3)_F	c-d5Elo(Ot_GA3)_R	c-d5Elo(Ot_GA3)_P
c-d6Des(Ot_febit)	c-d6Des(Ot_febit)_F	c-d6Des(Ot_febit)_R	c-d6Des(Ot_febit)_P
c-d6Elo(Pp_GA)	c-d6Elo(Pp_GA)_F	c-d6Elo(Pp_GA)_R	c-d6Elo(Pp_GA)_P
c-d6Elo(Tp_GA)	c-d6Elo(Tp_GA)_F	c-d6Elo(Tp_GA)_R	c-d6Elo(Tp_GA)_P
c-o3Des(Pi_GA)	c-o3Des(Pi_GA)_F	c-o3Des(Pi_GA)_R	c-o3Des(Pi_GA)_P
c-o3Des(Pir_GA)	c-o3Des(Pir_GA)_F	c-o3Des(Pir_GA)_R	c-o3Des(Pir_GA)_P
j-i-Atss1_c-d5Elo(Ot_GA3)	j-i-Atss1_c-d5Elo(Ot_GA3)_F	j-i-Atss1_c-d5Elo(Ot_GA3)_R	j-i-Atss1_c-d5Elo(Ot_GA3)_P
j-i-Atss1_c-d6Elo(Tp_GA2)	j-i-Atss1_c-d6Elo(Tp_GA2)_F	j-i-Atss1_c-d6Elo(Tp_GA2)_R	j-i-Atss1_c-d6Elo(Tp_GA2)_P
j-i-Atss14_c-d12Des(Ps_GA)	j-i-Atss14_c-d12Des(Ps_GA)_F	j-i-Atss14_c-d12Des(Ps_GA)_R	j-i-Atss14_c-d12Des(Ps_GA)_P
j-i-Atss18_c-d6Elo(Pp_GA2)	j-i-Atss18_c-d6Elo(Pp_GA2)_F	j-i-Atss18_c-d6Elo(Pp_GA2)_R	j-i-Atss18_c-d6Elo(Pp_GA2)_P
j-i-Atss18_c-o3Des(Pi_GA2)	j-i-Atss18_c-o3Des(Pi_GA2)_F	j-i-Atss18_c-o3Des(Pi_GA2)_R	j-i-Atss18_c-o3Des(Pi_GA2)_P
j-i-Atss2_c-d4Des(Tc_GA3)	j-i-Atss2_c-d4Des(Tc_GA3)_F	j-i-Atss2_c-d4Des(Tc_GA3)_R	j-i-Atss2_c-d4Des(Tc_GA3)_P
j-i-Atss2_c-d6Des(Ot_febit_GA)	j-i-Atss2_c-d6Des(Ot_febit_GA)_F	j-i-Atss2_c-d6Des(Ot_febit_GA)_R	j-i-Atss2_c-d6Des(Ot_febit_GA)_P
j-p-BnFAE_t-PvARC	j-p-BnFAE_t-PvARC_F	j-p-BnFAE_t-PvARC_R	j-p-BnFAE_t-PvARC_P

Target	Forward Primer	Reverse Primer	Probe
j-p-BnSETL-v1_c-o3Des(Pir_GA)	j-p-BnSETL-v1_c-o3Des(Pir_GA)_F	j-p-BnSETL-v1_c-o3Des(Pir_GA)_R	j-p-BnSETL-v1_c-o3Des(Pir_GA)_P
j-p-LuPXR_i-Atss15	j-p-LuPXR_i-Atss15_F	j-p-LuPXR_i-Atss15_R	j-p-LuPXR_i-Atss15_P
j-p-PvARC5_t-BnFAE	j-p-PvARC5_t-BnFAE_F	j-p-PvARC5_t-BnFAE_R	j-p-PvARC5_t-BnFAE_P
j-p-PvARC5_t-BnSETL	j-p-PvARC5_t-BnSETL_F	j-p-PvARC5_t-BnSETL_R	j-p-PvARC5_t-BnSETL_P
j-t-CaMV_p-LuCnl-2	j-t-CaMV_p-LuCnl-2_F	j-t-CaMV_p-LuCnl-2_R	j-t-CaMV_p-LuCnl-2_P
j-t-E9-p3-2	j-t-E9-p3-2_F	j-t-E9-p3-2_R	j-t-E9-p3-2_P
j-t-PvARC-p-LuCnl	j-t-PvARC-p-LuCnl_F	j-t-PvARC-p-LuCnl_R	j-t-PvARC-p-LuCnl_P
j-t-StCAT_p2_p-LuPXR	j-t-StCAT_p2_p-LuPXR_F	j-t-StCAT_p2_p-LuPXR_R	j-t-StCAT_p2_p-LuPXR_P
reference (Adh1)	reference (Adh1)_F	reference (Adh1)_R	reference (Adh1)_P
c-o3Des(Pi_GA2_SNP)	c-o3Des(Pi_GA2_SNP)_F	c-o3Des(Pi_GA2_SNP)_R	c-o3Des(Pi_GA2_SNP)_P
j-t-PvARC-p3	j-t-PvARC-p3_F	j-t-PvARC-p3_R	j-t-PvARC-p3_P
j-i-Atss15_c-o3Des(Pi_GA2)	j-i-Atss15_c-o3Des(Pi_GA2)_F	j-i-Atss15_c-o3Des(Pi_GA2)_R	j-i-Atss15_c-o3Des(Pi_GA2)_P
j-p-VfSBPperm3_c-o3Des(Pir_GA)	j-p-VfSBPperm3_c-o3Des(Pir_GA)_F	j-p-VfSBPperm3_c-o3Des(Pir_GA)_R	j-p-VfSBPperm3_c-o3Des(Pir_GA)_P
c-d15Des(Ch_ERTp_GA)	c-d15Des(Ch_ERTp_GA)_F	c-d15Des(Ch_ERTp_GA)_R	c-d15Des(Ch_ERTp_GA)_P
j-i-Atss2_c-d4Des(PI_GA)-195R)	j-i-Atss2_c-d4Des(PI_GA)-195R)_F	j-i-Atss2_c-d4Des(PI_GA)-195R)_R	j-i-Atss2_c-d4Des(PI_GA)-195R)_P

For Event specific detection the following protocol was used:

(1) Preparation of the Jumpstart™ Taq ReadyMix (Sigma, P2893) for use with the Quantstudio™ 12K Flex Real-Time PCR system from Life Technologies

- 5 Prior to use, add to the Jumpstart™ Taq ReadyMix :
- MgCl₂ to a final concentration of 11mM and
 - ROX (=Sulforhodamine 101) to a final concentration of 120 nM

= prepared jumpstart mix (1)

(2) Preparation of the final reaction mixture for duplex qPCR reactions.

- 10 The qPCR reactions are done in a 384-well plate (Life technologies, catalogue number 4309849) in a total volume of 10 microliters per well. Per reaction, 2µl of template DNA is mixed with 8 microliters of qPCR reaction mixture according to the table below. The plates are sealed with MicroAmp® Optical Adhesive Film (Life Technologies, catalogue number 4311971).

reaction components	Final concentration
Prepared jumpstart mix (1)	1x
Transgene target forward primer	900 nM
Transgene target reverse primer	900 nM
Transgene target probe	100 nM
Endogenous reference gene forward primer	900 nM

Endogenous reference gene reverse primer	900 nM
Endogenous reference gene probe	100 nM
Template DNA	2 µl
Nuclease free water	Add up to 10µl

The primers and probes for event specific detection are shown in Table 176.

Table 176: Primers and Probes used for event specific detection.

Event / Locus	Forward Primer	Reverse Primer	Probe
LANBCH locus 1 (N5)	LANBCH locus 1 (N5)_Forward primer	LANBCH locus 1 (N5)_Reverse primer	LANBCH locus 1 (N5)_Probe
LANBCH locus 1 (N9)	LANBCH locus 1 (N9)_Forward primer	LANBCH locus 1 (N9)_Reverse primer	LANBCH locus 1 (N9)_Probe
LANBCH locus 2 (N5)	LANBCH locus 2 (N5)_Forward primer	LANBCH locus 2 (N5)_Reverse primer	LANBCH locus 2 (N5)_Probe
LANBCH locus 2 (N9)	LANBCH locus 2 (N9)_Forward primer	LANBCH locus 2 (N9)_Reverse primer	LANBCH locus 2 (N9)_Probe
LBFDAU locus 1	LBFDAU locus 1_Foward primer	LBFDAU locus 1_Reverse primer	LBFDAU locus 1_Probe
LBFDAU locus 2	LBFDAU locus 2_Foward primer	LBFDAU locus 2_Reverse primer	LBFDAU locus 2_Probe
LBFDGG	LBFDGG_Foward primer	LBFDGG_Reverse primer	LBFDGG_Probe
LBFDHG locus 1	LBFDHG locus 1_Foward primer	LBFDHG locus 1_Reverse primer	LBFDHG locus 1_Probe
LBFDHG locus 2	LBFDHG locus 2_Foward primer	LBFDHG locus 2_Reverse primer	LBFDHG locus 2_Probe
LBFGKN	LBFGKN_Foward primer	LBFGKN_Reverse primer	LBFGKN_Probe
LBFIHE	LBFIHE_Foward primer	LBFIHE_Reverse primer	LBFIHE_Probe
LBFLFK locus 1	LBFLFK locus 1_Foward primer	LBFLFK locus 1_Reverse primer	LBFLFK locus 1_Probe
LBFLFK locus 2	LBFLFK locus 2_Foward primer	LBFLFK locus 2_Reverse primer	LBFLFK locus 2_Probe
LBFPRA Locus 1	LBFPRA Locus 1_Foward primer	LBFPRA Locus 1_Reverse primer	LBFPRA Locus 1_Probe
LBFPRA locus 2	LBFPRA locus 2_Foward primer	LBFPRA locus 2_Reverse primer	LBFPRA locus 2_Probe
LBFPRA Locus 3e	LBFPRA Locus 3e_Foward primer	LBFPRA Locus 3e_Reverse primer	LBFPRA Locus 3e_Probe

PCR conditions for event specific detection were as follows:

- 5 The qPCR is performed on the QuantStudio™ 12K Flex Real-Time PCR System (Life technologies) with following qPCR conditions:

(1) step1: 95°C 5min

(2) step2: 45 cycles

▪ 95°C, 18 sec

10

▪ 60°C, 1 min

Expected amplicon sizes are given below in base pairs (plus or minus 10 bp):

Amplicon	Amplicon Size plus or minus 10 bp

Amplicon LANBCH locus 1 (N5)	100 bp
Amplicon LANBCH locus 1 (N9)	150 bp
Amplicon LANBCH locus 2 (N5)	150 bp
Amplicon LANBCH locus 2 (N9)	120 bp
Amplicon LBFDAU locus 1	110 bp
Amplicon LBFDAU locus 2	95 bp
Amplicon LBFDDG	100 bp
Amplicon LBFDDHG locus 1	200 bp
Amplicon LBFDDHG locus 2	140 bp
Amplicon LBFDDGN	140 bp
Amplicon LBFDDHE	110 bp
Amplicon LBFDDFK locus 1	160 bp
Amplicon LBFDDFK locus 2	170 bp
Amplicon LBFDDPRA Locus 1	570 bp
Amplicon LBFDDPRA locus 2	190 bp
Amplicon LBFDDPRA Locus 3e	90 bp

Example 25 Protein levels

Pooled seed material from four week old siliques was used for protein extraction. To enrich the membrane proteins and reduce the background signal, microsomes isolated from ground seed tissue were used to analyze protein levels for the following enzymes: c-o3Des(Pi_GA2), c-o3Des(Pir_GA), d4Des(Eg), c-d4Des(Pi_GA)2, and c-d6Elo(Tp_GA2). For c-o3Des(Pir_GA) and c-d6Elo(Tp_GA2), the microsomes were further extracted with detergent and used for ELISA. The various versions of a given gene (denoted as GA, GA2 etc.) all encoded an identical protein corresponding to the gene listed.

Initially, in a mortar cooled with liquid nitrogen, seeds were ground to a fine powder in Extraction buffer (25 mM Tris, pH 7.4; 140 mM NaCl; 3 mM KCl; 3 mM DTT; 200 mM Sorbitol; and EDTA-free Protease inhibitors (Roche)) at a ratio of 1g seed/4 ml buffer. The plant cell-debris was removed by centrifugation (5000 x g, 10 minutes, 4 °C), re-extracted by grinding a second time as described above with 1.5 ml of Extraction Buffer, and then again separated by centrifugation (5000 x g, 10 minutes, 4 °C). The supernatant from these two extractions was combined and represents the cell-free extract (typically 3.5 ml/g seed). Microsomal pellets were obtained from the cell-free extracts by ultra-centrifugation (100,000 x g, 60 minutes, 4 °C). For the c-o3Des(Pi_GA2), d4Des(Eg), c-d4Des(Pi_GA)2, enzymes the microsomal pellets were suspended in Suspension Buffer (1xTBST+1%TritonX-100). 1X

TBST consists of 50 mM Tris, 150 mM NaCl, 0.05% tween 20 detergent with a final pH of 7.6 at 4 °C.

For c-o3Des(Pir_GA) and c-d6Elo(Tp_GA2) the microsomal fractions were isolated as described above, and proteins were solubilized with 1X TBST buffer and detergent of choice (For details, please see the table below). For c-d4Des(Tc_GA), c-d5Elo(Ot_GA3), c-d5Des(Tc_GA2), c-d6Des(Ot_febit), c-d6Elo(Pp_GA2), c-d12Des(Ps_GA), the seed powder was further ground in liquid nitrogen and extracted with 1xTBST+1%Triton X100+Protease Inhibitor at 1:3 W/V ratio. The supernatant was cleared at 13,000g for 20 minutes at 4°C using a micro-centrifuge and followed by a 10 minute spin at 13,000g. The clarified supernatant was used for ELISA and total protein assay.

Antibody/antigen hybridization conditions: Plates were blocked with 300 µl/well of freshly made blocking solution. The plates were sealed and incubated for 1 hour with continuous shaking. After 1 hour of incubation, the plates were washed twice with 1X TBST. The extract from above was used in the ELISA assay. The plate was incubated with 100 µl of standards or sample extract at 4 °C for overnight, without shaking. Standards were serial diluted 1:3. The plates were sealed and incubated overnight at 4 °C. After the plates were incubated overnight, the plates were washed five times with 1X TBST. After the wash the plates were incubated with 100 µl of detecting antibody in blocking solution for 1 hour, sealed with continuous shaking. The plates were washed five times with 1X TBST at the end of the one hour incubation step. The plates were then incubated with 100 µl of HRP-conjugated donkey anti-animal of the detecting antibody secondary antibody (1:10,000) in blocking solution for 1 hour, in a sealed plate with continuous shaking. The plates were then washed five times with 1X TBST at the end of the blocking step. 100 µl of 1-step TMB was then added and the plates incubated at room temperature for 20 minutes, sealed with continuous shaking. After the twenty minutes, 100 µl of a 1M HCl solution was added and the plates read at 450 nm.

For c-d6Elo(Tp_GA2) only: all steps were the same as for the other proteins but in place of the HRP conjugated donkey anti-body system used for the others, 100 µl of biotin-conjugated donkey anti-rabbit IgG diluted 1:40,000 in 2% BSA/1X TBST was used. The plate was sealed and shaken continuously during this incubation step, which was done for one hour. The plate was washed five times with 1X TBST at the end of this step. To read this plate, the plate was incubated with 100 µl extravidin-peroxidase diluted 1:40,000 in 2%

BSA/1X TBST, sealed and incubated for 1 hour with continuous shaking. The plate was then washed five times with 1X TBST. The plate was read at 450 nm.

Table 177: Overview of hybridization for protein detection and quantification TMB (3,3',5,5'-tetramethylbenzidine) was the substrate for the horse radish peroxidase employed to visualize protein bands, supplied by Sigma-Aldrich T-0565 and used according to the instructions of the manufacturer.

	Coating AB	Blocking Buffer	Sample extraction buffer	Standard ID and dilution	Detecting AB	Secondary AB	TMB
α3Des(Pir)	AB212, 1:5,500	1% BSA in TBST	1% Triton X-100, + 1 xTBS, + Protease Inhibitor	1:3, from 90 ng/ml, full length α3Des(Pir)	AB210 1:1,300, in blocking buffer	1:10,000 HRP-donkey anti chicken	1 step TMB, 20 min
d4Des(Tc)	AB216, 1:15,000	1% BSA in TBST	1% Triton X-100, + 1 xTBS, + Protease Inhibitor	1:3, from 200 ng/ml, RN121	AB217, 1:15,000, in blocking buffer	1:10,000 HRP-donkey anti Rabbit	1 step TMB, 20 min
d5Elo(ot)	AB214, 1:1500,	1% BSA in TBST	1% Triton X-100, + 1 xTBS, + Protease Inhibitor	1:3, from 200 ng/ml, RN134	AB215, 1:1500, in blocking buffer	1:10,000 HRP-donkey anti chicken	1 step TMB, 20 min
d5Des (Tc)	AB90, 1:8000	1% BSA in TBST	1% Triton X-100, + 1 xTBS, + Protease Inhibitor	1:3, from 100 ng/ml, full length d5Des	AB 100, 1:40000, in blocking buffer	1:10,000 HRP-donkey anti chicken	1 step TMB, 20 min
d6Des(Ot)	AB113, 1:500	1% BSA in TBST	1% Triton X-100, + 1 xTBS, + Protease Inhibitor	1:3, from 100 ng/ml, full length d6Des(Ot)	AB 112 rabbit, 1:10000, in blocking buffer	1:10,000 HRP-donkey anti rabbit	1 step TMB, 20 min
d6Elo(Pp)	AB 107, 1:1000	1% BSA in TBST	1% Triton X-100, + 1 xTBS, + Protease Inhibitor	1:3, from 110 ng/ml, PA534	AB 121 chicken, 1:5000 in extraction buffer	1:10,000 HRP-donkey anti chicken	1 step TMB, 20 min
d6Elo(Tp)	AB125, 1:2000,	2% BSA in TBST	1 xTBST+1% DDM+Protease inhibitor	1:3, from 200 ng/ml, PA678	AB140, 1:1000, in blocking buffer	1:40,000 biotin-donkey anti rabbit for 1hr, then 1:40,000 extravidin-peroxidase	1 step TMB, 20 min
d12Des (Ps)	AB128, 1:3000	1% BSA in TBST	1% Triton X-100, + 1 xTBS, + Protease Inhibitor	1:3, from 200 ng/ml, PA557	AB 129, 1:3000, in blocking buffer	1:10,000 HRP-donkey anti Rabbit	1 step TMB, 20 min

5

Table 178: Levels of the proteins of interest were expressed as nanograms (ng) per milligram of total protein. The values were the average and standard deviation from three technical measurements of approximately four week old seed material. As one observes the construct VC-RTP10690-1qcz_F had overall less protein for the expressed genes than the combination of VC-LJB2197-1qcz and VC-LLM337-1qcz rc.

Protein	Wt	LJB2197+LLM337	VC-RTP10690-1qcz_F
c-α3Des(Pir_GA), ng/mg total microsomal protein	9.04 ± 0.5	387.5 ± 10.5	69.7 ± 1.2
c-d4Des(Tc_GA), ng/mg of total protein	0.04 ± 0.01	0.74 ± 0.03	0.1 ± 0.01
c-d5Elo(Ot_GA3), ng/mg of total protein	0.12 ± 0.01	2.85 ± 0.02	1.23 ± 0.01
c-d5Des(Tc_GA2), ng/mg of total protein	0.05 ± 0.01	2.03 ± 0.08	1.54 ± 0.03
c-d6Des(Ot_febit),ng/mg total protein	0 ± 0	4.1 ± 0.1	1.83 ± 0.01
c-d6Elo(Pp_GA2), ng/mg total protein	0 ± 0	3.77 ± 0.3	1.1 ± 0.01
c-d6Elo(Tp_GA2), ng/mg of total microsomal protein	0 ± 0	0.33 ± 0.06	0.38 ± 0.04
c-d12Des(Ps_GA), ng/mg of total protein	0.05 ± 01	1.5 ± 0.07	0.34 ± 0.03

Example 26: Desaturase and Elongase substrate specificity and selectivity observed in yeast compared with fatty acid profiles observed in canola events expressing these enzymes

5 The engineered biosynthetic pathway described in Examples 10-18 can convert oleic acid (18:1n-9), ALA (18:3n-3), and SDA (18:4n-3) to 20:5n-3 and 22:6n-3. The conversion of ALA and SDA to 20:5n-3 and 22:6n-3 is accomplished by the enzymes encoded in the engineered pathway and results from their ability to accept several substrates. The substrate tolerance of these enzymes cannot be predicted, but instead must be determined
10 empirically as described in Examples 21 and 22. The ability of the desaturases and elongases, described in Examples 10-18, to use alternate substrates also provides a proof-reading mechanism within the engineered pathway that allows re-routing of undesired side-products back into the biosynthesis of 20:5n-3 and 22:6n-3.

15 Delta-6-desaturase:

Yeast feeding studies (Table 159 and Table 163) show that the delta-6-desaturase (*Ostreococcus tauri*) can accept two substrates, LA (18:2n-6) and ALA (18:3n-3), but prefers ALA slightly. The range of acceptable substrates (Tables 148-152) utilized by the specific combination of elongases and desaturases that were engineered into canola
20 (Examples 10-18) allow the ALA desaturated by the delta-6-desaturase (*Ostreococcus tauri*) to ultimately be converted to DHA. The fatty acid analysis data presented for the engineered canola lines in Examples (10-18) show significantly lower levels of ALA relative to non-transgenic Kumily controls, consistent with the conversion of ALA to 20:5n-3 and 22:6n-3.

25

Delta-6-elongases:

Yeast feeding studies (Table 160 and Table 163) show that both of the delta-6-elongase's, *Physcomitrella patens* and *Thalassiosira pseudonana*, accept 18-carbon chain substrates but prefer molecules desaturated at carbon-6 (see GLA (18:3n-6) and SDA (18:4n-3) vs. LA
30 (18:2n-6) and ALA (18:3n-3). The delta-6-elongase from *Thalassiosira pseudonana* is much more stringent than the one from *Physcomitrella patens* in recognizing the C-6 desaturation. In the fatty acid analysis of the engineered canola lines presented in Examples (10-18) 20:2n-6 and 20:3n-3, resulting from desaturation of LA and ALA respectively, are detected. In the LTM593 (Example 18) line the levels of 20:2n-6 and 20:3n-3 are about the same as
35 found in wild-type Kumily.

Delta-5-desaturase:

Yeast feeding studies (Table 159 and Table 162 and Table 163) show that the delta-5-desaturase (*Thraustochytrium* sp. ATCC21685) accepts DHGLA (20:3n-6) and 20:4n-3.

- 5 The ability of the delta-5-desaturase (*Thraustochytrium* sp. ATCC21685) to desaturate 20:4n-3 is important for the conversion of ALA and SDA into 20:5n-3 and 22:6n-3.

Omega-3-desaturases:

Yeast feeding show that both omega-3-desaturase's, (*Phytophthora infestans* and

- 10 *Pythium irregulare*) can accept ARA (20:4n-6), DTA (22:4n-6), and DHGLA (20:3n-6).

The omega-3-desaturases prefer molecules with 4- double bonds. In the transgenic canola lines described in Examples (10-18), the ability of these omega-3-desaturases to utilize 22:4n-6 as a substrate allows re-direction of ARA (20:4n-6) that has been elongated by the delta-5-elongase (*Ostreococcus tauri*) back into the pathway for

- 15 synthesis of 22:6n-3.

Delta-5-elongase:

Yeast feeding show (Table 161 and Table 163) that the delta-5-elongase (*Ostreococcus tauri*) prefers 20-carbon chain substrates, EPA (20:5n-3) and ARA (20:4n-6), but can

- 20 also extend lipids containing 18-carbon chains, like SDA (18:4n-3) and ALA (18:3n-3).

In the engineered canola (Examples 10-18) the presence of the omega-3-desaturase's, (*Phytophthora infestans* and *Pythium irregulare*), allows the 22:4n-6 product, resulting from the elongation of ARA, to be converted to 22:5n-3 and which is then desaturated by the delta-4-desaturases (*Thraustochytrium* sp. and *Pavlova lutheri*) to produce the

- 25 final product, 22:6n-3. Fatty acid analysis of the transgenic canola lines described in Examples 10-18 shows minor levels of 22:4n-6, likely due to the ability of the omega-3 desaturases to redirect this lipid back into the biosynthesis of 22:6n-6. The 20:4n-3 produced from the extension of SDA is substrate recognized by the delta-5-desaturase (*Thraustochytrium* sp. ATCC21685) and can be converted to 20:5n-3, the preferred
- 30 substrate of the delta-5-elongase (*Ostreococcus tauri*).

Delta-4-desaturases:

Yeast feeding studies (Table 159 and Table 163) show that both delta-4-desaturase's, (Thraustochytrium sp. and Pavlova lutheri) can accept 22:5n-3 and DTA (22:4n-6) with a slight preference for 22:5n-3.

5 **Example 27: Using differentially labeled heavy peptides to monitor digestion efficiency in quantitative LC-MS.**

A. Introduction:

The described method provides an avenue for quantitating digestion efficiency in targeted proteomics experiments. In most MRM LC-MS applications, measuring digestion efficiency
10 relies on an indirect measurement which examines a peptide profile of the sample by comparing the number of missed cleavage peptides detected to the number of completely digested peptides detected in a separate LC-MS experiment. While providing an overall perspective of the trypsin efficiency within the experiment, the data does little to address specific digestion of the target sequence being monitored in the MRM experiment.
15 Measuring global digestion efficiency does not address possible sequence specific biases in trypsin activity and may result in misrepresentation of target quantity. Indeed, there was a growing appreciation that trypsin digestion kinetics was strongly influenced by sequence context (1, 2). In order to measure sequence specific digestion efficiency we use two differentially-labeled heavy peptides to obtain a ratio for digestion efficiency (scheme 1).
20 Peptide three includes the correct sequence context for the target by including four amino acids both amino and carboxyl to the two trypsin cleavage sites that generate the native peptide. In general, three amino acids were considered sufficient for trypsin to identify its cleavage site (3) and hydrolysis rates were only affected by the closest two amino acids (2). This scheme allows us to simultaneously assess specific digestion efficiency and also
25 obtain quantitation data for the target molecule. In this design, the two peptides were spiked at equimolar concentrations into the test sample prior to digestion. During sample analysis, transitions were monitored for the target peptide and the two heavy peptide products. Peak intensities obtained from the two heavy peptides were compared to get a ratio for digestion efficiency and the target peptide intensities were used for quantitation.

30

H. Scheme 1

Example protein: O3D (Pir)

Sequence:

35 MASTSAAQDAAPYEFPSLTEIKRALPSECFEASVPLSLYYTARSLALAGSLAVALSYARALPLVQ

ANALLDATLCTGYVLLQGIVFWGFFTVGHDCGHGAFSRSHVLNFSVGTLMHSIILTPFESWKLS
 HRHHHKNTGNIDKDEIFYPQREADSHPVSRHLVMSLGSAWFAYLFAGFPRTMNHFPWEAM
 YVRRVA AVIISLGVLFAGLYSYLTFVLGFTTMAIYYFGPLFIFATMLVTTFLHHNDEETPWYA
 DSEWTVYKGNLSSVDRSYGALIDNLSHNIGTHQIHHLFPIIPHYKLNDATAAFKAFPELVKNA
 5 APIIPTFFRMAAMYAKYGVDVDTAKTFTLKEAKAAAKTKSS

- target peptide (underlined), native sequence contained in synthetic peptide for digestion efficiency (redouble underlined)

Peptides

- 10 (1) DEIFYPQR (native peptide measured from sample)
 (2) DEIFYPQ_(15N13C)R (for standard curve, and normalization)
 (3) NIDKDEIFY_(15N13C)PQ_(15N13C)R EADS (for digestion efficiency)

Standard peptides (2) (3) were spiked into the test sample at the same concentration prior to proteolysis. After proteolysis the transitions for the product peptides, (2) and DEIFY_(15N13C)PQ_(15N13C)R were compared in product ion intensity in order to determine the digestion efficiency of the targeted sequence within the context of its native sequence according to the following equation:

$$\% \text{ digestion efficiency} = \frac{\text{peak intensity DEIFY}_{(15N13C)P}Q_{(15N13C)R}}{\text{peak intensity DEIFYPQ}_{(15N13C)R}} * 100$$

The % digestion efficiency is therefore measured in the test sample directly and can be used to assess the impact on detected target concentration.

- 20 1) Proc J. et al. 2010. Journal of Proteome Res. 9:5422-5437.
 2) Lowenthal M. et al. 2014. Anal Chem. 86:551-558.
 3) Makriyannis T. and Y. Clonis. 1997. Biotech Bioeng. 53:49-57.

Example 28: Use of different germplasm to optimize production of VLC-PUFA

- 25 It appears that expression of the same or very similar gene sets in different host plants, such as *Camelina sativa* (Ruiz-Lopez et al., 2014), results in a larger yield of VLC-PUFA than has been attainable in *Brassica napus*. This notion is illustrated by the data in Table 179. Table 179 contains fatty acid data from seeds of transgenic *B. napus* (LBJ1671) and transgenic *C. sativa* (RRes_EPA_line) transformed with nearly identical
 30 T-DNAs and the respective wild type controls. The only difference between the constructs used to make the two transgenic lines is that the TDNA used to make the transgenic *B. napus* (LBJ1671) has an extra GFP expression cassette adjacent to the right border. When comparing transgenic *B. napus* (LBJ1671) to the WT Kumily control, there is a decrease in the amount of 18:1 and increases in the amounts of 18:2 and

18:3 fatty acids. The 18:2 and 18:3 fatty acids are intermediates of the pathway introduced by LJB1671, and therefore the elongation of 18:2 and 18:3 fatty acids into 20C fatty acids can be considered a bottleneck reaction in *B. napus*. On the other hand, when comparing transgenic *C. sativa* (RRes_EPA_line) to the WT control, there is a
5 decrease in 18:1 and also in 18:2 and 18:3 fatty acids. Therefore, the elongation of 18:2 and 18:3 fatty acids is not a bottleneck in *C. sativa*. The absence of this bottleneck in *C. sativa* results in 10-fold higher 20:5n-3 (EPA) content compared to the transgenic *B. napus*.

The conversion of 18:1 to 18:2 and of 18:2 to 18:3 occurs largely in the phospholipid
10 membrane, while the elongation of 18C fatty acids to 20C fatty acids occurs strictly in the acyl-CoA pool. This difference in substrate specificity means that 18C fatty acids must be released from membrane phospholipids in order to be elongated. This release is apparently a bottleneck in *B. napus*, but not in *C. sativa*. The difference in flux of 18:2 from PC into the CoA pool between these two species could be due to differences in the
15 activities of numerous enzymes, including: 1) phospholipases, 2) acyl-CoA synthetases, 3) lyso-PC acyltransferases, 4) phospholipid-diacylglycerol choline transferases, 5) phospholipid-diacylglycerol acyl transferases, and others. As a consequence of these observations, transforming any of the constructs from example 11 to example 18 into
variety of species and germplasms (such as other Brassica germplasms in the so called
20 Triangle of U), would result in a preferred embodiment of the present invention (e.g. higher amounts of EPA and DHA, and/or lower amounts of 18:2n-6).

Table 179: Introduction of a construct that was isogenic for all genes involved in VLC-PUFA synthesis into *Brassica napus* cv Kumily and into *Camelina sativa*. Average fatty acid data of segregating T1 seed of 26 events containing the T-DNA of LJB1671 and wild type (WT) *Brassica napus* cv Kumily are shown in the top two rows of data. For line RRes_EPA, fatty acid profiles of T3 homozygous seeds of selected insertion events, and of the respective WT control, are shown. RRes_EPA line and WT *Camelina sativa* data were taken from supplemental table S1 of Ruiz-Lopez *et al.*, 2014. n.d, not determined.

Event	Other	16:0	16:1 n-7	16:3 n-3	18:0	18:1 n-9	18:2 n-6	18:2 n-9	18:3 n-3	18:3 n-6	18:4 n-3	20:0	20:1 n-9	20:2 n-6	20:3 n-3	20:3 n-6	20:4 n-3	20:4 n-6	20:5 n-3	22:0	22:1 n-9
LJB1671 introduced into Kumily (n=26)	0	5 ± 0.5	0.2 ± 0.1	0.1 ± 0.1	2.6 ± 0.6	37.8 ± 10.9	29.1 ± 4.3	0.4 ± 0.4	7.8 ± 1.2	4.4 ± 5.4	2 ± 2.7	0.9 ± 0.2	1.3 ± 0.4	1.8 ± 1.8	0.6 ± 0.6	1.5 ± 1	1 ± 0.7	0.8 ± 0.5	2.1 ± 1.5	0.5 ± 0.1	0 ± 0
WT Kumily greenhouse (n=46)	0	5 ± 0.1	0.4 ± 0	0.2 ± 0	2.6 ± 0.1	66.3 ± 1.7	16.8 ± 1.3	0 ± 0	6.1 ± 0.4	0	0	0.9 ± 0	1.2 ± 0	0	0	0	0	0	0	0.5 ± 0	0 ± 0
RRes_EPA line	11.9 ± 1.0	8.3 ± 0.6	n.d	n.d	6.7 ± 0.9	5.0 ± 0.8	20.6 ± 1.2	n.d	15.8 ± 2.9	2.4 ± 1.7	1.5 ± 1.2	n.d	7.0 ± 0.9	n.d	n.d	1.1 ± 0.4	3.2 ± 1.1	1.6 ± 0.3	14.7 ± 2.8	n.d	n.d
WT <i>Camelina sativa</i>	11.2 ± 0.1	6.5 ± 0.1	n.d	n.d	3.4 ± 0.1	14.5 ± 0.4	19.0 ± 0.6	n.d	30.8 ± 0.6	0	0	n.d	14.5 ± 0.1	n.d	n.d	0	0	0	0	n.d	n.d

Sequences of the invention

Table 180 shows the sequences of the invention by their name, and the associated SEQ-ID number of the sequence listing.

Table 180: Association of sequence names to SEQ-IDs in the sequence listing.

		Continued from column 1 and 2	
SEQ ID NO:	Sequence Name	SEQ ID NO:	Sequence Name
1	RTP10690-1qcz_F	129	j-i-Atss1_c-d5Elo(Ot_GA3)_P
2	RTP10691-2qcz	130	j-i-Atss1_c-d6Elo(Tp_GA2)_P
3	VC-LTM593-1qcz	131	j-i-Atss14_c-d12Des(Ps_GA)_P
4	VC-LTM595-1qcz	132	j-i-Atss18_c-d6Elo(Pp_GA2)_P
5	VC-LJB2197-1qcz	133	j-i-Atss18_c-o3Des(Pi_GA2)_P
6	VC-LJB2755-2qcz	134	j-i-Atss2_c-d4Des(Tc_GA3)_P
7	VC-LLM306-1qcz	135	j-i-Atss2_c-d6Des(Ot febit_GA)_P
8	VC-LLM337-1qcz	136	j-p-BnFAE_t-PvARC_P
9	VC-LLM338-3qcz	137	j-p-BnSETL-v1_c-o3Des(Pir_GA)_P
10	VC-LLM391-2qcz	138	j-p-LuPXR_i-Atss15_P
11	VC-LLM217-1qcz	139	j-p-PvARC5_t-BnFAE_P
12	o3DES-594FAM	140	j-p-PvARC5_t-BnSETL_P
13	o3DESPIR-198FAM	141	j-t-CaMV_p-LuCnl-2_P
14	o3DESPIR-962FAM	142	j-t-E9-p3-2_P
15	AtPXR-Fam	143	j-t-PvARC-p-LuCnl_P
16	BnSETL-1186FAM	144	j-t-StCAT_p2_p-LuPXR_P
17	BnSETL-Fam	145	reference (Adh1)_P
18	E011	146	c-o3Des(Pi_GA2_SNP)_F
19	D4DES-Tc-FAM	147	j-t-PvARC-p3_F
20	D4DES-Eg-FAM	148	j-i-Atss15_c-o3Des(Pi_GA2)_F
21	D4DES-PI-770FAM	149	j-p-VfSBPperm3_c-o3Des(Pir_GA)_F
22	Exp3-78-YAK	150	c-d15Des(Ch_ERTp_GA)_F
23	o3DES-572F	151	j-i-Atss2_c-d4Des(PI_GA)-195R)_F
24	o3DESPIR-160F	152	c-o3Des(Pi_GA2_SNP)_R
25	o3DESPIR-924F	153	j-t-PvARC-p3_R
26	o3DesPir-F	154	j-i-Atss15_c-o3Des(Pi_GA2)_R
27	BnSETL-1164-F	155	j-p-VfSBPperm3_c-o3Des(Pir_GA)_R
28	MA54	156	c-d15Des(Ch_ERTp_GA)_R
29	D4DES-Tc-F	157	j-i-Atss2_c-d4Des(PI_GA)-195R)_R
30	D4DES-EG-F	158	c-o3Des(Pi_GA2_SNP)_P
31	D4DES-PI-746-F	159	j-t-PvARC-p3_P
32	Exp 3-52F	160	j-i-Atss15_c-o3Des(Pi_GA2)_P
33	o3DES-652R	161	j-p-VfSBPperm3_c-o3Des(Pir_GA)_P
34	o3DESPIR-262R	162	c-d15Des(Ch_ERTp_GA)_P
35	o3DESPIR-1026-R	163	j-i-Atss2_c-d4Des(PI_GA)-195R)_P
36	AtPXR-R	164	LANBCH locus 1 (N5) Forward primer
37	o3DESPIR-R	165	LANBCH locus 1 (N9) Forward primer
38	MA55	166	LANBCH locus 2 (N5) Forward primer
39	D4DES-Tc-988R	167	LANBCH locus 2 (N9) Forward primer
40	D4DES-Eg-R	168	LBFDAU locus 1 Forward primer

		Continued from column 1 and 2	
SEQ ID NO:	Sequence Name	SEQ ID NO:	Sequence Name
41	D4DES-PI-817R	169	LBFDAU locus 2 Forward primer
42	Exp 3-128R	170	LBFDGG Forward primer
43	RTP10690_1	171	LBFDHG locus 1 Forward primer
44	RTP10690_2	172	LBFDHG locus 2 Forward primer
45	RTP10690_3	173	LBFGKN Forward primer
46	RTP10690_4	174	LBFIHE Forward primer
47	RTP10690_5	175	LBFLFK locus 1 Forward primer
48	RTP10690_6	176	LBFLFK locus 2 Forward primer
49	RTP10690_7	177	LBFPRA Locus 1 Forward primer
50	RTP10690_8	178	LBFPRA locus 2 Forward primer
51	RTP10690_9	179	LBFPRA Locus 3e Forward primer
52	RTP10690_10	180	LANBCH locus 1 (N5) Reverse primer
53	RTP10690_11	181	LANBCH locus 1 (N9) Reverse primer
54	RTP10690_12	182	LANBCH locus 2 (N5) Reverse primer
55	RTP10690_5'	183	LANBCH locus 2 (N9) Reverse primer
56	t-AtAHASL	184	LBFDAU locus 1 Reverse primer
57	LJB2197_5'	185	LBFDAU locus 2 Reverse primer
58	LJB2197_1	186	LBFDGG Reverse primer
59	LJB2197_2	187	LBFDHG locus 1 Reverse primer
60	LJB2197_3	188	LBFDHG locus 2 Reverse primer
61	LJB2197_4	189	LBFGKN Reverse primer
62	c-AHAS_F	190	LBFIHE Reverse primer
63	c-d4Des(Eg_GA)_F	191	LBFLFK locus 1 Reverse primer
64	c-d4Des(PI_GA)2_F	192	LBFLFK locus 2 Reverse primer
65	c-d4Des(Tc_GA)_F	193	LBFPRA Locus 1 Reverse primer
66	c-d5Des(Tc_GA)_F	194	LBFPRA locus 2 Reverse primer
67	c-d5Elo(Ot_GA3)_F	195	LBFPRA Locus 3e Reverse primer
68	c-d6Des(Ot_febit)_F	196	LANBCH locus 1 (N5) Probe sequence
69	c-d6Elo(Pp_GA)_F	197	LANBCH locus 1 (N9) Probe sequence
70	c-d6Elo(Tp_GA)_F	198	LANBCH locus 2 (N5) Probe sequence
71	c-o3Des(Pi_GA)_F	199	LANBCH locus 2 (N9) Probe sequence
72	c-o3Des(Pir_GA)_F	200	LBFDAU locus 1 Probe sequence
73	j-i-Atss1_c-d5Elo(Ot_GA3)_F	201	LBFDAU locus 2 Probe sequence
74	j-i-Atss1_c-d6Elo(Tp_GA2)_F	202	LBFDGG Probe sequence
75	j-i-Atss14_c-d12Des(Ps_GA)_F	203	LBFDHG locus 1 Probe sequence
76	j-i-Atss18_c-d6Elo(Pp_GA2)_F	204	LBFDHG locus 2 Probe sequence
77	j-i-Atss18_c-o3Des(Pi_GA2)_F	205	LBFGKN Probe sequence
78	j-i-Atss2_c-d4Des(Tc_GA3)_F	206	LBFIHE Probe sequence
79	j-i-Atss2_c-d6Des(Ot_febit_GA)_F	207	LBFLFK locus 1 Probe sequence
80	j-p-BnFAE_t-PvARC_F	208	LBFLFK locus 2 Probe sequence
81	j-p-BnSETL-v1_c-o3Des(Pir_GA)_F	209	LBFPRA Locus 1 Probe sequence
82	j-p-LuPXR_i-Atss15_F	210	LBFPRA locus 2 Probe sequence
83	j-p-PvARC5_t-BnFAE_F	211	LBFPRA Locus 3e Probe sequence
84	j-p-PvARC5_t-BnSETL_F	212	VC-LJB2197-1qcz LANBCH RB6 Locus 1
85	j-t-CaMV_p-LuCnl-2_F	213	VC-LJB2197-1qcz LANBCH LB2 Locus 1
86	j-t-E9-p3-2_F	214	VC-LLM337-1qcz LANBCH RB2 Locus 1
87	j-t-PvARC-p-LuCnl_F	215	VC-LLM337-1qcz LANBCH LB1 Locus 1

		Continued from column 1 and 2	
SEQ ID NO:	Sequence Name	SEQ ID NO:	Sequence Name
88	j-t-StCAT_p2_p-LuPXR_F	216	VC-LJB2197-1qcz LANBCH RB3 Locus 2
89	reference (Adh1)_F	217	VC-LLM337-1qcz LANBCH RB1 Locus 2
90	c-AHAS_R	218	VC-LTM593-1qcz LBFDGG RB
91	c-d4Des(Eg_GA)_R	219	VC-LTM593-1qcz LBFDGG LB
92	c-d4Des(PI_GA)2_R	220	VC-LTM593-1qcz LBFDHG RB Locus 1
93	c-d4Des(Tc_GA)_R	221	VC-LTM593-1qcz LBFDHG LB Locus 1
94	c-d5Des(Tc_GA)_R	222	VC-LTM593-1qcz LBFDHG RB Locus 2
95	c-d5Elo(Ot_GA3)_R	223	VC-LTM593-1qcz LBFDHG LB Locus 2
96	c-d6Des(Ot_febit)_R	224	VC-LTM593-1qcz LBFGKN RB1
97	c-d6Elo(Pp_GA)_R	225	VC-LTM593-1qcz LBFGKN LB1
98	c-d6Elo(Tp_GA)_R	226	VC-LTM593-1qcz LBFIHE RB1
99	c-o3Des(Pi_GA)_R	227	VC-LTM593-1qcz LBFIHE LB1
100	c-o3Des(Pir_GA)_R	228	VC-LTM593-1qcz LBFLFK RB1 Locus 1
101	j-i-Atss1_c-d5Elo(Ot_GA3)_R	229	VC-LTM593-1qcz LBFLFK LB1 Locus 1
102	j-i-Atss1_c-d6Elo(Tp_GA2)_R	230	VC-LTM593-1qcz LBFLFK RB2 Locus 2
103	j-i-Atss14_c-d12Des(Ps_GA)_R	231	VC-LTM593-1qcz LBFLFK LB2 Locus 2
104	j-i-Atss18_c-d6Elo(Pp_GA2)_R	232	VC-LTM593-1qcz LBFPRA RB1 Locus 1
105	j-i-Atss18_c-o3Des(Pi_GA2)_R	233	VC-LTM593-1qcz LBFPRA LB1 Locus 1
106	j-i-Atss2_c-d4Des(Tc_GA3)_R	234	VC-LTM593-1qcz LBFPRA RB3 Locus 2
107	j-i-Atss2_c-d6Des(Ot_febit_GA)_R	235	VC-LTM593-1qcz LBFPRA L1 Locus 2
108	j-p-BnFAE_t-PvARC_R	236	VC-LTM593-1qcz LBFPRA Locus 3e
109	j-p-BnSETL-v1_c-o3Des(Pir_GA)_R	237	VC-LTM593-1qcz LBFDAU RB1 Locus 1
110	j-p-LuPXR_i-Atss15_R	238	VC-LTM593-1qcz LBFDAU LB1 Locus 1
111	j-p-PvARC5_t-BnFAE_R	239	VC-LTM593-1qcz LBFDAU R Locus 2
112	j-p-PvARC5_t-BnSETL_R	240	VC-LTM593-1qcz LBFDAU L Locus 2
113	j-t-CaMV_p-LuCnl-2_R	241	Amplicon LANBCH locus 1 (N5)
114	j-t-E9-p3-2_R	242	Amplicon LANBCH locus 1 (N9)
115	j-t-PvARC-p-LuCnl_R	243	Amplicon LANBCH locus 2 (N5)
116	j-t-StCAT_p2_p-LuPXR_R	244	Amplicon LANBCH locus 2 (N9)
117	reference (Adh1)_R	245	Amplicon LBFDAU locus 1
118	c-AHAS_P	246	Amplicon LBFDAU locus 2
119	c-d4Des(Eg_GA)_P	247	Amplicon LBFDGG
120	c-d4Des(PI_GA)2_P	248	Amplicon LBFDHG locus 1
121	c-d4Des(Tc_GA)_P	249	Amplicon LBFDHG locus 2
122	c-d5Des(Tc_GA)_P	250	Amplicon LBFGKN
123	c-d5Elo(Ot_GA3)_P	251	Amplicon LBFIHE
124	c-d6Des(Ot_febit)_P	252	Amplicon LBFLFK locus 1
125	c-d6Elo(Pp_GA)_P	253	Amplicon LBFLFK locus 2
126	c-d6Elo(Tp_GA)_P	254	Amplicon LBFPRA Locus 1
127	c-o3Des(Pi_GA)_P	255	Amplicon LBFPRA locus 2
128	c-o3Des(Pir_GA)_P	256	Amplicon LBFPRA Locus 3e

Reference List

- Arondel, V., Lemieux, B., Hwang, I., Gibson, S., Goodman, H.M., and Somerville, C.R. (1992). Map-based cloning of a gene controlling omega-3 fatty acid desaturation in *Arabidopsis*. *Science* 258, 1353-1355.
- Bafor, M., Smith, M. A., Jonsson, L., Stobart, K., and Stymne, S. *Biochem J.* (1991). Ricinoleic acid biosynthesis and triacylglycerol assembly in microsomal preparations from developing castor-bean (*Ricinus communis*) endosperm. 280, 507-514.
- Bernert, J.T and Sprecher, H. (1977). Analysis of Partial Reactions in the Overall Chain Elongation of Saturated and Unsaturated Fatty Acids by Rat Liver Microsomes. *J. Biol. Chem.* 252, 6736-6744.
- Banas, A., Bafor, M., Wiberg, E., Lenman, M., Ståhl, U., Stymne, S. (1997). Biosynthesis of an Acetylenic Fatty Acid in Microsomal Preparations from Developing Seeds of *Crepis alpina*. In: *Physiology, Biochemistry and Molecular Biology of Plant Lipids* (Williams, J. P., Kahn, M. U., Lem, N. W., eds.) pp. 57-59. Kluwer Academic Press, Dordrecht.
- Bligh, E. G., and Dyer, J. J. (1959). A rapid method for total lipid extraction and purification. *Can J. Biochem. Physiol.* 37: 911-918
- Broadwater, J.A., Whittle, E., and Shanklin, J. (2002). Desaturation and hydroxylation. Residues 148 and 324 of *Arabidopsis* FAD2, in addition to substrate chain length, exert a major influence in partitioning of catalytic specificity. *J. Biol. Chem.* 277, 15613-15620.
- Broun, P., Shanklin, J., Whittle, E., and Somerville, C. (1998b). Catalytic plasticity of fatty acid modification enzymes underlying chemical diversity of plant lipids. *Science* 282, 1315-1317.
- Calvo, A.M., Gardner, H.W., and Keller, N.P. (2001). Genetic connection between fatty acid metabolism and sporulation in *Aspergillus nidulans*. *J. Biol. Chem.* 276, 25766-25774.
- Brown AJ., Sweeney B., Mainwaring DO. and James DC. (2014) Synthetic Promoters for CHO Cell Engineering. *Biotechnology and Bioengineering*, 111, 8:1638-1647.
- Cutler SR., Rodriguez PL., Finkelstein RR., and Abrams SR. (2010) Absciscic Acid: Emergence of a Core Signaling Network. *Annual Review of Plant Biology* 61:651–679.
- Demekes T. and Jenkins RG. (2010) Influence of DNA extraction methods, PCR inhibitors and quantification methods on real-time PCR assay of biotechnology-derived traits. *Analytical and Bioanalytical Chemistry* 396, 1977–1990.
- Domergue, F., Abbadi, A., Ott, C., Zank, T. K., Zahringer, U., and Heinz, E. (2003) Acyl Carriers Used as Substrates by the Desaturases and Elongases Involved in Very Long-chain Polyunsaturated Fatty Acids Biosynthesis Reconstituted in Yeast. *J. Biol. Chem.* 278, 35115-35126
- Domergue, F., Abbadi, A., Zähringer, U., Moreau, H., Heinz, E. (2005) In vivo characterization of the first acyl-CoA D6-desaturase from a member of the plant kingdom, the microalga *Ostreococcus tauri*. *Biochem. J.* 389, 483-490.
- Dubos C., Kelemen Z., Sebastian A., Bülow L., Huep G., Xu W., Grain D., Salsac F., Brousse C., Lepiniec L, Weisshaar B., Contreras-Moreira B. and Hehl R. *BMC Genomics* 15:317.

- Focks N. and Benning C. (1998) wrinkled1: A novel, low-seed-oil mutant of *Arabidopsis* with a deficiency in the seed-specific regulation of carbohydrate metabolism. *Plant Physiology* 118, 1:91-101.
- Ganas et al in *Physiology, Biochemistry and Molecular Biology of Plant Lipids*, Eds Williams, J.P., Khan, M.U. and Lem, N.W., Kluwer Academic Publishers, NL, 1996, 57-59
- Griffiths, G., Stobart, A. K., and Stymne, S. (1988). $\Delta 6$ - and $\Delta 12$ -desaturase activities and phosphatidic acid formation in microsomal preparations from the developing cotyledons of common borage (*Borago officinalis*). *Biochem. J.* 252, 641-647
- Hamilton CM (1997) A binary-BAC system for plant transformation with high-molecular-weight DNA. *Gene* 200: 107–116
- Hattori T., Totsuka M., Hobo T., Kagaya Y., Yamamota-Toyoda A. (2002) Experimentally determined sequence requirement of ACGT containing abscisic acid response element. *Plant and Cell Physiology* 43, 1:136-140.
- Higo K., Ugawa Y., Iwamoto M., Korenaga T. (1999) Plant Cis-acting regulatory DNA elements (PLACE) database: 1999. *Nucleic Acids Research* 27, 1:297-300.
- Hinnebusch A. (2014) The Scanning Mechanism of Eukaryotic Translation Initiation. *Annual Review of Biochemistry* 83, 779–812
- Jain, S., Stanford, N., Bhagwat, N., Seiler, B., Costanzo, M., Boone, C. and Peter, P. (2007). Identification of a Novel Lysophospholipid Acyltransferase in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 282, 30562-30569.
- Kargiotidou A., Deli D., Galanopoulou D., Tsaftaris A. and Farmaki T. (2008) Low temperature and light regulate delta 12 fatty acid desaturases (FAD2) at a transcriptional level in cotton (*Gossypium hirsutum*) *Journal of Experimental Botany*, 59, 8:2043–2056
- Keller W., Konig P. and Richmond TJ. (1995) Crystal Structure of a bZIP/DNA Complex at 2.2 Å: Determinants of DNA Specific Recognition. *Journal of Molecular Biology* 254, 657–667.
- Kim W-C., Reca I-B., Kim YS. Park S., Thomashow MF. Keegstra K. Han K-H. (2014) Transcription factors that directly regulate the expression of CSLA9 encoding mannan synthase in *Arabidopsis thaliana*. *Plant Molecular Biology* 84, 577–587
- Knutzon, D.S., Thurmond, J.M., Huang, Y.S., Chaudhary, S., Bobik, E.G., Jr., Chan, G.M., Kirchner, S.J., and Mukerji, P. (1998). Identification of Delta5-dehydratase from *Mortierella alpina* by heterologous expression in Bakers' yeast and canola. *J. Biol. Chem.* 273, 29360-29366.
- Komori, T., Imayama, T., Kato, N., Ishida, N., Ueki, j., and Komari, T. (2007). Current Status of Binary Vectors and Superbinary Vectors. *Plant Physiology* 145(4), 1155-1160, doi: <http://dx.doi.org/10.1104/pp.107.105734>
- Kong F., Yamasaki T. and Ohama T. (2014) Expression levels of domestic cDNA cassettes integrated in the nuclear genomes of various *Chlamydomonas reinhardtii* strains. *Journal of Bioscience and Bioengineering* 117, 5:613-616.
- Kozak M. Initiation of translation in prokaryotes and eukaryotes (1999) *Gene* 234, 187-208.

- Livak K. and Schmittgen TD. (2001) Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2-delta-deltaCT Method. *Methods* 25, 402–408.
- López Y., Patil A., Nakai K. (2013) Identification of novel motif patterns to decipher the promoter architecture of co-expressed genes in *Arabidopsis thaliana*. *BMC Systems Biology* 7(Suppl 3):S10
- Machens F., Becker M., Umrath F., Hehl R. (2014) Identification of a novel type of WRKY transcription factor binding site in elicitor-responsive cis-sequences from *Arabidopsis thaliana*. *Plant Molecular Biology* 84,371–385
- Mantle, P.G. and Nisbet, L.J. (1976). Differentiation of *Claviceps purpurea* in axenic culture. *J. Gen. Microbiol.* 93, 321-334.
- Meggendorfer M., Weierich C., Wolff H., Brack-Werner R., Cremer T. (2010) Functional nuclear topography of transcriptionally inducible extra-chromosomal transgene clusters. *Chromosome Research* 18, 401–417.
- Meesapyodsuk, D., Qui, X. (2012). The Front-end Desaturase: Structure, Function, Evolution and Biotechnological Use *Lipids* 47, 227-237
- Mendel, J.G. (1866). *Versuche über Pflanzenhybriden* Verhandlungen des naturforschenden Vereines in Brünn, Bd. IV für das Jahr, 1865 Abhandlungen:3–47.
- Mey, G., Oeser, B., Lebrun, M.H., and Tudzynski, P. (2002). The biotrophic, non-appressorium-forming grass pathogen *Claviceps purpurea* needs a Fus3/Pmk1 homologous mitogen-activated protein kinase for colonization of rye ovarian tissue. *Mol. Plant Microbe Interact.* 15, 303-312.
- Muino JM., Smaczniak C., Angenent GC., Kaufmann K. and van Dijk ADJ. (2014) Structural determinants of DNA recognition by plant MADS-domain transcription factors. *Nucleic Acids Research* 42,4:2138-2146.
- Murashige T. and Skoog F. (1962) A Revised Medium for Rapid Growth and Bio Assays with Tobacco Tissue Cultures. *Physiologia Plantarum* 15, 3:473-497
- Nakagawa S., Niimura Y., Gojobori T., Tanaka H., and Miura K-I. (2008) Diversity of preferred nucleotide sequences around the translation initiation codon in eukaryote genomes. *Nucleic Acids Research* 36, 3:861–871
- Nishikata K., Cox RS III., Shimoyama S., Yoshida Y., Matsui M., Makita Y. and Toyoda T. (2013) Database Construction for PromoterCAD: Synthetic Promoter Design for Mammals and Plants *ACS Synthetic Biology* 3, 192–196.
- Okayasu, T.; Nagao, M.; Ishibashi, T.; and Imai, Y. (1981) Purification and Partial Characterization of Linoleoyl-CoA Desaturase from Rat Liver Microsomes *Arch. Biochem. Biophys.* 206, 21-28.
- Okuley, J., Lightner, J., Feldmann, K., Yadav, N., Lark, E., and Browse, J. (1994). *Arabidopsis* FAD2 gene encodes the enzyme that was essential for polyunsaturated lipid synthesis. *Plant Cell* 6, 147-158.

- Parker S.C.J., Hansen L., Abaan H.O., Tullius T.D., Margulies E.H. (2009) Local DNA Topography Correlates with Functional Noncoding Regions of the Human Genome. *Science* 324, 389-392.
- Paul, S., Gable, K., Beaudoin, F., Cahoon, E. Jaworski, J., Napier, J. A., and Dunn, T. M. (2006). Members of the Arabidopsis FAE1-like 3-Ketoacyl-CoA Synthase Gene Family Substitute for the Elop Proteins of *Saccharomyces cerevisiae*. *J. Biol. Chem.* 281, 9018-9029.
- Qi,B., Fraser,T., Mugford,S., Dobson,G., Sayanova,O., Butler,J., Napier,J.A., Stobart,A.K., and Lazarus,C.M. (2004). Production of very long chain polyunsaturated omega-3 and omega-6 fatty acids in plants. *Nat. Biotechnol.* 22, 739-745.
- Ramamoorthy S., Garapati H.S., Mishra R.K. (2014) Length and sequence dependent accumulation of simple sequence repeats in vertebrates: Potential role in genome organization and regulation. *Gene* 551,167-175.
- Riekhof, W. R., Wu, J., Gijón, M. A., Zarini, S., Murphy, R. C. and Voelker, D. R. Lysophosphatidylcholine Metabolism in *Saccharomyces cerevisiae*: The Role of P-Type ATPases In Transport and A Broad Specificity Acyltransferase in Acylation. *J. Biol. Chem.* 2007, 282:36853-36861.
- Ruiz-Lopez N., Haslam RP., Napier JA. and Sayanova O. (2014) Successful high-level accumulation of fish oil omega-3 long-chain polyunsaturated fatty acids in a transgenic oilseed crop. *The Plant Journal* 77, 198–208.
- Ruuska SA., Girke T., Benning C., and John B. Ohlrogge. Contrapuntal Networks of Gene Expression during Arabidopsis Seed Filling *The Plant Cell* 14, 6:1191-1206.
- Sánchez-García A. Mancha M., Heinz E., Martínez-Rivas J.M. (2004) Differential temperature regulation of three sunflower microsomal oleate desaturase (FAD2) isoforms overexpressed in *Saccharomyces cerevisiae* *European Journal of Lipid Science and Technology* 106, 583–590
- Sarkar AK. and Lahiri A. (2013) Specificity determinants for the abscisic acid response element. *FEBS Open Bio* 3, 101–105.
- Shanklin J, Somerville C. (1991) Stearoyl-acyl-carrier-protein desaturase from higher plants was structurally unrelated to the animal and fungal homologs. *Proc Natl Acad Sci USA* 88, 2510-2514.
- Shanklin,J. and Cahoon,E.B. (1998). DESATURATION AND RELATED MODIFICATIONS OF FATTY ACIDS1. *Annu. Rev. Plant Physiol Plant Mol. Biol.* 49, 611-641.
- Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Provenzano, M. D., Fujimoto, E. K., Goeke, N. M., Olson, B. J., and Klenk, D. C. (1985). Measurement of protein using bicinchoninic acid. *Anal. Biochem.* 150, 76–85.
- Strittmatter, P.; Spatz, L.; Corcoran, D.; Rogers, M.J.; Setlow, B.; and Redline, R. (1974) Purification and properties of rat liver microsomal stearyl coenzyme A desaturase. *Proc. Nat. Acad. Sci. USA* 71, 4565-4569.

- Stymne, S. and Stobart, A. K. (1986) Biosynthesis of γ -linolenic acid in cotyledons and microsomal preparations of the developing seeds of common borage (*Borago officinalis*). *Biochem. J.* 240, 385-393.
- Tamaki, H., Shimada, A., Ito, Y., Ohya, M., Takase, J., Miyashita, M., Miyagawa, H., Nozaki, H., Nakayama, R. and Hidehiko Kumagai (2007) *LPT1* Encodes a Membrane-bound O-Acyltransferase Involved in the Acylation of Lysophospholipids in the Yeast *Saccharomyces cerevisiae*. *J. Biol. Chem.* 282, 34288-34298.
- Tang G-Q., Novitzky WP., Griffin HC., Huber SC., and Dewey RE. (2005) Oleate desaturase enzymes of soybean: evidence of regulation through differential stability and phosphorylation. *The Plant Journal* 44, 433–446.
- Tudzynski, P., Correia, T., and Keller, U. (2001). Biotechnology and genetics of ergot alkaloids. *Appl. Microbiol. Biotechnol.* 57, 593-605.
- Wachter E., Quante T., Merusi C., Arczewska A., Stewart F., Webb S., Bird A. (2014) Synthetic CpG islands reveal DNA sequence determinants of chromatin structure. *eLIFE* e03397. DOI: 10.7554/eLife.03397.
- Xiao G., Zhang ZQ., Yin CF., Liu RY., Wu XM., Tan TL., Chen SY., Lu CM. and Guan CY. (2014) Characterization of the promoter and 5'-UTR intron of oleic acid desaturase (FAD2) gene in *Brassica napus*. *Gene* 545, 45-55.

DocCode – SEQ.TXT

SCORE Placeholder Sheet for IFW Content

Application Number: 62079622

Document Date: 11/14/2014

The presence of this form in the IFW record indicates that the following document type was received in electronic format on the date identified above. This content is stored in the SCORE database.

Since this was an electronic submission, there is no physical artifact folder, no artifact folder is recorded in PALM, and no paper documents or physical media exist. The TIFF images in the IFW record were created from the original documents that are stored in SCORE.

- Sequence Listing

At the time of document entry (noted above):

- USPTO employees may access SCORE content via eDAN using the Supplemental Content tab, or via the SCORE web page.
- External customers may access SCORE content via PAIR using the Supplemental Content tab.

Form Revision Date: August 26, 2013