

# Belmont® 2.7 FS

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 10/07/2015

Revision date: 07/05/2017

Supersedes: 03/24/2017

Version: 4.0

## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
Product name : Belmont® 2.7 FS  
Other means of identification : EPA Reg. No. 400-577

### 1.2. Recommended use and restrictions on use

Recommended use : Fungicide  
Restrictions on use : No additional information available

### 1.3. Supplier

MacDermid Agricultural Solutions, Inc.  
245 Freight Street  
Waterbury, CT 06702 - USA  
T 1-866-761-9397  
[sds.request@arysta.com](mailto:sds.request@arysta.com)

### 1.4. Emergency telephone number

Emergency number : FOR 24-HOUR MEDICAL EMERGENCY ASSISTANCE CALL PROPHARMA: 1-866-303-6952  
or +1-651-603-3432  
FOR 24-HOUR CHEMICAL EMERGENCY (Spill, leaks, fire, exposure or accident) call  
CHEMTREC: 1-800-424-9300 or +1-703-527-3887

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS-US classification

Skin sensitisation, Category H317 May cause an allergic skin reaction  
1

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

#### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning  
Hazard statements (GHS-US) : H317 - May cause an allergic skin reaction  
Precautionary statements (GHS-US) : P261 - Avoid breathing mist, spray, vapours  
P272 - Contaminated work clothing must not be allowed out of the workplace  
P280 - Wear protective gloves, protective clothing  
P302+P352 - If on skin: Wash with plenty of soap, water  
P321 - Specific treatment (see First aid measures on this label)  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P363 - Wash contaminated clothing before reuse  
P501 - Dispose of contents/container to Collection point

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

0.76% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
0.76% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
0.76% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

# Belmont® 2.7 FS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
metalaxyl (ISO)	(CAS-No.) 57837-19-1	3 - 7	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%)	(CAS-No.) 64742-65-0	1 - 2	Asp. Tox. 1, H304
Urea [Carbamide, Carbonyldiamide, Carbamidic	(CAS-No.) 57-13-6	1 - 2	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
- First-aid measures after eye contact : Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
- First-aid measures after ingestion : Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting unless directed to do so by medical personnel.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Large fires: alcohol resistant foam. Small fires: Carbon dioxide. Dry chemical. Foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : Burning produces irritating, toxic and noxious fumes.
- Reactivity : No dangerous reactions known.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses.
- Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Use personal protective equipment as required. Refer to section 8.2.
- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required. Refer to section 8.2.
- Emergency procedures : Ventilate area. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Do not discharge into drains or the environment.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container.

# Belmont® 2.7 FS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Use only outdoors or in a well-ventilated area. Do not handle until all safety precautions have been read and understood.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed.
- Incompatible products : Strong acids. Strong bases.
- Storage temperature : 2.8 - 32.2 °C
- Prohibitions on mixed storage : Incompatible materials.
- Storage area : Store in dry, cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

metalaxyl (ISO) (57837-19-1)		
Not applicable		
Urea [Carbamide, Carbonyldiamide, Carbamidic (57-13-6)]		
Not applicable		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> oil mist
ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> oil mist
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Avoid splashing. Ensure good ventilation of the work station.
- Environmental exposure controls : Prevent leakage or spillage. Prevent contaminated water run-off.

### 8.3. Individual protection measures/Personal protective equipment

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear suitable gloves resistant to chemical penetration. natural rubber gloves. (>= 14 mils).
- Eye protection : Safety glasses with side shields.
- Skin and body protection : Impervious clothing.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. NIOSH. Approved respirator.
- Other information : Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Aqueous solution.
- Colour : light brown
- Odour : Musty
- Odour threshold : No data available
- pH : 6.5 - 8.8
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Flammability (solid, gas) : No data available

# Belmont® 2.7 FS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.094 @ 25 °C
Density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and noxious fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eye contact

Acute toxicity : Not classified

Belmont® 2.7 FS	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 21.94 mg/l/4h 1 h

metalaxyl (ISO) (57837-19-1)	
ATE US (oral)	500 mg/kg bodyweight

Urea [Carbamide, Carbonyldiamide, Carbamidic (57-13-6)]	
LD50 oral rat	14300 mg/kg male
ATE US (oral)	14300 mg/kg bodyweight

Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation : Not classified  
(Not irritating to skin)

Serious eye damage/irritation : Not classified.  
(Not irritating to rabbits on ocular application)

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

# Belmont® 2.7 FS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: May cause an allergic skin reaction.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : May cause long lasting harmful effects to aquatic life.

##### Urea [Carbamide, Carbonyldiamide, Carbamidic (57-13-6)]

LC50 fish 1	> 6810 mg/l 96 h
EC50 Daphnia 1	> 10000 mg/l 24 h

#### 12.2. Persistence and degradability

##### Belmont® 2.7 FS

Persistence and degradability : Not established.

##### Urea [Carbamide, Carbonyldiamide, Carbamidic (57-13-6)]

Persistence and degradability : Readily biodegradable.

##### Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)

Persistence and degradability : Not established.

#### 12.3. Bioaccumulative potential

##### Belmont® 2.7 FS

Bioaccumulative potential : Not established.

##### Urea [Carbamide, Carbonyldiamide, Carbamidic (57-13-6)]

Log Pow : < -1.73

##### Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)

Bioaccumulative potential : Not established.

#### 12.4. Mobility in soil

##### Belmont® 2.7 FS

Ecology - soil : No additional information available.

#### 12.5. Other adverse effects

Other information : No additional information available.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT  
Not regulated.

#### Additional information

Other information : No supplementary information available.

#### Transport by sea

##### IMDG

# Belmont® 2.7 FS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport hazard class(es) (IMDG) : Not applicable  
Marine pollutant : No

### Air transport

#### IATA

Transport hazard class(es) (IATA) : Not applicable  
Marine pollutant : No

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### metalaxyl (ISO) (57837-19-1)

EPA TSCA Regulatory Flag : Exempt from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.:

EPA Registration Number	400-577
FIFRA Signal Word	WARNING
FIFRA Hazard Statement	Causes skin irritation. Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes. Do not get on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or, using the toilet. Remove and wash contaminated clothing before reuse.
FIFRA Other	Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

### 15.2. International regulations

#### CANADA

#### metalaxyl (ISO) (57837-19-1)

Not listed on the Canadian DSL (Domestic Substances List) inventory.

#### Urea [Carbamide, Carbonyldiamide, Carbamidic (57-13-6)]

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

Revision date : 07/05/2017  
Data sources : ACGIH (American Conference of Government Industrial Hygienists).  
European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/quest/information-on-chemicals/cl-inventory-database>.  
Kristen Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.  
Manufacturer Information. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.  
OSHA 29CFR 1910.1200 Hazard Communication Standard.  
TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

# Belmont® 2.7 FS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-statements:

H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects


### Abbreviations and acronyms:

	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



### Indication of changes:

Composition/information on ingredients. Classification.

**SDS Prepared by:** The Redstone Group, LLC.  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio, USA 43016  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*