

**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****COMPANY ADDRESS:**

ALBAUGH, LLC  
Ankeny, IA 50021  
1-800-247-8013

**EMERGENCY TELEPHONE NUMBERS:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call  
CHEMTREC Day or Night

- Within USA and Canada: 1-800-424-9300 CCN771
- Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

PRODUCT NAME : **COVER XL**  
 CHEMICAL NAME : Azoxystrobin and Propiconazole  
 PRODUCT USE : Fungicide  
 PRODUCT CODE : EPA Reg. No 42750-289

**SECTION 2 - HAZARDS IDENTIFICATION SUMMARY**

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

White to off white opaque viscous liquid

**HEALTH HAZARDS:** **WARNING**  
Harmful if swallowed. Can cause eye irritation.

**PHYSICAL HAZARDS:** May release toxic fumes if burned.

**ENVIRONMENTAL HAZARDS:** Very toxic to aquatic life.

**SECTION 3 - COMPOSITION, INFORMATION OF INGREDIENTS**

| COMPONENT         | PERCENTAGE | CAS NUMBER  |
|-------------------|------------|-------------|
| Azoxystrobin      | 13.5       | 131860-33-8 |
| Propiconazole     | 11.7       | 60207-90-1  |
| Other ingredients | 74.8       | N/A         |

**SECTION 4 - FIRST AID MEASURES**

First Aid responders should use protective equipment in Section 8 if there is a potential for exposure to product.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** No specific antidote. Treat symptomatically.

Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

**SECTION 5 - FIRE FIGHTING MEASURES**

National Fire Protection Rating (NFPA)

|  |   |
|--|---|
| HEALTH   | 2 |
| FLAMMABILITY                                     | 1 |
| REACTIVITY                                       | 0 |
| 4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal |   |

**FLASHPOINT:** > 100 °C**EXTINGUISHING MEDIA:** Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.**FIRE AND EXPLOSION HAZARD:** Can burn in fire, releasing irritating and toxic gases.**FIRE FIGHTING INSTRUCTIONS:** Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Fire exposed containers can build up pressure and should be kept cool with water spray if possible. Dike and collect water used to fight fire to prevent environmental damage due to run off.**FIRE FIGHTING EQUIPMENT:** Self-contained breathing apparatus with full face piece.

Minimize use of water to prevent environmental contamination.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES****IN CASE OF SPILLS OR LEAKS:** Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.**SMALL SPILL:** Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.**LARGE SPILL:** Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. After removal, clean contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container.

Minimize use of water to prevent environmental contamination

**SECTION 7 - HANDLING AND STORAGE**

KEEP OUT OF REACH OF CHILDREN!

**HANDLING:** Use only in a well-ventilated area. Do not reuse this container. Wear proper safety equipment specified in Section 8 when mixing, loading or otherwise handling concentrate.**STORAGE:** Store in original container only. Store in a cool, dry and well-ventilated place. Protect from excessive heat. Keep container closed when not in use. Do not store near food or feed.

Do not contaminate water, food or feed by storage and disposal.

**SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION****EXPOSURE LIMITS (8 hour TWA, ppm):**

| COMPONENT     | OSHA PEL   | ACIGH TLV  |
|---------------|------------|------------|
| Azoxystrobin  | Not listed | Not listed |
| Propiconazole | Not listed | Not listed |

**ENGINEERING CONTROLS:** Proper ventilation is required when handling or using this product to minimize exposure to airborne contaminants. Local mechanical exhaust ventilation may be required. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**PERSONAL PROTECTIVE EQUIPMENT:** Applicators and other handlers must wear:

EYE PROTECTION - Safety glasses, goggles or face shield

CLOTHING – Long-sleeved shirt and long pants, Shoes plus socks.

GLOVES – Chemical-resistant gloves made of any waterproof, material.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS:** Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

|                                   |   |
|-----------------------------------|---|
| <b>Appearance:</b>                | White to off white opaque viscous liquid  |
| <b>Odor:</b>                      | Faint, slightly musty odor  |
| <b>pH:</b>                        | 5.9 – 6.9   |
| <b>Melting Point:</b>             | Not applicable  |
| <b>Boiling Point:</b>             | No data   |
| <b>Flash Point:</b>               | > 100 °C  |
| <b>Evaporation Rate:</b>          | No data   |
| <b>Flammability:</b>              | No data   |
| <b>Flammability Limits:</b>       | No data   |
| <b>Vapor Pressure:</b>            | 1.1 x 10 <sup>-7</sup> mPa (20°C) (Azoxystrobin)<br>5.6 x 10 <sup>-2</sup> mPa (25°C) (Propiconazole) |
| <b>Vapor Density:</b>             | Not applicable  |
| <b>Density:</b>                   | 1.04 – 1.08 g/ml (8.68 – 9.01 lb/gl)*   |
| <b>Solubility:</b>                | Emulsifies  |
| <b>Partition Coefficient:</b>     | log Pow = 2.5 (25°C) (Azoxystrobin)<br>log Pow = 3.72 (pH 6.6, 25°C) (Propiconazole)                  |
| <b>Auto-Ignition Temperature:</b> | No data   |
| <b>Decomposition Temperature:</b> | No data   |
| <b>Viscosity:</b>                 | 7706 cSt (20°C), 21788 cSt (40°C)   |

\*Listed density is an approximate value and does not necessarily represent that of a specific batch.

**SECTION 10 - STABILITY AND REACTIVITY**

**PRODUCT REACTIVITY:** None known.

**CHEMICAL STABILITY:** Stable, however may decompose if heated.

**HAZARDOUS REACTION/POLYMERIZATION:** Product will not undergo polymerization.

**CONDITIONS TO AVOID:** Avoid temperatures above (115°F, 46°C) and high moisture.

**INCOMPATIBLE MATERIALS:** Acidic and oxidizing materials.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of nitrogen and carbon.

**SECTION 11 - TOXICOLOGICAL INFORMATION****ACUTE TOXICITY:**

|                                   |                             |
|-----------------------------------|-----------------------------|
| Oral LD <sub>50</sub> (rat)       | 1,659 mg/Kg                 |
| Dermal LD <sub>50</sub> (rat)     | > 5,000 mg/Kg               |
| Inhalation LC <sub>50</sub> (rat) | > 0.52 mg/L and < 2.11 mg/L |
| Eye Irritation (rabbit)           | Moderately irritating       |
| Skin Irritation (rabbit)          | Slightly irritating         |
| Sensitization (guinea pig)        | Non-sensitizer              |

**CARCINOGEN STATUS:****(Azoxystrobin)**

|      |            |
|------|------------|
| OSHA | Not listed |
| NTP  | Not listed |
| IARC | Not listed |

**(Propiconazole)**

|      |            |
|------|------------|
| OSHA | Not listed |
| NTP  | Not listed |
| IARC | Not listed |

**TERATOGENICITY:** Developmental effects only seen at maternally toxic doses.

**MUTAGENICITY:** Weight of evidence indicates that azoxystrobin and propiconazole are non-mutagenic.

**SECTION 12 - ECOLOGICAL INFORMATION**

**ENVIRONMENTAL SUMMARY:** Azoxystrobin and propiconazole are toxic to freshwater and estuarine/marine fish; and azoxystrobin is toxic to aquatic invertebrates. Do not apply directly to water except as specified on this label. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

**FATE:** Azoxystrobin can be persistent for several months or longer. Azoxystrobin has degradation products which have properties similar to chemicals which are known to leach through soil to ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination.

Propiconazole is moderately persistent with a soil half-life of 30-365 days depending on soil type and weather conditions. Propiconazole binds to soil and is immobile in most soil types.

**FISH TOXICITY: (azoxystrobin technical)**

|  |          |
|--|----------|
| 96 hour LC <sub>50</sub> , Rainbow trout – | 0.47 ppm |
| 96 hour LC <sub>50</sub> , Bluegill –      | 1.10 ppm |

**FISH TOXICITY: (propiconazole technical)**

|  |         |
|--|---------|
| 96 hour LC <sub>50</sub> , Rainbow trout – | 0.8 ppm |
| 96 hour LC <sub>50</sub> , Bluegill –      | 1.3 ppm |

**AVIAN TOXICITY: (azoxystrobin technical)**

|   |             |
|---|-------------|
| Dietary LC <sub>50</sub> , Bobwhite quail – | > 5,200 ppm |
| Dietary LC <sub>50</sub> , Mallard duck -   | > 5,200 ppm |

**AVIAN TOXICITY: (propiconazole technical)**

|   |             |
|---|-------------|
| Dietary LC <sub>50</sub> , Bobwhite quail – | > 5,000 ppm |
| Dietary LD <sub>50</sub> , Mallard duck -   | > 5,000 ppm |

**BEE TOXICITY: (azoxystrobin technical)**

|              |                |
|--------------|----------------|
| Contact LD50 | - > 200 ug/bee |
|--------------|----------------|

**BEE TOXICITY: (propiconazole technical)**

|              |               |
|--------------|---------------|
| Contact LD50 | - > 25 ug/bee |
|--------------|---------------|

**SECTION 13 - DISPOSAL CONSIDERATIONS**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Refillable container: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

If the container cannot be refilled, offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Refer to the container label to determine if it is refillable and for complete cleaning and disposal instructions.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER.

**SECTION 14 - TRANSPORT INFORMATION**

**SHIPPING DESCRIPTION:** Not regulated by DOT for ground transport  
(Ground transport)

**TRANSPORT HAZARD CLASS:** N/A  
**UN NUMBER:** N/A  
**DOT PACKING GROUP:** PG III

**SECTION 15 - REGULATORY INFORMATION**

**CERCLA REPORTABLE QUANTITY:** None

**SARA TITLE III STATUS:**  
311/312 Hazard Categories – Acute Health, Chronic Health  
313 Toxic Chemicals – Propiconazole

**CALIFORNIA PROP 65:** Not Listed

**TSCA:** This product is exempted from TSCA because it is solely for FIFRA regulated use.

**SECTION 16 - OTHER INFORMATION**

|                           |  |   |
|---------------------------|--|---|
| HMIS<br>HAZARD<br>RATINGS | HEALTH   | 2 |
|                           | FLAMMABILITY                                     | 1 |
|                           | PHYSICAL HAZARD                                  | 0 |
|                           | 4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal |   |

**DISCLAIMER:** The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

**REVISED DATE:** September, 2015

**REFERENCE:** Initial release