

RESTRICTED USE PESTICIDE

Toxic to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification

FIFRA SECTION 24(C) SPECIAL LOCAL NEED LABEL

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

DISCIPLINE 2EC®

EPA REG. NO. 5481-517

EPA SLN NO. OR-050005

FOR CONTROL OF SPRUCE SPIDER MITES AND ROOT WEEVILS IN CHRISTMAS TREES

This label is valid until December 31, 2019 or until otherwise amended, withdrawn, canceled or suspended.

ACTIVE INGREDIENT:

Bifenthrin*25.1%

INERT INGREDIENTS:**74.9%

TOTAL100.0%

This product contains 2 pounds Active Ingredient per gallon

*Cis isomers 97% minimum, trans isomers 3% minimum

**Contains xylene range aromatic solvents

KEEP OUT OF REACH OF CHILDREN

WARNING • AVISO

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not make applications when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

The use of bifenthrin is prohibited in areas that may result in exposure of endangered species to bifenthrin. Prior to use in a particular county contact the local extension service for procedures and precautions to use to protect endangered species.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This Section 24(c) label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Read the label affixed to the container for Discipline 2EC and this Section 24(c) label before applying. Do not use in manner inconsistent with applicable directions, restrictions, and precautions provided on the label affixed to the container for Discipline 2EC and this Section 24(c) label. Use of Discipline 2EC according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Discipline 2EC.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

CROP	PEST	RATE OF APPLICATION
Christmas Trees	Spruce Spider Mite Root Weevil	3.9 to 6.4 ounces per acre

Apply in a minimum of 20 gallons of water if sprayed using ground equipment or in a minimum of 5 gallons if applied by air. Do not make more than 3 applications in a crop year. Maintain a minimum of 21 days between Discipline 2EC treatments.

For aerial applications, the spray boom should be mounted on the aircraft so as to minimize drift caused by wingtip or rotor vortices. The minimum practical boom length should be used and must not exceed 75% of the wingspan or rotor diameter. Make aerial or ground applications when the wind velocity favors on target deposition (approximately 3 to 10 MPH). Do not apply when wind velocity exceeds 15 MPH. Follow the spray drift precautions on the EPA registered label.

RESTRICTIONS:

- Do not apply Discipline 2EC to Christmas Trees through any irrigation system.
- Do not make aerial or ground applications to Christmas Trees if rainfall is imminent.
- Do not apply by ground equipment within 25 feet or by air within 150 feet of lakes; reservoirs; rivers; permanent streams, marshes, or natural ponds; estuaries and commercial fish farm ponds. Increase the buffer zone to 450 feet when ultra low volume (ULV) application is made.
- Low humidity and high temperatures increases the evaporation rate of spray droplets and therefore the likelihood of increased spray drift to aquatic areas. Avoid spraying during conditions of low humidity and/or high temperature. Do not make aerial or ground applications during temperature inversions.
- Discipline 2EC has demonstrated excellent plant safety. However, not all species and varieties have been tested. Prior to full-scale application, treat a few plants for observation.
- This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

24(C) Registrant:

AMVAC Chemical Corporation
4100 East Washington Boulevard
Los Angeles, CA 90023
1-888-462-6822