



## DuPont™ Enlite® Herbicide

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	DuPont™ Enlite® Herbicide
Tradename/Synonym	:	DuPont™ Herbicide 780 SB DPX-QGC78 Chlorimuron ethyl (Ethyl 2-[[[(4-chloro-6-methoxypyrimidin-2-yl)amino]carbonyl]amino]sulfonyl]benzoate) Flumioxazin (2-[7-fluor-3,4-dihydro-3oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione) Thifensulfuron methyl (Methyl 3-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]amino]sulfonyl]-2-thiophenecarboxylate)
Product Use	:	Herbicide
Restrictions on use	:	Do not use product for anything outside of the above specified uses
Manufacturer/Supplier	:	DuPont 974 Centre Road Wilmington, DE 19805, USA
Product Information	:	1-800-441-7515 (outside the U.S. 1-302-774-1000)
Medical Emergency	:	1-800-441-3637 (outside the U.S. 1-302-774-1139)
Transport Emergency	:	CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

### SECTION 2. HAZARDS IDENTIFICATION

#### Product hazard category

Acute toxicity (Inhalation)	Category 4
Reproductive toxicity	Category 2

**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

**Label content**

Pictogram

:



Signal word

: Warning

Hazardous warnings

: Harmful if inhaled.  
Suspected of damaging fertility or the unborn child.Hazardous prevention  
measures: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Use only outdoors or in a well-ventilated area.  
Use personal protective equipment as required.  
IF INHALED: Remove victim to fresh air and keep at rest in a position  
comfortable for breathing.  
IF exposed or concerned: Get medical advice/attention.  
Store locked up.  
Dispose of contents/ container to an approved waste disposal plant.**Other hazards**

Information presented in Section 2 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

Component	CAS-No.	Concentration
Thifensulfuron methyl	79277-27-3	8.8 %
Chlorimuron ethyl	90982-32-4	2.85 %
Flumioxazin	103361-09-7	36.21 %
Sodium carbonate	497-19-8	1 - 5 %
Titanium dioxide	13463-67-7	0.1 - 0.5 %
Sodium dodecyl sulphate	151-21-3	1 - 5 %
Other Ingredients		41.64 - 50.04 %

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

General advice	: Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies. For medical emergencies involving this product, call toll free 1-800-441-3637. See Label for Additional Precautions and Directions for Use. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation	: Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
Skin contact	: Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye contact	: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion	: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious person.
Most important symptoms/effects, acute and delayed	: No applicable data available.
Protection of first-aiders	: No applicable data available.
Notes to physician	: No applicable data available.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Water spray, Foam, Dry chemical, Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet, (contamination risk)
Specific hazards	: No applicable data available.

**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.

Environmental precautions : Prevent material from entering sewers, waterways, or low areas.

Spill Cleanup : Soak up with inert absorbent material. Sweep up or vacuum up spillage and collect in suitable container for disposal. Flush away traces with water and detergent. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. For minor spills, leaks, etc., follow all precautions indicated on the label and clean up immediately.  
If spill area is on ground near valuable plants or trees, remove top 2 inches of soil after initial cleanup.

Accidental Release Measures : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Handling (Physical Aspects) : Keep away from heat and sources of ignition.



## DuPont™ Enlite® Herbicide

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

- Dust explosion class : No applicable data available.
- Storage : Store in original container. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in a cool, dry place. Keep out of the reach of children.
- Storage period : No applicable data available.
- Storage temperature : No applicable data available.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls : Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. **IMPORTANT:** When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.
- Personal protective equipment
- Skin and body protection : Mixers, loaders, applicators and other handlers must wear:  
 Long sleeved shirt and long pants  
 Chemical resistant gloves made of any waterproof material, such as polyvinyl chloride, nitrile rubber, or butyl rubber  
 Shoes plus socks  
 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:  
 Coveralls  
 Chemical resistant gloves made of any waterproof material, such as polyethylene or polyvinyl chloride.  
 Shoes plus socks
- Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and



**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

wash PPE separately from other laundry. Use this product in accordance with its label.

Exposure Guidelines  
Exposure Limit Values

Sodium carbonate AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA Total dust.
Thifensulfuron methyl AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA Total dust.
Chlorimuron ethyl AEL *	(DUPONT)	10 mg/m3	8 & 12 hr. TWA Total dust.
AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA Respirable dust.

Flumioxazin  
No applicable data available.

Titanium dioxide Permissible exposure limit:	(OSHA)	15 mg/m3	8 hr. TWA Total dust.
TLV	(ACGIH)	10 mg/m3	TWA
AEL *	(DUPONT)	10 mg/m3	8 & 12 hr. TWA Total dust.
AEL *	(DUPONT)	5 mg/m3	8 & 12 hr. TWA Respirable dust.

Sodium dodecyl sulphate  
No applicable data available.

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance

**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

Physical state	: solid
Form	: solid, granules
Color	: ivory, light brown
Odor	: slight
Odor threshold	: No applicable data available.
pH	: 6.9 - 7.7
Melting point/range	: No applicable data available.
Boiling point/boiling range	: No applicable data available.
Flash point	: No applicable data available.
Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: No applicable data available.
Upper explosion limit	: No applicable data available.
Lower explosion limit	: No applicable data available.
Vapour Pressure	: No applicable data available.
Vapour density	: No applicable data available.
Specific gravity (Relative density)	: No applicable data available.
Water solubility	: No applicable data available.
Solubility(ies)	: No applicable data available.
Partition coefficient: n-octanol/water	: No applicable data available.
Auto-ignition temperature	: No applicable data available.
Decomposition temperature	: No applicable data available.
Viscosity, kinematic	: No applicable data available.




**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

Viscosity, dynamic : No applicable data available.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No applicable data available.  
 Chemical stability : Stable at normal temperatures and storage conditions.  
 Possibility of hazardous reactions : Polymerization will not occur.  
 Conditions to avoid : None reasonably foreseeable.  
 Incompatible materials : No materials to be especially mentioned.  
 Hazardous decomposition products : No materials to be especially mentioned.

**SECTION 11. TOXICOLOGICAL INFORMATION**

DuPont™ Enlite® Herbicide

Inhalation 4 h Acute toxicity estimate : > 1.4 mg/l , Rat  
 Dermal Acute toxicity estimate : > 2,421 mg/kg , Rabbit  
 Dermal : Rat  
 Oral Acute toxicity estimate : > 5,000 mg/kg , Rat  
 Skin irritation : No skin irritation, Rabbit  
 Minimal effects that do not meet the threshold for classification.  
 Eye irritation : No eye irritation, Rabbit  
 Minimal effects that do not meet the threshold for classification.  
 Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig  
 Further information : Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

Thifensulfuron methyl

**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

- Repeated dose toxicity : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
- Oral - feed  
multiple species  
-  
Reduced body weight gain
- Carcinogenicity : Animal testing did not show any carcinogenic effects.
- Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Animal testing did not show any mutagenic effects.
- Reproductive toxicity : No toxicity to reproduction  
Animal testing showed no reproductive toxicity.
- Teratogenicity : Did not show teratogenic effects in animal experiments.  
Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Chlorimuron ethyl

- Repeated dose toxicity : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
- Dermal  
Rabbit  
-  
No toxicologically significant effects were found.
- Oral  
Dog  
-  
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Abnormal decrease in number of red blood cells
- Oral  
Rat  
-  
No adverse effect has been observed in chronic toxicity tests.


**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

- Carcinogenicity : Not classifiable as a human carcinogen.  
Animal testing did not show any carcinogenic effects.
- Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Animal testing did not show any mutagenic effects.
- Reproductive toxicity : No toxicity to reproduction
- Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

## Flumioxazin

- Repeated dose toxicity : Ingestion  
Rat  
-  
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., altered hematology, Organ weight changes
- Ingestion  
Dog  
-  
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., altered hematology, Organ weight changes
- Carcinogenicity : Animal testing did not show any carcinogenic effects.
- Mutagenicity : Animal testing did not show any mutagenic effects.  
Did not cause genetic damage in cultured bacterial cells.  
Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.
- Reproductive toxicity : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
- Teratogenicity : Animal testing showed effects on embryo-foetal development at levels below those causing maternal toxicity.

## Sodium carbonate

- Repeated dose toxicity : Inhalation  
Rat  
-


**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

## Respiratory tract irritation

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Evidence suggests this substance does not cause genetic damage in animals.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

## Titanium dioxide

Repeated dose toxicity : Oral  
Rat  
-  
NOAEL: 1,000 mg/kg Method: OECD Test Guideline 408  
No toxicologically significant effects were found.

Oral  
Rat  
-  
No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.  
Overall weight of evidence indicates that the substance is not carcinogenic.

Mutagenicity : Animal testing did not show any mutagenic effects.  
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

## Sodium dodecyl sulphate

Repeated dose toxicity : Oral  
Rat  
-  
NOAEL: > 430 mg/kg Method: OECD Test Guideline 408  
No toxicologically significant effects were found.

No toxicologically significant effects were found.


**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

- Carcinogenicity : Not classifiable as a human carcinogen.
- Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Animal testing did not show any mutagenic effects.
- Reproductive toxicity : No toxicity to reproduction  
Animal testing showed no reproductive toxicity.
- Teratogenicity : Animal testing showed no developmental toxicity.

**Carcinogenicity**

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

Material	IARC	NTP	OSHA
Titanium dioxide	2B		

**SECTION 12. ECOLOGICAL INFORMATION**
**Aquatic Toxicity**
**Thifensulfuron methyl**

- 96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 100 mg/l
- 14 d EC50 : Lemna minor (duckweed) 0.0013 mg/l
- 48 h EC50 : Daphnia magna (Water flea) 470 mg/l
- 28 d : NOEC Americamysis bahia (mysid shrimp) 7.93 mg/l

**Chlorimuron ethyl**

- 96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l
- 96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 100 mg/l
- 72 h EC50 : Pseudokirchneriella subcapitata (green algae) 0.001 mg/l


**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

48 h EC50	:	Daphnia magna (Water flea) > 1,000 mg/l
<b>Flumioxazin</b>		
96 h LC50	:	Cyprinus carpio (Carp) > 1.3 mg/l
72 h EC50	:	Desmodesmus subspicatus (green algae) 0.0006 mg/l
72 h NOEC	:	Desmodesmus subspicatus (green algae) 0.00023 mg/l
48 h EC50	:	Daphnia magna (Water flea) 17 mg/l
<b>Sodium carbonate</b>		
96 h LC50	:	Lepomis macrochirus (Bluegill sunfish) 300 mg/l
48 h LC50	:	Ceriodaphnia dubia (water flea) 200 - 227 mg/l
4 d	:	EC50 Daphnia magna (Water flea) 228 - 297 mg/l
<b>Titanium dioxide</b>		
96 h LC50	:	Pimephales promelas (fathead minnow) > 1,000 mg/l
72 h ErC50	:	Pseudokirchneriella subcapitata (green algae) > 100 mg/l see user defined free text
72 h NOEC	:	Algae 5,600 mg/l see user defined free text
48 h EC50	:	Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202
<b>Sodium dodecyl sulphate</b>		
96 h LC50	:	Pimephales promelas (fathead minnow) 29 mg/l OECD Test Guideline 203
72 h EbC50	:	Desmodesmus subspicatus (green algae) 53 mg/l
72 h ErC50	:	Desmodesmus subspicatus (green algae) > 120 mg/l
72 h NOEC	:	Desmodesmus subspicatus (green algae) 30 mg/l
48 h EC50	:	Ceriodaphnia dubia (water flea) 5.55 mg/l
42 d	:	NOEC Pimephales promelas (fathead minnow) > 1.357 mg/l
21 d	:	NOEC Daphnia magna (Water flea) 2 - 4 mg/l


**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

## Environmental Fate

## Sodium carbonate

Biodegradability : The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulation : Does not bioaccumulate.

## Sodium dodecyl sulphate

Biodegradability : 95 % OECD Test Guideline 301  
Readily biodegradable

Additional ecological information : Environmental Hazards: This product is toxic to non-target plants. Toxic to aquatic organisms. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff. See product label for additional application instructions relating to environmental precautions.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste disposal methods - Product : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Waste disposal methods - Container : Container Refilling and Disposal:  
Refer to the product label for instructions.  
Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

Contaminated packaging : No applicable data available.

**SECTION 14. TRANSPORT INFORMATION**

IATA\_C UN number : 3077


**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Flumioxazin)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3077
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Flumioxazin)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Flumioxazin)

Not regulated as a hazardous material by DOT.

**SECTION 15. REGULATORY INFORMATION**

Other regulations : This Safety Data Sheet is for a pesticide product registered by the US Environmental Protection Agency (USEPA) and various state regulatory agencies, and is therefore also subject to certain requirements under US and state pesticide laws, including the Federal Insecticide Fungicide and Rodenticide Act (FIFRA). These requirements differ from the classification criteria and hazard information required by OSHA for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is information determined by USEPA, and various states.

**CAUTION!**

Harmful if absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust or spray mist. Remove and wash contaminated clothing before re-use.

SARA 313 Regulated Chemical(s) : Chlorimuron ethyl

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Kaolin, Sucrose




**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

NJ Right to Know  
Regulated Chemical(s) : Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Kaolin, Chlorimuron ethyl

Title III hazard  
classification : Acute Health Hazard: Yes  
Chronic Health Hazard: Yes  
Fire: No  
Reactivity/Physical hazard: No  
Pressure: No

EPA Reg. No. : 352-757  
In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

**SECTION 16. OTHER INFORMATION**

	NFPA
Health :	1
Flammability :	1
Reactivity/Physical hazard :	0

™ Trademark of E.I. du Pont de Nemours and Company.  
® Registered trademark of E.I. du Pont de Nemours and Company

Revision Date : 12/08/2015

Contact person : DuPont Crop Protection, Wilmington, DE, 19805, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



**DuPont™ Enlite® Herbicide**

Version 2.0

Revision Date 12/08/2015

Ref. 130000034023

Significant change from previous version is denoted with a double bar.