

Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont[™] Steadfast[®] Q Herbicide Tradename/Synonym : DPX-QVP08 37.7 WG Blend

NICOSULFURON (2-[[(4,6-dimethoxypyrimidin-2-

yl)aminocarbonyl]aminosulfonyl]-N,N-dimethyl-3-pyridinecarboxamide) RIMSULFURON (N((4,6-dimethoxypyrimidin-2-yl) aminocarbonyl)-3-

(ethylsulfonyl)-2-pyridinesulfonamide)

Product Use : Herbicide

Restrictions on use :

Do not use product for anything outside of the above specified uses

Manufacturer/Supplier : DuPont

4417 Lancaster Pike

Wilmington, DE 19805, USA

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000) Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Serious eye damage/eye irritation Category 2B

Label content

Pictogram : not required

Signal word : Warning



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

Hazardous warnings : Causes eye irritation.

Hazardous prevention

: Wash skin thoroughly after handling.

measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Other hazards

No applicable data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Rimsulfuron	122931-48-0	12.5 %
Lignin Sulfonate Salt		1 - 5 %
Nicosulfuron	111991-09-4	25.2 %
Disodium phosphate		1 - 5 %
Ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate		8.3 %
Other Ingredients		43.4 - 51.4 %

Present as an impurity in the clay component of this product:

Titanium dioxide		13463-67-7	0.1 - 0.5 %



Version 2.0

Revision Date 05/29/2015

Ref. 130000044078

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison

control center or doctor for treatment advice.

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.

Most important

symptoms/effects, acute

and delayed

Protection of first-aiders Notes to physician : No applicable data available.

No applicable data available.No applicable data available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: No applicable data available.

Specific hazards : Not a fire or explosion hazard. The material poses no explosion hazard in

granular form.



Version 2.0

Revision Date 05/29/2015

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus. Use personal

protective equipment.

Further information : Evacuate personnel and keep upwind of fire. If area is heavily exposed to fire

Ref. 130000044078

and if conditions permit, let fire burn itself out since water may increase the area contaminated. Burning chemicals may produce by-products more toxic than the original material. Use water spray. Runoff from fire control may be a pollution hazard. Do not allow run-off from fire fighting to enter drains or water courses. Cool containers/tanks with water spray. Control Runoff.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel to safe areas. Keep people away from and upwind of

spill/leak. Ensure adequate ventilation. Wear suitable protective equipment.

Environmental precautions : Prevent material from entering sewers, waterways, or low areas.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal.

Accidental Release Measures : Never return spills in original containers for re-use. Dispose of in accordance

with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove

clothing/PPE immediately if material gets inside. Wash thoroughly and put on

clean clothing.

Handling (Physical Aspects) : Keep away from heat and sources of ignition.

Dust explosion class

: No applicable data available.

Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

Store in original container. Store in a cool, dry place. Keep out of the reach of



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

children.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation.

Personal protective equipment

Skin and body protection : Applicators and other handlers must wear:

Long sleeved shirt and long pants

Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber,

neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils

Shoes plus socks

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has

been treated, such as plants, soil, or water, is:

Coveralls

Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber,

neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils

Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables exist, use detergent and hot water. Keep and

wash PPE separately from other laundry.

Exposure Guidelines
Exposure Limit Values

Rimsulfuron

AEL * (DUPONT) 5 mg/m3 8 & 12 hr. TWA Total dust.

AEL * (DUPONT) 2.5 mg/m3 8 & 12 hr. TWA Respirable dust.

Lignin Sulfonate Salt

No applicable data available.

Nicosulfuron

AEL * (DUPONT) 5 mg/m3 8 & 12 hr. TWA Respirable dust.



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

Disodium phosphate

No applicable data available.

Ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate No applicable data available.

Titanium dioxide

Permissible (OSHA) 15 mg/m3 8 hr. TWA Total dust.

exposure limit:

TLV (ACGIH) 10 mg/m3 TWA

AEL * (DUPONT) 10 mg/m3 8 & 12 hr. TWA Total dust.
AEL * (DUPONT) 5 mg/m3 8 & 12 hr. TWA Respirable dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : solid

Form : solid, granules Color : light brown, tan

Odor : slight

Odor threshold : No applicable data available.

pH : 5.3 - 6.3

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : No applicable data available.

Evaporation rate : No applicable data available.

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

Flammability (solid, gas) : No applicable data available.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Density : 0.57 - 0.67 g/cm3

Specific gravity (Relative

density)

No applicable data available.

Water solubility : No applicable data available.

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : No applicable data available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No applicable data available.

Chemical stability : Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

Conditions to avoid : None reasonably foreseeable.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No applicable data available.

Polymerization will not occur.



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

SECTION 11. TOXICOLOGICAL INFORMATION

DuPont[™] Steadfast[®] Q Herbicide

Inhalation 4 h Acute : > 6.3 mg/l, Rat

toxicity estimate

Dermal Acute toxicity : > 5,000 mg/kg , Rabbit

estimate

Oral Acute toxicity estimate : > 5,000 mg/kg , Rat

Skin irritation : No skin irritation, Rabbit

Minimal effects that do not meet the threshold for classification.

Eye irritation : Mild eye irritation, Rabbit

Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig

Did not cause sensitisation on laboratory animals., Mouse

Further information : Information given is based on data on the components and the

toxicology of similar products.

Rimsulfuron

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral Rat

-

altered blood chemistry, Liver effects, Organ weight changes

Carcinogenicity : Did not show carcinogenic effects in animal experiments.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Did not show mutagenic effects in animal experiments.

Reproductive toxicity : Animal testing did not show any effects on fertility.

Teratogenicity : Evidence suggests the substance is not a developmental toxin in

animals.

Lignin Sulfonate Salt

Repeated dose toxicity : Ingestion



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

Rat

- 16 Weeks

NOAEL: 2,830 mg/kg

No toxicologically significant effects were found., Information given is

based on data obtained from similar substances.

Mutagenicity : Animal testing did not show any mutagenic effects.

Did not cause genetic damage in cultured bacterial cells.

Information given is based on data obtained from similar substances.

Nicosulfuron

Repeated dose toxicity : Oral

Mouse - 90 d

NOAEL: 300 mg/kg

No toxicologically significant effects were found.

Oral Mouse - 28 d

No toxicologically significant effects were found.

Oral Rat - 90 d

No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Teratogenicity : Did not show teratogenic effects in animal experiments.

Ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate

Repeated dose toxicity : Ingestion

Mouse - 90 d

NOAEL: 19.8 mg/kg



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

LOAEL: 191 mg/kgMethod: OPPTS 870.3100

No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for

classification.

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Teratogenicity : Evidence suggests the substance is not a developmental toxin in

animals.

Titanium dioxide

Repeated dose toxicity : Oral

Rat

-

NOAEL: 1,000 mg/kgMethod: OECD Test Guideline 408

No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.

Overall weight of evidence indicates that the substance is not

carcinogenic.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

Material IARC NTP OSHA

Titanium dioxide 2B

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Rimsulfuron

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 390 mg/l

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 390 mg/l

120 h EbC50 : Selenastrum capricornutum (green algae) 1.6 mg/l

48 h EC50 : Daphnia magna (Water flea) > 360 mg/l

90 d : NOEC Oncorhynchus mykiss (rainbow trout) 110 mg/l

21 d : NOEC Daphnia magna (Water flea) 0.82 mg/l

Nicosulfuron

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 1,000 mg/l

72 h EbC50 : Pseudokirchneriella subcapitata (green algae) 24.75 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 71.17 mg/l

7 d EC50 : Lemna gibba (duckweed) 0.0032 mg/l

96 h EC50 : Lemna gibba (duckweed) > 0.120 mg/l

48 h EC50 : Daphnia magna (Water flea) > 1,000 mg/l

90 d : NOEC Oncorhynchus mykiss (rainbow trout) 24 mg/l

21 d : NOEC Daphnia magna (Water flea) 43 mg/l

Ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) 0.22 mg/l



Version 2.0

Revision Date 05/29/2015 Ref. 130000044078

96 h EC50 : Pseudokirchneriella subcapitata (green algae) > 1.26 mg/l

96 h NOEC : Pseudokirchneriella subcapitata (green algae) 1.26 mg/l

Titanium dioxide

96 h LC50 : Pimephales promelas (fathead minnow) > 1,000 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 100 mg/l see user

defined free text

72 h NOEC : Algae 5,600 mg/l see user defined free text

48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

Environmental Fate

Rimsulfuron

Biodegradability : According to the results of tests of biodegradability this product is not

readily biodegradable.

Bioaccumulation : Does not bioaccumulate.

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas

where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply

where/when conditions favour runoff. Do not apply if a severe storm is

expected within 24 hours.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods -

Product

: Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product must be disposed of on site or at an approved waste

disposal facility.

Waste disposal methods -

Container

: Container Refilling and Disposal:

Refer to the product label for instructions.

Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day



Version 2.0

IMDG

Revision Date 05/29/2015 Ref. 130000044078

or night.

Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

IATA C UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Nicosulfuron, Rimsulfuron)

Class : 9
Packing group : III
Labelling No. : 9MI
UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Nicosulfuron, Rimsulfuron)

Class : 9
Packing group : III
Labelling No. : 9

Marine pollutant : yes (Nicosulfuron, Rimsulfuron)

Not regulated as a hazardous material by DOT.

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

SECTION 15. REGULATORY INFORMATION

Other regulations : This Safety Data Sheet is for a pesticide product registered by the US

Environmental Protection Agency (USEPA) and is therefore also subject to certain labeling requirements under US pesticide law (FIFRA). These requirements differ from the classification criteria and hazard information required by OSHA for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the mandatory hazard information

required by USEPA on the pesticide label:



Version 2.0

Revision Date 05/29/2015

Ref. 130000044078

CAUTION!

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin

contact may cause allergic reactions in some individuals.

SARA 313 Regulated

Chemical(s)

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Kaolin, Disodium hydrogen orthophosphate (for Italian CPP), Sucrose

EPA Reg. No. : 352-774

In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

California Prop. 65

: WARNING! This product contains a chemical or chemicals known to the State

of California to cause cancer.

SECTION 16. OTHER INFORMATION

[™] Trademark of E.I. du Pont de Nemours and Company.

[®] Registered trademark of E.I. du Pont de Nemours and Company

Revision Date : 05/29/2015

Contact person : DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.

Safety Data Sheet DuPont[™] Steadfast[®] Q Herbicide Version 2.0 Revision Date 05/29/2015 Ref. 130000044078