

"DuPont" "Velpar" L Herbicide Revised 4-NOV-2010 ______ Substance ID :13000000166 ______ CHEMICAL PRODUCT/COMPANY IDENTIFICATION ______ Material Identification "Velpar" is a registered trademark of DuPont. "DuPont" is a trademark of DuPont. Corporate MSDS Number : DU003032 Tradenames and Synonyms "VELPAR" L "VELPAR" DPX-A3674 250SL B10048626 Company Identification MANUFACTURER/DISTRIBUTOR DuPont 1007 Market Street Wilmington, DE 19898 PHONE NUMBERS Product Information : 1-800-441-7515 (outside the U.S. 302-774-1000) Transport Emergency : CHEMTREC 1-800-424-9300(outside U.S. 703-527-3887) Medical Emergency : 1-800-441-3637 (outside the U.S. 302-774-1000) COMPOSITION/INFORMATION ON INGREDIENTS Components Material CAS Number *HEXAZINONE 51235-04-2 25 (3-Cyclohexyl-6-(dimethylamino)-1-methyl-1,3,5-triazine-2,4(1H,3H)-dione) INERT INGREDIENTS 75 (Includes Percentages of the Following): 64-17-5 40-45 ETHANOL * Disclosure as a toxic chemical is required under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

Printed on 11/04/2010

Page 2

HAZARDS IDENTIFICATION

Emergency Overview

DANGER! CAUSES EYE DAMAGE. Corrosive, causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling.

Potential Health Effects

Based on animal data, eye contact with Velpar L may cause corneal opacity or clouding of the eye.

Based on animal data, skin contact with Hexazinone may cause skin irritation with discomfort or rash.

Based on data from animal testing, ingestion of large amounts of Hexazinone may cause effects on the liver.

Significant skin permeation and systemic toxicity after contact appears unlikely.

Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

FIRST AID MEASURES

First Aid

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: No specific intervention is indicated, as the compound is not likely to be hazardous by inhalation.

Printed on 11/04/2010

Consult a physician if necessary.

Notes to Physicians

Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

FIRE FIGHTING MEASURES

Flammable Properties

Flash Point : 23-25 C (73-77 F)
Method : Closed Cup

Flammable liquid. Vapor forms explosive mixture with air.

Heating can release vapors which can be ignited.

Extinguishing Media

Water Spray, Foam, Dry Chemical, CO2.

Fire Fighting Instructions

Wear self-contained breathing apparatus. Use water spray. Cool tank/container with water spray.

If area is exposed to fire and conditions permit, let fire burn itself out. Burning chemicals may produce by-products more toxic than the original material. If product is on fire, wear self-contained breathing apparatus and full protective equipment. Use water spray. Control runoff.

ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Emergency Response - Chemical resistant coveralls, waterproof gloves, waterproof boots and face/eye protection. If dusting occurs, use NIOSH approved respirator protection.

Initial Containment

Dike spill. Prevent material from entering sewers, waterways, or

Printed on 11/04/2010

low areas.

Spill Clean Up

Soak up with sawdust, sand, oil dry or other absorbent material. Shovel or sweep up.

HANDLING AND STORAGE

Handling (Personnel)

Do not get on clothing. Do not get in eyes. Avoid breathing vapors or mist. Avoid contact with skin. Wash thoroughly after handling. Wash clothing after use. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material.

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Handling (Physical Aspects)

Keep away from heat, sparks and flames. Keep container tightly closed.

Storage

Store product in original container only. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in a cool, dry place.

Do not subject product to temperatures below 32 deg F.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use only with adequate ventilation. Keep container tightly closed.

Personal Protective Equipment

Always follow label instructions when using this product.

Applicators and other handlers must wear:

Long-sleeved shirt and long pants.

Shoes plus socks.

Protective eyewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

Printed on 11/04/2010

instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Chemical resistant gloves made of any waterproof material.

Coveralls.

Shoes plus socks. Protective eyewear.

Exposure Guidelines

Applicable Exposure Limits

HEXAZINONE

PEL (OSHA) TLV (ACGIH)

: None Established: None Established: 10 mg/m3, 8 & 12 Hr. TWA, total dust AEL * (DuPont) 5 mg/m3, 8 & 12 Hr. TWA, respirable dust

ETHANOL

: 1,000 ppm, 1,900 mg/m3, 8 Hr. TWA : STEL 1000 ppm, A3, 1000 ppm, 8 & 12 Hr. PEL (OSHA) AEL * (DuPont) TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

PHYSICAL AND CHEMICAL PROPERTIES

Physical Data

Vapor Pressure : 33 mm Hg @ 25 C (77 F)
Solubility in Water : Dispersible
Odor : Alcoholic Form : Liquid Color : Light yellow

Specific Gravity : 0.9776

Physical Hazards

FLAMMABLE. Keep away from heat, sparks, and open flames. Keep container closed.

STABILITY AND REACTIVITY

Chemical Stability

Stable at normal temperatures and storage conditions.

Printed on 11/04/2010

Incompatibility with Other Materials

Incompatible with strong acids or bases (slowly hydrolyzes).

Polymerization

Polymerization will not occur.

TOXICOLOGICAL INFORMATION

Animal Data

VELPAR L

Oral LD50: 4120 mg/kg in rats
Dermal LD50: > 5000 mg/kg in rabbits
Inhalation 4 hour LC50: > 5.0 mg/L in rats

VELPAR L is corrosive to the eye. It was slightly irritating to the skin, but is not a skin sensitizer in animals.

HEXAZINONE

Repeated skin applications indicated no irritation or systemic activity.

Repeated dosing by ingestion of excessive dietary levels of Hexazinone resulted in weight loss, alterations in liver weights alterations in blood chemical measurements, and alterations in enzyme activities. No evidence of pathological organ damage was observed. Long-term dosing produced decreased weight gain, alterations in hematology, clinical chemistry, and blood enzyme levels, increased liver weights in some species, and pathological liver changes.

Animal data showed that chronic, excessive dietary exposure to Hexazinone produced a slight, equivocal increase in liver tumors in female mice.

Animal data show developmental effects only at exposure levels producing other toxic effects in the adult animal. Animal testing indicates Hexazinone does not have reproductive effects. The weight of evidence from a battery of cell culture and laboratory animal tests indicates Hexazinone does not cause genetic toxicity.

ECOLOGICAL INFORMATION

Ecotoxicological Information

AQUATIC TOXICITY:

96-Hour LC50 - Fathead minnows: 274 mg/L

Printed on 11/04/2010

96-Hour LC50 - Bluegill sunfish: > 370 mg/L 96-Hour LC50 - Rainbow trout: > 320 mg/L

AVIAN TOXICITY:

LD50 - Bobwhite quail: 2258 mg/kg

DISPOSAL CONSIDERATIONS

Waste Disposal

Do not contaminate water, food or feed by disposal. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

See product label for additional application instructions relating to environmental precautions.

Container Disposal

CONTAINER REFILLING AND DISPOSAL: Refer to the product label for instructions. Do not transport if container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

TRANSPORTATION INFORMATION

Shipping Information

DOT/IMO

Proper Shipping Name : Ethanol Solution

Hazard Class : 3

UN No. : UN 1170 Special Information : Flashpoint: 23 deg C (74 deg F) Packing Group : III

Marine Pollutant : Yes (Hexazinone)

REGULATORY INFORMATION

U.S. Federal Regulations

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute : Yes

Chronic : No Fire : Yes Reactivity : No Pressure : No

In the United States this product is regulated by the US Environmental Protection Agency under the Federal Insecticide, Fungicide and Rodenticide Act. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

EPA Reg. No. 352-392

OTHER INFORMATION

NFPA, NPCA-HMIS

NFPA Rating

: 2 Health Flammability Reactivity : 0

NPCA-HMIS Rating

: 2 Health Flammability : 3 Reactivity

Personal Protection rating to be supplied by user depending on use

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS : DuPont Crop Protection

Wilmington DE 19898

: 1-888-638-7668 Telephone

Indicates updated section.