

**Product Name:** GRAZONNEXT\* High Load Herbicide

**Issue Date:** 08/17/2012

**Print Date:** 17 Aug 2012

Dow AgroSciences LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

## 1. Product and Company Identification

### Product Name

GRAZONNEXT\* High Load Herbicide

### COMPANY IDENTIFICATION

Dow AgroSciences LLC  
A Subsidiary of The Dow Chemical Company  
9330 Zionsville Road  
Indianapolis, IN 46268-1189  
United States

Customer Information Number:

800-992-5994

[SDSQuestion@dow.com](mailto:SDSQuestion@dow.com)

### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:**

800-992-5994

**Local Emergency Contact:**

352-323-3500

## 2. Hazards Identification

### Emergency Overview

**Color:** Yellow to orange

**Physical State:** Liquid.

**Odor:** Mild

### Hazards of product:

CAUTION! May cause eye irritation. Isolate area. Toxic fumes may be released in fire situations.

### OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Potential Health Effects

**Eye Contact:** May cause moderate eye irritation. May cause slight corneal injury.

**Skin Contact:** Brief contact may cause slight skin irritation with local redness.

**Skin Absorption:** Prolonged skin contact is unlikely to result in absorption of harmful amounts.

**Inhalation:** Prolonged exposure is not expected to cause adverse effects. Based on the available data, respiratory irritation was not observed.

**Ingestion:** Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

**Aspiration hazard:** Based on available information, aspiration hazard could not be determined.

**Effects of Repeated Exposure:** For the active ingredient(s): In animals, effects have been reported on the following organs: Adrenal gland. Bone marrow. Eye. Gastrointestinal tract. Kidney. Liver. Spleen. Testes. Thyroid. For the minor component(s): In animals, effects have been reported on the following organs: Kidney. Liver. In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

**Birth Defects/Developmental Effects:** For similar active ingredient(s). 2,4-Dichlorophenoxyacetic acid. Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

**Reproductive Effects:** For similar active ingredient(s). 2,4-Dichlorophenoxyacetic acid. In laboratory animals, excessive doses toxic to the parent animals caused decreased weight and survival of offspring.

### 3. Composition Information

Component	CAS #	Amount
2,4-D Dimethylamine Salt	2008-39-1	41.26 %
Aminopyralid Triisopropanolamine Salt	566191-89-7	8.24 %
Propylene glycol	57-55-6	5.0 %
Balance	Not available	45.5 %

### 4. First-aid measures

#### Description of first aid measures

**General advice:** If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin Contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**Eye Contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), no additional symptoms and effects are anticipated.

#### Indication of immediate medical attention and special treatment needed

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

### 5. Fire Fighting Measures

**Suitable extinguishing media**

To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.

**Special hazards arising from the substance or mixture**

**Hazardous Combustion Products:** Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide. Ammonia.

**Unusual Fire and Explosion Hazards:** This material will not burn until the water has evaporated. Residue can burn.

**Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special Protective Equipment for Firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

## 6. Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

## 7. Handling and Storage

**Handling**

**General Handling:** Keep out of reach of children. Do not swallow. Avoid breathing vapor or mist. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Storage**

Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

## 8. Exposure Controls / Personal Protection

**Exposure Limits**

Component	List	Type	Value



## 10. Stability and Reactivity

### Reactivity

No dangerous reaction known under conditions of normal use.

### Chemical stability

Stable under recommended storage conditions. See Storage, Section 7.

### Possibility of hazardous reactions

Polymerization will not occur.

**Conditions to Avoid:** Some components of this product can decompose at elevated temperatures.

Generation of gas during decomposition can cause pressure in closed systems.

**Incompatible Materials:** Avoid contact with: Acids. Bases. Oxidizers.

### Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

Decomposition products can include and are not limited to: Ammonia. Hydrogen chloride. Nitrogen oxides. Toxic gases are released during decomposition.

## 11. Toxicological Information

### Acute Toxicity

#### Ingestion

As product: LD50, rat, female > 2,000 mg/kg

#### Dermal

As product: LD50, rat, male and female > 5,000 mg/kg

#### Inhalation

As product: LC50, 4 h, Liquid aerosol., rat > 5.26 mg/l

### Eye damage/eye irritation

May cause moderate eye irritation. May cause slight corneal injury.

### Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

### Sensitization

#### Skin

Did not demonstrate the potential for contact allergy in mice.

### Respiratory

No relevant data found.

### Repeated Dose Toxicity

For the active ingredient(s): In animals, effects have been reported on the following organs: Adrenal gland. Bone marrow. Eye. Gastrointestinal tract. Kidney. Liver. Spleen. Testes. Thyroid. For the minor component(s): In animals, effects have been reported on the following organs: Kidney. Liver. In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

### Chronic Toxicity and Carcinogenicity

For similar active ingredient(s). Aminopyralid. Did not cause cancer in laboratory animals. For similar active ingredient(s). 2,4-Dichlorophenoxyacetic acid. Available data are inadequate to evaluate carcinogenicity. Various animal cancer tests have shown no reliably positive association between 2,4-D exposure and cancer. Epidemiology studies on herbicide use have been both positive and negative with the majority being negative.

### Developmental Toxicity

For similar active ingredient(s). 2,4-Dichlorophenoxyacetic acid. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals. For similar active ingredient(s). Aminopyralid. Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

### Reproductive Toxicity

For similar active ingredient(s). 2,4-Dichlorophenoxyacetic acid. In laboratory animals, excessive doses toxic to the parent animals caused decreased weight and survival of offspring. For similar active ingredient(s). Aminopyralid. In animal studies, did not interfere with reproduction.

### Genetic Toxicology

For the active ingredient(s): 2,4-D SALTS Aminopyralid. In vitro genetic toxicity studies were predominantly negative. For the active ingredient(s): Animal genetic toxicity studies were inconclusive

## 12. Ecological Information

### Toxicity

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

### Fish Acute & Prolonged Toxicity

LC50, Lepomis macrochirus (Bluegill sunfish), semi-static test, 96 h: 83 mg/l

### Aquatic Invertebrate Acute Toxicity

EC50, Daphnia magna (Water flea), static test, 48 h, immobilization: > 100 mg/l

EC50, eastern oyster (Crassostrea virginica), flow-through test, 96 h, shell growth inhibition: 96 mg/l

### Persistence and Degradability

#### Data for Component: 2,4-D Dimethylamine Salt

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

#### Stability in Water (1/2-life):

0.5 - 11 d

#### Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
100 %	100 %	100 %	

Chemical Oxygen Demand: 0.72 mg/mg

#### Data for Component: Aminopyralid Triisopropanolamine Salt

For similar material(s): Aminopyralid. Material is not readily biodegradable according to OECD/EEC guidelines.

#### Data for Component: Propylene glycol

Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

#### OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method	10 Day Window
81 %	28 d	OECD 301F Test	pass
96 %	64 d	OECD 306 Test	Not applicable

#### Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
1.28E-11 cm <sup>3</sup> /s	10 h	Estimated.

#### Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
69.000 %	70.000 %	86.000 %	

Chemical Oxygen Demand: 1.53 mg/mg

Theoretical Oxygen Demand: 1.68 mg/mg

### Bioaccumulative potential

#### Data for Component: 2,4-D Dimethylamine Salt

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient, n-octanol/water (log Pow):** 0.65 Measured

**Bioconcentration Factor (BCF):** 0.1 - 0.47; Fish; Measured

Data for Component: **Aminopyralid Triisopropanolamine Salt**

**Bioaccumulation:** For similar active ingredient(s). Aminopyralid. Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Data for Component: **Propylene glycol**

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient, n-octanol/water (log Pow):** -1.07 Measured

**Bioconcentration Factor (BCF):** 0.09; Estimated.

**Mobility in soil**Data for Component: **2,4-D Dimethylamine Salt**

**Mobility in soil:** Potential for mobility in soil is high (Koc between 50 and 150).

**Partition coefficient, soil organic carbon/water (Koc):** 72 - 136 Measured

**Henry's Law Constant (H):** 1.45E-16 atm\*m3/mole; 25 °C Estimated using a bond contribution method.

Data for Component: **Aminopyralid Triisopropanolamine Salt**

**Mobility in soil:** For similar active ingredient(s)., Aminopyralid., Potential for mobility in soil is very high (Koc between 0 and 50).

Data for Component: **Propylene glycol**

**Mobility in soil:** Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process., Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient, soil organic carbon/water (Koc):** < 1 Estimated.

**Henry's Law Constant (H):** 1.2E-08 atm\*m3/mole Measured

**13. Disposal Considerations**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

**14. Transport Information****DOT Non-Bulk**

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S

**Technical Name:** 2,4-D Salts

**Hazard Class:** 9 **ID Number:** UN3082 **Packing Group:** PG III

**DOT Bulk**

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S

**Technical Name:** 2,4-D Salts

**Hazard Class:** 9 **ID Number:** UN3082 **Packing Group:** PG III

**IMDG**

NOT REGULATED

**ICAO/IATA**

NOT REGULATED

**Additional Information**

Reportable quantity: 242 lb – 2,4-D SALTS

*This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.*

## 15. Regulatory Information

### OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	No
Delayed (Chronic) Health Hazard	Yes
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

### Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

Component	CAS #	Amount
Propylene glycol	57-55-6	4.95%

### Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

### Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This product contains the following substances which are subject to CERCLA Section 103 reporting requirements and which are listed in 40 CFR 302.4.

Component	CAS #	Amount
2,4-D Dimethylamine Salt	2008-39-1	41.26%

### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

### US. Toxic Substances Control Act

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

## 16. Other Information

### Hazard Rating System



NFPA

Health

Fire

Reactivity

1

1

0

**Recommended Uses and Restrictions****Identified uses**

Product use: End use herbicide product

**Revision**

Identification Number: 1045428 / 1016 / Issue Date 08/17/2012 / Version: 1.1

DAS Code: GF-2633

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

**Legend**

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

*Dow AgroSciences LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.*