MSDS Revision Date (dd/mm/yyyy): 11/03/2010

MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier : NUANCE HERBICIDE

Product Code(s) : None reported.

Product Use : Herbicide

Chemical Family : Mixture

Supplier's name and address: Manufacturer's name and address:

Cheminova, Inc. Cheminova A/S

 One Park Drive, Suite 150
 PO Box 9

 PO Box 110566
 DK-7620

Research Triangle Park, NC, USA Lemvig, , Denmark

27709

Information Telephone # : 919-474-6600 (8:00 AM - 5:00 PM, EST, Monday-Friday)

24 Hr. Emergency Tel # : Chemtrec (800) 424-9300 (Within Continental U.S.); Chemtrec (703) 527-3887

(Outside U.S.).

For Medical Emergencies: (800) 303-6950

SECTION 2 - HAZARDS IDENTIFICATION

Classification : OSHA: This material is classified as hazardous under OSHA regulations (29CFR

1910.1200).

Hazardous classification: Acute Health Hazard; Chronic Health Hazard

WHMIS information: This product is a Pest Control Product and is not regulated as a

Controlled Product under the Hazardous Products Act (HPA).

For informational purposes, this product would have the following WHMIS classification: Class D2B (Materials Causing Other Toxic Effects, Toxic Material)

Emergency Overview : Beige solid. Odorless.

Warning! May cause eye and skin irritation. May cause irritation to the mouth, throat and stomach. Causes respiratory tract irritation. May cause long-term adverse effects in the

environment. Harmful to plants.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

Inhalation : Dusts may cause irritation of the mucous membranes and respiratory tract. Inhalation of dust may

cause shortness of breath, tightness of the chest, a sore throat and cough.

Skin : May cause mild to moderate skin irritation. Symptoms may include redness, itching and swelling.

Prolonged contact, such as when trapped against the skin under clothing or jewelry, may be more

irritating.

Eyes : May cause mild eye irritation. Inert particles may cause mechanical irritation of the eyes, including

scratches.

Ingestion : Harmful if swallowed. May cause irritation of mouth, throat, and stomach. Symptoms may include

pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Effects of long-term (chronic) exposure

: Repeated ingestion may cause severe weight loss.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. See ECOLOGICAL INFORMATION (Section 12).

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	CAS#	Wt.%
Tribenuron Methyl Technical	101200-48-0	60.00 - 100.00
Calcium carbonate	1317-65-3	1.00 - 5.00

Page 2 of 6

MSDS Revision Date (dd/mm/yyyy): 11/03/2010

Sulfonated aromatic polymer	Proprietary	1.00 - 5.00
Alkylnapthalenesulfonate, sodium salt	Proprietary	1.00 - 5.00
Sulfonated lignin	Proprietary	1.00 - 5.00

SECTION 4 - FIRST AID MEASURES

Inhalation : Immediately remove person to fresh air. If breathing is difficult, give oxygen by

qualified medical personnel only. If breathing has stopped, give artificial respiration.

Seek immediate medical attention/advice.

Skin contact : Take off all contaminated clothing immediately. Immediately flush skin with gently

flowing, running water for at least 20 minutes. If irritation persists, seek prompt medical

attention. Wash contaminated clothing before re-use.

Eye contact : Flush eyes thoroughly with running water for at least 20 minutes, holding eyelids open

to ensure complete flushing. Seek immediate medical attention/advice.

Ingestion : Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two

glasses of water to drink. Never give anything by mouth to an unconscious person.

Seek immediate medical attention/advice.

Notes For Physician : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

: Not flammable under normal conditions of use. However, may ignite if exposed to extreme heat and flame. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Fine dust dispersed in air may ignite.

Flammability classification (OSHA 29 CFR 1910.1200)

: Non-flammable.

Oxidizing properties : None known.

Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact or static discharge.

Suitable extinguishing media : Dry

Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may

spread burning material.

Special fire-fighting procedures/equipment

: Firefighters should wear proper protective equipment and self contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning solid with water spray used for cooling purposes.

Hazardous combustion products

Carbon oxides; Sulphur oxides; nitrogen oxides (NOx); calcium oxide; irritating fumes

and smoke.

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

: Health: 1 Flammability: 1 Instability: 0 Special Hazards: None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by

trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information

on acceptable personal protective equipment.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any

natural waterway or drinking supply.

Spill response/cleanup : Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is

safe to do so. Contain and absorb spilled material with inert, non-combustible absorbent material, such as sand. Sweep up and shovel into suitable containers for disposal. For a water spill, confine the spill immediately with booms. Notify the

appropriate authorities as required.

Prohibited materials : None known.

Special spill response procedures

: In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national

response center in the United States (phone: 1-800-424-8002).

US CERCLA Reportable quantity (RQ): None.

MSDS Revision Date (dd/mm/yyyy): 11/03/2010

SECTION 7 - HANDLING AND STORAGE

: This material is a harmful solid. Wear chemically resistant protective equipment during Safe Handling procedures

> handling. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Do not breathe vapours/dust. Keep away from heat and flame. Avoid contact with incompatible materials. Use caution when opening cap. Keep containers tightly closed

when not in use. Wash thoroughly after handling.

Storage requirements Store in a cool, dry, well ventilated area. Keep away from incompatibles. Storage

area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the

Incompatible materials Strong oxidizing agents; Acids; fluorine; magnesium.

Always keep in containers made of the same materials as the supply container. Special packaging materials

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

<u>Ingredients</u>	ACGIH TLV		OSHA	OSHA PEL	
	<u>TWA</u>	STEL	<u>PEL</u>	STEL	
Tribenuron Methyl Technical	N/Av	N/Av	N/Av	N/Av	
Calcium carbonate	10mg/m³	N/Av	15 mg/m³ (total dust); 5 mg/m³ (respirable fraction)	N/Av	
Sulfonated aromatic polymer	N/Av	N/Av	N/Av	N/Av	
Alkylnapthalenesulfonate, sodium salt	N/Av	N/Av	N/Av	N/Av	
Sulfonated lignin	N/Av	N/Av	N/Av	N/Av	

Ventilation and engineering measures

: Provide sufficient ventilation to keep vapour concentration below the given TLV and/or

Respiratory protection Respiratory protection is required if the concentrations exceed the TLV.

NIOSH-approved respirators are recommended. Seek advice from respiratory

protection specialists.

Impervious gloves must be worn when using this product. Small tears in gloves and Skin protection

cross-contamination can easily occur. Change gloves frequently and limit manual

work. Advice should be sought from glove suppliers.

Eye / face protection Safety glasses with side-shields or chemical splash goggles.

Other protective equipment Wear resistant clothing and boots. An eyewash station and safety shower should be

made available in the immediate working area.

General hygiene considerations

Avoid breathing vapors, fumes or dust. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Do not take

contaminated clothing home.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state solid **Appearance** : Beige solid. Odour Odorless. Odour threshold : N/Av

6.89 Нα

Boiling point N/Av : 0.5117 Specific gravity

Melting/Freezing point : N/Av Coefficient of water/oil distribution

> : Tribenuron-methyl Technical: log Kow = 2.3 at pH 1.5; -0.44 at pH 7.0

Vapour pressure (mmHg @ 20° C / 68° F) Solubility in water : Tribenuron-methyl

Technical:

28 mg/L @ 25°C, pH 4.0 2040 mg/L @ 20°C, pH 7.0

: Tribenuron-methyl Technical: 4.0 x 10 -9 mm Hg @ 25°C

MSDS Revision Date (dd/mm/yyyy): 11/03/2010 Page 4 of 6

Vapour density (Air = 1) : N/Av Evaporation rate (n-Butyl acetate = 1)

: N/Av

Volatile organic Compounds (VOC's) Volatiles (% by weight) : None.

N/Av

Flash point : N/Ap

Flash point Method : N/Ap Auto-ignition temperature : N/Av

Lower flammable limit (% by vol.)

Upper flammable limit (% by vol.)

N/Av : N/Av

Flame Projection Length : N/Ap Flashback observed : N/Ap

Section 10: Stability And Reactivity

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed.

Hazardous polymerization : Will not occur.

Conditions to avoid : Keep this product away from heat, sparks, flame, and other sources of ignition (e.g.

pilot lights, electric motors, static electricity).

Materials To Avoid And Incompatibility

: Incompatible materials (see Section 7).

Hazardous decomposition products

None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system, digestive system.

Routes of exposure : Inhalation: YES Skin Absorption: NO Skin & Eyes: YES Ingestion: YES

Toxicological data : LD50 Oral (rat): >2000 mg/kg

LD50 Dermal (rat): >2000 mg/kg LC50 Inhalation (rat): >5.18 mg/kg

Carcinogenic status : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects: Not expected to have other reproductive effects.

Teratogenicity: Not expected to be a teratogen.

Mutagenicity: Not expected to be mutagenic in humans.

Epidemiology: Not available.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Synergistic materials : Not available.

Irritancy : May cause eye and skin irritation. May cause irritation to upper respiratory system.

other important hazards : None known.

Conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: The active ingredient is: Tribenuron-methyl Technical.

The toxicity of the active ingredients to wildlife species is measured to be: Fish - 96-hr LC50, Rainbow Trout (Oncorhynchus mykiss) = >1000 ppm Invertebrates - 96-hr EC50, Water Flea (Daphnia magna) = >720 ppm

Bees - 48-hr LD50, Bees = >100 µg/bee

Plants - 14-day EC50, Duckweed (Lemna minor) = 9.9 μg/l

72-hr EC50, Green Algae (Selenastrum capricornutum) = 8.0 mg/l

Mobility : Potential for mobility in soil is high.

Persistence : The active ingredient is not persistent in the environment. Degradation half-lives vary

with with circumstances, from a few days to a few weeks in aerobic water and soil.

Metabolites are considered as persistent.

Bioaccumulation potential : The bioconcentration potential is low.

Other Adverse Environmental effects

: This product is an herbicide. The active ingredient is considered to be toxic to many plants, and non-toxic to fish, aquatic invertebrates, soil micro- and macroorganisms, birds, mammals and insects. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle waste according to recommendations in Section 7.

MSDS Revision Date (dd/mm/yyyy): 11/03/2010

Methods of Disposal

: Do not contaminate water, foodstuffs, feed or seed by storage or disposal. For disposable containers, triple rinse (or equivalent) containers and add rinse material to disposal tank. Follow any additional local, state or federal requirements for cleaning containers prior to disposal. Make the empty, rinsed container unsiutable for further use by puncturing. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA

If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14: TRANPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
49CFR/DOT	None	Not regulated.	not regulated	none	\bigotimes
49CFR/DOT Additional information	None.				
TDG	None	Not regulated.	not regulated	none	\bigotimes
TDG Additional information	None.				

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200).

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product may be subject to SARA notification requirements, since it contains Toxic Chemical constituents above their de minimus concentrations. This product contains: Tribenuron-methyl Technical

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

International Information:

WHMIS information: This product is a Pest Control Product and is not regulated as a Controlled Product under the Hazardous Products Act (HPA).

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 1 Flammability: 1 Reactivity: 0

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

Page 6 of 6

MSDS Revision Date (dd/mm/yyyy): 11/03/2010

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer

Inh: Inhalation
N/Ap: Not Applicable

N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values
TPQ: Threshold Planning Quantity
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

: 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2010.

International Agency for Research on Cancer Monographs, searched 2010.
 Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2010

(Chempendium, HSDB, RTECs).

4. Material Safety Data Sheet from manufacturer.

5. US EPA Title III List of Lists.6. California Proposition 65 List.

Prepared for:

References

Cheminova Inc PO Box 110566

One Park Drive, Suite 150

Research Triangle Park, NC, USA 27709 Please direct all enquiries to Cheminova.

Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com



DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Cheminova Inc and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Cheminova Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Cheminova Inc.

Preparation Date (dd/mm/yyyy)

: 16/08/2007

Reviewed Date (dd/mm/yyyy)

: 11/03/2010

Revision No. : 2

Revision Information : (M)SDS sections updated: All