

Material Safety Data Sheet

Effective Date: 08-AUG-2013  
Product: OVERTIME NXT

-----  
I. IDENTIFICATION  
-----

Chemical Name: Acetochlor + Furilazole  
Chemical Family: Herbicide  
Formula: Not applicable, formulated mixture.  
Synonyms: None  
CAS Number: See Ingredients, Section III.  
EPA Number: 62719-672-5905

-----  
II. PHYSICAL DATA  
-----

Boiling Point: Not available  
Freezing Point: Not available  
Spec Gravity: 1.1071 g/ml  
Vapor Pressure: Not volatile  
Vapor Density: Not available  
Solubility: Emulsifies  
Volatiles: Not volatile  
Evaporation: Not available  
Melting Point: Not applicable  
Appearance: Blue liquid with mild odor.

-----  
III. INGREDIENTS  
-----

Material	CAS Number	Percent	TLV	Hazard
Acetochlor	34256-82-1	76.1		See Section V.
Furilazole	121776-33-8	2.5		See Section V.
Inert ingredients including Aromatic Hydrocarbons and Naphthalene (CAS No. 91-20-3).		21.4		See Section V.

-----  
IV. FIRE AND EXPLOSION HAZARD  
-----

Flash Point: 257 Degrees F.  
Autoignition Temp: Not available  
Flammable Limit: Not available  
Extinguishing Media: Use water fog, fine spray water, dry chemical,  
carbon dioxide or foam extinguishing agents.  
Alcohol-  
Special Fire Fight Proc: Do not use direct water system as fire may  
spread. Wear self-contained breathing  
apparatus and full protective clothing.  
Fire and Expl Hazard: Violent steam generation or eruption may occur  
upon application of direct water stream to hot

Material Safety Data Sheet

Effective Date: 08-AUG-2013  
Product: OVERTIME NXT

-----  
liquids.  
-----

V. HEALTH HAZARD

-----  
Carcinogen Information: See Carcinogen Note, Section IX.  
-----

ACUTE EFFECTS OF OVER EXPOSURE

-----  
Swallowing: Low toxicity if swallowed. Small amounts  
swallowed incidental to normal handling are  
not likely to cause injury. However,  
swallowing larger amounts may cause injury.  
Skin Absorption: Prolonged skin contact is unlikely to result  
in absorption of harmful amounts.  
Inhalation: Prolonged excessive exposure to mist may cause  
serious adverse effects, even death.  
Anesthetic or narcotic effects are symptoms.  
Dizziness and drowsiness may occur. Excessive  
exposure may cause irritation to the upper  
respiratory tract.  
Skin contact: Brief contact may cause moderate skin  
irritation with local redness. Similar  
materials have caused allergic skin reactions  
when tested in guinea pigs.  
Eye Contact: May cause moderate eye irritation. May cause  
corneal injury.  
Chronic Effects: Repeated excessive exposure may aggravate pre-  
existing lung disease.  
Other Hazard: Aspiration into the lungs may occur during  
ingestion or vomiting, causing lung damage or  
even death due to chemical pneumonia.  
-----

EMERGENCY AND FIRST AID PROCEDURES

-----  
Swallowing: Do not induce vomiting. Call a physician or  
ambulance for medical treatment.  
Skin: Remove contaminated clothing. Wash skin with  
soap and plenty of water for 15 to 20 minutes.  
Call a poison control center or doctor for  
treatment advice. Launder clothing before  
reuse.  
Inhalation: Move to fresh air. If not breathing, call 911  
or an ambulance, then give artificial  
respiration, preferably by mouth to mouth if  
possible. Seek medical attention.  
Eyes: Hold eyes open and rinse slowly and gently  
with water for 15 to 20 minutes. Remove  
-----

Material Safety Data Sheet

Effective Date: 08-AUG-2013  
Product: OVERTIME NXT

-----  
contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Notes to Physician: Maintain adequate ventilation and oxygenation of the patient. May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids may be of help. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. No specific antidote. Treat symptomatically.

-----  
VI. REACTIVITY

-----  
Stability: Stable  
Conditions to Avoid: Stable when stored and used properly.  
Polymerization: Will Not Occur  
Conditions to Avoid: None currently known.  
Incompatibility material: Avoid contact with metals such as mild steel.  
Hazardous Combustion: May emit nitrogen oxides, hydrogen chloride and carbon monoxide under fire conditions.

-----  
VII. SPILL OR LEAK PROCEDURES

-----  
Spill or Leak Proc: Prevent spilled material from entering into soil, ditches, sewers, waterways or groundwater. Contain small spills with clay, dirt or sand. Sweep up, collect and place in suitable properly labeled containers for disposal.  
Waste Disposal Method: This material must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act.

-----  
VIII. SPECIAL PROTECTION INFORMATION

-----  
Respiration: Use air-purifying respirator with organic vapor cartridge and particulate pre-filter when needed.  
Ventilation: Local exhaust ventilation may be needed.  
Gloves: Chemical-resistant gloves.  
Eyes: Chemical goggles.

Material Safety Data Sheet

Effective Date: 08-AUG-2013  
Product: OVERTIME NXT

-----  
Other: Emergency shower, eyewash station, and face shield. Boots, apron or full body suit may be needed, depending on task.  
-----

IX. SPECIAL PRECAUTIONS

-----  
Special precaution: Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. Store in original container in a dry place. Keep tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies. Do not store in mild steel.

Other precaution: Carcinogen Note: For the active ingredients, cancer has been observed in laboratory animals. Tumors were observed only at levels which produced significant toxicity, thus exceeding the maximum tolerated dose. Also contains naphthalene which has caused cancer in some laboratory animals. In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were negative.  
-----

X. SHIPPING INFORMATION

Shipping name: Not regulated by DOT in single packages less than 722 gallons.

Hazard Class: None

Identification No: None

Labels Required: None required

Placarding: None

Freight Class: Pesticides, NOI, Herbicides, Other than Poison (NMFC Item 155050, Sub 11, Class 70)

Chemical Name

Equivalent R.Q.

-----  
Naphthalene (CAS No. 91-20-3)

100 lbs/722 gallons

TRANSPORTATION NOTE:

For ground shipments in single packages >722 gallons, ship as: RQ, UN3082, Environmentally Hazardous Substance, Liquid, n.o.s. (Acetochlor, Naphthalene), 9, PG III "ERG # 171"  
-----

Helena Chemical Company  
PH: 901-761-0050  
CHEMTREC: 800-424-9300

12-AUG-2013 16:53:08  
Page 5 Of 5

Material Safety Data Sheet

Effective Date: 08-AUG-2013  
Product: OVERTIME NXT

-----  
XI. GENERAL PRODUCT INFORMATION  
-----

National Fire Protection Association Rating:  
(Rating level: 4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

Health: 2                      Fire: 1                      Reactivity: 1

S.A.R.A. Title III Hazard Classification: (Yes/No)

Immediate (Acute) Health: Y                      Delayed (Chronic) Health: Y  
Sudden Release of pressure: N                      Fire: N  
Reactive: N

-----  
Mail inquiries to: 225 Schilling Blvd., Suite 300 Collierville, TN 38017  
Helena Chemical Company believes that the data contained herein is factual.  
This data is not to be taken as a warranty or representation of legal  
responsibility. It is offered solely for your consideration, investigation  
and verification.